Աշխատանքի նպատակ

Ստեղծել `CourseFee` դաս՝ օգտագործելով private դաշտեր և երեք public կոնստրուկտորներ։

Խնդրի պահանջ

Սահմանել `lessonCount` (`int`) և `pricePerLesson` (`double`) դաշտերը։ Ստեղծել երեք կոնստրուկտոր, `calculate()` և `show()` մեթոդներ։

Առաջադրանք

Ստեղծել երեք օբյեկտ՝ յուրաքանչյուր կոնստրուկտորով մեկական։ Մուտքագրել անհրաժեշտ արժեքները, արտածել դաշտերը և դասընթացի ընդհանուր վճարը։

C++ կոդ

```
#include <iostream>
using namespace std;

class CourseFee {
private:
    int lessonCount;
    double pricePerLesson;

public:
    CourseFee() {
        lessonCount = 0;
        pricePerLesson = 0;
    }

    CourseFee(int count) {
        lessonCount = count;
        pricePerLesson = 2000;
```

```
    }

    CourseFee(int count, double price) {
        lessonCount = count;
        pricePerLesson = price;
    }

    double calculate() {
        return lessonCount * pricePerLesson;
    }

    void show() {
        cout << "Lessons: " << lessonCount << endl;
        cout << "Price per lesson: " << pricePerLesson << endl;
    }
};

int main() {
    int count1, count2;
    double price;

    cout << "Enter lesson count for object 2: ";
    cin >> count1;

    cout << "Enter lesson count for object 3: ";
    cin >> count2;

    cout << "Enter price per lesson for object 3: ";
    cin >> price;

    CourseFee c1;
    CourseFee c2(count1);
    CourseFee c3(count2, price);

    cout << "\nObject 1:\n";
    c1.show();
    cout << "Total: " << c1.calculate() << endl;

    cout << "\nObject 2:\n";
```

```
    c2.show();
    cout << "Total: " << c2.calculate() << endl;

    cout << "\nObject 3:\n";
    c3.show();
    cout << "Total: " << c3.calculate() << endl;

    return 0;
}
```