

## **SMALLEST NUMBER IN AN ARRAY**

**EXP NO: 11**

### **AIM:**

To find the smallest number from an array using 8085 processor.

### **ALGORITHM:**

- 1) Load the address of the first element of the array in HL pair.
- 2) Move the count to B register.
- 3) Increment the pointer.
- 4) Get the first data in A register.
- 5) Decrement the count.
- 6) Increment the pointer.
- 7) Compare the content of memory addressed by HL pair with that of A register.

- 8) If carry=1, go to step 10 or if carry=0 go to step 9
- 9) Move the content of memory addressed by HL to A register.
- 10) Decrement the count.

**PROGRAM:**

LXI H,2050

MOV C,M

DCR C

INX H

MOV A,M

LOOP1: INX H

CMP M

JC LOOP

MOV A,M

LOOP: DCR C

JNZ LOOP1


STA 2058

HLT

INPUT:

Data Stack KeyPad Memory I/O Ports			
Start		2050	OK
Address (Hex)	Address	Data	
0802	2050	5	
0803	2051	5	
0804	2052	10	
0805	2053	4	
0806	2054	95	
0807	2055	3	
----	----	-	

OUTPUT:



**RESULT:** Thus the program was executed successfully using 8085 processor simulator.