



Upgrade ▼

## SimpleFlask Api

...

narendra45 (/me)

CURRENT ▼

[Documentation](#) [Monitors](#) [Mocks](#) [Pull Requests](#) [Changelog](#)Environment [No Environment](#) ▼Language [cURL - cURL](#) ▼

# SimpleFlask Api

0

Add a description...

## GET http://127.0.0.1:5002/lang

0

Get request for Getting All records

Example Request

http://127.0.0.1:5002/lang

```
curl --location --request GET 'http://127.0.0.1:5002/lang'
```

Example Response

[Body](#) [Headers \(0\)](#)**No response body**

This request doesn't return a response body.

## GET http://127.0.0.1:5002/

 0

Home

Example Request

http://127.0.0.1:5002/

```
curl --location --request GET 'http://127.0.0.1:5002/'
```

Example Response

Body Headers (0)

### No response body

This request doesn't return a response body.

## POST http://127.0.0.1:5002/lang

 0

Post Request

Headers

Content-Type	application/json
--------------	------------------

Body raw (application/json)

```
{"name" : "go"}
```

Example Request

http://127.0.0.1:5002/lang

```
curl --location --request POST 'http://127.0.0.1:5002/lang' \  
--header 'Content-Type: application/json' \  
--data-raw '{"name" : "go"}'
```

Example Response

**Body** Headers (0)**No response body**

This request doesn't return a response body.

## PUT http://127.0.0.1:5002/lang/JavaScript

 0

```
http://127.0.0.1:5002/lang/JavaScript
```

Put Request

**Headers**

<b>Content-Type</b>	application/json
---------------------	------------------

**Body** raw (application/json)

```
{"name": "Node.js"}
```

Example Request

http://127.0.0.1:5002/lang/JavaScript

```
curl --location --request PUT 'http://127.0.0.1:5002/lang/JavaScript' \  
--header 'Content-Type: application/json' \  
--data-raw '{"name":"Node.js"}'
```

### Example Response

Body Headers (0)

#### No response body

This request doesn't return a response body.

---

## DELETE http://127.0.0.1:5002/lang/Ruby

 0

http://127.0.0.1:5002/lang/Ruby

### Delete Request

#### Example Request

http://127.0.0.1:5002/lang/Ruby

```
curl --location --request DELETE 'http://127.0.0.1:5002/lang/Ruby'
```

#### Example Response

Body Headers (0)

#### No response body

This request doesn't return a response body.