Farmer FAQ — Common Questions on Crop Disease Management

This is a starter FAQ set for the AgriSense AI knowledge base. Extend it with real questions collected from farmer helpline calls / WhatsApp support logs before production use.

Q1 (EN): How soon after spotting disease symptoms should I spray?

Q1 (HI): ■■■ ■■ ■■■■■ ■■■■■ ■■ ■■■■■ ■■■■■ ■■■■■■■ ■■■■ ■■■■■?

A: For fast-spreading diseases like late blight, spray within 24-48 hours. For slower diseases like early blight or leaf spot, spray within a week of first noticing symptoms. Delaying treatment on fast-spreading diseases can mean losing the whole field.

■■■■■: ■■■■■ ■■■■■ ■■■■ ■■■■■ ■■ ■■■■■ ■■■■ ■■■■■■■■■■ ■■ ■■■ 24-48 ■■■■ ■■ ■■■■

■■■■■■■ ■■■■■ ■■■■■ ■■■■■ ■■ ■■■■■ ■■■■■ ■■■■ ■■■■ ■■■■■■■■■■ ■■ ■■■, ■■■■ ■■■■■

■■■■■ ■■ ■■ ■■■■■■ ■■ ■■■■ ■■■■■■■ ■■■■■

Q2 (EN): Can I mix two pesticides together to save time?

Q2 (HI): ■■■■ ■■■ ■■■ ■■■■■ ■■ ■■■ ■■ ■■■■■■■■■■ ■■ ■■■■ ■■■■ ■■■?

A: Only mix pesticides that are explicitly labeled as compatible for tank mixing. Mixing incompatible chemicals can reduce effectiveness, cause plant damage, or create unsafe fumes. When in doubt, spray separately with a gap of at least 3-4 days.

■■■■■: ■■■■ ■■■■■■ ■■■■■■■■■■ ■■ ■■■■■■ ■■■■■■■■ ■■■■ ■■■■■■■■■ ■■ ■■■ ■■■■ ■■■■■■ ■■■

■■■ ■■■■■ ■■■■■■■■ ■■ ■■■■■■■ ■■ ■■■■■■■ ■■ ■■ ■■■■■ ■■, ■■■■■ ■■ ■■■■■■■ ■■ ■■■■■ ■■, ■■

■■■■■■■■■■ ■■■■■ ■■ ■■■■■ ■■■■ ■■■■■■ ■■■■■ ■■ ■■ ■■ ■■ 3-4 ■■■■ ■■ ■■■■■■■ ■■ ■■■■-■■■

■■■■■■■■ ■■■■■■

Q3 (EN): Is it safe to eat vegetables sprayed with pesticide?

Q3 (HI): ■■■■■■■■ ■■■■■■■ ■■ ■■■■■■■■■ ■■ ■■■■■ ■■■■■■■■■ ■■ ■■■■■?

A: Yes, if you follow the pre-harvest interval (PHI) printed on the pesticide label — the minimum number of days between the last spray and harvest. Always wash produce thoroughly before cooking or eating regardless.

■■■■■■: ■■■■, ■■■■ ■■ ■■■■■■■■ ■■■■■ ■■ ■■■■ ■■■■■-■■■■■■ ■■■■■■■ (PHI) ■■ ■■■■■ ■■■■■ —

■■■■■■ ■■■■■■■■ ■■ ■■■■■ ■■ ■■■■ ■■■■■■■■ ■■■■■■ ■■ ■■■■■■■■ ■■■■■■ ■■ ■■■■■ ■■ ■■■■■ ■■■■■■

■■■■ ■■ ■■■■■■ ■■■■ ■■ ■■■■■

Q4 (EN): My crop looks diseased but the app's confidence score is low. What should I do?

Q4 (HI): ■■■■■ ■■■■ ■■■■■■ ■■■■ ■■■■ ■■ ■■■■■■ ■■ ■■ ■■■■■■■■■■■■ ■■■■■■ ■■ ■■■■ ■■■■■ ■■■■■ ■■■■■ ■■■■■■?

A: Low confidence usually means the photo is blurry, poorly lit, or shows multiple overlapping symptoms. Retake the photo in daylight, focus on a single affected leaf, and try again. If confidence stays low, contact your nearest Krishi Vigyan Kendra (KVK) or agriculture extension officer.

■■■■■■: ■■ ■■■■■■■■■■■■ ■■ ■■■■■ ■■■■■■ ■■ ■■ ■■ ■■■■■ ■■■■■■■■, ■■ ■■■■■■ ■■■■■, ■■ ■■

■■■■■■■■ ■■ ■■ ■■■■ ■■■■■ ■■■■ ■■■■ ■■■■ ■■ ■■■■■■ ■■■■ ■■■■ ■■ ■■■■■ ■■■■, ■■ ■■■■■■■■■

■■■■■■ ■■ ■■■■■■ ■■■■■■■■■■ ■■■■■, ■■ ■■■■ ■■ ■■■■■■■ ■■■■■■ ■■■■ ■■■■■■■■■■■■ ■■ ■■■■■ ■■,

■■ ■■■■■ ■■■■■■■■ ■■■■■ ■■■■■■■■ ■■■■■■■ (KVK) ■■ ■■■■■ ■■■■■■■■ ■■■■■■■■ ■■ ■■■■■■■ ■■■■■■

Q5 (EN): What's the difference between organic and chemical treatment?

Q5 (HI): ■■■■■■ ■■ ■■■■■■■■■ ■■■■■■ ■■■■ ■■■■■ ■■■■■ ■■?

A: Chemical treatments (fungicides/pesticides) usually act faster and are more reliable in severe outbreaks, but require careful safety precautions and pre-harvest intervals. Organic alternatives (neem oil, copper soap, biofungicides) are gentler on the environment and beneficial insects but often need more frequent application and work best as prevention rather than cure once disease is severe.

[illegible]: [illegible] [illegible] ([illegible]/[illegible]) [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible]-[illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] ([illegible] [illegible], [illegible] [illegible], [illegible]-[illegible]) [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

Q6 (EN): Should I spray before or after rain?

Q6 (HI): [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]?

A: Avoid spraying right before rain — it washes the product off before it

can work. Ideally spray when at least 4-6 rain-free hours are expected. If

rain is forecast, wait until it passes, then spray as soon as the field

dries enough to walk on.

[illegible]: [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] — [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]

[illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [