

Contents

1	Introduction	5
1.1	The Cosmic Census: What Is the Universe Made Of?	5
1.2	The Three Pillars of the Invisible Universe	5
1.3	Project Objectives	6
1.4	Observational Foundations	6
2	Historical Timeline of Discovery	7
2.1	Key Milestones in Cosmology	7
3	Black Holes: Where Gravity Conquers Light	8
3.1	Theoretical Foundations	8
3.1.1	The Schwarzschild Metric	8
3.1.2	Physical Interpretation	8
3.1.3	Calculated Examples	8
3.2	Rotating Black Holes: The Kerr Solution	8
3.3	Classification by Mass	9
3.4	Hawking Radiation: Black Holes Aren't Forever	9
3.5	Observational Breakthroughs	9
3.5.1	Event Horizon Telescope: First Direct Image	9
3.5.2	Key Observational Milestones	10
4	Dark Matter: The Invisible Scaffolding	11
4.1	Theoretical Framework	11
4.2	Evidence for Dark Matter	11
4.2.1	Evidence 1: Galaxy Rotation Curves	11
4.2.2	Evidence 2: The Bullet Cluster ("Smoking Gun")	11
4.2.3	Evidence 3: Gravitational Lensing	12
4.2.4	Evidence 4: Cosmic Microwave Background	13
4.2.5	Evidence 5: Large Scale Structure Formation	13
4.2.6	Evidence 6: Cluster Velocity Dispersions	13
4.3	Dark Matter Candidates	14
5	The Big Bang: Birth of the Universe	15
5.1	Chronological Timeline	15
5.1.1	The Planck Epoch ($t < 10^{-43}$ s)	15
5.1.2	Inflation (10^{-36} to 10^{-32} s)	15
5.1.3	Big Bang Nucleosynthesis (3 to 20 minutes)	16
5.1.4	Recombination (380,000 years)	16
5.1.5	Cosmic Dawn (150–400 million years)	16
5.1.6	Present Day (13.8 billion years)	17
5.2	Observational Evidence for the Big Bang	17
5.3	Hubble's Law and Cosmic Expansion	17
5.4	The Friedmann Equations	17
5.5	Scale Factor Evolution	17
6	Dark Energy: The Accelerating Universe	18
6.1	Discovery: Type Ia Supernovae	18
6.2	The Cosmological Constant	18

6.3	The Equation of State	18
6.4	The Cosmological Constant Problem	18
6.5	Future of the Universe	18
7	Gravitational Wave Astronomy	19
7.1	Theory of Gravitational Waves	19
7.2	LIGO Detection Principle	19
7.3	Major Detections	19
7.4	Multi-Messenger Astronomy	19
8	Galaxy Clusters: Cosmic Laboratories	21
8.1	Cluster Composition	21
8.2	X-ray Observations	21
8.3	The Perseus Cluster Sound Waves	21
8.4	Cluster Classification	21
9	Deep Field Observations	22
9.1	Hubble Ultra Deep Field	22
10	Observational Instruments & Techniques	23
10.1	Space-Based Telescopes	23
10.2	Ground-Based Facilities	23
10.3	Future Missions	23
11	Scientific Image Gallery	24
12	Project Poster & Team	25
12.1	The Physical Poster	25
12.2	Team BomBSquad	25
12.3	Project Deliverables	26
13	Conclusion	27
13.1	Summary of Findings	27
13.2	Open Questions & Future Prospects	27
14	Glossary of Terms	28
15	References	29
15.1	Foundational Scientific Papers	29
15.2	Books and Textbooks	29
15.3	Online Resources and Databases	29
15.4	Recent Research (2024–2025)	30
15.5	Educational Videos and Documentaries	30
15.6	Data Archives and Catalogs	30

List of Figures

1	Composition of the universe according to Planck satellite measurements (2018).	5
2	First direct image of a black hole shadow—M87* captured by the Event Horizon Telescope, April 2019. The bright ring is synchrotron radiation from relativistic electrons; the dark center is the black hole’s shadow.	9
3	Schematic galaxy rotation curve showing expected Keplerian decline vs. observed flat profile.	11
4	Composite image: dark matter (blue, from lensing) separated from hot gas (pink, from X-rays).	12
5	Chandra X-ray image showing the shock front and gas distribution.	12
6	Gravitational lensing geometry showing light bending around a massive object.	13
7	NASA infographic showing multiple lines of evidence for dark matter.	13
8	Timeline of cosmic evolution from the Big Bang to the present day, spanning 13.8 billion years.	15
9	Planck satellite all-sky map of CMB temperature anisotropies. Red regions are ~ 0.0001 K warmer than average; blue regions are cooler. These tiny fluctuations grew into all cosmic structure.	16
10	Simplified LIGO interferometer schematic. Gravitational waves stretch one arm while compressing the other.	19
11	Chandra X-ray image of Perseus Cluster showing sound waves rippling through the hot gas.	21
12	Compilation of galaxy clusters observed by Chandra X-ray Observatory.	21
13	Hubble Ultra Deep Field—approximately 10,000 galaxies in an area smaller than a grain of sand held at arm’s length.	22
14	Universe’s mass-energy content.	24
15	Galaxy cluster collision dynamics.	24
16	Artistic visualization of cosmic expansion from the Big Bang.	24
17	The Invisible Universe project poster showcasing dark matter, black holes, and Big Bang cosmology.	25
18	Team BomBSquad members with the project poster.	26

List of Tables

1	Primary data sources for this investigation.	6
2	Timeline of major discoveries in understanding the invisible universe.	7
3	Schwarzschild radii for various objects.	8
4	Classification of black holes by mass.	9
5	Event Horizon Telescope observation parameters for M87*.	10
6	Timeline of black hole observation milestones.	10
7	Behavior of different components during the Bullet Cluster collision.	12
8	Dark matter particle candidates and detection methods.	14
9	Primordial abundances from Big Bang nucleosynthesis.	16
10	Notable gravitational wave detections.	19
11	Typical galaxy cluster composition.	21
12	Hubble Ultra Deep Field observation parameters.	22
13	Major space-based astronomical observatories.	23
14	Major ground-based observatories.	23

15 Team BomBSquad member contributions. 26

1 Introduction

WHEN we gaze upon the night sky, we witness merely the tip of a cosmic iceberg. The glittering tapestry of stars, galaxies, and nebulae that has inspired humanity for millennia represents an astonishingly small fraction of what actually exists. Modern astrophysics has revealed a startling truth: approximately 95% of all matter and energy in the cosmos remains completely invisible to our most sophisticated instruments.

This project, “**The Invisible Universe**,” embarks on a comprehensive investigation of this hidden cosmos, focusing on three fundamental aspects that define our understanding of the universe’s structure and evolution.

1.1 The Cosmic Census: What Is the Universe Made Of?

The European Space Agency’s Planck satellite mission (2009–2013) provided humanity’s most precise measurement of the universe’s composition. The results challenge our intuitive understanding of reality:




Figure 1: Composition of the universe according to Planck satellite measurements (2018).

- **68.3% Dark Energy:** A mysterious repulsive force causing the universe’s expansion to accelerate. Discovered in 1998 through observations of Type Ia supernovae by the Supernova Cosmology Project and High-Z Supernova Search Team, earning Perlmutter, Schmidt, and Riess the 2011 Nobel Prize in Physics. Its physical nature remains unknown.
- **26.8% Dark Matter:** Invisible matter detectable only through its gravitational influence. It does not emit, absorb, or reflect electromagnetic radiation of any wavelength. First proposed by Fritz Zwicky in 1933, its existence is now confirmed through multiple independent observations.
- **4.9% Baryonic (Ordinary) Matter:** Everything we can see and touch—all stars, planets, gas clouds, dust, and living organisms. This includes every atom in your body, every star in every galaxy, and all the interstellar gas and dust throughout the cosmos.

1.2 The Three Pillars of the Invisible Universe

This report investigates three interconnected phenomena that together reveal the hidden architecture of the cosmos:

The Three Pillars

1. **Dark Matter** — The invisible scaffolding upon which all cosmic structure is built
2. **Black Holes** — Regions where gravity has completely conquered light itself
3. **The Big Bang** — The origin event from which space, time, and all matter emerged

1.3 Project Objectives

This comprehensive investigation aims to:

1. Present and analyze multiple independent lines of evidence confirming dark matter's existence
2. Explain black hole physics from theoretical foundations to recent observational breakthroughs
3. Describe the Big Bang model and trace cosmic evolution from 10^{-43} seconds to the present
4. Examine galaxy clusters as cosmic laboratories for studying dark matter
5. Explore gravitational wave astronomy as a new window on the universe
6. Showcase scientific imagery from NASA, ESA, and international collaborations
7. Discuss dark energy and the accelerating expansion of the universe
8. Survey ongoing and future experiments designed to detect dark matter particles
9. Create an educational resource combining rigorous science with accessibility

1.4 Observational Foundations

Our analysis draws upon data from humanity's most advanced astronomical instruments:

Table 1: Primary data sources for this investigation.

Observatory	Type	Key Capability	Launch
Hubble Space Telescope	Optical/UV/IR	2.4m mirror, 0.05" resolution	1990
Chandra X-ray Observatory	X-ray	0.5" resolution, 0.1–10 keV	1999
Planck Satellite	Microwave	μ K CMB precision	2009
Event Horizon Telescope	Radio VLBI	μ as resolution	2017
LIGO/Virgo	Gravitational Wave	Strain $\sim 10^{-23}$	2015
James Webb Space Telescope	Infrared	6.5m mirror, $z > 13$	2021

2 Historical Timeline of Discovery

The journey to understanding the invisible universe spans over a century of scientific investigation, marked by theoretical breakthroughs and observational surprises.

2.1 Key Milestones in Cosmology

Table 2: Timeline of major discoveries in understanding the invisible universe.

Year	Discovery	Significance
1915	General Relativity	Einstein describes gravity as spacetime curvature
1916	Schwarzschild Solution	First black hole solution: $r_s = 2GM/c^2$
1929	Hubble Expansion	Universe is expanding: $v = H_0 d$
1933	Dark Matter	Zwicky finds “missing mass” in Coma Cluster
1965	CMB Discovery	Penzias & Wilson detect Big Bang afterglow
1970s	Rotation Curves	Rubin & Ford confirm flat galaxy rotation curves
1998	Dark Energy	Supernovae reveal accelerating expansion
2006	Bullet Cluster	Direct proof of dark matter as real substance
2015	Gravitational Waves	LIGO detects merging black holes
2019	M87* Image	EHT captures first black hole shadow
2022	Sgr A* Image	EHT images Milky Way’s central black hole



Key Pioneers

Albert Einstein (1879–1955): General relativity; $G_{\mu\nu} + \Lambda g_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}$. **Fritz Zwicky** (1898–1974): First proposed dark matter from cluster dynamics. **Vera Rubin** (1928–2016): Galaxy rotation curves proving dark matter halos. **Stephen Hawking** (1942–2018): Black hole radiation and quantum gravity.

3 Black Holes: Where Gravity Conquers Light

BLACK holes represent nature’s most extreme objects—regions of spacetime where gravitational attraction is so intense that nothing, not even light traveling at 299,792,458 meters per second, can escape once past a boundary called the event horizon.

3.1 Theoretical Foundations

3.1.1 The Schwarzschild Metric

The spacetime geometry around a non-rotating, uncharged black hole is described by Karl Schwarzschild’s 1916 solution to Einstein’s field equations:

$$ds^2 = -\left(1 - \frac{r_s}{r}\right) c^2 dt^2 + \left(1 - \frac{r_s}{r}\right)^{-1} dr^2 + r^2(d\theta^2 + \sin^2 \theta d\phi^2) \quad (1)$$

where the **Schwarzschild radius** is:

$$r_s = \frac{2GM}{c^2} \quad (2)$$

- $G = 6.674 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$ (gravitational constant)
- M = mass of the black hole
- $c = 2.998 \times 10^8 \text{ m/s}$ (speed of light)

3.1.2 Physical Interpretation

At $r = r_s$, the metric coefficient $(1 - r_s/r)$ becomes zero, creating a coordinate singularity—the **event horizon**. Key properties:

- **One-way membrane:** Information and matter can fall in but never escape
- **Time dilation:** Clocks slow dramatically near the horizon; to a distant observer, infalling objects appear to freeze at $r = r_s$
- **Gravitational redshift:** Light escaping from near the horizon loses energy, becoming increasingly redshifted
- **Tidal forces:** Near the singularity at $r = 0$, tidal stretching (“spaghettification”) destroys any object

3.1.3 Calculated Examples

Table 3: Schwarzschild radii for various objects.

Object	Mass (kg)	r_s	Comparison
Earth	5.97×10^{24}	8.87 mm	Marble
Sun	1.99×10^{30}	2.95 km	Small town
Sagittarius A*	8.2×10^{36}	1.2×10^7 km	$17 \times$ Sun’s radius
M87*	1.3×10^{40}	1.9×10^{10} km	$3 \times$ Pluto’s orbit

3.2 Rotating Black Holes: The Kerr Solution

Most astrophysical black holes rotate, often quite rapidly. Roy Kerr’s 1963 solution describes rotating black holes:

$$ds^2 = -\left(1 - \frac{r_s r}{\Sigma}\right) c^2 dt^2 - \frac{2r_s r a \sin^2 \theta}{\Sigma} c dt d\phi + \frac{\Sigma}{\Delta} dr^2 + \Sigma d\theta^2 \quad (3)$$

where $a = J/Mc$ is the spin parameter, $\Sigma = r^2 + a^2 \cos^2 \theta$, and $\Delta = r^2 - r_s r + a^2$.

Key features of Kerr black holes:

- **Ergosphere:** A region outside the event horizon where spacetime is dragged so strongly that nothing can remain stationary
- **Frame dragging:** Spacetime itself is twisted by the rotation (Lense-Thirring effect)
- **Penrose process:** Energy can theoretically be extracted from a rotating black hole
- **Maximum spin:** $a \leq GM/c^2$ (extremal limit)

3.3 Classification by Mass

Black holes span an enormous range of masses, from a few solar masses to billions:

Table 4: Classification of black holes by mass.

Type	Mass Range	Formation Mechanism	Examples
Stellar	5–100 $M_\odot$	Core collapse of massive stars	Cygnus X-1
Intermediate	10^2 – 10^5 $M_\odot$	Stellar mergers, runaway collisions	HLX-1
Supermassive	10^6 – 10^{10} $M_\odot$	Hierarchical growth, direct collapse	M87*, Sgr A*
Primordial	10^{-8} – 10^5 $M_\odot$	Early universe density fluctuations	Hypothetical

3.4 Hawking Radiation: Black Holes Aren't Forever

In 1974, Stephen Hawking showed that black holes aren't perfectly black—they emit thermal radiation due to quantum effects near the event horizon:

$$T_H = \frac{\hbar c^3}{8\pi G M k_B} \approx \frac{6.2 \times 10^{-8}}{M/M_\odot} \text{ K} \quad (4)$$

- A stellar-mass black hole: $T_H \sim 10^{-8}$ K (undetectable)
- Black hole evaporation time: $t_{\text{evap}} \sim 10^{67} (M/M_\odot)^3$ years

3.5 Observational Breakthroughs

3.5.1 Event Horizon Telescope: First Direct Image

On April 10, 2019, humanity witnessed the first direct image of a black hole—M87* at the center of the giant elliptical galaxy Messier 87.



Figure 2: First direct image of a black hole shadow—M87* captured by the Event Horizon Telescope, April 2019. The bright ring is synchrotron radiation from relativistic electrons; the dark center is the black hole's shadow.

Technical Achievement:

Table 5: Event Horizon Telescope observation parameters for M87*.

Parameter	Value
Target Mass	$(6.5 \pm 0.7) \times 10^9 M_{\odot}$
Distance	54.8 million light-years (16.8 Mpc)
Angular Size	42 ± 3 microarcseconds
Observation Wavelength	1.3 mm (230 GHz)
Observation Dates	April 5–11, 2017
Number of Telescopes	8 (spanning 4 continents)
Effective Aperture	Earth-sized ($\sim 10,000$ km baseline)
Angular Resolution	20 microarcseconds
Data Volume	5 petabytes

3.5.2 Key Observational Milestones

Table 6: Timeline of black hole observation milestones.

Year	Milestone
1971	Cygnus X-1 identified as first strong black hole candidate
1994	Hubble confirms supermassive black hole in M87 center
2002	Stellar orbits reveal Sgr A* mass ($4 \times 10^6 M_{\odot}$)
2015	LIGO detects gravitational waves from binary BH merger (GW150914)
2019	Event Horizon Telescope images M87* shadow
2020	Nobel Prize to Penrose, Genzel, and Ghez for BH research
2022	EHT images Sagittarius A* (Milky Way's central BH)

4 Dark Matter: The Invisible Scaffolding

DARK matter constitutes approximately 85% of all matter in the universe, yet its fundamental nature remains one of physics’ greatest unsolved mysteries. We cannot see it, touch it, or detect it with any electromagnetic instrument—but its gravitational fingerprints are everywhere.

4.1 Theoretical Framework

Dark matter must satisfy several observational constraints:

- **Electrically neutral:** Does not interact with electromagnetic radiation
- **Collisionless:** Self-interaction cross-section $\sigma/m < 1 \text{ cm}^2/\text{g}$
- **Cold:** Non-relativistic at the epoch of structure formation
- **Stable:** Lifetime $\tau \gg$ age of universe (13.8×10^9 years)
- **Non-baryonic:** Cannot be made of protons and neutrons

4.2 Evidence for Dark Matter

4.2.1 Evidence 1: Galaxy Rotation Curves

According to Newtonian mechanics, the orbital velocity of stars in a galaxy should follow:

$$v(r) = \sqrt{\frac{GM(r)}{r}} \quad (5)$$

Beyond the visible disk, where $M(r)$ should be approximately constant, we expect $v \propto r^{-1/2}$ —a “Keplerian decline.” Instead, observations consistently show **flat rotation curves** extending far beyond the visible matter.




Figure 3: Schematic galaxy rotation curve showing expected Keplerian decline vs. observed flat profile.

This discrepancy requires 5–10 times more mass than visible matter can account for.

4.2.2 Evidence 2: The Bullet Cluster (“Smoking Gun”)

The Bullet Cluster (1E 0657-56) provides the most direct empirical proof of dark matter’s existence as a distinct physical substance.



Figure 4: Composite image: dark matter (blue, from lensing) separated from hot gas (pink, from X-rays).



Figure 5: Chandra X-ray image showing the shock front and gas distribution.

The Collision Physics:

Approximately 150 million years ago, a smaller galaxy cluster plowed through a larger one at $\sim 4,500$ km/s (Mach 3). The components behaved differently:

Table 7: Behavior of different components during the Bullet Cluster collision.

Component	Mass Fraction	Interaction	Behavior
Dark Matter	85%	Collisionless (gravity only)	Passed through unimpeded
Hot Gas (ICM)	12%	Electromagnetic drag	Slowed, shocked, heated
Galaxies (Stars)	3%	Weak (stars rarely collide)	Passed through with tides

The key observation: **gravitational lensing maps show the mass concentration offset from the X-ray gas by ~ 720 kpc**. This is impossible if gravity follows matter or if dark matter doesn't exist.

4.2.3 Evidence 3: Gravitational Lensing

Mass bends spacetime, causing light to follow curved paths. The deflection angle for a point mass is:

$$\alpha = \frac{4GM}{c^2 b} \quad (6)$$

where b is the impact parameter (closest approach distance).




Figure 6: Gravitational lensing geometry showing light bending around a massive object.



Figure 7: NASA infographic showing multiple lines of evidence for dark matter.

Lensing Regimes:

- **Strong lensing** ($\theta > 1''$): Multiple images, arcs, Einstein rings
- **Weak lensing** ($\theta \sim 0.01''\text{--}1''$): Statistical shape distortions of background galaxies
- **Microlensing** ($\theta < 0.001''$): Temporary brightness magnification

Lensing mass measurements consistently show $M/L \sim 200\text{--}400$ for galaxy clusters, requiring dark matter.

4.2.4 Evidence 4: Cosmic Microwave Background

The CMB acoustic peaks encode information about the matter content of the early universe:

$$\frac{\Omega_{DM}}{\Omega_b} = \frac{0.1200 \pm 0.0012}{0.02237 \pm 0.00015} \approx 5.4 \quad (7)$$

This ratio is determined by the relative heights of the acoustic peaks—completely independent of the other evidence.

4.2.5 Evidence 5: Large Scale Structure Formation

Computer simulations show that without cold dark matter, the observed “cosmic web” of galaxy clusters, filaments, and voids cannot form in 13.8 billion years. Dark matter provided the gravitational seeds around which baryonic matter later condensed.

4.2.6 Evidence 6: Cluster Velocity Dispersions

Using the virial theorem:

$$M_{virial} = \frac{3\sigma_v^2 R}{G} \quad (8)$$

Galaxy velocities in clusters indicate $M_{virial}/M_{luminous} \sim 400$.

Summary: Six Independent Lines of Evidence

1. Galaxy rotation curves (1970s)
2. Cluster velocity dispersions (1930s)
3. Gravitational lensing (1990s–present)
4. Bullet Cluster separation (2006)
5. CMB acoustic peak ratios (2000s)
6. Large scale structure formation (simulations)

All six methods yield consistent results: $\Omega_{DM} \approx 0.26$, $\Omega_b \approx 0.05$.

4.3 Dark Matter Candidates

If dark matter isn't ordinary matter, what is it? Leading candidates include:

Table 8: Dark matter particle candidates and detection methods.

Candidate	Mass Range	Interaction	Detection Method
WIMPs	10–1000 GeV	Weak force	Direct (LUX, XENON, LZ)
Axions	10^{-6} – 10^{-3} eV	EM (very weak)	Cavity resonators (ADMX)
Sterile Neutrinos	1–50 keV	Gravity only	X-ray line searches
Primordial BHs	10^{17} – 10^{23} kg	Gravity only	Microlensing, GW
Fuzzy DM	10^{-22} eV	Gravity only	Galaxy core profiles

5 The Big Bang: Birth of the Universe

THE Big Bang model describes the universe's evolution from an initial hot, dense state approximately 13.8 billion years ago. Contrary to popular misconception, the Big Bang was not an explosion *in* space—it was the rapid expansion of space itself.

5.1 Chronological Timeline




Figure 8: Timeline of cosmic evolution from the Big Bang to the present day, spanning 13.8 billion years.

5.1.1 The Planck Epoch ($t < 10^{-43}$ s)

- Temperature: $T > 10^{32}$ K (Planck temperature)
- Size: $< 10^{-35}$ m (Planck length)
- All four fundamental forces (gravity, electromagnetism, strong, weak) unified
- Quantum gravity effects dominate—current physics cannot describe this era
- Time itself may not have existed in the conventional sense

5.1.2 Inflation (10^{-36} to 10^{-32} s)

The universe underwent exponential expansion by a factor of $\sim e^{60} \approx 10^{26}$:

$$a(t) = a_i \exp(Ht), \quad H \approx 10^{37} \text{ s}^{-1} \quad (9)$$

Inflation solves three major problems:

1. **Horizon problem:** Why is the CMB uniform across regions that were never causally connected?
2. **Flatness problem:** Why is space so precisely flat ($\Omega_k \approx 0$)?
3. **Monopole problem:** Why don't we observe magnetic monopoles?

Quantum fluctuations during inflation were stretched to macroscopic scales, seeding the density variations that would become galaxies.

5.1.3 Big Bang Nucleosynthesis (3 to 20 minutes)

When the universe cooled to $\sim 10^9$ K, protons and neutrons could combine to form light nuclei:

Table 9: Primordial abundances from Big Bang nucleosynthesis.

Element	Predicted Abundance	Observed Abundance
Hydrogen-1	75% by mass	$75 \pm 1\%$
Helium-4	25% by mass	$24.7 \pm 0.1\%$
Deuterium	2.5×10^{-5}	$(2.53 \pm 0.04) \times 10^{-5}$
Helium-3	10^{-5}	$\sim 10^{-5}$
Lithium-7	5×10^{-10}	$\sim 10^{-10}$ (“lithium problem”)

The precise agreement between BBN predictions and observations (except lithium) is a major success of the Big Bang model.

5.1.4 Recombination (380,000 years)

At $T \approx 3000$ K, the universe cooled enough for electrons to combine with nuclei, forming neutral atoms. The universe became transparent, releasing the cosmic microwave background.




Figure 9: Planck satellite all-sky map of CMB temperature anisotropies. Red regions are ~ 0.0001 K warmer than average; blue regions are cooler. These tiny fluctuations grew into all cosmic structure.

5.1.5 Cosmic Dawn (150–400 million years)

The first stars (Population III) formed from pristine hydrogen and helium:

- Mass: $100\text{--}1000 M_{\odot}$ (much larger than today's stars)
- Composition: Zero metals (H and He only)
- Lifetime: ~ 2 million years

- Legacy: Created first heavy elements; ended the cosmic “Dark Ages”

5.1.6 Present Day (13.8 billion years)

- CMB temperature: 2.7255 K
- Observable universe diameter: 93 billion light-years
- Estimated number of galaxies: $\sim 2 \times 10^{11}$
- Estimated number of stars: $\sim 10^{24}$

5.2 Observational Evidence for the Big Bang

⚙️ Four Pillars of Big Bang Evidence

1. **Hubble Expansion:** $v = H_0 d$, where $H_0 = 67.4 \pm 0.5$ km/s/Mpc
2. **CMB Radiation:** Perfect blackbody at $T = 2.7255 \pm 0.0006$ K
3. **Light Element Abundances:** Match BBN predictions with high precision
4. **Structure Evolution:** CMB fluctuations ($\Delta T/T \sim 10^{-5}$) evolved into observed galaxy distribution

5.3 Hubble’s Law and Cosmic Expansion

In 1929, Edwin Hubble discovered that distant galaxies are receding with velocities proportional to their distances:

$$v = H_0 d \quad (10)$$

The current best estimate for the Hubble constant is:

- **Planck (CMB):** $H_0 = 67.36 \pm 0.54$ km/s/Mpc
- **SH0ES (local):** $H_0 = 73.04 \pm 1.04$ km/s/Mpc

This “Hubble tension” ($\sim 5\sigma$ discrepancy) is a major unsolved problem in cosmology.

5.4 The Friedmann Equations

The expansion of the universe is governed by the Friedmann equations, derived from general relativity:

$$\left(\frac{\dot{a}}{a}\right)^2 = \frac{8\pi G}{3}\rho - \frac{kc^2}{a^2} + \frac{\Lambda c^2}{3} \quad (11)$$

$$\frac{\ddot{a}}{a} = -\frac{4\pi G}{3}\left(\rho + \frac{3p}{c^2}\right) + \frac{\Lambda c^2}{3} \quad (12)$$

where $a(t)$ is the scale factor, ρ is the energy density, k is spatial curvature, and Λ is the cosmological constant.

5.5 Scale Factor Evolution

The universe transitioned through radiation-dominated ($a \propto t^{1/2}$, $z > 3400$), matter-dominated ($a \propto t^{2/3}$), and dark energy-dominated ($a \propto e^{Ht}$, $z < 0.4$) eras.

6 Dark Energy: The Accelerating Universe

IN 1998, two independent teams made a shocking discovery: the universe’s expansion is not slowing down due to gravitational attraction—it’s speeding up. This acceleration implies the existence of a mysterious “dark energy” comprising 68% of the universe.

6.1 Discovery: Type Ia Supernovae

Type Ia supernovae are “standard candles”—thermonuclear explosions of white dwarf stars that always reach approximately the same peak luminosity ($M \approx -19.3$).

By measuring:

- **Apparent brightness** → distance
- **Redshift** → expansion at that epoch

The Supernova Cosmology Project and High-Z Supernova Search Team found that distant supernovae were *fainter* than expected—the universe had been expanding more slowly in the past and is accelerating now.

6.2 The Cosmological Constant

The simplest explanation for dark energy is Einstein’s cosmological constant Λ :

$$\rho_{\Lambda} = \frac{\Lambda c^2}{8\pi G} \approx 6 \times 10^{-27} \text{ kg/m}^3 \quad (13)$$

This corresponds to an energy density of about 7 GeV/m³—roughly one hydrogen atom per cubic meter.

6.3 The Equation of State

Dark energy is characterized by $w = p/(\rho c^2)$. Current observations: $w = -1.03 \pm 0.03$ (consistent with cosmological constant $w = -1$). Matter has $w = 0$ (deceleration), radiation $w = 1/3$.

6.4 The Cosmological Constant Problem

Quantum field theory predicts the vacuum energy density should be:

$$\rho_{vacuum} \sim \frac{M_P^4 c^3}{\hbar^3} \sim 10^{113} \text{ J/m}^3 \quad (14)$$

The observed dark energy density is:

$$\rho_{\Lambda} \sim 10^{-9} \text{ J/m}^3 \quad (15)$$

This 10^{122} discrepancy is “the worst prediction in the history of physics.”

6.5 Future of the Universe

With dark energy driving acceleration:

- Distant galaxies will eventually recede faster than light, disappearing beyond our cosmic horizon
- In ~ 100 billion years, only the Local Group will be visible
- Stars will exhaust their fuel over $\sim 10^{14}$ years
- Black holes will evaporate over $\sim 10^{100}$ years
- Final state: Cold, dark, empty “heat death”

7 Gravitational Wave Astronomy

ON September 14, 2015, humanity opened a new window on the universe: gravitational wave astronomy. The Laser Interferometer Gravitational-Wave Observatory (LIGO) detected ripples in spacetime from two black holes merging 1.3 billion light-years away.

7.1 Theory of Gravitational Waves

Einstein's general relativity predicts that accelerating masses generate ripples in spacetime that propagate at the speed of light:

$$\bar{h}_{\mu\nu} = \frac{16\pi G}{c^4} T_{\mu\nu} \quad (16)$$

The strain amplitude at Earth from a source is:

$$h \sim \frac{4G}{c^4} \frac{1}{r} \frac{d^2 Q}{dt^2} \quad (17)$$

where Q is the mass quadrupole moment.

7.2 LIGO Detection Principle

LIGO uses laser interferometry to detect length changes of $\Delta L \sim 10^{-19}$ m (1/10,000 the diameter of a proton):




Figure 10: Simplified LIGO interferometer schematic. Gravitational waves stretch one arm while compressing the other.

7.3 Major Detections

Table 10: Notable gravitational wave detections.

Event	Date	Source	Significance
GW150914	Sep 2015	$36+29 M_{\odot}$ BBH merger	First detection
GW170817	Aug 2017	$1.4+1.4 M_{\odot}$ BNS merger	First with EM counterpart
GW190521	May 2019	$85+66 M_{\odot}$ BBH merger	Intermediate mass BH formed

7.4 Multi-Messenger Astronomy

GW170817 (neutron star merger) was observed in:

- Gravitational waves (LIGO/Virgo)

- Gamma rays (Fermi, INTEGRAL) — 1.7 seconds after merger
- Optical/infrared “kilonova” — hours to weeks
- Radio afterglow — months later

This confirmed that neutron star mergers produce heavy elements (gold, platinum, uranium) through r-process nucleosynthesis.

Did You Know?

All the gold on Earth—every wedding ring, every Olympic medal—was forged in the violent collision of neutron stars billions of years ago, then scattered through space and incorporated into our solar system’s formation.

8 Galaxy Clusters: Cosmic Laboratories

GALAXY clusters are the largest gravitationally bound structures in the universe, containing hundreds to thousands of galaxies, vast amounts of hot gas, and enormous dark matter halos.

8.1 Cluster Composition

Table 11: Typical galaxy cluster composition.

Component	Mass Fraction	Detection Method
Dark Matter	80–85%	Gravitational lensing, dynamics
Intracluster Medium (ICM)	12–15%	X-ray emission
Galaxies (stars)	3–5%	Optical/infrared

8.2 X-ray Observations

Hot intracluster gas ($T \sim 10^7$ – 10^8 K) emits X-rays through thermal bremsstrahlung:

$$L_X \propto n_e^2 \sqrt{T} \cdot V \quad (18)$$




Figure 11: Chandra X-ray image of Perseus Cluster showing sound waves rippling through the hot gas.




Figure 12: Compilation of galaxy clusters observed by Chandra X-ray Observatory.

8.3 The Perseus Cluster Sound Waves

In 2003, Chandra discovered pressure waves in the Perseus Cluster gas—essentially sound waves generated by the central black hole’s jets:

- Wavelength: ~ 30 kpc
- Period: ~ 10 million years
- Frequency: 3×10^{-15} Hz
- Musical note: B-flat, 57 octaves below middle C

8.4 Cluster Classification

- **Relaxed/Cool-Core ($\sim 70\%$):** Symmetric, central temperature drop, AGN feedback (e.g., Perseus, Virgo)
- **Disturbed/Merging ($\sim 30\%$):** Asymmetric, shock fronts, ongoing collision (e.g., Bullet Cluster)
- **Fossil Groups:** Single dominant elliptical galaxy—the merger remnant

9 Deep Field Observations

9.1 Hubble Ultra Deep Field

The Hubble Ultra Deep Field (HUDF) represents one of the deepest images of the universe ever taken:



Figure 13: Hubble Ultra Deep Field—approximately 10,000 galaxies in an area smaller than a grain of sand held at arm’s length.

Table 12: Hubble Ultra Deep Field observation parameters.

Parameter	Value
Location	Fornax constellation
Angular size	11 arcmin ² (1/13 millionth of sky)
Total exposure	1 million seconds (11.3 days)
Galaxy count	~ 10,000
Redshift range	$z = 0$ to $z \sim 12$
Lookback time	0 to 13.2 billion years

Extrapolation: If the HUDF is representative, the observable universe contains approximately 2×10^{11} galaxies.

10 Observational Instruments & Techniques

10.1 Space-Based Telescopes

Table 13: Major space-based astronomical observatories.

Telescope	Wavelength	Mirror	Launch	Key Discoveries
Hubble	Optical/UV/IR	2.4 m	1990	Deep fields, dark energy
Chandra	X-ray	Grazing incidence	1999	Cluster gas, BH jets
Spitzer	Infrared	0.85 m	2003	Exoplanets, distant galaxies
Planck	Microwave	1.5 m	2009	CMB precision cosmology
JWST	Infrared	6.5 m	2021	First galaxies, exoatmospheres
Euclid	Optical/NIR	1.2 m	2023	Dark energy, weak lensing

10.2 Ground-Based Facilities

Table 14: Major ground-based observatories.

Facility	Type	Location	Capability
VLT	Optical (4×8.2m)	Chile	Interferometry, AO
Keck	Optical (2×10m)	Hawaii	Spectroscopy
ALMA	Radio (66 dishes)	Chile	Sub-mm, $z > 6$ galaxies
EHT	Radio VLBI	Global	μas resolution
LIGO/Virgo	Gravitational wave	USA/Italy	$h \sim 10^{-23}$

10.3 Future Missions

Upcoming: **Vera Rubin Observatory** (2025, 8.4m survey), **Nancy Grace Roman** (2027, infrared), **LISA** (2037, space GW), **ELT** (2028, 39m mirror).

11 Scientific Image Gallery




Figure 14: Universe's mass-energy content.




Figure 15: Galaxy cluster collision dynamics.




Figure 16: Artistic visualization of cosmic expansion from the Big Bang.

12 Project Poster & Team

12.1 The Physical Poster

Our project includes a large-format printed poster summarizing the key concepts of dark matter, black holes, and the Big Bang theory. The poster was designed for educational display and public outreach.




Figure 17: The Invisible Universe project poster showcasing dark matter, black holes, and Big Bang cosmology.

12.2 Team BomBSquad

This project was developed collaboratively by Team BomBSquad, with each member contributing to specific areas of research and presentation.




Figure 18: Team BomBSquad members with the project poster.

Table 15: Team BomBSquad member contributions.

Name	Roll No.	Primary Contribution
Harsha N	25B007	Dark Matter Research & Analysis
Hemanth Kumar KP	25B013	Black Hole Physics & Visualization
Mithun Gowda B	25B051	Big Bang Theory & Timeline
Naren V	25B055	Website Development & Report Writing
Nevil Anson Dsouza	25B058	Poster Design & Video Production

12.3 Project Deliverables

1. **Physical Poster:** Large-format printed display summarizing dark matter, black holes, and Big Bang cosmology
2. **Interactive Website:** <https://narenvk-29.github.io/Invisible-Universe/>
3. **Documentary Video:** 5-minute narrated presentation exploring the invisible universe
4. **PDF Presentation:** Visual summary with key scientific imagery
5. **Comprehensive Report:** This technical document with detailed explanations

13 Conclusion

13.1 Summary of Findings

This comprehensive investigation explored the invisible universe through three fundamental pillars:

- **Dark Matter:** Multiple independent observations confirm that $\sim 85\%$ of all matter is non-luminous and non-baryonic ($\Omega_{DM} = 0.259$). Evidence includes galaxy rotation curves, cluster dynamics, gravitational lensing, the Bullet Cluster, and CMB anisotropies.
- **Black Holes:** Once theoretical curiosities, now directly observed via the Event Horizon Telescope (M87*, Sgr A*) and gravitational waves (LIGO/Virgo with 90+ detections). These observations confirm general relativity in extreme gravity regimes.
- **Big Bang Cosmology:** The universe originated 13.8 billion years ago from an initial hot, dense state. Evidence includes the CMB (2.725 K blackbody), primordial element abundances, Hubble expansion, and large-scale structure evolution.

Dark energy (68% of universe) drives accelerating expansion with $w \approx -1$, representing one of physics' greatest mysteries.

13.2 Open Questions & Future Prospects

Key mysteries remain: What is dark matter? What causes dark energy? What happened before the Big Bang? The next decade brings transformative missions—LISA for supermassive black hole mergers, CMB-S4 for primordial gravitational waves, and JWST/Euclid/Roman for cosmic evolution.

“We are a way for the cosmos to know itself.” — Carl Sagan

14 Glossary of Terms

Axion: Light dark matter candidate. **Baryon:** Protons, neutrons. **Big Bang:** Universe origin model. **Black Hole:** Gravity traps light. **CMB:** Cosmic Microwave Background. **Dark Energy:** Accelerating expansion (68%). **Dark Matter:** Invisible matter (27%). **Event Horizon:** Black hole boundary. **Friedmann Eq.:** Expansion equations. **Gravitational Lensing:** Light bending by mass. **Gravitational Waves:** Spacetime ripples. **Hawking Radiation:** BH thermal emission. **Hubble Constant:** $H_0 \approx 67$ km/s/Mpc. **ICM:** Cluster hot gas. **Inflation:** Early rapid expansion. **Kerr Metric:** Rotating BH solution. **LIGO:** GW observatory. **Nucleosynthesis:** Element formation. **Planck Epoch:** $t < 10^{-43}$ s. **Recombination:** Atoms form (380,000 yr). **Redshift:** Wavelength stretching. **Schwarzschild Radius:** $r_s = 2GM/c^2$. **Type Ia SN:** Standard candle. **WIMP:** Dark matter candidate.

15 References

15.1 Foundational Scientific Papers

1. Zwicky, F. (1933). “Die Rotverschiebung von extragalaktischen Nebeln.” *Helvetica Physica Acta*, 6, 110-127. [First dark matter proposal from galaxy cluster dynamics]
2. Rubin, V. C. & Ford, W. K. (1970). “Rotation of the Andromeda Nebula from a Spectroscopic Survey of Emission Regions.” *The Astrophysical Journal*, 159, 379-403. [Galaxy rotation curves evidence]
3. Penzias, A. A. & Wilson, R. W. (1965). “A Measurement of Excess Antenna Temperature at 4080 Mc/s.” *The Astrophysical Journal*, 142, 419-421. [CMB discovery - Nobel Prize 1978]
4. Riess, A. G., et al. (1998). “Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant.” *The Astronomical Journal*, 116, 1009-1038. [Dark energy discovery - Nobel Prize 2011]
5. Perlmutter, S., et al. (1999). “Measurements of Omega and Lambda from 42 High-Redshift Supernovae.” *The Astrophysical Journal*, 517, 565-586. [Independent dark energy confirmation]
6. Clowe, D., et al. (2006). “A Direct Empirical Proof of the Existence of Dark Matter.” *The Astrophysical Journal Letters*, 648, L109-L113. [Bullet Cluster evidence]
7. EHT Collaboration (2019). “First M87 Event Horizon Telescope Results. I. The Shadow of the Supermassive Black Hole.” *The Astrophysical Journal Letters*, 875, L1. [First black hole image]
8. Abbott, B. P., et al. (2016). “Observation of Gravitational Waves from a Binary Black Hole Merger.” *Physical Review Letters*, 116, 061102. [First gravitational wave detection - Nobel Prize 2017]
9. Planck Collaboration (2020). “Planck 2018 results. VI. Cosmological parameters.” *Astronomy & Astrophysics*, 641, A6. [Precision cosmology measurements]
10. Hawking, S. W. (1974). “Black hole explosions?” *Nature*, 248, 30-31. [Hawking radiation theory]
11. Schwarzschild, K. (1916). “Über das Gravitationsfeld eines Massenpunktes nach der Einsteinschen Theorie.” *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften*, 189-196. [First black hole solution]
12. Einstein, A. (1915). “Die Feldgleichungen der Gravitation.” *Sitzungsberichte der Preussischen Akademie der Wissenschaften*, 844-847. [General relativity field equations]
13. Hubble, E. (1929). “A Relation between Distance and Radial Velocity among Extra-Galactic Nebulae.” *Proceedings of the National Academy of Sciences*, 15, 168-173. [Universe expansion discovery]
14. Gamow, G. (1948). “The Evolution of the Universe.” *Nature*, 162, 680-682. [Big Bang nucleosynthesis]
15. Guth, A. H. (1981). “Inflationary universe: A possible solution to the horizon and flatness problems.” *Physical Review D*, 23, 347-356. [Cosmic inflation theory]

15.2 Books and Textbooks

1. Weinberg, S. (1972). *Gravitation and Cosmology: Principles and Applications of the General Theory of Relativity*. Wiley. [Comprehensive GR textbook]
2. Hawking, S. W. (1988). *A Brief History of Time*. Bantam Books. [Popular science classic]
3. Carroll, S. (2004). *Spacetime and Geometry: An Introduction to General Relativity*. Addison-Wesley. [Modern GR textbook]
4. Ryden, B. (2017). *Introduction to Cosmology*. Cambridge University Press. [Standard cosmology text]
5. Kolb, E. W. & Turner, M. S. (1990). *The Early Universe*. Addison-Wesley. [Early universe physics]
6. Thorne, K. S. (1994). *Black Holes and Time Warps: Einstein's Outrageous Legacy*. W.W. Norton. [Black hole physics for general readers]
7. Greene, B. (1999). *The Elegant Universe*. W.W. Norton. [String theory and beyond]
8. Tyson, N. D. & Goldsmith, D. (2004). *Origins: Fourteen Billion Years of Cosmic Evolution*. W.W. Norton.

15.3 Online Resources and Databases

- NASA Science: <https://science.nasa.gov/> — Official NASA science portal
- Hubble Space Telescope: <https://hubblesite.org/> — Images and discoveries
- Event Horizon Telescope: <https://eventhorizontelescope.org/> — Black hole imaging
- LIGO Scientific Collaboration: <https://www.ligo.org/> — Gravitational wave detection

- James Webb Space Telescope: <https://webb.nasa.gov/> — Next-generation observations
- Chandra X-ray Observatory: <https://chandra.harvard.edu/> — X-ray astronomy
- ESA/Hubble: <https://esahubble.org/> — European Space Agency resources
- arXiv.org: <https://arxiv.org/archive/astro-ph> — Preprint server for astrophysics
- NASA/IPAC Extragalactic Database: <https://ned.ipac.caltech.edu/> — Galaxy data
- SIMBAD Astronomical Database: <http://simbad.u-strasbg.fr/> — Astronomical objects
- Sloan Digital Sky Survey: <https://www.sdss.org/> — Large-scale sky survey
- European Southern Observatory: <https://www.eso.org/> — Ground-based astronomy

15.4 Recent Research (2024–2025)

1. Particle Data Group (2024). “Review of Particle Physics: Dark Matter.” *Physical Review D*, 110, 030001. [Comprehensive dark matter review — 26.4% of cosmic density]
2. EHT Collaboration (2024). “First Sagittarius A* Event Horizon Telescope Results. VII. Polarization of the Ring.” *The Astrophysical Journal Letters*. [Magnetic fields around Sgr A*]
3. EHT Collaboration (2024). “First Sagittarius A* Event Horizon Telescope Results. VIII. Physical Interpretation of the Polarized Ring.” *The Astrophysical Journal Letters*.
4. Raymond, A.W., Doeleman, S., et al. (2024). “First Very Long Baseline Interferometry Detections at 870 μm .” *The Astronomical Journal*. [Highest-resolution black hole detection]
5. Baczkó, A.-K., et al. (2024). “The putative center in NGC 1052.” *Astronomy & Astrophysics*. [Black hole jet imaging]
6. LIGO-Virgo-KAGRA Collaboration (2024). “GW230529: Observation of a Neutron Star-Mass Gap Compact Object Merger.” [Mass gap detection]
7. LIGO-Virgo-KAGRA (2025). “GWTC-4.0: Updated Gravitational-Wave Catalog.” *The Astrophysical Journal Letters*. [250+ merger events from O4]
8. Bertone, G., Hooper, D., & Silk, J. (2005). “Particle dark matter: evidence, candidates and constraints.” *Physics Reports*, 405, 279-390. [Major dark matter review — 5000+ citations]
9. Gupta, R. P. (2024). “Testing CCC+TL Cosmology with Observed Baryon Acoustic Oscillation Features.” *The Astrophysical Journal*, 964(1), 55. [Alternative cosmological model]

15.5 Educational Videos and Documentaries

- *Cosmos: A Spacetime Odyssey* (2014) — Neil deGrasse Tyson, National Geographic
- *Black Holes: The Edge of All We Know* (2020) — Documentary on EHT project
- *The Universe* (History Channel series) — Comprehensive astronomy coverage
- PBS Space Time (YouTube) — Advanced physics explanations
- Veritasium, Kurzgesagt — Science communication channels

15.6 Data Archives and Catalogs

- GWTC (Gravitational-Wave Transient Catalog): <https://gwosc.org/> — 250+ detected events
- Planck Legacy Archive: <https://pla.esac.esa.int/> — CMB data and maps
- Dark Energy Survey: <https://www.darkenergysurvey.org/> — Galaxy survey data
- Gaia Archive: <https://gea.esac.esa.int/> — Stellar positions and motions

Team BomBSquad

The Invisible Universe Project

<https://narenvk-29.github.io/Invisible-Universe/>

“Somewhere, something incredible is waiting to be known.”

— Carl Sagan