

- 17
- list is mutable (editable)
 - Tuple is immutable (not editable)

List

```
marks = [10, 20, 30]
```

```
type(marks)
```

```
// list
```

→ List accepts different datatype

Indexing

```
a = [1, 2, 3, 4, 5]
```

```
a[1] // 2
```

```
a[-1] // 5
```

```
a[-4] // 2
```

```
a.append(9) // [1, 2, 3, 4, 5, 9]
```

```
a.pop() // [1, 2, 3, 4, 5]
```

```
Planets = ["Mercury", "Venus", "Earth", "Mars", "Jupiter", "Saturn", "Uranus", "Neptune"]
```

$a[:]$ = copies the entire sequence

$a[1:4]$ = elements from index 1 to 3

$a[:3]$ = first 3 elements

$a[2:]$ = From index 2 to end

$a[::2]$ = every 2nd element

$a[::-1]$ = reverse the sequence

Slicing → start - included
stop - excluded
step - step size

$a[1:4]$

left - index
right - elements

Planets[0:2]

["Mercury", "Venus", "earth"]

Planets[2:4]

["~~Earth~~", "mars", "jupiter"]

Planets[::-2]

["Neptune", "saturn", "mars", "venus"]

→ len(a) — length of a list

→ sum(a) — sum of list

→ max(a) — Maximum from the list