



TERRAFORM

Terraform Architecture



THE SUITE OF TERRAFORM



TERRAFORM COMMANDS

```
├── .gitignore
├── .terraform
│   ├── providers
│   │   ├── registry.terraform.io
│   │   │   ├── kreuzwerker
│   │   │   │   ├── docker
│   │   │   │   │   ├── 3.0.1
│   │   │   │   │   │   ├── linux_amd64
│   │   │   │   │   │   │   ├── CHANGELOG.md
│   │   │   │   │   │   │   ├── LICENSE
│   │   │   │   │   │   │   ├── README.md
│   │   │   │   │   │   │   └── terraform-provider-docker_v3.0.1
│   │   │   │   │   │   └── terraform-provider-docker_v3.0.1
│   │   │   │   │   └── terraform-provider-docker_v3.0.1
│   │   │   │   └── terraform-provider-docker_v3.0.1
│   │   │   └── terraform-provider-docker_v3.0.1
│   │   └── terraform-provider-docker_v3.0.1
│   └── terraform-provider-docker_v3.0.1
├── .terraform.lock.hcl
├── LICENSE
├── README.md
├── main.tf
├── terraform.tfvars
└── variables.tf
```

Validate Your Terraform Code - terraform validate

Initialise the Terraform code - terraform init

Plan Your Infrastructure - terraform plan

Deploy Your Infrastructure - terraform apply

Destroy Your Infrastructure - terraform destroy

Refresh the State File - terraform refresh

Import Existing Infrastructure into Your State - terraform import

vm1.name -i id123 — Import a VM with id123 into the configuration defined in the configuration files under vm1.name.