



DOCKER COMMANDS

MANAGE EVERYTHING LIKE A PRO!

Docker makes it easy to build, ship and run applications anywhere!



EXEC & INTERACT COMMANDS

-  `docker exec -it <id> <cmd>`
Run a command in a running container.
-  `docker exec -it <id> /bin/bash`
Open bash shell in a running container.
-  `docker attach <id>`
Attach to a running container (default command).
-  `docker pause <id>`
Pause all processes in a container.
-  `docker unpause <id>`
Unpause a paused container.

LOGS & MONITORING COMMANDS

-  `docker logs <id>`
Show logs of a container.
-  `docker logs -f <id>`
Follow log output in real time.
-  `docker logs --tail 100 <id>`
Show last 100 lines of logs.
-  `docker events`
Get real-time events from Docker.
-  `docker stats`
Display live resource usage of containers.

FILE & COPY COMMANDS

-  `docker cp <src> <container>:<dest>`
Copy files/folders to a container.
-  `docker cp <container>:<src> <dest>`
Copy files/folders from a container to host.
-  `docker export <id> -o container.tar`
Export container filesystem to a .tar file.
-  `cat container.tar | docker import - <image>:<tag>`
Import exported container as image.


IMAGE MANAGEMENT COMMANDS

-  `docker save -o <name>.tar <image>`
Save an image to a .tar file.
-  `docker load -i <name>.tar`
Load an image from a .tar file.
-  `docker image prune`
Remove unused dangling images.
-  `docker image prune -a`
Remove all unused images.
-  `docker image inspect <image>`
Inspect image in detail.

SYSTEM CLEANUP COMMANDS

-  `docker system df`
Show Docker disk usage.
-  `docker system prune`
Remove unused containers, networks, images and build cache.
-  `docker system prune -a --volumes`
Remove everything unused including volumes.
-  `docker network prune`


DOCKER WORKFLOW



QUICK TIPS

- ✓ Use `-it` for interactive mode.
- ✓ Use `--rm` to auto remove container on exit.





DOCKER COMMANDS

NETWORK & VOLUME COMMANDS

Docker gives you the power to containerize applications and manage everything easily!

NETWORK COMMANDS



`docker network ls`

List all networks.



`docker network create <name>`

Create a new network.



`docker network rm <name>`

Remove a network.



`docker network inspect <name>`

Inspect a network in detail.



`docker network connect <network> <container>`

Connect a container to a network.



`docker network disconnect <network> <container>`

Disconnect a container from a network.

VOLUME COMMANDS



`docker volume ls`

List all volumes.



`docker volume create <name>`

Create a new volume.



`docker volume inspect <name>`

Inspect a volume in detail.



`docker volume rm <name>`

Remove a volume.



`docker volume prune`

Remove all unused volumes.



TIP

Use volumes to persist data outside containers. Even if a container is removed, data stays safe!



DOCKER COMPOSE COMMANDS

<code>docker-compose up</code>	Create and start all services.
<code>docker-compose up -d</code>	Start services in detached mode.
<code>docker-compose down</code>	Stop and remove all services.
<code>docker-compose ps</code>	List running services.
<code>docker-compose logs</code>	View logs of services.
<code>docker-compose build</code>	Build or rebuild services.
<code>docker-compose exec <service> <cmd></code>	Run a command in a service.

What is Docker Compose?

Docker Compose is a tool for defining and running multi-container Docker applications using a YAML file.



USEFUL SHORT COMMANDS



`docker run -it <image> /bin/bash`
Run container interactively with bash shell.




`docker inspect <id>`
Get detailed info about an object (container/image/volume etc.).



`docker cp <src> <dest>`
Copy files/folders between container and host.



`docker top <id>`
Display running processes of a container.



DOCKER

ESSENTIAL COMMANDS

Docker is a platform that helps you build, ship and run applications in containers.



IMAGE COMMANDS



`docker pull <image>`

Download an image from Docker Hub.



`docker images`

List all downloaded images.



`docker tag <image> <name:tag>`

Create a new tag for an image.



`docker push <name:tag>`

Push an image to Docker Hub.



`docker rmi <image>`

Remove an image.



`docker history <image>`

Show the history of an image.

CONTAINER COMMANDS



`docker run <image>`

Create and start a new container.



`docker ps`

List running containers.



`docker ps -a`

List all containers (running + stopped).



`docker stop <id>`
`docker start <id>`

Stop or start a container.



`docker rm <id>`

Remove a stopped container.



`docker exec -it <id> <command>`

Run a command inside a running container.



`docker logs <id>`

View logs of a container.

BUILD & RUN COMMANDS



`docker build -t <name:tag> .`

Build an image from a Dockerfile.



`docker run -d -p 8080:80 <image>`

Run container in detached mode with port mapping.



`docker run --name <name> <image>`

Run a container with a name.

SYSTEM COMMANDS



`docker info`

Display system-wide information.



`docker stats`

Show container resource usage.



`docker system prune`

Remove unused data (images, containers, networks, volumes).



Pro Tip: Use `docker --help` or `docker <command> --help`

