Bootstrap Buttons

Jogesh K. Muppala

THE DEPARTMENT OF
COMPUTER SCIENCE & ENGINEERING
計算機科學及工程學系

香港科技大學
THE HONG KONG UNIVERSITY OF
SCIENCE AND TECHNOLOGY

Colors in Bootstrap

- Default colors specified in Bootstrap

| primary	success	info	warning	danger

- Classes based on these colors can be applied to text, buttons, alerts etc.
  - CSS classes based around the colors available: text-primary, btn-success, alert-danger, bg-info etc.

Bootstrap Button Classes

- Button classes can be applied to three elements:
  - \<a>
  - \<button>
  - \<input>
- All these will get the button appearance
- Only \<button> can be used in nav and navbar

3

Button Examples


```
<div class="row">
        <div class="col-md-5 col-md-offset-1">
                <button type="button" class="btn btn-primary btn-lg">Large Primary</button>
                <button type="button" class="btn btn-default">Default</button>
                <button type="button" class="btn btn-success btn-sm">Small Success</button>
                <button type="button" class="btn btn-info btn-xs">Extra Small Info</button>
                <button type="button" class="btn btn-link">Link</button>
                </div>
        <div class="col-md-3">
                <button type="button" class="btn btn-warning btn-block">Warning</button>
                <button type="button" class="btn btn-danger btn-block" disabled="disabled">Danger</button>
        </div>
</div>
```

Bootstrap Button Classes

Color   **Size**

btn   +   {
btn-default
btn-primary
btn-success
btn-info
btn-warning
btn-danger
btn-link
}   +   {
btn-lg
btn-sm
btn-xs
}   +   btn-block

Button Groups and Toolbars


```
<div class="col-md-5 col-md-offset-1">
  <div class="btn-toolbar" role="toolbar">
    <div class="btn-group btn-group-sm" role="group">
      <button type="button" class="btn btn-primary">Primary</button>
      <button type="button" class="btn btn-default">Default</button>
      <button type="button" class="btn btn-success">Success</button>
    </div>
    <div class="btn-group btn-group-lg" role="group">
      <button type="button" class="btn btn-info">Info</button>
      <button type="button" class="btn btn-warning">warning</button>
      <button type="button" class="btn btn-danger">Danger</button>
    </div>
  </div>
</div>
```

```
<div class="col-md-3">
  <div class="btn-group-vertical" role="group">
    <button type="button" class="btn btn-info">Info</button>
    <button type="button" class="btn btn-warning">Warning</button>
    <button type="button" class="btn btn-danger">Danger</button>
  </div>
</div>
```

classes: btn-toolbar, btn-group, btn-group-vertical, btn-group-justified, btn-group-*