# Troubleshoot Data Partitioning Bottlenecks






- Partitioning Process of physically dividing data into separate data store
- Why Partitioning
  - **Improve** Scalability, Security and availability
  - Reduce Contention
  - **Optimize** Performance
- Three strategies of partitioning
  - Horizontal partitioning
  - Vertical partitioning
  - Functional partitioning

#### **Horizontal Partitioning**

#### SHARD KEY

1	Key	Name	Description	Stock	Price	La stOrdered
Н	ARC1	Arc welder	250 Amps	8	119.00	25-Nov-2013
1	BRK8	Bracket	250mm	46	5.66	18-Nov-2013
Ч	BRK9	Bracket	400mm	82	6.98	1-Jul-2013
7	HOS8	Hose	1/2"	27	27.50	18-Aug-2013
П	WGT4	Widget	Green	16	13.99	3-Feb-2013
Ч	WGT6	Widget	Purple	76	13.99	31-Mar-2013







Key	Name	Description	Stock	Price	LastOrdered
HOS8	Hose	1/2"	27	27.50	18-Aug-2013
WGT4	Widget	Green	16	13.99	3-Feb-2013
WGT6	Widget	Purple	76	13.99	31-Mar-2013

#### **Vertical Partitioning**

Key	Name	Description	Stock	Price	LastOrdered
ARC1	Arc welder	250 Amps	8	119.00	25-Nov-2013
BRK8	Bracket	250mm	46	5.66	18-Nov-2013
BRK9	Bracket	400mm	82	6.98	1-Jul-2013
HOS8	Hose	1/2"	27	27.50	18-Aug-2013
WGT4	Widget	Green	16	13.99	3-Feb-2013
WGT6	Widget	Purple	76	13.99	31-Mar-2013



Key	Name	Description	Price
ARC1	Arc welder	250 Amps	119.00
BRK8	Bracket	250mm	5.66
BRK9	Bracket	400mm	6.98
HOS8	Hose	1/2"	27.50
WGT4	Widget	Green	13.99
WGT6	Widget	Purple	13.99



Key	Stock	La stOrdered
ARC1	8	25-Nov-2013
BRK8	46	18-Nov-2013
BRK9	82	1-Jul-2013
HOS8	27	18-Aug-2013
WGT4	16	3-Feb-2013
WGT6	76	31-Mar-2013

#### **Functional Partitioning**

#### porain sput

		Corporate da	ta domain		
Key	Name	Description	Price	***	1
ARC1	Arc welder	250 Amps	119.00		
BRK8	Bracket	250mm	5.66		1
BRK9	Bracket	400mm	6.98		1
HOS8	Hose	1/2"	27.50	***	
WGT4	Widget	Green	13.99		1
WGT6	Widget	Purple	13.99	***	
	Ke	y Custome	r Addi	ess	Phone
	163	0 [name]	[addr	ess]	12345
	163	[name]	[addr	ess]	12345

Key	Customer	Address	Phone	
1630	[name]	[address]	12345	
1631	[name]	[address]	12345	
1648	[name]	address	12345	
1842	[name]	[address]	12345	
2055	[name]	address	12345	
2139	[name]	[address]	12345	








Key	Customer	Address	Phone	
1630	[name]	[address]	12345	***
1631	[name]	[address]	12345	
1648	[name]	[address]	12345	
1842	[name]	[address]	12345	***
2055	[name]	[address]	12345	
2139	[name]	[address]	12345	

# Partitioning

#### **Design Considerations**

- Balance data distribution
- Balance workload distribution
- Minimize cross-partition data access or joins operations.
- Replicate static reference data
- Prefer eventual consistency
- Replicate partitions

#### Data Lake Optimization Techniques



- Data Ingestion considerations
  - Storage hardware
  - High speed internal network
  - Fast network connection b/w on-premises and cloud
- Parallel read/write
  - e.g. Data Factory parallel copies settings
- Structure your data set
  - File size vs number of files
    - File size b/w 256 MB to 100 GB
  - Folder and file structure
    - e.g. Dataset\YYYY\MM\DD\datafile\_YYYY\_MM\_DD\_HH\_MM.tsv
- Same region
- · Batch Data STORAGE & CORPUTE DECOUPLED



#### Three main component

- Input
- output
- Data processing Query

### Streaming Units (SUs) IMPACTS COSTS

- Processing power (CPU and Memory) allocated to your stream analytics job.
- Azure Stream Analytics jobs perform all processing in memory
- If SU% utilization is low and input events get backlogged
- Microsoft recommends setting an alert on 80% SU Utilization metric to prevent resource exhaustion
- The best practice is to start with 6 SUs for queries that don't use PARTITION BY ASA > CONFIGURE > SCACE (AZURE
- Complex query logic could have high SU% utilization even when it is not continuously receiving input events.



#### ASA OPTIMIZED WITH PARA CLEVIZATION

#### **Parallelization**

- Partitioning helps to divide data in subsets.
- This would be based on partition key.
- If the data in the Event Hub has a partition key defined, then it is highly recommended to define the partition key in the input of Stream Analytics Job.
- Input are already partitioned, output needs to be partitioned
- Embarrassingly parallel jobs PERFECT PARAUEUZATION
  - An embarrassingly parallel job is the most scalable scenario in Azure Stream Analytics.
  - It connects one partition of the input to one instance of the query to one partition of the output.
  - The number of input partitions must equal the number of output partitions.

SQL

SELECT \*
INTO output
FROM input
PARTITION BY DeviceID
INTO 10

#### **Steps in Query**

- You can have multiple step in a query.
- You can start with 6 SUs for queries that don't use PARTITION BY
- You can also add 6 streaming units for each partition in a partitioned step.
- Example:
  - Let's say your input stream is partitioned by value of 10, and you only have
     one step in query

```
SELECT *
INTO output
FROM input
PARTITION BY DeviceID
INTO 10
```



# Synapse Analytics Optimization

#### Maintain Statistics

- Automatically detect and create statistics on columns
- AUTO\_CREATE\_STATISTICS
- Update statistics of more relevant columns like date (or columns used in joins, where and group by clause)

#### PolyBase

- ADF or BCP can be used for small load.
- PolyBase is best choice for large volume of data
- MPP architecture
- CTAS or INSERT INTO

#### Hash distribution large tables

- Default is Round Robin distribution
- Small tables joins Round Robin is fine
- Big tables joins use Hash Distribution

MINIMIZE PATA MOVEMENT FOR QUERY PERF.



Synapse Analytics Optimization


- Do not over partition
  - Too many partition can slow down query
  - Partition should have more than 1 million rows
  - 60 partition by default
  - So if you manually create 100 partition, behind the scene it is 100\*60 = 6000 partitions.
- Use the smallest possible column size
  - Important for char or varchar type columns
  - · Use varchar instead nvarchar WHERE POSSIBLE
- Scaling RECOMMENDATIONS
  - Before you perform a heavy data loading or transformation operation
  - During peak business hours
- Pausing and resuming compute \( \begin{align\*} \text{\*} \end{align\*}
  - Storage and compute are seperate
    - Transaction cancel when PAWIN 6/ SCAUN 6



## CONFIGURED IN PORTAL (PROVE/DELETE)

#### **Blob Access Tiers**

LIFECYCLE MANAGEMENT POLICIES DETERMINE DURATION IN TIERS
& ANTONAME MOMERENT



Highest storage cost
Lowest data access cost
FRE QUEUT ACCESS

Cool Tier

Lowest storage cost Higher data access cost



Lowest storage cost Highest data retrieval cost Data is offline

Azure Blob Storage Lifecycle Management