

Isolated Web Container — screen set

Android, dark theme. Turns 10 to 1, newest first.


10 Workspaces, scripts and filter lists

Deleting a workspace is the one place a count of what disappears is worth showing. Scripts get a central home so a rule can apply to several sites without being retyped in each.


10a Workspaces — what each one keeps




10b New workspace — name, marker, storage rule



10c Deleting — an itemised list of what goes, typed confirmation



10d Scripts and filters — one library, reused across sites



10e Script editor — code, then where it runs



Try next: "encrypted backup flow" · "search across workspaces" · "certificate warning"


9 Backgrounded

The app is masked in recents the instant it loses focus, not when the timer expires. The timer only decides whether you come back to the board or to the PIN.


9a Recents — neutral name, blank card, no page title



9b Back within the grace period — sessions kept, one tap to resume



9c Past the timer — ephemeral sessions were already destroyed



Try next: "encrypted backup flow" · "search across workspaces" · "workspace management"


8 First open, and when the tunnel fails

The rule these three follow: never fall back to a direct connection on its own. If the proxy is down the page does not load, and the only way past it is an explicit choice the user makes.


8a Opening — shows what is being applied before the page appears



8b Proxy unreachable — no silent fallback, the risky option is spelled out



8c Tunnel dropped mid-session — page frozen, decision surfaced at the top



Try next: "app switcher preview and auto-lock" · "encrypted backup flow" · "search across workspaces"


7 Row menu and blocked download

Dark only, as decided.

7b Long-press on a row — wipe sits apart from the rest



7c Blocked download — says what it is and where it would land




Try next: "search across workspaces" · "what the app switcher preview looks like"


6 In-page moments

Three things that happen while a site is open: it asks for hardware, you strip the page down to text, or you check what this particular site is running under.


6a Permission request — one time by default, never remembered silently



6b Reader mode — text only, controls out of the way



6c Site sheet — what this container is running under, editable in place



Try next: "light theme pass" · "long-press menu on a dashboard row" · "what a blocked download looks like"

5 Setup step 3, empty state, and what got blocked

The report in **5c** is the one place the app talks about its own work. It is reachable from the dashboard menu, never pushed as a notification.


5a Setup step 3 — the defaults, stated plainly



5b Empty workspace — one sentence and one action



5c Today — a quiet log, not a dashboard of scary numbers



Try next: "permission request prompt" · "reader mode view" · "a light theme pass over the whole set"

4 First run and failed entry

Setup explains the decoy in plain words once, at the only moment it needs explaining. After that the app never mentions it again — which is what makes **3b** work.

4a Setup — main PIN, three steps, no account



4b Setup — the decoy, explained once and never again



4c Wrong PIN — counts down without naming what is behind it



Try next: "step 3 of setup" · "empty state for a new workspace" · "one screen showing what got blocked today"


3 Entry, decoy and panic

The lock screen gives no hint that a second PIN exists, and the decoy board is deliberately ordinary — no shields, no session meta, nothing to suggest a real vault is hidden behind it. The keypad in 3a works.


3a Lock — one PIN field, no mention of vaults



3b Decoy vault — same shell, ordinary content, no privacy language



3c Panic — no confirmation dialog, it just happens and reports after




Try next: "add the first-run setup wizard" · "show a wrong-PIN state on **3a**" · "lighter theme for the whole set"

2 Remaining screens, built on 1b

Same grammar as 1b : hairline dividers instead of cards, mono for anything technical, jade only for live state. Tabs in 2a and the user-agent picker are clickable.

2a Add site — four tabs, all visible from the start



2b Isolated container — minimal top bar, panic button always reachable



2c Quick switcher drawer — thumb height, wipe and panic in the same sheet



Try next: "add the lock and decoy screens" · "make 2b's top bar auto-hide on scroll" · "show the panic confirmation"


1 Main dashboard — three directions

Android, English UI, calm posture: security is present but never shouting. Workspace lives in a top-bar dropdown, so the board itself stays empty of chrome. Cards carry live session state (open / idle, last visit). Palette and type are mine — the attached design system project is empty, so tell me if you have real brand assets to swap in.


1a Quiet grid — monogram tiles, one status line, badges only when they mean something



1b Session list — grouped by what is running, technical meta in mono, one-handed reach



1c Live tiles — full-width rows for open sessions with a page preview, small tiles below



Try next: "build the rest of the screens on 1a" · "merge 1b's grouping into 1a" · "lighter theme"