Cucumber Report

Start : Apr 13, 12:27:51.007 PM	End : Apr 13, 12:28:48.738 PM	Duration : 57.731 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 2 SKIPPED - 0	PASSED - 8 FAILED - 10 SKIPPED - 0	PASSED - 44 FAILED - 10 SKIPPED - 50

5

18

104

Pass % — 60 %

Pass % — 44 %

Pass % — 42 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
HomePage	5.834 s	3	3	0	0	9	9	0	0
RegisterPage	20.454 s	4	4	0	0	28	28	0	0
SignIn	14.840 s	1	1	0	0	7	7	0	0
Stack	4.790 s	3	0	3	0	18	0	3	15
LinkedList	11.591 s	7	0	7	0	42	0	7	35

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@HomePage	3	3	0	0	1	1	0	0
@RegisterPage	4	4	0	0	1	1	0	0
@SignIn	1	1	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	HomePage	3	3	0	0	5.834 s
2	RegisterPage	4	4	0	0	20.454 s
3	SignIn	1	1	0	0	14.840 s
4	Stack	3	0	3	0	4.790 s
5	LinkedList	7	0	7	0	11.591 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	HomePage	User launch home page of an dsalgo project	3	3	0	0	2.340 s
2	HomePage	User is on Home page and click on sign in	3	3	0	0	1.554 s
3	HomePage	User is on Home page and click on Register	3	3	0	0	1.550 s
4	RegisterPage	Validating Register Functionality	7	7	0	0	5.094 s
5	RegisterPage	Validating Register Functionality	7	7	0	0	5.277 s
6	RegisterPage	Validating Register Functionality	7	7	0	0	5.286 s
7	RegisterPage	Validating Register Functionality	7	7	0	0	4.646 s
8	SignIn	Validating SignIn Functionality	7	7	0	0	14.839 s
9	Stack	User validates Operations in Stack page	6	0	1	5	0.561 s
10	Stack	User validates Implementation in Stack page	6	0	1	5	2.087 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Stack	User validates Applications in stack	6	0	1	5	2.106 s
12	LinkedList	User validates Introduction in Linked List page	6	0	1	5	2.068 s
13	LinkedList	User validates Creating Linked List in Linked List page	6	0	1	5	2.074 s
14	LinkedList	User validates Types of Linked List in Linked List page	6	0	1	5	2.066 s
15	LinkedList	User validates Implement Linked List in python in Linked List page	6	0	1	5	2.070 s
16	LinkedList	User validates Traversal in Linked List page	6	0	1	5	2.027 s
17	LinkedList	User validates Insertion in Linked List page	6	0	1	5	1.137 s
18	LinkedList	User validates Deletion in Linked List page	6	0	1	5	0.029 s

HomePage

PASSED	DURATION - 5.834 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 12:27:51.007 PM // 12:27:56.841 PM /			3		9

User launch home page of an dsalgo project

PASSED	DURATION - 2.340 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
/ 12:27:51.015 PM // 12:27:53.355 PM /			
HomePage			3
@HomePage			

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.880 s
2	When The user clicks the Get Started button	PASSED	1.163 s
3	Then The user should be redirected to homepage	PASSED	0.136 s

User is on Home page and click on sign in

PASSED	DURATION - 1.554 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0
/ 12:27:53.657 PM // 12:27:55.211 PM /			
HomePage			3
@HomePage			

#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.978 s
2	When The user clicks Sign In	PASSED	0.456 s
3	Then The user should be redirected to Sign in page	PASSED	0.098 s

User is on Home page and click on Register

PASSED	DURATION - 1.550 s
/ 12:27:55.291 PM // 12:27:56.841 PM /	
HomePage	
@HomePage	

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

3

#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.971 s
2	When The user clicks Register	PASSED	0.411 s
3	Then The user should be redirected to Register form	PASSED	0.135 s

RegisterPage

PASSED	DURATION - 20.454 s
/ 12:27:56.982 PM // 12:28:17.436 PM /	

Scenarios
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

Steps
Total - 28
Pass - 28
Fail - 0
Skip - 0

28

Validating Register Functionality

PASSED	DURATION - 5.094 s
/ 12:27:56.990 PM // 12:28:02.084 PM /	
RegisterPage	
@RegisterPage	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.332 s
2	When The user clicks the Get Started button	PASSED	0.421 s
3	Then The user should be redirected to homepage	PASSED	0.120 s
4	When The user clicks Register	PASSED	0.372 s
5	Given The user is on the Register page	PASSED	0.004 s
6	When The user fills the form 'null' 'null' 'Siva@1234'	PASSED	3.484 s
7	Then The user clicks RegisterButton	PASSED	0.296 s

Validating Register Functionality

PASSED	DURATION - 5.277 s
/ 12:28:02.138 PM // 12:28:07.415 PM /	
RegisterPage	
@RegisterPage	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.331 s
2	When The user clicks the Get Started button	PASSED	0.559 s
3	Then The user should be redirected to homepage	PASSED	0.066 s
4	When The user clicks Register	PASSED	0.377 s
5	Given The user is on the Register page	PASSED	0.002 s
6	When The user fills the form 'SivaShan' 'DsAlgo@123' 'DsAlgo@123'	PASSED	3.490 s

#	Step / Hook Details	Status	Duration
7	Then The user clicks RegisterButton	PASSED	0.391 s

Validating Register Functionality

PASSED	DURATION - 5.286 s		
/ 12:28:07.456 PM // 12:28:12.742 PM /			
RegisterPage			
@RegisterPage			

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.286 s
2	When The user clicks the Get Started button	PASSED	0.554 s
3	Then The user should be redirected to homepage	PASSED	0.161 s
4	When The user clicks Register	PASSED	0.430 s
5	Given The user is on the Register page	PASSED	0.004 s
6	When The user fills the form 'DianaWill' 'PeterJack@123' 'PeterJack@123'	PASSED	3.560 s
7	Then The user clicks RegisterButton	PASSED	0.242 s

Validating Register Functionality

PASSED	DURATION - 4.646 s		
/ 12:28:12.790 PM // 12:28:17.436 PM /			
RegisterPage			
@RegisterPage			

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.317 s
2	When The user clicks the Get Started button	PASSED	0.337 s

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to homepage	PASSED	0.064 s
4	When The user clicks Register	PASSED	0.285 s
5	Given The user is on the Register page	PASSED	0.006 s
6	When The user fills the form 'RajPatel' 'TestNg@123' 'TestNg@123'	PASSED	3.376 s
7	Then The user clicks RegisterButton	PASSED	0.216 s

SignIn

PASSED	DURATION - 14.840 s	Scenarios		Steps	
/ 12:28:17.467 PM // 12:28:32.307 PM /		Total - 1	1	Total - 7	7
		Pass - 1		Pass - 7	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Validating SignIn Functionality

PASSED	DURATION - 14.839 s		Steps	
/ 12:28:17.468 PM // 12:28:32.307 PM /			Total - 7	7
			Pass - 7	
SignIn			Fail - 0	
@SignIn			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.259 s
2	When The user clicks the Get Started button	PASSED	0.338 s
3	Then The user should be redirected to homepage	PASSED	0.068 s
4	When The user clicks Sign In	PASSED	0.347 s
5	Given The user is on the SignIn page	PASSED	0.011 s
6	When The user fills the form with the data from sheet 'Data' and clicks LoginButton	PASSED	13.702 s
7	Then The user sign in successfully	PASSED	0.075 s

Stack

FAILED	DURATION - 4.790 s	Scenarios		Steps	
/ 12:28:32.329 PM // 12:28:37.119 PM /		Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Total - 18 Pass - 0 Fail - 3 Skip - 15	18

User validates Operations in Stack page

FAILED	DURATION - 0.561 s		Steps	
/ 12:28:32.329 PM // 12:28:32.890 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	6
Stack				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack	FAILED	0.515 s

	java.lang.NullPointerException: Cannot invoke "org.apache.logging.log4j.Logger.info(String)" because "this.log" is null
	    at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:21)
	    at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC04_Stack.feature:14)
	* Not displayable characters are replaced by '?'.		

2	Then User clicks on Operations in Stack	SKIPPED	0.010 s
3	When User clicks on Try here in Operations in Stack	SKIPPED	0.006 s
4	When User enters the Python code in Operations in Stack	SKIPPED	0.000 s
5	And clicks on Run button in Operations in Stack	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Implementation in Stack page

FAILED	DURATION - 2.087 s

/ 12:28:32.907 PM // 12:28:34.994 PM /

Stack

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack	FAILED	2.078 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbcc8901470589af63b024306106b2fd, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58129}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58129/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbcc8901470589af63b024306106b2fd
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source)
   at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44)
   at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19)

| #	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC04_Stack.feature:23) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation in Stack	SKIPPED	0.000 s
3	When User clicks on Try here in Implementation in Stack	SKIPPED	0.000 s
4	When User enters the Python code in Implementation in Stack	SKIPPED	0.001 s
5	And clicks on Run button in Implementation in Stack	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

User validates Applications in stack

FAILED	DURATION - 2.106 s
/ 12:28:35.013 PM // 12:28:37.119 PM /	
Stack	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack	FAILED	2.078 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbcc8901470589af63b024306106b2fd, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58129}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58129/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbcc8901470589af63b024306106b2fd
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source) at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44) at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19) at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC04_Stack.feature:31) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Applications in Stack	SKIPPED	0.000 s
3	When User clicks on Try here in Applications in Stack	SKIPPED	0.004 s
4	When User enters the invalid Python code in Applications in Stack	SKIPPED	0.000 s
5	And clicks on Run button in Applications in Stack	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

LinkedList

FAILED	DURATION - 11.591 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0	7	Steps Total - 42 Pass - 0 Fail - 7 Skip - 35	42
	/ 12:28:37.147 PM // 12:28:48.738 PM /				

User validates Introduction in Linked List page

FAILED	DURATION - 2.068 s
/ 12:28:37.147 PM // 12:28:39.215 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.058 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbcc8901470589af63b024306106b2fd, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58129}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58129/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbcc8901470589af63b024306106b2fd 　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) 　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) 　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) 　at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source) 　at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) 　at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)		

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_LinkedList.feature:15) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Introduction in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Introduction of Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Introduction of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Introduction of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

User validates Creating Linked List in Linked List page

FAILED	DURATION - 2.074 s
/ 12:28:39.229 PM // 12:28:41.303 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.048 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbcc8901470589af63b024306106b2fd, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58129}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58129/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbcc8901470589af63b024306106b2fd
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_LinkedList.feature:24) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Creating Linked List in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Creating Linked List in Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Creating Linked List in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Creating Linked List in Linked List page	SKIPPED	0.002 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Types of Linked List in Linked List page

FAILED	DURATION - 2.066 s
/ 12:28:41.319 PM // 12:28:43.385 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.061 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0',		

| #	Step / Hook Details	Status	Duration

	java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbcc8901470589af63b024306106b2fd, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58129}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58129/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbcc8901470589af63b024306106b2fd
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source)
	    at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61)
	    at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)
	    at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_LinkedList.feature:33)
	* Not displayable characters are replaced by '?'.		

2	Then User clicks on Types of Linked List in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Types of Linked List in Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Types of Linked List in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Types of Linked List in Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

User validates Implement Linked List in python in Linked List page

FAILED	DURATION - 2.070 s
/ 12:28:43.396 PM // 12:28:45.466 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.053 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbcc8901470589af63b024306106b2fd, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58129}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58129/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbcc8901470589af63b024306106b2fd
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source)
	   at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61)
	   at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)		

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_LinkedList.feature:42) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implement Linked List in python in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Implement Linked List in python in Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Implement Linked List in python in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Implement Linked List in python in Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Traversal in Linked List page

FAILED	DURATION - 2.027 s
/ 12:28:45.488 PM // 12:28:47.515 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.022 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=111.0.5563.147) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbcc8901470589af63b024306106b2fd, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58129}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58129/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbcc8901470589af63b024306106b2fd
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_LinkedList.feature:51) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Traversal in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Traversal of Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Traversal of Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Traversal of Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

User validates Insertion in Linked List page

FAILED	DURATION - 1.137 s
/ 12:28:47.525 PM // 12:28:48.662 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	1.055 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[@href='linked-list'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: RemoteWebDriver		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_LinkedList.feature:60) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Insertion in Linked List page	SKIPPED	0.005 s
3	When User clicks on Try here button in Insertion of Linked List page	SKIPPED	0.002 s
4	When User enters the Python code in text editor in Insertion of Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Insertion of Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.003 s

User validates Deletion in Linked List page

FAILED	DURATION - 0.029 s
/ 12:28:48.709 PM // 12:28:48.738 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	0.017 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.147) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bbcc8901470589af63b024306106b2fd, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.147, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:58129}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58129/devtoo..., se:cdpVersion: 111.0.5563.147, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		

#	Step / Hook Details	Status	Duration

	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bbcc8901470589af63b024306106b2fd
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source)
	    at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61)
	    at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)
	    at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_LinkedList.feature:70)
	* Not displayable characters are replaced by '?'.		

2	Then User clicks on Deletion in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Deletion of Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Deletion of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Deletion of Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s