


Feature			Scei	nario			Step		
Name	Duration	T	P	F	S	T	P	F	S
HomePage	4.170 s	3	3	0	0	9	9	0	0
RegisterPage	20.259 s	4	4	0	0	28	28	0	0
SignIn	18.906 s	1	1	0	0	7	7	0	0
DataStructure feature	6.477 s	2	1	1	0	14	12	1	1
Array feature	8.826 s	8	0	8	0	44	0	8	36
LinkedList	5.061 s	7	0	7	0	42	0	7	35
Stack	4.537 s	3	0	3	0	18	0	3	15
Queue	0.158 s	4	0	4	0	24	0	4	20
Tree	0.493 s	13	0	13	0	78	0	13	65
Graph	0.051 s	2	0	2	0	12	0	2	10


Tag		Scei	nario		Feature			
Name	T	P	F	S	T	P	F	S
@HomePage	3	3	0	0	1	1	0	0
@RegisterPage	4	4	0	0	1	1	0	0
@SignIn	1	1	0	0	1	1	0	0
@Queue	4	0	4	0	1	0	1	0
@TC06Tree	13	0	13	0	1	0	1	0
@Graph	2	0	2	0	1	0	1	0

FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	<u>HomePage</u>	3	3	0	0	4.170 s
2	<u>RegisterPage</u>	4	4	0	0	20.259 s
3	<u>SignIn</u>	1	1	0	0	18.906 s
4	DataStructure feature	2	1	1	0	6.477 s
5	Array feature	8	0	8	0	8.826 s
6	<u>LinkedList</u>	7	0	7	0	5.061 s
7	<u>Stack</u>	3	0	3	0	4.537 s
8	<u>Queue</u>	4	0	4	0	0.158 s
9	<u>Tree</u>	13	0	13	0	0.493 s
10	<u>Graph</u>	2	0	2	0	0.051 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>HomePage</u>	User launch home page of an dsalgo project	3	3	0	0	1.585 s
2	<u>HomePage</u>	User is on Home page and click on sign in	3	3	0	0	1.157 s
3	<u>HomePage</u>	User is on Home page and click on Register	3	3	0	0	1.198 s
4	RegisterPage	Validating Register Functionality	7	7	0	0	5.371 s
5	RegisterPage	Validating Register Functionality	7	7	0	0	4.610 s
6	<u>RegisterPage</u>	Validating Register Functionality	7	7	0	0	5.066 s
7	RegisterPage	Validating Register Functionality	7	7	0	0	5.097 s
8	<u>SignIn</u>	Validating SignIn Functionality	7	7	0	0	18.906 s
9	DataStructure feature	Time Complexity Data Structure	6	6	0	0	3.989 s
10	DataStructure feature	Time Complexity Invalid code Data Structure	8	6	1	1	2.429 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Array feature	Arrays in Python	6	0	1	5	0.084 s
12	Array feature	Arrays Using List	6	0	1	5	2.090 s
13	Array feature	Basic Operations in lists	6	0	1	5	2.043 s
14	Array feature	Applications of Array	6	0	1	5	2.089 s
15	Array feature	Practice Questions	5	0	1	4	1.030 s
16	Array feature	Max Consecutive Ones	5	0	1	4	0.050 s
17	Array feature	Max Consecutive Ones	5	0	1	4	1.064 s
18	Array feature	Max Consecutive Ones	5	0	1	4	0.042 s
19	LinkedList	User validates Introduction in Linked List page	6	0	1	5	1.024 s
20	LinkedList	User validates Creating Linked List in Linked List page	6	0	1	5	0.074 s

SCENARIOS SUMMARY -- 7 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	LinkedList	User validates Types of Linked List in Linked List page	6	0	1	5	2.054 s
22	LinkedList	User validates Implement Linked List in python in Linked List page	6	0	1	5	0.392 s
23	LinkedList	User validates Traversal in Linked List page	6	0	1	5	0.103 s
24	LinkedList	User validates Insertion in Linked List page	6	0	1	5	1.013 s
25	LinkedList	User validates Deletion in Linked List page	6	0	1	5	0.081 s
26	Stack	User validates Operations in Stack page	6	0	1	5	2.075 s
27	Stack	User validates Implementation in Stack page	6	0	1	5	2.165 s
28	Stack	User validates Applications in stack	6	0	1	5	0.057 s

SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
29	Queue	User validate Implementation of Queue in Python page	6	0	1	5	0.022 s
30	Queue	User validate Implementation using collections deque	6	0	1	5	0.025 s
31	Queue	User validate Implementation using array	6	0	1	5	0.018 s
32	Queue	User validate Queue Operations	6	0	1	5	0.026 s
33	<u>Tree</u>	Overview of Trees page	6	0	1	5	0.030 s
34	<u>Tree</u>	Terminologies page	6	0	1	5	0.026 s
35	<u>Tree</u>	Types of Trees page	6	0	1	5	0.013 s
36	<u>Tree</u>	Tree Traversals page	6	0	1	5	0.021 s
37	<u>Tree</u>	Traversals-Illustration page	6	0	1	5	0.018 s
38	<u>Tree</u>	Binary Trees page	6	0	1	5	0.013 s

SCENARIOS SUMMARY -- 9 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Tree</u>	Types of Binary Trees page	6	0	1	5	0.013 s
40	<u>Tree</u>	Implementation in Python page	6	0	1	5	0.019 s
41	<u>Tree</u>	Binary Tree Traversals page	6	0	1	5	0.019 s
42	<u>Tree</u>	Implementation of Binary Trees page	6	0	1	5	0.017 s
43	<u>Tree</u>	Applications of Binary Trees page	6	0	1	5	0.026 s
44	<u>Tree</u>	Binary Search Trees page	6	0	1	5	0.020 s
45	<u>Tree</u>	Implementation of BST page	6	0	1	5	0.010 s
46	Graph	Graph page validation	6	0	1	5	0.023 s
47	Graph	GraphRepresentations	6	0	1	5	0.013 s

HomePage


PASSED	DURATION - 4.170 s	Scenarios		Steps	
		Total - 3		Total - 9	
/ 2:49:47.118 PM /	// 2:49:51.288 PM /	Pass - 3	3	Pass - 9	9
		Fail - 0	3	Fail - 0	~ J
		Skip - 0		Skip - 0	

User launch home page of an dsalgo project



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.677 s
2	When The user clicks the Get Started button	PASSED	0.776 s
3	Then The user should be redirected to homepage	PASSED	0.072 s


User is on Home page and click on sign in



DETAILED SECTION -- 11 --


#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.751 s
2	When The user clicks Sign In	PASSED	0.330 s
3	Then The user should be redirected to Sign in page	PASSED	0.065 s

User is on Home page and click on Register




#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.629 s
2	When The user clicks Register	PASSED	0.372 s
3	Then The user should be redirected to Register form	PASSED	0.173 s

RegisterPage




Validating Register Functionality

DETAILED SECTION -- 12 --



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.364 s
2	When The user clicks the Get Started button	PASSED	0.306 s
3	Then The user should be redirected to homepage	PASSED	0.085 s
4	When The user clicks Register	PASSED	0.289 s
5	Given The user is on the Register page	PASSED	0.009 s
6	When The user fills the form 'null' 'null' 'Siva@1234'	PASSED	3.911 s
7	Then The user clicks RegisterButton	PASSED	0.344 s


Validating Register Functionality



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.265 s
2	When The user clicks the Get Started button	PASSED	0.300 s
3	Then The user should be redirected to homepage	PASSED	0.069 s
4	When The user clicks Register	PASSED	0.294 s
5	Given The user is on the Register page	PASSED	0.006 s
6	When The user fills the form 'SivaShan' 'DsAlgo@123' 'DsAlgo@123'	PASSED	3.402 s


#	Step / Hook Details	Status	Duration
7	Then The user clicks RegisterButton	PASSED	0.214 s

Validating Register Functionality



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.277 s
2	When The user clicks the Get Started button	PASSED	0.378 s
3	Then The user should be redirected to homepage	PASSED	0.077 s
4	When The user clicks Register	PASSED	0.301 s
5	Given The user is on the Register page	PASSED	0.004 s
6	When The user fills the form 'DianaWill' 'PeterJack@123' 'PeterJack@123'	PASSED	3.524 s
7	Then The user clicks RegisterButton	PASSED	0.462 s

Validating Register Functionality



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.332 s
2	When The user clicks the Get Started button	PASSED	0.337 s


DETAILED SECTION -- 14 --

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to homepage	PASSED	0.073 s
4	When The user clicks Register	PASSED	0.349 s
5	Given The user is on the Register page	PASSED	0.002 s
6	When The user fills the form 'RajPatel' 'TestNg@123' 'TestNg@123'	PASSED	3.548 s
7	Then The user clicks RegisterButton	PASSED	0.412 s

SignIn


PASSED	DURATION - 18.906 s	Scenarios			Steps			
		Total - 1		ŀ	Total - 7			
/ 2:50:11.738 PM // 2	2:50:30.644 PM /	Pass - 1	1		Pass - 7		7	
		Fail - 0		,			(' /	
		Skip - 0			Skip - 0	\		7

Validating SignIn Functionality




#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.254 s
2	When The user clicks the Get Started button	PASSED	0.399 s
3	Then The user should be redirected to homepage	PASSED	0.063 s
4	When The user clicks Sign In	PASSED	0.346 s
5	Given The user is on the SignIn page	PASSED	0.003 s
6	When The user fills the form with the data from sheet 'Data' and clicks LoginButton	PASSED	17.711 s
7	Then The user sign in successfully	PASSED	0.094 s

DataStructure feature




Time Complexity Data Structure




#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Data Structure	PASSED	0.418 s
2	When The user click the link with title Time Complexity	PASSED	0.422 s
3	Then The user click on Data Strucure Try here	PASSED	1.187 s
4	And The user input the Python code in Data Structure	PASSED	0.170 s
5	Then The user click on run button	PASSED	1.218 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	PASSED	0.525 s

Time Complexity Invalid code Data Structure




#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Data Structure for invalid code	PASSED	0.313 s
2	When The user click the link with title Time Complexity for invalid code	PASSED	0.363 s
3	Then The user click on Data Strucure Try here for invalid code	PASSED	0.452 s
4	And The user input the Python code in Data Structure for invalid code	PASSED	0.002 s
5	When User enter the invalid Python code	PASSED	0.113 s
	print Hello		
6	And User Clicks on Run button for invalid code	PASSED	1.117 s
7	Then User Verify the error message for invalid code	FAILED	0.026 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.switchTo()" because "this.driver" is null at PageObjectModel.DataStructurePOM.getErrormsg(DataStructurePOM.java:85) at StepDefinition.DataStructureSD.user_verify_the_error_message_for_invalid_code(DataStructureSD.java:86) at ?.User Verify the error message for invalid code(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC04_DataStructure.feature:44) * Not displayable characters are replaced by '?'.		
8	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.002 s

Array feature



Arrays in Python




DETAILED SECTION -- 17 --

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	0.039 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} { Session info: chrome=112.0.5615.86}; NameError: name 'Hello' is not defined on line 1 Build info: version: '18.2; revision: '826dbtc'730' System info: os. name: 'Windows 10', os.arch. 'amd64', os.version: '19.0.2' priver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=/In5{text}()=/Array/ 1.//altext()=/Get Started']} Capabilities { (acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: { (chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca\}, goog:chromeOptions: { (debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy. normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdp\version: 112.0.5615.86, set\vertinodomorectionEnabled: false, pageLoadStrategy. normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdp\version: 112.0.5615.86, set\vertinodomorectionEnabled: false, pageLoadStrategy. normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdp\version: 112.0.5615.86, set\vertinodomorectionEnabled: false, pageLoadStrategy. normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdp\vertinodomorectionEnabled: false, pageLoadStrategy. normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/nevtoo, se:cdp\vertinodomorectionEnabled: false, pageLoadStrategy. normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/nevtoo, se:cdp\vertinodomorectionEnabled: false, pageLoadStrategy. normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/nevtoo, se:cdp\vertinodomorectionEnabled: false, pageLoadStrategy. normal, platformName: WINDOWS, proxy: formal: false; pageLoadStrategy. normal; platformName: will		
2	When The user click the link with title Arrays in Python	SKIPPED	0.001 s
3	Then The user click on Arrays in Python Try here	SKIPPED	0.001 s
4	And The user input the Python code in Arrays in Python	SKIPPED	0.001 s
5	Then The user click on Arrays in Python run button	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.004 s

Arrays Using List

DETAILED SECTION -- 18 --




#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.064 s
_	When The user click on Get started button in Array org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//h5[text()='Array]///a[text()='Get Started"]") (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement (using=xpath, value=//h5[text()='Array]///a[text()='Get Started']]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49} (bd2a7bcb881c, userDatataDir: C:\UserSisabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.ceccde(W3CHttpResponseCodec.java:233) at org.openqa.selenium.remote.codec.w3c.W3CHttpRespo		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)		

DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array. feature:25) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Arrays Using List	SKIPPED	0.001 s
3	Then The user click on Arrays Using List Try here	SKIPPED	0.001 s
4	And The user input the Python code in Arrays Using List	SKIPPED	0.002 s
5	Then The user click on Arrays Using List run button	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s


Basic Operations in lists



#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.020 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/h5[text()='Array]///a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//h5[text()='Array]///a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49} (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdp/version: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, session ID: 6efb2cc16be3d2079caec7f9568be269 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)	FAILED	2.020 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)		
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15)		
	at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.		
	feature:35)		
	* Not displayable characters are replaced by '?'.		
2	When The user click the link with title Basic Operations in lists	SKIPPED	0.001 s
3	Then The user click on Basic Operations in lists Try here	SKIPPED	0.001 s
4	And The user input the Python code in Basic Operations in lists	SKIPPED	0.001 s
5	Then The user click on Basic Operations in lists run button	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Applications of Array




#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.057 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

DETAILED SECTION -- 21 --

#	Step / Hook Details	Status	Duration
#	f"method":"xpath","selector":"/h5[text()='Array]///a[text()='Get Started]"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2'; revision: '826dbfc730' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '1.00', java version: '19.0.2' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//h5[text()='Array]///a[text()='Get Started]]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5515.86, chrome: {chromedriverVersion: 112.0.5515.49} (bd2a7bcb881c, userDatablor: C.Usersisabar/ApplatalLoca), goog:chromeOptions: {debuggerAddress: localhost525667}, networkConnectionEnabled: false, pageLoad3Strategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost525667/networkConnectionEnabled: false, pageLoad3Strategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost525667/networkConnectionEnabled: false, pageLoad3Strategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost52667/networkConnectionEnabled: false, pageLoad3Strategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost52667/networkConnectionEnabled: false, pageLoad3Strategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost52667/networkConnectionEnabled: false, pageLoad3Strategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost52667/networkConnectionEnabled: false, pageLoad3Strategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost52667/networkConnectionEnabled: false, pageLoad3Strategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost52667/networkConnectionEnabled: false, pageLoad3Strategy: normal, platformName: winDows: pageLoad3Strategy: normal, platformName: winDows: pageLoad3Strategy: normal, platformName: winDows: pageLoad3Strategy: normal, platformName: platfor	Status	Duration
	* Not displayable characters are replaced by '?'.	OKIDDES	0.001
2	When The user click the link with title Applications of Array	SKIPPED	0.001 s
3	Then The user click on Applications of Array Try here	SKIPPED	0.001 s
4	And The user input the Python code in Applications of Array	SKIPPED	0.001 s
5	Then The user click on Applications of Array run button	SKIPPED	0.002 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.002 s


Practice Questions

DETAILED SECTION -- 22 --



#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	1.000 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //h5[text()='Array']///a[text()='Get Started'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:52) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.001 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.000 s
4	When The user click the link with title Search the array	SKIPPED	0.002 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Max Consecutive Ones




Step / Hook Details	Status	Duration
When The user click on Get started button in Array	FAILED	0.023 s
org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} (Session info: chrome=112.0.5615.86): NameError: name 'Hello' is not defined on line 1 Build info: version: '4.8.2', revision: '826dbfc730' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command; [6efb2cc16be3d2079caec7f9568be269], findElement (using=xpath, value=7h5[text(p=Array]]/[al[text(p=Gt Started*p]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49} (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppDataLoca}), goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformMane: WINDOWS, proxy: Proxy), sexcept: ws://localhost:52667/netvor.o, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:ricredBlob: true, webauthn:extension:nilprile.Length: true, webauthn:extension:hiprile.Length: true, webauthn:extension:hiprile.Length: true, webauthn:extension:pri: true) Session ID: 6efb2cc16be3d2079caec7f9568be269 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.service(DriverCommandExecutor.java:162) at org.openqa.selenium.remote.RemoteWebDriver.execute(Remo		0.0203
* Not displayable characters are replaced by '?'.		
When The user click the link with title Applications of Array	SKIPPED	0.000 s

DETAILED SECTION -- 24 --


#	Step / Hook Details	Status	Duration
3	Then The user click the link with title Practice Questions	SKIPPED	0.003 s
4	When The user click the link with title Max Consecutive Ones	SKIPPED	0.002 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Max Consecutive Ones



#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	1.031 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //h5[text()='Array']/.//a[text()='Get Started'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:72) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.003 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Find Numbers with Even Numbres of Digits	SKIPPED	0.001 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Max Consecutive Ones



#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	0.023 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} (Session info: chrome=112.0.5615.86): NameError: name 'Hello' is not defined on line 1 Build info: version: '4.8.2', revision: '826dbfc730' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=/lh5[text()='Array]//la[text()='Get Started']]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: (chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppDataLoca), goog:chromeOptions: (debuggerAddress: localhost:52667), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad. 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:rerdBlob: true, webauthn:extension:miPrille.ength: true, webauthn:extension:slargeBlob: true) Session ID: 6efb2cc16be3d2079caec7f9568be269 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:162) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:352) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDr	PAILED	0.023 \$
	* Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.001 s


DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Squares of Sorted Array	SKIPPED	0.000 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

LinkedList

FAILED	DURATION - 5.061 s	Scenarios		Steps	
		Total - 7		Total - 42	
/ 2:50:46.194 PM // 2	2:50:51.255 PM /	Pass - 0	7	Pass - 0	42
		Fail - 7		Fail - 7	
		Skip - 0		Skip - 35	


User validates Introduction in Linked List page



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	0.999 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[@href='linked-list'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)		

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:15) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Introduction in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Introduction of Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Introduction of Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Introduction of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Creating Linked List in Linked List page



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	0.028 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} (Session info: chrome=112.0.5615.86): NameError: name 'Hello' is not defined on line 1 Build info: version: '4.8.2', revision: '826dbfc730' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href=linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca\}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session 1D: 6efb2cc16be3d2079caec7f9568be269 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		0.020 3

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.Internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/ TC06_LinkedList.feature:24) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Creating Linked List in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Creating Linked List in Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Creating Linked List in Linked List page	SKIPPED	0.003 s
5	And clicks on Run button in Creating Linked List in Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Types of Linked List in Linked List page




#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.034 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Session ID: 6efb2cc16be3d2079caec7f9568be269		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61)		
	at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)		
	at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/		
	TC06_LinkedList.feature:33)		
-	* Not displayable characters are replaced by '?'.		
2	Then User clicks on Types of Linked List in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Types of Linked List in Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Types of Linked List in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Types of Linked List in Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s


User validates Implement Linked List in python in Linked List page

DETAILED SECTION -- 30 -



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	0.363 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[@href='linked-list'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E://Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:42) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implement Linked List in python in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Implement Linked List in python in Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Implement Linked List in python in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Implement Linked List in python in Linked List page	SKIPPED	0.002 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.003 s


User validates Traversal in Linked List page



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	0.036 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} (Session info: chrome=112.0.5615.86): NameError: name 'Hello' is not defined on line 1 Build info: version: '4.8.2', revision: '826dbfc730' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16ba3d2079caec719568be269], findElement (using=xpath, value=4]a@href=linked-listf]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:Usersisabar/AppData\loca\}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(ElementLocation.java:352) at org.o		
	* Not displayable characters are replaced by '?'.		
2	Then User clicks on Traversal in Linked List page	SKIPPED	0.004 s
3	When User clicks on Try here button in Traversal of Linked List page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	When User enters the Python code in text editor in Traversal of Linked List page	SKIPPED	0.004 s
5	And clicks on Run button in Traversal of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

User validates Insertion in Linked List page



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	0.991 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[@href='linked-list'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:60) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Insertion in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Insertion of Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Insertion of Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Insertion of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.002 s

DETAILED SECTION -- 33 --


User validates Deletion in Linked List page

FAILED DURATION - 0.081 s	0.15	7							Steps		
/ 2:50:51.174 PM // 2:50:51.255 PM /	0.1			_	<u> </u>			1	Total - 6		
/ 2.30.31.174 FW // 2.30.31.233 FW /	0.1								Pass - 0		7
LinkedList	.05	-			÷	-!			Fail - 1	6	
									Skip - 5		
	0	-1 1:		-	1	1	<u>_</u>				
			'	2	3	4	0	0		<u> </u>	


#	# Step / Hook Details		Duration
1	When User clicks on Getstarted button under Linked List	FAILED	0.052 s
	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} (Session info: chrome=112.0.5615.86): NameError: name 'Hello' is not defined on line 1 Build info: version: '4.8.2', revision: '826dbfc730' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=/la@href='linked-list]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: (chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:Userstsabar/AppData\u00e4\u00e40ca), goog:chromeOptions: {debuggerAddress: localhost:52667, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), sec.dp. vs./ilocalhost:52667/devtoo, sec.dpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.RemoteWebDriver.secute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.	PAILED	0.052 \$

#	Step / Hook Details	Status	Duration
2	Then User clicks on Deletion in Linked List page	SKIPPED	0.002 s
3	When User clicks on Try here button in Deletion of Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Deletion of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Deletion of Linked List page	SKIPPED	0.003 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Stack




User validates Operations in Stack page



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack	FAILED	2.051 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		


#	Step / Hook Details	Status	Duration
	true} Session ID: 6efb2cc16be3d2079caec7f9568be269		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.lindElement(RemoteWebDriver.java.332) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java.344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:70)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44)		
	at StepDefinition.StackSD.user clicks on getstarted button under stack(StackSD.java:19)		
	at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO 2/src/test/resources/Features/TC07 Stack.		
	feature:14)		
	* Not displayable characters are replaced by '?'.		
2	Then User clicks on Operations in Stack	SKIPPED	0.002 s
3	When User clicks on Try here in Operations in Stack	SKIPPED	0.001 s
4	When User enters the Python code in Operations in Stack	SKIPPED	0.001 s
5	And clicks on Run button in Operations in Stack	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Implementation in Stack page



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack	FAILED	2.091 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //a[@href='stack'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2.fjdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44) at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19) at ?.User_clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack.feature:23) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation in Stack	SKIPPED	0.006 s
3	When User clicks on Try here in Implementation in Stack	SKIPPED	0.002 s
4	When User enters the Python code in Implementation in Stack	SKIPPED	0.006 s
5	And clicks on Run button in Implementation in Stack	SKIPPED	0.008 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Applications in stack




#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack	FAILED	0.018 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

DETAILED SECTION -- 37 --

0.000 s
0.001 s
0.000 s
0.000 3
0.000 s

Queue




User validate Implementation of Queue in Python page

FAILED DURATION - 0.022 s	0.15			-		-		Steps	
/ 2-F0-FF 001 PM // 2-F0-FF 022 PM /								Total - 6	
/ 2:50:55.901 PM // 2:50:55.923 PM /	0.1 -							Pass - 0	
Queue	.05 -							Fail - 1	6
								Skip - 5	
@Queue	0 -		-	<u> </u>	<u>'</u>	<u> </u>			
		1	2	3	4	5	6		

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue	FAILED	0.010 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dhfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec79568be269, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppDataL\cal_ca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true} at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37)		
	at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16)		
	at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.		
	feature:33)		
	* Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation of Queue in Python	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation of Queue in Python	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation of Queue in Python	SKIPPED	0.000 s
5	And clicks on Run button of Implementation of Queue in Python	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validate Implementation using collections deque




	#	Step / Hook Details	Status	Duration
1	.	When User clicks on Getstarted button under Queue	FAILED	0.016 s
		org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667},		

DETAILED SECTION -- 40 --

#	Step / Hook Details	Status	Duration
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo.		
	, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openga.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37)		
	at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16)		
	at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.		
	feature:43)		
	* Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation using collections deque	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation using collections deque	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation using collections deque	SKIPPED	0.001 s
5	And clicks on Run button of Implementation using collections deque in Python	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validate Implementation using array


DETAILED SECTION -- 41 --



#	Step / Hook Details	Status	Duration
	When User clicks on Getstarted button under Queue	FAILED	0.010 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269	FAILED	
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37)		
	at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16)		

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue. feature:53) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation using array	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation using array	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation using array	SKIPPED	0.001 s
5	And clicks on Run button of Implementation using array	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s


User validate Queue Operations



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue	FAILED	0.008 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37) at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:63) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation using Queue Operations	SKIPPED	0.002 s
3	When User clicks on Try here under Queue Operations	SKIPPED	0.001 s
4	When User enters the pythonCode of Queue Operations	SKIPPED	0.001 s
5	And clicks on Run button of Queue Operations	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Tree



Overview of Trees page


DETAILED SECTION -- 44 --



#	Step / Hook Details	Status	Duration
1	Given User clicks on Getstarted button under Tree	FAILED	0.013 s
\vdash	Given User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree']]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minFinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.cdecode(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.invokeExecutor.java:193) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecutor.java:158) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(Dr		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		

#	Step / Hook Details	Status	Duration
	feature:34) * Not displayable characters are replaced by '?'.		
2	When User clicks on Overview of Trees	SKIPPED	0.001 s
3	Then User clicks on Try here under Overview of Trees	SKIPPED	0.001 s
4	When User enters the pythonCode of Overview of Trees	SKIPPED	0.001 s
5	Then clicks on Run button of Overview of Trees	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Terminologies page




en User clicks on Getstarted button under Tree	FAILED	0.013 s
openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found ssion info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 'b2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, wserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: Jsers\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, eLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, WindowRect: true, strictFileInteractability: false, timeoust: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, bauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269	PAILED	0.013 5
sebwseWroat tit tit tit	sion info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', ersion: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, serName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: sers\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, LoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, indowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, utthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	sion info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: 2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree]}] Capabilities {acceptInsecureCerts: false, serName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: sers\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, LoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, indowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, unthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)

DETAILED SECTION -- 46 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		
	feature:43)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on Terminologies	SKIPPED	0.000 s
3	When User clicks on Try here under Terminologies	SKIPPED	0.000 s
4	When User enters the pythonCode of Terminologies	SKIPPED	0.001 s
5	Then clicks on Run button of Terminologies	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Types of Trees page




	#	Step / Hook Details	Status	Duration
1		When User clicks on Getstarted button under Tree	FAILED	0.006 s
		org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir:		

DETAILED SECTION -- 47 --

#	Step / Hook Details	Status	Duration
	C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		
	feature:54)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on Types of Trees	SKIPPED	0.000 s
3	When User clicks on Try here under Types of Trees	SKIPPED	0.001 s
4	When User enters the pythonCode of Types of Trees	SKIPPED	0.000 s
5	Then clicks on Run button of Types of Trees	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Tree Traversals page


DETAILED SECTION -- 48 --



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	0.007 s
	·		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		

#	Step / Hook Details	Status	Duration
	feature:62)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on Tree Traversals page	SKIPPED	0.000 s
3	When User clicks on Try here under Tree Traversals page	SKIPPED	0.000 s
4	When User enters the pythonCode of Tree Traversals page	SKIPPED	0.000 s
5	Then clicks on Run button of Tree Traversals page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Traversals-Illustration page




#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	0.010 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension		

DETAILED SECTION -- 50 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:70) * Not displayable characters are replaced by '?'.		
2	When User clicks on Traversals-Illustration page	SKIPPED	0.000 s
3	When User clicks on Try here under Traversals-Illustration page	SKIPPED	0.000 s
4	When User enters the pythonCode of Traversals-Illustration page	SKIPPED	0.000 s
5	Then clicks on Run button of Traversals-Illustration page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Binary Trees page




	#	Step / Hook Details	Status	Duration
1	L	When User clicks on Getstarted button under Tree	FAILED	0.005 s
		org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir:		

DETAILED SECTION -- 51 --

#	Step / Hook Details	Status	Duration
	C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openga.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		
	feature:78)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Binary Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Types of Binary Trees page


DETAILED SECTION -- 52 --



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	0.006 s
	·		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		

#	Step / Hook Details	Status	Duration
	feature:86) * Not displayable characters are replaced by '?'.		
2	When User clicks on Types of Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Types of Binary Trees page	SKIPPED	0.001 s
4	When User enters the pythonCode of Types of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Types of Binary Trees page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s


Implementation in Python page



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	0.009 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.ecdec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		
	feature:94)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on Implementation in Python page	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation in Python page	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation in Python page	SKIPPED	0.001 s
5	Then clicks on Run button of Implementation in Python page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Binary Tree Traversals page




#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	0.008 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir:		

DETAILED SECTION -- 55 -

#	Step / Hook Details	Status	Duration
	C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openga.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openga.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		
	feature:102)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on Binary Tree Traversals page	SKIPPED	0.001 s
3	When User clicks on Try here under Binary Tree Traversals page	SKIPPED	0.001 s
4	When User enters the pythonCode of Binary Tree Traversals page	SKIPPED	0.001 s
5	Then clicks on Run button of Binary Tree Traversals page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Implementation of Binary Trees page


DETAILED SECTION -- 56 --



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	0.010 s
\vdash	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debugger\Address: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		

#	Step / Hook Details	Status	Duration
	feature:110) * Not displayable characters are replaced by '?'.		
2	When User clicks on Implementation of Binary Trees page	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation of Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Implementation of Binary Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Applications of Binary Trees page




#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	0.012 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:inprf: true, webauthn:extension:inlargeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		0.012 3
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

DETAILED SECTION -- 58 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		
	feature:118)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on Applications of Binary Trees page	SKIPPED	0.001 s
3	When User clicks on Try here under Applications of Binary Trees page	SKIPPED	0.001 s
4	When User enters the pythonCode of Applications of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Applications of Binary Trees page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Binary Search Trees page




	#	Step / Hook Details	Status	Duration
1	L	When User clicks on Getstarted button under Tree	FAILED	0.012 s
		org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir:		

DETAILED SECTION -- 59 --

#	Step / Hook Details	Status	Duration
	C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false,		
	pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86,		
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, weba		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openga.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		
	feature:126)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on Binary Search Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Binary Search Trees page	SKIPPED	0.001 s
4	When User enters the pythonCode of Binary Search Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Binary Search Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Implementation of BST page

DETAILED SECTION -- 60 --



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	0.004 s
_	·		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.remote.Remotevvebbriver.iindElement(Remotevvebbriver.java.s44) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy27.click(Unknown Source)		
	at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)		
	at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.		


DETAILED SECTION -- 61 --

#	Step / Hook Details	Status	Duration
	feature:134) * Not displayable characters are replaced by '?'.		
2	When User clicks on Implementation of BST page	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation of BST page	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation of BST page	SKIPPED	0.001 s
5	Then clicks on Run button of Implementation of BST page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Graph

FAILED	DURATION - 0.051 s	Scenarios		Steps	
		Total - 2		Total - 12	
/ 2:50:56.639 PM // 2	2:50:56.690 PM /	Pass - 0	2	Pass - 0	12
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 10	

Graph page validation




#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Graph	FAILED	0.009 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2cc16be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52667/devtoo, se:cdpVersion: 112.0.5615.86,		

DETAILED SECTION -- 62 --

#	Step / Hook Details	Status	Duration
	setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.GraphPOM.clickOnGetStarted(GraphPOM.java:36)		
	at StepDefinition.GraphSD.User_clicks_on_Getstarted_button_under_Graph(GraphSD.java:15)		
	at ?.User clicks on Getstarted button under Graph(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC10_Graph. feature:33)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on Graph	SKIPPED	0.001 s
3	When User clicks on Try here under Graphpagevalidation	SKIPPED	0.000 s
4	When User enters the pythonCode of Graphpagevalidation	SKIPPED	0.000 s
5		SKIPPED	0.000 s
	And clicks on Run button of Graphpagevalidation		
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

GraphRepresentations

DETAILED SECTION -- 63 --



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Graph	FAILED	0.006 s
	When User clicks on Getstarted button under Graph org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=112.0.5615.86) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6efb2c016be3d2079caec7f9568be269, findElement {using=xpath, value=//a[@href='graph]}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sabar\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:52667}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws:/llocalhost:52667/devtoo, se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6efb2cc16be3d2079caec7f9568be269 at java.base/jdx.internal.reflect.DirectConstructor.HandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at PageObjectModel.GraphPOM.clickOnGetStarted(GraphPOM.java:36)		
	at StepDefinition.GraphSD.User_clicks_on_Getstarted_button_under_Graph(GraphSD.java:15)		
	at ?.User clicks on Getstarted button under Graph(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC10_Graph.		

DETAILED SECTION -- 64 --

#	Step / Hook Details	Status	Duration
	feature:44)		
	* Not displayable characters are replaced by '?'.		
2	When User clicks on GraphRepresentations	SKIPPED	0.000 s
3	Then User clicks on Try here under GraphRepresentations	SKIPPED	0.000 s
4	When User enters the pythonCode of GraphRepresentations	SKIPPED	0.000 s
5	Then clicks on Run button of GraphRepresentations	SKIPPED	0.001 s
6	Then user is navigated to Graph_home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s