

Cucumber Report

Apr 14, 2023, 12:19:40 PM

Start : Apr 14, 12:17:36.709 PM

End : Apr 14, 12:19:39.368 PM

Duration : 2 m 2.659 s

Features

Scenarios

Steps

PASSED - 3

FAILED - 7

SKIPPED - 0

PASSED - 9




FAILED - 38

SKIPPED - 0

PASSED - 56


FAILED - 38

SKIPPED - 182




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>HomePage</u>	6.317 s	3	3	0	0	9	9	0	0
<u>RegisterPage</u>	21.442 s	4	4	0	0	28	28	0	0
<u>SignIn</u>	16.383 s	1	1	0	0	7	7	0	0
<u>DataStructure feature</u>	6.216 s	2	1	1	0	14	12	1	1
<u>Array feature</u>	15.048 s	8	0	8	0	44	0	8	36
<u>LinkedList</u>	14.673 s	7	0	7	0	42	0	7	35
<u>Stack</u>	6.162 s	3	0	3	0	18	0	3	15
<u>Queue</u>	8.401 s	4	0	4	0	24	0	4	20
<u>Tree</u>	27.245 s	13	0	13	0	78	0	13	65
<u>Graph</u>	0.027 s	2	0	2	0	12	0	2	10


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@HomePage	3	3	0	0	1	1	0	0
@RegisterPage	4	4	0	0	1	1	0	0
@SignIn	1	1	0	0	1	1	0	0
@Queue	4	0	4	0	1	0	1	0
@TC06Tree	13	0	13	0	1	0	1	0
@Graph	2	0	2	0	1	0	1	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>HomePage</u>	3	3	0	0	6.317 s
2	<u>RegisterPage</u>	4	4	0	0	21.442 s
3	<u>SignIn</u>	1	1	0	0	16.383 s
4	<u>DataSeture feature</u>	2	1	1	0	6.216 s
5	<u>Array feature</u>	8	0	8	0	15.048 s
6	<u>LinkedList</u>	7	0	7	0	14.673 s
7	<u>Stack</u>	3	0	3	0	6.162 s
8	<u>Queue</u>	4	0	4	0	8.401 s
9	<u>Tree</u>	13	0	13	0	27.245 s
10	<u>Graph</u>	2	0	2	0	0.027 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>HomePage</u>	<u>User launch home page of an dsalgo project</u>	3	3	0	0	2.315 s
2	<u>HomePage</u>	<u>User is on Home page and click on sign in</u>	3	3	0	0	1.535 s
3	<u>HomePage</u>	<u>User is on Home page and click on Register</u>	3	3	0	0	1.793 s
4	<u>RegisterPage</u>	<u>Validating Register Functionality</u>	7	7	0	0	5.481 s
5	<u>RegisterPage</u>	<u>Validating Register Functionality</u>	7	7	0	0	5.385 s
6	<u>RegisterPage</u>	<u>Validating Register Functionality</u>	7	7	0	0	5.516 s
7	<u>RegisterPage</u>	<u>Validating Register Functionality</u>	7	7	0	0	4.768 s
8	<u>SignIn</u>	<u>Validating SignIn Functionality</u>	7	7	0	0	16.383 s
9	<u>DataSeture feature</u>	<u>Time Complexity Data Structure</u>	6	6	0	0	3.339 s
10	<u>DataSeture feature</u>	<u>Time Complexity Invalid code Data Structure</u>	8	6	1	1	2.782 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Array feature</u>	<u>Arrays in Python</u>	6	0	1	5	0.151 s
12	<u>Array feature</u>	<u>Arrays Using List</u>	6	0	1	5	2.072 s
13	<u>Array feature</u>	<u>Basic Operations in lists</u>	6	0	1	5	2.052 s
14	<u>Array feature</u>	<u>Applications of Array</u>	6	0	1	5	2.086 s
15	<u>Array feature</u>	<u>Practice Questions</u>	5	0	1	4	2.035 s
16	<u>Array feature</u>	<u>Max Consecutive Ones</u>	5	0	1	4	2.066 s
17	<u>Array feature</u>	<u>Max Consecutive Ones</u>	5	0	1	4	2.064 s
18	<u>Array feature</u>	<u>Max Consecutive Ones</u>	5	0	1	4	2.053 s
19	<u>LinkedList</u>	<u>User validates Introduction in Linked List page</u>	6	0	1	5	2.055 s
20	<u>LinkedList</u>	<u>User validates Creating Linked List in Linked List page</u>	6	0	1	5	2.057 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>LinkedList</u>	<u>User validates Types of Linked List in Linked List page</u>	6	0	1	5	2.077 s
22	<u>LinkedList</u>	<u>User validates Implement Linked List in python in Linked List page</u>	6	0	1	5	2.049 s
23	<u>LinkedList</u>	<u>User validates Traversal in Linked List page</u>	6	0	1	5	2.084 s
24	<u>LinkedList</u>	<u>User validates Insertion in Linked List page</u>	6	0	1	5	2.043 s
25	<u>LinkedList</u>	<u>User validates Deletion in Linked List page</u>	6	0	1	5	2.051 s
26	<u>Stack</u>	<u>User validates Operations in Stack page</u>	6	0	1	5	2.027 s
27	<u>Stack</u>	<u>User validates Implementation in Stack page</u>	6	0	1	5	2.039 s
28	<u>Stack</u>	<u>User validates Applications in stack</u>	6	0	1	5	2.063 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Queue</u>	<u>User validate Implementation of Queue in Python page</u>	6	0	1	5	2.040 s
30	<u>Queue</u>	<u>User validate Implementation using collections deque</u>	6	0	1	5	2.070 s
31	<u>Queue</u>	<u>User validate Implementation using array</u>	6	0	1	5	2.093 s
32	<u>Queue</u>	<u>User validate Queue Operations</u>	6	0	1	5	2.051 s
33	<u>Tree</u>	<u>Overview of Trees page</u>	6	0	1	5	2.051 s
34	<u>Tree</u>	<u>Terminologies page</u>	6	0	1	5	2.050 s
35	<u>Tree</u>	<u>Types of Trees page</u>	6	0	1	5	2.016 s
36	<u>Tree</u>	<u>Tree Traversals page</u>	6	0	1	5	2.044 s
37	<u>Tree</u>	<u>Traversals-Illustration page</u>	6	0	1	5	2.068 s
38	<u>Tree</u>	<u>Binary Trees page</u>	6	0	1	5	2.043 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Tree</u>	<u>Types of Binary Trees page</u>	6	0	1	5	2.075 s
40	<u>Tree</u>	<u>Implementation in Python page</u>	6	0	1	5	2.022 s
41	<u>Tree</u>	<u>Binary Tree Traversals page</u>	6	0	1	5	2.071 s
42	<u>Tree</u>	<u>Implementation of Binary Trees page</u>	6	0	1	5	2.070 s
43	<u>Tree</u>	<u>Applications of Binary Trees page</u>	6	0	1	5	2.067 s
44	<u>Tree</u>	<u>Binary Search Trees page</u>	6	0	1	5	2.030 s
45	<u>Tree</u>	<u>Implementation of BST page</u>	6	0	1	5	2.040 s
46	<u>Graph</u>	<u>Graph page validation</u>	6	0	1	5	0.008 s
47	<u>Graph</u>	<u>GraphRepresentations</u>	6	0	1	5	0.009 s

HomePage



PASSED	DURATION - 6.317 s	Scenarios		Steps	
/ 12:17:36.709 PM // 12:17:43.026 PM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User launch home page of an dsalgo project

PASSED	DURATION - 2.315 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:17:36.718 PM // 12:17:39.033 PM /				
HomePage				
@HomePage				



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	1.062 s
2	When The user clicks the Get Started button	PASSED	1.036 s
3	Then The user should be redirected to homepage	PASSED	0.139 s

User is on Home page and click on sign in

PASSED	DURATION - 1.535 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:17:39.441 PM // 12:17:40.976 PM /				
HomePage				
@HomePage				

#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.943 s
2	When The user clicks Sign In	PASSED	0.415 s
3	Then The user should be redirected to Sign in page	PASSED	0.156 s

User is on Home page and click on Register


PASSED		DURATION - 1.793 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:17:41.233 PM // 12:17:43.026 PM /						
HomePage						
@HomePage						

#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	1.054 s
2	When The user clicks Register	PASSED	0.513 s
3	Then The user should be redirected to Register form	PASSED	0.201 s

RegisterPage


<div>PASSED</div>	<div>DURATION - 21.442 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>4</div></div>	<div>Steps</div> <div>Total - 28</div> <div>Pass - 28</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>28</div></div>
<div>/ 12:17:43.267 PM // 12:18:04.709 PM /</div>					

Validating Register Functionality



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.443 s
2	When The user clicks the Get Started button	PASSED	0.539 s
3	Then The user should be redirected to homepage	PASSED	0.150 s
4	When The user clicks Register	PASSED	0.419 s
5	Given The user is on the Register page	PASSED	0.005 s
6	When The user fills the form 'null' 'null' 'Siva@1234'	PASSED	3.525 s
7	Then The user clicks RegisterButton	PASSED	0.302 s



Validating Register Functionality



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.333 s
2	When The user clicks the Get Started button	PASSED	0.455 s
3	Then The user should be redirected to homepage	PASSED	0.149 s
4	When The user clicks Register	PASSED	0.402 s
5	Given The user is on the Register page	PASSED	0.005 s
6	When The user fills the form 'SivaShan' 'DsAlgo@123' 'DsAlgo@123'	PASSED	3.649 s



#	Step / Hook Details	Status	Duration
7	Then The user clicks RegisterButton	PASSED	0.309 s

Validating Register Functionality

PASSED		DURATION - 5.516 s			Steps Total - 7 Pass - 7 Fail - 0 Skip - 0		
/ 12:17:54.393 PM // 12:17:59.909 PM /							
RegisterPage							
@RegisterPage							

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.342 s
2	When The user clicks the Get Started button	PASSED	0.719 s
3	Then The user should be redirected to homepage	PASSED	0.164 s
4	When The user clicks Register	PASSED	0.423 s
5	Given The user is on the Register page	PASSED	0.003 s
6	When The user fills the form 'DianaWill' 'PeterJack@123' 'PeterJack@123'	PASSED	3.605 s
7	Then The user clicks RegisterButton	PASSED	0.208 s



Validating Register Functionality

PASSED		DURATION - 4.768 s			Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:17:59.941 PM // 12:18:04.709 PM /						
RegisterPage						
@RegisterPage						



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.288 s
2	When The user clicks the Get Started button	PASSED	0.364 s

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to homepage	PASSED	0.100 s
4	When The user clicks Register	PASSED	0.344 s
5	Given The user is on the Register page	PASSED	0.001 s
6	When The user fills the form 'RajPatel' 'TestNg@123' 'TestNg@123'	PASSED	3.400 s
7	Then The user clicks RegisterButton	PASSED	0.199 s

SignIn



PASSED	DURATION - 16.383 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:18:04.749 PM // 12:18:21.132 PM /					

Validating SignIn Functionality



PASSED	DURATION - 16.383 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:18:04.749 PM // 12:18:21.132 PM /				
SignIn				
@SignIn				

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.260 s
2	When The user clicks the Get Started button	PASSED	0.312 s
3	Then The user should be redirected to homepage	PASSED	0.125 s
4	When The user clicks Sign In	PASSED	0.511 s
5	Given The user is on the SignIn page	PASSED	0.009 s
6	When The user fills the form with the data from sheet 'Data' and clicks LoginButton	PASSED	15.061 s
7	Then The user sign in successfully	PASSED	0.056 s

DataSetructure feature



FAILED	DURATION - 6.216 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 14 Pass - 12 Fail - 1 Skip - 1	
/ 12:18:21.171 PM // 12:18:27.387 PM /					
DataSetructure feature					

Time Complexity Data Structure

PASSED	DURATION - 3.339 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:18:21.171 PM // 12:18:24.510 PM /				
DataSetructure feature				



#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Data Structure	PASSED	0.443 s
2	When The user click the link with title Time Complexity	PASSED	0.379 s
3	Then The user click on Data Strucure Try here	PASSED	0.946 s
4	And The user input the Python code in Data Structure	PASSED	0.135 s
5	Then The user click on run button	PASSED	1.095 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	PASSED	0.289 s

Time Complexity Invalid code Data Structure



FAILED	DURATION - 2.782 s		Steps Total - 8 Pass - 6 Fail - 1 Skip - 1	
/ 12:18:24.605 PM // 12:18:27.387 PM /				
DataSetructure feature				

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Data Structure for invalid code	PASSED	0.384 s
2	When The user click the link with title Time Complexity for invalid code	PASSED	0.503 s
3	Then The user click on Data Strucure Try here for invalid code	PASSED	0.581 s
4	And The user input the Python code in Data Structure for invalid code	PASSED	0.005 s
5	When User enter the invalid Python code print Hello	PASSED	0.127 s
6	And User Clicks on Run button for invalid code	PASSED	1.123 s
7	Then User Verify the error message for invalid code java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.switchTo()" because "this.driver" is null at PageObjectModel.DataStructurePOM.getErrMsg(DsStructurePOM.java:85) at StepDefinition.DataStructureSD.user_verify_the_error_message_for_invalid_code(DataStructureSD.java:84) at ?.User Verify the error message for invalid code(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC04_DataStructure.feature:44) * Not displayable characters are replaced by '?'. Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	FAILED	0.013 s
8	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Array feature



FAILED	DURATION - 15.048 s	Scenarios Total - 8 Pass - 0 Fail - 8 Skip - 0		Steps Total - 44 Pass - 0 Fail - 8 Skip - 36	
/ 12:18:27.427 PM // 12:18:42.475 PM /					

Arrays in Python

FAILED		DURATION - 0.151 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 12:18:27.427 PM // 12:18:27.578 PM /						
Array feature						

#	Step / Hook Details	Status	Duration
1	<p>When The user click on Get started button in Array</p> <p>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} (Session info: chrome=112.0.5615.86): NameError: name 'Hello' is not defined on line 1 Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:17)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.062 s
2	When The user click the link with title Arrays in Python	SKIPPED	0.006 s
3	Then The user click on Arrays in Python Try here	SKIPPED	0.002 s
4	And The user input the Python code in Arrays in Python	SKIPPED	0.008 s
5	Then The user click on Arrays in Python run button	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Arrays Using List

<div>FAILED</div> <div>DURATION - 2.072 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:18:27.630 PM // 12:18:29.702 PM /				
Array feature				

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value="//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo ..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) </pre>	FAILED	2.051 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:25) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Arrays Using List	SKIPPED	0.001 s
3	Then The user click on Arrays Using List Try here	SKIPPED	0.000 s
4	And The user input the Python code in Arrays Using List	SKIPPED	0.001 s
5	Then The user click on Arrays Using List run button	SKIPPED	0.002 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Basic Operations in lists

FAILED DURATION - 2.052 s / 12:18:29.811 PM // 12:18:31.863 PM / Array feature		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	2.035 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:35) * Not displayable characters are replaced by '?'. </pre>		
2	When The user click the link with title Basic Operations in lists	SKIPPED	0.001 s
3	Then The user click on Basic Operations in lists Try here	SKIPPED	0.001 s
4	And The user input the Python code in Basic Operations in lists	SKIPPED	0.001 s
5	Then The user click on Basic Operations in lists run button	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Applications of Array

FAILED DURATION - 2.086 s / 12:18:31.994 PM // 12:18:34.080 PM / Array feature		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.076 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

#	Step / Hook Details	Status	Duration
	<pre> {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:44) * Not displayable characters are replaced by '?'. </pre>		
2	When The user click the link with title Applications of Array	SKIPPED	0.000 s
3	Then The user click on Applications of Array Try here	SKIPPED	0.000 s
4	And The user input the Python code in Applications of Array	SKIPPED	0.001 s
5	Then The user click on Applications of Array run button	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Practice Questions

<div>FAILED</div> <div>DURATION - 2.035 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 12:18:34.114 PM // 12:18:36.149 PM /				
Array feature				

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)	FAILED	2.025 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:52) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.000 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.000 s
4	When The user click the link with title Search the array	SKIPPED	0.001 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.002 s

Max Consecutive Ones

FAILED DURATION - 2.066 s / 12:18:36.257 PM // 12:18:38.323 PM / Array feature		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/..//a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value="//h5[text()='Array']/..//a[text()='Get Started']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52086/devtoo..., se.cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	2.051 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy2.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:61) * Not displayable characters are replaced by '?'. </pre>		
2	When The user click the link with title Applications of Array	SKIPPED	0.002 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Max Consecutive Ones	SKIPPED	0.000 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Max Consecutive Ones

FAILED DURATION - 2.064 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 12:18:38.338 PM // 12:18:40.402 PM /			
Array feature			

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/..a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: </pre>	FAILED	2.057 s

#	Step / Hook Details	Status	Duration
	<p>"Windows 10", os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:72) * Not displayable characters are replaced by '?'. </p>		
2	When The user click the link with title Applications of Array	SKIPPED	0.001 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Find Numbers with Even Numbres of Digits	SKIPPED	0.000 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Max Consecutive Ones

<div>FAILED</div> <div>DURATION - 2.053 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 12:18:40.422 PM // 12:18:42.475 PM /				
Array feature				



#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)	FAILED	2.045 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:81) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.000 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.000 s
4	When The user click the link with title Squares of Sorted Array	SKIPPED	0.000 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

LinkedList

FAILED	DURATION - 14.673 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 42 Pass - 0 Fail - 7 Skip - 35	
/ 12:18:42.518 PM // 12:18:57.191 PM /					



User validates Introduction in Linked List page

FAILED	DURATION - 2.055 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 12:18:42.518 PM // 12:18:44.573 PM /				
LinkedList				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value="//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(),	FAILED	2.047 s

#	Step / Hook Details	Status	Duration
	<p>se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:15)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Introduction in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Introduction of Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Introduction of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Introduction of Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



User validates Creating Linked List in Linked List page

<div>FAILED</div> <div>DURATION - 2.057 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:18:44.593 PM // 12:18:46.650 PM /				
LinkedList				

#	Step / Hook Details	Status	Duration
1	<p>When User clicks on Getstarted button under Linked List</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value="//a[@href='linked-list']"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)</pre>	FAILED	2.051 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:24) * Not displayable characters are replaced by '?'. Then User clicks on Creating Linked List in Linked List page		
2	Then User clicks on Creating Linked List in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Creating Linked List in Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Creating Linked List in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Creating Linked List in Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Types of Linked List in Linked List page

FAILED		DURATION - 2.077 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>		
/ 12:18:46.773 PM // 12:18:48.850 PM /							
LinkedList							

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.065 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:33) * Not displayable characters are replaced by '?'. </pre>		
2	Then User clicks on Types of Linked List in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Types of Linked List in Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Types of Linked List in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Types of Linked List in Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



User validates Implement Linked List in python in Linked List page

FAILED DURATION - 2.049 s / 12:18:48.925 PM // 12:18:50.974 PM / LinkedList	<p>A bar chart with a grid. The x-axis is labeled 1 through 6. The y-axis is labeled 0 through 3. A single black bar is present at position 1, reaching a height of 2. All other positions (2-6) have no bars.</p>	Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	<p>A donut chart with a yellow background and a red segment. The number 6 is in the center.</p>
---	--	--	---

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' </pre>	FAILED	2.043 s

#	Step / Hook Details	Status	Duration
	<p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:42)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Implement Linked List in python in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Implement Linked List in python in Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Implement Linked List in python in Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Implement Linked List in python in Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



User validates Traversal in Linked List page

<div>FAILED</div> <div>DURATION - 2.084 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:18:50.985 PM // 12:18:53.069 PM /				
LinkedList				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value="//a[@href='linked-list']"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) </pre>	FAILED	2.076 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:51) * Not displayable characters are replaced by '?'. Then User clicks on Traversal in Linked List page		
2	When User clicks on Try here button in Traversal of Linked List page	SKIPPED	0.000 s
3	When User enters the Python code in text editor in Traversal of Linked List page	SKIPPED	0.000 s
4	And clicks on Run button in Traversal of Linked List page	SKIPPED	0.001 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



User validates Insertion in Linked List page

FAILED		DURATION - 2.043 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:18:53.085 PM // 12:18:55.128 PM /						
LinkedList						

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.040 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:60) * Not displayable characters are replaced by '?'. </pre>		
2	Then User clicks on Insertion in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Insertion of Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Insertion of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Insertion of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



User validates Deletion in Linked List page

FAILED DURATION - 2.051 s / 12:18:55.140 PM // 12:18:57.191 PM / LinkedList		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	---	--	--



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' </pre>	FAILED	2.045 s

#	Step / Hook Details	Status	Duration
	<p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:70) * Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Deletion in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Deletion of Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Deletion of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Deletion of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Stack

FAILED	DURATION - 6.162 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 18 Pass - 0 Fail - 3 Skip - 15	
/ 12:18:57.209 PM // 12:19:03.371 PM /					



User validates Operations in Stack page

<div><div>FAILED</div><div>DURATION - 2.027 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 6</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 5</div></div>	<div></div>
/ 12:18:57.209 PM // 12:18:59.236 PM /				
Stack				

#	Step / Hook Details	Status	Duration
1	<p>When User clicks on Getstarted button under Stack</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p>	FAILED	2.014 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44) at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19) at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	Then User clicks on Operations in Stack	SKIPPED	0.001 s
3	When User clicks on Try here in Operations in Stack	SKIPPED	0.000 s
4	When User enters the Python code in Operations in Stack	SKIPPED	0.001 s
5	And clicks on Run button in Operations in Stack	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



User validates Implementation in Stack page

FAILED DURATION - 2.039 s / 12:18:59.256 PM // 12:19:01.295 PM / Stack		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: </pre>	FAILED	2.033 s

#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44) at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19) at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack. feature:23) * Not displayable characters are replaced by '?'.</pre>		
2	Then User clicks on Implementation in Stack	SKIPPED	0.000 s
3	When User clicks on Try here in Implementation in Stack	SKIPPED	0.000 s
4	When User enters the Python code in Implementation in Stack	SKIPPED	0.000 s
5	And clicks on Run button in Implementation in Stack	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



User validates Applications in stack

<div>FAILED</div> <div>DURATION - 2.063 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:19:01.308 PM // 12:19:03.371 PM /				
<div>Stack</div>				



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44) at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19)	FAILED	2.059 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack.feature:31) * Not displayable characters are replaced by '?'. Then User clicks on Applications in Stack		
2	Then User clicks on Applications in Stack	SKIPPED	0.000 s
3	When User clicks on Try here in Applications in Stack	SKIPPED	0.000 s
4	When User enters the invalid Python code in Applications in Stack	SKIPPED	0.000 s
5	And clicks on Run button in Applications in Stack	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Queue

FAILED	DURATION - 8.401 s	Scenarios		Steps	
/ 12:19:03.523 PM // 12:19:11.924 PM /		Total - 4		Total - 24	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 20	



User validate Implementation of Queue in Python page

FAILED	DURATION - 2.040 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 12:19:03.523 PM // 12:19:05.563 PM /				
Queue				
@Queue				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion:	FAILED	2.027 s

#	Step / Hook Details	Status	Duration
	<p>112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37) at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:33) * Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Implementation of Queue in Python	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation of Queue in Python	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation of Queue in Python	SKIPPED	0.000 s
5	And clicks on Run button of Implementation of Queue in Python	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



User validate Implementation using collections deque

<div>FAILED</div> <div>DURATION - 2.070 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:19:05.586 PM // 12:19:07.656 PM /				
Queue				
@Queue				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value="//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37) </pre>	FAILED	2.062 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:43) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation using collections deque	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation using collections deque	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation using collections deque	SKIPPED	0.000 s
5	And clicks on Run button of Implementation using collections deque in Python	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



User validate Implementation using array

<div>FAILED</div> <div>DURATION - 2.093 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:19:07.754 PM // 12:19:09.847 PM /</div>				
<div>Queue</div>				
<div>@Queue</div>				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	2.081 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37) at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue. feature:53) * Not displayable characters are replaced by '?'. </pre>		
2	Then User clicks on Implementation using array	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation using array	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation using array	SKIPPED	0.001 s
5	And clicks on Run button of Implementation using array	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validate Queue Operations



FAILED		DURATION - 2.051 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>		
/ 12:19:09.873 PM // 12:19:11.924 PM /							
Queue							
@Queue							

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue	FAILED	2.035 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row"		

#	Step / Hook Details	Status	Duration
	<p>row-cols-1 row-cols-md-3 g-4']/div[5]//a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37) at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:63)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Implementation using Queue Operations	SKIPPED	0.000 s
3	When User clicks on Try here under Queue Operations	SKIPPED	0.001 s
4	When User enters the pythonCode of Queue Operations	SKIPPED	0.002 s
5	And clicks on Run button of Queue Operations	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

FAILED	DURATION - 27.245 s	Scenarios Total - 13 Pass - 0 Fail - 13 Skip - 0		Steps Total - 78 Pass - 0 Fail - 13 Skip - 65	
/ 12:19:12.046 PM // 12:19:39.291 PM /					

Overview of Trees page

<div>FAILED</div> <div>DURATION - 2.051 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:19:12.047 PM // 12:19:14.098 PM /</div>				
<div>Tree</div>				
<div>@TC06Tree</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on Getstarted button under Tree</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p>	FAILED	2.033 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:34) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Overview of Trees	SKIPPED	0.001 s
3	Then User clicks on Try here under Overview of Trees	SKIPPED	0.001 s
4	When User enters the pythonCode of Overview of Trees	SKIPPED	0.001 s
5	Then clicks on Run button of Overview of Trees	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Terminologies page

FAILED DURATION - 2.050 s / 12:19:14.232 PM // 12:19:16.282 PM / Tree @TC06Tree		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: </pre>	FAILED	2.046 s

#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree. feature:43) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Terminologies	SKIPPED	0.000 s
3	When User clicks on Try here under Terminologies	SKIPPED	0.000 s
4	When User enters the pythonCode of Terminologies	SKIPPED	0.000 s
5	Then clicks on Run button of Terminologies	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Types of Trees page

<div>FAILED</div> <div>DURATION - 2.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:19:16.301 PM // 12:19:18.317 PM /				
Tree				
@TC06Tree				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)	FAILED	2.009 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:54) * Not displayable characters are replaced by '?'. 2 When User clicks on Types of Trees 3 When User clicks on Try here under Types of Trees 4 When User enters the pythonCode of Types of Trees 5 Then clicks on Run button of Types of Trees 6 Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"		
2	When User clicks on Types of Trees	SKIPPED	0.000 s
3	When User clicks on Try here under Types of Trees	SKIPPED	0.001 s
4	When User enters the pythonCode of Types of Trees	SKIPPED	0.001 s
5	Then clicks on Run button of Types of Trees	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Tree Traversals page

FAILED		DURATION - 2.044 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:19:18.426 PM // 12:19:20.470 PM /						
Tree						
@TC06Tree						

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.036 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:62) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Tree Traversals page	SKIPPED	0.000 s
3	When User clicks on Try here under Tree Traversals page	SKIPPED	0.000 s
4	When User enters the pythonCode of Tree Traversals page	SKIPPED	0.000 s
5	Then clicks on Run button of Tree Traversals page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Traversals-Illustration page

FAILED DURATION - 2.068 s / 12:19:20.487 PM // 12:19:22.555 PM / Tree @TC06Tree	<p>A bar chart with a grid. The x-axis is labeled 1 through 6. The y-axis is labeled 0 through 3. A single black bar is present at position 1, reaching a height of 2. All other positions (2-6) have no bars.</p>	Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	<p>A donut chart with a total of 6 segments. 1 segment is red, representing the failed step. The number 6 is displayed in the center of the donut.</p>
--	--	--	--

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver </pre>	FAILED	2.063 s

#	Step / Hook Details	Status	Duration
	<p>info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:70) * Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Traversals-Illustration page	SKIPPED	0.000 s
3	When User clicks on Try here under Traversals-Illustration page	SKIPPED	0.000 s
4	When User enters the pythonCode of Traversals-Illustration page	SKIPPED	0.000 s
5	Then clicks on Run button of Traversals-Illustration page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Binary Trees page

<div>FAILED</div> <div>DURATION - 2.043 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:19:22.566 PM // 12:19:24.609 PM /				
Tree				
@TC06Tree				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) </pre>	FAILED	2.037 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:78) * Not displayable characters are replaced by '?'. 2 When User clicks on Binary Trees page		
2	When User clicks on Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Binary Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Types of Binary Trees page

FAILED		DURATION - 2.075 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5			
/ 12:19:24.729 PM // 12:19:26.804 PM /								
Tree								
@TC06Tree								

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.068 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:86) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Types of Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Types of Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Types of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Types of Binary Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Implementation in Python page

FAILED DURATION - 2.022 s / 12:19:26.814 PM // 12:19:28.836 PM / Tree @TC06Tree		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver </pre>	FAILED	2.010 s

#	Step / Hook Details	Status	Duration
	<p>info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:94) * Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Implementation in Python page	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation in Python page	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation in Python page	SKIPPED	0.000 s
5	Then clicks on Run button of Implementation in Python page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Binary Tree Traversals page

<div>FAILED</div> <div>DURATION - 2.071 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:19:28.864 PM // 12:19:30.935 PM /</div>				
<div>Tree</div>				
<div>@TC06Tree</div>				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)	FAILED	2.063 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:102) * Not displayable characters are replaced by '?'. 2 When User clicks on Binary Tree Traversals page		
2	When User clicks on Binary Tree Traversals page	SKIPPED	0.001 s
3	When User clicks on Try here under Binary Tree Traversals page	SKIPPED	0.000 s
4	When User enters the pythonCode of Binary Tree Traversals page	SKIPPED	0.000 s
5	Then clicks on Run button of Binary Tree Traversals page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Implementation of Binary Trees page

FAILED		DURATION - 2.070 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5			
/ 12:19:31.053 PM // 12:19:33.123 PM /								
Tree								
@TC06Tree								

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.066 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:110) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Implementation of Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation of Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Implementation of Binary Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Applications of Binary Trees page

<div>FAILED</div> <div>DURATION - 2.067 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:19:33.134 PM // 12:19:35.201 PM /</div>				
<div>Tree</div>				
<div>@TC06Tree</div>				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver </pre>	FAILED	2.064 s

#	Step / Hook Details	Status	Duration
	<p>info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:118) * Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Applications of Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Applications of Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Applications of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Applications of Binary Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Binary Search Trees page

<div>FAILED</div> <div>DURATION - 2.030 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:19:35.210 PM // 12:19:37.240 PM /				
Tree				
@TC06Tree				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) </pre>	FAILED	2.021 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:126) * Not displayable characters are replaced by '?'. 2 When User clicks on Binary Search Trees page		
2	When User clicks on Binary Search Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Binary Search Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Binary Search Trees page	SKIPPED	0.001 s
5	Then clicks on Run button of Binary Search Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Implementation of BST page

FAILED		DURATION - 2.040 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5			
/ 12:19:37.251 PM // 12:19:39.291 PM /								
Tree								
@TC06Tree								


#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e66430044461f2acaed6a90842c24b0a, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52086}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52086/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e66430044461f2acaed6a90842c24b0a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.033 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree. feature:134) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Implementation of BST page	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation of BST page	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation of BST page	SKIPPED	0.000 s
5	Then clicks on Run button of Implementation of BST page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Graph


FAILED	DURATION - 0.027 s	Scenarios		Steps	
/ 12:19:39.341 PM // 12:19:39.368 PM /		Total - 2		Total - 12	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 10	

Graph page validation



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Graph java.lang.NullPointerException: Cannot invoke "PageObjectModel.GraphPOM.clickOnGetStarted()" because "this.gp" is null at StepDefinition.GraphSD.User_clicks_on_Getstarted_button_under_Graph(GraphSD.java:15) at ?.User clicks on Getstarted button under Graph(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC10_Graph.feature:33) * Not displayable characters are replaced by '?'.	FAILED	0.003 s
2	When User clicks on Graph	SKIPPED	0.000 s
3	When User clicks on Try here under Graphpagevalidation	SKIPPED	0.000 s
4	When User enters the pythonCode of Graphpagevalidation	SKIPPED	0.000 s
5	And clicks on Run button of Graphpagevalidation	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

GraphRepresentations



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Graph java.lang.NullPointerException: Cannot invoke "PageObjectModel.GraphPOM.clickOnGetStarted()" because "this.gp" is null at StepDefinition.GraphSD.User_clicks_on_Getstarted_button_under_Graph(GraphSD.java:15)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Graph(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC10_Graph.feature:44) * Not displayable characters are replaced by '?'. 2 When User clicks on GraphRepresentations		
3	Then User clicks on Try here under GraphRepresentations	SKIPPED	0.001 s
4	When User enters the pythonCode of GraphRepresentations	SKIPPED	0.000 s
5	Then clicks on Run button of GraphRepresentations	SKIPPED	0.000 s
6	Then user is navigated to Graph_home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s