Cucumber Report

Start : Apr 14, 2:39:44.524 PM	End : Apr 14, 2:41:45.315 PM	Duration : 2 m 0.791 s
Features	Scenarios	Steps
PASSED - 3 FAILED - 7 SKIPPED - 0	PASSED - 9 FAILED - 38 SKIPPED - 0	PASSED - 56 FAILED - 38 SKIPPED - 182

Features: 10 — Pass % 30 %

Scenarios: 47 — Pass % 19 %

Steps: 276 — Pass % 20 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
HomePage	3.836 s	3	3	0	0	9	9	0	0
RegisterPage	20.379 s	4	4	0	0	28	28	0	0
SignIn	17.284 s	1	1	0	0	7	7	0	0
DataStructure feature	6.009 s	2	1	1	0	14	12	1	1
Array feature	13.698 s	8	0	8	0	44	0	8	36
LinkedList	12.789 s	7	0	7	0	42	0	7	35
Stack	6.288 s	3	0	3	0	18	0	3	15
Queue	8.408 s	4	0	4	0	24	0	4	20
Tree	27.087 s	13	0	13	0	78	0	13	65
Graph	4.195 s	2	0	2	0	12	0	2	10

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@HomePage	3	3	0	0	1	1	0	0
@RegisterPage	4	4	0	0	1	1	0	0
@SignIn	1	1	0	0	1	1	0	0
@Queue	4	0	4	0	1	0	1	0
@TC06Tree	13	0	13	0	1	0	1	0
@Graph	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	HomePage	3	3	0	0	3.836 s
2	RegisterPage	4	4	0	0	20.379 s
3	SignIn	1	1	0	0	17.284 s
4	DataStructure feature	2	1	1	0	6.009 s
5	Array feature	8	0	8	0	13.698 s
6	LinkedList	7	0	7	0	12.789 s
7	Stack	3	0	3	0	6.288 s
8	Queue	4	0	4	0	8.408 s
9	Tree	13	0	13	0	27.087 s
10	Graph	2	0	2	0	4.195 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	HomePage	User launch home page of an dsalgo project	3	3	0	0	1.514 s
2	HomePage	User is on Home page and click on sign in	3	3	0	0	1.071 s
3	HomePage	User is on Home page and click on Register	3	3	0	0	0.992 s
4	RegisterPage	Validating Register Functionality	7	7	0	0	4.627 s
5	RegisterPage	Validating Register Functionality	7	7	0	0	5.185 s
6	RegisterPage	Validating Register Functionality	7	7	0	0	5.494 s
7	RegisterPage	Validating Register Functionality	7	7	0	0	4.941 s
8	SignIn	Validating SignIn Functionality	7	7	0	0	17.284 s
9	DataStructure feature	Time Complexity Data Structure	6	6	0	0	3.641 s
10	DataStructure feature	Time Complexity Invalid code Data Structure	8	6	1	1	2.314 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
11	Array feature	Arrays in Python	6	0	1	5	0.137 s
12	Array feature	Arrays Using List	6	0	1	5	2.037 s
13	Array feature	Basic Operations in lists	6	0	1	5	2.093 s
14	Array feature	Applications of Array	6	0	1	5	2.063 s
15	Array feature	Practice Questions	5	0	1	4	2.045 s
16	Array feature	Max Consecutive Ones	5	0	1	4	2.056 s
17	Array feature	Max Consecutive Ones	5	0	1	4	2.116 s
18	Array feature	Max Consecutive Ones	5	0	1	4	0.797 s
19	LinkedList	User validates Introduction in Linked List page	6	0	1	5	0.023 s
20	LinkedList	User validates Creating Linked List in Linked List page	6	0	1	5	2.086 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21	LinkedList	User validates Types of Linked List in Linked List page	6	0	1	5	2.081 s
22	LinkedList	User validates Implement Linked List in python in Linked List page	6	0	1	5	2.094 s
23	LinkedList	User validates Traversal in Linked List page	6	0	1	5	2.060 s
24	LinkedList	User validates Insertion in Linked List page	6	0	1	5	2.061 s
25	LinkedList	User validates Deletion in Linked List page	6	0	1	5	2.069 s
26	Stack	User validates Operations in Stack page	6	0	1	5	2.081 s
27	Stack	User validates Implementation in Stack page	6	0	1	5	2.071 s
28	Stack	User validates Applications in stack	6	0	1	5	2.063 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
29	Queue	User validate Implementation of Queue in Python page	6	0	1	5	2.061 s
30	Queue	User validate Implementation using collections deque	6	0	1	5	2.088 s
31	Queue	User validate Implementation using array	6	0	1	5	2.092 s
32	Queue	User validate Queue Operations	6	0	1	5	2.065 s
33	Tree	Overview of Trees page	6	0	1	5	2.048 s
34	Tree	Terminologies page	6	0	1	5	2.079 s
35	Tree	Types of Trees page	6	0	1	5	2.033 s
36	Tree	Tree Traversals page	6	0	1	5	2.069 s
37	Tree	Traversals-Illustration page	6	0	1	5	2.030 s
38	Tree	Binary Trees page	6	0	1	5	2.042 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
39	Tree	Types of Binary Trees page	6	0	1	5	2.040 s
40	Tree	Implementation in Python page	6	0	1	5	2.076 s
41	Tree	Binary Tree Traversals page	6	0	1	5	2.069 s
42	Tree	Implementation of Binary Trees page	6	0	1	5	2.029 s
43	Tree	Applications of Binary Trees page	6	0	1	5	2.044 s
44	Tree	Binary Search Trees page	6	0	1	5	2.038 s
45	Tree	Implementation of BST page	6	0	1	5	2.075 s
46	Graph	Graph page validation	6	0	1	5	2.082 s
47	Graph	GraphRepresentations	6	0	1	5	2.074 s

HomePage

PASSED	DURATION - 3.836 s		Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0		Steps Total - 9 Pass - 9 Fail - 0 Skip - 0	
/ 2:39:44.524 PM // 2:39:48.360 PM /						

User launch home page of an dsalgo project

PASSED	DURATION - 1.514 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:39:44.530 PM // 2:39:46.044 PM /				
HomePage				
@HomePage				

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.640 s
2	When The user clicks the Get Started button	PASSED	0.716 s
3	Then The user should be redirected to homepage	PASSED	0.093 s

User is on Home page and click on sign in

PASSED	DURATION - 1.071 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 2:39:46.222 PM // 2:39:47.293 PM /				
HomePage				
@HomePage				

#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.709 s
2	When The user clicks Sign In	PASSED	0.291 s
3	Then The user should be redirected to Sign in page	PASSED	0.058 s

User is on Home page and click on Register

PASSED	DURATION - 0.992 s		Steps
/ 2:39:47.368 PM // 2:39:48.360 PM /			Total - 3
			Pass - 3
HomePage			Fail - 0
			Skip - 0
@HomePage			

Steps donut chart: 3

#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.561 s
2	When The user clicks Register	PASSED	0.309 s
3	Then The user should be redirected to Register form	PASSED	0.093 s

RegisterPage

PASSED	DURATION - 20.379 s	Scenarios	Steps
/ 2:39:48.472 PM // 2:40:08.851 PM /		Total - 4	Total - 28
		Pass - 4	Pass - 28
		Fail - 0	Fail - 0
		Skip - 0	Skip - 0

Scenarios donut: 4   Steps donut: 28

Validating Register Functionality

PASSED	DURATION - 4.627 s
/ 2:39:48.476 PM // 2:39:53.103 PM /	
RegisterPage	
@RegisterPage	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.302 s
2	When The user clicks the Get Started button	PASSED	0.319 s
3	Then The user should be redirected to homepage	PASSED	0.093 s
4	When The user clicks Register	PASSED	0.294 s
5	Given The user is on the Register page	PASSED	0.008 s
6	When The user fills the form 'null' 'null' 'Siva@1234'	PASSED	3.310 s
7	Then The user clicks RegisterButton	PASSED	0.262 s

Validating Register Functionality

PASSED	DURATION - 5.185 s
/ 2:39:53.141 PM // 2:39:58.326 PM /	
RegisterPage	
@RegisterPage	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.398 s
2	When The user clicks the Get Started button	PASSED	0.422 s
3	Then The user should be redirected to homepage	PASSED	0.080 s
4	When The user clicks Register	PASSED	0.372 s
5	Given The user is on the Register page	PASSED	0.002 s
6	When The user fills the form 'SivaShan' 'DsAlgo@123' 'DsAlgo@123'	PASSED	3.529 s

#	Step / Hook Details	Status	Duration
7	Then The user clicks RegisterButton	PASSED	0.316 s

Validating Register Functionality

| PASSED	DURATION - 5.494 s
/ 2:39:58.378 PM // 2:40:03.872 PM /	
RegisterPage	
@RegisterPage	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.503 s
2	When The user clicks the Get Started button	PASSED	0.408 s
3	Then The user should be redirected to homepage	PASSED	0.092 s
4	When The user clicks Register	PASSED	0.473 s
5	Given The user is on the Register page	PASSED	0.002 s
6	When The user fills the form 'DianaWill' 'PeterJack@123' 'PeterJack@123'	PASSED	3.530 s
7	Then The user clicks RegisterButton	PASSED	0.434 s

Validating Register Functionality

PASSED	DURATION - 4.941 s
/ 2:40:03.910 PM // 2:40:08.851 PM /	
RegisterPage	
@RegisterPage	

Steps
Total - 7
Pass - 7
Fail - 0
Skip - 0

7

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.212 s
2	When The user clicks the Get Started button	PASSED	0.365 s

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to homepage	PASSED	0.076 s
4	When The user clicks Register	PASSED	0.324 s
5	Given The user is on the Register page	PASSED	0.001 s
6	When The user fills the form 'RajPatel' 'TestNg@123' 'TestNg@123'	PASSED	3.547 s
7	Then The user clicks RegisterButton	PASSED	0.388 s

SignIn

PASSED	DURATION - 17.284 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 2:40:08.884 PM // 2:40:26.168 PM /			1		7

Validating SignIn Functionality

PASSED	DURATION - 17.284 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 2:40:08.884 PM // 2:40:26.168 PM /				
SignIn				7
@SignIn				

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.251 s
2	When The user clicks the Get Started button	PASSED	0.382 s
3	Then The user should be redirected to homepage	PASSED	0.049 s
4	When The user clicks Sign In	PASSED	0.310 s
5	Given The user is on the SignIn page	PASSED	0.008 s
6	When The user fills the form with the data from sheet 'Data' and clicks LoginButton	PASSED	16.175 s
7	Then The user sign in successfully	PASSED	0.077 s

DataStructure feature

FAILED	DURATION - 6.009 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 14 Pass - 12 Fail - 1 Skip - 1	
/ 2:40:26.343 PM // 2:40:32.352 PM /					

Time Complexity Data Structure

PASSED	DURATION - 3.641 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 2:40:26.343 PM // 2:40:29.984 PM /				
DataStructure feature				

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Data Structure	PASSED	0.480 s
2	When The user click the link with title Time Complexity	PASSED	0.410 s
3	Then The user click on Data Strucure Try here	PASSED	1.111 s
4	And The user input the Python code in Data Structure	PASSED	0.157 s
5	Then The user click on run button	PASSED	1.126 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	PASSED	0.316 s

Time Complexity Invalid code Data Structure

FAILED	DURATION - 2.314 s		Steps Total - 8 Pass - 6 Fail - 1 Skip - 1	
/ 2:40:30.038 PM // 2:40:32.352 PM /				
DataStructure feature				

| #	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Data Structure for invalid code	PASSED	0.290 s
2	When The user click the link with title Time Complexity for invalid code	PASSED	0.339 s
3	Then The user click on Data Strucure Try here for invalid code	PASSED	0.397 s
4	And The user input the Python code in Data Structure for invalid code	PASSED	0.002 s
5	When User enter the invalid Python code `print Hello`	PASSED	0.105 s
6	And User Clicks on Run button for invalid code	PASSED	1.096 s

7	Then User Verify the error message for invalid code
	
	 java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.switchTo()" because "this.driver" is null
	    at PageObjectModel.DataStructurePOM.getErrormsg(DataStructurePOM.java:85)
	    at StepDefinition.DataStructureSD.user_verify_the_error_message_for_invalid_code(DataStructureSD.java:84)
	    at ?.User Verify the error message for invalid code(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC04_DataStructure.feature:44)
	 * Not displayable characters are replaced by '?'.
		FAILED	0.020 s

8	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.002 s

Array feature

FAILED	DURATION - 13.698 s	Scenarios Total - 8 Pass - 0 Fail - 8 Skip - 0	8	Steps Total - 44 Pass - 0 Fail - 8 Skip - 36	44
/ 2:40:32.516 PM // 2:40:46.214 PM /					

Arrays in Python

FAILED	DURATION - 0.137 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	6
/ 2:40:32.516 PM // 2:40:32.653 PM /				
Array feature				

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	0.079 s

	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} (Session info: chrome=112.0.5615.86): NameError: name 'Hello' is not defined on line 1 Build info: version: '4.8.2', revision: '826dbfc730' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//h5[text()='Array']/..//a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo. .., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	    at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)
	    at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15)
	    at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array. feature:17)
	* Not displayable characters are replaced by '?'.		

2	When The user click the link with title Arrays in Python	SKIPPED	0.002 s
3	Then The user click on Arrays in Python Try here	SKIPPED	0.002 s
4	And The user input the Python code in Arrays in Python	SKIPPED	0.000 s
5	Then The user click on Arrays in Python run button	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.005 s

Arrays Using List

FAILED	DURATION - 2.037 s
/ 2:40:32.701 PM // 2:40:34.738 PM /	
Array feature	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.019 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/..//a[text()='Get Started']"}   (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//h5[text()='Array']/..//a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo.. ., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
   at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)

#	Step / Hook Details	Status	Duration
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:25) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Arrays Using List	SKIPPED	0.001 s
3	Then The user click on Arrays Using List Try here	SKIPPED	0.001 s
4	And The user input the Python code in Arrays Using List	SKIPPED	0.001 s
5	Then The user click on Arrays Using List run button	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Basic Operations in lists

FAILED	DURATION - 2.093 s
/ 2:40:34.779 PM // 2:40:36.872 PM /	
Array feature	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.073 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo.., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array. feature:35) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Basic Operations in lists	SKIPPED	0.001 s
3	Then The user click on Basic Operations in lists Try here	SKIPPED	0.000 s
4	And The user input the Python code in Basic Operations in lists	SKIPPED	0.001 s
5	Then The user click on Basic Operations in lists run button	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Applications of Array

FAILED	DURATION - 2.063 s		Steps	
/ 2:40:36.905 PM // 2:40:38.968 PM /			Total - 6	
			Pass - 0	
Array feature			Fail - 1	6
			Skip - 5	

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.048 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

| #	Step / Hook Details	Status	Duration

	{"method":"xpath","selector":"//h5[text()='Array']/..//a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//h5[text()='Array']/..//a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo. .., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)
	  at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15)
	  at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:44)
	* Not displayable characters are replaced by '?'.		

2	When The user click the link with title Applications of Array	SKIPPED	0.001 s
3	Then The user click on Applications of Array Try here	SKIPPED	0.001 s
4	And The user input the Python code in Applications of Array	SKIPPED	0.001 s
5	Then The user click on Applications of Array run button	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Practice Questions

FAILED	DURATION - 2.045 s
/ 2:40:39.024 PM // 2:40:41.069 PM /	
Array feature	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.033 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo. .., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)		

| #	Step / Hook Details	Status	Duration
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:52) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.001 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.000 s
4	When The user click the link with title Search the array	SKIPPED	0.001 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Max Consecutive Ones

FAILED	DURATION - 2.056 s
/ 2:40:41.105 PM // 2:40:43.161 PM /	
Array feature	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.045 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/..//a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//h5[text()='Array']/..//a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array. feature:61) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.001 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Max Consecutive Ones	SKIPPED	0.001 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Max Consecutive Ones

FAILED	DURATION - 2.116 s		Steps	
/ 2:40:43.267 PM // 2:40:45.383 PM /			Total - 5 Pass - 0 Fail - 1 Skip - 4	5
Array feature				

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.079 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name:		

| #	Step / Hook Details	Status	Duration
	'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//h5[text()='Array']/..//a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo. .., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) 　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) 　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) 　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) 　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) 　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) 　at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) 　at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) 　at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) 　at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array. feature:72) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.000 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Find Numbers with Even Numbres of Digits	SKIPPED	0.001 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.005 s

Max Consecutive Ones

FAILED	DURATION - 0.797 s

/ 2:40:45.417 PM // 2:40:46.214 PM /

Array feature

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	0.784 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //h5[text()='Array']/../a[text()='Get Started'] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:81) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.001 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Squares of Sorted Array	SKIPPED	0.001 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

LinkedList

| FAILED	DURATION - 12.789 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0	7	Steps Total - 42 Pass - 0 Fail - 7 Skip - 35	42
/ 2:40:46.254 PM // 2:40:59.043 PM /					

User validates Introduction in Linked List page

FAILED	DURATION - 0.023 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	6
/ 2:40:46.254 PM // 2:40:46.277 PM /				
LinkedList				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	0.017 s

	org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} (Session info: chrome=112.0.5615.86): NameError: name 'Hello' is not defined on line 1 Build info: version: '4.8.2', revision: '826dbfc730' System info: os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo. .., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:15) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Introduction in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Introduction of Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Introduction of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Introduction of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

User validates Creating Linked List in Linked List page

FAILED	DURATION - 2.086 s
/ 2:40:46.328 PM // 2:40:48.414 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

| #	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.068 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:24) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Creating Linked List in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Creating Linked List in Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Creating Linked List in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Creating Linked List in Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Types of Linked List in Linked List page

FAILED	DURATION - 2.081 s		Steps
/ 2:40:48.456 PM // 2:40:50.537 PM /			Total - 6
			Pass - 0
LinkedList			Fail - 1
			Skip - 5

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.068 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 　　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) 　　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) 　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) 　　at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) 　　at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) 　　at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) 　　at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:33) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Types of Linked List in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Types of Linked List in Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Types of Linked List in Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Types of Linked List in Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

### User validates Implement Linked List in python in Linked List page

FAILED	DURATION - 2.094 s
/ 2:40:50.573 PM // 2:40:52.667 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.082 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"}   (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)

| #	Step / Hook Details	Status	Duration
	at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:42) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implement Linked List in python in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Implement Linked List in python in Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Implement Linked List in python in Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Implement Linked List in python in Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

User validates Traversal in Linked List page

FAILED	DURATION - 2.060 s
/ 2:40:52.686 PM // 2:40:54.746 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.040 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:51) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Traversal in Linked List page	SKIPPED	0.002 s
3	When User clicks on Try here button in Traversal of Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Traversal of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Traversal of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Insertion in Linked List page

FAILED	DURATION - 2.061 s		Steps
/ 2:40:54.787 PM // 2:40:56.848 PM /			Total - 6
LinkedList			Pass - 0 Fail - 1 Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.049 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-		

| #	Step / Hook Details	Status	Duration

	list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61)
	  at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)
	  at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:60)
	* Not displayable characters are replaced by '?'.		

2	Then User clicks on Insertion in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Insertion of Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Insertion of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Insertion of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Deletion in Linked List page

FAILED	DURATION - 2.069 s
/ 2:40:56.974 PM // 2:40:59.043 PM /	
LinkedList	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List	FAILED	2.057 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61)
	  at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)		

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:70) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Deletion in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Deletion of Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Deletion of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Deletion of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Stack

FAILED	DURATION - 6.288 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 18 Pass - 0 Fail - 3 Skip - 15	18
/ 2:40:59.079 PM // 2:41:05.367 PM /					

User validates Operations in Stack page

FAILED	DURATION - 2.081 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	6
/ 2:40:59.079 PM // 2:41:01.160 PM /				
Stack				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack	FAILED	2.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions:		

| #	Step / Hook Details	Status	Duration

	{debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44)
	  at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19)
	  at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack.feature:14)
	* Not displayable characters are replaced by '?'.		

2	Then User clicks on Operations in Stack	SKIPPED	0.001 s
3	When User clicks on Try here in Operations in Stack	SKIPPED	0.001 s
4	When User enters the Python code in Operations in Stack	SKIPPED	0.001 s
5	And clicks on Run button in Operations in Stack	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Implementation in Stack page

FAILED	DURATION - 2.071 s
/ 2:41:01.197 PM // 2:41:03.268 PM /	
Stack	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack	FAILED	2.052 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
   at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44)
   at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19)

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack.feature:23) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation in Stack	SKIPPED	0.001 s
3	When User clicks on Try here in Implementation in Stack	SKIPPED	0.001 s
4	When User enters the Python code in Implementation in Stack	SKIPPED	0.001 s
5	And clicks on Run button in Implementation in Stack	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Applications in stack

FAILED	DURATION - 2.063 s
/ 2:41:03.304 PM // 2:41:05.367 PM /	
Stack	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

| #	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack	FAILED	2.043 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44) at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19) at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack.feature:31) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Applications in Stack	SKIPPED	0.001 s
3	When User clicks on Try here in Applications in Stack	SKIPPED	0.001 s
4	When User enters the invalid Python code in Applications in Stack	SKIPPED	0.001 s
5	And clicks on Run button in Applications in Stack	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Queue

FAILED	DURATION - 8.408 s	Scenarios Total - 4 Pass - 0 Fail - 4 Skip - 0	4	Steps Total - 24 Pass - 0 Fail - 4 Skip - 20	24
/ 2:41:05.403 PM // 2:41:13.811 PM /					

User validate Implementation of Queue in Python page

FAILED	DURATION - 2.061 s
/ 2:41:05.403 PM // 2:41:07.464 PM /	
Queue	
@Queue	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue	FAILED	2.043 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium. dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo. .., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	    at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37)		

#	Step / Hook Details	Status	Duration
	at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:33) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation of Queue in Python	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation of Queue in Python	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation of Queue in Python	SKIPPED	0.000 s
5	And clicks on Run button of Implementation of Queue in Python	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validate Implementation using collections deque

FAILED	DURATION - 2.088 s
/ 2:41:07.500 PM // 2:41:09.588 PM /	
Queue	
@Queue	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue	FAILED	2.074 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37) at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:43) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation using collections deque	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation using collections deque	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation using collections deque	SKIPPED	0.002 s
5	And clicks on Run button of Implementation using collections deque in Python	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validate Implementation using array

FAILED	DURATION - 2.092 s
/ 2:41:09.620 PM // 2:41:11.712 PM /	
Queue	
@Queue	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue	FAILED	2.076 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row		

| #	Step / Hook Details	Status	Duration

	row-cols-1 row-cols-md-3 g-4']/div[5]//a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium. dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo. .., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37)
	  at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16)
	  at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue. feature:53)
	* Not displayable characters are replaced by '?'.		

2	Then User clicks on Implementation using array	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation using array	SKIPPED	0.002 s
4	When User enters the pythonCode of Implementation using array	SKIPPED	0.001 s
5	And clicks on Run button of Implementation using array	SKIPPED	0.002 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validate Queue Operations

FAILED	DURATION - 2.065 s
/ 2:41:11.746 PM // 2:41:13.811 PM /	
Queue	
@Queue	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue	FAILED	2.056 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37)		

#	Step / Hook Details	Status	Duration
	at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:63) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation using Queue Operations	SKIPPED	0.000 s
3	When User clicks on Try here under Queue Operations	SKIPPED	0.000 s
4	When User enters the pythonCode of Queue Operations	SKIPPED	0.000 s
5	And clicks on Run button of Queue Operations	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Tree

FAILED	DURATION - 27.087 s	Scenarios Total - 13 Pass - 0 Fail - 13 Skip - 0	13	Steps Total - 78 Pass - 0 Fail - 13 Skip - 65	78
/ 2:41:13.992 PM // 2:41:41.079 PM /					

Overview of Trees page

FAILED	DURATION - 2.048 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	6
/ 2:41:13.992 PM // 2:41:16.040 PM /				
Tree				
@TC06Tree				

#	Step / Hook Details	Status	Duration
1	Given User clicks on Getstarted button under Tree	FAILED	2.031 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome:		

| #	Step / Hook Details	Status	Duration
	{chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:34) * Not displayable characters are replaced by '?'.		
2	When User clicks on Overview of Trees	SKIPPED	0.000 s
3	Then User clicks on Try here under Overview of Trees	SKIPPED	0.000 s
4	When User enters the pythonCode of Overview of Trees	SKIPPED	0.001 s
5	Then clicks on Run button of Overview of Trees	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Terminologies page

FAILED	DURATION - 2.079 s
/ 2:41:16.071 PM // 2:41:18.150 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.068 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
   at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)
   at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)

| #	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree. feature:43) * Not displayable characters are replaced by '?'.		
2	When User clicks on Terminologies	SKIPPED	0.001 s
3	When User clicks on Try here under Terminologies	SKIPPED	0.000 s
4	When User enters the pythonCode of Terminologies	SKIPPED	0.000 s
5	Then clicks on Run button of Terminologies	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Types of Trees page

FAILED	DURATION - 2.033 s
/ 2:41:18.169 PM // 2:41:20.202 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.020 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:54) * Not displayable characters are replaced by '?'.		
2	When User clicks on Types of Trees	SKIPPED	0.001 s
3	When User clicks on Try here under Types of Trees	SKIPPED	0.001 s
4	When User enters the pythonCode of Types of Trees	SKIPPED	0.000 s
5	Then clicks on Run button of Types of Trees	SKIPPED	0.002 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Tree Traversals page

FAILED	DURATION - 2.069 s
/ 2:41:20.235 PM // 2:41:22.304 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.056 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver		

| #	Step / Hook Details	Status	Duration

	info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)
	  at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)
	  at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:62)
	* Not displayable characters are replaced by '?'.		

2	When User clicks on Tree Traversals page	SKIPPED	0.001 s
3	When User clicks on Try here under Tree Traversals page	SKIPPED	0.000 s
4	When User enters the pythonCode of Tree Traversals page	SKIPPED	0.001 s
5	Then clicks on Run button of Tree Traversals page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Traversals-Illustration page

FAILED	DURATION - 2.030 s
/ 2:41:22.340 PM // 2:41:24.370 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.019 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	    at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)
	    at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)		

| #	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree. feature:70) * Not displayable characters are replaced by '?'.		
2	When User clicks on Traversals-Illustration page	SKIPPED	0.001 s
3	When User clicks on Try here under Traversals-Illustration page	SKIPPED	0.000 s
4	When User enters the pythonCode of Traversals-Illustration page	SKIPPED	0.001 s
5	Then clicks on Run button of Traversals-Illustration page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Binary Trees page

FAILED	DURATION - 2.042 s
/ 2:41:24.398 PM // 2:41:26.440 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.028 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:78) * Not displayable characters are replaced by '?'.		
2	When User clicks on Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Binary Trees page	SKIPPED	0.001 s
5	Then clicks on Run button of Binary Trees page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Types of Binary Trees page

FAILED	DURATION - 2.040 s	Steps	
/ 2:41:26.549 PM // 2:41:28.589 PM /		Total - 6	
Tree		Pass - 0 Fail - 1	6
@TC06Tree		Skip - 5	

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.031 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver		

| #	Step / Hook Details	Status	Duration

	info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)
	  at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)
	  at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree. feature:86)
	* Not displayable characters are replaced by '?'.		

2	When User clicks on Types of Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Types of Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Types of Binary Trees page	SKIPPED	0.001 s
5	Then clicks on Run button of Types of Binary Trees page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Implementation in Python page

FAILED	DURATION - 2.076 s
/ 2:41:28.618 PM // 2:41:30.694 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.063 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
   at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)
   at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)

| #	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:94) * Not displayable characters are replaced by '?'.		
2	When User clicks on Implementation in Python page	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation in Python page	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation in Python page	SKIPPED	0.001 s
5	Then clicks on Run button of Implementation in Python page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Binary Tree Traversals page

FAILED	DURATION - 2.069 s
/ 2:41:30.721 PM // 2:41:32.790 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.057 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:102) * Not displayable characters are replaced by '?'.		
2	When User clicks on Binary Tree Traversals page	SKIPPED	0.000 s
3	When User clicks on Try here under Binary Tree Traversals page	SKIPPED	0.000 s
4	When User enters the pythonCode of Binary Tree Traversals page	SKIPPED	0.000 s
5	Then clicks on Run button of Binary Tree Traversals page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Implementation of Binary Trees page

FAILED	DURATION - 2.029 s
/ 2:41:32.816 PM // 2:41:34.845 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.018 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver		

| #	Step / Hook Details	Status	Duration

	info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)
	  at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)
	  at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:110)
	* Not displayable characters are replaced by '?'.		

2	When User clicks on Implementation of Binary Trees page	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation of Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation of Binary Trees page	SKIPPED	0.001 s
5	Then clicks on Run button of Implementation of Binary Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Applications of Binary Trees page

FAILED	DURATION - 2.044 s

/ 2:41:34.874 PM // 2:41:36.918 PM /

Tree

@TC06Tree

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.031 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
   at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)
   at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:118) * Not displayable characters are replaced by '?'.		
2	When User clicks on Applications of Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Applications of Binary Trees page	SKIPPED	0.001 s
4	When User enters the pythonCode of Applications of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Applications of Binary Trees page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Binary Search Trees page

FAILED	DURATION - 2.038 s
/ 2:41:36.942 PM // 2:41:38.980 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.025 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:126) * Not displayable characters are replaced by '?'.		
2	When User clicks on Binary Search Trees page	SKIPPED	0.001 s
3	When User clicks on Try here under Binary Search Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Binary Search Trees page	SKIPPED	0.001 s
5	Then clicks on Run button of Binary Search Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Implementation of BST page

FAILED	DURATION - 2.075 s
/ 2:41:39.004 PM // 2:41:41.079 PM /	
Tree	
@TC06Tree	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

| #	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree	FAILED	2.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver		

#	Step / Hook Details	Status	Duration

	info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67)
	  at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)
	  at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:134)
	* Not displayable characters are replaced by '?'.		

2	When User clicks on Implementation of BST page	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation of BST page	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation of BST page	SKIPPED	0.000 s
5	Then clicks on Run button of Implementation of BST page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Graph

FAILED	DURATION - 4.195 s	Scenarios		Steps	
/ 2:41:41.120 PM // 2:41:45.315 PM /		Total - 2 Pass - 0 Fail - 2 Skip - 0	2	Total - 12 Pass - 0 Fail - 2 Skip - 10	12

Graph page validation

FAILED	DURATION - 2.082 s		Steps	
/ 2:41:41.120 PM // 2:41:43.202 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	6
Graph				
@Graph				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Graph	FAILED	2.068 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='graph']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at PageObjectModel.GraphPOM.clickOnGetStarted(GraphPOM.java:36) at StepDefinition.GraphSD.User_clicks_on_Getstarted_button_under_Graph(GraphSD.java:15) at ?.User clicks on Getstarted button under Graph(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC10_Graph.feature:33) * Not displayable characters are replaced by '?'.		
2	When User clicks on Graph	SKIPPED	0.002 s
3	When User clicks on Try here under Graphpagevalidation	SKIPPED	0.001 s
4	When User enters the pythonCode of Graphpagevalidation	SKIPPED	0.000 s
5	And clicks on Run button of Graphpagevalidation	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

GraphRepresentations

FAILED	DURATION - 2.074 s		Steps	
/ 2:41:43.241 PM // 2:41:45.315 PM /			Total - 6 Pass - 0 Fail - 1 Skip - 5	6
Graph				
@Graph				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Graph	FAILED	2.062 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='graph']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [381928abc9b220094b5359079c055823, findElement {using=xpath, value=//a[@href='graph']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions:		

#	Step / Hook Details	Status	Duration

	{debuggerAddress: localhost:52602}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52602/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 381928abc9b220094b5359079c055823
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	  at PageObjectModel.GraphPOM.clickOnGetStarted(GraphPOM.java:36)
	  at StepDefinition.GraphSD.User_clicks_on_Getstarted_button_under_Graph(GraphSD.java:15)
	  at ?.User clicks on Getstarted button under Graph(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC10_Graph.feature:44)
	* Not displayable characters are replaced by '?'.		

2	When User clicks on GraphRepresentations	SKIPPED	0.001 s
3	Then User clicks on Try here under GraphRepresentations	SKIPPED	0.001 s
4	When User enters the pythonCode of GraphRepresentations	SKIPPED	0.001 s
5	Then clicks on Run button of GraphRepresentations	SKIPPED	0.001 s
6	Then user is navigated to Graph_home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s