

Cucumber Report

Apr 14, 2023, 12:28:50 PM

Start : Apr 14, 12:26:39.309 PM

End : Apr 14, 12:28:48.722 PM

Duration : 2 m 9.413 s

Features

Scenarios

Steps

PASSED - 3

FAILED - 7

SKIPPED - 0

PASSED - 9




FAILED - 38

SKIPPED - 0

PASSED - 56


FAILED - 38

SKIPPED - 182




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>HomePage</u>	7.990 s	3	3	0	0	9	9	0	0
<u>RegisterPage</u>	22.886 s	4	4	0	0	28	28	0	0
<u>SignIn</u>	17.138 s	1	1	0	0	7	7	0	0
<u>DataStructure feature</u>	8.912 s	2	1	1	0	14	12	1	1
<u>Array feature</u>	15.140 s	8	0	8	0	44	0	8	36
<u>LinkedList</u>	14.791 s	7	0	7	0	42	0	7	35
<u>Stack</u>	6.284 s	3	0	3	0	18	0	3	15
<u>Queue</u>	8.233 s	4	0	4	0	24	0	4	20
<u>Tree</u>	27.120 s	13	0	13	0	78	0	13	65
<u>Graph</u>	0.045 s	2	0	2	0	12	0	2	10


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@HomePage	3	3	0	0	1	1	0	0
@RegisterPage	4	4	0	0	1	1	0	0
@SignIn	1	1	0	0	1	1	0	0
@Queue	4	0	4	0	1	0	1	0
@TC06Tree	13	0	13	0	1	0	1	0
@Graph	2	0	2	0	1	0	1	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>HomePage</u>	3	3	0	0	7.990 s
2	<u>RegisterPage</u>	4	4	0	0	22.886 s
3	<u>SignIn</u>	1	1	0	0	17.138 s
4	<u>DataStructure feature</u>	2	1	1	0	8.912 s
5	<u>Array feature</u>	8	0	8	0	15.140 s
6	<u>LinkedList</u>	7	0	7	0	14.791 s
7	<u>Stack</u>	3	0	3	0	6.284 s
8	<u>Queue</u>	4	0	4	0	8.233 s
9	<u>Tree</u>	13	0	13	0	27.120 s
10	<u>Graph</u>	2	0	2	0	0.045 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>HomePage</u>	<u>User launch home page of an dsalgo project</u>	3	3	0	0	3.760 s
2	<u>HomePage</u>	<u>User is on Home page and click on sign in</u>	3	3	0	0	2.001 s
3	<u>HomePage</u>	<u>User is on Home page and click on Register</u>	3	3	0	0	1.607 s
4	<u>RegisterPage</u>	<u>Validating Register Functionality</u>	7	7	0	0	5.397 s
5	<u>RegisterPage</u>	<u>Validating Register Functionality</u>	7	7	0	0	6.050 s
6	<u>RegisterPage</u>	<u>Validating Register Functionality</u>	7	7	0	0	5.925 s
7	<u>RegisterPage</u>	<u>Validating Register Functionality</u>	7	7	0	0	5.291 s
8	<u>SignIn</u>	<u>Validating SignIn Functionality</u>	7	7	0	0	17.138 s
9	<u>DataSeture feature</u>	<u>Time Complexity Data Structure</u>	6	6	0	0	4.990 s
10	<u>DataSeture feature</u>	<u>Time Complexity Invalid code Data Structure</u>	8	6	1	1	3.808 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Array feature</u>	<u>Arrays in Python</u>	6	0	1	5	0.410 s
12	<u>Array feature</u>	<u>Arrays Using List</u>	6	0	1	5	2.044 s
13	<u>Array feature</u>	<u>Basic Operations in lists</u>	6	0	1	5	2.045 s
14	<u>Array feature</u>	<u>Applications of Array</u>	6	0	1	5	2.077 s
15	<u>Array feature</u>	<u>Practice Questions</u>	5	0	1	4	2.069 s
16	<u>Array feature</u>	<u>Max Consecutive Ones</u>	5	0	1	4	2.068 s
17	<u>Array feature</u>	<u>Max Consecutive Ones</u>	5	0	1	4	2.071 s
18	<u>Array feature</u>	<u>Max Consecutive Ones</u>	5	0	1	4	2.079 s
19	<u>LinkedList</u>	<u>User validates Introduction in Linked List page</u>	6	0	1	5	2.125 s
20	<u>LinkedList</u>	<u>User validates Creating Linked List in Linked List page</u>	6	0	1	5	2.081 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>LinkedList</u>	<u>User validates Types of Linked List in Linked List page</u>	6	0	1	5	2.078 s
22	<u>LinkedList</u>	<u>User validates Implement Linked List in python in Linked List page</u>	6	0	1	5	2.066 s
23	<u>LinkedList</u>	<u>User validates Traversal in Linked List page</u>	6	0	1	5	2.036 s
24	<u>LinkedList</u>	<u>User validates Insertion in Linked List page</u>	6	0	1	5	2.050 s
25	<u>LinkedList</u>	<u>User validates Deletion in Linked List page</u>	6	0	1	5	2.031 s
26	<u>Stack</u>	<u>User validates Operations in Stack page</u>	6	0	1	5	2.048 s
27	<u>Stack</u>	<u>User validates Implementation in Stack page</u>	6	0	1	5	2.041 s
28	<u>Stack</u>	<u>User validates Applications in stack</u>	6	0	1	5	2.044 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Queue</u>	<u>User validate Implementation of Queue in Python page</u>	6	0	1	5	2.071 s
30	<u>Queue</u>	<u>User validate Implementation using collections deque</u>	6	0	1	5	2.024 s
31	<u>Queue</u>	<u>User validate Implementation using array</u>	6	0	1	5	2.026 s
32	<u>Queue</u>	<u>User validate Queue Operations</u>	6	0	1	5	2.040 s
33	<u>Tree</u>	<u>Overview of Trees page</u>	6	0	1	5	2.074 s
34	<u>Tree</u>	<u>Terminologies page</u>	6	0	1	5	2.074 s
35	<u>Tree</u>	<u>Types of Trees page</u>	6	0	1	5	2.014 s
36	<u>Tree</u>	<u>Tree Traversals page</u>	6	0	1	5	2.039 s
37	<u>Tree</u>	<u>Traversals-Illustration page</u>	6	0	1	5	2.041 s
38	<u>Tree</u>	<u>Binary Trees page</u>	6	0	1	5	2.046 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
39	<u>Tree</u>	<u>Types of Binary Trees page</u>	6	0	1	5	2.034 s
40	<u>Tree</u>	<u>Implementation in Python page</u>	6	0	1	5	2.019 s
41	<u>Tree</u>	<u>Binary Tree Traversals page</u>	6	0	1	5	2.065 s
42	<u>Tree</u>	<u>Implementation of Binary Trees page</u>	6	0	1	5	2.067 s
43	<u>Tree</u>	<u>Applications of Binary Trees page</u>	6	0	1	5	2.075 s
44	<u>Tree</u>	<u>Binary Search Trees page</u>	6	0	1	5	2.029 s
45	<u>Tree</u>	<u>Implementation of BST page</u>	6	0	1	5	2.021 s
46	<u>Graph</u>	<u>Graph page validation</u>	6	0	1	5	0.014 s
47	<u>Graph</u>	<u>GraphRepresentations</u>	6	0	1	5	0.006 s

HomePage



PASSED	DURATION - 7.990 s	Scenarios		Steps	
/ 12:26:39.309 PM // 12:26:47.299 PM /		Total - 3		Total - 9	
		Pass - 3		Pass - 9	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User launch home page of an dsalgo project

PASSED DURATION - 3.760 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:26:39.318 PM // 12:26:43.078 PM /				
HomePage				
@HomePage				



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	1.068 s
2	When The user clicks the Get Started button	PASSED	2.415 s
3	Then The user should be redirected to homepage	PASSED	0.197 s

User is on Home page and click on sign in

<div>PASSED</div> <div>DURATION - 2.001 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>		<div></div>
<div>/ 12:26:43.488 PM // 12:26:45.489 PM /</div>					
<div>HomePage</div>					
<div>@HomePage</div>					



#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	1.397 s
2	When The user clicks Sign In	PASSED	0.454 s
3	Then The user should be redirected to Sign in page	PASSED	0.135 s

User is on Home page and click on Register


PASSED	DURATION - 1.607 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:26:45.692 PM // 12:26:47.299 PM /				
HomePage				
@HomePage				

#	Step / Hook Details	Status	Duration
1	Given The user opens Home Page	PASSED	0.862 s
2	When The user clicks Register	PASSED	0.518 s
3	Then The user should be redirected to Register form	PASSED	0.210 s

RegisterPage


PASSED	DURATION - 22.886 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0		Steps Total - 28 Pass - 28 Fail - 0 Skip - 0					
/ 12:26:47.510 PM // 12:27:10.396 PM /									

Validating Register Functionality



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.333 s
2	When The user clicks the Get Started button	PASSED	0.496 s
3	Then The user should be redirected to homepage	PASSED	0.148 s
4	When The user clicks Register	PASSED	0.414 s
5	Given The user is on the Register page	PASSED	0.042 s
6	When The user fills the form 'null' 'null' 'Siva@1234'	PASSED	3.447 s
7	Then The user clicks RegisterButton	PASSED	0.405 s



Validating Register Functionality



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.369 s
2	When The user clicks the Get Started button	PASSED	0.543 s
3	Then The user should be redirected to homepage	PASSED	0.160 s
4	When The user clicks Register	PASSED	0.723 s
5	Given The user is on the Register page	PASSED	0.001 s
6	When The user fills the form 'SivaShan' 'DsAlgo@123' 'DsAlgo@123'	PASSED	3.569 s



#	Step / Hook Details	Status	Duration
7	Then The user clicks RegisterButton	PASSED	0.626 s

Validating Register Functionality

PASSED	DURATION - 5.925 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:26:59.124 PM // 12:27:05.049 PM /				
RegisterPage				
@RegisterPage				

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.335 s
2	When The user clicks the Get Started button	PASSED	0.535 s
3	Then The user should be redirected to homepage	PASSED	0.187 s
4	When The user clicks Register	PASSED	0.829 s
5	Given The user is on the Register page	PASSED	0.007 s
6	When The user fills the form 'DianaWill' 'PeterJack@123' 'PeterJack@123'	PASSED	3.521 s
7	Then The user clicks RegisterButton	PASSED	0.436 s



Validating Register Functionality

PASSED		DURATION - 5.291 s			Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:27:05.105 PM // 12:27:10.396 PM /						
RegisterPage						
@RegisterPage						



#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.433 s
2	When The user clicks the Get Started button	PASSED	0.442 s

#	Step / Hook Details	Status	Duration
3	Then The user should be redirected to homepage	PASSED	0.186 s
4	When The user clicks Register	PASSED	0.384 s
5	Given The user is on the Register page	PASSED	0.010 s
6	When The user fills the form 'RajPatel' 'TestNg@123' 'TestNg@123'	PASSED	3.476 s
7	Then The user clicks RegisterButton	PASSED	0.295 s

SignIn



PASSED	DURATION - 17.138 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:27:10.496 PM // 12:27:27.634 PM /					

Validating SignIn Functionality



PASSED	DURATION - 17.138 s		Steps Total - 7 Pass - 7 Fail - 0 Skip - 0	
/ 12:27:10.496 PM // 12:27:27.634 PM /				
SignIn				
@SignIn				

#	Step / Hook Details	Status	Duration
1	Given The user opens DS Algo portal link	PASSED	0.418 s
2	When The user clicks the Get Started button	PASSED	0.474 s
3	Then The user should be redirected to homepage	PASSED	0.167 s
4	When The user clicks Sign In	PASSED	0.458 s
5	Given The user is on the SignIn page	PASSED	0.027 s
6	When The user fills the form with the data from sheet 'Data' and clicks LoginButton	PASSED	15.407 s
7	Then The user sign in successfully	PASSED	0.130 s

DataSetructure feature



FAILED	DURATION - 8.912 s	Scenarios		Steps	
/ 12:27:27.684 PM // 12:27:36.596 PM /		Total - 2		Total - 14	
		Pass - 1		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

Time Complexity Data Structure

<div>PASSED</div>	<div>DURATION - 4.990 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 12:27:27.684 PM // 12:27:32.674 PM /</div>			<div>Total - 6</div>	
<div>DataSetructure feature</div>			<div>Pass - 6</div>	
			<div>Fail - 0</div>	
			<div>Skip - 0</div>	



#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Data Structure	PASSED	0.603 s
2	When The user click the link with title Time Complexity	PASSED	0.834 s
3	Then The user click on Data Strucure Try here	PASSED	1.627 s
4	And The user input the Python code in Data Structure	PASSED	0.384 s
5	Then The user click on run button	PASSED	1.195 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	PASSED	0.314 s

Time Complexity Invalid code Data Structure



<div>FAILED</div> <div>DURATION - 3.808 s</div>		<div></div>	Steps	<div></div>
/ 12:27:32.788 PM // 12:27:36.596 PM /			Total - 8	
DataStructure feature			Pass - 6	
			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Data Structure for invalid code	PASSED	0.592 s
2	When The user click the link with title Time Complexity for invalid code	PASSED	0.529 s
3	Then The user click on Data Strucure Try here for invalid code	PASSED	1.208 s
4	And The user input the Python code in Data Structure for invalid code	PASSED	0.008 s
5	When User enter the invalid Python code print Hello	PASSED	0.235 s
6	And User Clicks on Run button for invalid code	PASSED	1.126 s
7	Then User Verify the error message for invalid code java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.switchTo()" because "this.driver" is null at PageObjectModel.DataStructurePOM.getErrMsg(DsStructurePOM.java:85) at StepDefinition.DataStructureSD.user_verify_the_error_message_for_invalid_code(DataStructureSD.java:84) at ?.User Verify the error message for invalid code(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC04_DataStructure.feature:44) * Not displayable characters are replaced by '?'. Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	FAILED	0.010 s
8	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

Array feature

FAILED	DURATION - 15.140 s	Scenarios		Steps	
/ 12:27:36.641 PM // 12:27:51.781 PM /		Total - 8		Total - 44	
		Pass - 0		Pass - 0	
		Fail - 8		Fail - 8	
		Skip - 0		Skip - 36	

Arrays in Python

FAILED	DURATION - 0.410 s		Steps	
/ 12:27:36.642 PM // 12:27:37.052 PM /			Total - 6	
Array feature			Pass - 0	
			Fail - 1	
			Skip - 5	

#	Step / Hook Details	Status	Duration
1	<p>When The user click on Get started button in Array</p> <p>org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : NameError: name 'Hello' is not defined on line 1} (Session info: chrome=112.0.5615.86): NameError: name 'Hello' is not defined on line 1 Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:131) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:17) * Not displayable characters are replaced by '?'. </p>	FAILED	0.369 s
2	When The user click the link with title Arrays in Python	SKIPPED	0.004 s
3	Then The user click on Arrays in Python Try here	SKIPPED	0.001 s
4	And The user input the Python code in Arrays in Python	SKIPPED	0.000 s
5	Then The user click on Arrays in Python run button	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Arrays Using List

<div>FAILED</div> <div>DURATION - 2.044 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr></tbody></table></div>	Step	Count	1	2	2	0	3	0	4	0	5	0	6	0	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div><div>6</div></div>
Step	Count																	
1	2																	
2	0																	
3	0																	
4	0																	
5	0																	
6	0																	
/ 12:27:37.095 PM // 12:27:39.139 PM /																		
Array feature																		

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo ..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) </pre>	FAILED	2.034 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:25) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Arrays Using List	SKIPPED	0.000 s
3	Then The user click on Arrays Using List Try here	SKIPPED	0.001 s
4	And The user input the Python code in Arrays Using List	SKIPPED	0.000 s
5	Then The user click on Arrays Using List run button	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Basic Operations in lists

FAILED DURATION - 2.045 s / 12:27:39.192 PM // 12:27:41.237 PM / Array feature		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	2.032 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy2.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:35) * Not displayable characters are replaced by '?'. </pre>		
2	When The user click the link with title Basic Operations in lists	SKIPPED	0.000 s
3	Then The user click on Basic Operations in lists Try here	SKIPPED	0.000 s
4	And The user input the Python code in Basic Operations in lists	SKIPPED	0.000 s
5	Then The user click on Basic Operations in lists run button	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Applications of Array

FAILED DURATION - 2.077 s / 12:27:41.264 PM // 12:27:43.341 PM / Array feature		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	--	--	---

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array	FAILED	2.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		

#	Step / Hook Details	Status	Duration
	<pre> {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:44) * Not displayable characters are replaced by '?'. </pre>		
2	When The user click the link with title Applications of Array	SKIPPED	0.000 s
3	Then The user click on Applications of Array Try here	SKIPPED	0.001 s
4	And The user input the Python code in Applications of Array	SKIPPED	0.001 s
5	Then The user click on Applications of Array run button	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Practice Questions

<div>FAILED</div> <div>DURATION - 2.069 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 12:27:43.390 PM // 12:27:45.459 PM /				
Array feature				

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)	FAILED	2.053 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:52) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.001 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Search the array	SKIPPED	0.000 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Max Consecutive Ones

FAILED DURATION - 2.068 s / 12:27:45.528 PM // 12:27:47.596 PM / Array feature		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/..//a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value="//h5[text()='Array']/..//a[text()='Get Started']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:52154/devtoo..., se.cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	2.050 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy2.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:61) * Not displayable characters are replaced by '?'. </pre>		
2	When The user click the link with title Applications of Array	SKIPPED	0.002 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Max Consecutive Ones	SKIPPED	0.001 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.002 s



Max Consecutive Ones

FAILED DURATION - 2.071 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 12:27:47.619 PM // 12:27:49.690 PM /			
Array feature			

#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/..a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: </pre>	FAILED	2.066 s

#	Step / Hook Details	Status	Duration
	<p>"Windows 10", os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97) at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:72) * Not displayable characters are replaced by '?'. </p>		
2	When The user click the link with title Applications of Array	SKIPPED	0.000 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.001 s
4	When The user click the link with title Find Numbers with Even Numbres of Digits	SKIPPED	0.000 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Max Consecutive Ones

<div>FAILED</div> <div>DURATION - 2.079 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 12:27:49.702 PM // 12:27:51.781 PM /				
Array feature				



#	Step / Hook Details	Status	Duration
1	When The user click on Get started button in Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h5[text()='Array']/../a[text()='Get Started']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//h5[text()='Array']/../a[text()='Get Started']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.ArrayPOM.clickOnGetStartedArray(ArrayPOM.java:97)	FAILED	2.073 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.ArraySD.the_user_click_on_get_started_button_in_array(ArraySD.java:15) at ?.The user click on Get started button in Array(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC05_Array.feature:81) * Not displayable characters are replaced by '?'.		
2	When The user click the link with title Applications of Array	SKIPPED	0.001 s
3	Then The user click the link with title Practice Questions	SKIPPED	0.000 s
4	When The user click the link with title Squares of Sorted Array	SKIPPED	0.000 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

LinkedList

FAILED	DURATION - 14.791 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 42 Pass - 0 Fail - 7 Skip - 35	
/ 12:27:51.999 PM // 12:28:06.790 PM /					



User validates Introduction in Linked List page

FAILED	DURATION - 2.125 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 12:27:52.000 PM // 12:27:54.125 PM /				
LinkedList				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value="//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(),	FAILED	2.112 s

#	Step / Hook Details	Status	Duration
	<p>se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:15)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Introduction in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Introduction of Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Introduction of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Introduction of Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



User validates Creating Linked List in Linked List page

<div>FAILED</div> <div>DURATION - 2.081 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:27:54.162 PM // 12:27:56.243 PM /				
LinkedList				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value="//a[@href='linked-list']"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)</pre>	FAILED	2.071 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:24) * Not displayable characters are replaced by '?'. Then User clicks on Creating Linked List in Linked List page		
2	Then User clicks on Creating Linked List in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Creating Linked List in Linked List page	SKIPPED	0.000 s
4	When User enters the Python code in text editor in Creating Linked List in Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Creating Linked List in Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



User validates Types of Linked List in Linked List page

FAILED		DURATION - 2.078 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5		
/ 12:27:56.297 PM // 12:27:58.375 PM /							
LinkedList							

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.058 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:33) * Not displayable characters are replaced by '?'. </pre>		
2	Then User clicks on Types of Linked List in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Types of Linked List in Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Types of Linked List in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Types of Linked List in Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



User validates Implement Linked List in python in Linked List page

FAILED DURATION - 2.066 s / 12:27:58.409 PM // 12:28:00.475 PM / LinkedList		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
---	---	--	--

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' </pre>	FAILED	2.049 s

#	Step / Hook Details	Status	Duration
	<p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\Isabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:42) * Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Implement Linked List in python in Linked List page	SKIPPED	0.000 s
3	When User clicks on Try here button in Implement Linked List in python in Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Implement Linked List in python in Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Implement Linked List in python in Linked List page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



User validates Traversal in Linked List page

<div>FAILED</div> <div>DURATION - 2.036 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:28:00.503 PM // 12:28:02.539 PM /				
LinkedList				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value="//a[@href='linked-list']"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18)</pre>	FAILED	2.022 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:51) * Not displayable characters are replaced by '?'. Then User clicks on Traversal in Linked List page		
2	When User clicks on Try here button in Traversal of Linked List page	SKIPPED	0.002 s
3	When User enters the Python code in text editor in Traversal of Linked List page	SKIPPED	0.001 s
4	And clicks on Run button in Traversal of Linked List page	SKIPPED	0.000 s
5	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

User validates Insertion in Linked List page

FAILED		DURATION - 2.050 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5			
/ 12:28:02.674 PM // 12:28:04.724 PM /								
LinkedList								

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.036 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:60) * Not displayable characters are replaced by '?'. </pre>		
2	Then User clicks on Insertion in Linked List page	SKIPPED	0.001 s
3	When User clicks on Try here button in Insertion of Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Insertion of Linked List page	SKIPPED	0.000 s
5	And clicks on Run button in Insertion of Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



User validates Deletion in Linked List page

FAILED DURATION - 2.031 s / 12:28:04.759 PM // 12:28:06.790 PM / LinkedList		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
---	--	--	--



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Linked List <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='linked-list']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' </pre>	FAILED	2.017 s

#	Step / Hook Details	Status	Duration
	<p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='linked-list']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.LinkedListPOM.clickOnGetStarted(LinkedListPOM.java:61) at StepDefinition.LinkedListSD.user_clicks_on_getstarted_button_under_linked_list(LinkedListSD.java:18) at ?.User clicks on Getstarted button under Linked List(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC06_LinkedList.feature:70) * Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Deletion in Linked List page	SKIPPED	0.002 s
3	When User clicks on Try here button in Deletion of Linked List page	SKIPPED	0.001 s
4	When User enters the Python code in text editor in Deletion of Linked List page	SKIPPED	0.001 s
5	And clicks on Run button in Deletion of Linked List page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Stack

FAILED	DURATION - 6.284 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 18 Pass - 0 Fail - 3 Skip - 15	
/ 12:28:06.941 PM // 12:28:13.225 PM /					

User validates Operations in Stack page

<div>FAILED</div> <div>DURATION - 2.048 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:28:06.941 PM // 12:28:08.989 PM /</div>				
<div>Stack</div>				

#	Step / Hook Details	Status	Duration
1	<p>When User clicks on Getstarted button under Stack</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</pre>	FAILED	2.032 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44) at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19) at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack.feature:14) * Not displayable characters are replaced by '?'. </pre>		
2	Then User clicks on Operations in Stack	SKIPPED	0.001 s
3	When User clicks on Try here in Operations in Stack	SKIPPED	0.001 s
4	When User enters the Python code in Operations in Stack	SKIPPED	0.000 s
5	And clicks on Run button in Operations in Stack	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



User validates Implementation in Stack page

FAILED DURATION - 2.041 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 12:28:09.016 PM // 12:28:11.057 PM /			
Stack			

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value="//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: </pre>	FAILED	2.029 s

#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se.cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44) at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19) at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack. feature:23) * Not displayable characters are replaced by '?'. </pre>		
2	Then User clicks on Implementation in Stack	SKIPPED	0.000 s
3	When User clicks on Try here in Implementation in Stack	SKIPPED	0.001 s
4	When User enters the Python code in Implementation in Stack	SKIPPED	0.000 s
5	And clicks on Run button in Implementation in Stack	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



User validates Applications in stack

<div>FAILED</div> <div>DURATION - 2.044 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:28:11.181 PM // 12:28:13.225 PM /</div>				
<div>Stack</div>				



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Stack <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='stack']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='stack']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.StackPOM.clickOnGetStarted(StackPOM.java:44) at StepDefinition.StackSD.user_clicks_on_getstarted_button_under_stack(StackSD.java:19) </pre>	FAILED	2.026 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Stack(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC07_Stack.feature:31) * Not displayable characters are replaced by '?'. Then User clicks on Applications in Stack		
2	Then User clicks on Applications in Stack	SKIPPED	0.000 s
3	When User clicks on Try here in Applications in Stack	SKIPPED	0.001 s
4	When User enters the invalid Python code in Applications in Stack	SKIPPED	0.002 s
5	And clicks on Run button in Applications in Stack	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Queue

FAILED	DURATION - 8.233 s	Scenarios		Steps	
/ 12:28:13.263 PM // 12:28:21.496 PM /		Total - 4		Total - 24	
		Pass - 0	4	Pass - 0	24
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 20	

User validate Implementation of Queue in Python page

FAILED	DURATION - 2.071 s		Steps	
/ 12:28:13.263 PM // 12:28:15.334 PM /			Total - 6	
Queue			Pass - 0	6
@Queue			Fail - 1	
			Skip - 5	

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion:	FAILED	2.061 s

#	Step / Hook Details	Status	Duration
	<p>112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37) at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:33)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Implementation of Queue in Python	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation of Queue in Python	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation of Queue in Python	SKIPPED	0.000 s
5	And clicks on Run button of Implementation of Queue in Python	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



User validate Implementation using collections deque

<div>FAILED</div> <div>DURATION - 2.024 s</div>		<div><table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>2</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr></tbody></table></div>	Step	Count	1	2	2	0	3	0	4	0	5	0	6	0	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div><table><thead><tr><th>Category</th><th>Count</th></tr></thead><tbody><tr><td>Pass</td><td>0</td></tr><tr><td>Fail</td><td>1</td></tr><tr><td>Skip</td><td>5</td></tr></tbody></table></div>	Category	Count	Pass	0	Fail	1	Skip	5
Step	Count																									
1	2																									
2	0																									
3	0																									
4	0																									
5	0																									
6	0																									
Category	Count																									
Pass	0																									
Fail	1																									
Skip	5																									
/ 12:28:15.352 PM // 12:28:17.376 PM /																										
Queue																										
@Queue																										

#	Step / Hook Details	Status	Duration
1	<p>When User clicks on Getstarted button under Queue</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37)</p>	FAILED	2.012 s

#	Step / Hook Details	Status	Duration
	at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:43) * Not displayable characters are replaced by '?'.		
2	Then User clicks on Implementation using collections deque	SKIPPED	0.001 s
3	When User clicks on Try here under Implementation using collections deque	SKIPPED	0.001 s
4	When User enters the pythonCode of Implementation using collections deque	SKIPPED	0.001 s
5	And clicks on Run button of Implementation using collections deque in Python	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



User validate Implementation using array

FAILED		DURATION - 2.026 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 12:28:17.417 PM // 12:28:19.443 PM /						
Queue						
@Queue						

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	2.019 s



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37) at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:53) * Not displayable characters are replaced by '?'. </pre>		
2	Then User clicks on Implementation using array	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation using array	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation using array	SKIPPED	0.000 s
5	And clicks on Run button of Implementation using array	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

User validate Queue Operations



FAILED		DURATION - 2.040 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5			
/ 12:28:19.456 PM // 12:28:21.496 PM /								
Queue								
@Queue								

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Queue	FAILED	2.033 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='row"		

#	Step / Hook Details	Status	Duration
	<p>row-cols-1 row-cols-md-3 g-4']/div[5]//a"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//div[@class='row row-cols-1 row-cols-md-3 g-4']/div[5]//a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.QueuePOM.clickOnGetStartedQueue(QueuePOM.java:37) at StepDefinition.QueueSD.user_clicks_on_getstarted_button_under_queue(QueueSD.java:16) at ?.User clicks on Getstarted button under Queue(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC08_Queue.feature:63) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User clicks on Implementation using Queue Operations	SKIPPED	0.000 s
3	When User clicks on Try here under Queue Operations	SKIPPED	0.001 s
4	When User enters the pythonCode of Queue Operations	SKIPPED	0.000 s
5	And clicks on Run button of Queue Operations	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s

FAILED	DURATION - 27.120 s	Scenarios Total - 13 Pass - 0 Fail - 13 Skip - 0		Steps Total - 78 Pass - 0 Fail - 13 Skip - 65	
/ 12:28:21.525 PM // 12:28:48.645 PM /					



Overview of Trees page

FAILED	DURATION - 2.074 s		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
/ 12:28:21.525 PM // 12:28:23.599 PM /				
Tree				
@TC06Tree				

#	Step / Hook Details	Status	Duration
1	<p>Given User clicks on Getstarted button under Tree</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p>	FAILED	2.067 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:34) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Overview of Trees	SKIPPED	0.000 s
3	Then User clicks on Try here under Overview of Trees	SKIPPED	0.000 s
4	When User enters the pythonCode of Overview of Trees	SKIPPED	0.001 s
5	Then clicks on Run button of Overview of Trees	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Terminologies page

FAILED DURATION - 2.074 s / 12:28:23.614 PM // 12:28:25.688 PM / Tree @TC06Tree		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: </pre>	FAILED	2.062 s

#	Step / Hook Details	Status	Duration
	<pre>{debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree. feature:43) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Terminologies	SKIPPED	0.001 s
3	When User clicks on Try here under Terminologies	SKIPPED	0.000 s
4	When User enters the pythonCode of Terminologies	SKIPPED	0.001 s
5	Then clicks on Run button of Terminologies	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Types of Trees page

<div>FAILED</div> <div>DURATION - 2.014 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:28:25.704 PM // 12:28:27.718 PM /				
Tree				
@TC06Tree				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16)	FAILED	2.009 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:54) * Not displayable characters are replaced by '?'. 2 When User clicks on Types of Trees		
2	When User clicks on Types of Trees	SKIPPED	0.001 s
3	When User clicks on Try here under Types of Trees	SKIPPED	0.000 s
4	When User enters the pythonCode of Types of Trees	SKIPPED	0.000 s
5	Then clicks on Run button of Types of Trees	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Tree Traversals page

FAILED		DURATION - 2.039 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:28:27.846 PM // 12:28:29.885 PM /						
Tree						
@TC06Tree						

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.034 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:62) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Tree Traversals page	SKIPPED	0.000 s
3	When User clicks on Try here under Tree Traversals page	SKIPPED	0.001 s
4	When User enters the pythonCode of Tree Traversals page	SKIPPED	0.000 s
5	Then clicks on Run button of Tree Traversals page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Traversals-Illustration page

FAILED DURATION - 2.041 s / 12:28:29.923 PM // 12:28:31.964 PM / Tree @TC06Tree	<p>A bar chart with a grid. The x-axis is labeled 1 through 6. The y-axis is labeled 0 through 3. A single black bar is present at position 1, reaching a height of 2. All other positions (2-6) have no bars, reaching a height of 0.</p>	Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	<p>A donut chart with a total of 6 segments. 1 segment is red, representing the failed step. The remaining 5 segments are yellow, representing skipped steps. The number 6 is displayed in the center of the donut.</p>
--	--	--	---

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver </pre>	FAILED	2.029 s

#	Step / Hook Details	Status	Duration
	<p>info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:70) * Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Traversals-Illustration page	SKIPPED	0.000 s
3	When User clicks on Try here under Traversals-Illustration page	SKIPPED	0.000 s
4	When User enters the pythonCode of Traversals-Illustration page	SKIPPED	0.001 s
5	Then clicks on Run button of Traversals-Illustration page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Binary Trees page

<div>FAILED</div> <div>DURATION - 2.046 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 12:28:31.988 PM // 12:28:34.034 PM /</div>				
<div>Tree</div>				
<div>@TC06Tree</div>				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) </pre>	FAILED	2.038 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:78) * Not displayable characters are replaced by '?'. 2 When User clicks on Binary Trees page		
2	When User clicks on Binary Trees page	SKIPPED	0.001 s
3	When User clicks on Try here under Binary Trees page	SKIPPED	0.001 s
4	When User enters the pythonCode of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Binary Trees page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Types of Binary Trees page

FAILED		DURATION - 2.034 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5			
/ 12:28:34.047 PM // 12:28:36.081 PM /								
Tree								
@TC06Tree								

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.027 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree. feature:86) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Types of Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Types of Binary Trees page	SKIPPED	0.001 s
4	When User enters the pythonCode of Types of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Types of Binary Trees page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Implementation in Python page

FAILED DURATION - 2.019 s / 12:28:36.095 PM // 12:28:38.114 PM / Tree @TC06Tree		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver </pre>	FAILED	2.015 s

#	Step / Hook Details	Status	Duration
	<p>info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:94) * Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Implementation in Python page	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation in Python page	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation in Python page	SKIPPED	0.001 s
5	Then clicks on Run button of Implementation in Python page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Binary Tree Traversals page

<div>FAILED</div> <div>DURATION - 2.065 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:28:38.216 PM // 12:28:40.281 PM /				
Tree				
@TC06Tree				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) </pre>	FAILED	2.059 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:102) * Not displayable characters are replaced by '?'. 2 When User clicks on Binary Tree Traversals page		
2	When User clicks on Binary Tree Traversals page	SKIPPED	0.000 s
3	When User clicks on Try here under Binary Tree Traversals page	SKIPPED	0.000 s
4	When User enters the pythonCode of Binary Tree Traversals page	SKIPPED	0.001 s
5	Then clicks on Run button of Binary Tree Traversals page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Implementation of Binary Trees page

FAILED		DURATION - 2.067 s			<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	
/ 12:28:40.404 PM // 12:28:42.471 PM /						
Tree						
@TC06Tree						

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.063 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy2.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:110) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Implementation of Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation of Binary Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation of Binary Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Implementation of Binary Trees page	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Applications of Binary Trees page

FAILED DURATION - 2.075 s / 12:28:42.492 PM // 12:28:44.567 PM / Tree @TC06Tree		Steps Total - 6 Pass - 0 Fail - 1 Skip - 5	
--	---	--	--

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver </pre>	FAILED	2.063 s

#	Step / Hook Details	Status	Duration
	<p>info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:118) * Not displayable characters are replaced by '?'. </p>		
2	When User clicks on Applications of Binary Trees page	SKIPPED	0.000 s
3	When User clicks on Try here under Applications of Binary Trees page	SKIPPED	0.001 s
4	When User enters the pythonCode of Applications of Binary Trees page	SKIPPED	0.001 s
5	Then clicks on Run button of Applications of Binary Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.001 s



Binary Search Trees page

<div>FAILED</div> <div>DURATION - 2.029 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 12:28:44.586 PM // 12:28:46.615 PM /				
Tree				
@TC06Tree				

#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree <pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) </pre>	FAILED	2.026 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:126) * Not displayable characters are replaced by '?'. 2 When User clicks on Binary Search Trees page		
2	When User clicks on Binary Search Trees page	SKIPPED	0.001 s
3	When User clicks on Try here under Binary Search Trees page	SKIPPED	0.000 s
4	When User enters the pythonCode of Binary Search Trees page	SKIPPED	0.000 s
5	Then clicks on Run button of Binary Search Trees page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s



Implementation of BST page

FAILED		DURATION - 2.021 s			Steps Total - 6 Pass - 0 Fail - 1 Skip - 5			
/ 12:28:46.624 PM // 12:28:48.645 PM /								
Tree								
@TC06Tree								


#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Tree org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[@href='tree']"} (Session info: chrome=112.0.5615.86) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e59c026eb73ca635208f158b77e339ee, findElement {using=xpath, value=//a[@href='tree']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.86, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sabar\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:52154}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52154/devtoo..., se:cdpVersion: 112.0.5615.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e59c026eb73ca635208f158b77e339ee at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	FAILED	2.017 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at PageObjectModel.TreePOM.clickOnGetStarted(TreePOM.java:67) at StepDefinition.TreeSD.user_clicks_on_getstarted_button_under_tree(TreeSD.java:16) at ?.User clicks on Getstarted button under Tree(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC09_Tree.feature:134) * Not displayable characters are replaced by '?'. </pre>		
2	When User clicks on Implementation of BST page	SKIPPED	0.000 s
3	When User clicks on Try here under Implementation of BST page	SKIPPED	0.000 s
4	When User enters the pythonCode of Implementation of BST page	SKIPPED	0.000 s
5	Then clicks on Run button of Implementation of BST page	SKIPPED	0.000 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

Graph


FAILED	DURATION - 0.045 s	Scenarios		Steps	
/ 12:28:48.677 PM // 12:28:48.722 PM /		Total - 2		Total - 12	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 10	

Graph page validation



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Graph java.lang.NullPointerException: Cannot invoke "PageObjectModel.GraphPOM.clickOnGetStarted()" because "this.gp" is null at StepDefinition.GraphSD.User_clicks_on_Getstarted_button_under_Graph(GraphSD.java:15) at ?.User clicks on Getstarted button under Graph(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC10_Graph.feature:33) * Not displayable characters are replaced by '?'.	FAILED	0.008 s
2	When User clicks on Graph	SKIPPED	0.000 s
3	When User clicks on Try here under Graphpagevalidation	SKIPPED	0.000 s
4	When User enters the pythonCode of Graphpagevalidation	SKIPPED	0.000 s
5	And clicks on Run button of Graphpagevalidation	SKIPPED	0.001 s
6	Then user is navigated to home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s

GraphRepresentations



#	Step / Hook Details	Status	Duration
1	When User clicks on Getstarted button under Graph java.lang.NullPointerException: Cannot invoke "PageObjectModel.GraphPOM.clickOnGetStarted()" because "this.gp" is null at StepDefinition.GraphSD.User_clicks_on_Getstarted_button_under_Graph(GraphSD.java:15)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at ?.User clicks on Getstarted button under Graph(file:///E:/Narmadha%20SDET/DSALGO_2/src/test/resources/Features/TC10_Graph.feature:44) * Not displayable characters are replaced by '?'. 2 When User clicks on GraphRepresentations		
3	Then User clicks on Try here under GraphRepresentations	SKIPPED	0.000 s
4	When User enters the pythonCode of GraphRepresentations	SKIPPED	0.000 s
5	Then clicks on Run button of GraphRepresentations	SKIPPED	0.000 s
6	Then user is navigated to Graph_home page "https://dsportalapp.herokuapp.com/home"	SKIPPED	0.000 s