

[Home](#)[DMS](#)[DBMS](#)[DS](#)[DAA](#)[Graph Theory](#)[Control System](#)[Aptitude](#)[Selenium](#)

C PROGRAM TO IMPLEMENT STACK

```
#define max 3 → max
void push();
void pop();
void pri();
int st[max];
int top=-1;
void main()
{
    int ch;
    clrscr();
    while(1)
    {
        printf("\n 1. Push:");
        printf("\n 2. Pop:");
        printf("\n 3. Pri:");
        printf("\n 4. Exit:");


        printf("\n Enter the choice:");
        scanf("%d",&ch);
        switch(ch)
        {
            case 1:push();
            break;
            case 2:pop();
            break;
            case 3:pri();
            break;
            case 4:exit();
            default:
                printf("\n wrong choice :");
        }
    }
}
```

Planer Graph in Discrete Mathematics

If we want to learn the planer graph, we have to know about the graph. The graph can be described as a collection of vertices, which are connected to each other with the help of a set of edges. We can also call the study of a graph as the Graph theory. In this section, we are able to learn about the definition of a planer graph, its properties, and examples of a Planer graph.

Planer Graph

A planer graph can be described as a graph that will be drawn in a plane in such a way that none of its edges cross each other. The simple example of a planer graph is described as follows:



Example of Planar Graph

The above graph does not contain two edges that cross each other, so it is a planar graph.

Regions of plane:


In the process of planer representation of a graph, the plane is split into the connected areas, which are known as the regions of the plane.

There is some amount of degree which is associated with each region. These degrees are described as follows:

- Degree of Interior region is equal to the Number of edges enclosing that region.
- Same as, Degree of Exterior region is equal to the Number of edges exposed to that region.

Example of Region of plane:

In this example, we will consider a planer graph, which is described as follows:



Regions of Plane

In the above planer graph, we can see that the graph splits the plane into 4 regions, i.e., R1, R2, R3, and R4, and the degree of these regions are described as follows:

Degree (R1) = 3

Degree (R2) = 3

Degree (R3) = 3

Degree (R4) = 5

Chromatic Number of Planer graph

- In any planer graph, the chromatic number must always be less than or equal to 4.
- Thus, to color the vertices of any planer graph, we always need a maximum of 4 colors.

Properties of Planer graph

There are various properties of a planer graph, and some of them are described as follows:

Property 1: The sum of degrees of all the vertices is equal to the total number of edges in the graph * 2. The symbolic representation of this property is described as follows:

$$\sum_{i=1}^n \deg(v_i) = 2 |E|$$

Property 2: The sum of degrees of all the regions is equal to the total number of edges in the graph * 2. The symbolic representation of this property is described as follows:

$$\sum_{i=1}^n \deg(r_i) = 2 |E|$$

There are some special cases, which are described as follows:



Case 1: If the degree of each region is k, then the

$$K * |R| = 2 * |E|$$

Case 2: If the degree of each region is minimum, then the following relation:

$$K * |R| \leq 2 * |E|$$


Case 3: If the degree of each region is maximum k ($\leq k$), then the planer graph will contain the following relation:

$$K * |R| \geq 2 * |E|$$

Property 3: If there is a simple planer graph G , which contains the ' v ' vertices, ' e ' edges and ' r ' number of regions, then the relation between them is described as follows:

$$r = e - v + 2$$

We can call the above formula as Euler's formula.



Document Automation .NET APIs

Perform document processing tasks on more than 100 file formats using native APIs for .NET

Conholdate.Total for .NET
[Learn more >](#)

In all the forms of planer representation of a graph, this formula remains the same.

Property 4: Suppose there is a planer graph G , which contains the k components. The relation between them is described as follows:

$$r = e - v + (k+1)$$

Examples of Planer graph:

There are various examples of planer graphs, a



Conholdate.Total for .NET

Document Automation .NET APIs

[LEARN MORE >](#)

Example 1: In this example, we have a planer graph G , which contains 60 edges and 25 vertices. Now we have to determine the number of regions in graph G .

Solution: From the question, we have the following details about graph G :

Number of vertices (v) = 25

Number of edges (e) = 60

With the help of Euler's formula, we have $r = e - v + 2$.

Now we will put the values of v and e in this formula and get the following details:

$$r = 60 - 25 + 2$$

$$r = 37$$

Thus, the total number of region in graph $G = 37$.



Example 2: In this example, we have a simple planer graph G , which contains 9 edges and 10 vertices, and 3 components. Now we have to determine the number of regions in graph G .

Solution: From the question, we have the following details:

Number of vertices (v) = 10

Number of components (k) = 3

Number of edges (e) = 9



With the help of Euler's formula, we have $r = e - v + (k+1)$.

Now we will put the values of v , e and k in this formula, and get the following details:

$$r = 9 - 10 + (3 + 1)$$

$$r = -1 + 4$$

$$r = 3$$

Thus, the total number of region in graph $G = 3$.

Example 3: In this example, we have a simple planer graph G , which contains 20 vertices and 3 as the degree of each vertex. Now we have to determine the number of regions in graph G .

Solution: From the question, we have the following details about graph G :

Degree of each vertex (d) = 3

Number of vertices (v) = 20

Calculating Total Number of Edges (e):

When we do the addition of a degree of vertices theorem, we have the following relation:

The Sum of degrees of all the vertices is equal to the Total number of edges * 2

Degree of each vertex * Number of vertices is equal to 2 * Total number of edges

So we will use the formula of degree of each vertex * Number of vertices = 2 * Total number of edges

$$20 * 3 = 2 * e$$

$$e = 30$$

Thus, in graph G , the total number of edges = 30

Calculating Total number of Regions (r):

With the help of Euler's formula, we have $r = e - v + 2$.

When we put the values of v and e in this formula, we get the following details:

$$\text{Number of regions (r)} = 30 - 20 + 2$$

$$r = 12$$

Thus, in graph G , the total number of regions = 12.

Example 4: In this example, we have a simple planer graph G , which contains 35 regions and 6 as the degree of each region. Now we have to determine the number of vertices in graph G .

Solution: From the question, we have the following details about graph G :

$$\text{Degree of each regions (d)} = 6$$

$$\text{Number of regions (n)} = 35$$

Calculating Total Number of Edges (e):

When we do the addition of a degree of regions theorem, we have the following relation:

The Sum of degrees of all the regions is equal to the Total number of edges * 2

Degree of each region * Number of regions is equal to the Total number of edges * 2

$$35 * 6 = 2 * e$$

$$e = 105$$

Thus, in graph G , the total number of edges = 105.

Calculating Total number of Vertices (v):

With the help of Euler's formula, we have $r = e - v + 2$.

When we will put the values of r and e in this formula, we get the following details:

$$35 = 105 - v + 2$$

$$v = 72$$

Thus, in graph G , the total number of vertices =

Example 5: In this example, we have a simple
and k as the degree of each region. Now we ha

Solution: From the question, we have the following details about graph G:

Number of edges (e) = 30

Degree of each regions (d) = k

Number of vertices (v) = 12

Calculating Total number of Regions (r):

With the help of Euler's formula, we have $r = e - v + 2$.

When we put the values of v, d, and e in this formula, we get the following details:

Number of regions (r) = $30 - 12 + 2$

$r = 20$

Thus, in graph G, the total number of regions = 20.

Calculating the value of k:

When we do the addition of a degree of regions theorem, we have the following relation:

The Sum of degrees of all the regions is equal to the Total number of edges * 2

Degree of each region * Number of regions is equal to the Total number of edges * 2

$20 * k = 2 * 30$

$k = 3$

Thus, in graph G, the Degree of each region = 3.

Example 6: In this example, we have a simple planer graph G, which contains 10 edges. Now we have to determine the maximum number of regions, which can be possible in this graph.

Solution: As we know that the simple planer graph contains the following things:


Degree of each region is ≥ 3 .

So we have the following details:

$3 * |R| \leq 2 * |E|$

Now we will put the value of $|E| = 10$, and get the

$3 * |R| \leq 2 * 10$



$$|R| \leq 6.67$$

$$|R| \leq 6$$

Thus, in graph G, the maximum number of regions = 6.

Example 7: In this example, we have a simple planer graph G, which contains 15 regions. Now we have to determine the maximum number of edges, which can be possible in this graph.

Solution: As we know that the simple planer graph contains the following things:

Degree of each region is ≥ 3

So we have the following details:

$$3 * |R| \leq 2 * |E|$$

Now we will put the value of $|R| = 15$, and get the following details:

$$3 * 15 \leq 2 * |E|$$

$$|E| \geq 22.5$$

$$|E| \geq 23$$

Thus, in graph G, the maximum number of edges = 23.

[< Prev](#)[Next >](#)

For Videos Join Our Youtube Channel: [Join Now](#)

Feedback

- Send your Feedback to feedback@javatpoint.com


Help Others, Please Share





Find your drawing passion.


For creators who love to draw and paint. Clip Studio Paint - Free Trial


Learn Latest Tutorials


 **Splunk tutorial**
Splunk


 **SPSS tutorial**
SPSS


 **Swagger tutorial**
Swagger


 **T-SQL tutorial**
Transact-SQL


 **Tumblr tutorial**
Tumblr


 **React tutorial**
ReactJS


 **Regex tutorial**
Regex


 **Reinforcement learning tutorial**
Reinforcement Learning


 **R Programming tutorial**
R Programming


 **RxJS tutorial**
RxJS

 **React Native tutorial**
React Native


 **Python Design Patterns**
Python Design Patterns


 **Python Pillow tutorial**
Python Pillow

 **Python Turtle tutorial**
Python Turtle

 **Keras tutorial**
Keras


Preparation

 **Aptitude**
Aptitude

 **Logical Reasoning**


Reasoning

Interview Questions


 Company Interview Questions

Company Questions


Trending Technologies

 Artificial Intelligence


Artificial Intelligence

 AWS Tutorial


AWS

 Selenium tutorial


Selenium

 Cloud Computing


Cloud Computing

 Hadoop tutorial


Hadoop

 ReactJS Tutorial


ReactJS

 Data Science Tutorial


Data Science

 Angular 7 Tutorial


Angular 7

 Blockchain Tutorial


Blockchain

 Git Tutorial

Git

 Machine Learning Tutorial

Machine Learning

 DevOps Tutorial

DevOps

B.Tech / MCA

 DBMS tutorial

DBMS

 Data Structures tutorial

Data Structures

 DAA tutorial

 Operating System

 Computer Network tutorial

Computer Network

 Compiler Design tutorial

Compiler Design



Ethical Hacking
Ethical Hacking



Computer Graphics Tutorial
Computer Graphics



Software Engineering
Software Engineering



html tutorial
Web Technology



Cyber Security tutorial
Cyber Security



Automata Tutorial
Automata



C Language tutorial
C Programming



C++ tutorial
C++



Java tutorial
Java



.Net Framework tutorial
.Net



Python tutorial
Python



List of Programs
Programs



Control Systems tutorial
Control System



Data Mining Tutorial
Data Mining



Data Warehouse Tutorial
Data Warehouse

