```
WRITE A PROGRAM TO DEMONSTRATE STATUS OF KEY ON AN APPLET WINDOW SUCH AS
KEY PRESSED, KEY RELEASED, KEY UP AND KEY DOWN.
QUESION:
1.WRITE DIFFERENCE BETWEEN JAVA APPLICATION AND APPLET
2.EXPLAIN THE LIFE CYCLE OF AN APPLET
PROGRAM:
import java.awt.*;
import java.applet.*;
import java.awt.event.*;
@SuppressWarnings("serial")
public class KeyboardDemo extends Applet implements KeyListener
{
    String msg = "";
    public void init()
    {
        addKeyListener(this);
    public void keyReleased(KeyEvent k)
        msg="Key Released";
     showStatus("Key Released");
        repaint();
    public void keyTyped(KeyEvent k)
     msg="Key Typed";
        showStatus("Key Typed");
        repaint();
    }
    public void keyPressed(KeyEvent k)
    {
     msg="Key Pressed";
      showStatus("Key Pressed");
        repaint();
        int key=k.getKeyCode();
        switch(key)
        case KeyEvent.VK F1:
           msg=msg+":F1";
           break;
        case KeyEvent.VK F2:
           msg=msg+":F2";
           break;
        case KeyEvent.VK F3:
```

```
msg=msg+":F3";
           break;
        case KeyEvent.VK F4:
           msg=msg+":F4";
           break;
        case KeyEvent.VK_UP:
           msg=msg+":KEY UP";
           break;
        case KeyEvent.VK DOWN:
           msg=msg+":KEY Down ";
           break;
       case KeyEvent.VK LEFT:
           msg=msg+":KEY LEFT";
           break;
        case KeyEvent.VK RIGHT:
           msg=msg+":KEY RIGHT ";
           break;
        }
   public void paint(Graphics g)
       g.drawString(msg, 10, 10);
}
```