Setting environment for using XAMPP for Windows.

guest1Day@DELL c:¥xampp

mysql -h localhost -u root

Welcome to the MariaDB monitor.   Commands end with ; or ¥g.

Your MariaDB connection id is 9

Server version: 10.1.28-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2017, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '¥h' for help. Type '¥c' to clear the current input statement.

MariaDB [(none)]> CREATE DATABASE Challenge_db;

Query OK, 1 row affected (0.00 sec)

MariaDB [(none)]> GRANT ALL ON Challenge_db.* TO'naruse'@'localhost';

Query OK, 0 rows affected (0.00 sec)

MariaDB [(none)]> exit

Bye

guest1Day@DELL c:¥xampp

mysql -u naruse -p

Enter password: ****

Welcome to the MariaDB monitor.   Commands end with ; or ¥g.

Your MariaDB connection id is 10

Server version: 10.1.28-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2017, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '¥h' for help. Type '¥c' to clear the current input statement.

MariaDB [(none)]> USE Challenge_db

Database changed

MariaDB [Challenge_db]> CREATE TABLE profiles(profilesID int,name varchar(255),tel varchar(255),age int,birthday date);

Query OK, 0 rows affected (0.20 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (1,'田中 実','012-345-6789',30,1994-02-01);
Query OK, 1 row affected, 1 warning (0.13 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (2,'鈴木 茂','090-1122-3344',37,1987-08-12);
Query OK, 1 row affected, 1 warning (0.15 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (3,'鈴木 実','080-5566-7788',24,2000-12-24);
Query OK, 1 row affected, 1 warning (0.09 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (4,'佐藤 清','012-0987-6543',19,2005-08-01);
Query OK, 1 row affected, 1 warning (0.05 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (5,'高橋 清','090-9900-1234',24,2000-12-24);
Query OK, 1 row affected, 1 warning (0.09 sec)

MariaDB [Challenge_db]> SELECT profilesID,name,tel,age,birthday FROM profiles;
```
+------------+---------+---------------+------+------------+
| profilesID | name    | tel           | age  | birthday   |
+------------+---------+---------------+------+------------+
|          1 | 田中 実 | 012-345-6789  |   30 | 0000-00-00 |
|          2 | 鈴木 茂 | 090-1122-3344 |   37 | 0000-00-00 |
|          3 | 鈴木 実 | 080-5566-7788 |   24 | 0000-00-00 |
|          4 | 佐藤 清 | 012-0987-6543 |   19 | 0000-00-00 |
|          5 | 高橋 清 | 090-9900-1234 |   24 | 0000-00-00 |
+------------+---------+---------------+------+------------+
```
5 rows in set (0.10 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (1,'田中 実','012-345-6789',30,'1994-02-01');

Query OK, 1 row affected (0.10 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (2,'鈴木 茂','090-1122-3344',37,'1987-08-12');
Query OK, 1 row affected (0.04 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (3,'鈴木 実','080-5566-7788',24,'2000-12-24');
Query OK, 1 row affected (0.08 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (4,'佐藤 清','012-0987-6543',19,'2005-08-01');
Query OK, 1 row affected (0.10 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (5,'高橋 清','090-9900-1234',24,'2000-12-24');
Query OK, 1 row affected (0.17 sec)

MariaDB [Challenge_db]> SELECT profilesID,name,tel,age,birthday FROM profiles;

profilesID	name	tel	age	birthday
1	田中 実	012-345-6789	30	0000-00-00
2	鈴木 茂	090-1122-3344	37	0000-00-00
3	鈴木 実	080-5566-7788	24	0000-00-00
4	佐藤 清	012-0987-6543	19	0000-00-00
5	高橋 清	090-9900-1234	24	0000-00-00
1	田中 実	012-345-6789	30	1994-02-01
2	鈴木 茂	090-1122-3344	37	1987-08-12
3	鈴木 実	080-5566-7788	24	2000-12-24
4	佐藤 清	012-0987-6543	19	2005-08-01
5	高橋 清	090-9900-1234	24	2000-12-24

10 rows in set (0.00 sec)

MariaDB [Challenge_db]> DELETE FROM profiles;

Query OK, 10 rows affected (0.09 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (1,'田中 実','012-345-6789',30,'1994-02-01');

Query OK, 1 row affected (0.08 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (2,'鈴木 茂','090-1122-3344',37,'1987-08-12');

Query OK, 1 row affected (0.08 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (3,'鈴木 実','080-5566-7788',24,'2000-12-24');

Query OK, 1 row affected (0.09 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (4,'佐藤 清','012-0987-6543',19,'2005-08-01');

Query OK, 1 row affected (0.09 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (5,'高橋 清','090-9900-1234',24,'2000-12-24');

Query OK, 1 row affected (0.09 sec)

MariaDB [Challenge_db]> SELECT profilesID,name,tel,age,birthday FROM profiles;

```
+------------+---------+---------------+------+------------+
| profilesID | name    | tel           | age  | birthday   |
+------------+---------+---------------+------+------------+
|          1 | 田中 実 | 012-345-6789  |   30 | 1994-02-01 |
|          2 | 鈴木 茂 | 090-1122-3344 |   37 | 1987-08-12 |
|          3 | 鈴木 実 | 080-5566-7788 |   24 | 2000-12-24 |
|          4 | 佐藤 清 | 012-0987-6543 |   19 | 2005-08-01 |
|          5 | 高橋 清 | 090-9900-1234 |   24 | 2000-12-24 |
+------------+---------+---------------+------+------------+
```

5 rows in set (0.00 sec)

MariaDB [Challenge_db]>

```
MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (1,'田中 実','012-345-6789',30,'1994-02-01');
Query OK, 1 row affected (0.08 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (2,'鈴木 茂','090-1122-3344',37,'1987-08-12');
Query OK, 1 row affected (0.08 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (3,'鈴木 実','080-5566-7788',24,'2000-12-24');
Query OK, 1 row affected (0.09 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (4,'佐藤 清','012-0987-6543',19,'2005-08-01');
Query OK, 1 row affected (0.09 sec)

MariaDB [Challenge_db]> INSERT INTO profiles(profilesID,name,tel,age,birthday) VALUES (5,'高橋 清','090-9900-1234',24,'2000-12-24');
Query OK, 1 row affected (0.09 sec)

MariaDB [Challenge_db]> SELECT profilesID,name,tel,age,birthday FROM profiles;
+-----------+---------+---------------+------+------------+
| profilesID | name   | tel           | age  | birthday   |
+-----------+---------+---------------+------+------------+
|         1 | 田中 実 | 012-345-6789  |   30 | 1994-02-01 |
|         2 | 鈴木 茂 | 090-1122-3344 |   37 | 1987-08-12 |
|         3 | 鈴木 実 | 080-5566-7788 |   24 | 2000-12-24 |
|         4 | 佐藤 清 | 012-0987-6543 |   19 | 2005-08-01 |
|         5 | 高橋 清 | 090-9900-1234 |   24 | 2000-12-24 |
+-----------+---------+---------------+------+------------+
5 rows in set (0.00 sec)

MariaDB [Challenge_db]>
```