

FP-1 / UAT Suite

Register with valid data

Priority	Severity	Behavior	Type
High	Blocker	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify a new user can register successfully.

Preconditions

User is logged out.

Postconditions

Account is created and user can proceed/login.

Steps to reproduce

#	Step	Action	Expected Result
1	Open registration page.		Registration page loads successfully.
2	Enter valid username, email, password, and confirmation.		Valid input is accepted by the form.
3	Submit form.		Account is created successfully and user is redirected appropriately.

FP-2 / UAT Suite

Register with missing required field

Priority	Severity	Behavior	Type
High	Normal	Negative	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify registration validation.

Preconditions

User is logged out.

Postconditions

Registration fails with validation error.

Steps to reproduce

#	Step	Action	Expected Result
1	Open registration page.		Registration page is displayed.
2	Leave username blank.		Required field is empty.
3	Submit form.		Validation error is displayed and account is not created.

FP-3 / UAT Suite

Login with valid credentials

Priority	Severity	Behavior	Type
High	Blocker	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify successful login.

Preconditions

Valid user account exists.

Postconditions

User becomes authenticated and redirected.

Steps to reproduce

#	Step	Action	Expected Result
1	Open login page.		Login page is displayed.
2	Enter valid credentials.		Credentials are accepted.
3	Submit form.		User is authenticated and redirected.

FP-4 / UAT Suite

Login with invalid credentials

Priority	Severity	Behavior	Type
High	Critical	Negative	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify failed login handling.

Preconditions

Valid user account exists.

Postconditions

Authentication fails and error message appears.

Steps to reproduce

#	Step	Action	Expected Result
1	Open login page.		Login page is displayed.
2	Enter valid username with invalid password.		Invalid credential combination is submitted.
3	Submit form.		Authentication fails and error message appears.

FP-5 / UAT Suite

Access polls while logged out

Priority	Severity	Behavior	Type
Medium	Major	Negative	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify protected pages require authentication.

Preconditions

User is logged out.

Postconditions

User is redirected to login page.

Steps to reproduce

#	Step	Action	Expected Result
1	Navigate directly to poll list URL.		User is redirected to login page or denied access.

FP-6 / UAT Suite

View poll list

Priority	Severity	Behavior	Type
High	Major	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify authenticated users can view polls.

Preconditions

User is logged in and polls exist.

Postconditions

Available polls are displayed.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll list page.		Available polls are displayed.

FP-7 / UAT Suite

Empty poll list

Priority	Severity	Behavior	Type
Medium	Normal	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify empty-state handling.

Preconditions

User is logged in and no polls exist.

Postconditions

Empty-state message is displayed.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll list page.		Application displays an empty state or no polls without crashing.

FP-8 / UAT Suite

Search existing poll

Priority	Severity	Behavior	Type
Medium	Normal	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify poll search functionality.

Preconditions

User is logged in and matching poll exists.

Postconditions

Matching poll appears in results.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll list.		Poll list is displayed.
2	Enter valid keyword.		Search keyword is accepted.
3	Submit search.		Matching poll appears in results.

FP-9 / UAT Suite

Search nonexistent poll

Priority	Severity	Behavior	Type
Medium	Normal	Negative	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify search handles no matches.

Preconditions

User is logged in.

Postconditions

No matching polls are displayed.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll list.		Poll list is displayed.
2	Search random nonexistent keyword.		No matching polls are displayed and page handles empty result gracefully.

FP-10 / UAT Suite

Sort polls by name

Priority	Severity	Behavior	Type
Medium	Minor	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify poll sorting by name.

Preconditions

User is logged in and multiple polls exist.

Postconditions

Polls appear sorted by name.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll list.		Poll list is displayed.
2	Apply name sorting.		Polls appear sorted by name.

FP-11 / UAT Suite

Sort polls by publish date

Priority	Severity	Behavior	Type
Medium	Minor	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify poll sorting by date.

Preconditions

User is logged in and multiple polls exist.

Postconditions

Polls appear sorted by publish date.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll list.		Poll list is displayed.
2	Apply date sorting.		Polls appear sorted by publish date.

FP-12 / UAT Suite

Sort polls by vote count

Priority	Severity	Behavior	Type
Medium	Minor	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify poll sorting by vote count.

Preconditions

User is logged in and multiple polls exist.

Postconditions

Polls appear sorted by vote count.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll list.		Poll list is displayed.
2	Apply vote-count sorting.		Polls appear sorted by vote count.

FP-13 / UAT Suite

Vote on active poll

Priority	Severity	Behavior	Type
High	Blocker	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify successful voting.

Preconditions

User is logged in and has not voted.

Postconditions

Vote is recorded successfully.

Steps to reproduce

#	Step	Action	Expected Result
1	Open active poll.		Active poll is displayed.
2	Select one choice.		Choice is selected.
3	Submit vote.		Vote is recorded successfully.

FP-14 / UAT Suite

Submit vote without selecting choice

Priority	Severity	Behavior	Type
High	Major	Negative	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify validation for empty vote.

Preconditions

User is logged in and active poll exists.

Postconditions

Vote is rejected with validation error.

Steps to reproduce

#	Step	Action	Expected Result
1	Open active poll.		Active poll is displayed.
2	Submit without selecting choice.		Vote is rejected with validation error.

FP-15 / UAT Suite

Attempt duplicate vote

Priority	Severity	Behavior	Type
High	Critical	Negative	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify duplicate voting prevention.

Preconditions

User already voted on poll.

Postconditions

Second vote is rejected.

Steps to reproduce

#	Step	Action	Expected Result
1	Reopen same poll.		Previously voted poll is displayed.
2	Attempt second vote.		Second vote is rejected and original vote is preserved.

FP-16 / UAT Suite

View poll results

Priority	Severity	Behavior	Type
Medium	Major	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify poll results display.

Preconditions

User has voted on poll.

Postconditions

Poll results are displayed.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll results page.		Poll results and vote totals are displayed.

FP-17 / UAT Suite

Create poll with valid data

Priority	Severity	Behavior	Type
High	Blocker	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify poll creation.

Preconditions

User is authenticated.

Postconditions

Poll is created successfully.

Steps to reproduce

#	Step	Action	Expected Result
1	Open create poll page.		Create poll page is displayed.
2	Enter valid poll data.		Valid poll data is accepted.
3	Submit form.		Poll is created successfully.

FP-18 / UAT Suite

Create poll with blank title

Priority	Severity	Behavior	Type
High	Major	Negative	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify poll validation.

Preconditions

User is authenticated.

Postconditions

Poll creation fails with validation error.

Steps to reproduce

#	Step	Action	Expected Result
1	Open create poll page.		Create poll page is displayed.
2	Leave title or question blank.		Required field is empty.
3	Submit form.		Poll creation fails with validation error.

FP-19 / UAT Suite

Owner edits poll

Priority	Severity	Behavior	Type
High	Major	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify poll owner can edit poll.

Preconditions

User owns existing poll.

Postconditions

Poll updates successfully.

Steps to reproduce

#	Step	Action	Expected Result
1	Open edit page for owned poll.		Edit page is displayed.
2	Modify poll details.		Changes are entered.
3	Save changes.		Poll updates successfully.

FP-20 / UAT Suite

Non-owner edits poll

Priority	Severity	Behavior	Type
High	Critical	Negative	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify access control for poll editing.

Preconditions

User does not own poll.

Postconditions

Access is denied.

Steps to reproduce

#	Step	Action	Expected Result
1	Attempt to access edit page for another user's poll.		Access is denied or edit option is unavailable.

FP-21 / UAT Suite

Owner adds choice

Priority	Severity	Behavior	Type
Medium	Major	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify owner can add poll choice.

Preconditions

User owns poll.

Postconditions

Choice is added successfully.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll management page.		Poll management page is displayed.
2	Add a new choice.		New choice is entered.
3	Save changes.		Choice is added successfully.

FP-22 / UAT Suite

Owner updates choice

Priority	Severity	Behavior	Type
Medium	Major	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify owner can edit choice.

Preconditions

User owns poll with choices.

Postconditions

Choice updates successfully.

Steps to reproduce

#	Step	Action	Expected Result
1	Open choice edit page.		Choice edit page is displayed.
2	Modify choice text.		Choice text is changed.
3	Save changes.		Choice updates successfully.

FP-23 / UAT Suite

Owner deletes choice

Priority	Severity	Behavior	Type
Medium	Major	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify owner can remove choice.

Preconditions

User owns poll with multiple choices.

Postconditions

Choice is removed successfully.

Steps to reproduce

#	Step	Action	Expected Result
1	Open choice management page.		Choice management page is displayed.
2	Delete one choice.		Choice is removed successfully and poll remains usable.

FP-24 / UAT Suite

Owner ends poll

Priority	Severity	Behavior	Type
High	Critical	Positive	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify owner can end active poll.

Preconditions

User owns active poll.

Postconditions

Poll status changes to ended.

Steps to reproduce

#	Step	Action	Expected Result
1	Open poll management page.		Poll management page is displayed.
2	End poll.		Poll status changes to ended and voting is no longer allowed.

FP-25 / UAT Suite

Vote on ended poll

Priority	Severity	Behavior	Type
High	Critical	Negative	Acceptance
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Description

Verify voting is blocked on ended polls.

Preconditions

Poll is ended.

Postconditions

Vote is rejected and results remain unchanged.

Steps to reproduce

#	Step	Action	Expected Result
1	Open ended poll.		Ended poll is displayed.
2	Attempt vote.		Vote is rejected or voting controls are unavailable and results remain unchanged.