Core Flight Executive Users Guide

Generated by Doxygen 1.8.17

1 Core Flight Executive Documentation	1
1.1 Background	2
1.1.1 Core Flight Executive (cFE) Goals	3
1.2 Applicable Documents	3
1.3 Version Numbers	4
1.3.1 Version Number Semantics	4
1.3.2 How and Where Defined	4
1.3.3 Identifying Development Builds	4
1.3.4 Templates for the short and long version string	5
1.4 Dependencies	5
1.5 Acronyms	6
1.6 cFE Executive Services Overview	7
1.6.1 Terminology	8
1.6.2 Software Reset	10
1.6.3 Reset Types and Subtypes	10
1.6.4 Exception and Reset (ER) Log	10
1.6.5 Application and Child Task Management	11
1.6.6 Starting an Application	11
1.6.7 Stopping an Application	11
1.6.8 Restarting an Application	12
1.6.9 Reloading an Application	12
1.6.10 Listing Current Applications	12
1.6.11 Listing Current Tasks	13
1.6.12 Loading Common Libraries	13
1.6.13 Basic File System	13
1.6.14 Performance Data Collection	14
1.6.15 Critical Data Store	15
1.6.16 Memory Pool	15
1.6.17 System Log	18
1.6.18 Version Identification	18
1.6.19 Frequently Asked Questions about Executive Services	18
1.7 cFE Executive Services Commands	18
1.8 cFE Executive Services Telemetry	20
1.9 cFE Executive Services Configuration Parameters	20
1.10 cFE Event Services Overview	23
1.10.1 Event Message Format	24
1.10.2 Local Event Log	25
1.10.3 Event Message Control	25
1.10.4 Event Message Filtering	27

1.10.5 EVS Registry	28
1.10.6 EVS Counters	28
1.10.7 Resetting EVS Counters	29
1.10.8 Effects of a Processor Reset on EVS	29
1.10.9 EVS squelching of misbehaving apps	30
1.10.10 Frequently Asked Questions about Event Services	30
1.11 cFE Event Services Commands	31
1.12 cFE Event Services Telemetry	33
1.13 cFE Event Services Configuration Parameters	33
1.14 cFE Software Bus Overview	34
1.14.1 Software Bus Terminology	34
1.14.2 Autonomous Actions	36
1.14.3 Operation of the SB Software	36
1.14.4 Frequently Asked Questions about Software Bus	40
1.15 cFE Software Bus Commands	41
1.16 cFE Software Bus Telemetry	42
1.17 cFE Software Bus Configuration Parameters	42
1.18 cFE Table Services Overview	43
1.18.1 Managing Tables	44
1.18.2 cFE Table Types and Table Options	44
1.18.3 Table Registry	46
1.18.4 Table Services Telemetry	47
1.18.5 Effects of Processor Reset on Tables	47
1.18.6 Frequently Asked Questions about Table Services	48
1.19 cFE Table Services Commands	49
1.20 cFE Table Services Telemetry	50
1.21 cFE Table Services Configuration Parameters	50
1.22 cFE Time Services Overview	51
1.22.1 Time Components	53
1.22.2 Time Structure	54
1.22.3 Time Formats	54
1.22.4 Time Configuration	55
1.22.5 Time Format Selection	59
1.22.6 Enabling Fake Tone Signal	59
1.22.7 Selecting Tone and Data Ordering	60
1.22.8 Specifying Tone and Data Window	60
1.22.9 Specifying Time Server/Client	60
1.22.10 Specifying Time Tone Byte Order	61
1.22.11 Virtual MET	61

1.22.12 Specifying Time Source	61
1.22.13 Specifying Time Signal	62
1.22.14 Time Services Paradigm(s)	62
1.22.15 Flywheeling	63
1.22.16 Time State	64
1.22.17 Initialization	64
1.22.18 Power-On Reset	65
1.22.19 Processor Reset	65
1.22.20 Initialization	65
1.22.21 Power-On Reset	66
1.22.22 Processor Reset	66
1.22.23 Normal Operation	67
1.22.24 Client	68
1.22.25 Server	68
1.22.26 Setting Time	70
1.22.27 Adjusting Time	70
1.22.28 Setting MET	70
1.22.29 Frequently Asked Questions about Time Services	71
1.23 cFE Time Services Commands	71
1.24 cFE Time Services Telemetry	72
1.25 cFE Time Services Configuration Parameters	72
1.26 cFE Event Message Cross Reference	73
1.27 cFE Command Mnemonic Cross Reference	73
1.28 cFE Telemetry Mnemonic Cross Reference	77
2 Glossary of Terms	88
3 cFE Application Programmer's Interface (API) Reference	89
3.1 Executive Services API	89
3.2 Events Services API	91
3.3 File Services API	92
3.4 Message API	92
3.5 Resource ID API	93
3.6 Software Bus Services API	93
3.7 Table Services API	94
3.8 Time Services API	95
	96
4.1 OSAL Introduction	
4.2 File System Overview	98

4.3 File Descriptors In Osal	98
4.4 Timer Overview	99
5 cFE Mission Configuration Parameters	99
6 Module Index	99
6.1 Modules	99
7 Data Structure Index	102
7.1 Data Structures	102
8 File Index	110
8.1 File List	110
9 Module Documentation	113
9.1 cFE Return Code Defines	
9.1.1 Detailed Description	
9.1.2 Macro Definition Documentation	
9.2 cFE Resource ID APIs	135
9.2.1 Detailed Description	135
9.2.2 Function Documentation	
9.3 cFE Entry/Exit APIs	138
9.3.1 Detailed Description	138
9.3.2 Function Documentation	138
9.4 cFE Application Control APIs	140
9.4.1 Detailed Description	140
9.4.2 Function Documentation	140
9.5 cFE Application Behavior APIs	143
9.5.1 Detailed Description	143
9.5.2 Function Documentation	143
9.6 cFE Information APIs	147
9.6.1 Detailed Description	147
9.6.2 Function Documentation	147
9.7 cFE Child Task APIs	156
9.7.1 Detailed Description	156
9.7.2 Function Documentation	156
9.8 cFE Miscellaneous APIs	160
9.8.1 Detailed Description	160
9.8.2 Function Documentation	160
9.9 cFE Critical Data Store APIs	163
9.9.1 Detailed Description	163

	9.9.2 Function Documentation	. 163
9.10	cFE Memory Manager APIs	. 168
	9.10.1 Detailed Description	. 168
	9.10.2 Function Documentation	. 168
9.11	cFE Performance Monitor APIs	. 175
	9.11.1 Detailed Description	. 175
	9.11.2 Macro Definition Documentation	. 175
	9.11.3 Function Documentation	. 176
9.12	cFE Generic Counter APIs	. 177
	9.12.1 Detailed Description	. 177
	9.12.2 Function Documentation	. 177
9.13	FE Registration APIs	. 183
	9.13.1 Detailed Description	. 183
	9.13.2 Function Documentation	. 183
9.14	cFE Send Event APIs	. 185
	9.14.1 Detailed Description	. 185
	9.14.2 Function Documentation	. 185
9.15	cFE Reset Event Filter APIs	. 189
	9.15.1 Detailed Description	. 189
	9.15.2 Function Documentation	. 189
9.16	cFE File Header Management APIs	. 191
	9.16.1 Detailed Description	. 191
	9.16.2 Function Documentation	. 191
9.17	cFE File Utility APIs	. 195
	9.17.1 Detailed Description	. 195
	9.17.2 Function Documentation	. 195
9.18	cFE Generic Message APIs	200
	9.18.1 Detailed Description	200
	9.18.2 Function Documentation	200
9.19	cFE Message Primary Header APIs	. 201
	9.19.1 Detailed Description	. 201
	9.19.2 Function Documentation	201
9.20	cFE Message Extended Header APIs	210
	9.20.1 Detailed Description	210
	9.20.2 Function Documentation	210
9.21	cFE Message Secondary Header APIs	216
	9.21.1 Detailed Description	216
	9.21.2 Function Documentation	216
9.22	cFE Message Id APIs	. 221

	9.22.1 Detailed Description	. 221
	9.22.2 Function Documentation	. 221
9.23	cFE Pipe Management APIs	. 223
	9.23.1 Detailed Description	. 223
	9.23.2 Function Documentation	. 223
9.24	cFE Message Subscription Control APIs	. 228
	9.24.1 Detailed Description	. 228
	9.24.2 Function Documentation	. 228
9.25	cFE Send/Receive Message APIs	. 233
	9.25.1 Detailed Description	. 233
	9.25.2 Function Documentation	. 233
9.26	cFE Zero Copy APIs	. 235
	9.26.1 Detailed Description	. 235
	9.26.2 Function Documentation	. 235
9.27	cFE Message Characteristics APIs	. 238
	9.27.1 Detailed Description	. 238
	9.27.2 Function Documentation	. 238
9.28	cFE Message ID APIs	. 242
	9.28.1 Detailed Description	. 242
	9.28.2 Function Documentation	. 242
9.29	cFE SB Pipe options	. 244
	9.29.1 Detailed Description	. 244
	9.29.2 Macro Definition Documentation	. 244
9.30	cFE Registration APIs	. 245
	9.30.1 Detailed Description	. 245
	9.30.2 Function Documentation	. 245
9.31	cFE Manage Table Content APIs	. 250
	9.31.1 Detailed Description	. 250
	9.31.2 Function Documentation	. 250
9.32	cFE Access Table Content APIs	. 256
	9.32.1 Detailed Description	. 256
	9.32.2 Function Documentation	. 256
9.33	cFE Get Table Information APIs	. 261
	9.33.1 Detailed Description	. 261
	9.33.2 Function Documentation	. 261
9.34	cFE Table Type Defines	. 264
	9.34.1 Detailed Description	. 264
	9.34.2 Macro Definition Documentation	. 264
9.35	cFF Get Current Time APIs	. 266

9.35.1 De	tailed Description		 	 	 	 	266
9.35.2 Fu	nction Documentation		 	 	 	 	266
9.36 cFE Get T	ime Information APIs		 	 	 	 	269
9.36.1 De	tailed Description		 	 	 	 	269
9.36.2 Fu	nction Documentation		 	 	 	 	269
9.37 cFE Time	Arithmetic APIs		 	 	 	 	272
9.37.1 De	tailed Description		 	 	 	 	272
9.37.2 Fu	nction Documentation		 	 	 	 	272
9.38 cFE Time	Conversion APIs		 	 	 	 	275
9.38.1 De	tailed Description		 	 	 	 	275
9.38.2 Fu	nction Documentation		 	 	 	 	275
9.39 cFE Exter	nal Time Source APIs		 	 	 	 	277
9.39.1 De	tailed Description		 	 	 	 	277
9.39.2 Fu	nction Documentation		 	 	 	 	277
9.40 cFE Misce	llaneous Time APIs .		 	 	 	 	282
9.40.1 De	tailed Description		 	 	 	 	282
9.40.2 Fu	nction Documentation		 	 	 	 	282
9.41 cFE Reso	urce ID base values .		 	 	 	 	285
9.41.1 De	tailed Description		 	 	 	 	285
9.41.2 Er	umeration Type Docur	mentation .	 	 	 	 	285
9.42 cFE Clock	State Flag Defines .		 	 	 	 	287
9.42.1 De	tailed Description		 	 	 	 	287
9.42.2 Ma	cro Definition Docume	entation	 	 	 	 	287
9.43 OSAL Ser	naphore State Defines		 	 	 	 	289
9.43.1 De	tailed Description		 	 	 	 	289
9.43.2 Ma	cro Definition Docume	entation	 	 	 	 	289
9.44 OSAL Bin	ary Semaphore APIs		 	 	 	 	290
9.44.1 De	tailed Description		 	 	 	 	290
9.44.2 Fu	nction Documentation		 	 	 	 	290
9.45 OSAL BS	Plow level access API	s	 	 	 	 	295
9.45.1 De	tailed Description		 	 	 	 	295
9.45.2 Fu	nction Documentation		 	 	 	 	295
9.46 OSAL Rea	I Time Clock APIs		 	 	 	 	296
9.46.1 De	tailed Description		 	 	 	 	297
9.46.2 Fu	nction Documentation		 	 	 	 	297
9.47 OSAL Cor	e Operation APIs		 	 	 	 	307
9.47.1 De	tailed Description		 	 	 	 	307
9.47.2 Fu	nction Documentation		 	 	 	 	307
9.48 OSAL Cor	dition Variable APIs .		 	 	 	 	310

	9.48.1 Detailed Description	. 310
	9.48.2 Function Documentation	. 310
9.49	OSAL Counting Semaphore APIs	. 316
	9.49.1 Detailed Description	. 316
	9.49.2 Function Documentation	. 316
9.50	OSAL Directory APIs	. 321
	9.50.1 Detailed Description	. 321
	9.50.2 Function Documentation	. 321
9.51	OSAL Return Code Defines	. 325
	9.51.1 Detailed Description	. 327
	9.51.2 Macro Definition Documentation	. 327
9.52	OSAL Error Info APIs	. 332
	9.52.1 Detailed Description	. 332
	9.52.2 Function Documentation	. 332
9.53	OSAL File Access Option Defines	. 334
	9.53.1 Detailed Description	. 334
	9.53.2 Macro Definition Documentation	. 334
9.54	OSAL Reference Point For Seek Offset Defines	. 335
	9.54.1 Detailed Description	. 335
	9.54.2 Macro Definition Documentation	. 335
9.55	OSAL Standard File APIs	. 336
	9.55.1 Detailed Description	. 336
	9.55.2 Function Documentation	. 336
9.56	OSAL File System Level APIs	. 347
	9.56.1 Detailed Description	. 347
	9.56.2 Function Documentation	. 347
9.57	OSAL Heap APIs	. 355
	9.57.1 Detailed Description	. 355
	9.57.2 Function Documentation	. 355
9.58	OSAL Object Type Defines	. 356
	9.58.1 Detailed Description	. 356
	9.58.2 Macro Definition Documentation	. 356
9.59	OSAL Object ID Utility APIs	. 359
	9.59.1 Detailed Description	. 359
	9.59.2 Function Documentation	. 359
9.60	OSAL Dynamic Loader and Symbol APIs	. 364
	9.60.1 Detailed Description	. 364
	9.60.2 Function Documentation	. 364
9.61	OSAL Mutay APIs	368

	9.61.1 Detailed Description	368
	9.61.2 Function Documentation	368
	9.62 OSAL Network ID APIs	372
	9.62.1 Detailed Description	372
	9.62.2 Function Documentation	372
	9.63 OSAL Printf APIs	374
	9.63.1 Detailed Description	374
	9.63.2 Function Documentation	374
	9.64 OSAL Message Queue APIs	375
	9.64.1 Detailed Description	375
	9.64.2 Function Documentation	375
	9.65 OSAL Select APIs	379
	9.65.1 Detailed Description	379
	9.65.2 Function Documentation	379
	9.66 OSAL Shell APIs	383
	9.66.1 Detailed Description	383
	9.66.2 Function Documentation	383
	9.67 OSAL Socket Address APIs	384
	9.67.1 Detailed Description	384
	9.67.2 Function Documentation	384
	9.68 OSAL Socket Management APIs	388
	9.68.1 Detailed Description	388
	9.68.2 Function Documentation	388
	9.69 OSAL Task APIs	396
	9.69.1 Detailed Description	396
	9.69.2 Function Documentation	396
	9.70 OSAL Time Base APIs	402
	9.70.1 Detailed Description	402
	9.70.2 Function Documentation	402
	9.71 OSAL Timer APIs	407
	9.71.1 Detailed Description	407
	9.71.2 Function Documentation	407
10	Data Structure Documentation	413
	10.1 CCSDS ExtendedHeader Struct Reference	
	10.1.1 Detailed Description	
	10.1.2 Field Documentation	
	10.2 CCSDS PrimaryHeader Struct Reference	
	10.2.1 Detailed Description	

10.2.2 Field Documentation
10.3 CFE_ES_AppInfo Struct Reference
10.3.1 Detailed Description
10.3.2 Field Documentation
10.4 CFE_ES_AppNameCmd Struct Reference
10.4.1 Detailed Description
10.4.2 Field Documentation
10.5 CFE_ES_AppNameCmd_Payload Struct Reference
10.5.1 Detailed Description
10.5.2 Field Documentation
10.6 CFE_ES_AppReloadCmd_Payload Struct Reference
10.6.1 Detailed Description
10.6.2 Field Documentation
10.7 CFE_ES_BlockStats Struct Reference
10.7.1 Detailed Description
10.7.2 Field Documentation
10.8 CFE_ES_CDSRegDumpRec Struct Reference
10.8.1 Detailed Description
10.8.2 Field Documentation
10.9 CFE_ES_DeleteCDSCmd Struct Reference
10.9.1 Detailed Description
10.9.2 Field Documentation
10.10 CFE_ES_DeleteCDSCmd_Payload Struct Reference
10.10.1 Detailed Description
10.10.2 Field Documentation
10.11 CFE_ES_DumpCDSRegistryCmd Struct Reference
10.11.1 Detailed Description
10.11.2 Field Documentation
10.12 CFE_ES_DumpCDSRegistryCmd_Payload Struct Reference
10.12.1 Detailed Description
10.12.2 Field Documentation
10.13 CFE_ES_FileNameCmd Struct Reference
10.13.1 Detailed Description
10.13.2 Field Documentation
10.14 CFE_ES_FileNameCmd_Payload Struct Reference
10.14.1 Detailed Description
10.14.2 Field Documentation
10.15 CFE_ES_HousekeepingTlm Struct Reference
10.15.1 Detailed Description

10.15.2 Field Documentation
10.16 CFE_ES_HousekeepingTlm_Payload Struct Reference
10.16.1 Detailed Description
10.16.2 Field Documentation
10.17 CFE_ES_MemPoolStats Struct Reference
10.17.1 Detailed Description
10.17.2 Field Documentation
10.18 CFE_ES_MemStatsTlm Struct Reference
10.18.1 Detailed Description
10.18.2 Field Documentation
10.19 CFE_ES_NoArgsCmd Struct Reference
10.19.1 Detailed Description
10.19.2 Field Documentation
10.20 CFE_ES_OneAppTIm Struct Reference
10.20.1 Detailed Description
10.20.2 Field Documentation
10.21 CFE_ES_OneAppTIm_Payload Struct Reference
10.21.1 Detailed Description
10.21.2 Field Documentation
10.22 CFE_ES_OverWriteSysLogCmd Struct Reference
10.22.1 Detailed Description
10.22.2 Field Documentation
10.23 CFE_ES_OverWriteSysLogCmd_Payload Struct Reference
10.23.1 Detailed Description
10.23.2 Field Documentation
10.24 CFE_ES_PoolAlign Union Reference
10.24.1 Detailed Description
10.24.2 Field Documentation
10.25 CFE_ES_PoolStatsTIm_Payload Struct Reference
10.25.1 Detailed Description
10.25.2 Field Documentation
10.26 CFE_ES_ReloadAppCmd Struct Reference
10.26.1 Detailed Description
10.26.2 Field Documentation
10.27 CFE_ES_RestartCmd Struct Reference
10.27.1 Detailed Description
10.27.2 Field Documentation
10.28 CFE_ES_RestartCmd_Payload Struct Reference
10.28.1 Detailed Description

10.28.2 Field Documentation	141
10.29 CFE_ES_SendMemPoolStatsCmd Struct Reference	141
10.29.1 Detailed Description	142
10.29.2 Field Documentation	142
10.30 CFE_ES_SendMemPoolStatsCmd_Payload Struct Reference	142
10.30.1 Detailed Description	142
10.30.2 Field Documentation	142
10.31 CFE_ES_SetMaxPRCountCmd Struct Reference	143
10.31.1 Detailed Description	143
10.31.2 Field Documentation	143
10.32 CFE_ES_SetMaxPRCountCmd_Payload Struct Reference	143
10.32.1 Detailed Description	143
10.32.2 Field Documentation	
10.33 CFE_ES_SetPerfFilterMaskCmd Struct Reference	144
10.33.1 Detailed Description	144
10.33.2 Field Documentation	144
10.34 CFE_ES_SetPerfFilterMaskCmd_Payload Struct Reference	144
10.34.1 Detailed Description	145
10.34.2 Field Documentation	145
10.35 CFE_ES_SetPerfTriggerMaskCmd Struct Reference	145
10.35.1 Detailed Description	145
10.35.2 Field Documentation	145
10.36 CFE_ES_SetPerfTrigMaskCmd_Payload Struct Reference	146
10.36.1 Detailed Description	146
10.36.2 Field Documentation	146
10.37 CFE_ES_StartApp Struct Reference	146
10.37.1 Detailed Description	146
10.37.2 Field Documentation	146
10.38 CFE_ES_StartAppCmd_Payload Struct Reference	147
10.38.1 Detailed Description	147
10.38.2 Field Documentation	147
10.39 CFE_ES_StartPerfCmd_Payload Struct Reference	148
10.39.1 Detailed Description	148
10.39.2 Field Documentation	148
10.40 CFE_ES_StartPerfDataCmd Struct Reference	
10.40.1 Detailed Description	149
10.40.2 Field Documentation	149
10.41 CFE_ES_StopPerfCmd_Payload Struct Reference	149
10.41.1 Detailed Description	149

10.41.2 Field Documentation
10.42 CFE_ES_StopPerfDataCmd Struct Reference
10.42.1 Detailed Description
10.42.2 Field Documentation
10.43 CFE_ES_TaskInfo Struct Reference
10.43.1 Detailed Description
10.43.2 Field Documentation
10.44 CFE_EVS_AppDataCmd_Payload Struct Reference
10.44.1 Detailed Description
10.44.2 Field Documentation
10.45 CFE_EVS_AppNameBitMaskCmd Struct Reference
10.45.1 Detailed Description
10.45.2 Field Documentation
10.46 CFE_EVS_AppNameBitMaskCmd_Payload Struct Reference
10.46.1 Detailed Description
10.46.2 Field Documentation
10.47 CFE_EVS_AppNameCmd Struct Reference
10.47.1 Detailed Description
10.47.2 Field Documentation
10.48 CFE_EVS_AppNameCmd_Payload Struct Reference
10.48.1 Detailed Description
10.48.2 Field Documentation
10.49 CFE_EVS_AppNameEventIDCmd Struct Reference
10.49.1 Detailed Description
10.49.2 Field Documentation
10.50 CFE_EVS_AppNameEventIDCmd_Payload Struct Reference
10.50.1 Detailed Description
10.50.2 Field Documentation
10.51 CFE_EVS_AppNameEventIDMaskCmd Struct Reference
10.51.1 Detailed Description
10.51.2 Field Documentation
10.52 CFE_EVS_AppNameEventIDMaskCmd_Payload Struct Reference
10.52.1 Detailed Description
10.52.2 Field Documentation
10.53 CFE_EVS_AppTImData Struct Reference
10.53.1 Detailed Description
10.53.2 Field Documentation
10.54 CFE_EVS_BinFilter Struct Reference
10.54.1 Detailed Description

10.54.2 Field Documentation
10.55 CFE_EVS_BitMaskCmd Struct Reference
10.55.1 Detailed Description
10.55.2 Field Documentation
10.56 CFE_EVS_BitMaskCmd_Payload Struct Reference
10.56.1 Detailed Description
10.56.2 Field Documentation
10.57 CFE_EVS_HousekeepingTlm Struct Reference
10.57.1 Detailed Description
10.57.2 Field Documentation
10.58 CFE_EVS_HousekeepingTlm_Payload Struct Reference
10.58.1 Detailed Description
10.58.2 Field Documentation
10.59 CFE_EVS_LogFileCmd_Payload Struct Reference
10.59.1 Detailed Description
10.59.2 Field Documentation
10.60 CFE_EVS_LongEventTlm Struct Reference
10.60.1 Detailed Description
10.60.2 Field Documentation
10.61 CFE_EVS_LongEventTlm_Payload Struct Reference
10.61.1 Detailed Description
10.61.2 Field Documentation
10.62 CFE_EVS_NoArgsCmd Struct Reference
10.62.1 Detailed Description
10.62.2 Field Documentation
10.63 CFE_EVS_PacketID Struct Reference
10.63.1 Detailed Description
10.63.2 Field Documentation
10.64 CFE_EVS_SetEventFormatCode_Payload Struct Reference
10.64.1 Detailed Description
10.64.2 Field Documentation
10.65 CFE_EVS_SetEventFormatModeCmd Struct Reference
10.65.1 Detailed Description
10.65.2 Field Documentation
10.66 CFE_EVS_SetLogMode_Payload Struct Reference
10.66.1 Detailed Description
10.66.2 Field Documentation
10.67 CFE_EVS_SetLogModeCmd Struct Reference
10.67.1 Detailed Description

10.67.2 Field Documentation
10.68 CFE_EVS_ShortEventTlm Struct Reference
10.68.1 Detailed Description
10.68.2 Field Documentation
10.69 CFE_EVS_ShortEventTIm_Payload Struct Reference
10.69.1 Detailed Description
10.69.2 Field Documentation
10.70 CFE_EVS_WriteAppDataFileCmd Struct Reference
10.70.1 Detailed Description
10.70.2 Field Documentation
10.71 CFE_EVS_WriteLogDataFileCmd Struct Reference
10.71.1 Detailed Description
10.71.2 Field Documentation
10.72 CFE_FS_FileWriteMetaData Struct Reference
10.72.1 Detailed Description
10.72.2 Field Documentation
10.73 CFE_FS_Header Struct Reference
10.73.1 Detailed Description
10.73.2 Field Documentation
10.74 CFE_SB_AllSubscriptionsTlm Struct Reference
10.74.1 Detailed Description
10.74.2 Field Documentation
10.75 CFE_SB_AllSubscriptionsTlm_Payload Struct Reference
10.75.1 Detailed Description
10.75.2 Field Documentation
10.76 CFE_SB_HousekeepingTlm Struct Reference
10.76.1 Detailed Description
10.76.2 Field Documentation
10.77 CFE_SB_HousekeepingTlm_Payload Struct Reference
10.77.1 Detailed Description
10.77.2 Field Documentation
10.78 CFE_SB_Msg Union Reference
10.78.1 Detailed Description
10.78.2 Field Documentation
10.79 CFE_SB_Msgld_t Struct Reference
10.79.1 Detailed Description
10.79.2 Field Documentation
10.80 CFE_SB_MsgMapFileEntry Struct Reference
10.80.1 Detailed Description

10.80.2 Field Documentation
10.81 CFE_SB_PipeDepthStats Struct Reference
10.81.1 Detailed Description
10.81.2 Field Documentation
10.82 CFE_SB_PipeInfoEntry Struct Reference
10.82.1 Detailed Description
10.82.2 Field Documentation
10.83 CFE_SB_Qos_t Struct Reference
10.83.1 Detailed Description
10.83.2 Field Documentation
10.84 CFE_SB_RouteCmd Struct Reference
10.84.1 Detailed Description
10.84.2 Field Documentation
10.85 CFE_SB_RouteCmd_Payload Struct Reference
10.85.1 Detailed Description
10.85.2 Field Documentation
10.86 CFE_SB_RoutingFileEntry Struct Reference
10.86.1 Detailed Description
10.86.2 Field Documentation
10.87 CFE_SB_SingleSubscriptionTIm Struct Reference
10.87.1 Detailed Description
10.87.2 Field Documentation
10.88 CFE_SB_SingleSubscriptionTlm_Payload Struct Reference
10.88.1 Detailed Description
10.88.2 Field Documentation
10.89 CFE_SB_StatsTlm Struct Reference
10.89.1 Detailed Description
10.89.2 Field Documentation
10.90 CFE_SB_StatsTlm_Payload Struct Reference
10.90.1 Detailed Description
10.90.2 Field Documentation
10.91 CFE_SB_SubEntries Struct Reference
10.91.1 Detailed Description
10.91.2 Field Documentation
10.92 CFE_SB_WriteFileInfoCmd Struct Reference
10.92.1 Detailed Description
10.92.2 Field Documentation
10.93 CFE_SB_WriteFileInfoCmd_Payload Struct Reference
10.93.1 Detailed Description 496

10.93.2 Field Documentation
10.94 CFE_TBL_AbortLoadCmd Struct Reference
10.94.1 Detailed Description
10.94.2 Field Documentation
10.95 CFE_TBL_AbortLoadCmd_Payload Struct Reference
10.95.1 Detailed Description
10.95.2 Field Documentation
10.96 CFE_TBL_ActivateCmd Struct Reference
10.96.1 Detailed Description
10.96.2 Field Documentation
10.97 CFE_TBL_ActivateCmd_Payload Struct Reference
10.97.1 Detailed Description
10.97.2 Field Documentation
10.98 CFE_TBL_DelCDSCmd_Payload Struct Reference
10.98.1 Detailed Description
10.98.2 Field Documentation
10.99 CFE_TBL_DeleteCDSCmd Struct Reference
10.99.1 Detailed Description
10.99.2 Field Documentation
10.100 CFE_TBL_DumpCmd Struct Reference
10.100.1 Detailed Description
10.100.2 Field Documentation
10.101 CFE_TBL_DumpCmd_Payload Struct Reference
10.101.1 Detailed Description
10.101.2 Field Documentation
10.102 CFE_TBL_DumpRegistryCmd Struct Reference
10.102.1 Detailed Description
10.102.2 Field Documentation
10.103 CFE_TBL_DumpRegistryCmd_Payload Struct Reference
10.103.1 Detailed Description
10.103.2 Field Documentation
10.104 CFE_TBL_File_Hdr Struct Reference
10.104.1 Detailed Description
10.104.2 Field Documentation
10.105 CFE_TBL_FileDef Struct Reference
10.105.1 Detailed Description
10.105.2 Field Documentation
10.106 CFE_TBL_HousekeepingTlm Struct Reference
10.106.1 Detailed Description

10.106.2 Field Documentation
10.107 CFE_TBL_HousekeepingTIm_Payload Struct Reference
10.107.1 Detailed Description
10.107.2 Field Documentation
10.108 CFE_TBL_Info Struct Reference
10.108.1 Detailed Description
10.108.2 Field Documentation
10.109 CFE_TBL_LoadCmd Struct Reference
10.109.1 Detailed Description
10.109.2 Field Documentation
10.110 CFE_TBL_LoadCmd_Payload Struct Reference
10.110.1 Detailed Description
10.110.2 Field Documentation
10.111 CFE_TBL_NoArgsCmd Struct Reference
10.111.1 Detailed Description
10.111.2 Field Documentation
10.112 CFE_TBL_NotifyCmd Struct Reference
10.112.1 Detailed Description
10.112.2 Field Documentation
10.113 CFE_TBL_NotifyCmd_Payload Struct Reference
10.113.1 Detailed Description
10.113.2 Field Documentation
10.114 CFE_TBL_SendRegistryCmd Struct Reference
10.114.1 Detailed Description
10.114.2 Field Documentation
10.115 CFE_TBL_SendRegistryCmd_Payload Struct Reference
10.115.1 Detailed Description
10.115.2 Field Documentation
10.116 CFE_TBL_TableRegistryTIm Struct Reference
10.116.1 Detailed Description
10.116.2 Field Documentation
10.117 CFE_TBL_TblRegPacket_Payload Struct Reference
10.117.1 Detailed Description
10.117.2 Field Documentation
10.118 CFE_TBL_ValidateCmd Struct Reference
10.118.1 Detailed Description
10.118.2 Field Documentation
10.119 CFE_TBL_ValidateCmd_Payload Struct Reference
10.119.1 Detailed Description

10.119.2 Field Documentation
10.120 CFE_TIME_DiagnosticTIm Struct Reference
10.120.1 Detailed Description
10.120.2 Field Documentation
10.121 CFE_TIME_DiagnosticTIm_Payload Struct Reference
10.121.1 Detailed Description
10.121.2 Field Documentation
10.122 CFE_TIME_HousekeepingTlm Struct Reference
10.122.1 Detailed Description
10.122.2 Field Documentation
10.123 CFE_TIME_HousekeepingTlm_Payload Struct Reference
10.123.1 Detailed Description
10.123.2 Field Documentation
10.124 CFE_TIME_LeapsCmd_Payload Struct Reference
10.124.1 Detailed Description
10.124.2 Field Documentation
10.125 CFE_TIME_NoArgsCmd Struct Reference
10.125.1 Detailed Description
10.125.2 Field Documentation
10.126 CFE_TIME_OneHzAdjustmentCmd Struct Reference
10.126.1 Detailed Description
10.126.2 Field Documentation
10.127 CFE_TIME_OneHzAdjustmentCmd_Payload Struct Reference
10.127.1 Detailed Description
10.127.2 Field Documentation
10.128 CFE_TIME_SetLeapSecondsCmd Struct Reference
10.128.1 Detailed Description
10.128.2 Field Documentation
10.129 CFE_TIME_SetSignalCmd Struct Reference
10.129.1 Detailed Description
10.129.2 Field Documentation
10.130 CFE_TIME_SetSourceCmd Struct Reference
10.130.1 Detailed Description
10.130.2 Field Documentation
10.131 CFE_TIME_SetStateCmd Struct Reference
10.131.1 Detailed Description
10.131.2 Field Documentation
10.132 CFE_TIME_SignalCmd_Payload Struct Reference
10.132.1 Detailed Description

10.132.2 Field Documentation
10.133 CFE_TIME_SourceCmd_Payload Struct Reference
10.133.1 Detailed Description
10.133.2 Field Documentation
10.134 CFE_TIME_StateCmd_Payload Struct Reference
10.134.1 Detailed Description
10.134.2 Field Documentation
10.135 CFE_TIME_SysTime Struct Reference
10.135.1 Detailed Description
10.135.2 Field Documentation
10.136 CFE_TIME_TimeCmd Struct Reference
10.136.1 Detailed Description
10.136.2 Field Documentation
10.137 CFE_TIME_TimeCmd_Payload Struct Reference
10.137.1 Detailed Description
10.137.2 Field Documentation
10.138 CFE_TIME_ToneDataCmd Struct Reference
10.138.1 Detailed Description
10.138.2 Field Documentation
10.139 CFE_TIME_ToneDataCmd_Payload Struct Reference
10.139.1 Detailed Description
10.139.2 Field Documentation
10.140 OS_bin_sem_prop_t Struct Reference
10.140.1 Detailed Description
10.140.2 Field Documentation
10.141 OS_condvar_prop_t Struct Reference
10.141.1 Detailed Description
10.141.2 Field Documentation
10.142 OS_count_sem_prop_t Struct Reference
10.142.1 Detailed Description
10.142.2 Field Documentation
10.143 os_dirent_t Struct Reference
10.143.1 Detailed Description
10.143.2 Field Documentation
10.144 OS_FdSet Struct Reference
10.144.1 Detailed Description
10.144.2 Field Documentation
10.145 OS_file_prop_t Struct Reference
10.145.1 Detailed Description

10.145.2 Field Documentation
10.146 os_fsinfo_t Struct Reference
10.146.1 Detailed Description
10.146.2 Field Documentation
10.147 os_fstat_t Struct Reference
10.147.1 Detailed Description
10.147.2 Field Documentation
10.148 OS_heap_prop_t Struct Reference
10.148.1 Detailed Description
10.148.2 Field Documentation
10.149 OS_module_address_t Struct Reference
10.149.1 Detailed Description
10.149.2 Field Documentation
10.150 OS_module_prop_t Struct Reference
10.150.1 Detailed Description
10.150.2 Field Documentation
10.151 OS_mut_sem_prop_t Struct Reference
10.151.1 Detailed Description
10.151.2 Field Documentation
10.152 OS_queue_prop_t Struct Reference
10.152.1 Detailed Description
10.152.2 Field Documentation
10.153 OS_SockAddr_t Struct Reference
10.153.1 Detailed Description
10.153.2 Field Documentation
10.154 OS_SockAddrData_t Union Reference
10.154.1 Detailed Description
10.154.2 Field Documentation
10.155 OS_socket_prop_t Struct Reference
10.155.1 Detailed Description
10.155.2 Field Documentation
10.156 OS_static_symbol_record_t Struct Reference
10.156.1 Detailed Description
10.156.2 Field Documentation
10.157 OS_statvfs_t Struct Reference
10.157.1 Detailed Description
10.157.2 Field Documentation
10.158 OS_task_prop_t Struct Reference
10.158.1 Detailed Description

	10.158.2 Field Documentation	. 554
	10.159 OS_time_t Struct Reference	. 555
	10.159.1 Detailed Description	. 555
	10.159.2 Field Documentation	. 555
	10.160 OS_timebase_prop_t Struct Reference	. 555
	10.160.1 Detailed Description	. 556
	10.160.2 Field Documentation	. 556
	10.161 OS_timer_prop_t Struct Reference	. 556
	10.161.1 Detailed Description	. 556
	10.161.2 Field Documentation	. 556
11	File Documentation	557
	11.1 build/osal_public_api/inc/osconfig.h File Reference	
	11.1.1 Macro Definition Documentation	
	11.2 cpu1_msgids.h File Reference	
	11.2.1 Detailed Description	
	11.2.2 Macro Definition Documentation	
	11.3 cpu1_platform_cfg.h File Reference	
	11.3.1 Detailed Description	
	11.3.2 Macro Definition Documentation	
	11.4 sample_mission_cfg.h File Reference	. 612
	11.4.1 Detailed Description	. 613
	11.4.2 Macro Definition Documentation	. 614
	11.5 sample_perfids.h File Reference	. 625
	11.5.1 Detailed Description	. 626
	11.5.2 Macro Definition Documentation	. 626
	11.6 cfe/docs/src/cfe_api.dox File Reference	. 628
	11.7 cfe/docs/src/cfe_es.dox File Reference	. 628
	11.8 cfe/docs/src/cfe_evs.dox File Reference	. 628
	11.9 cfe/docs/src/cfe_frontpage.dox File Reference	. 628
	11.10 cfe/docs/src/cfe_glossary.dox File Reference	. 628
	11.11 cfe/docs/src/cfe_sb.dox File Reference	. 628
	11.12 cfe/docs/src/cfe_tbl.dox File Reference	. 628
	11.13 cfe/docs/src/cfe_time.dox File Reference	
	11.14 cfe/docs/src/cfe_xref.dox File Reference	. 628
	11.15 cfe/docs/src/cfs_versions.dox File Reference	. 628
	11.16 cfe/modules/core_api/fsw/inc/cfe.h File Reference	
	11.16.1 Detailed Description	
	11.17 ofe/modules/core ani/fsw/inc/ofe config h File Reference	628

11.17.1 Detailed Description
11.17.2 Function Documentation
11.18 cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h File Reference
11.18.1 Detailed Description
11.18.2 Macro Definition Documentation
11.18.3 Typedef Documentation
11.19 cfe/modules/core_api/fsw/inc/cfe_endian.h File Reference
11.19.1 Detailed Description
11.19.2 Macro Definition Documentation
11.20 cfe/modules/core_api/fsw/inc/cfe_error.h File Reference
11.20.1 Detailed Description
11.20.2 Macro Definition Documentation
11.20.3 Typedef Documentation
11.20.4 Function Documentation
11.21 cfe/modules/core_api/fsw/inc/cfe_es.h File Reference
11.21.1 Detailed Description
11.21.2 Macro Definition Documentation
11.22 cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h File Reference
11.22.1 Detailed Description
11.22.2 Macro Definition Documentation
11.22.3 Typedef Documentation
11.22.4 Enumeration Type Documentation
11.23 cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h File Reference
11.23.1 Detailed Description
11.23.2 Macro Definition Documentation
11.23.3 Typedef Documentation
11.23.4 Enumeration Type Documentation
11.24 cfe/modules/core_api/fsw/inc/cfe_evs.h File Reference
11.24.1 Detailed Description
11.24.2 Macro Definition Documentation
11.25 cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h File Reference
11.25.1 Detailed Description
11.25.2 Macro Definition Documentation
11.25.3 Typedef Documentation
11.26 cfe/modules/core_api/fsw/inc/cfe_evs_extern_typedefs.h File Reference
11.26.1 Detailed Description
11.26.2 Typedef Documentation
11.26.3 Enumeration Type Documentation
11.27 cfe/modules/core api/fsw/inc/cfe fs.h File Reference

11.27.1 Detailed Description
11.28 cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h File Reference
11.28.1 Detailed Description
11.28.2 Typedef Documentation
11.28.3 Enumeration Type Documentation
11.29 cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h File Reference
11.29.1 Detailed Description
11.29.2 Macro Definition Documentation
11.29.3 Typedef Documentation
11.29.4 Enumeration Type Documentation
11.30 cfe/modules/core_api/fsw/inc/cfe_msg.h File Reference
11.30.1 Detailed Description
11.31 cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h File Reference
11.31.1 Detailed Description
11.31.2 Macro Definition Documentation
11.31.3 Typedef Documentation
11.31.4 Enumeration Type Documentation
11.32 cfe/modules/core_api/fsw/inc/cfe_resourceid.h File Reference
11.32.1 Detailed Description
11.32.2 Macro Definition Documentation
11.32.3 Function Documentation
11.33 cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h File Reference
11.33.1 Detailed Description
11.33.2 Macro Definition Documentation
11.34 cfe/modules/core_api/fsw/inc/cfe_sb.h File Reference
11.34.1 Detailed Description
11.34.2 Macro Definition Documentation
11.35 cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h File Reference
11.35.1 Detailed Description
11.35.2 Macro Definition Documentation
11.35.3 Typedef Documentation
11.36 cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h File Reference
11.36.1 Detailed Description
11.36.2 Macro Definition Documentation
11.36.3 Typedef Documentation
11.36.4 Enumeration Type Documentation
11.37 cfe/modules/core_api/fsw/inc/cfe_tbl.h File Reference
11.37.1 Detailed Description
11.38 cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h File Reference 691

11.38.1 Detailed Description
11.38.2 Macro Definition Documentation
11.38.3 Typedef Documentation
11.38.4 Enumeration Type Documentation
11.39 cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h File Reference
11.39.1 Detailed Description
11.39.2 Typedef Documentation
11.39.3 Enumeration Type Documentation
11.40 cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h File Reference
11.40.1 Detailed Description
11.40.2 Macro Definition Documentation
11.40.3 Typedef Documentation
11.41 cfe/modules/core_api/fsw/inc/cfe_time.h File Reference
11.41.1 Detailed Description
11.41.2 Macro Definition Documentation
11.42 cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h File Reference
11.42.1 Detailed Description
11.42.2 Macro Definition Documentation
11.42.3 Typedef Documentation
11.42.4 Enumeration Type Documentation
11.43 cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h File Reference
11.43.1 Detailed Description
11.43.2 Typedef Documentation
11.43.3 Enumeration Type Documentation
11.44 cfe/modules/core_api/fsw/inc/cfe_version.h File Reference
11.44.1 Detailed Description
11.44.2 Macro Definition Documentation
11.45 cfe/modules/es/fsw/inc/cfe_es_events.h File Reference
11.45.1 Detailed Description
11.45.2 Macro Definition Documentation
11.46 cfe/modules/es/fsw/inc/cfe_es_msg.h File Reference
11.46.1 Detailed Description
11.46.2 Macro Definition Documentation
11.46.3 Typedef Documentation
11.47 cfe/modules/evs/fsw/inc/cfe_evs_events.h File Reference
11.47.1 Detailed Description
11.47.2 Macro Definition Documentation
11.48 cfe/modules/evs/fsw/inc/cfe_evs_msg.h File Reference
11.48.1 Detailed Description

11.48.2 Macro Definition Documentation
11.48.3 Typedef Documentation
11.49 cfe/modules/msg/fsw/inc/ccsds_hdr.h File Reference
11.49.1 Detailed Description
11.49.2 Typedef Documentation
11.50 cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h File Reference
11.50.1 Detailed Description
11.51 cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h File Reference
11.51.1 Detailed Description
11.51.2 Macro Definition Documentation
11.52 cfe/modules/sb/fsw/inc/cfe_sb_events.h File Reference
11.52.1 Detailed Description
11.52.2 Macro Definition Documentation
11.53 cfe/modules/sb/fsw/inc/cfe_sb_msg.h File Reference
11.53.1 Detailed Description
11.53.2 Macro Definition Documentation
11.53.3 Typedef Documentation
11.54 cfe/modules/tbl/fsw/inc/cfe_tbl_events.h File Reference
11.54.1 Detailed Description
11.54.2 Macro Definition Documentation
11.55 cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h File Reference
11.55.1 Detailed Description
11.55.2 Macro Definition Documentation
11.55.3 Typedef Documentation
11.56 cfe/modules/time/fsw/inc/cfe_time_events.h File Reference
11.56.1 Detailed Description
11.56.2 Macro Definition Documentation
11.57 cfe/modules/time/fsw/inc/cfe_time_msg.h File Reference
11.57.1 Detailed Description
11.57.2 Macro Definition Documentation
11.57.3 Typedef Documentation
11.58 osal/docs/src/osal_frontpage.dox File Reference
11.59 osal/docs/src/osal_fs.dox File Reference
11.60 osal/docs/src/osal_timer.dox File Reference
11.61 osal/src/os/inc/common_types.h File Reference
11.61.1 Detailed Description
11.61.2 Macro Definition Documentation
11.61.3 Typedef Documentation
11.61.4 Function Documentation 899

11.62 osal/src/os/inc/osapi-binsem.h File Reference
11.62.1 Detailed Description
11.63 osal/src/os/inc/osapi-bsp.h File Reference
11.63.1 Detailed Description
11.64 osal/src/os/inc/osapi-clock.h File Reference
11.64.1 Detailed Description
11.64.2 Enumeration Type Documentation
11.65 osal/src/os/inc/osapi-common.h File Reference
11.65.1 Detailed Description
11.65.2 Typedef Documentation
11.65.3 Enumeration Type Documentation
11.66 osal/src/os/inc/osapi-condvar.h File Reference
11.66.1 Detailed Description
11.67 osal/src/os/inc/osapi-constants.h File Reference
11.67.1 Detailed Description
11.67.2 Macro Definition Documentation
11.68 osal/src/os/inc/osapi-countsem.h File Reference
11.68.1 Detailed Description
11.69 osal/src/os/inc/osapi-dir.h File Reference
11.69.1 Detailed Description
11.69.2 Macro Definition Documentation
11.70 osal/src/os/inc/osapi-error.h File Reference
11.70.1 Detailed Description
11.70.2 Macro Definition Documentation
11.70.3 Typedef Documentation
11.71 osal/src/os/inc/osapi-file.h File Reference
11.71.1 Detailed Description
11.71.2 Macro Definition Documentation
11.71.3 Enumeration Type Documentation
11.72 osal/src/os/inc/osapi-filesys.h File Reference
11.72.1 Detailed Description
11.72.2 Macro Definition Documentation
11.73 osal/src/os/inc/osapi-heap.h File Reference
11.73.1 Detailed Description
11.74 osal/src/os/inc/osapi-idmap.h File Reference
11.74.1 Detailed Description
11.74.2 Macro Definition Documentation
11.75 osal/src/os/inc/osapi-macros.h File Reference
11.75.1 Detailed Description

11.75.2 Macro Definition Documentation	3 18
11.76 osal/src/os/inc/osapi-module.h File Reference	919
11.76.1 Detailed Description	920
11.76.2 Macro Definition Documentation	920
11.77 osal/src/os/inc/osapi-mutex.h File Reference	921
11.77.1 Detailed Description	921
11.78 osal/src/os/inc/osapi-network.h File Reference	921
11.78.1 Detailed Description	922
11.79 osal/src/os/inc/osapi-printf.h File Reference	922
11.79.1 Detailed Description	922
11.80 osal/src/os/inc/osapi-queue.h File Reference	922
11.80.1 Detailed Description	923
11.81 osal/src/os/inc/osapi-select.h File Reference	923
11.81.1 Detailed Description	923
11.81.2 Enumeration Type Documentation	923
11.82 osal/src/os/inc/osapi-shell.h File Reference	924
11.82.1 Detailed Description	924
11.83 osal/src/os/inc/osapi-sockets.h File Reference	924
11.83.1 Detailed Description	926
11.83.2 Macro Definition Documentation	926
11.83.3 Enumeration Type Documentation	926
11.84 osal/src/os/inc/osapi-task.h File Reference	927
11.84.1 Detailed Description	928
11.84.2 Macro Definition Documentation	928
11.84.3 Typedef Documentation	928
11.84.4 Function Documentation	929
11.85 osal/src/os/inc/osapi-timebase.h File Reference	929
11.85.1 Detailed Description	929
11.85.2 Typedef Documentation	930
11.86 osal/src/os/inc/osapi-timer.h File Reference	930
11.86.1 Detailed Description	930
11.86.2 Typedef Documentation	930
11.87 osal/src/os/inc/osapi-version.h File Reference	931
11.87.1 Detailed Description	931
11.87.2 Macro Definition Documentation	932
11.87.3 Function Documentation	933
11.88 osal/src/os/inc/osapi.h File Reference	934
11.88.1 Detailed Description	935
11.89 psp/fsw/inc/cfe_psp.h File Reference	935

	11.89.1 Macro Definition Documentation	939
	11.89.2 Function Documentation	942
11.9	90 psp/fsw/inc/cfe_psp_error.h File Reference	962
	11.90.1 Detailed Description	963
	11.90.2 Macro Definition Documentation	963
	11.90.3 Typedef Documentation	965
	11.90.4 Function Documentation	965
Index		967

1 Core Flight Executive Documentation

- · General Information and Concepts
 - Background
 - Applicable Documents
 - Version Numbers
 - Dependencies
 - Acronyms
 - Glossary of Terms
- Executive Services (ES)
 - cFE Executive Services Overview
 - cFE Executive Services Commands
 - cFE Executive Services Telemetry
 - ES Event Message Reference
 - cFE Executive Services Configuration Parameters
- Events Services (EVS)
 - cFE Event Services Overview
 - cFE Event Services Commands
 - cFE Event Services Telemetry
 - EVS Event Message Reference
 - cFE Event Services Configuration Parameters
- Software Bus Services (SB)
 - cFE Software Bus Overview
 - cFE Software Bus Commands
 - cFE Software Bus Telemetry
 - SB Event Message Reference
 - cFE Software Bus Configuration Parameters
- Table Services (TBL)

- cFE Table Services Overview
- cFE Table Services Commands
- cFE Table Services Telemetry
- TBL Event Message Reference
- cFE Table Services Configuration Parameters
- · Time Services (TIME)
 - cFE Time Services Overview
 - cFE Time Services Commands
 - cFE Time Services Telemetry
 - TIME Event Message Reference
 - cFE Time Services Configuration Parameters
- cFE Event Message Cross Reference
- · cFE Command Mnemonic Cross Reference
- cFE Telemetry Mnemonic Cross Reference
- cFE Application Programmer's Interface (API) Reference

1.1 Background

The Core Flight Executive (cFE) is an application development and run-time environment. The cFE provides a set of core services including Software Bus (messaging), Time, Event (Alerts), Executive (startup and runtime), and Table services. The cFE defines an application programming interface (API) for each service which serves as the basis for application development.

The cFE Software Bus service provides a publish and subscribe messaging system that allows applications to easily plug and play into the system. Applications subscribe to cFE services at runtime, making system modifications easy. Facilitating rapid prototyping, new applications can be compiled, linked, loaded, and started without requiring the entire system to be rebuilt.

Each service comes complete with a built in application that allows users to interface with each service. To support reuse and project independence, the cFE contains a configurable set of requirements and code. The configurable parameters allow the cFE to be tailored for each environment including desk-top and closed loop simulation environments. This provides the ability to run and test software applications on a developer's desktop and then deploy that same software without changes to the embedded system. In addition the cFE includes the following software development tools:

- · Unit Test Framework (UTF) for unit testing applications developed via the cFE
- · Software Timing Analyzer that provides visibility into the real-time performance of embedded systems software
- · Table Builder
- · Command and Telemetry utilities

The cFE is one of the components of the Core Flight System (cFS), a platform and project independent reusable software framework and set of reusable software applications. There are three key aspects to the cFS architecture: a dynamic run-time environment, layered software, and a component based design. The combination of these key aspects along with an implementation targeted to the embedded software domain makes it suitable for reuse on any number of NASA flight projects and/or embedded software systems.

The pivotal design feature, abstracting the software architecture from the hardware and forming the basis of reuse, is component layering. Each layer of the architecture "hides" its implementation and technology details from the other layers by defining and using standard Application Programming Interfaces (APIs). The internals of a layer can be changed without affecting other layers' internals and components.

The layers include an OS Abstraction Layer (OSAL), Platform Support Package (PSP) layer, core Flight Executive (cFE) layer, and an Application layer. The cFE layer runs on top of the PSP and OSAL layers. The cFE comes complete with a build environment, deployment guide, API reference guide, and provides a sample PSP. The OSAL is available open source and once integrated into the cFE build environment, developers will be ready to build and run the system and start developing their mission/project specific applications that easily plug and play into the system.

1.1.1 Core Flight Executive (cFE) Goals

The main long term goal of the cFE is to form the basis for a platform and project independent reusable software framework. The cFE with the OSAL allow the development of portable embedded system software that is independent of a particular Real Time Operating System and hardware platform. A secondary long term goal is to create a standardized, product-line approach for development of embedded aerospace flight software.

1.1.1.1 Functional and Community Goals The cFE allows embedded system software to be developed and tested on desktop workstations and ported to the target platform without changing a single line of code, providing a shorter development and debug time. The cFE is an enabler of software collaboration amongst all users promoting the growth of the application and library layers where new applications, libraries, tools, and lessons learned can be contributed and shared.

It is important for application developers to realize the long term and functional goals of the cFE. With a standard set of services providing a standard API, all applications developed with the cFE have an opportunity to become useful on future missions through code reuse. In order to achieve this goal, applications must be written with care to ensure that their code does not have dependencies on specific hardware, software or compilers. The cFE and the underlying generic operating system API (OS API) have been designed to insulate the cFE Application developer from hardware and software dependencies. The developer, however, must make the effort to identify the proper methods through the cFE and OS API to satisfy their software requirements and not be tempted to take a "short-cut" and accomplish their goal with a direct hardware or operating system software interface.

1.2 Applicable Documents

Document Title	Link
cFE System (L4) Requirements Document	cfe/docs/'cfe requirements.docx'
cFE Functional (L5) Requirements Document	cfe/docs/cFE_FunctionalRequirements.csv
cFE Application Developers Guide	cfe/docs/'cFE Application Developers Guide.md'
cFE User's Guide (includes API)	Autogenerated from code, provided with releases in cFE repository
OS Abstraction Layer (OSAL) API	Autogenerated from code, provided with releases in OSAL repository

1.3 Version Numbers

1.3.1 Version Number Semantics

The version number is a sequence of four numbers, generally separated by dots when written. These are, in order, the Major number, the Minor number, the Revision number, and the Mission Revision number.

It is important to note that version numbers are only updated upon official releases of tagged versions, **NOT** on development builds. We aim to follow the Semantic Versioning v2.0 specification with our versioning.

The MAJOR number is incremented on release to indicate when there is a change to an API that may cause existing, correctly-written cFS components to stop working. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual changes to the API.

The MINOR number is incremented on release to indicate the addition of features to the API which do not break the existing code. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual updates to the API.

The REVISION number shall be incremented on changes that benefit from unique identification such as bug fixes or major documentation updates. The Revision number may also be updated if there are other changes contained within a release that make it desirable for applications to distinguish one release from another. WARNING: The revision number is set to the number 99 in development builds. To distinguish between development builds refer to the BUILD_NUMBER and BUILD_BASELINE detailed in the section "Identifying Development Builds".

The Mission Rev Version number is set to zero in all official releases, and is reserved for the mission use.

1.3.2 How and Where Defined

The version numbers are provided as simple macros defined in the cfe_version.h header file as part of the API definition; these macros must expand to simple integer values, so that they can be used in simple if directives by the macro preprocessor.

Note the Mission Rev number is provided for missions to be able to identify unique changes they have made to the released software (via clone and own). Specicifally, the values 1-254 are reserved for mission use to denote patches/customizations while 0 and 0xFF are reserved for cFS open-source development use (pending resolution of nasa/cFS#440).

1.3.3 Identifying Development Builds

In order to distinguish between development versions, we also provide a BUILD_NUMBER.

The BUILD_NUMBER reflects the number of commits since the BUILD_BASELINE, a baseline git tag, for each particular component. The BUILD_NUMBER integer monotonically increases for a given baseline. The BUILD_BASELINE identifies the current development cycle and is a git tag with format vMAJOR.MINOR.REVISION. The Codename used in the version string also refers to the current development cycle. When a new baseline tag and codename are created, the BUILD_NUMBER resets to zero and begins increasing from a new baseline.

1.4 Dependencies 5

1.3.4 Templates for the short and long version string

See cfe_version.h for the standard layout and definition of version information. The apps and repositories follow the same pattern by replacing the CFE_ prefix with the appropriate name; for example, osal uses OS_{-} , psp uses $CFE_{-}P \leftarrow SP_{-}$ IMPL, and so on.

Suggested pattern for development:

- CFSCOMPONENT_SRC_VERSION: REFERENCE_GIT_TAG"+dev"BUILD_NUMBER
 - Example: "v6.8.0-rc1+dev123"
- CFSCOMPONENT_VERSION_STRING: "CFSCOMPONENT DEVELOPMENT BUILD "CFSCOMPONENT_S ← RC_VERSION" (Codename: CFSCONSTELLATION), Last Official Release: MAJOR.MINOR.REVISION"
 - Example: "cFE DEVELOPMENT BUILD v6.8.0-rc1+dev123 (Codename: Bootes), Last Official Release: cfe v6.7.0"

Suggested pattern for official releases:

- CFSCOMPONENT_SRC_VERSION: OFFICIAL_GIT_TAG
 - Example: "v7.0.0"
- COMPONENT_VERSION_STRING: "CFSCOMPONENT OFFICIAL RELEASE "CFSCOMPONENT_SRC_VE ← RSION" (Codename: CFSCONSTELLATION)"
 - Example: "cFE OFFICIAL RELEASE v7.0.0 (Codename: Caelum)"

1.4 Dependencies

The Core Flight Executive (cFE) is required to be built with the Operating System Abstraction Layer (OSAL) and Platform Support Package (PSP) components of the Core Flight System (cFS). It is always recommended to build with the latest versions of each of the components as backward compatibility may not be supported.

Several internal data structures within the cFE use the "char" data type. This data type is typically 1 byte in storage size with a value range -128 to 127 or 0 to 255. The size of the "char" data type and whether or not the type is signed or unsigned can change across platforms. The cFE assumes use of the "char" data type as an **8-bit type**.

Acronym	Description
,	2000

1.5 Acronyms

Acronym	Description
AC	Attitude Control
ACE	Attitude Control Electronics
ACS	Attitude Control System
API	Application Programming Interface
APID	CCSDS Application ID
Арр	Application
CCSDS	Consultative Committee for Space Data Systems
CDH, C&DH	Command and Data Handling
cFE	core Flight Executive
cFS	core Flight System
CM	Configuration Management
CMD	Command
CPU	Central Processing Unit
EDAC	Error Detection and Correction
EEPROM	Electrically Erasable Programmable Read-Only Memory
ES	Executive Services
EVS	Event Services
FC	Function Code
FDC	Failure Detection and Correction
FSW	Flight Software
HW, H/W	Hardware
ICD	Interface Control Document
MET	Mission Elapsed Time
MID	Message ID
OS	Operating System
OSAL	Operating System Abstraction Layer
PID	Pipeline ID
PKT	Packet
PSP	Platform Support Package
RAM	Random-Access Memory
SB	Software Bus
SDO	Solar Dynamics Observatory
ST5	Space Technology Five
STCF	Spacecraft Time Correlation Factor
SW, S/W	Software
TAI	International Atomic Time
TBD	To Be Determined
TBL	Table Services
TID	Task ID
TIME	Time Services
TLM	Telemetry

Acronym	Description
UTC	Coordinated Universal Time

1.6 cFE Executive Services Overview

Executive Services (ES) is one of the five core Flight Executive components. ES is the primary interface to the underlying Operating System, providing a high level interface to system control facilities. The ES component is responsible for starting up and restarting the cFE, starting up, shutting down, and restarting cFE Applications, logging errors and performance data, and providing a persistent memory store for cFE Applications.

The interfaces to the ES task include the Ground Interface (commands and telemetry) and the Application Programmer Interfaces (APIs). The ES task interfaces to the OS through the OS Abstraction Layer (OSAL) and platform through the Platform Support Package (PSP).

The functionality provided by the ES task include Software Reset, Application and Child Task Management, Basic File System, Performance Data Collection, Critical Data Store, Memory Pool, System Log, Shell Command.

For additional detail on Executive Services, see the following sections:

- Terminology
- Software Reset
 - Reset Types and Subtypes
 - Exception and Reset (ER) Log
- · Application and Child Task Management
 - Starting an Application
 - Stopping an Application
 - Restarting an Application
 - Reloading an Application
 - Listing Current Applications
 - Listing Current Tasks
 - Loading Common Libraries
- · Basic File System

- Performance Data Collection
- · Critical Data Store
- Memory Pool
- System Log
- · Version Identification
- Frequently Asked Questions about Executive Services

1.6.1 Terminology

The following sections describe terminology that is very relevant to understanding the Executive Services:

- · "Application" and "cFE Application"
- · "Task"
- "Startup Script"

1.6.1.1 "Application" and "cFE Application"

Application

The term 'Application' as defined in the Glossary of Terms is a set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.

cFE Application

A 'cFE Application' is an application that is external to the cFE and designed to interface to the cFE through the APIs. It is created through an entry in the "Startup Script" (with the 'Object Type' field set to CFE_APP) or by way of the CFE_ES_START_APP_CC ground command.

When referring to one of the five applications internal to the cFE (ES, EVS, SB, TIME or TBL), the term 'Service' or 'Core Application' is typically used.

A listing of cFE applications can be acquired by using the CFE_ES_QUERY_ALL_CC ground command. This listing will include the cFE internal applications as well as cFE applications that are loaded and running.

1.6.1.2 "Task" A Task is a thread of execution in the operating system, often associated with a cFE Application. Each cFE Application has a Main task providing its CPU context, stack and other OS resources. In addition, each cFE Application can create multiple Child Tasks which are closely associated with the Parent Task and cFE Application.

In a traditional Real Time Operating System such as vxWorks, the cFE Application Main task and child tasks end up being mapped to these OS tasks in the same shared memory space. For example, a Stored Command cFE Application that consists of a cFE Main Task and 10 Relative Time Sequence Child Tasks would have 11 tasks on a vxWorks system. The only association between these tasks exists in the cFE.

In a memory protected process oriented Operating System, the intention is to have a cFE Application implemented as a memory protected process with its own virtual address space. In this Process Model, each cFE Child Task would be a thread in the parent Process, much like a Unix process with multiple threads. In this model, the Stored Command example with a cFE Main Task and 10 Relative Time Sequence Child Tasks would consist of a Unix Process and 10 pthreads, all under the same virtual address space.

1.6.1.3 "Startup Script" The startup script is a text file, written by the user that contains a list of entries (one entry for each application) and is used by the ES application for automating the startup of applications. For a processor reset, ES checks for the CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE first, and if it doesn't exist or for a power on reset ES uses the file passed in to CFE_ES_Main (typically CFE_PLATFORM_ES_NONVOL_STARTUP_FILE but dependent on the PSP).

The fields in a single entry include:

Object Type	CFE_APP for an Application, or CFE_LIB for a library.					
Path/Filename	This is a cFE Virtual filename, not a vxWorks device/pathname					
Entry Point	This is the name of the "main" function for App.					
CFE Name	The cFE name for the APP or Library					
Priority	This is the Priority of the App, not used for a Library					
Stack Size	This is the Stack size for the App, not used for a Library					
Load Address	This is the Optional Load Address for the App or Library. It is currently not implemented so it should always be 0x0.					
Exception Action	This is the Action the cFE should take if the Application has an exception.					
	• 0 = Do a cFE Processor Reset					
	Non-Zero = Just restart the Application					

Immediately after the cFE completes its initialization, the ES Application first looks for the volatile startup script. The location in the file system is defined by the cFE platform configuration parameter named CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE. This configuration parameter contains a path as well as a filename. If the file is found, ES begins to startup the applications that are listed in the file. If ES does not find the file, it attempts to open the CFE_PLATFORM_ES_NONVOL_STARTUP_FILE.

If ES finds the volatile startup script, the attempt to open the nonvolatile startup script is bypassed.

Any errors encountered in the startup script processing are written to the System Log. The System Log may also contain positive acknowledge messages regarding the startup script processing.

The startup script delivered with the cFE (cfe_es_startup.scr) also has some detailed information about the fields and the settings.

1.6.2 Software Reset

The ES Software Reset provides a command to reset the cFE as well as resetting individual applications. Because applications are dependent on the cFE services, it is not possible to reset the cFE without affecting the applications. Therefore, a command to reset the cFE will also reset every application that is running at the time the command is received.

Also include is the Exception and Reset (ER) Log, which has a command for dumping or clearing the log and telemetry to show the number of entries in the log. In addition to the ER log, the user may find information about the most recent reset in the ES task housekeeping telemetry.

The ES Software Reset also provides a command to set the maximum number of processor resets before ES issues a power-on reset. There is a corresponding 'processor resets' counter in ES housekeeping telemetry that may be reset through another ES command.

1.6.3 Reset Types and Subtypes

The Reset Type is sent to the ground in the ES housekeeping packet and tells how the current running version of the cFE was invoked. The possible Reset Types expected in the telemetry field are CFE_PSP_RST_TYPE_POWERON and CFE_PSP_RST_TYPE_PROCESSOR. There is a third Reset Type defined in the ES code as CFE_ES_APP_RESTART which applies only to restarting an individual application and is covered in more detail in the section titled Application and Child Task.

The Reset Subtype is also sent in the ES housekeeping packet and gives more detail about the type of reset that started the execution of the current running version of the cFE. The possible Reset Subtypes are CFE_PSP_RST_SUBTYPE_POWER_CYCLE, CFE_PSP_RST_SUBTYPE_PUSH_BUTTON, CFE_PSP_RST_SUBTYPE_HW_SPECIAL CFE_PSP_RST_SUBTYPE_HW_WATCHDOG, CFE_PSP_RST_SUBTYPE_RESET_COMMAND, CFE_PSP_RST_SUBTYPE_EXCEP CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET, CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET, CFE_PSP_RST_SUBTYPE_BANGERSET, CFE_PSP_RST_SUBTYPE_BANG

1.6.4 Exception and Reset (ER) Log

The Exception and Reset Log contains detailed information about past resets and exceptions. To view the information the CFE_ES_WRITE_ER_LOG_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. There is also a command to clear the ER log, CFE_ES_CLEAR_ER_LOG_CC.

The size of the ER log is defined by the platform configuration parameter CFE_PLATFORM_ES_ER_LOG_ENTRIES This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry. This count can be used with the configuration parameter CFE_PLATFORM_ES_ER_LOG_ENTRIES to calculate the fullness of the log.

The information contained in a single log entry is defined by the structure CFE ES ERLog t.

1.6.5 Application and Child Task Management

The ES Application and Child Task Management provides the user with full control over starting and stopping applications as well as querying information regarding applications, tasks and library routines.

There is no command to start or stop a child task. Child tasks can be controlled (started, stopped or deleted) only by the parent application through an API call.

This provides a way for the user to load a set of library routines, (via the startup script) without starting a corresponding task. See the section related to library routines for more detail.

The ES task maintains a counter for the number of registered applications, number of registered child tasks and the number of registered libraries in the ES housekeeping data.

1.6.6 Starting an Application

There are two ways to start an application, through the ground command CFE_ES_START_APP_CC or through the startup script. In either case, the object file must be loaded on board before the command is sent or before the startup script is executed. The startup script contains a list of applications and library routines to load and start immediately after the cFE finishes its startup sequence. The parameters in the command, match the elements of an entry in the startup script.

The format of the Start Application command, is defined in the structure CFE_ES_StartAppCmd_t. The members of the structure include, application name, entry point, filename, stack size, load address, exception action and priority.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After starting an application, the ES task sends an informational event message displaying the application name, filename of the object and the application ID. The new application will then show up in the query list downloaded in response to the CFE_ES_QUERY_ALL_CC command.

1.6.7 Stopping an Application

Stopping an application can be done through the ground command CFE_ES_STOP_APP_CC. This command will terminate the application execution and all child tasks created by the application, free the system resources that it allocated and delete the corresponding object file.

The process of stopping an application is done in a controlled manner when the application is properly using the return code from the call to the CFE_ES_RunLoop. When the application properly uses this function, the ES task starts a timer and (via the return code) tells the application to exit at its own convenience. This gives the application time to free its own resources and do any cleanup that may be required before terminating itself by calling CFE_ES_ExitApp. If the timer expires and the application still exists, then ES must 'kill' the application. When the application is killed, ES attempts to cleanup the applications resources as best it could. In this case there is no guarantee that all the system resources are properly released.

The format of the Stop Application command, is defined in the structure CFE_ES_AppNameCmd_t. The only parameter in the command is an application name.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After stopping an application, the ES task sends a debug message stating the name of the application. After executing the command, the application (or any resources it allocated) should no longer be listed in any cFE tables or files.

1.6.8 Restarting an Application

The CFE_ES_RESTART_APP_CC command is used to restart an application using the same file name as the last start.

This command checks for file existence, the application is running, and the application is not a core app. If valid, the application restart is requested.

When requested, ES stops the application, unloads the object file, loads the object file using the previous file name, and restarts an application using the parameters defined when the application was previously started, either through the startup script or by way of the CFE ES START APP CC command.

1.6.9 Reloading an Application

The CFE_ES_RELOAD_APP_CC command is used to reload an application using a new file name.

This command performs the same actions as CFE_ES_RESTART_APP_CC only using the new file.

1.6.10 Listing Current Applications

There are two options for receiving information about applications, the CFE_ES_QUERY_ONE_CC command can be used to get details about a single application. This command takes an application name as its only parameter and the application information is sent as a software bus packet that can be telemetered to the ground.

Or the CFE_ES_QUERY_ALL_CC command can be used to get information about all the applications that are currently registered with ES. This command writes the application data to a file and has a one parameter which specifies the path and filename of the output file.

For either command, the following Application information is made available:

- · Application ID The Application ID assigned by the cFE to the Application
- Type Identifier Identifies whether the Application is a CORE App or an EXTERNAL App
- · Name The Application Name
- Entry Point The symbolic name for the entry point into the Application
- Filename The name of the file the Application was loaded from
- Stack Size The number of bytes allocated for the Application's stack
- · Load Address The starting address of memory where the Application was loaded

- · Load Size The size, in bytes, of the Application when loaded into memory
- · Start Address The physical address that maps to the Entry Point
- Exception Action A flag that identifies whether the Processor should undergo a Restart or whether just the Application should restart upon an exception condition within the Application
- · Priority The assigned priority for the Application
- · Main Task ID The Task ID assigned to the main task associated with the Application
- Main Task Name The name of the main task associated with the Application
- · Number of Child Tasks The number of child tasks spawned by the main task

For a description of the format in which this data is dumped, see CFE_ES_AppInfo_t.

1.6.11 Listing Current Tasks

The CFE_ES_QUERY_ALL_TASKS_CC command is used to get a list of child tasks that are currently registered with ES. The following information is provided for each registered task:

- · Task ID The Task ID associated with the specified task
- · Task Name The name of the Task
- · Application ID The ID for the Application the Task is associated with
- Application Name The name of the Application the Task is associated with

1.6.12 Loading Common Libraries

Library routines may be loaded only through the startup script. There is an option that allows a library routine initialization function to be executed after the library is loaded. Refer to the cFE Application Developers Guide for more information regarding Library Routines and startup scripts. The startup script delivered with the cFE (cfe_es_startup.scr) also has some detailed information about library routines.

1.6.13 Basic File System

ES provides minimal functionality to initialize, read, and write cfe File headers.

1.6.14 Performance Data Collection

The Performance Data Collection provides precise timing information for each software application similar to how a logic analyzer can trigger and filter data.

API calls are inserted by the development team at key points in the code. The basic operation is to start the data collection, wait some amount of time, then send the command to stop the data collection. When the stop command is received, the ES task writes all the data from the buffer to a file. The file can then be imported to analysis tools for viewing. The size of the buffer is configurable through the CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE platform configuration parameter.

Additional information follows:

- Performance Data Collection Trigger Masks
- Starting to Collect Performance Data
- Stopping the Collection of Performance Data
- Viewing the Collection of Performance Data
- **1.6.14.1 Performance Data Collection Trigger Masks** The trigger mask is used to control precisely when to start collecting the data. There is a bit in the trigger mask for every marker used in the code. After a start command is received, the trigger mask is read and dictates when to begin storing data in the buffer.

If the trigger mask is set to all zeros, then the collection will begin immediately after the start command and continue until a stop command is received. In this case the buffer behaves in a 'circular' manner.

- **1.6.14.2 Starting to Collect Performance Data** The CFE_ES_START_PERF_DATA_CC command is used to start the data collection process. The ES task sends a debug event when the command is received. It is not possible to start a collection if the buffer-to-file write is in process from an earlier collection. There is an ES telemetry point that can be used to ensure there is not a buffer-to-file write in progress. This ES telemetry point is called 'Perf Data to Write' and begins counting down from 'Data Count' to zero. If this counter is zero, it is ok to send the start command. If any errors are encountered when the start command is received, the details will be displayed in an error event message.
- 1.6.14.3 Stopping the Collection of Performance Data The CFE_ES_STOP_PERF_DATA_CC command is used to stop the data collection process and write the buffer data to a file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME is used to specify the path and filename. The number of entries written to the file is determined by the 'data count' variable, which is sent in the ES housekeeping telemetry packet. To ensure cpu hogging does not occur during the write process, ES creates a low priority child task to perform the file write operation. This child task will write a number of entries, then sleep for a short time to give tasks of lower priority a chance to run. The number of entries between delays, and the delay time is displayed in the debug event at the time the stop command is received.

1.6.14.4 Viewing the Collection of Performance Data To view the performance data, the file created as a result of the stop command must be transferred to the ground and imported into a viewing tool. See https://github.ecom/nasa/perfutils-java as an example.

1.6.15 Critical Data Store

Some missions are required, for health, safety and mission success criteria, to survive Processor Resets. These mission requirements frequently flow down to Attitude Control and/or Command and Data Handling requirements that force an Application developer to design a mechanism for retaining software state information through a Processor Reset. The cFE provides the Critical Data Store to assist the developer in meeting these requirements.

The Critical Data Store is an area of memory that is not cleared during a Processor Reset. In addition, the contents of memory are validated when accessed with a Data Integrity Value that helps to ensure the contents have not been corrupted. Each processor platform, through the design of its Board Support Package, can implement this area of memory in a number of ways to ensure the contents survive a Processor Reset. Applications can allocate a section of this memory for their use in a way similar to the cFE Table Services Overview.

When an Application registers a Critical Data Store (CDS), the Executive Services allocates a section of the Critical Data Store memory for the application's use and assigns the Application specified name to the memory area. The operator can find and learn the characteristics of these Critical Data Stores by using the Dump CDS Registry Command. This command will dump the contents of the CDS Registry maintained by the Executive Services into a file that can be downlinked and examined by the operator.

The CDS Registry dump will identify the following information for each registered CDS:

- · Handle the numeric identifier used by an Application to access the contents of the CDS
- Size the number of bytes allocated to the specified CDS
- **Table Flag** a flag that indicates whether the CDS is associated with a Critical Tables (when non-zero) or not (when equal to zero).
- Name a processor specific name that uniquely identifies the CDS. The name comes in two parts, "AppName . ← CDSName". AppName identifies which Application registered the CDS. CDSName is the name the Application assigned to the CDS.

The format of the CDS Registry Dump File is a cFE Standard File header (see CFE_FS_Header_t) followed by one or more CDS Registry Dump File Records (see CFE_ES_CDSRegDumpRec_t).

1.6.16 Memory Pool

Refer to the cFE Application Developers Guide for additional information.

Applications that are designed for generic missions, frequently have to wait until run-time before allocating memory for buffers, data records, etc.

The cFE provides a memory allocation algorithm that may be used by an application to manage its block of memory. The user provides a pointer to its memory block and a list of block sizes and the cFE provides 'get' and 'put' API's to the user for managing its memory pool.

Run-time memory allocation in an embedded system can be risky because of the potential problem of memory fragmentation. Memory fragmentation is also referred to as External Fragmentation and is defined in the wikipedia as:

External fragmentation is the phenomenon in which free storage becomes divided into many small pieces over time. It is a weakness of certain storage allocation algorithms, occurring when an application allocates and deallocates ("frees") regions of storage of varying sizes, and the allocation algorithm responds by leaving the allocated and deallocated regions interspersed. The result is that, although free storage is available, it is effectively unusable because it is divided into pieces that are too small to satisfy the demands of the application. The term "external" refers to the fact that the unusable storage is outside the allocated regions.

To help prevent this from happening, the cFE has integrated a memory allocation algorithm that is designed to create blocks at run-time, based on the size of the blocks requested. After a reset, there are no blocks created, the memory pool is said to be unconfigured. As requests for memory blocks are made, the memory pool first tries to use blocks that have been created but are no longer in use. If it cannot find an available block, it will create a new one. The created blocks remain until a reset occurs.

This algorithm is recommended when the size of the requests and the peak rate of requests can be pre-determined. It is highly recommended that adequate margin is designed into the pool size. The memory pool should never get close to being fully configured (i.e. not enough memory to create a new block). If the memory does become fully configured, requests for new size blocks will fail, regardless of whether the created blocks are in-use or not. The margin on the memory pool can be monitored by viewing the 'free bytes' member of the memory pool statistics. The memory pool statistics are dumped only when commanded by way of the ES command CFE_ES_SEND_MEM_POOL_STATS_CC.

A user of the ES memory pool begins by tailoring the memory pool for the particular use, by defining a list of block sizes and allocating a block of memory. These block size definitions simply give the memory pool a set of sizes to choose from. They do not configure the memory pool in any way and they do not affect the size of the pool. The cFE defines a default set of block sizes in the cfe_platform_cfg.h file.

If the default block sizes are used, the application will create the pool using the simpler CFE_ES_PoolCreate API. This API takes a pointer to the first byte of the memory pool (allocated by the application) and a size parameter. The API returns a handle to be used for the get and put requests.

If the defaults are not sufficient, the user must define the block sizes and use the CFE_ES_PoolCreateEx API.

After receiving a positive response from the PoolCreate API, the memory pool is ready to accept requests, but at this point it is completely unconfigured (meaning there are no blocks created). The first valid request (via CFE_ES_GetPoolBuf API) after creating the pool will always cause the memory pool to create a block and return a pointer to the new block. The size of the block depends on the size definitions mentioned earlier. If there is not an exact match between the requested and defined sizes, then the memory pool will create and return the smallest block that meets the following criteria: is a defined size and large enough to hold the request.

If another request for that size comes in before the first block was released through the CFE_ES_PutPoolBuf A← PI, then the memory pool will create a second block of that size and return a pointer to the second block. If both blocks were then released through the CFE_ES_PutPoolBuf API and the memory pool statistics were dumped via the CFE_ES_SEND_MEM_POOL_STATS_CC command, the number of blocks created would be two. The number of 'free bytes' in the pool would be the size of the pool minus the sum of the following items:

- the size of the two blocks created (even though they are not 'in-use').
- a buffer descriptor for each of the two blocks created (2 * 12 bytes)
- a 168 byte pool descriptor Refer to the cFE Applications Developers Guide for more details.

This allocation algorithm does have its limits. There are certain conditions that can place the memory pool in an undesired state. For instance, if a burst of get requests were received for the same block size, the memory pool may create a large number of blocks of that size. If this is a one-time burst, the memory pool would be configured with this large number of blocks that may no longer be needed. This scenario would use up the 'free bytes' margin in an undesired way. It should be noted that once the blocks are created, they cannot be deleted by any means other than a processor or power-on reset. It is highly recommended that the memory pool statistics be carefully monitored to ensure that the 'free-bytes' margin is sufficient (which is typically dictated by mission requirements).

An operator can obtain information about an Application's Memory Pool by using the Telemeter Memory Pool Statistics Command.

This command will cause Executive Services to extract pertinent statistics from the data used to manage the Memory Pool and telemeter them to the ground in the Memory Pool Statistics Telemetry Packet.

In order to obtain the statistics associated with a memory pool, the operator **MUST** have the correct Memory Handle as reported by the Application who owns the Memory Pool. **It should be noted that an inappropriate Memory Pool Handle can** *(and likely will)* **cause the system software to crash!** Within the cFE itself, there are three cFE Core Applications that make use of the Executive Services Memory Pool API. These are Software Bus (SB), Event Services (EVS) and Table Services (TBL). Each of these cFE Core Applications report their memory pool handles in telemetry.

The Memory Pool Statistics Telemetry Packet contains the following information:

- Memory Pool Handle the handle, as provided by the operator in the Telemeter Memory Pool Statistics Command.
 This repeating of the handle in telemetry ensures the operator knows which Memory Pool Statistics are being viewed
- Pool Size The total size of the memory pool (in bytes)
- Number Blocks Requested The total number of memory blocks requested for allocation
- · Number of Errors The total number of errors encountered when a block was released
- Number of Free Bytes The total number of bytes in the Memory Pool that have never been allocated to a Memory Block
- Block Statistics For each specified size of memory block (of which there are CFE_MISSION_ES_POOL_MAX_BUCKETS),
 the following statistics are kept
 - Block Size The size, in bytes, of all blocks of this type
 - Number of Blocks Allocated The number of this sized block which are currently allocated and in use
 - Number of Blocks Free The number of this size block which have been in use previously but are no longer being used

1.6.17 System Log

The System Log is an array of bytes that contains back-to-back printf type messages from applications. The cFE internal applications use this log when errors are encountered during initialization before the Event Manager is fully initialized. To view the information the CFE_ES_WRITE_SYSLOG_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. The CFE_ES_CLEAR_SYSLOG_CC is used to clear the System log.

The size of the System log is defined by the platform configuration parameter CFE_PLATFORM_ES_SYSTEM_LOG_SIZE. This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry.

1.6.18 Version Identification

Version information is reported at startup, and upon receipt of a No-op command

1.6.19 Frequently Asked Questions about Executive Services

None submitted

1.7 cFE Executive Services Commands

Upon receipt of any command, the Executive Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, ES will generate the CFE_ES_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_ES_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Executive Services Task.

Global CFE ES CLEAR ER LOG CC

Clears the contents of the Exception and Reset Log

Global CFE ES CLEAR SYSLOG CC

Clear Executive Services System Log

Global CFE_ES_DELETE_CDS_CC

Delete Critical Data Store

Global CFE_ES_DUMP_CDS_REGISTRY_CC

Dump Critical Data Store Registry to a File

Global CFE_ES_NOOP_CC

Executive Services No-Op

Global CFE_ES_OVER_WRITE_SYSLOG_CC

Set Executive Services System Log Mode to Discard/Overwrite

Global CFE ES QUERY ALL CC

Writes all Executive Services Information on all loaded modules to a File

Global CFE ES QUERY ALL TASKS CC

Writes a list of All Executive Services Tasks to a File

Global CFE ES QUERY ONE CC

Request Executive Services Information on a specified module

Global CFE_ES_RELOAD_APP_CC

Stops, Unloads, Loads from the command specified File and Restarts an Application

Global CFE_ES_RESET_COUNTERS_CC

Executive Services Reset Counters

Global CFE ES RESET PR COUNT CC

Resets the Processor Reset Counter to Zero

Global CFE_ES_RESTART_APP_CC

Stops, Unloads, Loads using the previous File name, and Restarts an Application

Global CFE ES RESTART CC

Executive Services Processor / Power-On Reset

Global CFE_ES_SEND_MEM_POOL_STATS_CC

Telemeter Memory Pool Statistics

Global CFE ES SET MAX PR COUNT CC

Configure the Maximum Number of Processor Resets before a Power-On Reset

Global CFE ES SET PERF FILTER MASK CC

Set Performance Analyzer's Filter Masks

Global CFE_ES_SET_PERF_TRIGGER_MASK_CC

Set Performance Analyzer's Trigger Masks

Global CFE ES START APP CC

Load and Start an Application

Global CFE ES START PERF DATA CC

Start Performance Analyzer

Global CFE_ES_STOP_APP_CC

Stop and Unload Application

Global CFE ES STOP PERF DATA CC

Stop Performance Analyzer and write data file

Global CFE_ES_WRITE_ER_LOG_CC

Writes Exception and Reset Log to a File

Global CFE ES WRITE SYSLOG CC

Writes contents of Executive Services System Log to a File

1.8 cFE Executive Services Telemetry

The following are telemetry packets generated by the cFE Executive Services Task.

Global CFE_ES_HousekeepingTIm_Payload_t Executive Services Housekeeping Packet Global CFE_ES_HousekeepingTIm_Payload_t Executive Services Housekeeping Packet Global CFE_ES_OneAppTIm_Payload_t Single Application Information Packet Global CFE_ES_OneAppTIm_Payload_t Single Application Information Packet Global CFE_ES_PoolStatsTIm_Payload_t Memory Pool Statistics Packet Global CFE_ES_PoolStatsTIm_Payload_t

Memory Pool Statistics Packet

1.9 cFE Executive Services Configuration Parameters

The following are configuration parameters used to configure the cFE Executive Services either for each platform or for a mission as a whole.

```
Global CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN
   Maximum Length of Full CDS Name in messages
Global CFE_MISSION_ES_CDS_MAX_NAME_LENGTH
   Maximum Length of CDS Name
Global CFE MISSION ES DEFAULT CRC
   Mission Default CRC algorithm
Global CFE MISSION ES MAX APPLICATIONS
   Mission Max Apps in a message
Global CFE MISSION ES PERF MAX IDS
   Define Max Number of Performance IDs for messages
Global CFE MISSION ES POOL MAX BUCKETS
   Maximum number of block sizes in pool structures
Global CFE_PLATFORM_CORE_MAX_STARTUP_MSEC
   CFE core application startup timeout
Global CFE_PLATFORM_ES_APP_KILL_TIMEOUT
   Define ES Application Kill Timeout
Global CFE PLATFORM ES APP SCAN RATE
```

Define ES Application Control Scan Rate

Global CFE PLATFORM ES CDS MAX NUM ENTRIES

Define Maximum Number of Registered CDS Blocks

Global CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01

Define ES Critical Data Store Memory Pool Block Sizes

Global CFE PLATFORM ES CDS SIZE

Define Critical Data Store Size

Global CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE

Default Application Information Filename

Global CFE PLATFORM ES DEFAULT CDS REG DUMP FILE

Default Critical Data Store Registry Filename

Global CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE

Default Exception and Reset (ER) Log Filename

Global CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME

Default Performance Data Filename

Global CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE

Define Default System Log Mode following Power On Reset

Global CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE

Define Default System Log Mode following Processor Reset

Global CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Define Default Stack Size for an Application

Global CFE PLATFORM ES DEFAULT SYSLOG FILE

Default System Log Filename

Global CFE PLATFORM ES DEFAULT TASK LOG FILE

Default Application Information Filename

Global CFE PLATFORM ES ER LOG ENTRIES

Define Max Number of ER (Exception and Reset) log entries

Global CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE

Maximum size of CPU Context in ES Error Log

Global CFE_PLATFORM_ES_MAX_APPLICATIONS

Define Max Number of Applications

Global CFE_PLATFORM_ES_MAX_GEN_COUNTERS

Define Max Number of Generic Counters

Global CFE_PLATFORM_ES_MAX_LIBRARIES

Define Max Number of Shared libraries

Global CFE_PLATFORM_ES_MAX_MEMORY_POOLS

Maximum number of memory pools

Global CFE PLATFORM ES MAX PROCESSOR RESETS

Define Number of Processor Resets Before a Power On Reset

Global CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01

Define Default ES Memory Pool Block Sizes

Global CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN

Define Memory Pool Alignment Size

Global CFE PLATFORM ES NONVOL DISK MOUNT STRING

Default virtual path for persistent storage

Global CFE PLATFORM ES NONVOL STARTUP FILE

ES Nonvolatile Startup Filename

Global CFE PLATFORM ES OBJECT TABLE SIZE

Define Number of entries in the ES Object table

Global CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY

Define Performance Analyzer Child Task Delay

Global CFE PLATFORM ES PERF CHILD PRIORITY

Define Performance Analyzer Child Task Priority

Global CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE

Define Performance Analyzer Child Task Stack Size

Global CFE PLATFORM ES PERF DATA BUFFER SIZE

Define Max Size of Performance Data Buffer

Global CFE PLATFORM ES PERF ENTRIES BTWN DLYS

Define Performance Analyzer Child Task Number of Entries Between Delay

Global CFE PLATFORM ES PERF FILTMASK ALL

Define Filter Mask Setting for Enabling All Performance Entries

Global CFE_PLATFORM_ES_PERF_FILTMASK_INIT

Define Default Filter Mask Setting for Performance Data Buffer

Global CFE PLATFORM ES PERF FILTMASK NONE

Define Filter Mask Setting for Disabling All Performance Entries

Global CFE PLATFORM ES PERF TRIGMASK ALL

Define Filter Trigger Setting for Enabling All Performance Entries

Global CFE PLATFORM ES PERF TRIGMASK INIT

Define Default Filter Trigger Setting for Performance Data Buffer

Global CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Define Default Filter Trigger Setting for Disabling All Performance Entries

Global CFE_PLATFORM_ES_POOL_MAX_BUCKETS

Maximum number of block sizes in pool structures

Global CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING

Default virtual path for volatile storage

Global CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS

ES Ram Disk Number of Sectors

Global CFE PLATFORM ES RAM DISK PERCENT RESERVED

Percentage of Ram Disk Reserved for Decompressing Apps

Global CFE PLATFORM ES RAM DISK SECTOR SIZE

ES Ram Disk Sector Size

Global CFE_PLATFORM_ES_RESET_AREA_SIZE

Define ES Reset Area Size

Global CFE_PLATFORM_ES_START_TASK_PRIORITY

Define ES Task Priority

Global CFE_PLATFORM_ES_START_TASK_STACK_SIZE

Define ES Task Stack Size

Global CFE PLATFORM ES STARTUP SCRIPT TIMEOUT MSEC

Startup script timeout

Global CFE PLATFORM ES STARTUP SYNC POLL MSEC

Poll timer for startup sync delay

Global CFE PLATFORM ES SYSTEM LOG SIZE

Define Size of the cFE System Log.

Global CFE PLATFORM ES USER RESERVED SIZE

Define User Reserved Memory Size

Global CFE PLATFORM ES VOLATILE STARTUP FILE

ES Volatile Startup Filename

Global CFE_PLATFORM_EVS_START_TASK_PRIORITY

Define EVS Task Priority

Global CFE PLATFORM EVS START TASK STACK SIZE

Define EVS Task Stack Size

Global CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01

Define SB Memory Pool Block Sizes

Global CFE_PLATFORM_SB_START_TASK_PRIORITY

Define SB Task Priority

Global CFE PLATFORM SB START TASK STACK SIZE

Define SB Task Stack Size

Global CFE PLATFORM TBL START TASK PRIORITY

Define TBL Task Priority

Global CFE_PLATFORM_TBL_START_TASK_STACK_SIZE

Define TBL Task Stack Size

1.10 cFE Event Services Overview

Event Services (EVS) provides centralized control for the processing of event messages originating from the EVS task itself, other cFE core applications (ES, SB, TIME, and TBL), and from cFE applications. Event messages are asynchronous messages that are used to inform the operator of a significant event from within the context of a registered application or core service. EVS provides various ways to filter event messages in order to manage event message generation.

Note for messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

For more information on cFE Event Services, see the following sections:

· Event Message Format

Local Event Log
Event Message Control
Event Message Filtering
• EVS Registry
• EVS Counters
Resetting EVS Counters
Effects of a Processor Reset on EVS
EVS squelching of misbehaving apps
Frequently Asked Questions about Event Services
1.10.1 Event Message Format Event messages are software bus messages that contain the following fields:
Event messages are software bus messages that contain the following fields:
Event messages are software bus messages that contain the following fields: • Timestamp
Event messages are software bus messages that contain the following fields: • Timestamp • Event Type
 Event messages are software bus messages that contain the following fields: Timestamp Event Type Spacecraft ID
 Event messages are software bus messages that contain the following fields: Timestamp Event Type Spacecraft ID Processor ID

The *Timestamp* corresponds to when the event was generated, in spacecraft time. The *Event Type* is one of the following: DEBUG, INFO, ERROR or CRITICAL. The *Spacecraft ID* and *Processor ID* identify the spacecraft and processor from which the event was generated. Note that the *Spacecraft ID* is defined in the cfe_mission_cfg.h file; The *Processor ID* is defined in the appropriate cfe_platform_cfg.h file. The *Application Name* refers to the Application that issued the event message as specified on application startup (either startup script or app start command). The *Event ID* is an Application unique number that identifies the event. The *Message* is an ASCII text string describing the event. Event messages may have parameters associated with the event message. EVS formats the parameters such that they are part of the ASCII text string that make up the event message.

In order to accommodate missions that have limited telemetry bandwidth, EVS can be configured such that the ASCII text string part of the event message is omitted, thus reducing the size of each event message. This is referred to as *Short Format*; Event messages including the ASCII text string are referred to as *Long Format*. The default setting is specified in the cfe_platform_cfg.h file. EVS also provides commands in order to set the mode (short or long).

Since the design of the cFE's Software Bus is based on run-time registration, no predetermined message routing is defined, hence it is not truly correct to say that events are generated as telemetry. Technically, EVS generates events in the form of software bus messages. Applications such as Telemetry Output and Data Storage can then subscribe to these messages making them telemetry. For the purposes of this document, any references to telemetry assumes that a telemetry application subscribes to the EVS event software bus message and routes it to the ground as telemetry. Note that short format event messages on the Software Bus have different message lengths than long form messages and do not include any part of the long format message string.

The EVS can be configured via ground command to send event messages out one or more message ports. These message ports may include ports such as debug, console, and UART. Messages sent out of the message ports will be in ASCII text format. This is generally used for lab purposes. Note that the event mode (short or long) does affect the event message content sent out these message ports.

1.10.2 Local Event Log

In addition to generating a software bus message, EVS logs the event message to a Local Event Log. Note that this is an optional feature that must be enabled via the cfe_platform_cfg.h file. The Local Event Log resides on the same processor as the EVS which is used to store events without relying on an external bus. In multi-processor cFE configurations the Local Event Buffer preserves event messages during non-deterministic processor initialization sequences and during failure scenarios. In order to obtain the contents of the Local Event Log, a command must be sent to write the contents of the buffer to a file which can then be sent to the ground via a file transfer mechanism. Note that event messages stored in the EVS Local Event Log are always long format messages and are not affected by the event mode (short or long).

EVS provides a command in order to clear the Local Event Log.

1.10.2.1 Local Event Log Mode EVS can be configured to control the Local Event Log to either discard or overwrite the contents of the log when it becomes full. If the mode is set to overwrite, the log is treated like a circular buffer, overwriting the oldest event message contained in the log first. This control is configured by default in the cfe_\circ platform cfg.h file but can be modified by a command.

1.10.3 Event Message Control

In order for an application to be serviced by EVS, it must be registered with EVS. EVS provides various commands in order to control the event messages that are generated as software bus messages.

1.10.3.1 Event Message Control - By Type The highest level of event message control that EVS provides is the ability to enable and disable event message types. As mentioned above, there are four event types. They are:

- 1. DEBUG
- 2. INFORMATION
- 3. ERROR
- 4. CRITICAL

When commands are sent to enable or disable a particular type of event message, ALL event messages of the specified type are affected. Typically, event messages of type DEBUG are disabled on-orbit. Note that EVS provides the capability to affect multiple types within one command using a bit mask. Note also that the configuration parameter CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG in the cfe_platform_cfg.h file specifies which event message types are enabled/disabled by default.

- **1.10.3.2 Event Message Control By Application** Commands are available to enable and disable the generation of event messages for a particular application. The result is that ALL event messages for the specified Application are affected (i.e. enabled or disabled).
- **1.10.3.3 Event Message Control By Event Type for an Application** EVS also provides the capability to enable / disable an event type for a particular application. Note that EVS provides the capability to affect multiple event types within one command using a bit mask.
- **1.10.3.4 Event Message Control Individual Events** There are two ways to control the generation of individual events depending on whether the application's event message has been registered with EVS or not.
- **1.10.3.4.1** Modifying a registered event message filter When an application registers with EVS, the application has the option of specifying the events that it wants to register for filtering along with the Event Message Filtering (only the Binary Filtering Scheme exists currently). Note that applications are limited in the number of events that they can register for filtering (see CFE_PLATFORM_EVS_MAX_EVENT_FILTERS in cfe_platform_cfg.h for the mission defined limit). The filtering method uses a mask to determine if the message is forwarded to the software bus, making it available in telemetry (see Event Message Filtering for a description on filtering). Commands are available to modify the filter mask for any registered event.

An on-orbit mission, for example, might be experiencing a problem resulting in an application's event message being repeatedly issued, flooding the downlink. If the event message for the application is registered with EVS, then a command can be issued to set the event message filter to the specified value in order to prevent flooding of the downlink.

1.10.3.4.2 Adding/Removing an event message for filtering Commands are also available to add filtering for those events that are not registered for filtering. Once an event is registered for filtering, the filter can be modified (see above) or removed.

An on-orbit mission, for example, might be experiencing a problem resulting in an event message being repeatedly issued, flooding the downlink. If the event message was not registered with EVS for filtering then the ground can add (i.e. register) the offending application's event for filtering (much like an application registers the event during initialization).

EVS also supports the ability to remove (i.e. unregister) an application's event message. Once it is removed, the event will no longer be filtered. Note that commands issued to disable events by event type, by application or by event type for an application are still valid and could affect this particular event.

1.10.4 Event Message Filtering

EVS uses a hexadecimal bit mask that controls how often a message is filtered. An event's filter mask is bit-wise ANDed with the event's event counter. There is one event counter for each event ID. If the result of the ANDing is zero then the message is sent.

Filter masks can be set so that one out of 1, 2, 4, 8 events are sent. Some examples of masks that use this pattern are: (0x0000, Every one), (0x0001, One of every 2), (0x0003, One of every 4), and (0x0007, One of every 8.

Filter masks can also be set so that only the first n events are sent. For example, the mask 0xFFFF generates one event message and then stops. Note that when the filter counter is reset to zero by command, this will restart the counting and enable n more events to be sent.

Event messages will be filtered until CFE_EVS_MAX_FILTER_COUNT events of the filtered event ID from the application have been received. After this, the filtering will become locked (no more of that event will be received by the ground) until the filter is either reset or deleted by ground command. This is to prevent the counter from rolling over, which would cause some filters to behave improperly. An event message will be sent when this maximum count is reached.

The following shows an example of how filtering works using a filter mask of x'0001', resulting in sending every other event:

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'0001'	x'0001'	x'0001'	x'0001'	x'0001'	
Bitwise AND results	x'0000'	x'0001'	x'0000'	x'0001'	x'0000'	
Send event?	Yes	No	Yes	No	Yes	

In this example, the ground uses a filter mask of x'FFFE' resulting in the first two events being sent and then no more.

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	
Bitwise AND results	x'0000'	x'0000'	x'0002'	x'0002'	x'0004'	
Send event?	Yes	Yes	No	No	No	

See cfe evs.h for predefined macro values which can be used for masks.

1.10.5 EVS Registry

EVS maintains information on each registered application and all events registered for an application.

The registry contains the following information for each Registered Application:

- Active Flag If equal to FALSE (0), all events from this Application are Filtered
- · Event Count Total number of events issued by this Application. Note that this value stop incrementing at 65535.

The following information for each Filtered Event (up to CFE_PLATFORM_EVS_MAX_EVENT_FILTERS).

:

- · Event ID Event ID for event whose filter has been defined
- Mask Binary Filter mask value (see Event Message Filtering for an explanation)
- · Count Current number of times this Event ID has been issued by this Application

1.10.6 EVS Counters

There are 2 types of counters in EVS housekeeping telemetry:

- · Total events sent counter
- Number of events sent for each Application

The difference is that the first one is the sum of all of the event messages sent. Both of these represent events that are actually sent (by EVS to the software bus). If an event message is filtered or disabled, neither counter is incremented.

There are other counters available that show how many event messages were generated by an App, however, these are only available for those events that are registered for filtering hence if you have a message that is not registered for filtering and the message type (e.g. DEBUG) is disabled then you won't know if the event was ever issued by an application. These counters are available by sending a command to write the EVS Application Data and transferring the file to the ground.

1.10.7 Resetting EVS Counters

As far as reset commands, there are 4 commands available:

- 1. Reset the total events sent counter
- 2. Reset the events sent counter for a particular Application e.g. reset the LC application events counter
- 3. Reset all of the event counters for a particular registered event for a particular Application e.g. Reset event counter for Event ID 5 for the LC Application.
- 4. Reset all of the event counters for ALL registered events for a particular App e.g. Reset all registered event counters for LC.

Note that there is currently no way to reset ALL of the events sent counters for all of the Apps with one command.

1.10.8 Effects of a Processor Reset on EVS

On a processor reset, the EVS Registry is cleared such that applications must re-register with EVS in order to use EVS services. All counters are also cleared with the exceptions of those listed below.

On a processor reset, the following EVS data is preserved (if the cFE is configured to include an Local Event Log):

- Local Event Log if the Local Event Log Mode is configured to Discard (1). If the Local Event Log Mode is configured to Overwrite (0), the contents of the log may be overwritten depending on the size and contents of the log prior to the reset.
- · Local Event Log Full Flag
- Local Event Log overflow counter

The Local Event Log Mode (overwrite/discard) is set to the configured value specified in the cfe_platform_cfg.h file. The default value is Discard (1). Discard mode will guarantee the contents of the event log are preserved over a processor restart.

This provides the ground with the capability to write the Local Event Log to a file and transfer it to the ground in order to help debug a reset.

1.10.9 EVS squelching of misbehaving apps

Event squelching is an optional feature for suppressing excessive events from misbehaving apps. It is enabled by setting CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST to a nonzero positive value, and CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC equal to or less than that value.

CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST controls the maximum events that can be sent at a given moment, and CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC is the sustained event throughput per second.

The suppression mechanism initializes with CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST * 1000 credits. Each event costs 1000 credits. Credits are restored at a rate of CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC * 1000 up to a maximum balance of CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST*1000, and the maximum "debt" is -CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST * 1000. When the credit count crosses from positive to negative, a squelched event message is emitted and events are supppressed, until the credit count becomes positive again.

Figure EVS-1 is a notional state diagram of the event squelching mechanism.




Figure 1 Figure EVS-1: EVS Squelching State Diagram

1.10.10 Frequently Asked Questions about Event Services

(Q) My telemetry stream is being flooded with the same event message. How do I make it stop?

The most direct way to stop an event message from flooding your downlink stream is to send a command to EVS to filter the offending event (see Event Message Control or \$sc \$cpu EVS SetBinFltrMask). In order to stop the event

message from being sent, a bit mask of '0xFFFF' should be used. If the event is not currently registered for filtering, the event message must be added using the command \$sc \$cpu EVS AddEvtFltr.

(Q) I filtered an event message and would now like to see it again. What do I do in order to see those events again?

If the event message that you are interested is registered with EVS for filtering, then you have 2 options:

- 1. You can use the \$sc_\$cpu_EVS_SetBinFltrMask command using a bit mask of '0x0000' which will result in getting all of the events for that Event Id
- 2. You can remove the registration of that event with EVS (see \$sc_\$cpu_EVS_DelEvtFltr).

 Note that option (1) is the preferred method.

(Q) What is the purpose of DEBUG event messages?

Event message of type "DEBUG" are primarily used during flight software development in order to provide information that is most likely not needed on orbit. Some commands send debug event messages as verification that a command request was received. When writing the EVS local event log to a file, for example, an event message of type DEBUG is issued. On orbit, this event message is probably not needed. Instead, the command counter is used for command verification.

(Q) How do I find out which events are registered for filtering?

EVS provides a command (\$sc_\$cpu_EVS_WriteAppData2File) which generates a file containing all of the applications that have registered with EVS and all of the filters that are registered for each application. Note that EVS merely generates the file. The file must be transferred to the ground in order to view it.

(Q) Why do I see event messages in my console window?

By default, the events are configured to transmit out a "port" that shows event messages in the console

(Q) What is the difference between event services and the ES System Log

Events are within the context of an App or cFE Service (requires registration with ES). The system log can be written to outside of the Application or cFE Service context, for example during application startup to report errors before registration.

1.11 cFE Event Services Commands

Upon receipt of any command, the Event Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, EVS will generate the CFE_EVS_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_EVS_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Event Services Task.

Global CFE EVS ADD EVENT FILTER CC

Add Application Event Filter

Global CFE_EVS_CLEAR_LOG_CC Clear Event Log Global CFE_EVS_DELETE_EVENT_FILTER_CC Delete Application Event Filter Global CFE_EVS_DISABLE_APP_EVENT_TYPE_CC Disable Application Event Type Global CFE EVS DISABLE APP EVENTS CC Disable Event Services for an Application Global CFE EVS DISABLE EVENT TYPE CC Disable Event Type Global CFE_EVS_DISABLE_PORTS_CC Disable Event Services Output Ports Global CFE EVS ENABLE APP EVENT TYPE CC **Enable Application Event Type** Global CFE_EVS_ENABLE_APP_EVENTS_CC Enable Event Services for an Application Global CFE EVS ENABLE EVENT TYPE CC **Enable Event Type** Global CFE_EVS_ENABLE_PORTS_CC **Enable Event Services Output Ports** Global CFE EVS NOOP CC Event Services No-Op Global CFE_EVS_RESET_ALL_FILTERS_CC Reset All Event Filters for an Application Global CFE EVS RESET APP COUNTER CC Reset Application Event Counters Global CFE_EVS_RESET_COUNTERS_CC **Event Services Reset Counters** Global CFE EVS RESET FILTER CC Reset an Event Filter for an Application Global CFE_EVS_SET_EVENT_FORMAT_MODE_CC Set Event Format Mode Global CFE_EVS_SET_FILTER_CC Set Application Event Filter Global CFE_EVS_SET_LOG_MODE_CC Set Logging Mode Global CFE_EVS_WRITE_APP_DATA_FILE_CC Write Event Services Application Information to File Global CFE_EVS_WRITE_LOG_DATA_FILE_CC

Write Event Log to File

1.12 cFE Event Services Telemetry

The following are telemetry packets generated by the cFE Event Services Task.

Global CFE EVS HousekeepingTlm Payload t

Event Services Housekeeping Telemetry Packet

Global CFE_EVS_HousekeepingTlm_Payload_t

Event Services Housekeeping Telemetry Packet

Global CFE_EVS_LongEventTlm_Payload_t

Event Message Telemetry Packet (Long format)

Global CFE_EVS_LongEventTlm_Payload_t

Event Message Telemetry Packet (Long format)

Global CFE_EVS_ShortEventTlm_Payload_t

Event Message Telemetry Packet (Short format)

Global CFE_EVS_ShortEventTlm_Payload_t

Event Message Telemetry Packet (Short format)

1.13 cFE Event Services Configuration Parameters

The following are configuration parameters used to configure the cFE Event Services either for each platform or for a mission as a whole.

Global CFE_MISSION_EVS_MAX_MESSAGE_LENGTH

Maximum Event Message Length

Global CFE PLATFORM EVS APP EVENTS PER SEC

Sustained number of event messages per second per app before squelching

Global CFE PLATFORM EVS DEFAULT APP DATA FILE

Default EVS Application Data Filename

Global CFE PLATFORM EVS DEFAULT LOG FILE

Default Event Log Filename

Global CFE PLATFORM EVS DEFAULT LOG MODE

Default EVS Local Event Log Mode

Global CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE

Default EVS Message Format Mode

Global CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG

Default EVS Event Type Filter Mask

Global CFE_PLATFORM_EVS_LOG_MAX

Maximum Number of Events in EVS Local Event Log

Global CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST

Maximum number of event before squelching

Global CFE_PLATFORM_EVS_MAX_EVENT_FILTERS

Define Maximum Number of Event Filters per Application

Global CFE_PLATFORM_EVS_PORT_DEFAULT

Default EVS Output Port State

1.14 cFE Software Bus Overview

The Software Bus (SB) handles communication between software tasks on a processor. All tasks communicate with each other, with hardware devices, and with the ground by sending command and telemetry messages. The software bus provides an application programming interface (API) to other tasks for sending and receiving messages. This API is independent of the underlying operating system so that tasks can use the same interface regardless of which processor they reside on. Refer to the cFE Application Programmer's Interface (API) Reference for detailed information about the API functions.

The software bus is used internally by the flight software, and normally does not require attention from the ground. However, because of the scalability and the dynamic nature of the software bus, it is strongly recommended that each project carefully review the SB statistics and SB memory pool to be sure adequate margin is met on the configurable items.

The cFE software bus uses a dynamic protocol and builds its routing table at run-time through the SB subscribe API's. Also the cFE software bus pipes are created at run-time through the CFE_SB_CreatePipe API. Because the routing is established, and pipes are created at run-time, it is necessary to have a clear view of the routing details on command. The cFE software bus allows the user to dump the routing table, the pipe table, the message map and the statistics packet. Each of these items are described in detail in the corresponding section of this document.

- Software Bus Terminology
- · Autonomous Actions
- · Operation of the SB Software
- · Frequently Asked Questions about Software Bus

1.14.1 Software Bus Terminology

In order to fully understand the Software Bus, it is imperative that the basic terms used to describe its features are also understood. Below are the critical terms that help identify what the Software Bus accomplishes for each Application:

- Messages
- Pipes
- Subscriptions
- Memory

1.14.1.1 Messages The sole purpose of the software bus is to provide applications a way to send messages to each other. The term message and the term packet are used interchangeably throughout this document. A message is a combined set of bytes with a predefined format that is used as the basis of communication on a spacecraft. All commands, telemetry, and other data that are passed between the ground and the spacecraft, and between subsystems of the spacecraft, are considered to be messages. The most common message format is CCSDS (Consultative Committee for Space Data Systems) in CCSDS Space Packet Protocol, but can be customized by replacing the message module.

There are two general types of messages - commands (or command packets) and telemetry (or telemetry packets). Command packets are sent to a particular software task from the ground (or another task). Telemetry packets are sent from a particular software task to the ground (or other tasks).

The concept of a message identifier is utilized to provide abstraction from header implementation, often abbreviated as message ID, Msgld, or MID. Header and message identifier values should not be accessed directly to avoid implementation specific dependencies.

Telemetry packets typically contain a timestamp that indicates when the packet was produced. Command packets typically contain a command code that identifies the particular type of command.

The message module provides APIs for 'setting' and 'getting' the fields in the header of the message. The message module was separated from software bus to enable users to customize message headers without requiring clone and own of the entire cfe repository. To customize, remove the built in msg module from the build and replace with custom implementation. See sample target definitions folder for examples.

Following the header is the user defined message data.

1.14.1.2 Pipes The destinations to which messages are sent are called pipes. These are queues that can hold messages until they are read out and processed by a task. Each pipe is created at run-time through the CFE_SB_CreatePipe API. The pipe name and the pipe depth are given as arguments in the API. The pipe identifier (or Pipeld) is given back to the caller after the API is executed. Each pipe can be read by only one task, but a task may read more than one pipe. Only the pipe owner is allowed to subscribe to messages on the pipe.

The Pipe IDs are specific to a particular processor (that is, the same ID number may refer to a different pipe on each processor). The pipe information for all pipes that have been created, may be requested at anytime by sending the 'Write Pipe Info' SB command . The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to pipes. This information may be requested by sending the command to dump the SB statistics packet .

1.14.1.3 Subscriptions A subscription is a run-time request for a particular message to be sent to a particular pipe. If the caller of the subscribe API is not the owner of the pipe, the request is rejected and an error event is sent. The application that creates the pipe is considered the owner of the pipe. The pipe specified in the subscription is sometimes referred to as the destination of the message. There are a maximum number of destinations for a particular message. This value is specified by the platform configuration parameter CFE PLATFORM SB MAX DEST PER PKT.

As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

The message limit specifies the maximum number of messages (with the specified Message ID) that are allowed on the specified pipe at any time. This limit is specified by the application at the time of the subscription. If the application uses the CFE_SB_Subscribe API, a message limit default value of four is used. If this default value is not sufficient, the caller would use the CFE_SB_SubscribeEx_API that allows the message limit to be specified.

The software bus also provides the user with an option to unsubscribe to a message. The unsubscribe API takes two parameters, Message ID and Pipe ID. Only the owner of a pipe may unsubscribe to messages on that pipe.

1.14.1.4 Memory The software bus statically allocates a block of memory for message buffers and subscription blocks. The size of this memory block is defined by the platform configuration parameter CFE_PLATFORM_SB_BUF_MEMORY_BYTES. The memory is managed by the cFE ES memory pool and is used only by the software bus. The ES memory pool allows an application to define the block sizes for the pool at compile time. These sizes are defined by the platform configuration parameters prefixed with CFE_SB_MEM_BLOCK_SIZE (for example, CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01). It is recommended that a project tailor these values for the mission, based on the software bus packet sizes.

At the time a message is sent, two buffers are allocated from the pool. One for a buffer descriptor (CFE_SB_BufferD_t) and one for the size of the packet. Both buffers are returned to the pool when the message has been received by all recipients. More precisely, if there is one recipient for a message, the message buffers will be released on the following call to CFE_SB_ReceiveBuffer for the pipe that received the buffer.

Also when subscriptions are received through the subscribe API's, the software bus allocates a subscription block ($C \leftarrow FE_SB_DestinationD_t$) from the pool. The subscription blocks are returned to the pool if and when the subscription is nullified through a $CFE_SB_Unsubscribe$ call.

The software bus provides a set of figures regarding memory capacity, current memory utilization and high water marks relevant to the SB memory pool. This information may be requested by sending the command to dump the SB statistics packet. In addition, the current memory utilization value and the 'unmarked memory' value (CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus peak memory in use) are sent in software bus housekeeping telemetry. The unmarked memory value should be monitored regularly to ensure that the value (in bytes) does not continue to decline or approach zero. If this value were to approach zero, there is a possibility that memory requests would fail which may inhibit the sending of a message. The current memory utilization value should also be monitored to ensure the system contains no memory leaks. The value (in bytes) should remain stable under nominal conditions. Refer to the ES users guide for more information regarding the ES Memory Pool.

1.14.2 Autonomous Actions

The software bus is primarily a set of library routines that are called by other software tasks to send and receive packets. The software bus does not perform any operations autonomously, except for sending event messages if errors are detected during the transfer of packets.

As do other tasks, the SB task sends out housekeeping telemetry when requested through the 'Send Housekeeping Data' command.

1.14.3 Operation of the SB Software

- Initialization
- All Resets
- Message Routing
- Packet Sequence Values
- · Message Limit Error

- · Pipe Overflow Error
- · SB Event Filtering
- · Diagnostic Data
- · Control of Packet Routing
- · Quality of Service
- Known Problem
- **1.14.3.1 Initialization** No action is required by the ground to initialize the software bus. The software bus initializes internal data structures and tables the same way regardless of the type of reset.
- **1.14.3.2** All Resets The software bus does not preserve any information across a reset of any kind. The software bus initializes internal data structures and tables the same way regardless of the type of reset. The routing is reestablished as the system initializes. It is normal procedure for each task of the system to create the pipe or pipes it needs and do all of its subscriptions during task initialization.

After any reset the following statements are true:

- The routing table is cleared and does not contain any routes.
- All subscriptions are lost and must be regenerated.
- The pipe table contains no data, all pipes must be recreated.
- Any packets in transit at the time of the reset are lost.
- The sequence counters for telemetry packets will begin again with a value of one.
- 1.14.3.3 Message Routing In the software bus, all messages are processed in a similar way. The software bus uses the Message ID and the packet length fields (contained in the header) for routing the message to the destination pipe. If either of these two fields do not pass validation, the software bus generates an error event and aborts the delivery process. The software bus performs some validation checks by simply checking message header values against mission or platform configuration parameters. Messages originating from various tasks or instruments are routed to one or more pipes, where they wait until read by a task. The routing configuration for each message is established when applications call one of the SB subscribe APIs. The subscribe APIs take a Message ID and a Pipe ID as parameters. The routing for each packet is stored in SB memory and may be requested at any time by sending the 'Send Routing Info' command. The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to the routing. This information may be requested by sending the command to dump the SB statistics packet.

1.14.3.4 Packet Sequence Values The sequence count behavior depends on if the message is a command type or telemetry type.

The sequence counter for command messages is not altered by the software bus.

For a telemetry message, the behavior is controlled via API input parameters when sending. When enabled, the software bus will populate the packet sequence counter using an internal counter that gets initialized upon the first subscription to the message (first message will have a packet sequence counter value of 1). From that point on each send request will increment the counter by one, regardless of the number of destinations or if there is an active subscription.

After a rollover condition the sequence counter will be a value of zero for one instance. The sequence counter is incremented after all the checks have passed prior to the actual sending of the message. This includes the parameter checks and the memory allocation check.

When disabled, the original message will not be altered. This method of message delivery is recommended for situations where the sender did not generate the packet, such as a network interface application passing a packet from a remote system to the local software bus.

1.14.3.5 Message Limit Error Before placing a message on a pipe, the software bus checks the message limit to ensure the maximum number of packets in transit to the destination is not exceeded. If placing the message on the pipe would exceed the message limit, then the action of sending to that pipe is aborted and the 'Message Limit Error' event is sent. This condition will typically occur when an application that receives the packets does not respond quickly enough, or if the sender of the packets produces them too quickly.

This condition occurs often during development and during integration, for example when a remote processor gets reset or a 1553 cable becomes disconnected. Because of the common occurrences, the event may have filtering associated with it. Any filtering for this event would be performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes.

If this error occurs during nominal conditions, it could be an indication that the 'message limit' is not set correctly. The message limit is given at the time of the subscription and given as a parameter in the subscribe API. With the CFE_SB_Subscribe API, the SB uses a default message limit value specified by CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT. This constant is currently set to a value of four. If the default value is insufficient, the message limit value can be specified in the CFE_SB_SubscribeEx_API.

A related failure is the pipe overflow condition, which can occur if the total number of packets (of all kinds) sent to a particular pipe is too large.

- **1.14.3.6 Pipe Overflow Error** Another common error that occurs during the send process is the pipe overflow error. This condition occurs if the total number of packets (of all kinds) sent to a particular pipe is too large. If this error occurs too frequently, it may be an indication that the pipe depth is not set correctly. The pipe depth is given at the time the pipe is created as a parameter in the CFE_SB_CreatePipe API.
- **1.14.3.7 SB Event Filtering** Most filtering for SB events is performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes. There is no SB event log that limits the number of events based on the capacity of the log, as in the heritage software bus.

There is one case in which events are filtered by the software bus instead of event services. This occurs when the software bus needs to suppress events so that a fatal recursive event condition does not transpire. Because error cases encountered when sending a message generate an event, and events cause a message to be sent a calling sequence could cause a stack overflow if the recursion is not properly terminated. The cFE software bus detects this condition and properly terminates the recursion. This is done by using a set of flags (one flag per event in the Send API) which determine whether an API has relinquished its stack. If the software bus needs to send an event that may cause recursion, the flag is set and the event is sent. If sending the event would cause the same event again, the event call will be bypassed, terminating the recursion. The result is that the user will see only one event instead of the many events that would normally occur without the protection. The heritage software bus did not have this condition because it stored events in the software bus event log and another thread would read them out at a later time.

1.14.3.8 Diagnostic Data The cFE software bus provides a set of commands to dump SB diagnostic data to help troubleshoot problems or check configuration settings. These commands allow the user to view the routing table, the pipe table or the message map. The message map is a lookup table used during a send operation to give fast access to the routing table index that corresponds to the message being sent.

The software bus also provides a statistics packet that can be used to tune the configuration parameters. This information is sent to the ground in the form of an SB packet when the corresponding command is received. The cFE limits the number of system pipes, unique Message IDs, buffer memory, messages on a pipe and subscriptions per Message ID. These limits are configurable through cFE platform and mission configuration parameters. The statistics packet was designed to let the project verify that these user settings provide the necessary margin to meet requirements.

The SB statistics information shows 'Currently In Use' figures, 'High Water Mark' figures and 'Max Allowed' figures for the following: buffer memory, messages on each pipe (pipe depth stats), System Pipes, Unique Message IDs and total subscriptions.

Depending on the task-scheduling implementation details of the operating system, it is possible to see the peak messages on a pipe occasionally exceed the depth of the pipe. The "Peak Messages In Use" parameter is included in the SB statistics packet under the pipe depth stats.

- **1.14.3.9 Control of Packet Routing** The software bus allows the ground to disable and enable the sending of packets of a specified Message ID to a specified pipe. All destinations that are needed for normal operation are enabled by default. Modifying the routing of packets may be required for the following reasons:
 - In flight, one can enable diagnostic packets to see them on the ground.
 - · During testing, one can disable a destination to simulate an anomaly.
- **1.14.3.10 Quality of Service** The software bus has a parameter in the CFE_SB_SubscribeEx API named Quality, which means Quality of Service (QOS) for off-board routing and is of the type CFE_SB_Qos_t. This structure has two members named priority and reliability. The Quality parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Although currently the software bus does not implement quality of service.

A default quality of services is provided via the CFE_SB_DEFAULT_QOS macro.

1.14.3.11 Known Problem The software bus may perform unexpectedly under an unlikely corner-case scenario. This scenario was revealed in a stress test. The stress test was designed to deplete the Software Bus memory pool by having a high priority application continuously send 1000 byte packets to a lower priority application until the memory pool code returned an error code and sent the following event. "CFE_ES:getPoolBuf err:Request won't fit in remaining memory" At this point the higher priority sending application would stop executing. This would allow the lower priority receiving application to begin receiving the 1000 byte packets. After the receiving app processed all of the packets, the memory was restored to the memory pool as expected. The SB memory-in-use telemetry was zero because there were no software bus packets in transit. At this point any attempt to send a new-sized packet on the software bus was be rejected. The ES memory pool stated that the "... Request won't fit in remaining memory" even though there was currently no memory in use.

The simplest way to prevent this behavior is to ensure that there is margin when sizing the SB memory pool. To check the margin, monitor the "Peak Memory in Use" vs. the configuration parameter CFE PLATFORM SB BUF MEMORY BYTES which indicates the amount allocated.

1.14.4 Frequently Asked Questions about Software Bus

(Q) How is the memory pool handle (sent in SB housekeeping telemetry) intended to be used?

The memory pool handle is used to analyze the SB memory pool statistics. The cFE ES command (CFE_ES_SEND_MEM_POOL_STATS_CC) to dump the memory pool statistics takes the pool handle as a parameter. These statistics tell how the SB memory pool is configured and gives details on margin. An improperly configured SB memory pool may inhibit communication. This may occur if there is not enough margin to create a block of the size needed for a transfer. Refer to the ES memory pool users guide for more details. Memory Pool

(Q) When sending a message, what message header fields are critical for routing the message?

To route the message properly, the software bus uses only the Message ID and packet length fields from the header of the message. If the packet length field is incorrect, then the buffer allocation for the message will also be incorrect. This may appear to the receiver as a truncated message or a message with unknown data added to the end of the message.

(Q) How many copies of the message are performed in a typical message delivery?

There is a single copy of the message performed when sending a message (from the callers memory space) using CFE_SB_TransmitMsg. When transmitting the message, the software bus copies the message from the callers memory space into a buffer in the software bus memory space. There is also the option to request a buffer from SB, write directly to the buffer and send via CFE_SB_TransmitBuffer. This is equivalent to the previous zero copy implementation. The CFE_SB_ReceiveBuffer API gives the user back a pointer to the buffer. When working with the buffers, the additional complexity to be aware of is the buffer is only available to the app from the request to send (on the sending side), or from the receive until the next receive on the same pipe on the receiving side. If the data is required outside that scope, the app needs a local copy.

(Q) When does the software bus free the buffer during a typical message delivery process? Or how long is the message, and the pointer to the buffer in the CFE SB ReceiveBuffer valid?

After receiving a buffer by calling CFE_SB_ReceiveBuffer, the buffer received is valid until the next call to CFE_SB_ReceiveBuffer with the same Pipe Id. If the caller needs the message longer than the next call to CFE_SB_ReceiveBuffer, the caller must copy the message to its memory space.

(Q) The first parameter in the CFE_SB_ReceiveBuffer API is a pointer to a pointer which can get confusing. How can I be sure that the correct address is given for this parameter.

Typically a caller declares a ptr of type CFE_SB_Buffer_t (i.e. CFE_SB_Buffer_t *Ptr) then gives the address of that pointer (&Ptr) as this parameter. After a successful call to CFE_SB_ReceiveBuffer, Ptr will point to the first byte of the software bus buffer. This should be used as a read-only pointer. In systems with an MMU, writes to this pointer may cause a memory protection fault.

(Q) Why am I not seeing expected Message Limit error events or Pipe Overflow events?

It is possible the events are being filtered by cFE Event Services. The filtering for this event may be specified in the platform configuration file or it may have been commanded after the system initializes.

There is a corresponding counter for each of these conditions. First verify that the condition is happening by viewing the counter in SB HK telemetry. If the condition is happening, you can view the SB filter information through the EVS App Data Main page by clicking the 'go to' button for SB. The event Id for these events can be learned through a previous event or from the cfe sb events.h file.

(Q) Why does the SB provide event filtering through the platform configuration file?

To give the user the ability to filter events before an EVS command can be sent. During system initialization, there are many conditions occurring that can cause a flood of SB events such as No Subscribers, Pipe Overflow and Msgld to Pipe errors. This gives the user a way to limit these events.

(Q) Why does SB have so many debug event messages?

The SB debug messages are positive acknowledgments that an action (like receiving a cmd, creating a pipe or subscribing to a message) has occurred. They are intended to help isolate system problems. For instance, if an expected response to a command is not happening, it may be possible to repeat the scenario with the debug event turned on to verify that the command was successfully received.

(Q) How is the QOS parameter in the CFE_SB_SubscribeEx used by the software bus?

The QOS parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Setting the QOS as CFE_SB_DEFAULT_QOS will ensure seamless integration when the software bus is expanded to support inter-processor communication.

(Q) Can I confirm my software bus buffer was delivered?

There is no built in mechanism for confirming delivery (it could span systems). This could be accomplished by generating a response message from the receiver.

1.15 cFE Software Bus Commands

Upon receipt of any command, the Software Bus application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, SB will generate the CFE_SB_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_SB_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Software Bus Task.

```
Global CFE_SB_DISABLE_ROUTE_CC
```

Disable Software Bus Route

Global CFE SB DISABLE SUB REPORTING CC

Disable Subscription Reporting Command

Global CFE_SB_ENABLE_ROUTE_CC

Enable Software Bus Route

Global CFE SB ENABLE SUB REPORTING CC

Enable Subscription Reporting Command

Global CFE_SB_NOOP_CC

Software Bus No-Op

Global CFE_SB_RESET_COUNTERS_CC

Software Bus Reset Counters

Global CFE_SB_SEND_PREV_SUBS_CC

Send Previous Subscriptions Command

```
Global CFE_SB_SEND_SB_STATS_CC
Send Software Bus Statistics

Global CFE_SB_WRITE_MAP_INFO_CC
Write Map Info to a File

Global CFE_SB_WRITE_PIPE_INFO_CC
Write Pipe Info to a File

Global CFE_SB_WRITE_ROUTING_INFO_CC
Write Software Bus Routing Info to a File
```

1.16 cFE Software Bus Telemetry

The following are telemetry packets generated by the cFE Software Bus Task.

```
Global CFE SB AllSubscriptionsTlm Payload t
   SB Previous Subscriptions Packet
Global CFE_SB_AllSubscriptionsTlm_Payload_t
   SB Previous Subscriptions Packet
Global CFE_SB_HousekeepingTlm_Payload_t
   Software Bus task housekeeping Packet
Global CFE_SB_HousekeepingTlm_Payload_t
   Software Bus task housekeeping Packet
Global CFE SB SingleSubscriptionTlm Payload t
   SB Subscription Report Packet
Global CFE_SB_SingleSubscriptionTIm_Payload_t
   SB Subscription Report Packet
Global CFE_SB_StatsTIm_Payload_t
   SB Statistics Telemetry Packet
Global CFE_SB_StatsTIm_Payload_t
   SB Statistics Telemetry Packet
```

1.17 cFE Software Bus Configuration Parameters

The following are configuration parameters used to configure the cFE Software Bus either for each platform or for a mission as a whole.

```
Global CFE_MISSION_SB_MAX_PIPES

Maximum Number of pipes that SB command/telemetry messages may hold

Global CFE_MISSION_SB_MAX_SB_MSG_SIZE

Maximum SB Message Size

Global CFE_PLATFORM_ENDIAN
```

Platform Endian Indicator

Global CFE_PLATFORM_SB_BUF_MEMORY_BYTES

Size of the SB buffer memory pool

Global CFE PLATFORM SB DEFAULT MAP FILENAME

Default Message Map Filename

Global CFE PLATFORM SB DEFAULT MSG LIMIT

Default Subscription Message Limit

Global CFE PLATFORM SB DEFAULT PIPE FILENAME

Default Pipe Information Filename

Global CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME

Default Routing Information Filename

Global CFE_PLATFORM_SB_FILTERED_EVENT1

SB Event Filtering

Global CFE_PLATFORM_SB_HIGHEST_VALID_MSGID

Highest Valid Message Id

Global CFE PLATFORM SB MAX DEST PER PKT

Maximum Number of unique local destinations a single Msgld can have

Global CFE PLATFORM SB MAX MSG IDS

Maximum Number of Unique Message IDs SB Routing Table can hold

Global CFE_PLATFORM_SB_MAX_PIPES

Maximum Number of Unique Pipes SB Routing Table can hold

1.18 cFE Table Services Overview

Applications often organize sets of their parameters into logical units called tables. These are typically constant parameters that can change the behavior of a flight software algorithm and are only intended to be modified by operations personnel. Examples of this would be attitude control gains, sensor scalefactors, telemetry filter settings, etc.

Table Services (TBL) provides a centralized control of flight software tables. Operations personnel would interact with TBL in order to dump the contents of current tables, load new table images, verify the contents of a table image and manage Critical tables.

None of the cFE core applications (EVS, SB, ES, TIME, or TBL) use tables, and it is possible to build cFE without Table Services if not needed or an alternative parameter management mechanism is to be utilized.

For additional detail on Tables and how to manage them, see the following sections:

- Managing Tables
- cFE Table Types and Table Options
- · Table Registry
- Table Services Telemetry
- · Effects of Processor Reset on Tables
- Frequently Asked Questions about Table Services

1.18.1 Managing Tables

In order to effectively manage tables, an operator needs to understand how cFE Applications manage tables from their end. There are a number of methods that cFE Applications typically use to manage their tables. Each method is appropriate based upon the nature of the contents of the table.

cFE Applications are required to periodically check to see if their table is to be validated, updated (or in the case of dump-only tables, dumped). Most Applications perform this periodic management at the same time as housekeeping requests are processed. This table management is performed by the cFE Application that "owns" a table (ie - the cFE Application that registered the table with cFE Table Services). It is possible for cFE Applications to "share" a table with other cFE Applications. An Application that shares a table does not typically perform any of the management duties associated with that table.

A table can have one of two different types and a number of different options. These are discussed further in later sections. An operator should understand the chosen type and selected options for a particular table before attempting to modify a table's contents.

To understand the methods of maintaining a table, it is important that the terminology be clear. A table has two images: "Active" and "Inactive". The Active table is the one that a cFE Application is currently accessing when it executes. The Inactive table is a copy of the Active table that an operator (or on-board process such as a stored command processor) can manipulate and change to have a newly desired set of data.

To create an Inactive table image on board, the operator would be required to perform a "Load" to the table. Loads are table images stored in on-board files. The Load can contain either a complete table image or just a part of a table image. If the Load contains just a portion, the Inactive image is first initialized with the contents of the Active image and then the portion identified in the Load file is written on top of the Active image. After the initial Load, an operator can continue to manipulate the Inactive table image with additional partial table load images. This allows the operator to reconfigure the contents of multiple portions of the table before deciding to "Validate" and/or "Activate" it.

Some cFE Applications provide special functions that will examine a table image to determine if the contents are logically sound. This function is referred to as the "Validation Function." When a cFE Application assigns a Validation Function to a table during the table registration process, it is then requiring that a Validation be performed before the table can be Activated. When an operator requests a Validation of a table image, they are sending a request to the owning Application to execute the associated Validation Function on that image. The results of this function are then reported in telemetry. If the Validation is successful, the operator is free to perform a table Activation. If the Validation fails, the operator would be required to make additional changes to the Inactive table image and attempt another Validation before commanding an Activation.

To change an Inactive table image into the Active table image, an operator must Activate a table. When an operator sends the table Activation command, they are notifying the table's owning Application that a new table image is available. It is then up to the Application to determine when is the best time to perform the "Update" of the table. When an Application performs an Update, the contents of the Inactive table image become the Active table image.

1.18.2 cFE Table Types and Table Options

A cFE Application Developer has several choices when creating a cFE Application. There are two basic types of tables: single buffered and double buffered. In addition to these two basic types there are a small variety of options possible with each table. These options control special characteristics of the table such as whether it is dump-only, critical or whether it has an application defined location in memory.

Each choice has its advantages and disadvantages. The developer chooses the appropriate type based upon the requirements of the application. Anyone operating a particular cFE Application must understand the nature of the type and options selected for a particular table before they can successfully understand how to perform updates, validations, etc.

For more information on the different types of tables available, see the following sections:

- · Table Types
 - Single Buffered Tables
 - Double Buffered Tables
- Table Options
 - Tables with Validation Functions
 - Critical Tables
 - User Defined Address Tables
 - Dump Only Tables

1.18.2.1 Single Buffered Tables The default table type for a cFE Application to use is a single buffered table. The principle advantage of a single buffered table is that it can share one of several shared table buffers for uploaded and pending table images. Since many cFE Applications have relatively small tables that are not changed at time critical moments or are not changed very often during a mission, single buffered tables represent the most memory resource efficient method of being managed.

The number of single buffered tables that can have inactive table images being manipulated at one time is specified by a TBL Services configuration parameter (CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS) found in the cfe—platform_cfg.h file associated with the processor in question. This parameter identifies the number of shared table buffers that are available.

Since inactive single buffered table images share a common resource, it may not be prudent for an operator to load an image and then delay on the image's activation for an extended period of time.

Single buffered tables are allowed to be critical (see Critical Tables), dump-only (see Dump Only Tables) and/or have a user-defined address (see User Defined Address Tables).

1.18.2.2 Double Buffered Tables Under certain conditions, a cFE Application Developer may choose to use a double buffered table type within their application. Double buffered tables retain a dedicated inactive image of the table data. With a dedicated inactive table image available, double buffered tables are then capable of efficiently swapping table contents and/or delaying the activation of a table's contents for an indeterminate amount of time.

Some cFE Applications prefer to delay the Activation of a table until a specified time (e.g. - a Spacecraft Ephemeris). These tables are typically defined as double buffered tables so that the Inactive image can be left sitting untouched for an extended period of time without interfering with shared resources for other tables. Then the Application can perform the Update when the time is right.

Applications which have unusually large tables may decide to conserve memory resources by making them double buffered. This is because the shared buffers used by single buffered tables must be sized to match the largest table. If there is one table that is unusually large, there is little reason to allocate up to CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS number of buffers that size. A double buffered table will only allocate ONE extra buffer of that size.

Performance minded Applications that are required to perform processing with tight timing deadlines may choose to use double buffered tables because the Update for a double buffered table is deterministic and quick.

1.18.2.3 Tables with Validation Functions Applications that associate Validation Functions with their tables when the tables are registered are effectively requiring that the contents of a table be logically Validated before it is Activated. The cFE will refuse to let a table with an associated Validation Function be Activated until a successful Validation on the Inactive table image has occurred.

Tables that are NOT assigned a Validation Function are assumed to be valid regardless of the contents of the table image. These tables do not require a Validation Command prior to Activation.

1.18.2.4 Critical Tables Applications that must be able to recover quickly from a Processor Reset may select the "Critical" table option when registering their table. Table Services automatically creates a Critical Data Store for the table and ensures that the contents of the Critical Data Store are updated whenever a Table Activation occurs.

If a Processor Reset happens, when the Application attempts to Register the table again, Table Services automatically locates the associated Critical Data Store and initializes the Table with the saved contents.

1.18.2.5 User Defined Address Tables In order to provide a mechanism for Flight Software Maintenance teams to quickly create a table image for dumping contents of memory that isn't normally loaded by the ground, there is an option to create User-Defined Address tables. These tables, when they are first registered, provide a memory address where the Active image of the table is to be maintained. Normally, the address is specified by Table Services from its memory pool.

By specifying the address, the Flight Software Maintenance team can create a Dump-Only table that contains the contents of a data structure that is not normally accessible via telemetry or table dumps. Then, on command, the Flight Software Maintenance team can periodically dump the data structure's contents to an on-board file(s) that can then be transferred to the ground for later analysis.

1.18.2.6 Dump Only Tables On occasion, cFE Applications require a segment of memory in which the Application writes data. The typical cFE Table is not normally modified directly by an Application but only via Load and Activate commands from either the Ground or Stored Command Processor. However, for those situations where an Application wishes to modify the contents of a data structure and the Application is limited in its telemetry bandwidth so that the modified data cannot be telemetered, the Application can create a Dump-Only table.

Dump-Only tables are not allowed to be modified via the Load/Validate/Activate process most other tables are. They are only supposed to be modified by onboard Applications. The Operator can still command a Dump which will be processed by the table's owning Application when it manages its tables. By letting the Application perform the dump, the Operator can feel confident that the table contents are a complete snapshot in time and not corrupted by taking a snapshot while the Application was in the process of modifying its contents.

1.18.3 Table Registry

When Applications register tables, Table Services retains pertinent information on the table in the Table Registry. The following information (along with other information that is less important for an operator) is kept for each table:

- The Application ID of the Application that Registered the table
- · The full name of the table
- · The size, in bytes, of the table

- · Pointers to the start addresses of the Table's image buffers, Active and Inactive (if appropriate)
- · A pointer to the start address of a Validation Function
- A flag indicating whether a table image has been loaded into an Inactive buffer
- A flag indicating whether the table is Critical and its associated CDS Handle if it is
- · A flag indicating whether the table has ever been loaded (initialized)
- · A flag indicating whether the table is Dump Only
- · A flag indicating whether the table has an Update Pending
- · A flag indicating whether the table is double buffered or not
- The System Time when the Table was last Updated
- · The filename of the last file loaded into the table
- The File Creation Time for the last file used to load the contents of the table

This information can be obtained by either sending the Dump Registry command which will put all of the information from the Table Registry into an onboard file for later downlink or the operator can send a command to Telemeter the Registry Entry for a single table. This will cause the pertinent registry entry for a single table to be sent via a telemetry packet.

The API function CFE_TBL_Register() returns either CFE_SUCCESS or CFE_TBL_INFO_RECOVERED_TBL to indicate that the table was successfully registered. The difference is whether the table data was recovered from CDS as part of the registration. There are several error return values that describe why the function failed to register the table but nothing related to why the restoration from CDS might have failed. There is, however, a message written to the System Error Log by Table Services that can be dumped by the ground to get this information. Note that failure to restore a table from CDS is not an expected error and requires some sort of data corruption to occur.

1.18.4 Table Services Telemetry

Table Services produces two different telemetry packets. The first packet, referred to as the Table Services Housekeeping Packet, is routinely produced by Table Services upon receipt of the Housekeeping Request message that is typically sent to all Applications by an on board scheduler. The contents and format of this packet are described in detail at CFE_TBL_HousekeepingTlm_t.

1.18.5 Effects of Processor Reset on Tables

When a processor resets, the Table Registry is re-initialized. All Applications must, therefore, re-register and re-initialize their tables. The one exception, however, is if the Application has previously tagged a table as "Critical" during Table Registration, then Table Services will attempt to locate a table image for that table stored in the Critical Data Store. Table Services also attempts to locate the Critical Table Registry which is also maintained in the Critical Data Store.

If Table Services is able to find a valid table image for a Critical table in the Critical Data Store, the contents of the table are automatically loaded into the table and the Application is notified that the table does not require additional initialization.

1.18.6 Frequently Asked Questions about Table Services

(Q) Is it an error to load a table image that is smaller than the registered size?

Table images that are smaller than the declared size of a table fall into one of two categories.

If the starting offset of the table image (as specified in the Table Image secondary file header) is not equal to zero, then the table image is considered to be a "partial" table load. Partial loads are valid as long as a table has been previously loaded with a non-"partial" table image.

If the starting offset of the table image is zero and the size is less than the declared size of the table, the image is considered "short" but valid. This feature allows application developers to use variable length tables.

(Q) I tried to validate a table and received the following event message that said the event failed:

MyApp validation failed for Inactive 'MyApp.MyTable', Status=0x####

What happened?

The event message indicates the application who owns the table has discovered a problem with the contents of the image. The code number following the 'Status' keyword is defined by the Application. The documentation for the specified Application should be referred to in order to identify the exact nature of the problem.

(Q) What commands do I use to load a table with a new image?

There are a number of steps required to load a table.

- 1. The operator needs to create a cFE Table Services compatible table image file with the desired data contained in it. This can be accomplished by creating a 'C' source file, compiling it with the appropriate cross compiler for the onboard platform and then running the elf2cfetbl utility on the resultant object file.
- 2. The file needs to be loaded into the onboard processor's filesystem using whichever file transfer protocol is used for that mission.
- 3. The Load Command is sent next to tell Table Services to load the table image file into the Inactive Table Image Buffer for the table identified in the file.
- 4. The Validate Command is then sent to validate the contents of the inactive table image. This will ensure the file was not corrupted or improperly defined. The results of the validation are reported in Table Services Housekeeping Telemetry. If a table does not have a validation function associated with it, the operator may wish to compare the computed CRC to verify the table contents match what was intended.
- 5. Upon successful validation, the operator then sends the Activate Command. The application owning the table should, within a reasonable amount of time, perform a table update and send an event message.

(Q) What causes cFE Table Services to generate the following sys log message:

CFE_TBL:GetAddressInternal-App(%d) attempt to access unowned Tbl Handle=%d

When an application sharing its table(s) with one or more applications is reloaded, the reloaded application's table handle(s) are released. cFE Table Services sees that the table(s) are shared and keeps a 'shadow' version of the table in the Table Services registry. The registry will show the released, shared tables with no name. When the applications sharing the table attempt to access the table via the 'old', released handle, Table Services will return an error code to

the applications and generate the sys log message. The applications may then unregister the 'old' handle(s) in order to remove the released, shared table(s) from the Table Services registry and share the newly loaded application table(s).

(Q) When does the Table Services Abort Table Load command need to be issued?

The Abort command should be used whenever a table image has been loaded but the application has not yet activated it and the operator no longer wants the table to be loaded.

The purpose of the Abort command is to free a previously allocated table buffer. It should be noted, however, that multiple table loads to the SAME table without an intervening activation or abort, will simply OVERWRITE the previous table load using the SAME buffer.

Therefore, the most likely scenarios that would lead to a needed abort are as follows:

- 1. Operator loads a table and realizes immediately that the load is not wanted.
- 2. Operator loads a table and performs a validation on it. Regardless of whether the table passes or fails the validation, if the operator no longer wants to activate the table, the abort command should be issued.
 - It should be noted that a table image that fails activation is retained in the inactive buffer for diagnosis, if necessary. It is NOT released until it is aborted or overwritten and successfully validated and activated.
- 3. A table image was loaded; the image was successfully validated; the command for activation was sent; but the application fails to perform the activation.
 - The Abort command will free the table buffer and clear the activation request.

This situation can occur when either the application is improperly designed and fails to adequately manage its tables (sometimes seen in the lab during development) or the application is "hung" and not performing as it should.

1.19 cFE Table Services Commands

Upon receipt of any command, the Table Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, TBL will generate the CFE_TBL_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_TBL_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Table Services Task.

```
Global CFE_TBL_ABORT_LOAD_CC
Abort Table Load

Global CFE_TBL_ACTIVATE_CC
Activate Table

Global CFE_TBL_DELETE_CDS_CC
Delete Critical Table from Critical Data Store

Global CFE_TBL_DUMP_CC
Dump Table

Global CFE_TBL_DUMP_REGISTRY_CC
Dump Table Registry
```

```
Global CFE_TBL_LOAD_CC
Load Table

Global CFE_TBL_NOOP_CC
Table No-Op

Global CFE_TBL_RESET_COUNTERS_CC
Table Reset Counters

Global CFE_TBL_SEND_REGISTRY_CC
Telemeter One Table Registry Entry

Global CFE_TBL_VALIDATE_CC
Validate Table
```

1.20 cFE Table Services Telemetry

The following are telemetry packets generated by the cFE Table Services Task.

```
Global CFE_TBL_HousekeepingTIm_Payload_t
    Table Services Housekeeping Packet

Global CFE_TBL_HousekeepingTIm_Payload_t
    Table Services Housekeeping Packet

Global CFE_TBL_TblRegPacket_Payload_t
    Table Registry Info Packet

Global CFE_TBL_TblRegPacket_Payload_t
    Table Registry Info Packet
```

1.21 cFE Table Services Configuration Parameters

The following are configuration parameters used to configure the cFE Table Services either for each platform or for a mission as a whole.

```
Global CFE_MISSION_TBL_MAX_FULL_NAME_LEN

Maximum Length of Full Table Name in messages

Global CFE_MISSION_TBL_MAX_NAME_LENGTH

Maximum Table Name Length

Global CFE_PLATFORM_TBL_BUF_MEMORY_BYTES

Size of Table Services Table Memory Pool

Global CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE

Default Filename for a Table Registry Dump

Global CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES

Maximum Number of Critical Tables that can be Registered

Global CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE

Maximum Size Allowed for a Double Buffered Table
```

Global CFE_PLATFORM_TBL_MAX_NUM_HANDLES

Maximum Number of Table Handles

Global CFE PLATFORM TBL MAX NUM TABLES

Maximum Number of Tables Allowed to be Registered

Global CFE PLATFORM TBL MAX NUM VALIDATIONS

Maximum Number of Simultaneous Table Validations

Global CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS

Maximum Number of Simultaneous Loads to Support

Global CFE PLATFORM TBL MAX SNGL TABLE SIZE

Maximum Size Allowed for a Single Buffered Table

Global CFE_PLATFORM_TBL_VALID_PRID_1

Processor ID values used for table load validation

Global CFE_PLATFORM_TBL_VALID_PRID_COUNT

Number of Processor ID's specified for validation

Global CFE_PLATFORM_TBL_VALID_SCID_1

Spacecraft ID values used for table load validation

Global CFE_PLATFORM_TBL_VALID_SCID_COUNT

Number of Spacecraft ID's specified for validation

1.22 cFE Time Services Overview

The cFE Time Service (TIME) is one of the cFE core services. TIME provides time correlation, distribution and synchronization services. TIME exists in two varieties: a Time Server responsible for maintaining the master time reference for all remote systems, and a Time Client responsible for synchronizing to that master time reference.

Since TIME is a generic implementation aimed to meet the needs of a variety of mission configurations, there are numerous configuration parameters, which dictate the behavior of TIME (see cfe_mission_cfg.h and cfe_platform_cfg.h for the specific mission configuration).

With the exception of those sections specific to Time Clients and Servers, this document assumes the most common physical environment - one instantiation of cFE installed on a single processor. Therefore, TIME represents cFE Time Services configured as a Time Server.

For additional detail on Time Services and how to manage it, see the following sections:

- Time Components
- · Time Structure
- Time Formats
- · Time Configuration

- Time Format Selection

- Enabling Fake Tone Signal
 Selecting Tone and Data Ordering
- Specifying Tone and Data Window
- Specifying Time Server/Client
- Specifying Time Tone Byte Order
- Virtual MET
- Specifying Time Source
- Specifying Time Signal
Time Services Paradigm(s)
• Flywheeling
• Time State
• Initialization
- Power-On Reset
- Processor Reset
• Initialization
- Power-On Reset
- Processor Reset
Normal Operation
- Client
- Server
* Setting Time

- * Adjusting Time
- Setting MET
- Frequently Asked Questions about Time Services

1.22.1 Time Components

Time knowledge is stored in several pieces, so that the time information can more easily be manipulated and utilized. These components include:

The **Ground Epoch** is an arbitrary date and time that establishes the zero point for spacecraft time calculations. The selection of the epoch is mission specific, although in the past, it was common to select the same epoch as defined for the Operating System used by the computers hosting the ground system software. Recent mission epoch selections have also included using zero seconds after midnight, Jan 1, 2001.

Spacecraft Time is the number of seconds (and fraction of a second) since the ground epoch. Spacecraft time is the sum of **Mission Elapsed Time** (MET) and the **Spacecraft Time Correlation Factor** (STCF). By definition, MET is a measure of time since launch or separation. However, for most missions the MET actually represents the amount of time since powering on the hardware containing the MET timer. The STCF correlates the MET to the ground epoch.

The **Tone** is the signal that MET seconds have incremented. In most hardware configurations, the tone is synonymous with the **1 PPS** signal. The tone signal may be generated by a local hardware timer, or by an external event ($G \leftarrow PS$ receiver, spacewire time tick, 1553 bus signal, etc). TIME may also be configured to simulate the tone for lab environments that do not have the necessary hardware to provide a tone signal. Note that MET sub-seconds will be zero at the instant of the tone.

Time at the Tone is the spacecraft time at the most recent "valid" tone.

Time since the Tone is the amount of time since the tone (usually less than one second). This value is often measured using the local processor clock. Upon detecting the tone signal, TIME stores the contents of the local processor clock to facilitate this measurement.

Thus, Current Spacecraft Time is the sum of "time at the tone" and "time since the tone".

Leap Seconds occur to keep clocks correlated to astronomical observations. The modern definition of a second (9,192,631,770 oscillations of a cesium-133 atom) is constant while the earth's rotation has been slow by a small fraction of a second per day. The **International Earth Rotation and Reference System Service** (IERS) maintains the count of leap seconds as a signed whole number that is subject to update twice a year. Although it is possible to have a negative leap second count if the earth rotates too fast, it is highly unlikely. The initial count of leap seconds (10) was established in January of 1972 and the first leap second was added to the initial count in June of 1972. The most recent leap seconds are announced by the International Earth Rotation Service (IERS): https://www.iers.org in IERS Bulletin C (leap second announcements). Search the IERS site for "Bulletin C" to obtain the latest issue/announcement.

1.22.2 Time Structure

The cFE implementation of the **System Time Structure** is a modified version of the CCSDS Unsegmented Time Code (CUC) which includes 4 bytes of seconds, and 4 bytes of subseconds, where a subsecond is equivalent to $1/(2^32)$ seconds. The system time structure is used by TIME to store current time, time at the tone, time since the tone, the MET, the STCF and command arguments for time adjustments. Note that typically the 32 bits of seconds and the upper 16 bits of subseconds are used for time stamping Software bus messages, but this is dependent on the underlying definition.

The system time structure is defined as follows:

1.22.3 Time Formats

International Atomic Time (TAI) is one of two time formats supported by cFE TIME. TAI is the number of seconds and sub-seconds elapsed since the ground epoch as measured with the atomic clock previously described. TAI has no reference to leap seconds and is calculated using the following equation:

```
TAI = MET + STCF
```

It should be noted that TAI is only "true" TAI when the selected ground epoch is the same as the TAI epoch (zero seconds after midnight, January 1, 1958). However, nothing precludes configuring cFE TIME to calculate time in the TAI format and setting the STCF to correlate to any other epoch definition.

Coordinated Universal Time (UTC) is the other time format supported by cFE TIME. UTC differs from TAI in the fact that UTC includes a leap seconds adjustment. TIME computes UTC using the following equation:

```
UTC = TAI - Leap Seconds.
```

The preceding UTC equation might seem to imply that TAI includes leap seconds and UTC does not - which is not the case. In fact, the UTC calculation includes a leap seconds adjustment that subtracts leap seconds from the same time components used to create TAI. Alternatively, it might be less confusing to express the UTC equation as follows:

```
UTC = MET + STCF - Leap Seconds
```

1.22.4 Time Configuration

All configurations of TIME require a local processor source for a 1Hz interrupt and access to a local clock with a resolution fine enough that it can be used to measure short periods of elapsed time. The local interrupt is used to wake-up TIME at a regular interval for the purpose of verifying that the tone is being received. The local clock is used to measure time since the tone and to provide coarse verification that the tone is occurring at approximately one second intervals. The presumption is that the tone is the most accurate timer in the system and, within reason, is to be trusted. Note that nothing precludes the use of the MET as the local clock, assuming the MET is both local and provides sub-second data. However, the tone must not be used as the source for the local 1Hz interrupt.

Consider the following brief description of three hypothetical hardware configurations. These sample systems may be used as reference examples to help clarify the descriptions of the various TIME configuration selections.

In the first system, there is no MET timer and therefore no tone signal. The MET is a count of the number of "fake" tones generated by TIME software. There is no validation performed regarding the quality of time data. This hardware configuration is a common lab environment using COTS equipment.

In the second system, the MET timer is a hardware register that is directly accessible by TIME. When MET seconds increment, a processor interrupt signals the tone. Upon detecting the tone, TIME can read the MET to establish the time at the tone. To verify that the tone is valid, TIME need only validate that this tone signal occurred approximately one second after the previous tone signal (as measured with the local clock).

In the third system, the MET is located on hardware connected via spacewire. When MET seconds increment, a spacewire time tick triggers a local processor interrupt to signal the tone. Shortly after announcing the tone, the hardware containing the MET also generates a spacewire data packet containing the MET value corresponding to the tone. $T \leftarrow IME$ must wait until both the tone and data packet have been received before validating the tone. The tone must have occurred approximately one second after the previous tone signal and the data packet must have been received within a specified window in time following the tone.

The hardware design choice for how the tone signal is distributed is not material to TIME configuration. The software detecting the tone need only call the cFE API function announcing the arrival of the tone. This function is designed to be called from interrupt handlers.

For detail on each of the individual configuration settings for cFE Time Services, see the following sections:

- Time Format Selection
- · Enabling Fake Tone Signal
- · Selecting Tone and Data Ordering
- · Specifying Tone and Data Window
- Specifying Time Server/Client
- · Specifying Time Tone Byte Order
- Virtual MET
- · Specifying Time Source
- · Specifying Time Signal

1.22.4.1 Time Format Selection Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC FALSE

Or

#define CFE_MISSION_TIME_CFG_DEFAULT_TAI FALSE
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI TRUE
```

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

See also

```
CFE_MISSION_TIME_CFG_DEFAULT_TAI, CFE_MISSION_TIME_CFG_DEFAULT_UTC
```

1.22.4.2 Enabling Fake Tone Signal The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_MISSION_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

```
CFE MISSION TIME CFG FAKE TONE
```

1.22.4.3 Selecting Tone and Data Ordering Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_MISSION_TIME_AT_TONE_WAS
#define CFE_MISSION_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

```
CFE MISSION TIME AT TONE WAS, CFE MISSION TIME AT TONE WILL BE
```

1.22.4.4 Specifying Tone and Data Window The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
#define CFE_MISSION_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

See also

```
CFE MISSION TIME MIN ELAPSED, CFE MISSION TIME MAX ELAPSED
```

1.22.4.5 Specifying Time Server/Client Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_PLATFORM_TIME_CFG_SERVER TRUE
#define CFE_PLATFORM_TIME_CFG_CLIENT FALSE

Or

#define CFE_PLATFORM_TIME_CFG_SERVER FALSE
#define CFE_PLATFORM_TIME_CFG_CLIENT TRUE
```

See also

```
CFE_PLATFORM_TIME_CFG_SERVER, CFE_PLATFORM_TIME_CFG_CLIENT
```

1.22.4.6 Specifying Time Tone Byte Order By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order—particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

```
#define CFE_PLATFORM_TIME_CFG_BIGENDIAN
```

1.22.4.7 Virtual MET This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

1.22.4.8 Specifying Time Source TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

```
#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE
```

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe_platform_cfg.h file contains "#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE_TIME_SET_SOURCE_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

See also

CFE PLATFORM TIME CFG SRC MET, CFE PLATFORM TIME CFG SRC GPS, CFE PLATFORM TIME CFG SRC TIME

1.22.4.9 Specifying Time Signal Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_PLATFORM_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

See also

```
CFE_PLATFORM_TIME_CFG_SIGNAL
```

1.22.5 Time Format Selection

Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC FALSE
```

or

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI FALSE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC TRUE
```

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

See also

```
CFE_MISSION_TIME_CFG_DEFAULT_TAI, CFE_MISSION_TIME_CFG_DEFAULT_UTC
```

1.22.6 Enabling Fake Tone Signal

The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_MISSION_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

```
CFE MISSION TIME CFG FAKE TONE
```

1.22.7 Selecting Tone and Data Ordering

Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_MISSION_TIME_AT_TONE_WAS
#define CFE_MISSION_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

```
CFE_MISSION_TIME_AT_TONE_WAS, CFE_MISSION_TIME_AT_TONE_WILL_BE
```

1.22.8 Specifying Tone and Data Window

The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
#define CFE_MISSION_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

See also

```
CFE_MISSION_TIME_MIN_ELAPSED, CFE_MISSION_TIME_MAX_ELAPSED
```

1.22.9 Specifying Time Server/Client

Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_PLATFORM_TIME_CFG_SERVER TRUE
#define CFE_PLATFORM_TIME_CFG_CLIENT FALSE

Or

#define CFE_PLATFORM_TIME_CFG_SERVER FALSE
#define CFE_PLATFORM_TIME_CFG_CLIENT TRUE
```

See also

CFE PLATFORM TIME CFG SERVER, CFE PLATFORM TIME CFG CLIENT

1.22.10 Specifying Time Tone Byte Order

By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order–particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

```
#define CFE_PLATFORM_TIME_CFG_BIGENDIAN
```

1.22.11 Virtual MET

This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

1.22.12 Specifying Time Source

TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

```
#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE
```

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe_platform_cfg.h file contains "#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE_TIME_SET_SOURCE_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

See also

CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TIME_CFG_SRC_GPS, CFE_PLATFORM_TIME_CFG_SRC_TIME

1.22.13 Specifying Time Signal

Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_PLATFORM_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

See also

CFE_PLATFORM_TIME_CFG_SIGNAL

1.22.14 Time Services Paradigm(s)

In order for the cFE Time Services to work for a particular mission, the methods of obtaining time, distributing time and translating time must follow some standard paradigms used in previous missions. The following describes this expected context:

Mission dependent hardware provides the Tone. When this Tone message is received, TIME latches the local time based on the local clock. Note that in lab environments, a simulated Tone capability exists which uses an SB message. Mission dependent hardware also provides the "time at the tone" message based on the hardware latched time and the reference times stored by TIME Server. The TIME Client then updates its local reference time based on the local hardware latched time at the Tone and the provided Time-at-Tone message packet when certain checks (such as the Validity bit being set) pass.

When used in an environment that includes multiple processors, each running a separate instantiation of cFE software, the presumption is that TIME will be distributed in a client/server relationship. In this model, one processor will have TIME configured as the server and the other processors as clients. The TIME server will maintain the various time components and publish a "time at the tone" message to provide synchronized time to the TIME clients. Environments that have only a single instance of TIME must be configured as a TIME server.

In all configurations, the final step in calculating the time "right now" for any instantiation of TIME is to use a local processor clock to measure the "time since the tone".

The specific MET hardware properties will determine whether the MET value can be modified. However, the cFE design is such that there should never be a need to purposefully change or reset the MET.

Regardless of the physical hardware implementation for the MET (elapsed seconds, elapsed ticks, etc.), cFE TIME will convert the hardware MET value into a System Time Format structure for time calculations and will report the converted value in telemetry. cFE TIME will also maintain and report the STCF in a System Time Format structure.

cFE TIME has no knowledge of the current epoch; it is up to the user to keep time on the spacecraft correlated to an epoch. An exception might appear to be the epoch definition required in the cFE mission configuration definition file. However, this definition is for use only by the API functions that convert spacecraft time and file system time, and the API function that prints spacecraft time as a date and time text string. The cFE "get time" functions are independent of the ground epoch.

The mission configuration parameters, CFE_MISSION_TIME_CFG_DEFAULT_TAI and CFE_MISSION_TIME_CFG_DEFAULT_UTC specify the default time format. Applications are encouraged to use the CFE_TIME_GetTime API, which returns time in the format specified by this configuration parameter.

1.22.15 Flywheeling

Flywheeling occurs when TIME is not getting a valid tone signal or external "time at the tone" message. While this has minimal impact on internal operations, it can result in the drifting apart of times being stored by different spacecraft systems.

Flywheeling occurs when at least one of the following conditions is true:

- · loss of tone signal
- · loss of "time at the tone" data packet
- · signal and packet not within valid window
- commanded into fly-wheel mode

If the TIME server is in Flywheel mode then the TIME client is also in flywheel mode.

1.22.16 Time State

Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set and whether Time Service is operating in FLYWHEEL mode. A ground command is provided to set the state to reflect when the ground has determined the spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems. If time has not been set then TIME services reports the state of time as invalid, regardless of whether time is flywheeling or not. Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of FLYWHEEL mode is mainly for debug purposes although, in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL. Note also that setting the clock state to VALID or INV \leftarrow ALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

1.22.17 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- · Power-On Reset
- · Processor Reset

1.22.17.1 Power-On Reset TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

1.22.17.2 Processor Reset In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

1.22.18 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

1.22.19 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

1.22.20 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- · Power-On Reset
- Processor Reset

1.22.20.1 Power-On Reset TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

1.22.20.2 Processor Reset In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

1.22.21 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

1.22.22 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

1.22.23 Normal Operation

The following sections describe the operator's responsibilities for maintaining time under nominal conditions:

- Client
- Server

1.22.23.1 Client Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

1.22.23.2 Server TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- · Setting Time
- Adjusting Time
- Setting MET

1.22.23.2.1 Setting Time The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

```
STCF = ((new time) - (current MET)) + Leap Seconds current time = ((current MET) + STCF) - Leap Seconds
```

See also

CFE TIME SET TIME CC

1.22.23.2.2 Adjusting Time The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_1HZ_ADJUSTMENT_C and CFE_TIME_SUB_1HZ_ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TAI-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_ADD_1HZ_ADJUSTMECTE_TIME_SUB_1HZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECONDS_CC

1.22.23.2.3 Setting MET The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

CFE_TIME_SET_MET_CC

1.22.24 Client

Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

1.22.25 Server

TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- Setting Time
- Adjusting Time
- Setting MET

1.22.25.0.1 Setting Time The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET
current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

See also

```
CFE TIME SET TIME CC
```

1.22.25.0.2 Adjusting Time The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_1HZ_ADJUSTMENT_C and CFE_TIME_SUB_1HZ_ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TAI-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

```
CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_ADD_1HZ_ADJUSTMECTE_TIME_SUB_1HZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECONDS_CC
```

1.22.25.0.3 Setting MET The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

```
CFE TIME SET MET CC
```

1.22.26 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

```
STCF = ((new time) - (current MET)) + Leap Seconds current time = ((current MET) + STCF) - Leap Seconds
```

See also

```
CFE_TIME_SET_TIME_CC
```

1.22.27 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_1HZ_ADJUSTMENT_CC and CFE_TIME_SUB_1HZ_ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TAI-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

```
CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_ADD_1HZ_ADJUSTMECTE_TIME_SUB_1HZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECONDS_CC
```

1.22.28 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

```
CFE TIME SET MET CC
```

1.22.29 Frequently Asked Questions about Time Services

None submitted

1.23 cFE Time Services Commands

Upon receipt of any command, the Time Services application will confirm that the message length embedded within the header (from CFE_MSG_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, TIME will generate the CFE_TIME_LEN_ERR_EID event, increment the command error counter (\$sc_\$cpu_TIME_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Time Services Task.

```
Global CFE TIME ADD 1HZ ADJUSTMENT CC
   Add Delta to Spacecraft Time Correlation Factor each 1Hz
Global CFE TIME ADD ADJUST CC
   Add Delta to Spacecraft Time Correlation Factor
Global CFE TIME ADD DELAY CC
   Add Time to Tone Time Delay
Global CFE TIME NOOP CC
   Time No-Op
Global CFE TIME RESET COUNTERS CC
   Time Reset Counters
Global CFE_TIME_SEND_DIAGNOSTIC_TLM_CC
   Request TIME Diagnostic Telemetry
Global CFE TIME SET LEAP SECONDS CC
   Set Leap Seconds
Global CFE TIME SET MET CC
   Set Mission Elapsed Time
Global CFE TIME SET SIGNAL CC
   Set Tone Signal Source
Global CFE TIME SET SOURCE CC
   Set Time Source
Global CFE_TIME_SET_STATE_CC
   Set Time State
Global CFE_TIME_SET_STCF_CC
   Set Spacecraft Time Correlation Factor
Global CFE TIME SET TIME CC
   Set Spacecraft Time
Global CFE_TIME_SUB_1HZ_ADJUSTMENT_CC
   Subtract Delta from Spacecraft Time Correlation Factor each 1Hz
Global CFE TIME SUB ADJUST CC
   Subtract Delta from Spacecraft Time Correlation Factor
Global CFE TIME SUB DELAY CC
```

Subtract Time from Tone Time Delay

1.24 cFE Time Services Telemetry

The following are telemetry packets generated by the cFE Time Services Task.

Global CFE_TIME_DiagnosticTIm_Payload_t

Time Services Diagnostics Packet

Global CFE_TIME_DiagnosticTIm_Payload_t

Time Services Diagnostics Packet

Global CFE_TIME_HousekeepingTlm_Payload_t

Time Services Housekeeping Packet

Global CFE_TIME_HousekeepingTlm_Payload_t

Time Services Housekeeping Packet

1.25 cFE Time Services Configuration Parameters

The following are configuration parameters used to configure the cFE Time Services either for each platform or for a mission as a whole.

Global CFE MISSION TIME AT TONE WAS

Default Time and Tone Order

Global CFE_MISSION_TIME_CFG_DEFAULT_TAI

Default Time Format

Global CFE_MISSION_TIME_CFG_FAKE_TONE

Default Time Format

Global CFE_MISSION_TIME_DEF_MET_SECS

Default Time Values

Global CFE_MISSION_TIME_EPOCH_YEAR

Default EPOCH Values

Global CFE MISSION TIME FS FACTOR

Time File System Factor

Global CFE_MISSION_TIME_MIN_ELAPSED

Min and Max Time Elapsed

Global CFE PLATFORM TIME CFG LATCH FLY

Define Periodic Time to Update Local Clock Tone Latch

Global CFE_PLATFORM_TIME_CFG_SERVER

Time Server or Time Client Selection

Global CFE_PLATFORM_TIME_CFG_SIGNAL

Include or Exclude the Primary/Redundant Tone Selection Cmd

Global CFE_PLATFORM_TIME_CFG_SOURCE

Include or Exclude the Internal/External Time Source Selection Cmd

Global CFE_PLATFORM_TIME_CFG_SRC_MET

Choose the External Time Source for Server only

Global CFE PLATFORM TIME CFG START FLY

Define Time to Start Flywheel Since Last Tone

Global CFE PLATFORM TIME CFG TONE LIMIT

Define Timing Limits From One Tone To The Next

Global CFE PLATFORM TIME CFG VIRTUAL

Time Tone In Big-Endian Order

Local MET or Virtual MET Selection for Time Servers

Global CFE PLATFORM TIME MAX DELTA SECS

Define the Max Delta Limits for Time Servers using an Ext Time Source

Global CFE PLATFORM TIME MAX LOCAL SECS

Define the Local Clock Rollover Value in seconds and subseconds

Global CFE_PLATFORM_TIME_START_TASK_PRIORITY

Define TIME Task Priorities

Global CFE_PLATFORM_TIME_START_TASK_STACK_SIZE

Define TIME Task Stack Sizes

1.26 cFE Event Message Cross Reference

The following cross reference maps the text associated with each cFE Event Message to its Event Message Identifier. A user can search this page for the text of the message they wish to learn more about and then click on the associated Event Message Identifier to obtain more information.

1.27 cFE Command Mnemonic Cross Reference

The following cross reference maps the cFE command codes to Command Mnemonics. To learn about the details of a particular command, click on its associated command code.

Global CFE_ES_CLEAR_ER_LOG_CC

\$sc_\$cpu_ES_ClearERLog

Global CFE_ES_CLEAR_SYSLOG_CC

\$sc_\$cpu_ES_ClearSysLog

Global CFE_ES_DELETE_CDS_CC

\$sc_\$cpu_ES_DeleteCDS

Global CFE ES DUMP CDS REGISTRY CC

\$sc_\$cpu_ES_WriteCDS2File

Global CFE_ES_NOOP_CC

\$sc_\$cpu_ES_NOOP

Global CFE_ES_OVER_WRITE_SYSLOG_CC

\$sc_\$cpu_ES_OverwriteSysLogMode

Global CFE_ES_QUERY_ALL_CC

\$sc_\$cpu_ES_WriteAppInfo2File

```
Global CFE_ES_QUERY_ALL_TASKS_CC
   $sc $cpu ES WriteTaskInfo2File
Global CFE ES QUERY ONE CC
  $sc_$cpu_ES_QueryApp
Global CFE ES RELOAD APP CC
   $sc_$cpu_ES_ReloadApp
Global CFE ES RESET COUNTERS CC
   $sc $cpu ES ResetCtrs
Global CFE ES RESET PR COUNT CC
  $sc $cpu ES ResetPRCnt
Global CFE ES RESTART APP CC
  $sc_$cpu_ES_ResetApp
Global CFE ES RESTART CC
  $sc_$cpu_ES_ProcessorReset, $sc_$cpu_ES_PowerOnReset
Global CFE ES SEND MEM POOL STATS CC
  $sc_$cpu_ES_PoolStats
Global CFE ES SET MAX PR COUNT CC
  $sc_$cpu_ES_SetMaxPRCnt
Global CFE_ES_SET_PERF_FILTER_MASK_CC
  $sc_$cpu_ES_LAFilterMask
Global CFE_ES_SET_PERF_TRIGGER_MASK_CC
  $sc_$cpu_ES_LATriggerMask
Global CFE ES START APP CC
  $sc $cpu ES StartApp
Global CFE ES START PERF DATA CC
  $sc_$cpu_ES_StartLAData
Global CFE_ES_STOP_APP_CC
  $sc_$cpu_ES_StopApp
Global CFE_ES_STOP_PERF_DATA_CC
  $sc_$cpu_ES_StopLAData
Global CFE ES WRITE ER LOG CC
  $sc_$cpu_ES_WriteERLog2File
Global CFE_ES_WRITE_SYSLOG_CC
  $sc_$cpu_ES_WriteSysLog2File
Global CFE EVS ADD EVENT FILTER CC
  $sc_$cpu_EVS_AddEvtFltr
Global CFE EVS CLEAR LOG CC
  $sc_$cpu_EVS_ClrLog
Global CFE EVS DELETE EVENT FILTER CC
  $sc_$cpu_EVS_DelEvtFltr
Global CFE EVS DISABLE APP EVENT TYPE CC
  $sc $cpu EVS DisAppEvtType, $sc $cpu EVS DisAppEvtTypeMask
```

```
Global CFE_EVS_DISABLE_APP_EVENTS_CC
   $sc $cpu EVS DisAppEvGen
Global CFE EVS DISABLE EVENT TYPE CC
  $sc_$cpu_EVS_DisEventType, $sc_$cpu_EVS_DisEventTypeMask
Global CFE EVS DISABLE PORTS CC
   $sc_$cpu_EVS_DisPort, $sc_$cpu_EVS_DisPortMask
Global CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
   $sc_$cpu_EVS_EnaAppEvtType, $sc_$cpu_EVS_EnaAppEvtTypeMask
Global CFE_EVS_ENABLE_APP_EVENTS_CC
   $sc $cpu EVS EnaAppEvGen
Global CFE EVS ENABLE EVENT TYPE CC
  $sc_$cpu_EVS_EnaEventType, $sc_$cpu_EVS_EnaEventTypeMask
Global CFE EVS ENABLE PORTS CC
  $sc_$cpu_EVS_EnaPort, $sc_$cpu_EVS_EnaPortMask
Global CFE EVS NOOP CC
  $sc_$cpu_EVS_NOOP
Global CFE EVS RESET ALL FILTERS CC
  $sc_$cpu_EVS_RstAllFltrs
Global CFE_EVS_RESET_APP_COUNTER_CC
  $sc_$cpu_EVS_RstAppCtrs
Global CFE_EVS_RESET_COUNTERS_CC
  $sc_$cpu_EVS_ResetCtrs
Global CFE EVS RESET FILTER CC
  $sc $cpu EVS RstBinFltrCtr
Global CFE EVS SET EVENT FORMAT MODE CC
  $sc_$cpu_EVS_SetEvtFmt
Global CFE_EVS_SET_FILTER_CC
  $sc $cpu EVS SetBinFltrMask
Global CFE_EVS_SET_LOG_MODE_CC
  $sc_$cpu_EVS_SetLogMode
Global CFE EVS WRITE APP DATA FILE CC
  $sc_$cpu_EVS_WriteAppData2File
Global CFE_EVS_WRITE_LOG_DATA_FILE_CC
  $sc_$cpu_EVS_WriteLog2File
Global CFE SB DISABLE ROUTE CC
  $sc_$cpu_SB_DisRoute
Global CFE SB DISABLE SUB REPORTING CC
  $sc_$cpu_SB_DisSubRptg
Global CFE SB ENABLE ROUTE CC
  $sc_$cpu_SB_EnaRoute
Global CFE SB ENABLE SUB REPORTING CC
  $sc $cpu SB EnaSubRptg
```

```
Global CFE_SB_NOOP_CC
  $sc $cpu SB NOOP
Global CFE SB RESET COUNTERS CC
  $sc_$cpu_SB_ResetCtrs
Global CFE SB SEND PREV SUBS CC
   $sc $cpu SB SendPrevSubs
Global CFE_SB_SEND_SB_STATS_CC
   $sc_$cpu_SB_DumpStats
Global CFE_SB_WRITE_MAP_INFO_CC
   $sc $cpu SB WriteMap2File
Global CFE SB WRITE PIPE INFO CC
  $sc_$cpu_SB_WritePipe2File
Global CFE_SB_WRITE_ROUTING_INFO_CC
  $sc_$cpu_SB_WriteRouting2File
Global CFE TBL ABORT LOAD CC
  $sc_$cpu_TBL_LOADABORT
Global CFE TBL ACTIVATE CC
  $sc_$cpu_TBL_ACTIVATE
Global CFE_TBL_DELETE_CDS_CC
  $sc_$cpu_TBL_DeleteCDS
Global CFE_TBL_DUMP_CC
  $sc_$cpu_TBL_DUMP
Global CFE TBL DUMP REGISTRY CC
  $sc_$cpu_TBL_WriteReg2File
Global CFE TBL LOAD CC
  $sc_$cpu_TBL_Load
Global CFE_TBL_NOOP_CC
  $sc_$cpu_TBL_NOOP
Global CFE_TBL_RESET_COUNTERS_CC
  $sc_$cpu_TBL_ResetCtrs
Global CFE TBL SEND REGISTRY CC
  $sc_$cpu_TBL_TLMReg
Global CFE_TBL_VALIDATE_CC
  $sc_$cpu_TBL_VALIDATE
Global CFE_TIME_ADD_1HZ_ADJUSTMENT_CC
  $sc_$cpu_TIME_Add1HzSTCF
Global CFE TIME ADD ADJUST CC
  $sc_$cpu_TIME_AddSTCFAdj
Global CFE TIME ADD DELAY CC
  $sc_$cpu_TIME_AddClockLat
Global CFE_TIME_NOOP_CC
  $sc_$cpu_TIME_NOOP
```

```
Global CFE_TIME_RESET_COUNTERS_CC
  $sc $cpu TIME ResetCtrs
Global CFE TIME SEND DIAGNOSTIC TLM CC
  $sc_$cpu_TIME_RequestDiag
Global CFE TIME SET LEAP SECONDS CC
  $sc_$cpu_TIME_SetClockLeap
Global CFE TIME SET MET CC
  $sc_$cpu_TIME_SetClockMET
Global CFE_TIME_SET_SIGNAL_CC
  $sc $cpu TIME SetSignal
Global CFE TIME SET SOURCE CC
  $sc_$cpu_TIME_SetSource
Global CFE TIME SET STATE CC
  $sc_$cpu_TIME_SetState
Global CFE_TIME_SET_STCF_CC
  $sc_$cpu_TIME_SetClockSTCF
Global CFE_TIME_SET_TIME_CC
  $sc $cpu TIME SetClock
Global CFE TIME SUB 1HZ ADJUSTMENT CC
  $sc_$cpu_TIME_Sub1HzSTCF
Global CFE TIME SUB ADJUST CC
  $sc_$cpu_TIME_SubSTCFAdj
Global CFE_TIME_SUB_DELAY_CC
  $sc_$cpu_TIME_SubClockLat
```

1.28 cFE Telemetry Mnemonic Cross Reference

The following cross reference maps the cFE telemetry packet members to their associated ground system telemetry mnemonics.

```
Global CFE_ES_AppInfo::AddressesAreValid
$sc_$cpu_ES_AddrsValid

Global CFE_ES_AppInfo::BSSAddress
$sc_$cpu_ES_BSSAddress

Global CFE_ES_AppInfo::BSSSize
$sc_$cpu_ES_BSSSize

Global CFE_ES_AppInfo::CodeAddress
$sc_$cpu_ES_CodeAddress

Global CFE_ES_AppInfo::CodeSize
$sc_$cpu_ES_CodeSize

Global CFE_ES_AppInfo::DataAddress
$sc_$cpu_ES_DataAddress

Global CFE_ES_AppInfo::DataSize
$sc $cpu_ES_DataSize
```

```
Global CFE ES Appinfo::EntryPoint [CFE MISSION MAX API LEN]
   $sc $cpu ES AppEntryPt[OS MAX API NAME]
Global CFE ES AppInfo::ExceptionAction
   $sc_$cpu_ES_ExceptnActn
Global CFE_ES_AppInfo::ExecutionCounter
   $sc $cpu ES ExecutionCtr
Global CFE_ES_AppInfo::FileName [CFE_MISSION_MAX_PATH_LEN]
   $sc $cpu ES AppFilename[OS MAX PATH LEN]
Global CFE ES Applnfo::MainTaskld
   $sc $cpu ES MainTaskId
Global CFE ES AppInfo::MainTaskName [CFE MISSION MAX API LEN]
   $sc_$cpu_ES_MainTaskName[OS_MAX_API_NAME]
Global CFE ES Appinfo::Name [CFE MISSION MAX API LEN]
   $sc_$cpu_ES_AppName[OS_MAX_API_NAME]
Global CFE ES Applnfo::NumOfChildTasks
   $sc_$cpu_ES_ChildTasks
Global CFE ES AppInfo::Priority
   $sc_$cpu_ES_Priority
Global CFE ES Appinfo::Resourceld
   $sc_$cpu_ES_AppID
Global CFE ES Applnfo::StackSize
   $sc $cpu ES StackSize
Global CFE_ES_AppInfo::StartAddress
   $sc_$cpu_ES_StartAddr
Global CFE ES Applnfo::Type
   $sc_$cpu_ES_AppType
Global CFE_ES_HousekeepingTIm_Payload::BootSource
   $sc $cpu ES BootSource
Global CFE_ES_HousekeepingTlm_Payload::CFECoreChecksum
   $sc_$cpu_ES_CKSUM
Global CFE ES HousekeepingTlm Payload::CFEMajorVersion
   $sc_$cpu_ES_CFEMAJORVER
Global CFE ES HousekeepingTlm Payload::CFEMinorVersion
   $sc_$cpu_ES_CFEMINORVER
Global CFE ES HousekeepingTlm Payload::CFEMissionRevision
   $sc $cpu ES CFEMISSIONREV
Global CFE ES HousekeepingTlm Payload::CFERevision
   $sc_$cpu_ES_CFEREVISION
Global CFE_ES_HousekeepingTIm_Payload::CommandCounter
   $sc $cpu ES CMDPC
Global CFE_ES_HousekeepingTlm_Payload::CommandErrorCounter
   $sc $cpu ES CMDEC
```

```
Global CFE ES HousekeepingTlm Payload::ERLogEntries
   $sc $cpu ES ERLOGENTRIES
Global CFE ES HousekeepingTlm Payload::ERLogIndex
   $sc $cpu ES ERLOGINDEX
Global CFE_ES_HousekeepingTIm_Payload::HeapBlocksFree
   $sc $cpu ES HeapBlocksFree
Global CFE_ES_HousekeepingTlm_Payload::HeapBytesFree
   $sc $cpu ES HeapBytesFree
Global CFE ES HousekeepingTlm Payload::HeapMaxBlockSize
   $sc $cpu ES HeapMaxBlkSize
Global CFE ES HousekeepingTlm Payload::MaxProcessorResets
   $sc_$cpu_ES_MaxProcResets
Global CFE ES HousekeepingTlm Payload::OSALMajorVersion
   $sc_$cpu_ES_OSMAJORVER
Global CFE ES HousekeepingTlm Payload::OSALMinorVersion
   $sc_$cpu_ES_OSMINORVER
Global CFE ES HousekeepingTlm Payload::OSALMissionRevision
   $sc_$cpu_ES_OSMISSIONREV
Global CFE_ES_HousekeepingTlm_Payload::OSALRevision
   $sc $cpu ES OSREVISION
Global CFE_ES_HousekeepingTlm_Payload::PerfDataCount
   $sc $cpu ES PerfDataCnt
Global CFE_ES_HousekeepingTIm_Payload::PerfDataEnd
   $sc $cpu ES PerfDataEnd
Global CFE ES HousekeepingTlm Payload::PerfDataStart
   $sc $cpu ES PerfDataStart
Global CFE_ES_HousekeepingTIm_Payload::PerfDataToWrite
   $sc $cpu ES PerfData2Write
Global CFE_ES_HousekeepingTlm_Payload::PerfFilterMask [CFE_MISSION_ES_PERF_MAX_IDS/32]
   $sc_$cpu_ES_PerfFltrMask[MaskCnt]
Global CFE ES HousekeepingTlm Payload::PerfMode
   $sc_$cpu_ES_PerfMode
Global CFE ES HousekeepingTlm Payload::PerfState
   $sc_$cpu_ES_PerfState
Global CFE ES HousekeepingTlm Payload::PerfTriggerCount
   $sc $cpu ES PerfTrigCnt
Global CFE ES HousekeepingTlm Payload::PerfTriggerMask [CFE MISSION ES PERF MAX IDS/32]
   $sc_$cpu_ES_PerfTrigMask[MaskCnt]
Global CFE_ES_HousekeepingTIm_Payload::ProcessorResets
   $sc $cpu ES ProcResetCnt
Global CFE_ES_HousekeepingTlm_Payload::PSPMajorVersion
   $sc $cpu ES PSPMAJORVER
```

```
Global CFE ES HousekeepingTlm Payload::PSPMinorVersion
   $sc $cpu ES PSPMINORVER
Global CFE ES HousekeepingTlm Payload::PSPMissionRevision
   $sc $cpu ES PSPMISSIONREV
Global CFE_ES_HousekeepingTlm_Payload::PSPRevision
   $sc $cpu ES PSPREVISION
Global CFE_ES_HousekeepingTlm_Payload::RegisteredCoreApps
   $sc $cpu ES RegCoreApps
Global CFE ES HousekeepingTlm Payload::RegisteredExternalApps
   $sc $cpu ES RegExtApps
Global CFE ES HousekeepingTlm Payload::RegisteredLibs
   $sc_$cpu_ES_RegLibs
Global CFE ES HousekeepingTlm Payload::RegisteredTasks
   $sc_$cpu_ES_RegTasks
Global CFE ES HousekeepingTlm Payload::ResetSubtype
   $sc_$cpu_ES_ResetSubtype
Global CFE_ES_HousekeepingTIm_Payload::ResetType
   $sc_$cpu_ES_ResetType
Global CFE ES HousekeepingTlm Payload::SysLogBytesUsed
   $sc $cpu ES SYSLOGBYTEUSED
Global CFE_ES_HousekeepingTIm_Payload::SysLogEntries
   $sc $cpu ES SYSLOGENTRIES
Global CFE_ES_HousekeepingTlm_Payload::SysLogMode
   $sc $cpu ES SYSLOGMODE
Global CFE_ES_HousekeepingTlm_Payload::SysLogSize
   $sc $cpu ES SYSLOGSIZE
Global CFE_ES_MemPoolStats::BlockStats [CFE_MISSION_ES_POOL_MAX_BUCKETS]
   $sc $cpu ES BlkStats[BLK SIZES]
Global CFE ES MemPoolStats::CheckErrCtr
   $sc_$cpu_ES_BlkErrCTR
Global CFE ES MemPoolStats::NumBlocksRequested
   $sc_$cpu_ES_BlksREQ
Global CFE ES MemPoolStats::NumFreeBytes
   $sc_$cpu_ES_FreeBytes
Global CFE ES MemPoolStats::PoolSize
   $sc $cpu ES PoolSize
Global CFE ES PoolStatsTlm Payload::PoolHandle
   $sc_$cpu_ES_PoolHandle
Global CFE EVS AppTImData::AppEnableStatus
   $sc_$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPENASTAT
Global CFE_EVS_AppTImData::AppID
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].APPID
```

```
Global CFE EVS AppTImData::AppMessageSentCounter
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].APPMSGSENTC
Global CFE EVS AppTImData::AppMessageSquelchedCounter
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].SQUELCHEDC
Global CFE_EVS_HousekeepingTIm_Payload::AppData [CFE_MISSION_ES_MAX_APPLICATIONS]
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS]
Global CFE EVS HousekeepingTlm Payload::CommandCounter
   $sc $cpu EVS CMDPC
Global CFE EVS HousekeepingTlm Payload::CommandErrorCounter
   $sc $cpu EVS CMDEC
Global CFE EVS HousekeepingTlm Payload::LogEnabled
   $sc_$cpu_EVS_LOGENABLED
Global CFE EVS HousekeepingTlm Payload::LogFullFlag
  $sc_$cpu_EVS_LOGFULL
Global CFE EVS HousekeepingTlm Payload::LogMode
  $sc $cpu EVS LOGMODE
Global CFE EVS HousekeepingTlm Payload::LogOverflowCounter
  $sc_$cpu_EVS_LOGOVERFLOWC
Global CFE EVS HousekeepingTlm Payload::MessageFormatMode
   $sc $cpu EVS MSGFMTMODE
Global CFE_EVS_HousekeepingTlm_Payload::MessageSendCounter
  $sc $cpu EVS MSGSENTC
Global CFE_EVS_HousekeepingTlm_Payload::MessageTruncCounter
  $sc $cpu EVS MSGTRUNC
Global CFE EVS HousekeepingTlm Payload::OutputPort
  $sc $cpu EVS OUTPUTPORT
Global CFE_EVS_HousekeepingTlm_Payload::Spare1
  $sc $cpu EVS HK SPARE1
Global CFE_EVS_HousekeepingTlm_Payload::Spare2
  $sc_$cpu_EVS_HK_SPARE2
Global CFE EVS HousekeepingTlm Payload::Spare3
  $sc_$cpu_EVS_HK_SPARE3
Global CFE EVS HousekeepingTlm Payload::UnregisteredAppCounter
  $sc_$cpu_EVS_UNREGAPPC
Global CFE EVS LongEventTim Payload::Message [CFE MISSION EVS MAX MESSAGE LENGTH]
  $sc_$cpu_EVS_EVENT[CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]
Global CFE EVS LongEventTlm Payload::Spare1
  $sc_$cpu_EVS_SPARE1
Global CFE_EVS_LongEventTlm_Payload::Spare2
   $sc $cpu EVS SPARE2
Global CFE_EVS_PacketID::AppName [CFE_MISSION_MAX_API_LEN]
   $sc $cpu EVS APPNAME[OS MAX API NAME]
```

```
Global CFE EVS PacketID::EventID
   $sc $cpu EVS EVENTID
Global CFE EVS PacketID::EventType
   $sc $cpu EVS EVENTTYPE
Global CFE EVS PacketID::ProcessorID
   $sc $cpu EVS PROCESSORID
Global CFE EVS PacketID::SpacecraftID
   $sc $cpu EVS SCID
Global CFE_SB_HousekeepingTIm_Payload::CommandCounter
   $sc $cpu SB CMDPC
Global CFE SB HousekeepingTlm Payload::CommandErrorCounter
   $sc_$cpu_SB_CMDEC
Global CFE SB HousekeepingTlm Payload::CreatePipeErrorCounter
   $sc_$cpu_SB_NewPipeEC
Global CFE SB HousekeepingTlm Payload::DuplicateSubscriptionsCounter
   $sc $cpu SB DupSubCnt
Global CFE SB HousekeepingTlm Payload::GetPipeldByNameErrorCounter
   $sc_$cpu_SB_GetPipeIDByNameEC
Global CFE_SB_HousekeepingTlm_Payload::InternalErrorCounter
   $sc $cpu SB InternalEC
Global CFE_SB_HousekeepingTlm_Payload::MemInUse
   $sc $cpu SB MemInUse
Global CFE_SB_HousekeepingTlm_Payload::MemPoolHandle
   $sc $cpu SB MemPoolHdl
Global CFE SB HousekeepingTlm Payload::MsgLimitErrorCounter
   $sc $cpu SB MsgLimEC
Global CFE_SB_HousekeepingTlm_Payload::MsgReceiveErrorCounter
   $sc $cpu SB MsgRecEC
Global CFE_SB_HousekeepingTIm_Payload::MsgSendErrorCounter
   $sc $cpu SB MsgSndEC
Global CFE SB HousekeepingTlm Payload::NoSubscribersCounter
   $sc_$cpu_SB_NoSubEC
Global CFE SB HousekeepingTlm Payload::PipeOptsErrorCounter
   $sc_$cpu_SB_PipeOptsEC
Global CFE SB HousekeepingTlm Payload::PipeOverflowErrorCounter
   $sc $cpu SB PipeOvrEC
Global CFE SB HousekeepingTlm Payload::Spare2Align [1]
   $sc_$cpu_SB_Spare2Align[2]
Global CFE_SB_HousekeepingTlm_Payload::SubscribeErrorCounter
   $sc $cpu SB SubscrEC
Global CFE_SB_HousekeepingTlm_Payload::UnmarkedMem
   $sc $cpu SB UnMarkedMem
```

```
Global CFE SB PipeDepthStats::CurrentQueueDepth
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDINUSE
Global CFE SB PipeDepthStats::MaxQueueDepth
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDDEPTH
Global CFE_SB_PipeDepthStats::PeakQueueDepth
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDPKINUSE
Global CFE SB PipeDepthStats::PipeId
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDPIPEID
Global CFE SB PipeDepthStats::Spare
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDSPARE
Global CFE SB StatsTlm_Payload::MaxMemAllowed
   $sc_$cpu_SB_Stat.SB_SMMBMALW
Global CFE SB StatsTlm Payload::MaxMsgldsAllowed
   $sc_$cpu_SB_Stat.SB_SMMMIDALW
Global CFE SB StatsTlm Payload::MaxPipeDepthAllowed
   $sc_$cpu_SB_Stat.SB_SMMPDALW
Global CFE SB StatsTlm Payload::MaxPipesAllowed
   $sc_$cpu_SB_Stat.SB_SMMPALW
Global CFE SB StatsTlm Payload::MaxSubscriptionsAllowed
   $sc_$cpu_SB_Stat.SB_SMMSALW
Global CFE SB StatsTlm Payload::MemInUse
   $sc $cpu SB Stat.SB SMBMIU
Global CFE_SB_StatsTIm_Payload::MsgldsInUse
   $sc $cpu SB Stat.SB SMMIDIU
Global CFE SB StatsTlm Payload::PeakMemInUse
   $sc $cpu SB Stat.SB SMPBMIU
Global CFE_SB_StatsTIm_Payload::PeakMsgldsInUse
   $sc $cpu SB Stat.SB SMPMIDIU
Global CFE SB StatsTlm Payload::PeakPipesInUse
   $sc_$cpu_SB_Stat.SB_SMPPIU
Global CFE SB StatsTlm Payload::PeakSBBuffersInUse
   $sc_$cpu_SB_Stat.SB_SMPSBBIU
Global CFE SB StatsTlm Payload::PeakSubscriptionsInUse
   $sc_$cpu_SB_Stat.SB_SMPSIU
Global CFE SB StatsTIm Payload::PipeDepthStats [CFE MISSION SB MAX PIPES]
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES]
Global CFE SB StatsTlm Payload::PipesInUse
   $sc_$cpu_SB_Stat.SB_SMPIU
Global CFE SB StatsTlm Payload::SBBuffersInUse
   $sc_$cpu_SB_Stat.SB_SMSBBIU
Global CFE_SB_StatsTIm_Payload::SubscriptionsInUse
   $sc $cpu SB Stat.SB SMSIU
```

```
Global CFE TBL HousekeepingTlm Payload::ActiveBuffer
   $sc $cpu TBL LastValBuf
Global CFE_TBL_HousekeepingTlm_Payload::ByteAlignPad1
   $sc_$cpu_TBL_ByteAlignPad1
Global CFE TBL HousekeepingTlm Payload::CommandCounter
   $sc $cpu TBL CMDPC
Global CFE_TBL HousekeepingTlm Payload::CommandErrorCounter
   $sc_$cpu_TBL_CMDEC
Global CFE_TBL_HousekeepingTIm_Payload::FailedValCounter
   $sc $cpu TBL ValFailedCtr
Global CFE TBL HousekeepingTlm Payload::LastFileDumped [CFE MISSION MAX PATH LEN]
   $sc $cpu TBL LastFileDumped[OS MAX PATH LEN]
Global CFE TBL HousekeepingTlm Payload::LastFileLoaded [CFE MISSION MAX PATH LEN]
   $sc_$cpu_TBL_LastFileLoaded[OS_MAX_PATH_LEN]
Global CFE TBL HousekeepingTim Payload::LastTableLoaded [CFE MISSION TBL MAX FULL NAME LEN]
   $sc_$cpu_TBL_LastTableLoaded[CFE_TBL_MAX_FULL_NAME_LEN]
Global CFE TBL HousekeepingTlm Payload::LastUpdatedTable [CFE MISSION TBL MAX FULL NAME L↔
   EN]
   $sc $cpu TBL LastUpdTblName[CFE TB MAX FULL NAME LEN]
Global CFE_TBL_HousekeepingTlm_Payload::LastUpdateTime
   $sc $cpu TBL LastUpdTime, $sc $cpu TBL SECONDS, $sc $cpu TBL SUBSECONDS
Global CFE TBL HousekeepingTlm Payload::LastValCrc
   $sc_$cpu_TBL_LastValCRC
Global CFE TBL HousekeepingTlm Payload::LastValStatus
   $sc_$cpu_TBI_LastValS
Global CFE TBL_HousekeepingTlm_Payload::LastValTableName [CFE_MISSION_TBL_MAX_FULL_NAME_L
   EN]
   $sc_$cpu_TBL_LastValTblName[CFE_TB_MAX_FULL_NAME_LEN]
Global CFE TBL HousekeepingTlm Payload::MemPoolHandle
   $sc_$cpu_TBL_MemPoolHandle
Global CFE_TBL_HousekeepingTlm_Payload::NumFreeSharedBufs
   $sc $cpu TBL NumFreeShrBuf
Global CFE TBL HousekeepingTlm Payload::NumLoadPending
   $sc $cpu TBL NumUpdatesPend
Global CFE TBL HousekeepingTlm Payload::NumTables
   $sc_$cpu_TBL_NumTables
Global CFE TBL HousekeepingTlm Payload::NumValRequests
   $sc $cpu TBL ValReqCtr
Global CFE_TBL_HousekeepingTlm_Payload::SuccessValCounter
   $sc $cpu TBL ValSuccessCtr
Global CFE_TBL_HousekeepingTlm_Payload::ValidationCounter
   $sc $cpu TBL ValCompltdCtr
```

```
Global CFE TBL TblRegPacket Payload::ActiveBufferAddr
   $sc $cpu TBL ActBufAdd
Global CFE TBL TblRegPacket Payload::ByteAlign4
   $sc_$cpu_TBL_Spare4
Global CFE_TBL_TblRegPacket_Payload::Crc
   $sc $cpu TBL CRC
Global CFE TBL TblRegPacket Payload::Critical
   $sc $cpu TBL Spare3
Global CFE TBL TblRegPacket Payload::DoubleBuffered
   $sc $cpu TBL DblBuffered
Global CFE TBL TblRegPacket Payload::DumpOnly
   $sc_$cpu_TBL_DumpOnly
Global CFE TBL TblRegPacket Payload::FileCreateTimeSecs
   $sc_$cpu_TBL_FILECSECONDS
Global CFE TBL TblRegPacket Payload::FileCreateTimeSubSecs
   $sc_$cpu_TBL_FILECSUBSECONDS
Global CFE_TBL_TblRegPacket Payload::InactiveBufferAddr
   $sc_$cpu_TBL_IActBufAdd
Global CFE TBL TblRegPacket Payload::LastFileLoaded [CFE MISSION MAX PATH LEN]
   $sc $cpu TBL LastFileUpd[OS MAX PATH LEN]
Global CFE_TBL_TblRegPacket_Payload::LoadPending
   $sc $cpu TBL UpdatePndng
Global CFE_TBL_TblRegPacket_Payload::Name [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
   $sc $cpu TBL Name[CFE TB MAX FULL NAME LEN]
Global CFE TBL TblRegPacket Payload::OwnerAppName [CFE MISSION MAX API LEN]
   $sc $cpu TBL OwnerApp[OS MAX API NAME]
Global CFE_TBL_TblRegPacket_Payload::Size
   $sc $cpu TBL SIZE
Global CFE TBL TblRegPacket Payload::TableLoadedOnce
   $sc_$cpu_TBL_LoadedOnce
Global CFE TBL TblRegPacket Payload::TimeOfLastUpdate
   $sc_$cpu_TBL_TimeLastUpd, $sc_$cpu_TBL_TLUSECONDS, $sc_$cpu_TBL_TLUSUBSECONDS
Global CFE TBL TblRegPacket Payload::ValidationFuncPtr
   $sc_$cpu_TBL_ValFuncPtr
Global CFE TIME DiagnosticTlm Payload::AtToneDelay
   $sc_$cpu_TIME_DLatentS, $sc_$cpu_TIME_DLatentSs
Global CFE_TIME_DiagnosticTIm_Payload::AtToneLatch
   $sc_$cpu_TIME_DTValidS, $sc_$cpu_TIME_DTValidSs
Global CFE_TIME_DiagnosticTIm_Payload::AtToneLeapSeconds
   $sc_$cpu_TIME_DLeapS
Global CFE_TIME_DiagnosticTIm_Payload::AtToneMET
   $sc $cpu TIME DTMETS, $sc $cpu TIME DTMETSs
```

```
Global CFE_TIME_DiagnosticTIm_Payload::AtToneSTCF
   $sc $cpu TIME DSTCFS, $sc $cpu TIME DSTCFSS
Global CFE TIME DiagnosticTlm Payload::ClockFlyState
   $sc $cpu TIME DFlywheel
Global CFE_TIME_DiagnosticTIm_Payload::ClockSetState
   $sc $cpu TIME DValid
Global CFE TIME DiagnosticTlm Payload::ClockSignal
   $sc $cpu TIME DSignal
Global CFE_TIME_DiagnosticTIm_Payload::ClockSource
   $sc $cpu TIME DSource
Global CFE TIME DiagnosticTlm Payload::ClockStateAPI
   $sc $cpu TIME DAPIState
Global CFE TIME DiagnosticTlm Payload::ClockStateFlags
   $sc $cpu TIME DStateFlags, $sc $cpu TIME DFlagSet, $sc $cpu TIME DFlagFly, $sc $cpu TIME DFlagSrc,
   $sc_$cpu_TIME_DFlagPri, $sc_$cpu_TIME_DFlagSfly, $sc_$cpu_TIME_DFlagCfly, $sc_$cpu_TIME_DFlagAdjd,
   $sc $cpu TIME DFlag1Hzd, $sc $cpu TIME DFlagClat, $sc $cpu TIME DFlagSorC, $sc $cpu TIME DFlag↔
   NIU
Global CFE_TIME_DiagnosticTIm_Payload::CurrentLatch
   $sc $cpu TIME DLocalS, $sc $cpu TIME DLocalSs
Global CFE_TIME_DiagnosticTIm_Payload::CurrentMET
   $sc_$cpu_TIME_DMETS, $sc_$cpu_TIME_DMETSs
Global CFE_TIME_DiagnosticTIm_Payload::CurrentTAI
   $sc $cpu TIME DTAIS, $sc $cpu TIME DTAISS
Global CFE_TIME_DiagnosticTIm_Payload::CurrentUTC
   $sc_$cpu_TIME_DUTCS, $sc_$cpu_TIME_DUTCSS
Global CFE_TIME_DiagnosticTIm_Payload::DataStoreStatus
   $sc $cpu TIME DataStStat
Global CFE_TIME_DiagnosticTIm_Payload::DelayDirection
   $sc_$cpu_TIME_DLatentDir
Global CFE TIME DiagnosticTlm Payload::Forced2Fly
   $sc_$cpu_TIME_DCMD2Fly
Global CFE_TIME_DiagnosticTIm_Payload::LocalIntCounter
   $sc_$cpu_TIME_D1HzISRCNT
Global CFE_TIME_DiagnosticTIm_Payload::LocalTaskCounter
   $sc $cpu TIME D1HzTaskCNT
Global CFE TIME DiagnosticTlm Payload::MaxElapsed
   $sc_$cpu_TIME_DMaxWindow
Global CFE TIME DiagnosticTlm Payload::MaxLocalClock
   $sc $cpu TIME DWrapS, $sc $cpu TIME DWrapSs
Global CFE_TIME_DiagnosticTIm_Payload::MinElapsed
   $sc $cpu TIME DMinWindow
```

```
Global CFE TIME DiagnosticTIm Payload::OneHzAdjust
   $sc $cpu TIME D1HzAdjS, $sc $cpu TIME D1HzAdjSs
Global CFE TIME DiagnosticTIm Payload::OneHzDirection
   $sc_$cpu_TIME_D1HzAdjDir
Global CFE TIME DiagnosticTlm Payload::OneTimeAdjust
   $sc_$cpu_TIME_DAdjustS, $sc_$cpu_TIME_DAdjustSs
Global CFE TIME DiagnosticTlm Payload::OneTimeDirection
   $sc_$cpu_TIME_DAdjustDir
Global CFE TIME DiagnosticTlm Payload::ServerFlyState
   $sc $cpu TIME DSrvFly
Global CFE TIME DiagnosticTlm Payload::TimeSinceTone
   $sc_$cpu_TIME_DElapsedS, $sc_$cpu_TIME_DElapsedSs
Global CFE_TIME_DiagnosticTIm_Payload::ToneDataCounter
   $sc $cpu TIME DTatTCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneDataLatch
   $sc $cpu TIME DTDS, $sc $cpu TIME DTDSs
Global CFE_TIME_DiagnosticTIm_Payload::ToneIntCounter
   $sc $cpu TIME DTsISRCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneIntErrorCounter
   $sc $cpu TIME DTsISRERR
Global CFE_TIME_DiagnosticTIm_Payload::ToneMatchCounter
   $sc_$cpu_TIME_DVerifyCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneMatchErrorCounter
   $sc $cpu TIME DVerifyER
Global CFE_TIME_DiagnosticTIm_Payload::ToneOverLimit
   $sc_$cpu_TIME_DMaxSs
Global CFE_TIME_DiagnosticTIm_Payload::ToneSignalCounter
   $sc $cpu TIME DTSDetCNT
Global CFE TIME DiagnosticTIm Payload::ToneSignalLatch
   $sc_$cpu_TIME_DTTS, $sc_$cpu_TIME_DTTSs
Global CFE_TIME_DiagnosticTIm_Payload::ToneTaskCounter
   $sc $cpu TIME DTsTaskCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneUnderLimit
   $sc_$cpu_TIME_DMinSs
Global CFE_TIME_DiagnosticTIm_Payload::VersionCounter
   $sc_$cpu_TIME_DVersionCNT
Global CFE TIME DiagnosticTlm Payload::VirtualMET
   $sc $cpu TIME DLogicalMET
Global CFE_TIME_HousekeepingTIm_Payload::ClockStateAPI
   $sc $cpu TIME DAPIState
```

Global CFE_TIME_HousekeepingTIm_Payload::ClockStateFlags

\$sc_\$cpu_TIME_StateFlg, \$sc_\$cpu_TIME_FlagSet, \$sc_\$cpu_TIME_FlagFly, \$sc_\$cpu_TIME_FlagSrc, \$sc_
\$cpu_TIME_FlagPri, \$sc_\$cpu_TIME_FlagSfly, \$sc_\$cpu_TIME_FlagCfly, \$sc_\$cpu_TIME_FlagAdjd, \$sc_\$cpu
_TIME_Flag1Hzd, \$sc_\$cpu_TIME_FlagClat, \$sc_\$cpu_TIME_FlagSorC, \$sc_\$cpu_TIME_FlagNIU

Global CFE_TIME_HousekeepingTIm_Payload::CommandCounter

\$sc_\$cpu_TIME_CMDPC

Global CFE_TIME_HousekeepingTlm_Payload::CommandErrorCounter

\$sc \$cpu TIME CMDEC

Global CFE_TIME_HousekeepingTlm_Payload::LeapSeconds

\$sc_\$cpu_TIME_LeapSecs

Global CFE_TIME_HousekeepingTIm_Payload::Seconds1HzAdj

\$sc_\$cpu_TIME_1HzAdjSecs

Global CFE_TIME_HousekeepingTIm_Payload::SecondsDelay

\$sc_\$cpu_TIME_1HzAdjSecs

Global CFE_TIME_HousekeepingTIm_Payload::SecondsMET

\$sc_\$cpu_TIME_METSecs

Global CFE_TIME_HousekeepingTlm_Payload::SecondsSTCF

\$sc_\$cpu_TIME_STCFSecs

Global CFE_TIME_HousekeepingTlm_Payload::Subsecs1HzAdj

\$sc_\$cpu_TIME_1HzAdjSSecs

Global CFE_TIME_HousekeepingTIm_Payload::SubsecsDelay

\$sc_\$cpu_TIME_1HzAdjSSecs

Global CFE_TIME_HousekeepingTlm_Payload::SubsecsMET

\$sc_\$cpu_TIME_METSubsecs

Global CFE_TIME_HousekeepingTIm_Payload::SubsecsSTCF

\$sc \$cpu TIME STCFSubsecs

2 Glossary of Terms

Term	Definition
Application (or App)	A set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.
Application ID	A processor unique reference to an Application. NOTE: This is different from a CCSDS Application ID which is referred to as an "APID."
Application Programmer's Interface (API)	A set of routines, protocols, and tools for building software applications
Platform Support Package (PSP)	A collection of user-provided facilities that interface an OS and the cFE with a specific hardware platform. The PSP is responsible for hardware initialization.
Child Task	A separate thread of execution that is spawned by an Application's Main Task.
Command	A Software Bus Message defined by the receiving Application. Commands can originate from other onboard Applications or from the ground.

Term	Definition
Core Flight Executive (cFE)	A runtime environment and a set of services for hosting FSW Applications
Critical Data Store (CDS)	A collection of data that is not modified by the OS or cFE following a Processor Reset.
Cyclic Redundancy Check	A polynomial based method for checking that a data set has remained unchanged from one time period to another.
Developer	Anyone who is coding a cFE Application.
Event Data	Data describing an Event that is supplied to the cFE Event Service. The cFE includes this data in an Event Message.
Event Filter	A numeric value (bit mask) used to determine how frequently to output an application Event Message defined by its Event ID.
Event Format Mode	Defines the Event Message Format downlink option: short or long. The short format is used when there is limited telemetry bandwidth and is binary. The long format is in ASCII and is used for logging to a Local Event Log and to an Event Message Port.
Event ID	A numeric literal used to uniquely name an Application event.
Event Type	A numeric literal used to identify the type of an Application event. An event type may be CFE_EVS_EventType_DEBUG, CFE_EVS_EventType_INFORMATION, CFE_EVS_EventType_ERROR, or CFE_EVS_EventType_CRITICAL.
Event Message	A data item used to notify the user and/or an external Application of a significant event. Event Messages include a time-stamp of when the message was generated, a processor unique identifier, an Application ID, the Event Type (DEBUG,INFO,ERROR or CRITICAL), and Event Data. An Event Message can either be real-time or playback from a Local Event Log.

3 cFE Application Programmer's Interface (API) Reference

3.1 Executive Services API

- cFE Entry/Exit APIs
 - CFE_ES_Main cFE Main Entry Point used by Board Support Package to start cFE
 - CFE ES ResetCFE Reset the cFE Core and all cFE Applications.
- cFE Application Control APIs
 - CFE_ES_RestartApp Restart a single cFE Application.
 - CFE_ES_ReloadApp Reload a single cFE Application.
 - CFE_ES_DeleteApp Delete a cFE Application.
- cFE Application Behavior APIs
 - CFE_ES_RunLoop Check for Exit, Restart, or Reload commands.
 - CFE_ES_WaitForStartupSync Allow an Application to Wait for the "OPERATIONAL" global system state.
 - CFE_ES_WaitForSystemState Allow an Application to Wait for a minimum global system state.
 - CFE_ES_IncrementTaskCounter Increments the execution counter for the calling task.
 - CFE_ES_ExitApp Exit a cFE Application.
- cFE Information APIs

- CFE_ES_GetResetType Return the most recent Reset Type.
- CFE_ES_GetAppID Get an Application ID for the calling Application.
- CFE_ES_GetTaskID Get the task ID of the calling context.
- CFE_ES_GetAppIDByName Get an Application ID associated with a specified Application name.
- CFE_ES_GetLibIDByName Get a Library ID associated with a specified Library name.
- CFE_ES_GetAppName Get an Application name for a specified Application ID.
- CFE_ES_GetLibName Get a Library name for a specified Library ID.
- CFE_ES_GetAppInfo Get Application Information given a specified App ID.
- CFE_ES_GetTaskInfo Get Task Information given a specified Task ID.
- CFE_ES_GetLibInfo Get Library Information given a specified Resource ID.
- CFE_ES_GetModuleInfo Get Information given a specified Resource ID.

· cFE Child Task APIs

- CFE_ES_CreateChildTask Creates a new task under an existing Application.
- CFE_ES_GetTaskIDByName Get a Task ID associated with a specified Task name.
- CFE_ES_GetTaskName Get a Task name for a specified Task ID.
- CFE ES DeleteChildTask Deletes a task under an existing Application.
- CFE ES ExitChildTask Exits a child task.

cFE Critical Data Store APIs

- CFE_ES_RegisterCDS Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)
- CFE ES GetCDSBlockIDByName Get a CDS Block ID associated with a specified CDS Block name.
- CFE ES GetCDSBlockName Get a Block name for a specified Block ID.
- CFE ES CopyToCDS Save a block of data in the Critical Data Store (CDS)
- CFE ES RestoreFromCDS Recover a block of data from the Critical Data Store (CDS)

· cFE Memory Manager APIs

- CFE_ES_PoolCreate Initializes a memory pool created by an application while using a semaphore during processing.
- CFE_ES_PoolCreateEx Initializes a memory pool created by an application with application specified block sizes.
- CFE_ES_PoolCreateNoSem Initializes a memory pool created by an application without using a semaphore during processing.
- CFE ES PoolDelete Deletes a memory pool that was previously created.
- CFE_ES_GetPoolBuf Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE ES PoolCreateNoSem.
- CFE_ES_PutPoolBuf Releases a buffer from the memory pool that was previously allocated via CFE ES GetPoolBuf.
- CFE ES GetMemPoolStats Extracts the statistics maintained by the memory pool software.
- CFE ES GetPoolBufInfo Gets info on a buffer previously allocated via CFE ES GetPoolBuf.

• cFE Performance Monitor APIs

- CFE ES PerfLogEntry Entry marker for use with Software Performance Analysis Tool.
- CFE ES PerfLogExit Exit marker for use with Software Performance Analysis Tool.

3.2 Events Services API 91

- CFE_ES_PerfLogAdd Adds a new entry to the data buffer.
- · cFE Generic Counter APIs
 - CFE_ES_RegisterGenCounter Register a generic counter.
 - CFE ES DeleteGenCounter Delete a generic counter.
 - CFE_ES_IncrementGenCounter Increments the specified generic counter.
 - CFE_ES_SetGenCount Set the specified generic counter.
 - CFE ES GetGenCount Get the specified generic counter count.
 - CFE ES GetGenCounterIDByName Get the Id associated with a generic counter name.
 - CFE_ES_GetGenCounterName Get a Counter name for a specified Counter ID.
- · cFE Miscellaneous APIs
 - CFE_ES_BackgroundWakeup Wakes up the CFE background task.
 - CFE_ES_CalculateCRC Calculate a CRC on a block of memory.
 - CFE ES WriteToSysLog Write a string to the cFE System Log.
 - CFE_ES_ProcessAsyncEvent Notification that an asynchronous event was detected by the underlying OS/PSP.
 - CFE_ES_StatusToString Convert status to a string.
- · cFE Resource ID APIs
 - CFE_ES_AppID_ToIndex Obtain an index value correlating to an ES Application ID.
 - CFE ES LibID Tolndex Obtain an index value correlating to an ES Library ID.
 - CFE_ES_TaskID_ToIndex Obtain an index value correlating to an ES Task ID.
 - CFE_ES_CounterID_ToIndex Obtain an index value correlating to an ES Counter ID.

3.2 Events Services API

- cFE Registration APIs
 - CFE_EVS_Register Register an application for receiving event services.
- cFE Send Event APIs
 - CFE EVS SendEvent Generate a software event.
 - CFE_EVS_SendEventWithAppID Generate a software event given the specified Application ID.
 - CFE_EVS_SendTimedEvent Generate a software event with a specific time tag.
- cFE Reset Event Filter APIs
 - CFE EVS ResetFilter Resets the calling application's event filter for a single event ID.
 - CFE EVS ResetAllFilters Resets all of the calling application's event filters.

3.3 File Services API

- · cFE File Header Management APIs
 - CFE FS ReadHeader Read the contents of the Standard cFE File Header.
 - CFE FS InitHeader Initializes the contents of the Standard cFE File Header.
 - CFE_FS_WriteHeader Write the specified Standard cFE File Header to the specified file.
 - CFE_FS_SetTimestamp Modifies the Time Stamp field in the Standard cFE File Header for the specified file.
- · cFE File Utility APIs
 - CFE FS GetDefaultMountPoint Get the default virtual mount point for a file category.
 - CFE_FS_GetDefaultExtension Get the default filename extension for a file category.
 - CFE FS ParseInputFileNameEx Parse a filename input from an input buffer into a local buffer.
 - CFE FS ParseInputFileName Parse a filename string from the user into a local buffer.
 - CFE_FS_ExtractFilenameFromPath Extracts the filename from a unix style path and filename string.
 - CFE_FS_BackgroundFileDumpRequest Register a background file dump request.
 - CFE FS BackgroundFileDumplsPending Query if a background file write request is currently pending.

3.4 Message API

- cFE Generic Message APIs
 - CFE MSG Init Initialize a message.
- · cFE Message Primary Header APIs
 - CFE MSG GetSize Gets the total size of a message.
 - CFE MSG SetSize Sets the total size of a message.
 - CFE MSG GetType Gets the message type.
 - CFE_MSG_SetType Sets the message type.
 - CFE MSG GetHeaderVersion Gets the message header version.
 - CFE MSG SetHeaderVersion Sets the message header version.
 - CFE MSG GetHasSecondaryHeader Gets the message secondary header boolean.
 - CFE_MSG_SetHasSecondaryHeader Sets the message secondary header boolean.
 - CFE_MSG_GetApId Gets the message application ID.
 - CFE_MSG_SetApId Sets the message application ID.
 - CFE_MSG_GetSegmentationFlag Gets the message segmentation flag.
 - CFE_MSG_SetSegmentationFlag Sets the message segmentation flag.
 - CFE MSG GetSequenceCount Gets the message sequence count.
 - CFE_MSG_SetSequenceCount Sets the message sequence count.
 - CFE_MSG_GetNextSequenceCount Gets the next sequence count value (rolls over if appropriate)
- · cFE Message Extended Header APIs
 - CFE MSG GetEDSVersion Gets the message EDS version.
 - CFE_MSG_SetEDSVersion Sets the message EDS version.
 - CFE MSG GetEndian Gets the message endian.

3.5 Resource ID API 93

- CFE_MSG_SetEndian Sets the message endian.
- CFE_MSG_GetPlaybackFlag Gets the message playback flag.
- CFE_MSG_SetPlaybackFlag Sets the message playback flag.
- CFE MSG GetSubsystem Gets the message subsystem.
- CFE_MSG_SetSubsystem Sets the message subsystem.
- CFE MSG GetSystem Gets the message system.
- CFE MSG SetSystem Sets the message system.
- · cFE Message Secondary Header APIs
 - CFE MSG GenerateChecksum Calculates and sets the checksum of a message.
 - CFE_MSG_ValidateChecksum Validates the checksum of a message.
 - CFE_MSG_SetFcnCode Sets the function code field in a message.
 - CFE_MSG_GetFcnCode Gets the function code field from a message.
 - CFE MSG GetMsgTime Gets the time field from a message.
 - CFE MSG SetMsgTime Sets the time field in a message.
- cFE Message Id APIs
 - CFE_MSG_GetMsgld Gets the message id from a message.
 - CFE MSG SetMsgld Sets the message id bits in a message.
 - CFE MSG GetTypeFromMsgld Gets message type using message ID.

3.5 Resource ID API

- · cFE Resource Misc APIs
 - CFE Resourceld ToInteger Convert a resource ID to an integer.
 - CFE Resourceld FromInteger Convert an integer to a resource ID.
 - CFE Resourceld Equal Compare two Resource ID values for equality.
 - CFE ResourceId IsDefined Check if a resource ID value is defined.
 - CFE Resourceld GetBase Get the Base value (type/category) from a resource ID value.
 - CFE_ResourceId_GetSerial Get the Serial Number (sequential ID) from a resource ID value.
 - CFE_ResourceId_FindNext Locate the next resource ID which does not map to an in-use table entry.
 - CFE_ResourceId_ToIndex Internal routine to aid in converting an ES resource ID to an array index.

3.6 Software Bus Services API

- cFE Pipe Management APIs
 - CFE SB CreatePipe Creates a new software bus pipe.
 - CFE SB DeletePipe Delete a software bus pipe.
 - CFE SB Pipeld Tolndex Obtain an index value correlating to an SB Pipe ID.
 - CFE_SB_SetPipeOpts Set options on a pipe.
 - CFE_SB_GetPipeOpts Get options on a pipe.
 - CFE_SB_GetPipeName Get the pipe name for a given id.
 - CFE_SB_GetPipeIdByName Get pipe id by pipe name.
- cFE Message Subscription Control APIs

- CFE_SB_Subscribe Subscribe to a message on the software bus with default parameters.
- CFE_SB_SubscribeEx Subscribe to a message on the software bus.
- CFE_SB_SubscribeLocal Subscribe to a message while keeping the request local to a cpu.
- CFE SB Unsubscribe Remove a subscription to a message on the software bus.
- CFE_SB_UnsubscribeLocal Remove a subscription to a message on the software bus on the current CPU.

• cFE Send/Receive Message APIs

- CFE_SB_TransmitMsg Transmit a message.
- CFE SB ReceiveBuffer Receive a message from a software bus pipe.

cFE Zero Copy APIs

- CFE_SB_AllocateMessageBuffer Get a buffer pointer to use for "zero copy" SB sends.
- CFE SB ReleaseMessageBuffer Release an unused "zero copy" buffer pointer.
- CFE SB_TransmitBuffer Transmit a buffer.

· cFE Message Characteristics APIs

- CFE SB SetUserDataLength Sets the length of user data in a software bus message.
- CFE SB TimeStampMsg Sets the time field in a software bus message with the current spacecraft time.
- CFE_SB_MessageStringSet Copies a string into a software bus message.
- CFE_SB_GetUserData Get a pointer to the user data portion of a software bus message.
- CFE_SB_GetUserDataLength Gets the length of user data in a software bus message.
- CFE_SB_MessageStringGet Copies a string out of a software bus message.

· cFE Message ID APIs

- CFE_SB_IsValidMsgld Identifies whether a given CFE_SB_Msgld_t is valid.
- CFE SB Msgld Equal Identifies whether two CFE SB Msgld t values are equal.
- CFE_SB_MsgldToValue Converts a CFE_SB_Msgld_t to a normal integer.
- CFE_SB_ValueToMsgld Converts a normal integer into a CFE_SB_Msgld_t.

3.7 Table Services API

cFE Registration APIs

- CFE TBL Register Register a table with cFE to obtain Table Management Services.
- CFE_TBL_Share Obtain handle of table registered by another application.
- CFE_TBL_Unregister Unregister a table.

· cFE Manage Table Content APIs

- CFE_TBL_Load Load a specified table with data from specified source.
- CFE TBL Update Update contents of a specified table, if an update is pending.
- CFE TBL Validate Perform steps to validate the contents of a table image.
- CFE_TBL_Manage Perform standard operations to maintain a table.
- CFE_TBL_DumpToBuffer Copies the contents of a Dump Only Table to a shared buffer.
- CFE_TBL_Modified Notify cFE Table Services that table contents have been modified by the Application.

cFE Access Table Content APIs

3.8 Time Services API 95

- CFE_TBL_GetAddress Obtain the current address of the contents of the specified table.
- CFE_TBL_GetAddresses Obtain the current addresses of an array of specified tables.
- CFE_TBL_ReleaseAddress Release previously obtained pointer to the contents of the specified table.
- CFE TBL ReleaseAddresses Release the addresses of an array of specified tables.

cFE Get Table Information APIs

- CFE TBL GetStatus Obtain current status of pending actions for a table.
- CFE TBL GetInfo Obtain characteristics/information of/about a specified table.
- CFE_TBL_NotifyByMessage Instruct cFE Table Services to notify Application via message when table requires management.

3.8 Time Services API

- cFE Get Current Time APIs
 - CFE_TIME_GetTime Get the current spacecraft time.
 - CFE_TIME_GetTAI Get the current TAI (MET + SCTF) time.
 - CFE_TIME_GetUTC Get the current UTC (MET + SCTF Leap Seconds) time.
 - CFE_TIME_GetMET Get the current value of the Mission Elapsed Time (MET).
 - CFE_TIME_GetMETseconds Get the current seconds count of the mission-elapsed time.
 - CFE_TIME_GetMETsubsecs Get the current sub-seconds count of the mission-elapsed time.
- · cFE Get Time Information APIs
 - CFE TIME GetSTCF Get the current value of the spacecraft time correction factor (STCF).
 - CFE_TIME_GetLeapSeconds Get the current value of the leap seconds counter.
 - CFE_TIME_GetClockState Get the current state of the spacecraft clock.
 - CFE_TIME_GetClockInfo Provides information about the spacecraft clock.
- cFE Time Arithmetic APIs
 - CFE TIME Add Adds two time values.
 - CFE_TIME_Subtract Subtracts two time values.
 - CFE_TIME_Compare Compares two time values.
- · cFE Time Conversion APIs
 - CFE TIME MET2SCTime Convert specified MET into Spacecraft Time.
 - CFE TIME Sub2MicroSecs Converts a sub-seconds count to an equivalent number of microseconds.
 - CFE_TIME_Micro2SubSecs Converts a number of microseconds to an equivalent sub-seconds count.
- · cFE External Time Source APIs
 - CFE_TIME_ExternalTone Provides the 1 Hz signal from an external source.
 - CFE TIME ExternalMET Provides the Mission Elapsed Time from an external source.
 - CFE_TIME_ExternalGPS Provide the time from an external source that has data common to GPS receivers.
 - CFE_TIME_ExternalTime Provide the time from an external source that measures time relative to a known epoch.
 - CFE_TIME_RegisterSynchCallback Registers a callback function that is called whenever time synchronization occurs.

- CFE_TIME_UnregisterSynchCallback Unregisters a callback function that is called whenever time synchronization occurs.
- cFE Miscellaneous Time APIs
 - CFE TIME Print Print a time value as a string.
 - CFE_TIME_Local1HzISR This function is called via a timer callback set up at initialization of the TIME service.

4 Osal API Documentation

- · General Information and Concepts
 - OSAL Introduction
- · Core
 - OSAL Return Code Defines
 - OSAL Object Type Defines
 - APIs
 - * OSAL Core Operation APIs
 - * OSAL Object ID Utility APIs
 - * OSAL Task APIs
 - * OSAL Message Queue APIs
 - * OSAL Heap APIs
 - * OSAL Error Info APIs
 - * OSAL Select APIs
 - * OSAL Printf APIs
 - * OSAL BSP low level access APIs
 - * OSAL Real Time Clock APIs
 - * OSAL Shell APIs
 - Common Reference
 - Return Code Reference
 - Id Map Reference
 - Clock Reference
 - Task Reference
 - Message Queue Reference
 - Heap Reference
 - Select Reference
 - Printf Reference
 - BSP Reference
 - Shell Reference
- · File System
 - File System Overview
 - File Descriptors In Osal
 - OSAL File Access Option Defines
 - OSAL Reference Point For Seek Offset Defines

4.1 OSAL Introduction 97

- APIs
 - * OSAL Standard File APIs
 - * OSAL Directory APIs
 - * OSAL File System Level APIs
- File System Reference
- File Reference
- Directory Reference
- · Object File Loader
 - APIs
 - * OSAL Dynamic Loader and Symbol APIs
 - File Loader Reference
- · Network
 - APIs
 - * OSAL Network ID APIs
 - * OSAL Socket Address APIs
 - * OSAL Socket Management APIs
 - Network Reference
 - Socket Reference
- Timer
 - Timer Overview
 - APIs
 - * OSAL Time Base APIs
 - * OSAL Timer APIs
 - Timer Reference
 - Time Base Reference
- · Semaphore and Mutex
 - OSAL Semaphore State Defines
 - APIs
 - * OSAL Binary Semaphore APIs
 - * OSAL Counting Semaphore APIs
 - * OSAL Mutex APIs
 - Binary Semaphore Reference
 - Counting Semaphore Reference
 - Mutex Reference

4.1 OSAL Introduction

The goal of this library is to promote the creation of portable and reusable real time embedded system software. Given the necessary OS abstraction layer implementations, the same embedded software should compile and run on a number of platforms ranging from spacecraft computer systems to desktop PCs.

The OS Application Program Interfaces (APIs) are broken up into core, file system, loader, network, and timer APIs. See the related document sections for full descriptions.

Note

The majority of these APIs should be called from a task running in the context of an OSAL application and in general should not be called from an ISR. There are a few exceptions, such as the ability to give a binary semaphore from an ISR.

4.2 File System Overview

The File System API is a thin wrapper around a selection of POSIX file APIs. In addition the File System API presents a common directory structure and volume view regardless of the underlying system type. For example, vxWorks uses MS-DOS style volume names and directories where a vxWorks RAM disk might have the volume "RAM:0". With this File System API, volumes are represented as Unix-style paths where each volume is mounted on the root file system:

- RAM:0/file1.dat becomes /mnt/ram/file1.dat
- FL:0/file2.dat becomes /mnt/fl/file2.dat

This abstraction allows the applications to use the same paths regardless of the implementation and it also allows file systems to be simulated on a desktop system for testing. On a desktop Linux system, the file system abstraction can be set up to map virtual devices to a regular directory. This is accomplished through the OS_mkfs call, OS_mount call, and a BSP specific volume table that maps the virtual devices to real devices or underlying file systems.

In order to make this file system volume abstraction work, a "Volume Table" needs to be provided in the Board Support Package of the application. The table has the following fields:

- Device Name: This is the name of the virtual device that the Application uses. Common names are "ramdisk1", "flash1", or "volatile1" etc. But the name can be any unique string.
- Physical Device Name: This is an implementation specific field. For vxWorks it is not needed and can be left blank. For a File system based implementation, it is the "mount point" on the root file system where all of the volume will be mounted. A common place for this on Linux could be a user's home directory, "/tmp", or even the current working directory ".". In the example of "/tmp" all of the directories created for the volumes would be under "/tmp" on the Linux file system. For a real disk device in Linux, such as a RAM disk, this field is the device name "/dev/ram0".
- Volume Type: This field defines the type of volume. The types are: FS_BASED which uses the existing file system,
 RAM_DISK which uses a RAM_DISK device in vxWorks, RTEMS, or Linux, FLASH_DISK_FORMAT which uses
 a flash disk that is to be formatted before use, FLASH_DISK_INIT which uses a flash disk with an existing format
 that is just to be initialized before it's use, EEPROM which is for an EEPROM or PROM based system.
- Volatile Flag: This flag indicates that the volume or disk is a volatile disk (RAM disk) or a non-volatile disk, that retains its contents when the system is rebooted. This should be set to TRUE or FALSE.
- Free Flag: This is an internal flag that should be set to FALSE or zero.
- Is Mounted Flag: This is an internal flag that should be set to FALSE or zero. Note that a "pre-mounted" FS_B

 ASED path can be set up by setting this flag to one.
- · Volume Name: This is an internal field and should be set to a space character " ".
- Mount Point Field: This is an internal field and should be set to a space character " ".
- · Block Size Field: This is used to record the block size of the device and does not need to be set by the user.

4.3 File Descriptors In Osal

The OSAL uses abstracted file descriptors. This means that the file descriptors passed back from the OS_open and OS_creat calls will only work with other OSAL OS_* calls. The reasoning for this is as follows:

Because the OSAL now keeps track of all file descriptors, OSAL specific information can be associated with a specific file descriptor in an OS independent way. For instance, the path of the file that the file descriptor points to can be easily retrieved. Also, the OSAL task ID of the task that opened the file can also be retrieved easily. Both of these pieces of information are very useful when trying to determine statistics for a task, or the entire system. This information can all be retrieved with a single API, OS_FDGetInfo.

All of the possible file system calls are not implemented. "Special" files requiring OS specific control/operations are by nature not portable. Abstraction in this case is not possible, so the raw OS calls should be used (including

4.4 Timer Overview 99

open/close/etc). Mixing with OSAL calls is not supported for such cases. OS_TranslatePath is available to support using open directly by an app and maintain abstraction on the file system.

There are some small drawbacks with the OSAL file descriptors. Because the related information is kept in a table, there is a define called OS_MAX_NUM_OPEN_FILES that defines the maximum number of file descriptors available. This is a configuration parameter, and can be changed to fit your needs.

Also, if you open or create a file not using the OSAL calls (OS_open or OS_creat) then none of the other OS_* calls that accept a file descriptor as a parameter will work (the results of doing so are undefined). Therefore, if you open a file with the underlying OS's open call, you must continue to use the OS's calls until you close the file descriptor. Be aware that by doing this your software may no longer be OS agnostic.

4.4 Timer Overview

The timer API is a generic interface to the OS timer facilities. It is implemented using the POSIX timers on Linux and vxWorks and the native timer API on RTEMS. The number of timers supported is controlled by the configuration parameter OS_MAX_TIMERS.

5 cFE Mission Configuration Parameters

Global CFE MISSION ES HK TLM MSG

cFE Portable Message Numbers for Telemetry

Global CFE_MISSION_EVS_CMD_MSG

cFE Portable Message Numbers for Commands

Global CFE MISSION MAX API LEN

cFE Maximum length for API names within data exchange structures

Global CFE MISSION MAX FILE LEN

cFE Maximum length for filenames within data exchange structures

Global CFE_MISSION_MAX_PATH_LEN

cFE Maximum length for pathnames within data exchange structures

Global CFE MISSION TIME DATA CMD MSG

cFE Portable Message Numbers for Global Messages

6 Module Index

6.1 Modules

Here is a list of all modules:

cFE Return Code Defines	113
cFE Resource ID APIs	135
cFE Entry/Exit APIs	138
cFE Application Control APIs	140
cFE Application Behavior APIs	143
cFE Information APIs	147
cFE Child Task APIs	156

cFE Miscellaneous APIs	160
cFE Critical Data Store APIs	163
cFE Memory Manager APIs	168
cFE Performance Monitor APIs	175
cFE Generic Counter APIs	177
cFE Registration APIs	183
cFE Send Event APIs	185
cFE Reset Event Filter APIs	189
cFE File Header Management APIs	191
cFE File Utility APIs	195
cFE Generic Message APIs	200
cFE Message Primary Header APIs	201
cFE Message Extended Header APIs	210
cFE Message Secondary Header APIs	216
cFE Message Id APIs	221
cFE Pipe Management APIs	223
cFE Message Subscription Control APIs	228
cFE Send/Receive Message APIs	233
cFE Zero Copy APIs	235
cFE Message Characteristics APIs	238
cFE Message ID APIs	242
cFE SB Pipe options	244
cFE Registration APIs	245
cFE Manage Table Content APIs	250
cFE Access Table Content APIs	256
cFE Get Table Information APIs	26 1
cFE Table Type Defines	26 4
cFE Get Current Time APIs	266
cFE Get Time Information APIs	269
cFE Time Arithmetic APIs	272

6.1 Modules 101

cFE Time Conversion APIs	275
cFE External Time Source APIs	277
cFE Miscellaneous Time APIs	282
cFE Resource ID base values	285
cFE Clock State Flag Defines	287
OSAL Semaphore State Defines	289
OSAL Binary Semaphore APIs	290
OSAL BSP low level access APIs	295
OSAL Real Time Clock APIs	296
OSAL Core Operation APIs	307
OSAL Condition Variable APIs	310
OSAL Counting Semaphore APIs	316
OSAL Directory APIs	321
OSAL Return Code Defines	325
OSAL Error Info APIs	332
OSAL File Access Option Defines	334
OSAL Reference Point For Seek Offset Defines	335
OSAL Standard File APIs	336
OSAL File System Level APIs	347
OSAL Heap APIs	355
OSAL Object Type Defines	356
OSAL Object ID Utility APIs	359
OSAL Dynamic Loader and Symbol APIs	364
OSAL Mutex APIs	368
OSAL Network ID APIs	372
OSAL Printf APIs	374
OSAL Message Queue APIs	375
OSAL Select APIs	379
OSAL Shell APIs	383
OSAL Socket Address APIs	384

OSAL Socket Management APIs	388
OSAL Task APIs	396
OSAL Time Base APIs	402
OSAL Timer APIs	407
7 Data Structure Index	
7.1 Data Structures	
Here are the data structures with brief descriptions:	
CCSDS_ExtendedHeader CCSDS packet extended header	413
CCSDS_PrimaryHeader CCSDS packet primary header	413
CFE_ES_AppInfo Application Information	414
CFE_ES_AppNameCmd Generic application name command	418
CFE_ES_AppNameCmd_Payload Generic application name command payload	419
CFE_ES_AppReloadCmd_Payload Reload Application Command Payload	419
CFE_ES_BlockStats Block statistics	420
CFE_ES_CDSRegDumpRec CDS Register Dump Record	421
CFE_ES_DeleteCDSCmd Delete Critical Data Store Command	422
CFE_ES_DeleteCDSCmd_Payload Delete Critical Data Store Command Payload	422
CFE_ES_DumpCDSRegistryCmd Dump CDS Registry Command	423
CFE_ES_DumpCDSRegistryCmd_Payload Dump CDS Registry Command Payload	423
CFE_ES_FileNameCmd Generic file name command	424
CFE_ES_FileNameCmd_Payload Generic file name command payload	424

CFE_ES_HousekeepingTlm	425
CFE_ES_HousekeepingTIm_Payload	426
CFE_ES_MemPoolStats Memory Pool Statistics	434
CFE_ES_MemStatsTlm	435
CFE_ES_NoArgsCmd Generic "no arguments" command	435
CFE_ES_OneAppTIm	436
CFE_ES_OneAppTIm_Payload	437
CFE_ES_OverWriteSysLogCmd Overwrite/Discard System Log Configuration Command Payload	437
CFE_ES_OverWriteSysLogCmd_Payload Overwrite/Discard System Log Configuration Command Payload	438
CFE_ES_PoolAlign Pool Alignment	438
CFE_ES_PoolStatsTIm_Payload	439
CFE_ES_ReloadAppCmd Reload Application Command	440
CFE_ES_RestartCmd Restart cFE Command	440
CFE_ES_RestartCmd_Payload Restart cFE Command Payload	441
CFE_ES_SendMemPoolStatsCmd Send Memory Pool Statistics Command	441
CFE_ES_SendMemPoolStatsCmd_Payload Send Memory Pool Statistics Command Payload	442
CFE_ES_SetMaxPRCountCmd Set Maximum Processor Reset Count Command	443
CFE_ES_SetMaxPRCountCmd_Payload Set Maximum Processor Reset Count Command Payload	443
CFE_ES_SetPerfFilterMaskCmd Set Performance Analyzer Filter Mask Command	444
CFE_ES_SetPerfFilterMaskCmd_Payload Set Performance Analyzer Filter Mask Command Payload	444
CFE_ES_SetPerfTriggerMaskCmd Set Performance Analyzer Trigger Mask Command	445

CFE_ES_SetPerfTrigMaskCmd_Payload Set Performance Analyzer Trigger Mask Command Payload	446
CFE_ES_StartApp	
Start Application Command	446
CFE_ES_StartAppCmd_Payload	
Start Application Command Payload	447
CFE_ES_StartPerfCmd_Payload	
Start Performance Analyzer Command Payload	448
CFE ES StartPerfDataCmd	
Start Performance Analyzer Command	448
CFE_ES_StopPerfCmd_Payload	
Stop Performance Analyzer Command Payload	449
CFE ES StopPerfDataCmd	
Stop Performance Analyzer Command	450
CFE ES TaskInfo	
Task Information	450
CFE_EVS_AppDataCmd_Payload	
Write Event Services Application Information to File Command Payload	452
CFE_EVS_AppNameBitMaskCmd	
Generic App Name and Bitmask Command	452
CFE_EVS_AppNameBitMaskCmd_Payload	
Generic App Name and Bitmask Command Payload	453
CFE_EVS_AppNameCmd	
Generic App Name Command	454
CFE_EVS_AppNameCmd_Payload	
Generic App Name Command Payload	454
CFE_EVS_AppNameEventIDCmd	
Generic App Name and Event ID Command	455
CFE_EVS_AppNameEventIDCmd_Payload	
Generic App Name and Event ID Command Payload	455
CFE EVS AppNameEventIDMaskCmd	
Generic App Name, Event ID, Mask Command	456
CFE_EVS_AppNameEventIDMaskCmd_Payload	
Generic App Name, Event ID, Mask Command Payload	457
CFE_EVS_AppTImData	457
CFE EVS BinFilter	
Event message filter definition structure	458

CFE_EVS_BitMaskCmd Generic Bitmask Command	459
	400
CFE_EVS_BitMaskCmd_Payload Generic Bitmask Command Payload	460
CFE_EVS_HousekeepingTlm	460
CFE_EVS_HousekeepingTlm_Payload	461
CFE EVS LogFileCmd Payload	
Write Event Log to File Command Payload	464
CFE_EVS_LongEventTlm	464
CFE_EVS_LongEventTlm_Payload	465
CFE_EVS_NoArgsCmd	
Command with no additional arguments	466
CFE_EVS_PacketID	466
CFE_EVS_SetEventFormatCode_Payload	
Set Event Format Mode Command Payload	468
CFE_EVS_SetEventFormatModeCmd Set Event Format Mode Command	468
CFE_EVS_SetLogMode_Payload	
Set Log Mode Command Payload	469
CFE_EVS_SetLogModeCmd Set Log Mode Command	470
CFE_EVS_ShortEventTim	470
CFE_EVS_ShortEventTlm_Payload	471
CFE_EVS_WriteAppDataFileCmd Write Event Services Application Information to File Command	471
CFE EVS WriteLogDataFileCmd	
Write Event Log to File Command	472
CFE_FS_FileWriteMetaData	470
External Metadata/State object associated with background file writes	472
CFE_FS_Header Standard cFE File header structure definition	474
CFE_SB_AllSubscriptionsTlm	475
CFE_SB_AllSubscriptionsTIm_Payload	476
CFE_SB_HousekeepingTlm	477
CFE_SB_HousekeepingTIm_Payload	477

CFE_SB_Msg Software Bus generic message	481
CFE_SB_Msgld_t	
CFE_SB_Msgld_t type definition	482
CFE_SB_MsgMapFileEntry SB Map File Entry	482
CFE_SB_PipeDepthStats SB Pipe Depth Statistics	483
CFE_SB_PipeInfoEntry	
SB Pipe Information File Entry	484
CFE_SB_Qos_t Quality Of Service Type Definition	486
CFE SB RouteCmd	
Enable/Disable Route Command	486
CFE_SB_RouteCmd_Payload	
Enable/Disable Route Command Payload	487
CFE_SB_RoutingFileEntry	400
SB Routing File Entry	488
CFE_SB_SingleSubscriptionTlm	489
CFE_SB_SingleSubscriptionTlm_Payload	490
CFE_SB_StatsTIm	491
CFE_SB_StatsTIm_Payload	491
CFE_SB_SubEntries	
SB Previous Subscriptions Entry	494
CFE_SB_WriteFileInfoCmd	
Write File Info Command	495
CFE_SB_WriteFileInfoCmd_Payload	400
Write File Info Command Payload	496
CFE_TBL_AbortLoadCmd	400
Abort Load Command	496
CFE_TBL_AbortLoadCmd_Payload Abort Load Command Payload	497
CFE_TBL_ActivateCmd	
Activate Table Command	497
CFE_TBL_ActivateCmd_Payload	400
Activate Table Command Payload	498

CFE_TBL_DelCDSCmd_Payload Delete Critical Table CDS Command Payload	499
CFE_TBL_DeleteCDSCmd	
Delete Critical Table CDS Command	499
CFE_TBL_DumpCmd	500
CFE_TBL_DumpCmd_Payload	
Dump Table Command Payload	500
CFE_TBL_DumpRegistryCmd Dump Registry Command	501
CFE_TBL_DumpRegistryCmd_Payload Dump Registry Command Payload	502
CFE_TBL_File_Hdr The definition of the header fields that are included in CFE Table Data files	502
CFE_TBL_FileDef	503
CFE_TBL_HousekeepingTlm	504
CFE_TBL_HousekeepingTlm_Payload	505
CFE_TBL_Info	
Table Info	509
CFE_TBL_LoadCmd Load Table Command	511
CFE_TBL_LoadCmd_Payload	
Load Table Command Payload	511
CFE_TBL_NoArgsCmd	
Generic "no arguments" command	512
CFE_TBL_NotifyCmd	512
CFE_TBL_NotifyCmd_Payload	
Table Management Notification Command Payload	513
CFE_TBL_SendRegistryCmd	
Send Table Registry Command	514
CFE_TBL_SendRegistryCmd_Payload Send Table Registry Command Payload	514
CFE_TBL_TableRegistryTlm	515
CFE_TBL_TblRegPacket_Payload	515
CFE_TBL_ValidateCmd	
Validate Table Command	519
CFE_TBL_ValidateCmd_Payload	510
Validate Table Command Payload	519

CFE_TIME_DiagnosticTIm	520
CFE_TIME_DiagnosticTlm_Payload	521
CFE_TIME_HousekeepingTlm	529
CFE_TIME_HousekeepingTlm_Payload	529
CFE_TIME_LeapsCmd_Payload Set leap seconds command payload	532
CFE_TIME_NoArgsCmd Generic no argument command	533
CFE_TIME_OneHzAdjustmentCmd Generic seconds, subseconds adjustment command	533
CFE_TIME_OneHzAdjustmentCmd_Payload Generic seconds, subseconds command payload	534
CFE_TIME_SetLeapSecondsCmd Set leap seconds command	534
CFE_TIME_SetSignalCmd Set tone signal source command	535
CFE_TIME_SetSourceCmd Set time data source command	535
CFE_TIME_SetStateCmd Set clock state command	536
CFE_TIME_SignalCmd_Payload Set tone signal source command payload	537
CFE_TIME_SourceCmd_Payload Set time data source command payload	537
CFE_TIME_StateCmd_Payload Set clock state command payload	538
CFE_TIME_SysTime Data structure used to hold system time values	538
CFE_TIME_TimeCmd Generic seconds, microseconds argument command	539
CFE_TIME_TimeCmd_Payload Generic seconds, microseconds command payload	540
CFE_TIME_ToneDataCmd Time at tone data command	540
CFE_TIME_ToneDataCmd_Payload Time at tone data command payload	541

	_bin_sem_prop_t OSAL binary semaphore properties	542
	_condvar_prop_t OSAL condition variable properties	542
	_count_sem_prop_t OSAL counting semaphore properties	543
	_dirent_t Directory entry	544
	_FdSet An abstract structure capable of holding several OSAL IDs	544
	_file_prop_t OSAL file properties	545
_	_fsinfo_t OSAL file system info	545
	_fstat_t File system status	546
	_heap_prop_t OSAL heap properties	547
	_module_address_t OSAL module address properties	547
	_module_prop_t OSAL module properties	549
	_mut_sem_prop_t OSAL mutex properties	549
	_queue_prop_t OSAL queue properties	550
	_SockAddr_t Encapsulates a generic network address	550
	_SockAddrData_t Storage buffer for generic network address	551
	_socket_prop_t Encapsulates socket properties	552
	_static_symbol_record_t Associates a single symbol name with a memory address	553
os _.	_statvfs_t	553
	_task_prop_t OSAL task properties	554

	OS_time_t OSAL time interval structure	555
	OS_timebase_prop_t Time base properties	555
	OS_timer_prop_t Timer properties	556
8	File Index	
8.1	I File List	
He	re is a list of all files with brief descriptions:	
	build/osal_public_api/inc/osconfig.h	557
	cpu1_msgids.h	563
	cpu1_platform_cfg.h	568
	sample_mission_cfg.h	612
	sample_perfids.h	625
	cfe/modules/core_api/fsw/inc/cfe.h	628
	cfe/modules/core_api/fsw/inc/cfe_config.h	628
	cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h	631
	cfe/modules/core_api/fsw/inc/cfe_endian.h	632
	cfe/modules/core_api/fsw/inc/cfe_error.h	633
	cfe/modules/core_api/fsw/inc/cfe_es.h	641
	cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h	645
	cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h	649
	cfe/modules/core_api/fsw/inc/cfe_evs.h	657
	cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h	659
	cfe/modules/core_api/fsw/inc/cfe_evs_extern_typedefs.h	661
	cfe/modules/core_api/fsw/inc/cfe_fs.h	664
	cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h	665
	cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h	667
	cfe/modules/core_api/fsw/inc/cfe_msg.h	670
	cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h	672

8.1 File List 111

cfe/modules/core_api/fsw/inc/cfe_resourceid.h	676
cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h	681
cfe/modules/core_api/fsw/inc/cfe_sb.h	682
cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h	68 4
cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h	688
cfe/modules/core_api/fsw/inc/cfe_tbl.h	690
cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h	691
cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h	693
cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h	69 4
cfe/modules/core_api/fsw/inc/cfe_time.h	696
cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h	697
cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h	699
cfe/modules/core_api/fsw/inc/cfe_version.h	70 4
cfe/modules/es/fsw/inc/cfe_es_events.h	706
cfe/modules/es/fsw/inc/cfe_es_msg.h	731
cfe/modules/evs/fsw/inc/cfe_evs_events.h	759
cfe/modules/evs/fsw/inc/cfe_evs_msg.h	770
cfe/modules/msg/fsw/inc/ccsds_hdr.h	795
cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h	796
cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h	797
cfe/modules/sb/fsw/inc/cfe_sb_events.h	798
cfe/modules/sb/fsw/inc/cfe_sb_msg.h	817
cfe/modules/tbl/fsw/inc/cfe_tbl_events.h	830
cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h	850
cfe/modules/time/fsw/inc/cfe_time_events.h	864
cfe/modules/time/fsw/inc/cfe_time_msg.h	874
osal/src/os/inc/common_types.h	895
osal/src/os/inc/osapi-binsem.h	900
osal/src/os/inc/osapi-bsp.h	901
osal/src/os/inc/osapi-clock.h	901

osal/src/os/inc/osapi-common.h	903
osal/src/os/inc/osapi-condvar.h	905
osal/src/os/inc/osapi-constants.h	906
osal/src/os/inc/osapi-countsem.h	907
osal/src/os/inc/osapi-dir.h	907
osal/src/os/inc/osapi-error.h	908
osal/src/os/inc/osapi-file.h	911
osal/src/os/inc/osapi-filesys.h	914
osal/src/os/inc/osapi-heap.h	916
osal/src/os/inc/osapi-idmap.h	916
osal/src/os/inc/osapi-macros.h	918
osal/src/os/inc/osapi-module.h	919
osal/src/os/inc/osapi-mutex.h	921
osal/src/os/inc/osapi-network.h	921
osal/src/os/inc/osapi-printf.h	922
osal/src/os/inc/osapi-queue.h	922
osal/src/os/inc/osapi-select.h	923
osal/src/os/inc/osapi-shell.h	924
osal/src/os/inc/osapi-sockets.h	924
osal/src/os/inc/osapi-task.h	927
osal/src/os/inc/osapi-timebase.h	929
osal/src/os/inc/osapi-timer.h	930
osal/src/os/inc/osapi-version.h	931
osal/src/os/inc/osapi.h	934
psp/fsw/inc/cfe_psp.h	935
psp/fsw/inc/cfe_psp_error.h CFE PSP Error header	962

9 Module Documentation 113

9 Module Documentation

9.1 cFE Return Code Defines

Macros

#define CFE_SUCCESS ((CFE_Status_t)0)

Successful execution.

#define CFE STATUS NO COUNTER INCREMENT ((CFE Status t)0x48000001)

No Counter Increment.

#define CFE_STATUS_WRONG_MSG_LENGTH ((CFE_Status_t)0xc8000002)

Wrong Message Length.

#define CFE_STATUS_UNKNOWN_MSG_ID ((CFE_Status_t)0xc8000003)

Unknown Message ID.

#define CFE_STATUS_BAD_COMMAND_CODE ((CFE_Status_t)0xc8000004)

Bad Command Code.

#define CFE_STATUS_EXTERNAL_RESOURCE_FAIL ((CFE_Status_t)0xc8000005)

External failure.

#define CFE_STATUS_REQUEST_ALREADY_PENDING ((int32)0xc8000006)

Request already pending.

#define CFE STATUS NOT IMPLEMENTED ((CFE Status t)0xc800ffff)

Not Implemented.

#define CFE EVS UNKNOWN FILTER ((CFE Status t)0xc2000001)

Unknown Filter.

#define CFE EVS APP NOT REGISTERED ((CFE Status t)0xc2000002)

Application Not Registered.

#define CFE_EVS_APP_ILLEGAL_APP_ID ((CFE_Status_t)0xc2000003)

Illegal Application ID.

#define CFE_EVS_APP_FILTER_OVERLOAD ((CFE_Status_t)0xc2000004)

Application Filter Overload.

#define CFE_EVS_RESET_AREA_POINTER ((CFE_Status_t)0xc2000005)

Reset Area Pointer Failure.

#define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006)

Event Not Registered.

#define CFE_EVS_FILE_WRITE_ERROR ((CFE_Status_t)0xc2000007)

File Write Error.

• #define CFE_EVS_INVALID_PARAMETER ((CFE_Status_t)0xc2000008)

Invalid Pointer.

#define CFE_EVS_APP_SQUELCHED ((CFE_Status_t)0xc2000009)

Event squelched.

• #define CFE EVS NOT IMPLEMENTED ((CFE Status t)0xc200ffff)

Not Implemented.

• #define CFE ES ERR RESOURCEID NOT VALID ((CFE Status t)0xc4000001)

Resource ID is not valid.

• #define CFE ES ERR NAME NOT FOUND ((CFE Status t)0xc4000002)

Resource Name Error.

• #define CFE_ES_ERR_APP_CREATE ((CFE_Status_t)0xc4000004)

Application Create Error.

Child Task Create Error.

```
    #define CFE ES ERR SYS LOG FULL ((CFE Status t)0xc4000006)

     System Log Full.

    #define CFE ES ERR MEM BLOCK SIZE ((CFE Status t)0xc4000008)

     Memory Block Size Error.

    #define CFE ES ERR LOAD LIB ((CFE Status t)0xc4000009)

     Load Library Error.

    #define CFE ES BAD ARGUMENT ((CFE Status t)0xc400000a)

     Bad Argument.

    #define CFE ES ERR CHILD TASK REGISTER ((CFE Status t)0xc400000b)

     Child Task Register Error.

    #define CFE ES CDS ALREADY EXISTS ((CFE Status t)0x4400000d)

     CDS Already Exists.

    #define CFE ES CDS INSUFFICIENT MEMORY ((CFE Status t)0xc400000e)

     CDS Insufficient Memory.

    #define CFE ES CDS INVALID NAME ((CFE Status t)0xc400000f)

     CDS Invalid Name.

    #define CFE_ES_CDS_INVALID_SIZE ((CFE_Status_t)0xc4000010)

     CDS Invalid Size.

    #define CFE_ES_CDS_INVALID ((CFE_Status_t)0xc4000012)

     CDS Invalid.

    #define CFE_ES_CDS_ACCESS_ERROR ((CFE_Status_t)0xc4000013)

     CDS Access Error.

    #define CFE ES FILE IO ERR ((CFE Status t)0xc4000014)

     File IO Error.
#define CFE_ES_RST_ACCESS_ERR ((CFE_Status_t)0xc4000015)
     Reset Area Access Error.

    #define CFE_ES_ERR_APP_REGISTER ((CFE_Status_t)0xc4000017)

     Application Register Error.

    #define CFE_ES_ERR_CHILD_TASK_DELETE ((CFE_Status_t)0xc4000018)

     Child Task Delete Error.

    #define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((CFE_Status_t)0xc4000019)

     Child Task Delete Passed Main Task.

    #define CFE ES CDS BLOCK CRC ERR ((CFE Status t)0xc400001A)

     CDS Block CRC Error.

    #define CFE ES MUT SEM DELETE ERR ((CFE Status t)0xc400001B)

     Mutex Semaphore Delete Error.

    #define CFE ES BIN SEM DELETE ERR ((CFE Status t)0xc400001C)

     Binary Semaphore Delete Error.

    #define CFE_ES_COUNT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001D)

     Counting Semaphore Delete Error.

    #define CFE ES QUEUE DELETE ERR ((CFE Status t)0xc400001E)

     Queue Delete Error.
• #define CFE ES FILE CLOSE ERR ((CFE Status t)0xc400001F)
     File Close Error.

    #define CFE ES CDS WRONG TYPE ERR ((CFE Status t)0xc4000020)
```

#define CFE_ES_ERR_CHILD_TASK_CREATE ((CFE_Status_t)0xc4000005)

CDS Wrong Type Error. • #define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022) CDS Owner Active Error. #define CFE ES APP CLEANUP ERR ((CFE Status t)0xc4000023) Application Cleanup Error. #define CFE_ES_TIMER_DELETE_ERR ((CFE_Status_t)0xc4000024) Timer Delete Error. #define CFE ES BUFFER NOT IN POOL ((CFE Status t)0xc4000025) Buffer Not In Pool. #define CFE_ES_TASK_DELETE_ERR ((CFE_Status_t)0xc4000026) Task Delete Error. #define CFE ES OPERATION TIMED OUT ((CFE Status t)0xc4000027) Operation Timed Out. #define CFE_ES_LIB_ALREADY_LOADED ((CFE_Status_t)0x44000028) Library Already Loaded. #define CFE_ES_ERR_SYS_LOG_TRUNCATED ((CFE_Status_t)0x44000029) System Log Message Truncated. #define CFE_ES_NO_RESOURCE_IDS_AVAILABLE ((CFE_Status_t)0xc400002B) Resource ID is not available. #define CFE_ES_POOL_BLOCK_INVALID ((CFE_Status_t)0xc400002C) Invalid pool block. #define CFE_ES_ERR_DUPLICATE_NAME ((CFE_Status_t)0xc400002E) Duplicate Name Error. #define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff) Not Implemented. #define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001) Bad Argument. #define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002) Invalid Path. #define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003) Filename Too Long. #define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff) Not Implemented. #define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001) Time Out. • #define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002) No Message. #define CFE_SB_BAD_ARGUMENT ((CFE_Status_t)0xca000003) Bad Argument. #define CFE_SB_MAX_PIPES_MET ((CFE_Status_t)0xca000004) Max Pipes Met. #define CFE SB PIPE CR ERR ((CFE Status t)0xca000005) Pipe Create Error. #define CFE_SB_PIPE_RD_ERR ((CFE_Status_t)0xca000006)

Pipe Read Error.

Message Too Big.

#define CFE SB MSG TOO BIG ((CFE Status t)0xca000007)

```
    #define CFE_SB_BUF_ALOC_ERR ((CFE_Status_t)0xca000008)

     Buffer Allocation Error.

    #define CFE SB MAX MSGS MET ((CFE Status t)0xca000009)

     Max Messages Met.

    #define CFE SB MAX DESTS MET ((CFE Status t)0xca00000a)

     Max Destinations Met.

    #define CFE SB INTERNAL ERR ((CFE Status t)0xca00000c)

     Internal Error.

    #define CFE_SB_WRONG_MSG_TYPE ((CFE_Status_t)0xca00000d)

     Wrong Message Type.

    #define CFE SB BUFFER INVALID ((CFE Status t)0xca00000e)

     Buffer Invalid.

    #define CFE SB NOT IMPLEMENTED ((CFE Status t)0xca00ffff)

     Not Implemented.

    #define CFE_TBL_ERR_INVALID_HANDLE ((CFE_Status_t)0xcc000001)

     Invalid Handle.

    #define CFE TBL ERR INVALID NAME ((CFE Status t)0xcc000002)

     Invalid Name.

    #define CFE_TBL_ERR_INVALID_SIZE ((CFE_Status_t)0xcc000003)

     Invalid Size.

    #define CFE TBL INFO UPDATE PENDING ((CFE Status t)0x4c000004)

     Update Pending.
     Never Loaded.
```

- #define CFE_TBL_ERR_NEVER_LOADED ((CFE_Status_t)0xcc000005) #define CFE_TBL_ERR_REGISTRY_FULL ((CFE_Status_t)0xcc000006)
- #define CFE_TBL_WARN_DUPLICATE ((CFE_Status_t)0x4c000007) Duplicate Warning.

Registry Full.

- #define CFE_TBL_ERR_NO_ACCESS ((CFE_Status_t)0xcc000008) No Access.
- #define CFE_TBL_ERR_UNREGISTERED ((CFE_Status_t)0xcc000009) Unregistered.
- #define CFE_TBL_ERR_HANDLES_FULL ((CFE_Status_t)0xcc00000B) Handles Full.
- #define CFE TBL ERR DUPLICATE DIFF SIZE ((CFE Status t)0xcc00000C) Duplicate Table With Different Size.
- #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t)0xcc00000D) Duplicate Table And Not Owned.
- #define CFE TBL INFO UPDATED ((CFE Status t)0x4c00000E) Updated.
- #define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t)0xcc00000F) No Buffer Available.
- #define CFE TBL ERR DUMP ONLY ((CFE Status t)0xcc000010) Dump Only Error.
- #define CFE TBL ERR ILLEGAL SRC TYPE ((CFE Status t)0xcc000011) Illegal Source Type.
- #define CFE TBL ERR LOAD IN PROGRESS ((CFE Status t)0xcc000012)

```
9.1 cFE Return Code Defines
         Load In Progress.

    #define CFE_TBL_ERR_FILE_TOO_LARGE ((CFE_Status_t)0xcc000014)

         File Too Large.

    #define CFE TBL WARN SHORT FILE ((CFE Status t)0x4c000015)

         Short File Warning.

    #define CFE_TBL_ERR_BAD_CONTENT_ID ((CFE_Status_t)0xcc000016)

         Bad Content ID.

    #define CFE_TBL_INFO_NO_UPDATE_PENDING ((CFE_Status_t)0x4c000017)

         No Update Pending.

    #define CFE TBL INFO TABLE LOCKED ((CFE Status t)0x4c000018)

         Table Locked.

    #define CFE_TBL_INFO_VALIDATION_PENDING ((CFE_Status_t)0x4c000019)

    #define CFE_TBL_INFO_NO_VALIDATION_PENDING ((CFE_Status_t)0x4c00001A)

    #define CFE_TBL_ERR_BAD_SUBTYPE_ID ((CFE_Status_t)0xcc00001B)

         Bad Subtype ID.

    #define CFE_TBL_ERR_FILE_SIZE_INCONSISTENT ((CFE_Status_t)0xcc00001C)

         File Size Inconsistent.

    #define CFE_TBL_ERR_NO_STD_HEADER ((CFE_Status_t)0xcc00001D)

         No Standard Header.

    #define CFE_TBL_ERR_NO_TBL_HEADER ((CFE_Status_t)0xcc00001E)

         No Table Header.

    #define CFE_TBL_ERR_FILENAME_TOO_LONG ((CFE_Status_t)0xcc00001F)

         Filename Too Long.

    #define CFE TBL ERR FILE FOR WRONG TABLE ((CFE Status t)0xcc000020)

         File For Wrong Table.

    #define CFE TBL ERR LOAD INCOMPLETE ((CFE Status t)0xcc000021)

         Load Incomplete.

    #define CFE TBL WARN PARTIAL LOAD ((CFE Status t)0x4c000022)
```

- Partial Load Warning.
- #define CFE_TBL_ERR_PARTIAL_LOAD ((CFE_Status_t)0xcc000023) Partial Load Error.
- #define CFE TBL INFO DUMP PENDING ((CFE Status t)0x4c000024) Dump Pending.
- #define CFE_TBL_ERR_INVALID_OPTIONS ((CFE_Status_t)0xcc000025) Invalid Options.
- #define CFE_TBL_WARN_NOT_CRITICAL ((CFE_Status_t)0x4c000026) Not Critical Warning.
- #define CFE_TBL_INFO_RECOVERED_TBL ((CFE_Status_t)0x4c000027) Recovered Table.
- #define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((CFE_Status_t)0xcc000028) Bad Spacecraft ID.
- #define CFE TBL ERR BAD PROCESSOR ID ((CFE Status t)0xcc000029) Bad Processor ID.
- #define CFE_TBL_MESSAGE_ERROR ((CFE_Status_t)0xcc00002a) Message Error.
- #define CFE_TBL_ERR_SHORT_FILE ((CFE_Status_t)0xcc00002b)
- #define CFE TBL ERR ACCESS ((CFE Status t)0xcc00002c)

#define CFE_TBL_BAD_ARGUMENT ((CFE_Status_t)0xcc00002d)

Bad Argument.

• #define CFE TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff)

Not Implemented.

#define CFE TIME NOT IMPLEMENTED ((CFE Status t)0xce00ffff)

Not Implemented.

#define CFE_TIME_INTERNAL_ONLY ((CFE_Status_t)0xce000001)

Internal Only.

#define CFE_TIME_OUT_OF_RANGE ((CFE_Status_t)0xce0000002)

Out Of Range.

#define CFE TIME TOO MANY SYNCH CALLBACKS ((CFE Status t)0xce000003)

Too Many Sync Callbacks.

#define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000004)

Callback Not Registered.

#define CFE TIME BAD ARGUMENT ((CFE Status t)0xce000005)

Bad Argument.

9.1.1 Detailed Description

9.1.2 Macro Definition Documentation

9.1.2.1 CFE_ES_APP_CLEANUP_ERR #define CFE_ES_APP_CLEANUP_ERR ((CFE_Status_t)0xc4000023) Application Cleanup Error.

Occurs when an attempt was made to Clean Up an application which involves calling Table, EVS, and SB cleanup functions, then deleting all ES resources, child tasks, and unloading the object module. The approach here is to keep going even though one of these steps had an error. There will be syslog messages detailing each problem. Definition at line 564 of file cfe error.h.

9.1.2.2 CFE ES BAD ARGUMENT #define CFE_ES_BAD_ARGUMENT ((CFE_Status_t)0xc400000a)

Bad Argument.

Bad parameter passed into an ES API.

Definition at line 375 of file cfe_error.h.

9.1.2.3 CFE_ES_BIN_SEM_DELETE_ERR #define CFE_ES_BIN_SEM_DELETE_ERR ((CFE_Status_t) 0xc400001C)

Binary Semaphore Delete Error.

Occurs when trying to delete a Binary Semaphore that belongs to a task that ES is cleaning up.

Definition at line 503 of file cfe_error.h.

9.1.2.4 CFE_ES_BUFFER_NOT_IN_POOL #define CFE_ES_BUFFER_NOT_IN_POOL ((CFE_Status_t)0xc4000025) Buffer Not In Pool.

The specified address is not in the memory pool.

Definition at line 581 of file cfe error.h.

9.1.2.5 CFE_ES_CDS_ACCESS_ERROR #define CFE_ES_CDS_ACCESS_ERROR ((CFE_Status_t)0xc4000013)

CDS Access Error.

The CDS was inaccessible

Definition at line 434 of file cfe error.h.

9.1.2.6 CFE_ES_CDS_ALREADY_EXISTS #define CFE_ES_CDS_ALREADY_EXISTS ((CFE_Status_t) 0x4400000d) CDS Already Exists.

The Application is receiving the pointer to a CDS that was already present.

Definition at line 391 of file cfe error.h.

9.1.2.7 CFE_ES_CDS_BLOCK_CRC_ERR #define CFE_ES_CDS_BLOCK_CRC_ERR ((CFE_Status_t)0xc400001A) CDS Block CRC Error.

Occurs when trying to read a CDS Data block and the CRC of the current data does not match the stored CRC for the data. Either the contents of the CDS Data Block are corrupted or the CDS Control Block is corrupted. Definition at line 485 of file cfe_error.h.

9.1.2.8 CFE_ES_CDS_INSUFFICIENT_MEMORY #define CFE_ES_CDS_INSUFFICIENT_MEMORY ((CFE_Status_t)0xc400000e) CDS Insufficient Memory.

The Application is requesting a CDS Block that is larger than the remaining CDS memory.

Definition at line 400 of file cfe error.h.

9.1.2.9 CFE_ES_CDS_INVALID #define CFE_ES_CDS_INVALID ((CFE_Status_t)0xc4000012)

CDS Invalid.

The CDS contents are invalid.

Definition at line 426 of file cfe error.h.

9.1.2.10 CFE_ES_CDS_INVALID_NAME #define CFE_ES_CDS_INVALID_NAME ((CFE_Status_t) 0xc400000f) CDS Invalid Name.

The Application is requesting a CDS Block with an invalid ASCII string name. Either the name is too long (> CFE_MISSION_ES_CDS_MAX_NAME_LENGTH) or was an empty string.

Definition at line 409 of file cfe_error.h.

9.1.2.11 CFE_ES_CDS_INVALID_SIZE #define CFE_ES_CDS_INVALID_SIZE ((CFE_Status_t)0xc4000010) CDS Invalid Size.

The Application is requesting a CDS Block or Pool with a size beyond the applicable limits, either too large or too small/zero.

Definition at line 418 of file cfe_error.h.

9.1.2.12 CFE_ES_CDS_OWNER_ACTIVE_ERR #define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022) CDS Owner Active Error.

Occurs when an attempt was made to delete a CDS when an application with the same name associated with the CDS is still present. CDSs can ONLY be deleted when Applications that created them are not present in the system. Definition at line 551 of file cfe error.h.

9.1.2.13 CFE_ES_CDS_WRONG_TYPE_ERR #define CFE_ES_CDS_WRONG_TYPE_ERR ((CFE_Status_t)0xc4000020) CDS Wrong Type Error.

Occurs when Table Services is trying to delete a Critical Data Store that is not a Critical Table Image or when Executive Services is trying to delete a Critical Table Image.

Definition at line 540 of file cfe_error.h.

9.1.2.14 CFE_ES_COUNT_SEM_DELETE_ERR #define CFE_ES_COUNT_SEM_DELETE_ERR ((CFE_Status_t) 0xc400001D) Counting Semaphore Delete Error.

Occurs when trying to delete a Counting Semaphore that belongs to a task that ES is cleaning up.

Definition at line 512 of file cfe_error.h.

9.1.2.15 CFE_ES_ERR_APP_CREATE #define CFE_ES_ERR_APP_CREATE ((CFE_Status_t)0xc4000004)

Application Create Error.

There was an error loading or creating the App.

Definition at line 334 of file cfe error.h.

9.1.2.16 CFE_ES_ERR_APP_REGISTER #define CFE_ES_ERR_APP_REGISTER ((CFE_Status_t)0xc4000017)

Application Register Error.

Occurs when a task cannot be registered in ES global tables

Definition at line 458 of file cfe_error.h.

9.1.2.17 CFE ES ERR CHILD TASK CREATE #define CFE_ES_ERR_CHILD_TASK_CREATE ((CFE_Status_t) 0xc4000005)

Child Task Create Error.

There was an error creating a child task.

Definition at line 342 of file cfe_error.h.

9.1.2.18 CFE_ES_ERR_CHILD_TASK_DELETE #define CFE_ES_ERR_CHILD_TASK_DELETE ((CFE_Status_t)0xc4000018)

Child Task Delete Error.

There was an error deleting a child task.

Definition at line 466 of file cfe_error.h.

$\textbf{9.1.2.19} \quad \textbf{CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK} \quad \texttt{\#define CFE_ES_ERR_CHILD_TASK_DELETE_MAI} \leftarrow \textbf{Main_TASK_DELETE_MAIN_TASK_DELETE_MAI}$

N_TASK ((CFE_Status_t)0xc4000019)

Child Task Delete Passed Main Task.

There was an attempt to delete a cFE App Main Task with the CFE ES DeleteChildTask API.

Definition at line 475 of file cfe error.h.

9.1.2.20 CFE_ES_ERR_CHILD_TASK_REGISTER #define CFE_ES_ERR_CHILD_TASK_REGISTER ((CFE_Status_t) 0xc400000b)

Child Task Register Error.

Errors occurred when trying to register a child task.

Definition at line 383 of file cfe error.h.

9.1.2.21 CFE_ES_ERR_DUPLICATE_NAME #define CFE_ES_ERR_DUPLICATE_NAME ((CFE_Status_t)0xc400002E)

Duplicate Name Error.

Resource creation failed due to the name already existing in the system.

Definition at line 644 of file cfe error.h.

9.1.2.22 CFE_ES_ERR_LOAD_LIB #define CFE_ES_ERR_LOAD_LIB ((CFE_Status_t)0xc4000009)

Load Library Error.

Could not load the shared library.

Definition at line 367 of file cfe error.h.

9.1.2.23 CFE ES ERR MEM BLOCK SIZE #define CFE_ES_ERR_MEM_BLOCK_SIZE ((CFE_Status_t)0xc4000008)

Memory Block Size Error.

The block size requested is invalid.

Definition at line 359 of file cfe_error.h.

9.1.2.24 CFE_ES_ERR_NAME_NOT_FOUND #define CFE_ES_ERR_NAME_NOT_FOUND ((CFE_Status_t)0xc4000002)

Resource Name Error.

There is no match in the system for the given name.

Definition at line 326 of file cfe error.h.

9.1.2.25 CFE_ES_ERR_RESOURCEID_NOT_VALID #define CFE_ES_ERR_RESOURCEID_NOT_VALID ((CFE_Status_t)0xc4000001)

Resource ID is not valid.

This error indicates that the passed in resource identifier (App ID, Lib ID, Counter ID, etc) did not validate.

Definition at line 318 of file cfe error.h.

9.1.2.26 CFE_ES_ERR_SYS_LOG_FULL #define CFE_ES_ERR_SYS_LOG_FULL ((CFE_Status_t)0xc4000006)

System Log Full.

The cFE system Log is full. This error means the message was not logged at all

Definition at line 351 of file cfe_error.h.

9.1.2.27 CFE_ES_ERR_SYS_LOG_TRUNCATED #define CFE_ES_ERR_SYS_LOG_TRUNCATED ((CFE_Status_t)0x44000029)

System Log Message Truncated.

This information code means the last syslog message was truncated due to insufficient space in the log buffer.

Definition at line 616 of file cfe_error.h.

9.1.2.28 CFE ES FILE CLOSE_ERR #define CFE_ES_FILE_CLOSE_ERR ((CFE_Status_t)0xc400001F)

File Close Error.

Occurs when trying to close a file that belongs to a task that ES is cleaning up.

Definition at line 530 of file cfe_error.h.

9.1.2.29 CFE_ES_FILE_IO_ERR #define CFE_ES_FILE_IO_ERR ((CFE_Status_t)0xc4000014)

File IO Error.

Occurs when a file operation fails

Definition at line 442 of file cfe error.h.

9.1.2.30 CFE_ES_LIB_ALREADY_LOADED #define CFE_ES_LIB_ALREADY_LOADED ((CFE_Status_t)0x44000028) Library Already Loaded.

Occurs if CFE ES LoadLibrary detects that the requested library name is already loaded.

Definition at line 607 of file cfe error.h.

9.1.2.31 CFE_ES_MUT_SEM_DELETE_ERR #define CFE_ES_MUT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001B)

Mutex Semaphore Delete Error.

Occurs when trying to delete a Mutex that belongs to a task that ES is cleaning up.

Definition at line 494 of file cfe error.h.

This error indicates that the maximum resource identifiers (App ID, Lib ID, Counter ID, etc) has already been reached and a new ID cannot be allocated.

Definition at line 626 of file cfe error.h.

9.1.2.33 CFE_ES_NOT_IMPLEMENTED #define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff) Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 655 of file cfe error.h.

9.1.2.34 CFE_ES_OPERATION_TIMED_OUT #define CFE_ES_OPERATION_TIMED_OUT ((CFE_Status_t)0xc4000027) Operation Timed Out.

Occurs if the timeout for a given operation was exceeded

Definition at line 598 of file cfe error.h.

9.1.2.35 CFE_ES_POOL_BLOCK_INVALID #define CFE_ES_POOL_BLOCK_INVALID ((CFE_Status_t) 0xc400002C) Invalid pool block.

Software attempted to "put" a block back into a pool which does not appear to belong to that pool. This may mean the pool has become unusable due to memory corruption.

Definition at line 636 of file cfe error.h.

9.1.2.36 CFE_ES_QUEUE_DELETE_ERR #define CFE_ES_QUEUE_DELETE_ERR ((CFE_Status_t)0xc400001E) Queue Delete Error.

Occurs when trying to delete a Queue that belongs to a task that ES is cleaning up.

Definition at line 521 of file cfe_error.h.

9.1.2.37 CFE_ES_RST_ACCESS_ERR #define CFE_ES_RST_ACCESS_ERR ((CFE_Status_t)0xc4000015) Reset Area Access Error.

Occurs when the BSP is not successful in returning the reset area address.

Definition at line 450 of file cfe error.h.

9.1.2.38 CFE_ES_TASK_DELETE_ERR #define CFE_ES_TASK_DELETE_ERR ((CFE_Status_t)0xc4000026) Task Delete Error.

Occurs when trying to delete a task that ES is cleaning up.

Definition at line 590 of file cfe_error.h.

9.1.2.39 CFE_ES_TIMER_DELETE_ERR #define CFE_ES_TIMER_DELETE_ERR ((CFE_Status_t)0xc4000024) Timer Delete Error.

Occurs when trying to delete a Timer that belongs to a task that ES is cleaning up.

Definition at line 573 of file cfe error.h.

9.1.2.40 CFE_EVS_APP_FILTER_OVERLOAD #define CFE_EVS_APP_FILTER_OVERLOAD ((CFE_Status_t) 0xc2000004) Application Filter Overload.

Number of Application event filters input upon registration is greater than CFE_PLATFORM_EVS_MAX_EVENT_FILTERS Definition at line 252 of file cfe_error.h.

9.1.2.41 CFE_EVS_APP_ILLEGAL_APP_ID #define CFE_EVS_APP_ILLEGAL_APP_ID ((CFE_Status_t)0xc2000003) Illegal Application ID.

Application ID returned by CFE_ES_GetAppIDByName is greater than CFE_PLATFORM_ES_MAX_APPLICATIONS Definition at line 243 of file cfe error.h.

9.1.2.42 CFE_EVS_APP_NOT_REGISTERED #define CFE_EVS_APP_NOT_REGISTERED ((CFE_Status_t)0xc2000002) Application Not Registered.

Calling application never previously called CFE EVS Register

Definition at line 234 of file cfe error.h.

9.1.2.43 CFE_EVS_APP_SQUELCHED #define CFE_EVS_APP_SQUELCHED ((CFE_Status_t)0xc2000009)

Event squelched.

Event squelched due to being sent at too high a rate

Definition at line 294 of file cfe_error.h.

9.1.2.44 CFE_EVS_EVT_NOT_REGISTERED #define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006) Event Not Registered.

CFE_EVS_ResetFilter EventID argument was not found in any event filter registered by the calling application. Definition at line 270 of file cfe_error.h.

9.1.2.45 CFE_EVS_FILE_WRITE_ERROR #define CFE_EVS_FILE_WRITE_ERROR ((CFE_Status_t)0xc2000007) File Write Error.

A file write error occurred while processing an EVS command

Definition at line 278 of file cfe_error.h.

9.1.2.46 CFE_EVS_INVALID_PARAMETER #define CFE_EVS_INVALID_PARAMETER ((CFE_Status_t) 0xc2000008) Invalid Pointer.

Invalid parameter supplied to EVS command

Definition at line 286 of file cfe error.h.

9.1.2.47 CFE_EVS_NOT_IMPLEMENTED #define CFE_EVS_NOT_IMPLEMENTED ((CFE_Status_t)0xc200ffff) Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 305 of file cfe error.h.

9.1.2.48 CFE_EVS_RESET_AREA_POINTER #define CFE_EVS_RESET_AREA_POINTER ((CFE_Status_t)0xc2000005) Reset Area Pointer Failure.

Could not get pointer to the ES Reset area, so we could not get the pointer to the EVS Log.

Definition at line 261 of file cfe_error.h.

9.1.2.49 CFE_EVS_UNKNOWN_FILTER #define CFE_EVS_UNKNOWN_FILTER ((CFE_Status_t)0xc2000001) Unknown Filter.

CFE_EVS_Register FilterScheme parameter was illegal Definition at line 226 of file cfe_error.h.

9.1.2.50 CFE_FS_BAD_ARGUMENT #define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001) Bad Argument.

A parameter given by a caller to a File Services API did not pass validation checks. Definition at line 668 of file cfe error.h.

9.1.2.51 CFE_FS_FNAME_TOO_LONG #define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003) Filename Too Long.

FS filename string is too long

Definition at line 684 of file cfe_error.h.

9.1.2.52 CFE_FS_INVALID_PATH #define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002) Invalid Path.

FS was unable to extract a filename from a path string

Definition at line 676 of file cfe_error.h.

9.1.2.53 CFE_FS_NOT_IMPLEMENTED #define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff) Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 695 of file cfe error.h.

9.1.2.54 CFE_SB_BAD_ARGUMENT #define CFE_SB_BAD_ARGUMENT ((CFE_Status_t)0xca000003) Bad Argument.

A parameter given by a caller to a Software Bus API did not pass validation checks. Definition at line 726 of file cfe error.h.

9.1.2.55 CFE_SB_BUF_ALOC_ERR #define CFE_SB_BUF_ALOC_ERR ((CFE_Status_t)0xca000008) Buffer Allocation Error.

Returned when the memory in the SB message buffer pool has been depleted. The amount of memory in the pool is dictated by the configuration parameter CFE_PLATFORM_SB_BUF_MEMORY_BYTES specified in the cfe_platform cfg.h file. Also the memory statistics, including current utilization figures and high water marks for the SB Buffer memory pool can be monitored by sending a Software Bus command to send the SB statistics packet. Definition at line 784 of file cfe_error.h.

9.1.2.56 CFE_SB_BUFFER_INVALID #define CFE_SB_BUFFER_INVALID ((CFE_Status_t)0xca00000e) Buffer Invalid.

This error code will be returned when a request to release or send a zero copy buffer is invalid, such as if the handle or buffer is not correct or the buffer was previously released.

Definition at line 835 of file cfe_error.h.

9.1.2.57 CFE_SB_INTERNAL_ERR #define CFE_SB_INTERNAL_ERR ((CFE_Status_t)0xca00000c) Internal Error.

This error code will be returned by the CFE_SB_Subscribe API if the code detects an internal index is out of range. The most likely cause would be a Single Event Upset.

Definition at line 816 of file cfe_error.h.

9.1.2.58 CFE_SB_MAX_DESTS_MET #define CFE_SB_MAX_DESTS_MET ((CFE_Status_t)0xca00000a) Max Destinations Met.

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another destination for a particular the given message ID. This occurs when the number of destinations in use meets the platform configuration parameter CFE PLATFORM SB MAX DEST PER PKT.

Definition at line 806 of file cfe error.h.

9.1.2.59 CFE_SB_MAX_MSGS_MET #define CFE_SB_MAX_MSGS_MET ((CFE_Status_t)0xca000009) Max Messages Met.

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another unique message ID because the platform configuration parameter CFE_PLATFORM_SB_MAX_MSG_IDS has been met.

Definition at line 794 of file cfe error.h.

9.1.2.60 CFE_SB_MAX_PIPES_MET #define CFE_SB_MAX_PIPES_MET ((CFE_Status_t)0xca000004) Max Pipes Met.

This error code will be returned from CFE_SB_CreatePipe when the SB cannot accommodate the request to create a pipe because the maximum number of pipes (CFE_PLATFORM_SB_MAX_PIPES) are in use. This configuration parameter is defined in the cfe_platform_cfg.h file.

Definition at line 737 of file cfe_error.h.

9.1.2.61 CFE_SB_MSG_TOO_BIG #define CFE_SB_MSG_TOO_BIG ((CFE_Status_t)0xca000007) Message Too Big.

The size field in the message header indicates the message exceeds the max Software Bus message size. The max size is defined by configuration parameter CFE_MISSION_SB_MAX_SB_MSG_SIZE in cfe_mission_cfg.h Definition at line 771 of file cfe_error.h.

```
9.1.2.62 CFE_SB_NO_MESSAGE #define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002)
```

No Message.

When "Polling" a pipe for a message in CFE_SB_ReceiveBuffer, this return value indicates that there was not a message on the pipe.

Definition at line 717 of file cfe error.h.

```
9.1.2.63 CFE_SB_NOT_IMPLEMENTED #define CFE_SB_NOT_IMPLEMENTED ((CFE_Status_t)0xca00ffff) Not Implemented.
```

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 846 of file cfe error.h.

```
9.1.2.64 CFE_SB_PIPE_CR_ERR #define CFE_SB_PIPE_CR_ERR ((CFE_Status_t)0xca000005)
```

Pipe Create Error.

The maximum number of queues(OS_MAX_QUEUES) are in use. Or possibly a lower level problem with creating the underlying queue has occurred such as a lack of memory. If the latter is the problem, the status code displayed in the event must be tracked.

Definition at line 748 of file cfe error.h.

9.1.2.65 CFE_SB_PIPE_RD_ERR #define CFE_SB_PIPE_RD_ERR ((CFE_Status_t)0xca000006)

Pipe Read Error.

This return value indicates an error at the Queue read level. This error typically cannot be corrected by the caller. Some possible causes are: queue was not properly initialized or created, the number of bytes read from the queue was not the number of bytes requested in the read. The queue id is invalid. Similar errors regarding the pipe will be caught by higher level code in the Software Bus.

Definition at line 761 of file cfe error.h.

```
9.1.2.66 CFE_SB_TIME_OUT #define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001)
```

Time Out.

In CFE_SB_ReceiveBuffer, this return value indicates that a packet has not been received in the time given in the "timeout" parameter.

Definition at line 708 of file cfe_error.h.

```
9.1.2.67 CFE_SB_WRONG_MSG_TYPE #define CFE_SB_WRONG_MSG_TYPE ((CFE_Status_t) 0xca00000d) Wrong Message Type.
```

This error code will be returned when a request such as CFE_MSG_SetMsgTime is made on a packet that does not include a field for msg time.

Definition at line 825 of file cfe_error.h.

9.1.2.68 CFE_STATUS_BAD_COMMAND_CODE #define CFE_STATUS_BAD_COMMAND_CODE ((CFE_Status_t) 0xc8000004) Bad Command Code.

This error code will be returned when a message identification process determined that the command code is does not correspond to any known value

Definition at line 182 of file cfe error.h.

9.1.2.69 CFE_STATUS_EXTERNAL_RESOURCE_FAIL #define CFE_STATUS_EXTERNAL_RESOURCE_FAIL ((CFE_Status_t)0xc800 External failure.

This error indicates that the operation failed for some reason outside the scope of CFE. The real failure may have been in OSAL, PSP, or another dependent library.

Details of the original failure should be written to syslog and/or a system event before returning this error.

Definition at line 194 of file cfe error.h.

9.1.2.70 CFE_STATUS_NO_COUNTER_INCREMENT #define CFE_STATUS_NO_COUNTER_INCREMENT ((CFE_Status_t)0x48000000

No Counter Increment.

Informational code indicating that a command was processed successfully but that the command counter should *not* be incremented.

Definition at line 155 of file cfe_error.h.

9.1.2.71 CFE_STATUS_NOT_IMPLEMENTED #define CFE_STATUS_NOT_IMPLEMENTED ((CFE_Status_t) 0xc800ffff) Not Implemented.

Current version does not have the function or the feature of the function implemented. This could be due to either an early build for this platform or the platform does not support the specified feature.

Definition at line 214 of file cfe error.h.

$\textbf{9.1.2.72} \quad \textbf{CFE_STATUS_REQUEST_ALREADY_PENDING} \quad \texttt{\#define CFE_STATUS_REQUEST_ALREADY_PENDIC} \\$

NG ((int32)0xc8000006)

Request already pending.

Commands or requests are already pending or the pending request limit has been reached. No more requests can be made until the current request(s) complete.

Definition at line 203 of file cfe_error.h.

9.1.2.73 CFE_STATUS_UNKNOWN_MSG_ID #define CFE_STATUS_UNKNOWN_MSG_ID ((CFE_Status_t) 0xc8000003) Unknown Message ID.

This error code will be returned when a message identification process determined that the message ID does not correspond to a known value

Definition at line 173 of file cfe error.h.

9.1.2.74 CFE_STATUS_WRONG_MSG_LENGTH #define CFE_STATUS_WRONG_MSG_LENGTH ((CFE_Status_t)0xc8000002) Wrong Message Length.

This error code will be returned when a message validation process determined that the message length is incorrect Definition at line 164 of file cfe_error.h.

9.1.2.75 CFE_SUCCESS #define CFE_SUCCESS ((CFE_Status_t)0)

Successful execution.

Operation was performed successfully

Definition at line 147 of file cfe_error.h.

9.1.2.76 CFE_TBL_BAD_ARGUMENT #define CFE_TBL_BAD_ARGUMENT ((CFE_Status_t) 0xcc00002d) Bad Argument.

A parameter given by a caller to a Table API did not pass validation checks.

Definition at line 1257 of file cfe_error.h.

9.1.2.77 CFE_TBL_ERR_ACCESS #define CFE_TBL_ERR_ACCESS ((CFE_Status_t)0xcc00002c)

Error code indicating that the TBL file could not be opened by the OS.

Definition at line 1248 of file cfe error.h.

9.1.2.78 CFE_TBL_ERR_BAD_CONTENT_ID #define CFE_TBL_ERR_BAD_CONTENT_ID ((CFE_Status_t)0xcc000016) Bad Content ID.

The calling Application called CFE_TBL_Load with a filename that specified a file whose content ID was not that of a table image.

Definition at line 1040 of file cfe error.h.

9.1.2.79 CFE_TBL_ERR_BAD_PROCESSOR_ID #define CFE_TBL_ERR_BAD_PROCESSOR_ID ((CFE_Status_t)0xcc000029) Bad Processor ID.

The selected table file failed validation for Processor ID. The platform configuration file has verification of table files enabled for Processor ID and an attempt was made to load a table with an invalid Processor ID in the table file header. Definition at line 1228 of file cfe error.h.

9.1.2.80 CFE_TBL_ERR_BAD_SPACECRAFT_ID #define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((CFE_Status_t)0xcc000028) Bad Spacecraft ID.

The selected table file failed validation for Spacecraft ID. The platform configuration file has verification of table files enabled for Spacecraft ID and an attempt was made to load a table with an invalid Spacecraft ID in the table file header. Definition at line 1217 of file cfe error.h.

9.1.2.81 CFE_TBL_ERR_BAD_SUBTYPE_ID #define CFE_TBL_ERR_BAD_SUBTYPE_ID ((CFE_Status_t)0xcc00001B) Bad Subtype ID.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file. Definition at line 1081 of file cfe error.h.

9.1.2.82 CFE_TBL_ERR_DUMP_ONLY #define CFE_TBL_ERR_DUMP_ONLY ((CFE_Status_t)0xcc000010) Dump Only Error.

The calling Application has attempted to perform a load on a table that was created with "Dump Only" attributes. Definition at line 992 of file cfe error.h.

9.1.2.83 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE #define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((CFE_Status_t)0xcc00000C) Duplicate Table With Different Size.

An application attempted to register a table with the same name as a table that is already in the registry. The size of the new table is different from the size already in the registry. Definition at line 953 of file cfe_error.h.

9.1.2.84 CFE_TBL_ERR_DUPLICATE_NOT_OWNED #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t) 0xcc000000 Duplicate Table And Not Owned.

An application attempted to register a table with the same name as a table that is already in the registry. The previously registered table is owned by a different application.

Definition at line 963 of file cfe_error.h.

9.1.2.85 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE #define CFE_TBL_ERR_FILE_FOR_WRONG_TABLE ((CFE_Status_t) 0xcc0000 File For Wrong Table.

The calling Application tried to load a table using a file whose header indicated that it was for a different table. Definition at line 1125 of file cfe error.h.

9.1.2.86 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT #define CFE_TBL_ERR_FILE_SIZE_INCONSISTENT ((CFE_Status_t)0xcc00 File Size Inconsistent.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file. Definition at line 1090 of file cfe error.h.

9.1.2.87 CFE_TBL_ERR_FILE_TOO_LARGE #define CFE_TBL_ERR_FILE_TOO_LARGE ((CFE_Status_t) 0xcc000014) File Too Large.

The calling Application called CFE_TBL_Load with a filename that specified a file that contained more data than the size of the table OR which contained more data than specified in the table header. Definition at line 1020 of file cfe error.h.

9.1.2.88 CFE_TBL_ERR_FILENAME_TOO_LONG #define CFE_TBL_ERR_FILENAME_TOO_LONG ((CFE_Status_t)0xcc00001F)

The calling Application tried to load a table using a filename that was too long.

Definition at line 1116 of file cfe error.h.

Filename Too Long.

9.1.2.89 CFE_TBL_ERR_HANDLES_FULL #define CFE_TBL_ERR_HANDLES_FULL ((CFE_Status_t)0xcc00000B) Handles Full.

An application attempted to create a table and the Table Handle Array already used all CFE_PLATFORM_TBL_MAX← NUM HANDLES in it.

Definition at line 943 of file cfe error.h.

9.1.2.90 CFE_TBL_ERR_ILLEGAL_SRC_TYPE #define CFE_TBL_ERR_ILLEGAL_SRC_TYPE ((CFE_Status_t) 0xcc000011) Illegal Source Type.

The calling Application called CFE_TBL_Load with an illegal value for the second parameter.

Definition at line 1001 of file cfe error.h.

9.1.2.91 CFE_TBL_ERR_INVALID_HANDLE #define CFE_TBL_ERR_INVALID_HANDLE ((CFE_Status_t)0xcc000001) Invalid Handle.

The calling Application attempted to pass a Table handle that represented too large an index or identified a Table Access Descriptor that was not used.

Definition at line 860 of file cfe_error.h.

9.1.2.92 CFE_TBL_ERR_INVALID_NAME #define CFE_TBL_ERR_INVALID_NAME ((CFE_Status_t)0xcc000002) Invalid Name.

The calling Application attempted to register a table whose name length exceeded the platform configuration value of CFE MISSION TBL MAX NAME LENGTH or was zero characters long.

Definition at line 870 of file cfe_error.h.

9.1.2.93 CFE_TBL_ERR_INVALID_OPTIONS #define CFE_TBL_ERR_INVALID_OPTIONS ((CFE_Status_t)0xcc000025) Invalid Options.

The calling Application has used an illegal combination of table options. A summary of the illegal combinations are as follows:

#CFE_TBL_OPT_USR_DEF_ADDR cannot be combined with any of the following:

- 1. CFE TBL OPT DBL BUFFER
- 2. CFE TBL OPT LOAD DUMP
- 3. CFE_TBL_OPT_CRITICAL

#CFE_TBL_OPT_DBL_BUFFER cannot be combined with the following:

- 1. CFE TBL OPT USR DEF ADDR
- 2. CFE_TBL_OPT_DUMP_ONLY

Definition at line 1182 of file cfe error.h.

9.1.2.94 CFE_TBL_ERR_INVALID_SIZE #define CFE_TBL_ERR_INVALID_SIZE ((CFE_Status_t)0xcc000003) Invalid Size.

The calling Application attempted to register a table: a) that was a double buffered table with size greater than CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE b) that was a single buffered table with size greater than CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE c) that had a size of zero

Definition at line 881 of file cfe error.h.

9.1.2.95 CFE_TBL_ERR_LOAD_IN_PROGRESS #define CFE_TBL_ERR_LOAD_IN_PROGRESS ((CFE_Status_t) 0xcc000012) Load In Progress.

The calling Application called CFE_TBL_Load when another Application was trying to load the table. Definition at line 1010 of file cfe error.h.

9.1.2.96 CFE_TBL_ERR_LOAD_INCOMPLETE #define CFE_TBL_ERR_LOAD_INCOMPLETE ((CFE_Status_t)0xcc000021) Load Incomplete.

The calling Application tried to load a table file whose header claimed the load was larger than what was actually read from the file.

Definition at line 1134 of file cfe error.h.

9.1.2.97 CFE_TBL_ERR_NEVER_LOADED #define CFE_TBL_ERR_NEVER_LOADED ((CFE_Status_t)0xcc000005) Never Loaded.

Table has not been loaded with data.

Definition at line 897 of file cfe_error.h.

9.1.2.98 CFE_TBL_ERR_NO_ACCESS #define CFE_TBL_ERR_NO_ACCESS ((CFE_Status_t)0xcc000008) No Access.

The calling application either failed when calling CFE_TBL_Register, failed when calling CFE_TBL_Share or forgot to call either one.

Definition at line 925 of file cfe error.h.

9.1.2.99 CFE_TBL_ERR_NO_BUFFER_AVAIL #define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t)0xcc00000F) No Buffer Available.

The calling Application has tried to allocate a working buffer but none were available.

Definition at line 983 of file cfe error.h.

9.1.2.100 CFE_TBL_ERR_NO_STD_HEADER #define CFE_TBL_ERR_NO_STD_HEADER ((CFE_Status_t)0xcc00001D) No Standard Header.

The calling Application tried to access a table file whose standard cFE File Header was the wrong size, etc. Definition at line 1098 of file cfe error.h.

9.1.2.101 CFE_TBL_ERR_NO_TBL_HEADER #define CFE_TBL_ERR_NO_TBL_HEADER ((CFE_Status_t)0xcc00001E) No Table Header.

The calling Application tried to access a table file whose standard cFE Table File Header was the wrong size, etc. Definition at line 1107 of file cfe error.h.

9.1.2.102 CFE_TBL_ERR_PARTIAL_LOAD #define CFE_TBL_ERR_PARTIAL_LOAD ((CFE_Status_t)0xcc000023) Partial Load Error.

The calling Application tried to load a table file whose header claimed the load did not start with the first byte and the table image had NEVER been loaded before. Partial loads are not allowed on uninitialized tables. It should be noted that CFE_TBL_WARN_SHORT_FILE also indicates a partial load.

Definition at line 1156 of file cfe error.h.

9.1.2.103 CFE_TBL_ERR_REGISTRY_FULL #define CFE_TBL_ERR_REGISTRY_FULL ((CFE_Status_t)0xcc000006) Registry Full.

An application attempted to create a table and the Table registry already contained CFE_PLATFORM_TBL_MAX_NUM_TABLES in it.

Definition at line 906 of file cfe error.h.

9.1.2.104 CFE TBL ERR SHORT FILE #define CFE_TBL_ERR_SHORT_FILE ((CFE_Status_t) 0xcc00002b)

Error code indicating that the TBL file is shorter than indicated in the file header.

Definition at line 1242 of file cfe error.h.

9.1.2.105 CFE_TBL_ERR_UNREGISTERED #define CFE_TBL_ERR_UNREGISTERED ((CFE_Status_t)0xcc000009) Unregistered.

The calling application is trying to access a table that has been unregistered.

Definition at line 934 of file cfe_error.h.

9.1.2.106 CFE_TBL_INFO_DUMP_PENDING #define CFE_TBL_INFO_DUMP_PENDING ((CFE_Status_t) 0x4c000024) Dump Pending.

The calling Application should call CFE_TBL_Manage for the specified table. The ground has requested a dump of the Dump-Only table and needs to synchronize with the owning application.

Definition at line 1166 of file cfe_error.h.

9.1.2.107 CFE_TBL_INFO_NO_UPDATE_PENDING #define CFE_TBL_INFO_NO_UPDATE_PENDING ((CFE_Status_t) 0x4c000017) No Update Pending.

The calling Application has attempted to update a table without a pending load.

Definition at line 1048 of file cfe error.h.

9.1.2.108 CFE_TBL_INFO_NO_VALIDATION_PENDING #define CFE_TBL_INFO_NO_VALIDATION_PENDI←

NG ((CFE_Status_t)0x4c00001A)

No Validation Pending

The calling Application tried to validate a table that did not have a validation request pending.

Definition at line 1072 of file cfe error.h.

9.1.2.109 CFE_TBL_INFO_RECOVERED_TBL #define CFE_TBL_INFO_RECOVERED_TBL ((CFE_Status_t)0x4c000027)

Recovered Table.

The calling Application registered a critical table whose previous contents were discovered in the Critical Data Store.

The discovered contents were copied back into the newly registered table as the table's initial contents.

NOTE: In this situation, the contents of the table are NOT validated using the table's validation function.

Definition at line 1206 of file cfe error.h.

9.1.2.110 CFE_TBL_INFO_TABLE_LOCKED #define CFE_TBL_INFO_TABLE_LOCKED ((CFE_Status_t)0x4c000018)

Table Locked.

The calling Application tried to update a table that is locked by another user.

Definition at line 1056 of file cfe error.h.

9.1.2.111 CFE_TBL_INFO_UPDATE_PENDING #define CFE_TBL_INFO_UPDATE_PENDING ((CFE_Status_t)0x4c000004) Update Pending.

The calling Application has identified a table that has a load pending.

Definition at line 889 of file cfe error.h.

9.1.2.112 CFE_TBL_INFO_UPDATED #define CFE_TBL_INFO_UPDATED ((CFE_Status_t)0x4c00000E) Updated.

The calling Application has identified a table that has been updated.

NOTE: This is a nominal return code informing the calling application that the table identified in the call has had its contents updated since the last time the application obtained its address or status.

Definition at line 974 of file cfe_error.h.

9.1.2.113 CFE_TBL_INFO_VALIDATION_PENDING #define CFE_TBL_INFO_VALIDATION_PENDING ((CFE_Status_t) 0x4c000019) Validation Pending

The calling Application should call CFE_TBL_Validate for the specified table.

Definition at line 1064 of file cfe error.h.

9.1.2.114 CFE_TBL_MESSAGE_ERROR #define CFE_TBL_MESSAGE_ERROR ((CFE_Status_t) 0xcc00002a)

Message Error.

Error code indicating that the TBL command was not processed successfully and that the error counter should be incremented.

Definition at line 1236 of file cfe error.h.

9.1.2.115 CFE_TBL_NOT_IMPLEMENTED #define CFE_TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff) Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 1268 of file cfe error.h.

9.1.2.116 CFE_TBL_WARN_DUPLICATE #define CFE_TBL_WARN_DUPLICATE ((CFE_Status_t)0x4c000007) Duplicate Warning.

This is an error that the registration is trying to replace an existing table with the same name. The previous table stays in place and the new table is rejected.

Definition at line 916 of file cfe error.h.

9.1.2.117 CFE_TBL_WARN_NOT_CRITICAL #define CFE_TBL_WARN_NOT_CRITICAL ((CFE_Status_t) 0x4c000026) Not Critical Warning.

The calling Application attempted to register a table as "Critical". Table Services failed to create an appropriate Critical Data Store (See System Log for reason) to save the table contents. The table will be treated as a normal table from now on.

Definition at line 1193 of file cfe error.h.

9.1.2.118 CFE_TBL_WARN_PARTIAL_LOAD #define CFE_TBL_WARN_PARTIAL_LOAD ((CFE_Status_t)0x4c000022) Partial Load Warning.

The calling Application tried to load a table file whose header claimed the load did not start with the first byte. It should be noted that CFE_TBL_WARN_SHORT_FILE also indicates a partial load.

Definition at line 1144 of file cfe_error.h.

9.1.2.119 CFE_TBL_WARN_SHORT_FILE #define CFE_TBL_WARN_SHORT_FILE ((CFE_Status_t)0x4c000015) Short File Warning.

The calling Application called CFE_TBL_Load with a filename that specified a file that started with the first byte of the table but contained less data than the size of the table. It should be noted that CFE_TBL_WARN_PARTIAL_LOAD also indicates a partial load (one that starts at a non-zero offset).

Definition at line 1031 of file cfe error.h.

9.1.2.120 CFE_TIME_BAD_ARGUMENT #define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t)0xce000005) Bad Argument.

A parameter given by a caller to a TIME Services API did not pass validation checks.

Definition at line 1340 of file cfe_error.h.

9.1.2.121 CFE_TIME_CALLBACK_NOT_REGISTERED #define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000 Callback Not Registered.

An attempt to unregister a cFE Time Services Synchronization callback has failed because the specified callback function was not located in the Synchronization Callback Registry.

Definition at line 1331 of file cfe_error.h.

9.1.2.122 CFE_TIME_INTERNAL_ONLY #define CFE_TIME_INTERNAL_ONLY ((CFE_Status_t)0xce000001) Internal Only.

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has been commanded to not accept external time data. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Definition at line 1295 of file cfe error.h.

9.1.2.123 CFE_TIME_NOT_IMPLEMENTED #define CFE_TIME_NOT_IMPLEMENTED ((CFE_Status_t) 0xce00ffff) Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature. Definition at line 1283 of file cfe error.h.

9.1.2.124 CFE_TIME_OUT_OF_RANGE #define CFE_TIME_OUT_OF_RANGE ((CFE_Status_t)0xce000002) Out Of Range.

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has determined that the new time data is invalid. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Note that the test for invalid time update data only occurs if TIME Services has previously been commanded to set the clock state to "valid".

Definition at line 1310 of file cfe_error.h.

9.1.2.125 CFE_TIME_TOO_MANY_SYNCH_CALLBACKS #define CFE_TIME_TOO_MANY_SYNCH_CALLBAC←
KS ((CFE_Status_t) 0xce000003)

Too Many Sync Callbacks.

An attempt to register too many cFE Time Services Synchronization callbacks has been made. Only one callback function is allowed per application. It is expected that the application itself will distribute the single callback to child threads as needed.

Definition at line 1321 of file cfe_error.h.

9.2 cFE Resource ID APIs 135

9.2 cFE Resource ID APIs

Functions

CFE_Status_t CFE_ES_AppID_ToIndex (CFE_ES_AppId_t AppID, uint32 *Idx)

Obtain an index value correlating to an ES Application ID.

int32 CFE_ES_LibID_ToIndex (CFE_ES_LibId_t LibId, uint32 *Idx)

Obtain an index value correlating to an ES Library ID.

CFE_Status_t CFE_ES_TaskID_ToIndex (CFE_ES_TaskId_t TaskID, uint32 *Idx)

Obtain an index value correlating to an ES Task ID.

• CFE_Status_t CFE_ES_CounterID_ToIndex (CFE_ES_CounterId_t CounterId, uint32 *Idx)

Obtain an index value correlating to an ES Counter ID.

9.2.1 Detailed Description

9.2.2 Function Documentation

Obtain an index value correlating to an ES Application ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array. Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] application IDs will never overlap, but the index of an application and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original AppID value. The caller should retain the original ID for future use.

Parameters

in	AppID	Application ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Obtain an index value correlating to an ES Counter ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Counter IDs will never overlap, but the index of a Counter and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original CounterID value. The caller should retain the original ID for future use.

Parameters

in	Counter⊷	Counter ID to convert
	ld	
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Obtain an index value correlating to an ES Library ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array. Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Library IDs will never overlap, but the index of an Library and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original LibID value. The caller should retain the original ID for future use.

Parameters

in	Lib⊷	Library ID to convert
	ld	
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

9.2 cFE Resource ID APIs 137

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Obtain an index value correlating to an ES Task ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array. Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Task IDs will never overlap, but the index of a Task and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original TaskID value. The caller should retain the original ID for future use.

Parameters

in	TaskID	Task ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.3 cFE Entry/Exit APIs

Functions

- void CFE_ES_Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char *StartFilePath)
 - cFE Main Entry Point used by Board Support Package to start cFE
- CFE_Status_t CFE_ES_ResetCFE (uint32 ResetType)

Reset the cFE Core and all cFE Applications.

9.3.1 Detailed Description

9.3.2 Function Documentation

cFE Main Entry Point used by Board Support Package to start cFE

Description

cFE main entry point. This is the entry point into the cFE software. It is called only by the Board Support Package software.

Assumptions, External Events, and Notes:

None

Parameters

in	StartType	Identifies whether this was a CFE_PSP_RST_TYPE_POWERON or CFE_PSP_RST_TYPE_PROCESSOR.
in	StartSubtype	Specifies, in more detail, what caused the StartType identified above. See CFE_PSP_RST_SUBTYPE_POWER_CYCLE for possible examples.
in	Modeld	Identifies the source of the Boot as determined by the BSP.
in	StartFilePath	Identifies the startup file to use to initialize the cFE apps.

See also

CFE_ES_ResetCFE

Reset the cFE Core and all cFE Applications.

Description

This API causes an immediate reset of the cFE Kernel and all cFE Applications. The caller can specify whether the reset should clear all memory (CFE_PSP_RST_TYPE_POWERON) or try to retain volatile memory areas (CFE_PSP_RST_TYPE_PROCESSOR).

Assumptions, External Events, and Notes:

None

Parameters

in	ResetType	Identifies the type of reset desired. Allowable settings are:
		CFE_PSP_RST_TYPE_POWERON - Causes all memory to be cleared
		 CFE_PSP_RST_TYPE_PROCESSOR - Attempts to retain volatile disk, critical data store and user reserved memory.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	Not Implemented.

See also

CFE_ES_Main

9.4 cFE Application Control APIs

Functions

CFE_Status_t CFE_ES_RestartApp (CFE_ES_Appld_t ApplD)

Restart a single cFE Application.

• CFE_Status_t CFE_ES_ReloadApp (CFE_ES_AppId_t AppID, const char *AppFileName)

Reload a single cFE Application.

• CFE_Status_t CFE_ES_DeleteApp (CFE_ES_Appld_t ApplD)

Delete a cFE Application.

9.4.1 Detailed Description

9.4.2 Function Documentation

Delete a cFE Application.

Description

This API causes a cFE Application to be stopped deleted.

Assumptions, External Events, and Notes:

None

Parameters

in AppID Identifies the application to be rese	et.
--	-----

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_SUCCESS	Successful execution.

See also

CFE_ES_RestartApp, CFE_ES_ReloadApp

Reload a single cFE Application.

Description

This API causes a cFE Application to be stopped and restarted from the specified file.

Assumptions, External Events, and Notes:

The filename is checked for existence prior to load. A missing file will be reported and the reload operation will be aborted prior to unloading the app.

Goes through the standard CFE_ES_CleanUpApp which unloads, then attempts a load using the specified file name. In the event that an application cannot be reloaded due to a corrupt file, the application may no longer be reloaded when given a valid load file (it has been deleted and no longer exists). To recover, the application may be started by loading the application via the ES_STARTAPP command (CFE_ES_START_APP_CC).

Parameters

in	AppID	Identifies the application to be reset.
in	AppFileName	Identifies the new file to start (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_SUCCESS	Successful execution.
CFE_ES_FILE_IO_ERR	File IO Error.

See also

CFE_ES_RestartApp, CFE_ES_DeleteApp, CFE_ES_START_APP_CC

Restart a single cFE Application.

Description

This API causes a cFE Application to be unloaded and restarted from the same file name as the last start.

Assumptions, External Events, and Notes:

The filename is checked for existence prior to load. A missing file will be reported and the reload operation will be aborted prior to unloading the app.

Goes through the standard CFE_ES_CleanUpApp which unloads, then attempts a load using the original file name. In the event that an application cannot be reloaded due to a missing file or any other load issue, the application may no longer be restarted or reloaded when given a valid load file (the app has been deleted and no longer exists). To recover, the application may be started by loading the application via the ES_STARTAPP command (CFE_ES_START_APP_CC).

Parameters

in	AppID	Identifies the application to be reset.
----	-------	---

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_FILE_IO_ERR	File IO Error.
CFE_SUCCESS	Successful execution.

See also

CFE_ES_ReloadApp, CFE_ES_DeleteApp

9.5 cFE Application Behavior APIs

Functions

• void CFE_ES_ExitApp (uint32 ExitStatus)

Exit a cFE Application.

• bool CFE_ES_RunLoop (uint32 *RunStatus)

Check for Exit, Restart, or Reload commands.

CFE_Status_t CFE_ES_WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds)

Allow an Application to Wait for a minimum global system state.

void CFE_ES_WaitForStartupSync (uint32 TimeOutMilliseconds)

Allow an Application to Wait for the "OPERATIONAL" global system state.

void CFE_ES_IncrementTaskCounter (void)

Increments the execution counter for the calling task.

9.5.1 Detailed Description

9.5.2 Function Documentation

Exit a cFE Application.

Description

This API is the "Exit Point" for the cFE application

Assumptions, External Events, and Notes:

None

Parameters

in	ExitStatus	Acceptable values are:
		CFE_ES_RunStatus_APP_EXIT - Indicates that the Application wants to exit normally.
		 CFE_ES_RunStatus_APP_ERROR - Indicates that the Application is quitting with an error.
		 CFE_ES_RunStatus_CORE_APP_INIT_ERROR - Indicates that the Core Application could not Init.
		CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR - Indicates that the Core Application had a runtime failure.

See also

CFE ES RunLoop

```
9.5.2.2 CFE_ES_IncrementTaskCounter() void CFE_ES_IncrementTaskCounter ( void )
```

Increments the execution counter for the calling task.

Description

This routine increments the execution counter that is stored for the calling task. It can be called from cFE Application main tasks, child tasks, or cFE Core application main tasks. Normally, the call is not necessary from a cFE Application, since the CFE ES RunLoop call increments the counter for the Application.

Assumptions, External Events, and Notes:

NOTE: This API is not needed for Applications that call the CFE ES RunLoop call.

See also

CFE_ES_RunLoop

Check for Exit, Restart, or Reload commands.

Description

This is the API that allows an app to check for exit requests from the system, or request shutdown from the system.

Assumptions, External Events, and Notes:

This API updates the internal task counter tracked by ES for the calling task. For ES to report application counters correctly this API should be called from the main app task as part of it's main processing loop.

In the event of a externally initiated app shutdown request (such as the APP_STOP, APP_RELOAD, and APP_RES TART commands) or if a system error occurs requiring the app to be shut down administratively, this function returns "false" and optionally sets the "RunStatus" output to further indicate the specific application state.

If "RunStatus" is passed as non-NULL, it should point to a local status variable containing the requested status to ES. Normally, this should be initialized to CFE_ES_RunStatus_APP_RUN during application start up, and should remain as this value during normal operation.

If "RunStatus" is set to CFE_ES_RunStatus_APP_EXIT or CFE_ES_RunStatus_APP_ERROR on input, this acts as a shutdown request - CFE_ES_RunLoop() function will return "false", and a shutdown will be initiated similar to if ES had been externally commanded to shut down the app.

If "RunStatus" is not used, it should be passed as NULL. In this mode, only the boolean return value is relevant, which will indicate if an externally-initiated shutdown request is pending.

Parameters

in,out	RunStatus	Optional pointer to a variable containing the desired run status
--------	-----------	--

Returns

Boolean indicating application should continue running

Return values

true	Application should continue running
false	Application should not continue running

See also

CFE ES ExitApp

9.5.2.4 CFE_ES_WaitForStartupSync() void CFE_ES_WaitForStartupSync (uint32 *TimeOutMilliseconds*)

Allow an Application to Wait for the "OPERATIONAL" global system state.

Description

This is the API that allows an app to wait for the rest of the apps to complete their entire initialization before continuing. It is most useful for applications such as Health and Safety or the Scheduler that need to wait until applications exist and are running before sending out packets to them.

This is a specialized wrapper for CFE_ES_WaitForSystemState for compatibility with applications using this API.

Assumptions, External Events, and Notes:

This API should only be called as the last item of an Apps initialization. In addition, this API should only be called by an App that is started from the ES Startup file. It should not be used by an App that is started after the system is running. (Although it will cause no harm)

Parameters

Ī	in	TimeOutMilliseconds	The timeout value in Milliseconds. This parameter must be at least 1000. Lower
			values will be rounded up. There is not an option to wait indefinitely to avoid
			hanging a critical application because a non-critical app did not start.

See also

CFE_ES_RunLoop

Allow an Application to Wait for a minimum global system state.

Description

This is the API that allows an app to wait for the rest of the apps to complete a given stage of initialization before continuing.

This gives finer grained control than CFE_ES_WaitForStartupSync

Assumptions, External Events, and Notes:

This API assumes that the caller has also been initialized sufficiently to satisfy the global system state it is waiting for, and the apps own state will be updated accordingly.

Parameters

ir	MinSystemState	Determine the state of the App
ir	TimeOutMilliseconds	The timeout value in Milliseconds. There is not an option to wait indefinitely to avoid
		hanging a critical application because a non-critical app did not start.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	State successfully achieved
CFE_ES_OPERATION_TIMED_OUT	(return value only verified in coverage test) Timeout was reached

See also

CFE_ES_RunLoop

9.6 cFE Information APIs 147

9.6 cFE Information APIs

Functions

int32 CFE ES GetResetType (uint32 *ResetSubtypePtr)

Return the most recent Reset Type.

CFE_Status_t CFE_ES_GetAppID (CFE_ES_AppId_t *AppIdPtr)

Get an Application ID for the calling Application.

CFE_Status_t CFE_ES_GetTaskID (CFE_ES_TaskId_t *TaskIdPtr)

Get the task ID of the calling context.

CFE_Status_t CFE_ES_GetAppIDByName (CFE_ES_AppId_t *AppIdPtr, const char *AppName)

Get an Application ID associated with a specified Application name.

CFE Status t CFE ES GetLibIDByName (CFE ES LibId t *LibIdPtr, const char *LibName)

Get a Library ID associated with a specified Library name.

• CFE_Status_t CFE_ES_GetAppName (char *AppName, CFE_ES_AppId_t AppId, size_t BufferLength)

Get an Application name for a specified Application ID.

• CFE_Status_t CFE_ES_GetLibName (char *LibName, CFE_ES_LibId_t LibId, size_t BufferLength)

Get a Library name for a specified Library ID.

CFE Status t CFE ES GetAppInfo (CFE ES AppInfo t *AppInfo, CFE ES AppInf t AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo, CFE ES AppInfo t *AppInfo, CFE ES AppInfo, CFE ES

Get Application Information given a specified App ID.

CFE_Status_t CFE_ES_GetTaskInfo (CFE_ES_TaskInfo_t *TaskInfo, CFE_ES_TaskId_t TaskId)

Get Task Information given a specified Task ID.

int32 CFE ES GetLibInfo (CFE ES AppInfo t *LibInfo, CFE ES LibId t LibId)

Get Library Information given a specified Resource ID.

int32 CFE_ES_GetModuleInfo (CFE_ES_AppInfo_t *ModuleInfo, CFE_ResourceId_t ResourceId)

Get Information given a specified Resource ID.

9.6.1 Detailed Description

9.6.2 Function Documentation

Get an Application ID for the calling Application.

Description

This routine retrieves the cFE Application ID for the calling Application.

Assumptions, External Events, and Notes:

NOTE: All tasks associated with the Application would return the same Application ID.

Parameters

out	<i>AppldPtr</i>	Pointer to variable that is to receive the Application's ID (must not be null). *AppldPtr will be
		set to the application ID of the calling Application.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetResetType, CFE_ES_GetAppIDByName, CFE_ES_GetAppName, CFE_ES_GetTaskInfo

Get an Application ID associated with a specified Application name.

Description

This routine retrieves the cFE Application ID associated with a specified Application name.

Assumptions, External Events, and Notes:

None

Parameters

out	<i>AppIdPtr</i>	Pointer to variable that is to receive the Application's ID (must not be null).
in	AppName	Pointer to null terminated character string containing an Application name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetAppID, CFE_ES_GetAppInfo

9.6 cFE Information APIs 149

```
CFE_ES_AppId_t AppId )
```

Get Application Information given a specified App ID.

Description

This routine retrieves the information about an App associated with a specified App ID. The information includes all of the information ES maintains for an application (documented in the CFE_ES_AppInfo_t type)

Assumptions, External Events, and Notes:

None

Parameters

out	AppInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory
		addresses information.
in	Appld	ID of application to obtain information about

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_ES_GetAppID}, {\sf CFE_ES_GetAppIDByName}, {\sf CFE_ES_GetAppName}$

Get an Application name for a specified Application ID.

Description

This routine retrieves the cFE Application name associated with a specified Application ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

Parameters

out	AppName	Pointer to a character array (must not be null) of at least BufferLength in size that will	
		be filled with the appropriate Application name.	
in	Appld	Application ID of Application whose name is being requested.	
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the	
Generated b	y Doxygen	AppName buffer. This routine will truncate the name to this length, if necessary.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetAppID, CFE_ES_GetAppIDByName, CFE_ES_GetAppInfo

Get a Library ID associated with a specified Library name.

Description

This routine retrieves the cFE Library ID associated with a specified Library name.

Assumptions, External Events, and Notes:

None

Parameters

out	LibldPtr	Pointer to variable that is to receive the Library's ID (must not be null).
in	LibName	Pointer to null terminated character string containing a Library name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibName

```
9.6.2.6 CFE_ES_GetLibInfo() int32 CFE_ES_GetLibInfo ( CFE_ES_AppInfo_t * LibInfo,
```

9.6 cFE Information APIs 151

```
CFE_ES_LibId_t LibId )
```

Get Library Information given a specified Resource ID.

Description

This routine retrieves the information about a Library associated with a specified ID. The information includes all of the information ES maintains for this resource type (documented in the CFE_ES_AppInfo_t type).

This shares the same output structure as CFE_ES_GetAppInfo, such that informational commands can be executed against either applications or libraries. When applied to a library, the task information in the structure will be omitted, as libraries do not have tasks associated.

Assumptions, External Events, and Notes:

None

Parameters

out	LibInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory
		addresses information.
in	Libld	ID of application to obtain information about

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibIDByName, CFE_ES_GetLibName

Get a Library name for a specified Library ID.

Description

This routine retrieves the cFE Library name associated with a specified Library ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

out	LibName	Pointer to a character array (must not be null) of at least <code>BufferLength</code> in size that will be filled with the Library name.
in	Libld	Library ID of Library whose name is being requested.
in	BufferLength	The maximum number of characters (must not be zero), including the null terminator, that can be put into the LibName buffer. This routine will truncate the name to this length, if necessary.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibIDByName

Get Information given a specified Resource ID.

Description

This routine retrieves the information about an Application or Library associated with a specified ID.

This is a wrapper API that in turn calls either CFE_ES_GetAppInfo or CFE_ES_GetLibInfo if passed an AppId or LibId, respectively.

This allows commands originally targeted to operate on AppIDs to be easily ported to operate on either Libraries or Applications, where relevant.

Assumptions, External Events, and Notes:

None

Parameters

out	ModuleInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory
		addresses information.
in	Resource	ID of application or library to obtain information about
	ld	

9.6 cFE Information APIs 153

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetLibInfo, CFE_ES_GetAppInfo

Return the most recent Reset Type.

Description

Provides the caller with codes that identifies the type of Reset the processor most recently underwent. The caller can also obtain information on what caused the reset by supplying a pointer to a variable that will be filled with the Reset Sub-Type.

Assumptions, External Events, and Notes:

None

Parameters

in,out	ResetSubtypePtr	Pointer to uint32 type variable in which the Reset Sub-Type will be stored. The
		caller can set this pointer to NULL if the Sub-Type is of no interest.
		ResetSubtypePtr If the provided pointer was not \mathtt{NULL} , the Reset Sub-Type is
		stored at the given address. For a list of possible Sub-Type values, see
		"Reset Sub-Types".

Returns

Processor reset type

Return values

```
CFE_PSP_RST_TYPE_POWERON
CFE_PSP_RST_TYPE_PROCESSOR
```

See also

CFE_ES_GetAppID, CFE_ES_GetAppIDByName, CFE_ES_GetAppName, CFE_ES_GetTaskInfo

```
9.6.2.10 CFE_ES_GetTaskID() CFE_Status_t CFE_ES_GetTaskID ( CFE_ES_TaskId_t * TaskIdPtr )
```

Get the task ID of the calling context.

Description

This retrieves the current task context from OSAL

Assumptions, External Events, and Notes:

Applications which desire to call other CFE ES services such as CFE_ES_TaskGetInfo() should use this API rather than getting the ID from OSAL directly via OS_TaskGetId().

Parameters

out	TaskldPtr	Pointer to variable that is to receive the ID (must not be null). Will be set to the ID of the calling]
		task.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

Get Task Information given a specified Task ID.

Description

This routine retrieves the information about a Task associated with a specified Task ID. The information includes Task Name, and Parent/Creator Application ID.

Assumptions, External Events, and Notes:

None

Parameters

	out	TaskInfo	Pointer to a CFE_ES_TaskInfo_t structure (must not be null) that holds the specific task information. *TaskInfo is the filled out CFE_ES_TaskInfo_t structure containing the Task Name, Parent App Name, Parent App ID among other fields.
•	in	Taskld	Application ID of Application whose name is being requested.

9.6 cFE Information APIs 155

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_ES_GetTaskID}, {\sf CFE_ES_GetTaskIDByName}, {\sf CFE_ES_GetTaskName}$

9.7 cFE Child Task APIs

Functions

 CFE_Status_t CFE_ES_CreateChildTask (CFE_ES_TaskId_t *TaskIdPtr, const char *TaskName, CFE_ES_ChildTaskMainFuncPtr_ FunctionPtr, CFE_ES_StackPointer_t StackPtr, size_t StackSize, CFE_ES_TaskPriority_Atom_t Priority, uint32 Flags)

Creates a new task under an existing Application.

CFE_Status_t CFE_ES_GetTaskIDByName (CFE_ES_TaskId_t *TaskIdPtr, const char *TaskName)

Get a Task ID associated with a specified Task name.

CFE Status t CFE ES GetTaskName (char *TaskName, CFE ES TaskId t TaskId, size t BufferLength)

Get a Task name for a specified Task ID.

CFE_Status_t CFE_ES_DeleteChildTask (CFE_ES_TaskId_t TaskId)

Deletes a task under an existing Application.

void CFE_ES_ExitChildTask (void)

Exits a child task.

9.7.1 Detailed Description

9.7.2 Function Documentation

Creates a new task under an existing Application.

Description

This routine creates a new task (a separate execution thread) owned by the calling Application.

Assumptions, External Events, and Notes:

None

Parameters

out	TaskldPtr	A pointer to a variable that will be filled in with the new task's ID (must not be null). TaskIdPtr is the Task ID of the newly created child task.
in	TaskName	A pointer to a string containing the desired name of the new task (must not be null). This can be up to OS_MAX_API_NAME characters, including the trailing null.
in	FunctionPtr	A pointer to the function that will be spawned as a new task (must not be null).
in	StackPtr	A pointer to the location where the child task's stack pointer should start. NOTE: Not all underlying operating systems support this parameter. The CFE_ES_TASK_STACK_ALLOCATE constant may be passed to indicate that the stack should be dynamically allocated.
in	StackSize	The number of bytes to allocate for the new task's stack (must not be zero).

9.7 cFE Child Task APIs 157

Parameters

in	Priority	The priority for the new task. Lower numbers are higher priority, with 0 being the highest
		priority.
in	Flags	Reserved for future expansion.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_CHILD_TASK_CREATE	Child Task Create Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

See also

CFE_ES_DeleteChildTask, CFE_ES_ExitChildTask

Deletes a task under an existing Application.

Description

This routine deletes a task under an Application specified by the TaskId obtained when the child task was created using the CFE_ES_CreateChildTask API.

Assumptions, External Events, and Notes:

None

Parameters

in	Task⊷	The task ID previously obtained when the Child Task was created with the
	ld	CFE_ES_CreateChildTask API.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_CHILD_TASK_DELETE	(return value only verified in coverage test) Child Task
	Delete Error.
CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK	Child Task Delete Passed Main Task.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

See also

CFE_ES_CreateChildTask, CFE_ES_ExitChildTask

Exits a child task.

Description

This routine allows the current executing child task to exit and be deleted by ES.

Assumptions, External Events, and Notes:

This function cannot be called from an Application's Main Task.

Note

This function does not return a value, but if it does return at all, it is assumed that the Task was either unregistered or this function was called from a cFE Application's main task.

See also

CFE_ES_CreateChildTask, CFE_ES_DeleteChildTask

Get a Task ID associated with a specified Task name.

Description

This routine retrieves the cFE Task ID associated with a specified Task name.

Assumptions, External Events, and Notes:

None

Parameters

out TaskIdPtr Pointer to variable that is to rece		Pointer to variable that is to receive the Task's ID (must not be null).
in	TaskName	Pointer to null terminated character string containing a Task name (must not be null).

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE ES ERR NAME NOT FOUND	Resource Name Error.

9.7 cFE Child Task APIs 159

Return values

CFE_ES_BAD_ARGUMENT	Bad Argument.
---------------------	---------------

See also

CFE_ES_GetTaskName

Get a Task name for a specified Task ID.

Description

This routine retrieves the cFE Task name associated with a specified Task ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

Parameters

	out	TaskName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the Task name.	
Ī	in	Taskld	Task ID of Task whose name is being requested.	
Ī	in	BufferLength	σ το	
			TaskName buffer. This routine will truncate the name to this length, if necessary.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetTaskIDByName

9.8 cFE Miscellaneous APIs

Functions

void CFE ES BackgroundWakeup (void)

Wakes up the CFE background task.

• CFE_Status_t CFE_ES_WriteToSysLog (const char *SpecStringPtr,...) OS_PRINTF(1

Write a string to the cFE System Log.

CFE_Status_t uint32 CFE_ES_CalculateCRC (const void *DataPtr, size_t DataLength, uint32 InputCRC, CFE_ES_CrcType_Enum_t TypeCRC)

Calculate a CRC on a block of memory.

void CFE ES ProcessAsyncEvent (void)

Notification that an asynchronous event was detected by the underlying OS/PSP.

9.8.1 Detailed Description

9.8.2 Function Documentation

Wakes up the CFE background task.

Description

Normally the ES background task wakes up at a periodic interval. Whenever new background work is added, this can be used to wake the task early, which may reduce the delay between adding the job and the job getting processed.

Assumptions, External Events, and Notes:

Note the amount of work that the background task will perform is pro-rated based on the amount of time elapsed since the last wakeup. Waking the task early will not cause the background task to do more work than it otherwise would - it just reduces the delay before work starts initially.

Calculate a CRC on a block of memory.

Description

This routine calculates a cyclic redundancy check (CRC) on a block of memory. The CRC algorithm used is determined by the last parameter.

Assumptions, External Events, and Notes:

None

in	DataPtr	Pointer to the base of the memory block.
in	DataLength	The number of bytes in the memory block.
in	InputCRC	A starting value for use in the CRC calculation. This parameter allows the user to calculate the CRC of non-contiguous blocks as a single value. Nominally, the user should set this value to zero.
in	TypeCRC	One of the following CRC algorithm selections: • CFE_ES_CrcType_CRC_8 - (Not currently implemented) • CFE_ES_CrcType_CRC_16 - CRC-16/ARC Polynomial: 0x8005 Initialization: 0x0000 Reflect Input/Output: true XorOut: 0x0000 • CFE_ES_CrcType_CRC_32 - (not currently implemented)

Returns

The result of the CRC calculation on the specified memory block. If the TypeCRC is unimplemented will return 0. If DataPtr is null or DataLength is 0, will return InputCRC

9.8.2.3 CFE_ES_ProcessAsyncEvent() void CFE_ES_ProcessAsyncEvent (void)

Notification that an asynchronous event was detected by the underlying OS/PSP.

Description

This hook routine is called from the PSP when an exception or other asynchronous system event occurs

Assumptions, External Events, and Notes:

The PSP must guarantee that this function is only invoked from a context which may use OSAL primitives. In general this means that it shouldn't be *directly* invoked from an ISR/signal context.

Write a string to the cFE System Log.

Description

This routine writes a formatted string to the cFE system log. This can be used to record very low-level errors that can't be reported using the Event Services. This function is used in place of printf for flight software. It should be used for significant startup events, critical errors, and conditionally compiled debug software.

Assumptions, External Events, and Notes:

None

in	SpecStringPtr	The format string for the log message (must not be null). This is similar to the format string
		for a printf() call.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_SYS_LOG_FULL	System Log Full.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.9 cFE Critical Data Store APIs

Functions

CFE_Status_t CFE_ES_RegisterCDS (CFE_ES_CDSHandle_t *CDSHandlePtr, size_t BlockSize, const char *Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

- CFE_Status_t CFE_ES_GetCDSBlockIDByName (CFE_ES_CDSHandle_t *BlockIdPtr, const char *BlockName)

 Get a CDS Block ID associated with a specified CDS Block name.
- CFE_Status_t CFE_ES_GetCDSBlockName (char *BlockName, CFE_ES_CDSHandle_t BlockId, size_t Buffer ← Length)

Get a Block name for a specified Block ID.

- CFE_Status_t CFE_ES_CopyToCDS (CFE_ES_CDSHandle_t Handle, const void *DataToCopy)
 - Save a block of data in the Critical Data Store (CDS)
- CFE_Status_t CFE_ES_RestoreFromCDS (void *RestoreToMemory, CFE_ES_CDSHandle_t Handle)

Recover a block of data from the Critical Data Store (CDS)

9.9.1 Detailed Description

9.9.2 Function Documentation

Save a block of data in the Critical Data Store (CDS)

Description

This routine copies a specified block of memory into the Critical Data Store that had been previously registered via CFE_ES_RegisterCDS. The block of memory to be copied must be at least as big as the size specified when registering the CDS.

Assumptions, External Events, and Notes:

None

Parameters

in	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.
in	DataToCopy	A Pointer to the block of memory to be copied into the CDS (must not be null).

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_RegisterCDS, CFE_ES_RestoreFromCDS

Get a CDS Block ID associated with a specified CDS Block name.

Description

This routine retrieves the CDS Block ID associated with a specified CDS Block name.

Assumptions, External Events, and Notes:

None

Parameters

out	BlockldPtr	Pointer to variable that is to receive the CDS Block ID (must not be null).
in	BlockName	Pointer to null terminated character string containing a CDS Block name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.

See also

CFE_ES_GetCDSBlockName

Get a Block name for a specified Block ID.

Description

This routine retrieves the cFE Block name associated with a specified Block ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

	out	BlockName	Pointer to a character array (must not be null) of at least BufferLength in size that will	
be filled with the CDS Block name.				
	in	Blockld	Block ID/Handle of CDS registry entry whose name is being requested.	
	in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the	
			BlockName buffer. This routine will truncate the name to this length, if necessary.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.

See also

CFE_ES_GetCDSBlockIDByName

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

Description

This routine allocates a block of memory in the Critical Data Store and associates it with the calling Application. The memory can survive an Application restart as well as a Processor Reset.

Assumptions, External Events, and Notes:

This function does *not* clear or otherwise initialize/modify the data within the CDS block. If this function returns CFE_ES_CDS_ALREADY_EXISTS the block may already have valid data in it.

If a new CDS block is reserved (either because the name did not exist, or existed as a different size) it is the responsibility of the calling application to fill the CDS block with valid data. This is indicated by a CFE_SUCCESS return code, and in this case the calling application should ensure that it also calls CFE_ES_CopyToCDS() to fill the block with valid data.

Parameters

out CDSHandlePtr Pointer Application's variable that will contain the CDS Memory Block Handle (mbe null). HandlePtr is the handle of the CDS block that can be used in CFE_ES_CopyToCDS and CFE_ES_RestoreFromCDS.		
in	BlockSize	The number of bytes needed in the CDS (must not be zero).
in	Name	A pointer to a character string (must not be null) containing an application unique name of CFE_MISSION_ES_CDS_MAX_NAME_LENGTH characters or less.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	The memory block was successfully created in the CDS.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.
CFE_ES_CDS_ALREADY_EXISTS	CDS Already Exists.
CFE_ES_CDS_INVALID_SIZE	CDS Invalid Size.
CFE_ES_CDS_INVALID_NAME	CDS Invalid Name.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_CDS_INVALID	(return value only verified in coverage test) CDS Invalid.

See also

CFE_ES_CopyToCDS, CFE_ES_RestoreFromCDS

Recover a block of data from the Critical Data Store (CDS)

Description

This routine copies data from the Critical Data Store identified with the <code>Handle</code> into the area of memory pointed to by the <code>RestoreToMemory</code> pointer. The area of memory to be copied into must be at least as big as the size specified when registering the CDS. The recovery will indicate an error if the data integrity check maintained by the CDS indicates the contents of the CDS have changed. However, the contents will still be copied into the specified area of memory.

Assumptions, External Events, and Notes:

None

Parameters

ir	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.
01	RestoreToMemory	A Pointer to the block of memory (must not be null) that is to be restored with the contents of the CDS. *RestoreToMemory is the contents of the specified CDS.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Return values

CFE_ES_CDS_BLOCK_CRC_ERR	(return value only verified in coverage test) CDS Block CRC Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_RegisterCDS, CFE_ES_CopyToCDS

9.10 cFE Memory Manager APIs

Functions

- CFE_Status_t CFE_ES_PoolCreateNoSem (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size)
 - Initializes a memory pool created by an application without using a semaphore during processing.
- CFE_Status_t CFE_ES_PoolCreate (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size)

Initializes a memory pool created by an application while using a semaphore during processing.

 CFE_Status_t CFE_ES_PoolCreateEx (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size, uint16 NumBlockSizes, const size t *BlockSizes, bool UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

int32 CFE_ES_PoolDelete (CFE_ES_MemHandle_t PoolID)

Deletes a memory pool that was previously created.

- int32 CFE_ES_GetPoolBuf (CFE_ES_MemPoolBuf_t *BufPtr, CFE_ES_MemHandle_t Handle, size_t Size)
 - Gets a buffer from the memory pool created by CFE ES PoolCreate or CFE ES PoolCreateNoSem.
- CFE_Status_t CFE_ES_GetPoolBufInfo (CFE_ES_MemHandle_t Handle, CFE_ES_MemPoolBuf_t BufPtr)
 Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.
- int32 CFE ES PutPoolBuf (CFE ES MemHandle t Handle, CFE ES MemPoolBuf t BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

CFE_Status_t CFE_ES_GetMemPoolStats (CFE_ES_MemPoolStats_t *BufPtr, CFE_ES_MemHandle_t Handle)

Extracts the statistics maintained by the memory pool software.

9.10.1 Detailed Description

9.10.2 Function Documentation

Extracts the statistics maintained by the memory pool software.

Description

This routine fills the CFE_ES_MemPoolStats_t data structure with the statistics maintained by the memory pool software. These statistics can then be telemetered by the calling Application.

Assumptions, External Events, and Notes:

None

Parameters

out	BufPtr	Pointer to CFE_ES_MemPoolStats_t data structure (must not be null) to be filled with memory statistics. *BufPtr is the Memory Pool Statistics stored in given data structure.
in	Handle	The handle to the memory pool whose statistics are desired.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateNoSem$

Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.

Description

This routine obtains a block of memory from the memory pool supplied by the calling application.

Assumptions, External Events, and Notes:

1. The size allocated from the memory pool is, at a minimum, 12 bytes more than requested.

Parameters

out	BufPtr	A pointer to the Application's pointer (must not be null) in which will be stored the address of the allocated memory buffer. *BufPtr is the address of the requested buffer.
in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.
in	Size	The size of the buffer requested. NOTE: The size allocated may be larger.

Returns

Bytes Allocated, or error code cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_ERR_MEM_BLOCK_SIZE	Memory Block Size Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats, CFE_ES GetPoolBufInfo

9.10.2.3 CFE_ES_GetPoolBufInfo() CFE_Status_t CFE_ES_GetPoolBufInfo (

```
CFE_ES_MemHandle_t Handle,
CFE ES MemPoolBuf t BufPtr )
```

Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.

Description

This routine gets info on a buffer in the memory pool.

Assumptions, External Events, and Notes:

None

Parameters

-	in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.	
	in	BufPtr	A pointer to the memory buffer to provide status for (must not be null).	

Returns

Size of the buffer if successful, or status code if not successful, see cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BUFFER_NOT_IN_POOL	Buffer Not In Pool.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_GetMemPoolStats, CFE_ES_PutPoolBuf

Initializes a memory pool created by an application while using a semaphore during processing.

Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, mutex handling will be performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

out	PoolID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be null). PoolID is the memory pool handle.
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats

Initializes a memory pool created by an application with application specified block sizes.

Description

This routine initializes a pool of memory supplied by the calling application.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

Parameters

out	PoolID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be null). PoolID is the memory pool handle.
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.

in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.	
in	NumBlockSizes	The number of different block sizes specified in the BlockSizes array. If set larger than CFE_PLATFORM_ES_POOL_MAX_BUCKETS, CFE_ES_BAD_ARGUMENT will be returned. If BlockSizes is null and NumBlockSizes is 0, NubBlockSizes will be set to CFE_PLATFORM_ES_POOL_MAX_BUCKETS.	
in	BlockSizes	Pointer to an array of sizes to be used instead of the default block sizes specified by CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 through CFE_PLATFORM_ES_MAX_BLOCK_SIZE. If the pointer is equal to NULL, the default block sizes are used.	
in	UseMutex	Flag indicating whether the new memory pool will be processing with mutex handling or not. Valid parameter values are CFE_ES_USE_MUTEX and CFE_ES_NO_MUTEX	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NO_RESOURCE_IDS_AVAILABLE	Resource ID is not available.
CFE_STATUS_EXTERNAL_RESOURCE_FAIL	(return value only verified in coverage test) External failure.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats

Initializes a memory pool created by an application without using a semaphore during processing.

Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, no mutex handling is performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

out	PoolID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be null). PoolID is the memory pool handle.
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats

Deletes a memory pool that was previously created.

Description

This routine removes the pool ID and frees the global table entry for future re-use.

Assumptions, External Events, and Notes:

All buffers associated with the pool become invalid after this call. The application should ensure that buffers/references to the pool are returned before deleting the pool.

Parameters

_			
	in	PoolID	The ID of the pool to delete

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

Description

This routine releases a buffer back into the memory pool.

Assumptions, External Events, and Notes:

None

Parameters

in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.	
in	BufPtr	A pointer to the memory buffer to be released (must not be null).	

Returns

Bytes released, or error code cFE Return Code Defines

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_BUFFER_NOT_IN_POOL	Buffer Not In Pool.
CFE_ES_POOL_BLOCK_INVALID	Invalid pool block.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_GetMemPoolStats, CFE_ES GetPoolBufInfo

9.11 cFE Performance Monitor APIs

Macros

• #define CFE_ES_PerfLogEntry(id) (CFE_ES_PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

• #define CFE_ES_PerfLogExit(id) (CFE_ES_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

Functions

void CFE_ES_PerfLogAdd (uint32 Marker, uint32 EntryExit)

Adds a new entry to the data buffer.

9.11.1 Detailed Description

9.11.2 Macro Definition Documentation

Entry marker for use with Software Performance Analysis Tool.

Description

This macro logs the entry or start event/marker for the specified entry id. This macro, in conjunction with the CFE_ES_PerfLogExit, is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

None

Parameters

in	id	Identifier of the specific event or marker.
----	----	---

See also

```
CFE_ES_PerfLogExit, CFE_ES_PerfLogAdd
```

Definition at line 1471 of file cfe es.h.

Exit marker for use with Software Performance Analysis Tool.

Description

This macro logs the exit or end event/marker for the specified entry id. This macro, in conjunction with the CFE_ES_PerfLogEntry, is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

None

in	id	Identifier of the specific event or marker.
----	----	---

See also

```
CFE_ES_PerfLogEntry, CFE_ES_PerfLogAdd
```

Definition at line 1490 of file cfe_es.h.

9.11.3 Function Documentation

Adds a new entry to the data buffer.

Function called by CFE_ES_PerfLogEntry and CFE_ES_PerfLogExit macros

Description

This function logs the entry and exit marker for the specified id. This function is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

This function implements a circular buffer using an array. DataStart points to first stored entry DataEnd points to next available entry if DataStart == DataEnd then the buffer is either empty or full depending on the value of the DataCount Time is stored as 2 32 bit integers, (TimerLower32, TimerUpper32): TimerLower32 is the current value of the hardware timer register. TimerUpper32 is the number of times the timer has rolled over.

Parameters

in	Marker	Identifier of the specific event or marker.
in	EntryExit	Used to specify Entry(0) or Exit(1)

See also

CFE_ES_PerfLogEntry, CFE_ES_PerfLogExit

9.12 cFE Generic Counter APIs

Functions

• CFE_Status_t CFE_ES_RegisterGenCounter (CFE_ES_CounterId_t *CounterIdPtr, const char *CounterName)

**Register a generic counter.*

• CFE_Status_t CFE_ES_DeleteGenCounter (CFE_ES_CounterId_t CounterId)

Delete a generic counter.

CFE Status t CFE ES IncrementGenCounter (CFE ES CounterId)

Increments the specified generic counter.

• CFE_Status_t CFE_ES_SetGenCount (CFE_ES_CounterId_t CounterId, uint32 Count)

Set the specified generic counter.

CFE Status t CFE ES GetGenCount (CFE ES Counterld t Counterld, uint32 *Count)

Get the specified generic counter count.

 CFE_Status_t CFE_ES_GetGenCounterIDByName (CFE_ES_CounterId_t *CounterIdPtr, const cha *CounterName)

Get the Id associated with a generic counter name.

CFE_Status_t CFE_ES_GetGenCounterName (char *CounterName, CFE_ES_CounterId_t CounterId, size_
 t BufferLength)

Get a Counter name for a specified Counter ID.

9.12.1 Detailed Description

9.12.2 Function Documentation

Delete a generic counter.

Description

This routine deletes a previously registered generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter⊷	The Counter Id of the newly created counter.
	ld	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_IncrementGenCounter} CFE_ES_IncrementGenCounter, CFE_ES_IncrementG$

Get the specified generic counter count.

Description

This routine gets the value of a generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter← Id	The Counter to get the value from.
out	Count	Buffer to store value of the Counter (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\it CFE_ES_Register} GenCounter, {\it CFE_ES_Delete} GenCounter, {\it CFE_ES_Set} GenCount, {\it CFE_ES_Increment} GenCounter, {\it CFE_ES_Get} GenCounter, {\it CFE_$

Get the Id associated with a generic counter name.

Description

This routine gets the Counter Id for a generic counter specified by name.

Assumptions, External Events, and Notes:

None.

out	CounterIdPtr	Pointer to variable that is to receive the Counter's ID (must not be null).
in	CounterName	Pointer to null terminated character string containing a Counter name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetGenCounterName

Get a Counter name for a specified Counter ID.

size_t BufferLength)

Description

This routine retrieves the cFE Counter name associated with a specified Counter ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_RESOURCEID_NOT_VALID), an empty string is returned.

Parameters

out	CounterName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the Counter name.
in	CounterId	ID of Counter whose name is being requested.
in	BufferLength	The maximum number of characters, including the null terminator (must not be zero), that can be put into the CounterName buffer. This routine will truncate the name to this length, if necessary.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.

Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_GetGenCounterIDByName

Increments the specified generic counter.

Description

This routine increments the specified generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter⊷	The Counter to be incremented.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\tt CFE_ES_RegisterGenCounter,\ CFE_ES_DeleteGenCounter,\ CFE_ES_SetGenCount,\ CFE_ES_GetGenCount,\ CFE_ES_GetGenCounter]} \\$

Register a generic counter.

Description

This routine registers a generic thread-safe counter which can be used for inter-task management.

Assumptions, External Events, and Notes:

The initial value of all newly registered counters is 0.

Parameters

out	CounterIdPtr	Buffer to store the Counter Id of the newly created counter (must not be null).
in	CounterName	The Name of the generic counter (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_DUPLICATE_NAME	Duplicate Name Error.
CFE_ES_NO_RESOURCE_IDS_AVAILABLE	Resource ID is not available.

See also

 ${\it CFE_ES_IncrementGenCounter}, {\it CFE_ES_DeleteGenCounter}, {\it CFE_ES_SetGenCount}, {\it CFE_ES_GetGenCounter}, {\it CFE_ES$

Set the specified generic counter.

Description

This routine sets the specified generic counter to the specified value.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter← Id	The Counter to be set.
in	Count	The new value of the Counter.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\tt CFE_ES_RegisterGenCounter}, {\tt CFE_ES_DeleteGenCounter}, {\tt CFE_ES_IncrementGenCounter}, {\tt CFE_ES_GetGenCounter}, {\tt$

9.13 cFE Registration APIs

Functions

CFE_Status_t CFE_EVS_Register (const void *Filters, uint16 NumEventFilters, uint16 FilterScheme)
 Register an application for receiving event services.

9.13.1 Detailed Description

9.13.2 Function Documentation

Register an application for receiving event services.

Description

This routine registers an application with event services and allocates/initializes the internal data structures used to support this application's events. An application may not send events unless it has called this routine. The routine also accepts a filter array structure for applications requiring event filtering. In the current implementation of the EVS, only the binary filtering scheme is supported. See section TBD of the cFE Application Programmer's Guide for a description of the behavior of binary filters. Applications may call CFE_EVS_Register more than once, but each call will wipe out all filters registered by previous calls (filter registration is NOT cumulative).

Assumptions, External Events, and Notes:

Note: Event filters can be added, deleted or modified by ground commands. All filtering schemes include a default setting that results in no filtering (such as CFE_EVS_NO_FILTER for binary filters).

Filter Scheme: Binary

Code: CFE EVS EventFilter BINARY

Filter Structure:

```
typedef struct CFE_EVS_BinFilter {
    uint16 EventID,
    uint16 Mask;
} CFE_EVS_BinFilter_t;
```

Parameters

in	Filters	Pointer to an array of event message filters, or NULL if no filtering is desired. The	
		structure of an event message filter depends on the FilterScheme selected. (see Filter	
		Schemes mentioned above)	
in	NumEventFilters	The number of event message filters included in this call. This must be less than or	
		equal to the maximum number of events allowed per application	
		(CFE_PLATFORM_EVS_MAX_EVENT_FILTERS).	
in	FilterScheme	The event filtering scheme that this application will use. For the first implementation of	
		the event services, only filter type CFE_EVS_EventFilter_BINARY will be supported.	

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_FILTER_OVERLOAD	Application Filter Overload.
CFE_EVS_UNKNOWN_FILTER	Unknown Filter.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_ES_BAD_ARGUMENT	Bad Argument.

9.14 cFE Send Event APIs 185

9.14 cFE Send Event APIs

Functions

- CFE_Status_t CFE_EVS_SendEvent (uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(3 Generate a software event.
- CFE_Status_t CFE_EVS_SendEventWithAppID (uint16 EventID, uint16 EventType, CFE_ES_AppId_t AppID, const char *Spec,...) OS PRINTF(4

Generate a software event given the specified Application ID.

 CFE_Status_t CFE_Status_t CFE_EVS_SendTimedEvent (CFE_TIME_SysTime_t Time, uint16 EventID, uint16 EventType, const char *Spec,...) OS PRINTF(4

Generate a software event with a specific time tag.

9.14.1 Detailed Description

9.14.2 Function Documentation

Generate a software event.

Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s).

Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.
in	EventType	A numeric literal used to classify an event, one of:
		CFE_EVS_EventType_DEBUG
		CFE_EVS_EventType_INFORMATION
		CFE_EVS_EventType_ERROR
		CFE_EVS_EventType_CRITICAL

in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will
		be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (t , n , etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

See also

CFE_EVS_SendEventWithAppID, CFE_EVS_SendTimedEvent

Generate a software event given the specified Application ID.

Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s). Note that this function should really only be used from within an API in order to preserve the context of an Application's event. In general, CFE EVS SendEvent should be used.

Assumptions, External Events, and Notes:

The Application ID must correspond to a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and
		supplied by the application sending the event.

9.14 cFE Send Event APIs 187

Parameters

in	EventType	A numeric literal used to classify an event, one of:
		CFE_EVS_EventType_DEBUG
		CFE_EVS_EventType_INFORMATION
		CFE_EVS_EventType_ERROR
		CFE_EVS_EventType_CRITICAL
in	AppID	The Application ID from which the event message should appear.
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

See also

 ${\sf CFE_EVS_SendEvent}, {\sf CFE_EVS_SendTimedEvent}$

Generate a software event with a specific time tag.

Description

This routine is the same as CFE_EVS_SendEvent except that the caller specifies the event time instead of having the EVS use the current spacecraft time. This routine should be used in situations where an error condition is detected at one time, but the event message is reported at a later time.

Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	Time	The time to include in the event. This will usually be a time returned by the function CFE_TIME_GetTime.
in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.
in	EventType	A numeric literal used to classify an event, one of:
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

See also

CFE_EVS_SendEvent, CFE_EVS_SendEventWithAppID

9.15 cFE Reset Event Filter APIs

Functions

CFE_Status_t CFE_EVS_ResetFilter (uint16 EventID)

Resets the calling application's event filter for a single event ID.

CFE_Status_t CFE_EVS_ResetAllFilters (void)

Resets all of the calling application's event filters.

9.15.1 Detailed Description

9.15.2 Function Documentation

Resets all of the calling application's event filters.

Description

This routine resets all the calling application's event filter counters to zero, providing a quick and convenient method for resetting event filters.

Assumptions, External Events, and Notes:

None

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_ResetFilter

Resets the calling application's event filter for a single event ID.

Description

Resets the filter such that the next event is treated like the first. For example, if the filter was set to only send the first event, the next event following the reset would be sent.

Assumptions, External Events, and Notes:

None

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and
		supplied by the application sending the event.

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_EVT_NOT_REGISTERED	Event Not Registered.

See also

CFE_EVS_ResetAllFilters

9.16 cFE File Header Management APIs

Functions

• CFE Status t CFE FS ReadHeader (CFE FS Header t *Hdr, osal id t FileDes)

Read the contents of the Standard cFE File Header.

• void CFE_FS_InitHeader (CFE_FS_Header_t *Hdr, const char *Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

• CFE_Status_t CFE_FS_WriteHeader (osal_id_t FileDes, CFE_FS_Header_t *Hdr)

Write the specified Standard cFE File Header to the specified file.

CFE_Status_t CFE_FS_SetTimestamp (osal_id_t FileDes, CFE_TIME_SysTime_t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

9.16.1 Detailed Description

9.16.2 Function Documentation

Initializes the contents of the Standard cFE File Header.

Description

This API will clear the specified CFE_FS_Header_t variable and initialize the description field with the specified value

Parameters

in	Hdr	Pointer to a variable of type CFE_FS_Header_t that will be cleared and initialized	
in	Description	Initializes Header's Description (must not be null)	
in	SubType	Initializes Header's SubType	

See also

CFE_FS_WriteHeader

Read the contents of the Standard cFE File Header.

Description

This API will fill the specified CFE_FS_Header_t variable with the contents of the Standard cFE File Header of the file identified by the given File Descriptor.

Assumptions, External Events, and Notes:

- The File has already been successfully opened using OS_OpenCreate and the caller has a legitimate File Descriptor.
- 2. File offset behavior: Agnostic on entry since it will move the offset to the start of the file, on success the offset will be at the end of the header, undefined offset behavior for error cases.

Parameters

out	Hdr	Pointer to a variable of type CFE_FS_Header_t (must not be null) that will be filled with the contents of the Standard cFE File Header. *Hdr is the contents of the Standard cFE File Header for the specified file.
in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the file whose header is to be read.

Returns

Bytes read or error status from OSAL

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
---------------------	---------------

Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

See also

CFE FS WriteHeader

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

Description

This API will modify the timestamp found in the Standard cFE File Header of the specified file. The timestamp will be replaced with the time specified by the caller.

Assumptions, External Events, and Notes:

- 1. The File has already been successfully opened using OS_OpenCreate and the caller has a legitimate File Descriptor.
- 2. The NewTimestamp field has been filled appropriately by the Application.
- 3. File offset behavior: Agnostic on entry since it will move the offset, on success the offset will be at the end of the time stamp, undefined offset behavior for error cases.

in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with
		the file whose header is to be read.
in	NewTimestamp	A CFE_TIME_SysTime_t data structure containing the desired time to be put into the
		file's Standard cFE File Header.

Returns

Execution status, see cFE Return Code Defines, or OSAL status

Return values

CFE_STATUS_EXTERNAL_RESOURCE_FAIL	(return value only verified in coverage test) External failure.
CFE_SUCCESS	Successful execution.

Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

Write the specified Standard cFE File Header to the specified file.

Description

This API will output the specified CFE_FS_Header_t variable, with some fields automatically updated, to the specified file as the Standard cFE File Header. This API will automatically populate the following fields in the specified CFE_FS_Header_t:

- 1. ContentType Filled with 0x63464531 ('cFE1')
- 2. Length Filled with the sizeof(CFE FS Header t)
- 3. Spacecraft ID Filled with the Spacecraft ID
- 4. ProcessorID Filled with the Processor ID
- 5. ApplicationID Filled with the Application ID
- 6. TimeSeconds Filled with the Time, in seconds, as obtained by CFE TIME GetTime
- 7. TimeSubSeconds Filled with the Time, subseconds, as obtained by CFE_TIME_GetTime

Assumptions, External Events, and Notes:

- The File has already been successfully opened using OS_OpenCreate and the caller has a legitimate File Descriptor.
- 2. The SubType field has been filled appropriately by the Application.
- 3. The ${\tt Description}$ field has been filled appropriately by the Application.
- 4. File offset behavior: Agnostic on entry since it will move the offset to the start of the file, on success the offset will be at the end of the header, undefined offset behavior for error cases.

in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the file
		whose header is to be read.
out	Hdr	Pointer to a variable of type CFE_FS_Header_t (must not be null) that will be filled with the contents of the Standard cFE File Header. *Hdr is the contents of the Standard cFE File Header for the specified file.

Returns

Bytes read or error status from OSAL

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
---------------------	---------------

Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

See also

CFE_FS_ReadHeader

9.17 cFE File Utility APIs

Functions

const char * CFE FS GetDefaultMountPoint (CFE FS FileCategory t FileCategory)

Get the default virtual mount point for a file category.

const char * CFE_FS_GetDefaultExtension (CFE_FS_FileCategory_t FileCategory)

Get the default filename extension for a file category.

int32 CFE_FS_ParseInputFileNameEx (char *OutputBuffer, const char *InputBuffer, size_t OutputBufSize, size ←
t InputBufSize, const char *DefaultInput, const char *DefaultPath, const char *DefaultExtension)

Parse a filename input from an input buffer into a local buffer.

 int32 CFE_FS_ParseInputFileName (char *OutputBuffer, const char *InputName, size_t OutputBufSize, CFE_FS_FileCategory_t FileCategory)

Parse a filename string from the user into a local buffer.

CFE_Status_t CFE_FS_ExtractFilenameFromPath (const char *OriginalPath, char *FileNameOnly)

Extracts the filename from a unix style path and filename string.

• int32 CFE_FS_BackgroundFileDumpRequest (CFE_FS_FileWriteMetaData_t *Meta)

Register a background file dump request.

• bool CFE_FS_BackgroundFileDumpIsPending (const CFE_FS_FileWriteMetaData_t *Meta)

Query if a background file write request is currently pending.

9.17.1 Detailed Description

9.17.2 Function Documentation

Query if a background file write request is currently pending.

Description

This returns "true" while the request is on the background work queue This returns "false" once the request is complete and removed from the queue.

Assumptions, External Events, and Notes:

None

Parameters

in,out	Meta	The background file write persistent state object (must not be null)
--------	------	--

Returns

boolean value indicating if request is already pending

true if requ		if request is pending
	false	if request is not pending

```
9.17.2.2 CFE_FS_BackgroundFileDumpRequest() int32 CFE_FS_BackgroundFileDumpRequest ( CFE_FS_FileWriteMetaData_t * Meta )
```

Register a background file dump request.

Description

Puts the previously-initialized metadata into the pending request queue

Assumptions, External Events, and Notes:

Metadata structure should be stored in a persistent memory area (not on stack) as it must remain accessible by the file writer task throughout the asynchronous job operation.

Parameters

in, or	ıt <i>Meta</i>	The background file write persistent state object (must not be null)
--------	----------------	--

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_STATUS_REQUEST_ALREADY_PENDING	Request already pending.
CFE_SUCCESS	Successful execution.

Extracts the filename from a unix style path and filename string.

Description

This API will take the original unix path/filename combination and extract the base filename. Example: Given the path/filename: "/cf/apps/myapp.o.gz" this function will return the filename: "myapp.o.gz".

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are the standard unix style filenames separated by "/" characters.
- 2. The extracted filename (including terminator) is no longer than OS MAX PATH LEN

in	OriginalPath	The original path (must not be null)
out	FileNameOnly	The filename that is extracted from the path (must not be null)

Execution status, see cFE Return Code Defines

Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_FNAME_TOO_LONG	Filename Too Long.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_SUCCESS	Successful execution.

Get the default filename extension for a file category.

Certain file types may have an extension that varies from system to system. This is primarily an issue for application modules which are ".so" on Linux systems, ".dll" on Windows, ".o" on VxWorks, ".obj" on RTEMS, and so on.

This uses a combination of compile-time configuration and hints from the build environment to get the default/expected extension for a given file category.

Returns

String containing the extension

Return values

NULL if no default extension is know	wn for the given file category
--------------------------------------	--------------------------------

Get the default virtual mount point for a file category.

Certain classes of files generally reside in a common directory, mainly either the persistent storage (/cf typically) or ram disk (/ram typically).

Ephemeral status files are generally in the ram disk while application modules and scripts are generally in the persistent storage.

This returns the expected directory for a given class of files in the form of a virtual OSAL mount point string.

Returns

String containing the mount point

Return values

```
NULL if no mount point is known for the given file category
```

9.17.2.6 CFE_FS_ParseInputFileName() int32 CFE_FS_ParseInputFileName (

```
const char * InputName,
size_t OutputBufSize,
CFE_FS_FileCategory_t FileCategory )
```

Parse a filename string from the user into a local buffer.

Description

Simplified API for CFE_FS_ParseInputFileNameEx() where input is always known to be a non-empty, null terminated string and the fixed-length input buffer not needed. For instance this may be used where the input is a fixed string from cfe_platform_cfg.h or similar.

Assumptions, External Events, and Notes:

The parameters are organized such that this is basically like strncpy() with an extra argument, and existing file name accesses which use a direct copy can easily change to use this instead.

See also

```
CFE_FS_ParseInputFileNameEx()
```

Parameters

out	OutputBuffer Buffer to store result (must not be null).	
in	InputName	A null terminated input string (must not be null).
in	OutputBufSize	Maximum Size of output buffer (must not be zero).
in	FileCategory	The generalized category of file (implies default path/extension)

Returns

Execution status, see cFE Return Code Defines

```
const char * InputBuffer,
size_t OutputBufSize,
size_t InputBufSize,
const char * DefaultInput,
const char * DefaultPath,
const char * DefaultExtension )
```

Parse a filename input from an input buffer into a local buffer.

Description

This provides a more user friendly way to specify file names, using default values for the path and extension, which can vary from system to system.

If InputBuffer is null or its length is zero, then DefaultInput is used as if it was the content of the input buffer. If either the pathname or extension is missing from the input, it will be added from defaults, with the complete fully-qualified filename stored in the output buffer.

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are the standard unix style filenames separated by "/" (path) and "." (extension) characters.
- 2. Input Buffer has a fixed max length. Parsing will not exceed InputBufSize, and does not need to be null terminated. However parsing will stop at the first null char, when the input is shorter than the maximum.

Parameters

out	OutputBuffer	Buffer to store result (must not be null).	
in	InputBuffer	A input buffer that may contain a file name (e.g. from command) (must not be null).	
in	OutputBufSize	Maximum Size of output buffer (must not be zero).	
in	InputBufSize	Maximum Size of input buffer.	
in	DefaultInput	Default value to use for input if InputBffer is empty	
in	DefaultPath	Default value to use for pathname if omitted from input	
in	DefaultExtension	Default value to use for extension if omitted from input	

Returns

Execution status, see cFE Return Code Defines

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_FNAME_TOO_LONG	Filename Too Long.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_SUCCESS	Successful execution.

9.18 cFE Generic Message APIs

Functions

• CFE_Status_t CFE_MSG_Init (CFE_MSG_Message_t *MsgPtr, CFE_SB_MsgId_t MsgId, CFE_MSG_Size_t Size)

Initialize a message.

9.18.1 Detailed Description

9.18.2 Function Documentation

Initialize a message.

Description

This routine initialize a message. The entire message is set to zero (based on size), defaults are set, then the size and bits from Msgld are set.

Parameters

out	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
in	Msgld	Msgld that corresponds to message	
in	Size Total size of the message (used to set length field)		

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19 cFE Message Primary Header APIs

Functions

- CFE_Status_t CFE_MSG_GetSize (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t *Size)
 Gets the total size of a message.
- CFE_Status_t CFE_MSG_SetSize (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t Size)

 Sets the total size of a message.
- CFE_Status_t CFE_MSG_GetType (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t *Type)
 Gets the message type.
- CFE_Status_t CFE_MSG_SetType (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t Type)
 Sets the message type.
- CFE_Status_t CFE_MSG_GetHeaderVersion (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_HeaderVersion_t *Version)

Gets the message header version.

CFE_Status_t CFE_MSG_SetHeaderVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_HeaderVersion_t Version)

Sets the message header version.

 CFE_Status_t CFE_MSG_GetHasSecondaryHeader (const CFE_MSG_Message_t *MsgPtr, bool *Has↔ Secondary)

Gets the message secondary header boolean.

- CFE_Status_t CFE_MSG_SetHasSecondaryHeader (CFE_MSG_Message_t *MsgPtr, bool HasSecondary)

 Sets the message secondary header boolean.
- CFE_Status_t CFE_MSG_GetApId (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t *ApId)
 Gets the message application ID.
- CFE_Status_t CFE_MSG_SetApId (CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t ApId)
 Sets the message application ID.
- CFE_Status_t CFE_MSG_GetSegmentationFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_SegmentationFlag_t *SegFlag)

Gets the message segmentation flag.

 CFE_Status_t CFE_MSG_SetSegmentationFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SegmentationFlag_t SegFlag)

Sets the message segmentation flag.

CFE_Status_t CFE_MSG_GetSequenceCount (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount_t *SeqCnt)

Gets the message sequence count.

CFE_Status_t CFE_MSG_SetSequenceCount (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount_t SeqCnt)

Sets the message sequence count.

CFE_MSG_SequenceCount_t CFE_MSG_GetNextSequenceCount (CFE_MSG_SequenceCount_t SeqCnt)
 Gets the next sequence count value (rolls over if appropriate)

9.19.1 Detailed Description

9.19.2 Function Documentation

Gets the message application ID.

Description

This routine gets the message application ID.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Apld	Application ID (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.2 CFE_MSG_GetHasSecondaryHeader() CFE_Status_t CFE_MSG_GetHasSecondaryHeader (const CFE_MSG_Message_t * MsgPtr, bool * HasSecondary)

Gets the message secondary header boolean.

Description

This routine gets the message secondary header boolean.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	HasSecondary	Has secondary header flag (must not be null)

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message header version.

Description

This routine gets the message header version.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Version	Header version (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.19.2.4 CFE_MSG_GetNextSequenceCount() CFE_MSG_SequenceCount_t CFE_MSG_GetNextSequenceCount (CFE_MSG_SequenceCount_t SeqCnt)

Gets the next sequence count value (rolls over if appropriate)

Description

Abstract method to get the next valid sequence count value. Will roll over to zero for any input value greater than or equal to the maximum possible sequence count value given the field in the header.

Parameters

in SeqCnt Sequence count	
------------------------------	--

Returns

The next valid sequence count value

Gets the message segmentation flag.

Description

This routine gets the message segmentation flag

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	SegFlag	Segmentation flag (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message sequence count.

Description

This routine gets the message sequence count.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	SeqCnt	Sequence count (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the total size of a message.

Description

This routine gets the total size of the message.

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Size	Total message size (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message type.

Description

This routine gets the message type.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Туре	Message type (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message application ID.

Description

This routine sets the message application ID. Typically set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Apld	Application ID

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message secondary header boolean.

Description

This routine sets the message secondary header boolean. Typically only set within message initialization and not used by APPs.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	HasSecondary	Has secondary header flag

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message header version.

Description

This routine sets the message header version. Typically only set within message initialization and not used by APPs.

in,out	MsgPtr	A pointer to the buffer that contains the message.
in	Version	Header version

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message segmentation flag.

Description

This routine sets the message segmentation flag.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	SegFlag	Segmentation flag

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message sequence count.

Description

This routine sets the message sequence count.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	SeqCnt	Sequence count

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the total size of a message.

Description

This routine sets the total size of the message.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Size	Total message size

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message type.

Description

This routine sets the message type.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Туре	Message type

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.20 cFE Message Extended Header APIs

Functions

CFE_Status_t CFE_MSG_GetEDSVersion (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t *Version)

Gets the message EDS version.

- CFE_Status_t CFE_MSG_SetEDSVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t Version) Sets the message EDS version.
- CFE_Status_t CFE_MSG_GetEndian (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t *Endian) Gets the message endian.
- CFE_Status_t CFE_MSG_SetEndian (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t Endian) Sets the message endian.
- CFE_Status_t CFE_MSG_GetPlaybackFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_t *PlayFlag)

Gets the message playback flag.

CFE_Status_t CFE_MSG_SetPlaybackFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_t PlayFlag)

Sets the message playback flag.

CFE_Status_t CFE_MSG_GetSubsystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t *Subsystem)

Gets the message subsystem.

CFE_Status_t CFE_MSG_SetSubsystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t Subsystem)

Sets the message subsystem.

- CFE_Status_t CFE_MSG_GetSystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t *System)

 Gets the message system.
- CFE_Status_t CFE_MSG_SetSystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t System) Sets the message system.

9.20.1 Detailed Description

9.20.2 Function Documentation

Gets the message EDS version.

Description

This routine gets the message EDS version.

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	Version	EDS Version (must not be null)	

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message endian.

Description

This routine gets the message endian.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Endian	Endian (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message playback flag.

Description

This routine gets the message playback flag.

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	PlayFlag	Playback Flag (must not be null)

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message subsystem.

Description

This routine gets the message subsystem

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Subsystem	Subsystem (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets the message system.

Description

This routine gets the message system id

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	System	System (must not be null)

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message EDS version.

Description

This routine sets the message EDS version.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Version	EDS Version

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message endian.

Description

This routine sets the message endian. Invalid endian selection will set big endian.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Endian	Endian

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message playback flag.

Description

This routine sets the message playback flag.

Parameters

	in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).]
Ī	in	PlayFlag	Playback Flag]

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message subsystem.

Description

This routine sets the message subsystem. Some bits may be set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Subsystem	Subsystem

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message system.

Description

This routine sets the message system id. Some bits may be set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	System	System

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.21 cFE Message Secondary Header APIs

Functions

- CFE_Status_t CFE_MSG_GenerateChecksum (CFE_MSG_Message_t *MsgPtr)
 - Calculates and sets the checksum of a message.
- $\bullet \ \ \mathsf{CFE_Status_t} \ \mathsf{CFE_MSG_ValidateChecksum} \ (\mathsf{const} \ \mathsf{CFE_MSG_Message_t} \ * \mathsf{MsgPtr}, \ \mathsf{bool} \ * \mathsf{IsValid})$
 - Validates the checksum of a message.
- CFE_Status_t CFE_MSG_SetFcnCode (CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t FcnCode)
 Sets the function code field in a message.
- CFE_Status_t CFE_MSG_GetFcnCode (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t *Fcn←Code)

Gets the function code field from a message.

- CFE_Status_t CFE_MSG_GetMsgTime (const CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t *Time)

 Gets the time field from a message.
- CFE_Status_t CFE_MSG_SetMsgTime (CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t NewTime)
 Sets the time field in a message.

9.21.1 Detailed Description

9.21.2 Function Documentation

Calculates and sets the checksum of a message.

Description

This routine calculates the checksum of a message according to an implementation-defined algorithm. Then, it sets the checksum field in the message with the calculated value. The contents and location of this field will depend on the underlying implementation of messages. It may be a checksum, a CRC, or some other algorithm.

Assumptions, External Events, and Notes:

 If the underlying implementation of messages does not include a checksum field, then this routine will return CFE MSG WRONG MSG TYPE

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
--------	--------	---

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Gets the function code field from a message.

Description

This routine gets the function code from a message.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a function code field, then this routine will set FcnCode to zero and return CFE_MSG_WRONG_MSG_TYPE

Parameters

in	MsgPtr A pointer to the buffer that contains the message (must not be null)	
out	FcnCode	The function code from the message (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Gets the time field from a message.

Description

This routine gets the time from a message.

Assumptions, External Events, and Notes:

- If the underlying implementation of messages does not include a time field, then this routine will set Time to zero and return CFE_MSG_WRONG_MSG_TYPE
- Note default implementation of command messages do not have a time field.

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Time	Time from the message (must not be null)

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Sets the function code field in a message.

Description

This routine sets the function code of a message.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a function code field, then this routine will do nothing to the message contents and will return CFE_MSG_WRONG_MSG_TYPE.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	FcnCode	The function code to include in the message.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Sets the time field in a message.

Description

This routine sets the time of a message. Most applications will want to use CFE_SB_TimeStampMsg instead of this function. But, when needed, this API can be used to set multiple messages with identical time stamps.

Assumptions, External Events, and Notes:

- If the underlying implementation of messages does not include a time field, then this routine will do nothing to the message contents and will return CFE_MSG_WRONG_MSG_TYPE.
- Note default implementation of command messages do not have a time field.

Parameters

	in,out	MsgPtr	A pointer to the message (must not be null).
ſ	in	NewTime	The time to include in the message. This will usually be a time from CFE_TIME_GetTime.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

Validates the checksum of a message.

Description

This routine validates the checksum of a message according to an implementation-defined algorithm.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a checksum field, then this routine will return CFE MSG WRONG MSG TYPE and set the IsValid parameter false.

in	MsgPtr	A pointer to the buffer that contains the message (must not be null). This must point to the first byte of the message header.
out	IsValid	Checksum validation result (must not be null)
		• true - valid
		false - invalid or not supported/implemented

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

9.22 cFE Message Id APIs

Functions

- CFE_Status_t CFE_MSG_GetMsgld (const CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t *Msgld)
 Gets the message id from a message.
- CFE_Status_t CFE_MSG_SetMsgld (CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t Msgld)

 Sets the message id bits in a message.
- CFE_Status_t CFE_MSG_GetTypeFromMsgld (CFE_SB_Msgld_t Msgld, CFE_MSG_Type_t *Type)

 Gets message type using message ID.

9.22.1 Detailed Description

9.22.2 Function Documentation

Gets the message id from a message.

Description

This routine gets the message id from a message. The message id is a hash of bits in the message header, used by the software bus for routing. Message id needs to be unique for each endpoint in the system.

Parameters

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Msgld	Message id (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Gets message type using message ID.

Description

This routine gets the message type using the message ID

in	Msg← Id	Message id
out	Туре	Message type (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

Sets the message id bits in a message.

Description

This routine sets the message id bits in a message. The message id is a hash of bits in the message header, used by the software bus for routing. Message id needs to be unique for each endpoint in the system.

Note

This API only sets the bits in the header that make up the message ID. No other values in the header are modified.

The user should ensure that this function is only called with a valid Msgld parameter value. If called with an invalid value, the results are implementation-defined. The implementation may or may not return the error code CFE_MSG_BAD_ARGUMENT in this case.

Parameters

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Msgld	Message id

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

9.23 cFE Pipe Management APIs

Functions

- CFE_Status_t CFE_SB_CreatePipe (CFE_SB_PipeId_t *PipeIdPtr, uint16 Depth, const char *PipeName)

 Creates a new software bus pipe.
- CFE_Status_t CFE_SB_DeletePipe (CFE_SB_PipeId_t PipeId)

Delete a software bus pipe.

CFE_Status_t CFE_SB_PipeId_ToIndex (CFE_SB_PipeId_t PipeID, uint32 *Idx)

Obtain an index value correlating to an SB Pipe ID.

• CFE_Status_t CFE_SB_SetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 Opts)

Set options on a pipe.

CFE_Status_t CFE_SB_GetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 *OptsPtr)

Get options on a pipe.

- CFE_Status_t CFE_SB_GetPipeName (char *PipeNameBuf, size_t PipeNameSize, CFE_SB_PipeId_t PipeId)

 Get the pipe name for a given id.
- CFE_Status_t CFE_SB_GetPipeIdByName (CFE_SB_PipeId_t *PipeIdPtr, const char *PipeName)

 Get pipe id by pipe name.

9.23.1 Detailed Description

9.23.2 Function Documentation

Creates a new software bus pipe.

Description

This routine creates and initializes an input pipe that the calling application can use to receive software bus messages. By default, no messages are routed to the new pipe. So, the application must use CFE_SB_Subscribe to specify which messages it wants to receive on this pipe.

Assumptions, External Events, and Notes:

None

ou	PipeldPtr	A pointer to a variable of type CFE_SB_PipeId_t (must not be null), which will be filled in with the pipe ID information by the CFE_SB_CreatePipe routine. *PipeIdPtr is the identifier for the created pipe.
in	Depth	The maximum number of messages that will be allowed on this pipe at one time.
in	PipeName	A string (must not be null) to be used to identify this pipe in error messages and routing information telemetry. The string must be no longer than OS_MAX_API_NAME (including terminator). Longer strings will be truncated.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MAX_PIPES_MET	Max Pipes Met.
CFE_SB_PIPE_CR_ERR	Pipe Create Error.

See also

CFE_SB_DeletePipe CFE_SB_GetPipeOpts CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

Delete a software bus pipe.

Description

This routine deletes an input pipe and cleans up all data structures associated with the pipe. All subscriptions made for this pipe by calls to CFE_SB_Subscribe will be automatically removed from the SB routing tables. Any messages in the pipe will be discarded.

Applications should not call this routine for all of their SB pipes as part of their orderly shutdown process, as the pipe will be deleted by the support framework at the appropriate time.

Assumptions, External Events, and Notes:

None

Parameters

in	Pipe←	The pipe ID (obtained previously from CFE_SB_CreatePipe) of the pipe to be deleted.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_GetPipeOpts CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

Get pipe id by pipe name.

Description

This routine finds the pipe id for a pipe name.

Parameters

in	PipeName	The name of the pipe (must not be null).
out	PipeldPtr	The Pipeld for that name (must not be null).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_PIPEOPTS_IGNOREMINE

Get the pipe name for a given id.

Description

This routine finds the pipe name for a pipe id.

Parameters

out	PipeNameBuf	The buffer to receive the pipe name (must not be null).
in	PipeNameSize	The size (in chars) of the PipeName buffer (must not be zero).
in	Pipeld	The Pipeld for that name.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

Get options on a pipe.

Description

This routine gets the current options on a pipe.

Parameters

in	Pipeld	The pipe ID of the pipe to get options from.
out	OptsPtr	A bit field of options: cFE SB Pipe options (must not be null)

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE SB CreatePipe CFE SB DeletePipe CFE SB SetPipeOpts CFE SB GetPipeIdByName CFE SB PIPEOPTS IGNOREMIN

Obtain an index value correlating to an SB Pipe ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] application IDs will never overlap, but the index of a pipe ID and an app ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

Note

There is no inverse of this function - indices cannot be converted back to the original PipeID value. The caller should retain the original ID for future use.

Parameters

in	PipeID	Pipe ID to convert	
out	ldx	Buffer where the calculated index will be stored (must not be null)	1

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Set options on a pipe.

Description

This routine sets (or clears) options to alter the pipe's behavior. Options are (re)set every call to this routine.

Parameters

in	Pipe⇔	The pipe ID of the pipe to set options on.
	ld	
in	Opts	A bit field of options: cFE SB Pipe options

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_GetPipeOpts CFE_SB_GetPipeIdByName CFE_SB_PIPEOPTS_IGNOREMII

9.24 cFE Message Subscription Control APIs

Functions

 CFE_Status_t CFE_SB_SubscribeEx (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, CFE_SB_Qos_t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

CFE_Status_t CFE_SB_Subscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Subscribe to a message on the software bus with default parameters.

- CFE_Status_t CFE_SB_SubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, uint16 MsgLim)
 Subscribe to a message while keeping the request local to a cpu.
- CFE Status t CFE SB Unsubscribe (CFE SB Msgld t Msgld, CFE SB Pipeld t Pipeld)

Remove a subscription to a message on the software bus.

• CFE_Status_t CFE_SB_UnsubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

9.24.1 Detailed Description

9.24.2 Function Documentation

Subscribe to a message on the software bus with default parameters.

Description

This routine adds the specified pipe to the destination list for the specified message ID. This is the same as CFE_SB_SubscribeEx with the Quality field set to CFE_SB_DEFAULT_QOS and MsgLim set to CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT (4).

Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

Parameters

in	Msg←	The message ID of the message to be subscribed to.
	ld	
in	Pipe⊷	The pipe ID of the pipe the subscribed message should be sent to.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

See also

CFE SB SubscribeEx, CFE SB SubscribeLocal, CFE SB Unsubscribe, CFE SB UnsubscribeLocal

Subscribe to a message on the software bus.

Description

This routine adds the specified pipe to the destination list associated with the specified message ID.

Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

Parameters

in	Msgld	The message ID of the message to be subscribed to.
in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.
in	Quality	The requested Quality of Service (QoS) required of the messages. Most callers will use CFE_SB_DEFAULT_QOS for this parameter.
in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeLocal, CFE_SB_Unsubscribe, CFE_SB_UnsubscribeLocal

Subscribe to a message while keeping the request local to a cpu.

Description

This routine adds the specified pipe to the destination list for the specified message ID. This is similar to CFE_SB_SubscribeEx with the Quality field set to CFE_SB_DEFAULT_QOS and MsgLim set to CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT, but will not report the subscription.

Software Bus Network (SBN) application is an example use case, where local subscriptions should not be reported to peers.

Assumptions, External Events, and Notes:

• This API is typically only used by Software Bus Network (SBN) Application

Parameters

in	Msgld	The message ID of the message to be subscribed to.
in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.
in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeEx, CFE_SB_Unsubscribe, CFE_SB_UnsubscribeLocal

Remove a subscription to a message on the software bus.

Description

This routine removes the specified pipe from the destination list for the specified message ID.

Assumptions, External Events, and Notes:

If the Pipe is not subscribed to MsgId, the CFE_SB_UNSUB_NO_SUBS_EID event will be generated and CFE_SUCCESS will be returned

Parameters

in	Msg← Id	The message ID of the message to be unsubscribed.
in	Pipe⊷ Id	The pipe ID of the pipe the subscribed message should no longer be sent to.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE SB Subscribe, CFE SB SubscribeEx, CFE SB SubscribeLocal, CFE SB UnsubscribeLocal

Remove a subscription to a message on the software bus on the current CPU.

Description

This routine removes the specified pipe from the destination list for the specified message ID on the current CPU.

Assumptions, External Events, and Notes:

This API is typically only used by Software Bus Network (SBN) Application. If the Pipe is not subscribed to Msgld, the CFE SB UNSUB NO SUBS EID event will be generated and CFE SUCCESS will be returned

in	Msg← Id	The message ID of the message to be unsubscribed.
in	Pipe⊷	The pipe ID of the pipe the subscribed message should no longer be sent to.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeEx, CFE_SB_SubscribeLocal, CFE_SB_Unsubscribe

9.25 cFE Send/Receive Message APIs

Functions

- CFE_Status_t CFE_SB_TransmitMsg (const CFE_MSG_Message_t *MsgPtr, bool IncrementSequenceCount)
 Transmit a message.
- CFE_Status_t CFE_SB_ReceiveBuffer (CFE_SB_Buffer_t **BufPtr, CFE_SB_PipeId_t PipeId, int32 TimeOut)
 Receive a message from a software bus pipe.

9.25.1 Detailed Description

9.25.2 Function Documentation

Receive a message from a software bus pipe.

Description

This routine retrieves the next message from the specified pipe. If the pipe is empty, this routine will block until either a new message comes in or the timeout value is reached.

Assumptions, External Events, and Notes:

Note - If an error occurs in this API, the *BufPtr value may be NULL or random. Therefore, it is recommended that the return code be tested for CFE SUCCESS before processing the message.

Parameters

in,out	BufPtr	A pointer to the software bus buffer to receive to (must not be null). Typically a caller declares a ptr of type CFE_SB_Buffer_t (i.e. CFE_SB_Buffer_t *Ptr) then gives the address of that pointer (&Ptr) as this parameter. After a successful receipt of a message, *BufPtr will point to the first byte of the software bus buffer. This should be used as a read-only pointer (in systems with an MMU, writes to this pointer may cause a memory protection fault). The *BufPtr is valid only until the next call to CFE_SB_ReceiveBuffer for the same pipe.
in	Pipeld	The pipe ID of the pipe containing the message to be obtained.
in	TimeOut	The number of milliseconds to wait for a new message if the pipe is empty at the time of the call. This can also be set to CFE_SB_POLL for a non-blocking receive or CFE_SB_PEND_FOREVER to wait forever for a message to arrive.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

Return values

CFE_SB_TIME_OUT	Time Out.
CFE_SB_PIPE_RD_ERR	(return value only verified in coverage test) Pipe Read Error.
CFE_SB_NO_MESSAGE	No Message.

Transmit a message.

Description

This routine copies the specified message into a software bus buffer which is then transmitted to all subscribers. The software bus will read the message ID from the message header to determine which pipes should receive the message.

Assumptions, External Events, and Notes:

- This routine will not normally wait for the receiver tasks to process the message before returning control to the caller's task.
- However, if a higher priority task is pending and subscribed to this message, that task may get to run before returning control to the caller.

Parameters

in	MsgPtr	A pointer to the message to be sent (must not be null). This must point to the first byte of the message header.
in	IncrementSequenceCount	Boolean to increment the internally tracked sequence count and update the message if the buffer contains a telemetry message

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

9.26 cFE Zero Copy APIs

Functions

CFE SB Buffer t * CFE SB AllocateMessageBuffer (size t MsgSize)

Get a buffer pointer to use for "zero copy" SB sends.

CFE_Status_t CFE_SB_ReleaseMessageBuffer (CFE_SB_Buffer_t *BufPtr)

Release an unused "zero copy" buffer pointer.

• CFE_Status_t CFE_SB_TransmitBuffer (CFE_SB_Buffer_t *BufPtr, bool IncrementSequenceCount)

Transmit a buffer.

9.26.1 Detailed Description

9.26.2 Function Documentation

```
9.26.2.1 CFE_SB_AllocateMessageBuffer() CFE_SB_Buffer_t* CFE_SB_AllocateMessageBuffer ( size_t MsgSize )
```

Get a buffer pointer to use for "zero copy" SB sends.

Description

This routine can be used to get a pointer to one of the software bus' internal memory buffers that are used for sending messages. The caller can use this memory buffer to build an SB message, then send it using the CFE_SB_TransmitBuffer() function. This interface avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer.

Assumptions, External Events, and Notes:

- 1. The pointer returned by CFE_SB_AllocateMessageBuffer() is only good for one call to CFE_SB_TransmitBuffer().
- 2. Once a buffer has been successfully transmitted (as indicated by a successful return from CFE_SB_TransmitBuffer()) the buffer becomes owned by the SB application. It will automatically be freed by SB once all recipients have finished reading it.
- 3. Applications must not de-reference the message pointer (for reading or writing) after the call to CFE SB TransmitBuffer().
- 4. If CFE SB ReleaseMessageBuffer should be used only if a message is not transmitted

Parameters

in	MsgSize	The size of the SB message buffer the caller wants (including the SB message header).
----	---------	---

Returns

A pointer to a memory buffer that message data can be written to for use with CFE_SB_TransmitBuffer().

Release an unused "zero copy" buffer pointer.

Description

This routine can be used to release a pointer to one of the software bus' internal memory buffers.

Assumptions, External Events, and Notes:

1. This function is not needed for normal "zero copy" transfers. It is needed only for cleanup when an application gets a pointer using CFE_SB_AllocateMessageBuffer(), but (due to some error condition) never uses that pointer in a call to CFE_SB_TransmitBuffer().

Parameters

in	BufPtr	A pointer to the SB internal buffer (must not be null). This must be a pointer returned by a call to
		CFE_SB_AllocateMessageBuffer(), but never used in a call to CFE_SB_TransmitBuffer().

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BUFFER_INVALID	Buffer Invalid.

Transmit a buffer.

Description

This routine sends a message that has been created directly in an internal SB message buffer by an application (after a call to CFE_SB_AllocateMessageBuffer). This interface is more complicated than the normal CFE_SB_TransmitMsg interface, but it avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer. The "zero copy" interface can be used to improve performance in high-rate, high-volume software bus traffic.

Assumptions, External Events, and Notes:

- A handle returned by CFE_SB_AllocateMessageBuffer is "consumed" by a successful call to CFE_SB_TransmitBuffer.
- 2. If this function returns CFE_SUCCESS, this indicates the zero copy handle is now owned by software bus, and is no longer owned by the calling application, and should not be re-used.
- 3. However if this function fails (returns any error status) it does not change the state of the buffer at all, meaning the calling application still owns it. (a failure means the buffer is left in the same state it was before the call).
- 4. Applications should be written as if CFE_SB_AllocateMessageBuffer is equivalent to a malloc() and a successful call to CFE_SB_TransmitBuffer is equivalent to a free().
- 5. Applications must not de-reference the message pointer (for reading or writing) after a successful call to CFE SB TransmitBuffer.
- 6. This function will increment and apply the internally tracked sequence counter if set to do so.

Parameters

ſ	in	BufPtr	A pointer to the buffer to be sent (must not be null).
	in	IncrementSequenceCount	Boolean to increment the internally tracked sequence count and update the
			message if the buffer contains a telemetry message

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.

9.27 cFE Message Characteristics APIs

Functions

void CFE SB SetUserDataLength (CFE MSG Message t *MsgPtr, size t DataLength)

Sets the length of user data in a software bus message.

void CFE_SB_TimeStampMsg (CFE_MSG_Message_t *MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

int32 CFE_SB_MessageStringSet (char *DestStringPtr, const char *SourceStringPtr, size_t DestMaxSize, size
 t SourceMaxSize)

Copies a string into a software bus message.

void * CFE SB GetUserData (CFE MSG Message t *MsgPtr)

Get a pointer to the user data portion of a software bus message.

size_t CFE_SB_GetUserDataLength (const CFE_MSG_Message_t *MsgPtr)

Gets the length of user data in a software bus message.

int32 CFE_SB_MessageStringGet (char *DestStringPtr, const char *SourceStringPtr, const char *DefaultString, size_t DestMaxSize, size_t SourceMaxSize)

Copies a string out of a software bus message.

9.27.1 Detailed Description

9.27.2 Function Documentation

```
9.27.2.1 CFE_SB_GetUserData() void* CFE_SB_GetUserData ( CFE_MSG_Message_t * MsgPtr )
```

Get a pointer to the user data portion of a software bus message.

Description

This routine returns a pointer to the user data portion of a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function and avoid hard coding offsets into their SB message buffers.

Assumptions, External Events, and Notes:

None

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null).
----	--------	--

Returns

A pointer to the first byte of user data within the software bus message.

```
9.27.2.2 CFE_SB_GetUserDataLength() size_t CFE_SB_GetUserDataLength ( const CFE_MSG_Message_t * MsgPtr )
```

Gets the length of user data in a software bus message.

Description

This routine returns the size of the user data in a software bus message.

Assumptions, External Events, and Notes:

None

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point	
		to the first byte of the message header.	

Returns

The size (in bytes) of the user data in the software bus message.

Return values

0 if an error occurs, such as if the MsgPtr argument is not valid.

```
9.27.2.3 CFE_SB_MessageStringGet() int32 CFE_SB_MessageStringGet (
```

```
char * DestStringPtr,
const char * SourceStringPtr,
const char * DefaultString,
size_t DestMaxSize,
size_t SourceMaxSize )
```

Copies a string out of a software bus message.

Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This function should replace use of C library functions such as strcpy/strncpy when copying strings out of software bus messages to local storage buffers.

Up to [SourceMaxSize] or [DestMaxSize-1] (whichever is smaller) characters will be copied from the source buffer to the destination buffer, and a NUL termination character will be written to the destination buffer as the last character.

If the DefaultString pointer is non-NULL, it will be used in place of the source string if the source is an empty string. This is typically a string constant that comes from the platform configuration, allowing default values to be assumed for fields that are unspecified.

IMPORTANT - the default string, if specified, must be null terminated. This will be the case if a string literal is passed in (the typical/expected use case).

If the default is NULL, then only the source string will be copied, and the result will be an empty string if the source was empty.

If the destination buffer is too small to store the entire string, it will be truncated, but it will still be null terminated.

out	DestStringPtr	Pointer to destination buffer (must not be null)
-----	---------------	--

Parameters

in	SourceStringPtr	Pointer to source buffer (component of SB message definition)	
in	in DefaultString Default string to use if source is empty		
in	DestMaxSize Size of destination storage buffer (must not be zero)		
in	SourceMaxSize	Size of source buffer as defined by the message definition	

Returns

Number of characters copied or error code, see cFE Return Code Defines

Return values

```
CFE_SB_BAD_ARGUMENT | Bad Argument.
```

Copies a string into a software bus message.

Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This performs a very similar function to "strncpy()" except that the sizes of *both* buffers are passed in. Neither buffer is required to be null-terminated, but copying will stop after the first termination character is encountered.

If the destination buffer is not completely filled by the source data (such as if the supplied string was shorter than the allotted length) the destination buffer will be padded with NUL characters up to the size of the buffer, similar to what strncpy() does. This ensures that the entire destination buffer is set.

Note

If the source string buffer is already guaranteed to be null terminated, then there is no difference between the C library "strncpy()" function and this implementation. It is only necessary to use this when termination of the source buffer is not guaranteed.

out	DestStringPtr	Pointer to destination buffer (component of SB message definition) (must not be null)	
in	SourceStringPtr	Pointer to source buffer (must not be null)	
in	DestMaxSize	Size of destination buffer as defined by the message definition	
in	SourceMaxSize	Size of source buffer	

Returns

Number of characters copied or error code, see cFE Return Code Defines

Return values

```
CFE_SB_BAD_ARGUMENT | Bad Argument.
```

Sets the length of user data in a software bus message.

Description

This routine sets the field in the SB message header that determines the size of the user data in a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function rather than trying to poke a length value directly into their SB message buffers.

Assumptions, External Events, and Notes:

· You must set a valid message ID in the SB message header before calling this function.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point to the first byte of the message header.	
in	DataLength	The length to set (size of the user data, in bytes).	

Sets the time field in a software bus message with the current spacecraft time.

Description

This routine sets the time of a software bus message with the current spacecraft time. This will be the same time that is returned by the function CFE_TIME_GetTime.

Assumptions, External Events, and Notes:

• If the underlying implementation of software bus messages does not include a time field, then this routine will do nothing.

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point	
		to the first byte of the message header.	

9.28 cFE Message ID APIs

Functions

• bool CFE_SB_lsValidMsgld (CFE_SB_Msgld_t Msgld)

Identifies whether a given CFE_SB_Msgld_t is valid.

• static bool CFE_SB_Msgld_Equal (CFE_SB_Msgld_t Msgld1, CFE_SB_Msgld_t Msgld2)

Identifies whether two CFE_SB_Msgld_t values are equal.

static CFE_SB_Msgld_Atom_t CFE_SB_MsgldToValue (CFE_SB_Msgld_t Msgld)

Converts a CFE_SB_Msgld_t to a normal integer.

• static CFE_SB_Msgld_t CFE_SB_ValueToMsgld (CFE_SB_Msgld_Atom_t MsgldValue)

Converts a normal integer into a CFE_SB_Msgld_t.

9.28.1 Detailed Description

9.28.2 Function Documentation

Identifies whether a given CFE_SB_Msgld_t is valid.

Description

Implements a basic sanity check on the value provided

Returns

Boolean message ID validity indicator

Return values

true	Message ID is within the valid range
false	Message ID is not within the valid range

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it may not be possible to do a direct equality check. This inline function provides an abstraction for the equality check between two CFE_SB_Msgld_t values.

Applications should transition to using this function to compare Msgld values for equality to remain compatible with future versions of cFE.

Returns

Boolean message ID equality indicator

Return values

true	Message IDs are Equal
false	Message IDs are not Equal

Definition at line 766 of file cfe_sb.h.

References CFE SB MSGID UNWRAP VALUE.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it is not possible to directly display the value in a printf-style statement, use it in a switch() statement, or other similar use cases.

This inline function provides the ability to map a CFE_SB_Msgld_t type back into a simple integer value. Applications should transition to using this function wherever a CFE_SB_Msgld_t type needs to be used as an integer.

Assumptions and Notes:

This negates the type safety that was gained by using a non- integer type for the CFE_SB_Msgld_t value. This should only be used in specific cases such as UI display (printf, events, etc) where the value is being sent externally. Any internal API calls should be updated to use the CFE_SB_Msgld_t type directly, rather than an integer type.

Returns

Integer representation of the CFE_SB_Msgld_t

Definition at line 797 of file cfe sb.h.

References CFE_SB_MSGID_UNWRAP_VALUE.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it is not possible to directly use an integer value supplied via a define or similar method.

This inline function provides the ability to map an integer value into a corresponding CFE_SB_Msgld_t value. Applications should transition to using this function wherever an integer needs to be used for a CFE_SB_Msgld_t.

Assumptions and Notes:

This negates the type safety that was gained by using a non- integer type for the CFE_SB_Msgld_t value. This should only be used in specific cases where the value is coming from an external source. Any internal API calls should be updated to return the CFE_SB_Msgld_t type directly, rather than an integer type.

Returns

```
CFE SB Msgld t representation of the integer
```

Definition at line 826 of file cfe_sb.h. References CFE_SB_MSGID_C.

9.29 cFE SB Pipe options

Macros

• #define CFE_SB_PIPEOPTS_IGNOREMINE 0x00000001

Messages sent by the app that owns this pipe will not be sent to this pipe.

- 9.29.1 Detailed Description
- 9.29.2 Macro Definition Documentation

9.29.2.1 CFE_SB_PIPEOPTS_IGNOREMINE #define CFE_SB_PIPEOPTS_IGNOREMINE 0x00000001 Messages sent by the app that owns this pipe will not be sent to this pipe. Definition at line 131 of file cfe_sb_api_typedefs.h.

9.30 cFE Registration APIs

Functions

 CFE_Status_t CFE_TBL_Register (CFE_TBL_Handle_t *TblHandlePtr, const char *Name, size_t Size, uint16 TblOptionFlags, CFE_TBL_CallbackFuncPtr_t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

CFE_Status_t CFE_TBL_Share (CFE_TBL_Handle_t *TblHandlePtr, const char *TblName)

Obtain handle of table registered by another application.

• CFE_Status_t CFE_TBL_Unregister (CFE_TBL_Handle_t TblHandle)

Unregister a table.

9.30.1 Detailed Description

9.30.2 Function Documentation

Register a table with cFE to obtain Table Management Services.

Description

When an application is created and initialized, it is responsible for creating its table images via the TBL API. The application must inform the Table Service of the table name, table size and selection of optional table features.

Assumptions, External Events, and Notes:

Note: This function call can block. Therefore, interrupt service routines should NOT create their own tables. An application should create any table(s) and provide the handle(s) to the interrupt service routine.

out	TblHandlePtr	a pointer to a CFE_TBL_Handle_t type variable (must not be null) that will be assigned the table's handle. The table handle is required for other API calls when accessing the data contained in the table. *TblHandlePtr is the handle used to identify table to cFE when performing Table operations. This value is returned at address specified by TblHandlePtr.
in	Name	The raw table name. This name will be combined with the name of the application to produce a name of the form "AppName.RawTableName". This application specific name will be used in commands for modifying or viewing the contents of the table.
in	Size	The size, in bytes, of the table to be created (must not be zero). This is the size that will be allocated as a shared memory resource between the Table Management Service and the calling application.

Parameters

rarameter	5	
in	TblOptionFlags	Flag bits indicating selected options for table. A bitwise OR of the following option flags:
		CFE_TBL_OPT_DEFAULT - The default setting for table options is a combination of CFE_TBL_OPT_SNGL_BUFFER and CFE_TBL_OPT_LOAD_DUMP. See below for a description of these two options. This option is mutually exclusive with the CFE_TBL_OPT_DBL_BUFFER, CFE_TBL_OPT_DUMP_ONLY and CFE_TBL_OPT_USR_DEF_ADDR options.
		CFE_TBL_OPT_SNGL_BUFFER - When this option is selected, the table will use a shared session table for performing table modifications and a memory copy from the session table to the "active" table buffer will occur when the table is updated. This is the preferred option since it will minimize memory usage. This option is mutually exclusive with the CFE_TBL_OPT_DBL_BUFFER option
		CFE_TBL_OPT_DBL_BUFFER - When this option is selected, two instances of the table are created. One is considered the "active" table and the other the "inactive" table. Whenever table modifications occur, they do not require the use of a common session table. Modifications occur in the "inactive" buffer. Then, when it is time to update the table, the pointer to the "active" table is changed to point to the "inactive" buffer thus making it the new "active" buffer. This feature is most useful for time critical applications (ie - interrupt service routines, etc). This option is mutually exclusive with the CFE_TBL_OPT_SNGL_BUFFER and CFE_TBL_OPT_DEFAULT option.
		CFE_TBL_OPT_LOAD_DUMP - When this option is selected, the Table Service is allowed to perform all operations on the specified table. This option is mutually exclusive with the CFE_TBL_OPT_DUMP_ONLY option.
		CFE_TBL_OPT_DUMP_ONLY - When this option is selected, the Table Service will not perform table loads to this table. This does not prevent, however, a task from writing to the table via an address obtained with the CFE_TBL_GetAddress API function. This option is mutually exclusive with the CFE_TBL_OPT_LOAD_DUMP and CFE_TBL_OPT_DEFAULT options. If the Application wishes to specify their own block of memory as the Dump Only table, they need to also include the CFE_TBL_OPT_USR_DEF_ADDR option explained below.
		CFE_TBL_OPT_NOT_USR_DEF - When this option is selected, Table Services allocates memory for the table and, in the case of a double buffered table, it allocates the same amount of memory again for the second buffer. This option is mutually exclusive with the CFE_TBL_OPT_USR_DEF_ADDR option.
		CFE_TBL_OPT_USR_DEF_ADDR- When this option is selected, the Table Service will not allocate memory for the table. Table Services will require the Application to identify the location of the active table buffer via the CFE_TBL_Load function. This option implies the CFE_TBL_OPT_DUMP_ONLY and the CFE_TBL_OPT_SNGL_BUFFER options and is mutually exclusive of the CFE_TBL_OPT_DBL_BUFFER option.
		CFE_TBL_OPT_CRITICAL- When this option is selected, the Table Service will automatically allocate space in the Critical Data Store (CDS) for the table and ensure that the contents in the CDS are the same as the contents of the currently active buffer for the table. This option is mutually exclusive of the currently active buffer for the table.
		the CFE_TBL_OPT_USR_DEF_ADDR and CFE_TBL_OPT_DUMP_ONLY options. It should also be noted that the use of this option with double

buffered tables will prevent the update of the double buffered table from

Parameters

in	TblValidationFuncPtr	is a pointer to a function that will be executed in the context of the Table Management Service when the contents of a table need to be validated. If set to NULL, then the Table Management Service will assume any data is valid. If the value is not NULL, it must be a pointer to a function with the following prototype: int32 CallbackFunc(void *TblPtr);
		where TbIPtr will be a pointer to the table data that is to be verified. When the function returns CFE_SUCCESS, the data is considered valid and ready for a commit. When the function returns a negative value, the data is considered invalid and an Event Message will be issued containing the returned value. If the function should return a positive number, the table is considered invalid and the return code is considered invalid. Validation functions must return either CFE_SUCCESS or a negative number (whose value is at the developer's discretion). The validation function will be executed in the Application's context so that Event Messages describing the validation failure are possible from within the function.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_RECOVERED_TBL	Recovered Table.
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE	Duplicate Table With Different Size.
CFE_TBL_ERR_DUPLICATE_NOT_OWNED	Duplicate Table And Not Owned.
CFE_TBL_ERR_REGISTRY_FULL	Registry Full.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_SIZE	Invalid Size.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_BAD_ARGUMENT	Bad Argument.
CFE_TBL_ERR_INVALID_OPTIONS	Invalid Options.
CFE_TBL_WARN_DUPLICATE	Duplicate Warning.
CFE_TBL_WARN_NOT_CRITICAL	Not Critical Warning.

See also

CFE_TBL_Unregister, CFE_TBL_Share

Obtain handle of table registered by another application.

Description

After a table has been created, other applications can gain access to that table via the table handle. In order for two or more applications to share a table, the applications that do not create the table must obtain the handle using this function.

Assumptions, External Events, and Notes:

None

Parameters

out	TblHandlePtr	A pointer to a CFE_TBL_Handle_t type variable (must not be null) that will be assigned	
		the table's handle. The table handle is required for other API calls when accessing the	
		data contained in the table. *TblHandlePtr is the handle used to identify table to cFE when	
		performing Table operations. This value is returned at the address specified by	
		TblHandlePtr.	
in	TblName	The application specific name of the table of the form "AppName.RawTableName", where	
		RawTableName is the name specified in the CFE_TBL_Register API call. Example:	
		"ACS.TamParams" for a table called "TamParams" that was registered by the application	
		called "ACS".	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE TBL Unregister, CFE TBL Register

Unregister a table.

Description

When an application is being removed from the system, ES will clean up/free all the application related resources including tables so apps are not required to call this function.

A valid use-case for this API is to unregister a shared table if access is no longer needed or the owning application was removed from the system (CS app is an example).

Typically apps should only register tables during initialization and registration/unregistration by the owning application during operation should be avoided. If unavoidable, special care needs to be taken (especially for shared tables) to avoid race conditions due to competing requests from multiple tasks.

Note the table will not be removed from memory until all table access links have been removed (registration and all shared access).

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the	
		Table to be unregistered.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Share, CFE_TBL_Register

9.31 cFE Manage Table Content APIs

Functions

 CFE_Status_t CFE_TBL_Load (CFE_TBL_Handle_t TblHandle, CFE_TBL_SrcEnum_t SrcType, const void *SrcDataPtr)

Load a specified table with data from specified source.

CFE_Status_t CFE_TBL_Update (CFE_TBL_Handle_t TblHandle)

Update contents of a specified table, if an update is pending.

• CFE_Status_t CFE_TBL_Validate (CFE_TBL_Handle_t TblHandle)

Perform steps to validate the contents of a table image.

CFE_Status_t CFE_TBL_Manage (CFE_TBL_Handle_t TblHandle)

Perform standard operations to maintain a table.

• CFE_Status_t CFE_TBL_DumpToBuffer (CFE_TBL_Handle_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

CFE_Status_t CFE_TBL_Modified (CFE_TBL_Handle_t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

9.31.1 Detailed Description

9.31.2 Function Documentation

9.31.2.1 CFE_TBL_DumpToBuffer() CFE_Status_t CFE_TBL_DumpToBuffer (CFE_TBL_Handle_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

Description

Typically, apps should just call CFE_TBL_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just a dump should be performed.

Assumptions, External Events, and Notes:

If the table does not have a dump pending status, nothing will occur (no error, no dump)

Parameters

in	TblHandle	Handle of Table to be dumped.
----	-----------	-------------------------------

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.

See also

CFE_TBL_Manage

Load a specified table with data from specified source.

Description

Once an application has created a table (CFE_TBL_Register), it must provide the values that initialize the contents of that table. The application accomplishes this with one of two different TBL API calls. This function call initializes the table with values that are held in a data structure.

Assumptions, External Events, and Notes:

This function call can block. Therefore, interrupt service routines should NOT initialize their own tables. An application should initialize any table(s) prior to providing the handle(s) to the interrupt service routine.

Parameters

	I		
in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the	
		Table to be loaded.	
	O T		
in	SrcType	Flag indicating the nature of the given SrcDataPtr below. This value can be any one of the	
		following:	
		CFE_TBL_SRC_FILE - File source When this option is selected, the SrcDataPtr	
		will be interpreted as a pointer to a null terminated character string. The string should	
		specify the full path and filename of the file containing the initial data contents of the	
		table.	
		table.	
		CFE_TBL_SRC_ADDRESS - Address source When this option is selected, the	
		SrcDataPtr will be interpreted as a pointer to a memory location that is the	
		·	
		beginning of the initialization data for loading the table OR, in the case of a "user	
		defined" dump only table, the address of the active table itself. The block of memory is	
		assumed to be of the same size specified in the CFE TBL Register function Size	
		parameter.	
in	SrcDataPtr	Pointer (must not be null) to either a character string specifying a filename or a memory	
	address of a block of binary data to be loaded into a table or, if the table was registered with		
		the CFE_TBL_OPT_USR_DEF_ADDR option, the address of the active table buffer.	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.

Return values

CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_DUMP_ONLY	Dump Only Error.
CFE_TBL_ERR_ILLEGAL_SRC_TYPE	Illegal Source Type.
CFE_TBL_ERR_LOAD_IN_PROGRESS	Load In Progress.
CFE_TBL_ERR_LOAD_INCOMPLETE	Load Incomplete.
CFE_TBL_ERR_NO_BUFFER_AVAIL	No Buffer Available.
CFE_TBL_ERR_ACCESS	
CFE_TBL_ERR_FILE_TOO_LARGE	File Too Large.
CFE_TBL_ERR_BAD_CONTENT_ID	Bad Content ID.
CFE_TBL_ERR_BAD_SUBTYPE_ID	Bad Subtype ID.
CFE_TBL_ERR_NO_STD_HEADER	No Standard Header.
CFE_TBL_ERR_NO_TBL_HEADER	No Table Header.
CFE_TBL_ERR_PARTIAL_LOAD	Partial Load Error.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_Manage

Perform standard operations to maintain a table.

Description

Applications should call this API periodically to process pending requests for update, validation, or dump to buffer. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Return values

CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.
CFE_TBL_INFO_UPDATE_PENDING	Update Pending.
CFE_TBL_INFO_VALIDATION_PENDING	

See also

CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_Load, CFE_TBL_DumpToBuffer

```
9.31.2.4 CFE_TBL_Modified() CFE_Status_t CFE_TBL_Modified ( CFE_TBL_Handle_t TblHandle )
```

Notify cFE Table Services that table contents have been modified by the Application.

Description

This API notifies Table Services that the contents of the specified table has been modified by the Application. This notification is important when a table has been registered as "Critical" because Table Services can then update the contents of the table kept in the Critical Data Store.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle of Table that was modified.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Manage

```
9.31.2.5 CFE_TBL_Update() CFE_Status_t CFE_TBL_Update ( CFE_TBL_Handle_t TblHandle )
```

Update contents of a specified table, if an update is pending.

Description

Typically, apps should just call CFE_TBL_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just an update should be performed.

Assumptions, External Events, and Notes:

None

Parameters

ſ	in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
			Table to be updated.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_NO_UPDATE_PENDING	No Update Pending.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Load, CFE_TBL_Validate, CFE_TBL_Manage

Perform steps to validate the contents of a table image.

Description

Typically, apps should just call CFE_TBL_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just a validation should be performed.

Assumptions, External Events, and Notes:

None

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_NO_VALIDATION_PENDING	
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Update, CFE_TBL_Manage, CFE_TBL_Load

9.32 cFE Access Table Content APIs

Functions

• CFE_Status_t CFE_TBL_GetAddress (void **TblPtr, CFE_TBL_Handle_t TblHandle)

Obtain the current address of the contents of the specified table.

• CFE_Status_t CFE_TBL_ReleaseAddress (CFE_TBL_Handle_t TblHandle)

Release previously obtained pointer to the contents of the specified table.

CFE_Status_t CFE_TBL_GetAddresses (void **TblPtrs[], uint16 NumTables, const CFE_TBL_Handle_t Tbl
 Handles[])

Obtain the current addresses of an array of specified tables.

CFE_Status_t CFE_TBL_ReleaseAddresses (uint16 NumTables, const CFE_TBL_Handle_t TblHandles[])

Release the addresses of an array of specified tables.

9.32.1 Detailed Description

9.32.2 Function Documentation

Obtain the current address of the contents of the specified table.

Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE_TBL_GetAddresses.

Assumptions, External Events, and Notes:

- 1. This call can be a blocking call when the table is not double buffered and is shared with another application of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs, the application performing the table update will automatically have its priority elevated in order to release the resource as soon as possible.
- An application must always release the returned table address using the CFE_TBL_ReleaseAddress or CFE_TBL_ReleaseAddresses function prior to either a CFE_TBL_Update call or any blocking call (e.g. pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- 3. CFE_TBL_ERR_NEVER_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer must be released with the CFE_TBL_ReleaseAddress API before the table can be loaded with data.

out	TblPtr	The address of a pointer (must not be null) that will be loaded with the address of the first byte of the table. This pointer can then be typecast by the calling application to the appropriate table data structure. *TblPtr is the address of the first byte of data associated with the specified table.	
in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the	
		Table whose address is to be returned.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_ReleaseAddress, CFE_TBL_GetAddresses, CFE_TBL_ReleaseAddresses

Obtain the current addresses of an array of specified tables.

Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE TBL GetAddress.

Assumptions, External Events, and Notes:

- 1. This call can be a blocking call when the table is not double buffered and is shared with another application of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs, the application performing the table update will automatically have its priority elevated in order to release the resource as soon as possible.
- An application must always release the returned table address using the CFE_TBL_ReleaseAddress or CFE_TBL_ReleaseAddresses function prior to either a CFE_TBL_Update call or any blocking call (e.g. pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- CFE_TBL_ERR_NEVER_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer must be released with the CFE_TBL_ReleaseAddress API before the table can be loaded with data.

out	TblPtrs	Array of Pointers (must not be null) to variables that calling Application wishes to hold the
		start addresses of the Tables. *TblPtrs is an array of addresses of the first byte of data
		associated with the specified tables.

Parameters

in	NumTables	Size of TblPtrs and TblHandles arrays.	
in	TblHandles	Array of Table Handles, previously obtained from CFE_TBL_Register or CFE_TBL_Share,	
		of those tables whose start addresses are to be obtained.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_GetAddress, CFE_TBL_ReleaseAddress, CFE_TBL_ReleaseAddresses

Release previously obtained pointer to the contents of the specified table.

Description

Each application is **required** to release a table address obtained through the CFE_TBL_GetAddress function.

Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE_TBL_ReleaseAddress function prior to either a CFE_TBL_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table whose address is to be released.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.

See also

CFE_TBL_GetAddress, CFE_TBL_GetAddresses, CFE_TBL_ReleaseAddresses

Release the addresses of an array of specified tables.

Description

Each application is **required** to release a table address obtained through the CFE_TBL_GetAddress function.

Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE_TBL_ReleaseAddress function prior to either a CFE_TBL_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

Parameters

in	NumTables	Size of TblHandles array.	
in	TblHandles	Array of Table Handles (must not be null), previously obtained from CFE_TBL_Register or	
		CFE_TBL_Share, of those tables whose start addresses are to be released.	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_TBL_GetAddress}, {\sf CFE_TBL_ReleaseAddress}, {\sf CFE_TBL_GetAddresses}$

9.33 cFE Get Table Information APIs

Functions

CFE_Status_t CFE_TBL_GetStatus (CFE_TBL_Handle_t TblHandle)

Obtain current status of pending actions for a table.

• CFE_Status_t CFE_TBL_GetInfo (CFE_TBL_Info_t *TbIInfoPtr, const char *TbIName)

Obtain characteristics/information of/about a specified table.

 CFE_Status_t CFE_TBL_NotifyByMessage (CFE_TBL_Handle_t TblHandle, CFE_SB_Msgld_t Msgld, CFE_MSG_FcnCode_t CommandCode, uint32 Parameter)

Instruct cFE Table Services to notify Application via message when table requires management.

9.33.1 Detailed Description

9.33.2 Function Documentation

Obtain characteristics/information of/about a specified table.

Description

This API provides the registry information associated with the specified table. The function fills the given data structure with the data found in the Table Registry.

Assumptions, External Events, and Notes:

None

Parameters

out	TblInfoPtr	A pointer to a CFE_TBL_Info_t data structure (must not be null) that is to be populated with	
		table characteristics and information. *TblInfoPtr is the description of the tables	
		characteristics and registry information stored in the CFE_TBL_Info_t data structure format.	
in	TblName	The application specific name (must not be null) of the table of the form	
		"AppName.RawTableName", where RawTableName is the name specified in the	
		CFE_TBL_Register API call. Example: "ACS.TamParams" for a table called "TamParams"	
		that was registered by the application called "ACS".	

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

See also

CFE_TBL_GetStatus

```
9.33.2.2 CFE_TBL_GetStatus() CFE_Status_t CFE_TBL_GetStatus ( CFE_TBL_Handle_t TblHandle )
```

Obtain current status of pending actions for a table.

Description

An application is **required** to perform a periodic check for an update or a validation request for all the tables that it creates. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle. If a table update or validation request is pending, the Application should follow up with a call to CFE_TBL_Update or CFE_TBL_Validate respectively.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATE_PENDING	Update Pending.
CFE_TBL_INFO_VALIDATION_PENDING	
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

Note

Some status return codes are "success" while being non-zero. This behavior will change in the future.

See also

```
CFE_TBL_Manage, CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_GetInfo
```

```
CFE_MSG_FcnCode_t CommandCode,
uint32 Parameter )
```

Instruct cFE Table Services to notify Application via message when table requires management.

Description

This API instructs Table Services to send a message to the calling Application whenever the specified table requires management by the application. This feature allows applications to avoid polling table services via the CFE_TBL_Manage call to determine whether a table requires updates, validation, etc. This API should be called following the CFE_TBL_Register API whenever the owning application requires this feature.

Assumptions, External Events, and Notes:

- · Only the application that owns the table is allowed to register a notification message
- Recommend NOT using the ground command MID which typically impacts command counters. The typical
 approach is to use a unique MID for inter-task communications similar to how schedulers typically trigger
 application housekeeping messages.

Parameters

in	TblHandle	ndle Handle of Table with which the message should be associated.	
in	Msgld	Msgld Message ID to be used in notification message sent by Table Services.	
in	CommandCode	CommandCode Command Code value to be placed in secondary header of message sent by Table Services.	
in	Application defined value to be passed as a parameter in the message sent by Tab Services. Suggested use includes an application's table index that allows the same Msgld and Command Code to be used for all table management notifications.		

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Register

9.34 cFE Table Type Defines

Macros

• #define CFE TBL OPT BUFFER MSK (0x0001)

Table buffer mask.

#define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

#define CFE TBL OPT DBL BUFFER (0x0001)

Double buffer table.

• #define CFE TBL OPT LD DMP MSK (0x0002)

Table load/dump mask.

#define CFE TBL OPT LOAD DUMP (0x0000)

Load/Dump table.

• #define CFE TBL OPT DUMP ONLY (0x0002)

Dump only table.

#define CFE TBL OPT USR DEF MSK (0x0004)

Table user defined mask.

#define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

#define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

#define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

#define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

#define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

#define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)

Default table options.

9.34.1 Detailed Description

9.34.2 Macro Definition Documentation

9.34.2.1 CFE_TBL_OPT_BUFFER_MSK #define CFE_TBL_OPT_BUFFER_MSK (0x0001)

Table buffer mask.

Definition at line 48 of file cfe_tbl_api_typedefs.h.

9.34.2.2 CFE_TBL_OPT_CRITICAL #define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

Definition at line 63 of file cfe_tbl_api_typedefs.h.

9.34.2.3 CFE_TBL_OPT_CRITICAL_MSK #define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

Definition at line 61 of file cfe tbl api typedefs.h.

9.34.2.4 CFE_TBL_OPT_DBL_BUFFER #define CFE_TBL_OPT_DBL_BUFFER (0x0001)

Double buffer table.

Definition at line 50 of file cfe_tbl_api_typedefs.h.

9.34.2.5 CFE_TBL_OPT_DEFAULT #define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)

Default table options.

Definition at line 66 of file cfe_tbl_api_typedefs.h.

9.34.2.6 CFE_TBL_OPT_DUMP_ONLY #define CFE_TBL_OPT_DUMP_ONLY (0x0002)

Dump only table.

Definition at line 54 of file cfe_tbl_api_typedefs.h.

9.34.2.7 CFE_TBL_OPT_LD_DMP_MSK #define CFE_TBL_OPT_LD_DMP_MSK (0x0002)

Table load/dump mask.

Definition at line 52 of file cfe_tbl_api_typedefs.h.

9.34.2.8 CFE_TBL_OPT_LOAD_DUMP #define CFE_TBL_OPT_LOAD_DUMP (0x0000)

Load/Dump table.

Definition at line 53 of file cfe tbl api typedefs.h.

9.34.2.9 CFE_TBL_OPT_NOT_CRITICAL #define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

Definition at line 62 of file cfe_tbl_api_typedefs.h.

9.34.2.10 CFE_TBL_OPT_NOT_USR_DEF #define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

Definition at line 57 of file cfe tbl api typedefs.h.

9.34.2.11 CFE_TBL_OPT_SNGL_BUFFER #define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

Definition at line 49 of file cfe_tbl_api_typedefs.h.

9.34.2.12 CFE_TBL_OPT_USR_DEF_ADDR #define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

Note

Automatically includes CFE_TBL_OPT_DUMP_ONLY option

Definition at line 58 of file cfe_tbl_api_typedefs.h.

9.34.2.13 CFE_TBL_OPT_USR_DEF_MSK #define CFE_TBL_OPT_USR_DEF_MSK (0x0004)

Table user defined mask.

Definition at line 56 of file cfe_tbl_api_typedefs.h.

9.35 cFE Get Current Time APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_GetTime (void)

Get the current spacecraft time.

CFE_TIME_SysTime_t CFE_TIME_GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE_TIME_SysTime_t CFE_TIME_GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

CFE TIME SysTime t CFE TIME GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

• uint32 CFE_TIME_GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

• uint32 CFE_TIME_GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

9.35.1 Detailed Description

9.35.2 Function Documentation

Get the current value of the Mission Elapsed Time (MET).

Description

This routine returns the current mission-elapsed time (MET). MET is usually derived from a hardware-based clock that is not adjusted during normal operations. Callers of this routine should not assume that the MET return value has any specific relationship to any ground-based time standard.

Assumptions, External Events, and Notes:

None

Returns

The current MET

See also

CFE_TIME_GetTime, CFE_TIME_GetTAI, CFE_TIME_GetUTC, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs, CFE_TIME_MET2SCTime

```
9.35.2.2 CFE_TIME_GetMETseconds() uint32 CFE_TIME_GetMETseconds (
```

Get the current seconds count of the mission-elapsed time.

Description

This routine is the same as CFE_TIME_GetMET, except that it returns only the integer seconds portion of the MET time.

Assumptions, External Events, and Notes:

None

Returns

The current MET seconds

See also

CFE_TIME_GetTime, CFE_TIME_GetTAI, CFE_TIME_GetUTC, CFE_TIME_GetMET, CFE_TIME_GetMETsubsecs, CFE_TIME_MET2SCTime

```
9.35.2.3 CFE_TIME_GetMETsubsecs() uint32 CFE_TIME_GetMETsubsecs (
```

Get the current sub-seconds count of the mission-elapsed time.

Description

This routine is the same as CFE_TIME_GetMET, except that it returns only the integer sub-seconds portion of the MET time. Each count is equal to $2^{(-32)}$ seconds.

Assumptions, External Events, and Notes:

None

Returns

The current MET sub-seconds

See also

CFE_TIME_GetTime, CFE_TIME_GetTAI, CFE_TIME_GetUTC, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_MET2SCTime

```
9.35.2.4 CFE_TIME_GetTAI() CFE_TIME_SysTime_t CFE_TIME_GetTAI ( void )
```

Get the current TAI (MET + SCTF) time.

Description

This routine returns the current TAI time to the caller. TAI is an international time standard that does not include leap seconds. This routine should only be used in situations where TAI is absolutely required. Applications that call CFE_TIME_GetTAI may not be portable to all missions. Maintenance of correct TAI in flight is not guaranteed under all mission operations scenarios. To maintain re-usability across missions, most applications should be using CFE_TIME_GetTime, rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

- 1. The "TAI" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard TAI epoch.
- 2. Even though TAI does not include leap seconds, the time returned by this function can still jump forward or backward without warning when the spacecraft clock is set or adjusted by operators. Applications using this function must be able to handle these time discontinuities gracefully.

Returns

The current spacecraft time in TAI

See also

CFE_TIME_GetTime, CFE_TIME_GetUTC, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs

```
9.35.2.5 CFE_TIME_GetTime() CFE_TIME_SysTime_t CFE_TIME_GetTime ( void )
```

Get the current spacecraft time.

Description

This routine returns the current spacecraft time, which is the amount of time elapsed since the epoch as set in mission configuration. The time returned is either TAI (no leap seconds) or UTC (including leap seconds). This choice is made in the mission configuration file by defining either CFE_MISSION_TIME_CFG_DEFAULT_TAI or CFE_MISSION_TIME_CFG_DEFAULT_UTC as true at compile time. To maintain re-usability across missions, most applications should be using this function rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft time in default format

See also

CFE TIME GetTAI, CFE TIME GetUTC, CFE TIME GetMET, CFE TIME GetMETseconds, CFE TIME GetMETsubsecs

```
9.35.2.6 CFE_TIME_GetUTC() CFE_TIME_SysTime_t CFE_TIME_GetUTC (
void )
```

Get the current UTC (MET + SCTF - Leap Seconds) time.

Description

This routine returns the current UTC time to the caller. This routine should only be used in situations where UTC is absolutely required. Applications that call CFE_TIME_GetUTC may not be portable to all missions. Maintenance of correct UTC in flight is not guaranteed under all mission operations scenarios. If UTC is maintained in flight, it will jump backwards occasionally due to leap second adjustments. To maintain re-usability across missions, most applications should be using CFE_TIME_GetTime, rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

Note: The "UTC" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard UTC epoch.

Returns

The current spacecraft time in UTC

See also

CFE_TIME_GetTime, CFE_TIME_GetTAI, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs

9.36 cFE Get Time Information APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE_TIME_GetLeapSeconds (void)

Get the current value of the leap seconds counter.

CFE TIME ClockState Enum t CFE TIME GetClockState (void)

Get the current state of the spacecraft clock.

uint16 CFE_TIME_GetClockInfo (void)

Provides information about the spacecraft clock.

9.36.1 Detailed Description

9.36.2 Function Documentation

```
9.36.2.1 CFE_TIME_GetClockInfo() uint16 CFE_TIME_GetClockInfo ( void )
```

Provides information about the spacecraft clock.

Description

This routine returns information on the spacecraft clock in a bit mask.

Assumptions, External Events, and Notes:

None

Returns

Spacecraft clock information, cFE Clock State Flag Defines. To extract the information from the returned value, the flags can be used as in the following:

```
if ((ReturnValue & CFE_TIME_FLAG_xxxxxx) == CFE_TIME_FLAG_xxxxxx) then the following definition of the CFE_TIME_FLAG_xxxxxx is true.
```

See also

CFE_TIME_GetSTCF, CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockState

```
9.36.2.2 CFE_TIME_GetClockState() CFE_TIME_ClockState_Enum_t CFE_TIME_GetClockState ( void )
```

Get the current state of the spacecraft clock.

Description

This routine returns the spacecraft clock state. Applications that are highly dependent on valid time may want to call this routine before taking actions based on the times returned by the various clock routines

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft clock state

See also

CFE_TIME_GetSTCF, CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockInfo

```
9.36.2.3 CFE_TIME_GetLeapSeconds() intl6 CFE_TIME_GetLeapSeconds (
```

Get the current value of the leap seconds counter.

Description

This routine returns the current value of the leap seconds counter. This is the delta seconds between international atomic time (TAI) and universal coordinated time (UTC). There is no API provided to set or adjust leap seconds or SCTF, those actions should be done by command only. This API is provided for applications to be able to include leap seconds in their data products to aid in time correlation during downstream science data processing. Note that some mission operations teams do not maintain the leap seconds count, preferring to adjust the STCF instead. Users of this function should check with their mission ops team to see how they are planning to handle leap seconds.

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft leap seconds.

See also

CFE_TIME_GetSTCF, CFE_TIME_GetClockState, CFE_TIME_GetClockInfo

```
9.36.2.4 CFE_TIME_GetSTCF() CFE_TIME_SysTime_t CFE_TIME_GetSTCF ( void )
```

Get the current value of the spacecraft time correction factor (STCF).

Description

This routine returns the current value of the spacecraft time correction factor. This is the delta time between the MET and the TAI time. There is no API provided to set or adjust leap seconds or SCTF, those actions should be done by command only. This API is provided for applications to be able to include STCF in their data products to aid in time correlation during downstream science data processing.

Assumptions, External Events, and Notes:

Does not include leap seconds

Returns

The current SCTF

See also

 $CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockState, CFE_TIME_GetClockInfo$

9.37 cFE Time Arithmetic APIs

Functions

- CFE_TIME_SysTime_t CFE_TIME_Add (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)

 Adds two time values.
- CFE_TIME_SysTime_t CFE_TIME_Subtract (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
 Subtracts two time values.
- CFE_TIME_Compare_t CFE_TIME_Compare (CFE_TIME_SysTime_t TimeA, CFE_TIME_SysTime_t TimeB)
 Compares two time values.

9.37.1 Detailed Description

9.37.2 Function Documentation

Adds two time values.

Description

This routine adds the two specified times and returns the result. Normally, at least one of the input times should be a value representing a delta time. Adding two absolute times together will not cause an error, but the result will probably be meaningless.

Assumptions, External Events, and Notes:

None

Parameters

in	Time1	The first time to be added.
in	Time2	The second time to be added.

Returns

The sum of the two times. If the sum is greater than the maximum value that can be stored in a CFE TIME SysTime t, the result will roll over (this is not considered an error).

See also

```
CFE TIME Subtract, CFE TIME Compare
```

Compares two time values.

Description

This routine compares two time values to see which is "greater". It is important that applications use this function rather than trying to directly compare the component pieces of times. This function will handle roll-over cases seamlessly, which may not be intuitively obvious. The cFE's internal representation of time "rolls over" when the 32 bit seconds count reaches 0xFFFFFFF. Also, subtracting a delta time from an absolute time close to the epoch could result in "roll under". The strange cases that result from these situations can be handled by defining the comparison function for times as follows: Plot the two times on the circumference of a circle where 0 is at the top and 0x80000000 is at the bottom. If the shortest arc from time A to time B runs clockwise around the circle, then time A is less than time B. If the shortest arc from A to B runs counter-clockwise, then time A is greater than time B.

Assumptions, External Events, and Notes:

None

Parameters

in	TimeA	The first time to compare.
in	TimeB	The second time to compare.

Returns

The result of comparing the two times.

Return values

CFE_TIME_EQUAL The two specified times are considered to be equal.	
CFE_TIME_A_GT_B	The first specified time is considered to be after the second specified time.
CFE_TIME_A_LT_B	The first specified time is considered to be before the second specified time.

See also

CFE TIME Add, CFE TIME Subtract

Subtracts two time values.

Description

This routine subtracts time2 from time1 and returns the result. The time values can represent either absolute or delta times, but not all combinations make sense.

- AbsTime AbsTime = DeltaTime
- AbsTime DeltaTime = AbsTime
- DeltaTime DeltaTime = DeltaTime
- DeltaTime AbsTime = garbage

Assumptions, External Events, and Notes:

None

Parameters

I	in	Time1	The base time.
	in <i>Time2</i>		The time to be subtracted from the base time.

Returns

The result of subtracting the two times. If the subtraction results in an underflow, the result will roll over (this is not considered an error).

See also

CFE_TIME_Add, CFE_TIME_Compare

9.38 cFE Time Conversion APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_MET2SCTime (CFE_TIME_SysTime_t METTime)

Convert specified MET into Spacecraft Time.

• uint32 CFE_TIME_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

uint32 CFE TIME Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

9.38.1 Detailed Description

9.38.2 Function Documentation

Convert specified MET into Spacecraft Time.

Description

This function returns Spacecraft Time given MET. Note that Spacecraft Time is returned as either UTC or T← Al depending on whether the mission configuration parameter CFE_MISSION_TIME_CFG_DEFAULT_UTC or CFE_MISSION_TIME_CFG_DEFAULT_TAI was set to true at compile time.

Assumptions, External Events, and Notes:

None

Parameters

```
in METTime The MET to be converted.
```

Returns

Spacecraft Time (UTC or TAI) corresponding to the specified MET

See also

CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs, CFE_TIME_Sub2MicroSecs, CFE_TIME_Micro2SubSecs

```
9.38.2.2 CFE_TIME_Micro2SubSecs() uint32 CFE_TIME_Micro2SubSecs ( uint32 MicroSeconds )
```

Converts a number of microseconds to an equivalent sub-seconds count.

Description

This routine converts from microseconds (each tick is 1e-06 seconds) to a subseconds count (each tick is $1/2^32$ seconds).

Assumptions, External Events, and Notes:

None

Parameters

Returns

The equivalent number of subseconds. If the number of microseconds passed in is greater than one second, (i.e. > 999,999), the return value is equal to 0xfffffff.

See also

CFE_TIME_MET2SCTime, CFE_TIME_Sub2MicroSecs,

9.38.2.3 CFE_TIME_Sub2MicroSecs() uint32 CFE_TIME_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

Description

This routine converts from a sub-seconds count (each tick is $1/2^3$ 2 seconds) to microseconds (each tick is 1e-06 seconds).

Assumptions, External Events, and Notes:

None

Parameters

in	SubSeconds	The sub-seconds count to convert.
----	------------	-----------------------------------

Returns

The equivalent number of microseconds.

See also

CFE_TIME_MET2SCTime, CFE_TIME_Micro2SubSecs,

9.39 cFE External Time Source APIs

Functions

void CFE TIME ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE_TIME_ExternalMET (CFE_TIME_SysTime_t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE TIME ExternalGPS (CFE TIME SysTime t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE TIME ExternalTime (CFE TIME SysTime t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

CFE_Status_t CFE_TIME_RegisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

CFE Status t CFE TIME UnregisterSynchCallback (CFE TIME SynchCallbackPtr t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

9.39.1 Detailed Description

9.39.2 Function Documentation

Provide the time from an external source that has data common to GPS receivers.

Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the spacecraft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CFE_PLATFORM_TIME_CFG_SRC_GPS, which indicates that the external time data consists of a time value relative to a known epoch, plus a leap seconds value.

Parameters

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.
in	NewLeaps	The Leap Seconds value used to calculate time as UTC.

See also

CFE_TIME_ExternalTone, CFE_TIME_ExternalMET, CFE_TIME_ExternalTime

```
9.39.2.2 CFE_TIME_ExternalMET() void CFE_TIME_ExternalMET ( CFE_TIME_SysTime_t NewMET )
```

Provides the Mission Elapsed Time from an external source.

Description

This routine provides a method to provide cFE TIME with MET acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

The MET value at the tone "should" have zero subseconds. Although the interface accepts non-zero values for sub-seconds, it may be harmful to other applications that expect zero subseconds at the moment of the tone. Any decision to use non-zero subseconds should be carefully considered.

Assumptions, External Events, and Notes:

This routine is included in the API only when 3 specific configuration parameters are set to true. The first is
 CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not
 a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which
 enables time source selection commands to the cFE TIME task, and further enables configuration definitions
 for the selected type of external time data. The third configuration parameter required for this routine is
 CFE_PLATFORM_TIME_CFG_SRC_MET, which indicates that the external time data consists of MET.

Parameters

	in	NewMET	The MET value at the next (or previous) 1 Hz tone signal.	
--	----	--------	---	--

See also

CFE_TIME_ExternalTone, CFE_TIME_ExternalGPS, CFE_TIME_ExternalTime

```
9.39.2.3 CFE_TIME_ExternalTime() void CFE_TIME_ExternalTime (

CFE_TIME_SysTime_t NewTime )
```

Provide the time from an external source that measures time relative to a known epoch.

Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the spacecraft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CFE_PLATFORM_TIME_CFG_SRC_TIME, which indicates that the external time data consists of a time value relative to a known epoch.

Parameters

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.
----	---------	---

See also

CFE_TIME_ExternalTone, CFE_TIME_ExternalMET, CFE_TIME_ExternalGPS

9.39.2.4 CFE_TIME_ExternalTone() void CFE_TIME_ExternalTone (

Provides the 1 Hz signal from an external source.

Description

This routine provides a method for cFE TIME software to be notified of the occurrence of the 1Hz tone signal without knowledge of the specific hardware design. Regardless of the source of the tone, this routine should be called as soon as possible after detection to allow cFE TIME software the opportunity to latch the local clock as close as possible to the instant of the tone.

Assumptions, External Events, and Notes:

• This routine may be called directly from within the context of an interrupt handler.

See also

```
CFE_TIME_ExternalMET, CFE_TIME_ExternalGPS, CFE_TIME_ExternalTime
```

Registers a callback function that is called whenever time synchronization occurs.

Description

This routine passes a callback function pointer for an Application that wishes to be notified whenever a legitimate time synchronization signal (typically a 1 Hz) is received.

Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread). If an application requires triggering multiple child tasks at 1Hz, it should distribute the timing signal internally, rather than registering for multiple callbacks.

Parameters

Ī	in	CallbackFuncPtr	Function to call at synchronization interval (must not be null)	
---	----	-----------------	---	--

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_TIME_TOO_MANY_SYNCH_CALLBACKS	Too Many Sync Callbacks.
CFE_TIME_BAD_ARGUMENT	Bad Argument.

See also

CFE_TIME_UnregisterSynchCallback

Unregisters a callback function that is called whenever time synchronization occurs.

Description

This routine removes the specified callback function pointer from the list of Callback functions that are called whenever a time synchronization (typically the 1Hz signal) is received.

Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread).

Parameters

in	CallbackFuncPtr	Function to remove from synchronization call list (must not be null)
----	-----------------	--

Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_TIME_CALLBACK_NOT_REGISTERED	Callback Not Registered.
CFE_TIME_BAD_ARGUMENT	Bad Argument.

See also

CFE_TIME_RegisterSynchCallback

9.40 cFE Miscellaneous Time APIs

Functions

```
• void CFE_TIME_Print (char *PrintBuffer, CFE_TIME_SysTime_t TimeToPrint)

Print a time value as a string.
```

void CFE_TIME_Local1HzISR (void)

This function is called via a timer callback set up at initialization of the TIME service.

9.40.1 Detailed Description

9.40.2 Function Documentation

```
9.40.2.1 CFE_TIME_Local1HzISR() void CFE_TIME_Local1HzISR ( void )
```

This function is called via a timer callback set up at initialization of the TIME service.

Description

Drives the time processing logic from the system PSP layer. This must be called once per second based on a hardware interrupt or OS kernel signal.

Assumptions, External Events, and Notes:

This will update the global data structures accordingly, incrementing each by the 1Hz amount.

Print a time value as a string.

Description

This routine prints the specified time to the specified string buffer in the following format:

```
yyyy-ddd-hh:mm:ss.xxxxx\0
```

where:

- yyyy = **year**
- ddd = Julian day of the year
- hh = hour of the day (0 to 23)
- mm = minute (0 to 59)
- ss = second (0 to 59)
- xxxxx = subsecond formatted as a decimal fraction (1/4 second = 0.25000)
- \0 = trailing null

Assumptions, External Events, and Notes:

- The value of the time argument is simply added to the configuration definitions for the ground epoch and converted into a fixed length string in the buffer provided by the caller.
- A loss of data during the string conversion will occur if the computed year exceeds 9999. However, a year
 that large would require an unrealistic definition for the ground epoch since the maximum amount of time
 represented by a CFE_TIME_SysTime structure is approximately 136 years.

Parameters

out	PrintBuffer	Pointer to a character array (must not be null) of at least CFE_TIME_PRINTED_STRING_SIZE characters in length. *PrintBuffer is the time as a character string as described above.
in	TimeToPrint	The time to print into the character array.

9.41 cFE Resource ID base values

Enumerations

enum {
 CFE_RESOURCEID_ES_TASKID_BASE_OFFSET = OS_OBJECT_TYPE_OS_TASK, CFE_RESOURCEID_ES_APPID_BASE_OS_OBJECT_TYPE_USER + 1, CFE_RESOURCEID_ES_LIBID_BASE_OFFSET = OS_OBJECT_TYPE_
 USER + 2, CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 3,
 CFE_RESOURCEID_ES_POOLID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 4, CFE_RESOURCEID_ES_CDSBLOCKID_
 = OS_OBJECT_TYPE_USER + 5, CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OFFSET = OS_O
 BJECT_TYPE_USER + 6, CFE_RESOURCEID_CONFIGID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 7
 }
 * enum {
 CFE_ES_TASKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_TASKID_BASE_O
 FFSET), CFE_ES_APPID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_APPID_BA
 SE_OFFSET), CFE_ES_LIBID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_LIBID
 BASE_OFFSET), CFE_ES_COUNTID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_LIBID
 SCOUNTID_BASE_OFFSET),

CFE_ES_POOLID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_POOLID_BASE_O ← FFSET), CFE_ES_CDSBLOCKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_CD ← SBLOCKID_BASE_OFFSET), CFE_SB_PIPEID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOUR ← CEID_SB_PIPEID_RESOURCE_BASE_OFFSET), CFE_CONFIGID_BASE = CFE_RESOURCEID_MAKE_B ← ASE(CFE_RESOURCEID_CONFIGID_BASE_OFFSET) }

9.41.1 Detailed Description

9.41.2 Enumeration Type Documentation

9.41.2.1 anonymous enum anonymous enum

Enumerator

CFE_RESOURCEID_ES_TASKID_BASE_OFFSET
CFE_RESOURCEID_ES_APPID_BASE_OFFSET
CFE_RESOURCEID_ES_LIBID_BASE_OFFSET
CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET
CFE_RESOURCEID_ES_POOLID_BASE_OFFSET
CFE_RESOURCEID_ES_CDSBLOCKID_BASE_OFFSET
CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OFFSET
CFE_RESOURCEID_CONFIGID_BASE_OFFSET

Definition at line 48 of file cfe_core_resourceid_basevalues.h.

9.41.2.2 anonymous enum anonymous enum

Enumerator

CFE_ES_TASKID_BASE	
CFE_ES_APPID_BASE	
CFE_ES_LIBID_BASE	
CFE_ES_COUNTID_BASE	

Enumerator

CFE_ES_POOLID_BASE	
CFE_ES_CDSBLOCKID_BASE	
CFE_SB_PIPEID_BASE	
CFE_CONFIGID_BASE	

Definition at line 80 of file cfe_core_resourceid_basevalues.h.

9.42 cFE Clock State Flag Defines

Macros

#define CFE TIME FLAG CLKSET 0x8000

The spacecraft time has been set.

• #define CFE_TIME_FLAG_FLYING 0x4000

This instance of Time Services is flywheeling.

#define CFE TIME FLAG SRCINT 0x2000

The clock source is set to "internal".

• #define CFE TIME FLAG SIGPRI 0x1000

The clock signal is set to "primary".

#define CFE_TIME_FLAG_SRVFLY 0x0800

The Time Server is in flywheel mode.

#define CFE TIME FLAG CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

#define CFE TIME FLAG ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

• #define CFE TIME FLAG ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

#define CFE_TIME_FLAG_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

#define CFE TIME FLAG SERVER 0x0040

This instance of Time Services is a Time Server.

#define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

#define CFE_TIME_FLAG_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

• #define CFE_TIME_FLAG_UNUSED 0x000F

Reserved flags - should be zero.

9.42.1 Detailed Description

9.42.2 Macro Definition Documentation

9.42.2.1 CFE_TIME_FLAG_ADD1HZ #define CFE_TIME_FLAG_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction Definition at line 715 of file cfe time msg.h.

9.42.2.2 CFE TIME FLAG ADDADJ #define CFE_TIME_FLAG_ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

Definition at line 714 of file cfe_time_msg.h.

9.42.2.3 CFE_TIME_FLAG_ADDTCL #define CFE_TIME_FLAG_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

Definition at line 716 of file cfe time msg.h.

9.42.2.4 CFE_TIME_FLAG_CLKSET #define CFE_TIME_FLAG_CLKSET 0x8000

The spacecraft time has been set.

Definition at line 708 of file cfe time msg.h.

9.42.2.5 CFE_TIME_FLAG_CMDFLY #define CFE_TIME_FLAG_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

Definition at line 713 of file cfe_time_msg.h.

9.42.2.6 CFE_TIME_FLAG_FLYING #define CFE_TIME_FLAG_FLYING 0x4000

This instance of Time Services is flywheeling.

Definition at line 709 of file cfe time msg.h.

9.42.2.7 CFE_TIME_FLAG_GDTONE #define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

Definition at line 718 of file cfe_time_msg.h.

9.42.2.8 CFE_TIME_FLAG_REFERR #define CFE_TIME_FLAG_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

Definition at line 719 of file cfe time msg.h.

9.42.2.9 CFE TIME FLAG SERVER #define CFE_TIME_FLAG_SERVER 0x0040

This instance of Time Services is a Time Server.

Definition at line 717 of file cfe_time_msg.h.

9.42.2.10 CFE_TIME_FLAG_SIGPRI #define CFE_TIME_FLAG_SIGPRI 0x1000

The clock signal is set to "primary".

Definition at line 711 of file cfe time msg.h.

9.42.2.11 CFE_TIME_FLAG_SRCINT #define CFE_TIME_FLAG_SRCINT 0x2000

The clock source is set to "internal".

Definition at line 710 of file cfe_time_msg.h.

9.42.2.12 CFE_TIME_FLAG_SRVFLY #define CFE_TIME_FLAG_SRVFLY 0x0800

The Time Server is in flywheel mode.

Definition at line 712 of file cfe time msg.h.

9.42.2.13 CFE TIME FLAG UNUSED #define CFE_TIME_FLAG_UNUSED 0x000F

Reserved flags - should be zero.

Definition at line 721 of file cfe_time_msg.h.

9.43 OSAL Semaphore State Defines

Macros

• #define OS_SEM_FULL 1

Semaphore full state.

• #define OS_SEM_EMPTY 0

Semaphore empty state.

9.43.1 Detailed Description

9.43.2 Macro Definition Documentation

9.43.2.1 OS_SEM_EMPTY #define OS_SEM_EMPTY 0

Semaphore empty state.

Definition at line 35 of file osapi-binsem.h.

9.43.2.2 OS_SEM_FULL #define OS_SEM_FULL 1

Semaphore full state.

Definition at line 34 of file osapi-binsem.h.

9.44 OSAL Binary Semaphore APIs

Functions

- int32 OS_BinSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options) Creates a binary semaphore.
- int32 OS_BinSemFlush (osal_id_t sem_id)

Unblock all tasks pending on the specified semaphore.

int32 OS_BinSemGive (osal_id_t sem_id)

Increment the semaphore value.

• int32 OS_BinSemTake (osal_id_t sem_id)

Decrement the semaphore value.

int32 OS_BinSemTimedWait (osal_id_t sem_id, uint32 msecs)

Decrement the semaphore value with a timeout.

int32 OS BinSemDelete (osal id t sem id)

Deletes the specified Binary Semaphore.

• int32 OS_BinSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

• int32 OS_BinSemGetInfo (osal_id_t sem_id, OS_bin_sem_prop_t *bin_prop)

Fill a property object buffer with details regarding the resource.

9.44.1 Detailed Description

9.44.2 Function Documentation

Creates a binary semaphore.

Creates a binary semaphore with initial value specified by sem_initial_value and name specified by sem_name. sem_id will be returned to the caller

Parameters

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	sem_name	the name of the new resource to create (must not be null)
in	sem_initial_value	the initial value of the binary semaphore
in	options	Reserved for future use, should be passed as 0.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sen name or sem_id are NULL

OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME	
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken	
OS_ERR_NAME_TAKEN	if this is already the name of a binary semaphore	
OS_SEM_FAILURE	if the OS call failed (return value only verified in coverage test)	

Deletes the specified Binary Semaphore.

This is the function used to delete a binary semaphore in the operating system. This also frees the respective sem_id to be used again when another semaphore is created.

Parameters

in <i>sem</i> ←		sem⇔	The object ID to delete
		id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a valid binary semaphore	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

9.44.2.3 OS_BinSemFlush() int32 OS_BinSemFlush (osal_id_t sem_id)

Unblock all tasks pending on the specified semaphore.

The function unblocks all tasks pending on the specified semaphore. However, this function does not change the state of the semaphore.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

OS_ERR_INVALID_ID	if the id passed in is not a binary semaphore	
OS_SEM_FAILURE if an unspecified failure occurs (return value only verified in coverage		

Find an existing semaphore ID by name.

This function tries to find a binary sem Id given the name of a bin_sem The id is returned through sem_id

Parameters

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified binary semaphore.

Parameters

	in	sem_id	The object ID to operate on
ſ	out	bin_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the bin_prop pointer is null
OS_ERR_NOT_IMPLEMENTED	Not implemented.

Increment the semaphore value.

The function unlocks the semaphore referenced by sem_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a binary semaphore
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)

9.44.2.7 OS_BinSemTake() int32 OS_BinSemTake (osal_id_t sem_id)

Decrement the semaphore value.

The locks the semaphore referenced by sem_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

OS_ERR_INVALID_ID	the ld passed in is not a valid binary semaphore
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)

```
9.44.2.8 OS_BinSemTimedWait() int32 OS_BinSemTimedWait ( osal_id_t sem_id, uint32 msecs )
```

Decrement the semaphore value with a timeout.

The function locks the semaphore referenced by sem_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

Parameters

	in	sem← _id	The object ID to operate on
ſ	in	msecs	The maximum amount of time to block, in milliseconds

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_SEM_TIMEOUT	if semaphore was not relinquished in time
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)

9.45 OSAL BSP low level access APIs

These are for OSAL internal BSP information access to pass any BSP-specific boot/command line/startup arguments through to the application, and return a status code back to the OS after exit.

Functions

- void OS BSP SetResourceTypeConfig (uint32 ResourceType, uint32 ConfigOptionValue)
- uint32 OS_BSP_GetResourceTypeConfig (uint32 ResourceType)
- uint32 OS_BSP_GetArgC (void)
- char *const * OS BSP GetArgV (void)
- void OS_BSP_SetExitCode (int32 code)

9.45.1 Detailed Description

These are for OSAL internal BSP information access to pass any BSP-specific boot/command line/startup arguments through to the application, and return a status code back to the OS after exit.

Not intended for user application use

9.45.2 Function Documentation

9.46 OSAL Real Time Clock APIs

Functions

```
• int32 OS GetLocalTime (OS_time_t *time_struct)
```

Get the local time.

int32 OS SetLocalTime (const OS time t *time struct)

Set the local time.

static int64 OS_TimeGetTotalSeconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to whole number of seconds.

static OS time t OS TimeFromTotalSeconds (int64 tm)

Get an OS_time_t interval object from an integer number of seconds.

static int64 OS TimeGetTotalMilliseconds (OS time t tm)

Get interval from an OS_time_t object normalized to millisecond units.

static OS time t OS TimeFromTotalMilliseconds (int64 tm)

Get an OS_time_t interval object from a integer number of milliseconds.

static int64 OS_TimeGetTotalMicroseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to microsecond units.

static OS time t OS TimeFromTotalMicroseconds (int64 tm)

Get an OS_time_t interval object from a integer number of microseconds.

static int64 OS TimeGetTotalNanoseconds (OS time t tm)

Get interval from an OS_time_t object normalized to nanosecond units.

static OS_time_t OS_TimeFromTotalNanoseconds (int64 tm)

Get an OS_time_t interval object from a integer number of nanoseconds.

static int64 OS_TimeGetFractionalPart (OS_time_t tm)

Get subseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetSubsecondsPart (OS_time_t tm)

Get 32-bit normalized subseconds (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetMillisecondsPart (OS_time_t tm)

Get milliseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetMicrosecondsPart (OS_time_t tm)

Get microseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetNanosecondsPart (OS_time_t tm)

Get nanoseconds portion (fractional part only) from an OS_time_t object.

static OS_time_t OS_TimeAssembleFromNanoseconds (int64 seconds, uint32 nanoseconds)

Assemble/Convert a number of seconds + nanoseconds into an OS_time_t interval.

static OS time t OS TimeAssembleFromMicroseconds (int64 seconds, uint32 microseconds)

Assemble/Convert a number of seconds + microseconds into an OS time t interval.

static OS_time_t OS_TimeAssembleFromMilliseconds (int64 seconds, uint32 milliseconds)

Assemble/Convert a number of seconds + milliseconds into an OS_time_t interval.

static OS time t OS TimeAssembleFromSubseconds (int64 seconds, uint32 subseconds)

Assemble/Convert a number of seconds + subseconds into an OS_time_t interval.

static OS_time_t OS_TimeAdd (OS_time_t time1, OS_time_t time2)

Computes the sum of two time intervals.

static OS time t OS TimeSubtract (OS time t time1, OS time t time2)

Computes the difference between two time intervals.

9.46.1 Detailed Description

9.46.2 Function Documentation

Get the local time.

This function gets the local time from the underlying OS.

Note

Mission time management typically uses the cFE Time Service

Parameters

out	time_struct	An OS_time_t that will be set to the current time (must not be null)
-----	-------------	--

Returns

Get local time status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if time_struct is null

Set the local time.

This function sets the local time on the underlying OS.

Note

Mission time management typically uses the cFE Time Services

Parameters

in	time_struct	An OS_time_t containing the current time (must not be null)
----	-------------	---

Returns

Set local time status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if time_struct is null

Computes the sum of two time intervals.

Parameters

in	time1	The first interval
in	time2	The second interval

Returns

The sum of the two intervals (time1 + time2)

Definition at line 467 of file osapi-clock.h.

References OS_time_t::ticks.

Assemble/Convert a number of seconds + microseconds into an OS_time_t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of microseconds. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetMicrosecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS TimeGetTotalSeconds(), OS TimeGetMicrosecondsPart()

Parameters

in	seconds	Whole number of seconds
in	microseconds	Number of microseconds (fractional part only)

Returns

The input arguments represented as an OS time t interval

Definition at line 402 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, OS_TIME_TICKS_PER_USEC, and OS_time_t::ticks.

Assemble/Convert a number of seconds + milliseconds into an OS time t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of milliseconds. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetMillisecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS_TimeGetTotalSeconds(), OS_TimeGetMillisecondsPart()

Parameters

in	seconds	Whole number of seconds
in	milliseconds	Number of milliseconds (fractional part only)

Returns

The input arguments represented as an OS_time_t interval

Definition at line 426 of file osapi-clock.h.

References OS TIME TICKS PER MSEC, OS TIME TICKS PER SECOND, and OS time t::ticks.

Assemble/Convert a number of seconds + nanoseconds into an OS_time_t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of nanoseconds. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetNanosecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS_TimeGetTotalSeconds(), OS_TimeGetNanosecondsPart()

Parameters

in	seconds	Whole number of seconds
in	nanoseconds	Number of nanoseconds (fractional part only)

Returns

The input arguments represented as an OS time t interval

Definition at line 378 of file osapi-clock.h.

References OS_TIME_TICK_RESOLUTION_NS, OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

Assemble/Convert a number of seconds + subseconds into an OS_time_t interval.

This creates an OS_time_t value using a whole number of seconds and a fractional part in units of sub-seconds $(1/2^32)$. This is the inverse of OS_TimeGetTotalSeconds() and OS_TimeGetSubsecondsPart(), and should recreate the original OS_time_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

See also

OS_TimeGetTotalSeconds(), OS_TimeGetNanosecondsPart()

Parameters

in	seconds	Whole number of seconds
in	subseconds	Number of subseconds (32 bit fixed point fractional part)

Returns

The input arguments represented as an OS_time_t interval

Definition at line 449 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

Get an OS_time_t interval object from a integer number of microseconds.

This is the inverse operation of OS_TimeGetTotalMicroseconds(), converting the total number of microseconds into an OS_time_t value.

See also

OS_TimeGetTotalMicroseconds()

Parameters

in	tm	Time interval value, in microseconds
----	----	--------------------------------------

Returns

OS_time_t value representing the interval

Definition at line 216 of file osapi-clock.h.

References OS_TIME_TICKS_PER_USEC.

Get an OS_time_t interval object from a integer number of milliseconds.

This is the inverse operation of OS_TimeGetTotalMilliseconds(), converting the total number of milliseconds into an OS_time_t value.

See also

OS_TimeGetTotalMilliseconds()

in	tm	Time interval value, in milliseconds
----	----	--------------------------------------

OS_time_t value representing the interval

Definition at line 182 of file osapi-clock.h.

References OS_TIME_TICKS_PER_MSEC.

Get an OS time t interval object from a integer number of nanoseconds.

This is the inverse operation of OS_TimeGetTotalNanoseconds(), converting the total number of nanoseconds into an OS_time_t value.

See also

OS_TimeGetTotalNanoseconds()

Parameters

in tm Time	interval value, in nanoseconds
------------	--------------------------------

Returns

OS_time_t value representing the interval

Definition at line 254 of file osapi-clock.h.

References OS_TIME_TICK_RESOLUTION_NS.

Get an OS_time_t interval object from an integer number of seconds.

This is the inverse operation of OS_TimeGetTotalSeconds(), converting the total number of seconds into an OS_time_t value.

See also

OS TimeGetTotalSeconds()

Parameters

in	tm	Time interval value, in seconds
----	----	---------------------------------

Returns

OS_time_t value representing the interval

Definition at line 148 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND.

Get subseconds portion (fractional part only) from an OS time t object.

Extracts the fractional part from a given OS_time_t object. Units returned are in ticks, not normalized to any standard time unit.

Parameters

in	tm	Time interval value
----	----	---------------------

Returns

Fractional/subsecond portion of time interval in ticks

Definition at line 270 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

Referenced by OS_TimeGetMicrosecondsPart(), OS_TimeGetMillisecondsPart(), OS_TimeGetNanosecondsPart(), and OS_TimeGetSubsecondsPart().

Get microseconds portion (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS time t object normalized to units of microseconds.

This function may be used to adapt applications initially implemented using an older OSAL version where OS_time_t was a structure containing a "seconds" and "microsecs" field.

This function will obtain a value that is compatible with the "microsecs" field of OS_time_t as it was defined in previous versions of OSAL, as well as the "tv_usec" field of POSIX-style "struct timeval" values.

See also

OS_TimeGetTotalSeconds()

Parameters

in	tm	Time interval value
----	----	---------------------


Returns

Number of microseconds in time interval

Definition at line 338 of file osapi-clock.h.

References OS_TIME_TICKS_PER_USEC, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



Get milliseconds portion (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS time t object normalized to units of milliseconds.

See also

OS_TimeGetTotalSeconds()

Parameters

in	tm	Time interval value

Returns

Number of milliseconds in time interval

Definition at line 313 of file osapi-clock.h.

References OS_TIME_TICKS_PER_MSEC, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



```
9.46.2.15 OS_TimeGetNanosecondsPart() static uint32 OS_TimeGetNanosecondsPart ( OS_time_t tm ) [inline], [static]
```

Get nanoseconds portion (fractional part only) from an OS_time_t object.

Extracts the only number of nanoseconds from a given OS_time_t object.

This function will obtain a value that is compatible with the "tv_nsec" field of POSIX-style "struct timespec" values.

See also

OS_TimeGetTotalSeconds()




Number of nanoseconds in time interval

Definition at line 357 of file osapi-clock.h.

References OS_TIME_TICK_RESOLUTION_NS, and OS_TimeGetFractionalPart().

Here is the call graph for this function:



```
9.46.2.16 OS_TimeGetSubsecondsPart() static uint32 OS_TimeGetSubsecondsPart ( OS_time_t tm ) [inline], [static]
```

Get 32-bit normalized subseconds (fractional part only) from an OS_time_t object.

Extracts the fractional part from a given OS_time_t object in maximum precision, with units of $2^{\land}(-32)$ sec. This is a base-2 fixed-point fractional value with the point left-justified in the 32-bit value (i.e. left of MSB).

This is (mostly) compatible with the CFE "subseconds" value, where 0x80000000 represents exactly one half second, and 0 represents a full second.

Parameters

in tm Time interval value

Returns

Fractional/subsecond portion of time interval as 32-bit fixed point value

Definition at line 289 of file osapi-clock.h.

References OS TIME TICKS PER SECOND, and OS TimeGetFractionalPart().

Here is the call graph for this function:



Get interval from an OS_time_t object normalized to microsecond units.

Note this refers to the complete interval, not just the fractional part.

See also

OS_TimeFromTotalMicroseconds()

Parameters

in <i>tm</i>	Time interval value
--------------	---------------------

Returns

Whole number of microseconds in time interval

Definition at line 199 of file osapi-clock.h.

References OS_TIME_TICKS_PER_USEC, and OS_time_t::ticks.

Get interval from an OS_time_t object normalized to millisecond units.

Note this refers to the complete interval, not just the fractional part.

See also

OS_TimeFromTotalMilliseconds()

Parameters

in tm Time interval value

Returns

Whole number of milliseconds in time interval

Definition at line 165 of file osapi-clock.h.

References OS_TIME_TICKS_PER_MSEC, and OS_time_t::ticks.

Get interval from an OS time t object normalized to nanosecond units.

Note this refers to the complete interval, not just the fractional part.

Note

There is no protection against overflow of the 64-bit return value. Applications must use caution to ensure that the interval does not exceed the representable range of a signed 64 bit integer - approximately 140 years.

See also

OS_TimeFromTotalNanoseconds

|--|

Whole number of microseconds in time interval

Definition at line 237 of file osapi-clock.h.

References OS_TIME_TICK_RESOLUTION_NS, and OS_time_t::ticks.

Get interval from an OS time t object normalized to whole number of seconds.

Extracts the number of whole seconds from a given OS_time_t object, discarding any fractional component.

This may also replace a direct read of the "seconds" field from the OS_time_t object from previous versions of OSAL, where the structure was defined with separate seconds/microseconds fields.

See also

```
OS_TimeGetMicrosecondsPart()
```

OS_TimeFromTotalSeconds()

Parameters

in tm Time interval value

Returns

Whole number of seconds in time interval

Definition at line 131 of file osapi-clock.h.

References OS_TIME_TICKS_PER_SECOND, and OS_time_t::ticks.

Computes the difference between two time intervals.

Parameters

in	time1	The first interval
in	time2	The second interval

Returns

The difference of the two intervals (time1 - time2)

Definition at line 482 of file osapi-clock.h.

References OS time t::ticks.

9.47 OSAL Core Operation APIs

These are for OSAL core operations for startup/initialization, running, and shutdown. Typically only used in bsps, unit tests, psps, etc.

Functions

void OS Application Startup (void)

Application startup.

void OS_Application_Run (void)

Application run.

int32 OS API Init (void)

Initialization of API.

void OS_API_Teardown (void)

Teardown/de-initialization of OSAL API.

void OS IdleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS_DeleteAllObjects (void)

delete all resources created in OSAL.

void OS_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS_ApplicationExit (int32 Status)

Exit/Abort the application.

int32 OS_RegisterEventHandler (OS_EventHandler_t handler)

Callback routine registration.

9.47.1 Detailed Description

These are for OSAL core operations for startup/initialization, running, and shutdown. Typically only used in bsps, unit tests, psps, etc.

Not intended for user application use

9.47.2 Function Documentation

```
9.47.2.1 OS_API_Init() int32 OS_API_Init ( void )
```

Initialization of API.

This function returns initializes the internal data structures of the OS Abstraction Layer. It must be called in the application startup code before calling any other OS routines.

Returns

Execution status, see OSAL Return Code Defines. Any error code (negative) means the OSAL can not be initialized. Typical platform specific response is to abort since additional OSAL calls will have undefined behavior.

OS_SUCCESS	Successful execution.
OS_ERROR	Failed execution. (return value only verified in coverage test)

Teardown/de-initialization of OSAL API.

This is the inverse of OS_API_Init(). It will release all OS resources and return the system to a state similar to what it was prior to invoking OS_API_Init() initially.

Normally for embedded applications, the OSAL is initialized after boot and will remain initialized in memory until the processor is rebooted. However for testing and development purposes, it is potentially useful to reset back to initial conditions.

For testing purposes, this API is designed/intended to be compatible with the UtTest_AddTeardown() routine provided by the UT-Assert subsystem.

Note

This is a "best-effort" routine and it may not always be possible/guaranteed to recover all resources, particularly in the case of off-nominal conditions, or if a resource is used outside of OSAL.

For example, while this will attempt to unload all dynamically-loaded modules, doing so may not be possible and/or may induce undefined behavior if resources are in use by tasks/functions outside of OSAL.

Application run.

Run abstraction such that the same BSP can be used for operations and testing.

Application startup.

Startup abstraction such that the same BSP can be used for operations and testing.

Exit/Abort the application.

Indicates that the OSAL application should exit and return control to the OS This is intended for e.g. scripted unit testing where the test needs to end without user intervention.

This function does not return. Production code typically should not ever call this.

Note

This exits the entire process including tasks that have been created.

9.47.2.6 OS_ApplicationShutdown() void OS_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

Indicates that the OSAL application should perform an orderly shutdown of ALL tasks, clean up all resources, and exit the application.

This allows the task currently blocked in OS_IdleLoop() to wake up, and for that function to return to its caller.

This is preferred over e.g. OS_ApplicationExit() which exits immediately and does not provide for any means to clean up first.

in	flag	set to true to initiate shutdown, false to cancel	
----	------	---	--

delete all resources created in OSAL.

provides a means to clean up all resources allocated by this instance of OSAL. It would typically be used during an orderly shutdown but may also be helpful for testing purposes.

Background thread implementation - waits forever for events to occur.

This should be called from the BSP main routine or initial thread after all other board and application initialization has taken place and all other tasks are running.

Typically just waits forever until "OS_shutdown" flag becomes true.

```
9.47.2.9 OS_RegisterEventHandler() int32 OS_RegisterEventHandler ( OS_EventHandler_t handler )
```

Callback routine registration.

This hook enables the application code to perform extra platform-specific operations on various system events such as resource creation/deletion.

Note

Some events are invoked while the resource is "locked" and therefore application-defined handlers for these events should not block or attempt to access other OSAL resources.

Parameters

in	handler	The application-provided event handler (must not be null)	
----	---------	---	--

Returns

Execution status, see OSAL Return Code Defines.

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if handler is NULL

9.48 OSAL Condition Variable APIs

Functions

int32 OS CondVarCreate (osal id t *var id, const char *var name, uint32 options)

Creates a condition variable resource.

int32 OS_CondVarLock (osal_id_t var_id)

Locks/Acquires the underlying mutex associated with a condition variable.

int32 OS_CondVarUnlock (osal_id_t var_id)

Unlocks/Releases the underlying mutex associated with a condition variable.

• int32 OS CondVarSignal (osal id t var id)

Signals the condition variable resource referenced by var_id.

int32 OS CondVarBroadcast (osal id t var id)

Broadcasts the condition variable resource referenced by var_id.

int32 OS CondVarWait (osal id t var id)

Waits on the condition variable object referenced by var_id.

int32 OS CondVarTimedWait (osal id t var id, const OS time t *abs wakeup time)

Time-limited wait on the condition variable object referenced by var_id.

int32 OS CondVarDelete (osal id t var id)

Deletes the specified condition variable.

• int32 OS_CondVarGetIdByName (osal_id_t *var_id, const char *var_name)

Find an existing condition variable ID by name.

int32 OS_CondVarGetInfo (osal_id_t var_id, OS_condvar_prop_t *condvar_prop)

Fill a property object buffer with details regarding the resource.

9.48.1 Detailed Description

9.48.2 Function Documentation

Broadcasts the condition variable resource referenced by var id.

This function may be used to indicate when the state of a data object has been changed.

If there are threads blocked on the condition variable object referenced by var_id when this function is called, all threads will be unblocked.

Note that although all threads are unblocked, because the mutex is re-acquired before the wait function returns, only a single task will be testing the condition at a given time. The order with which each blocked task runs is determined by the scheduling policy.

Parameters

in	var⇔	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condition variable

Creates a condition variable resource.

A condition variable adds a more sophisticated synchronization option for mutexes, such that it can operate on arbitrary user-defined conditions rather than simply a counter or boolean (as in the case of simple semaphores).

Creating a condition variable resource in OSAL will in turn create both a basic mutex as well as a synchronization overlay. The underlying mutex is similar to the mutex functionality provided by the OSAL mutex subsystem, and can be locked and unlocked normally.

This mutex is intended to protect access to any arbitrary user-defined data object that serves as the condition being tested.

A task that needs a particular state of the object should follow this general flow:

- · Lock the underlying mutex
- Test for the condition being waited for (a user-defined check on user-defined data)
- If condition IS NOT met, then call OS_CondVarWait() to wait, then repeat test
- · If condition IS met, then unlock the underlying mutex and continue

A task that changes the state of the object should follow this general flow:

- · Lock the underlying mutex
- · Change the state as necessary
- Call either OS_CondVarSignal() or OS_CondVarBroadcast()
- · Unlock the underlying mutex

Parameters

out var_id will be set to the non-zero ID of the newly-created resource		will be set to the non-zero ID of the newly-created resource (must not be null)	
	in	var_name	the name of the new resource to create (must not be null)
	in	options	reserved for future use. Should be passed as 0.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if var_id or var_name are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME

Return values

OS_ERR_NO_FREE_IDS	if there are no more free condition variable lds
OS_ERR_NAME_TAKEN	if there is already a condition variable with the same name

9.48.2.3 OS_CondVarDelete() int32 OS_CondVarDelete (osal_id_t var_id)

Deletes the specified condition variable.

Delete the condition variable and releases any related system resources.

Parameters

in	var⊷	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condvar

Find an existing condition variable ID by name.

This function tries to find an existing condition variable ID given the name. The id is returned through var_id.

Parameters

out	var_id	will be set to the ID of the existing resource
in	var_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is var_id or var_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Fill a property object buffer with details regarding the resource.

This function will fill a structure to contain the information (name and creator) about the specified condition variable.

Parameters

	in	var_id	The object ID to operate on
Ī	out	condvar_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the mut_prop pointer is null

9.48.2.6 OS_CondVarLock() int32 OS_CondVarLock (osal_id_t var_id)

Locks/Acquires the underlying mutex associated with a condition variable.

The mutex should always be locked by a task before reading or modifying the data object associated with a condition variable.

Note

This lock must be acquired by a task before invoking OS_CondVarWait() or OS_CondVarTimedWait() on the same condition variable.

Parameters

in	var←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condition variable

```
9.48.2.7 OS_CondVarSignal() int32 OS_CondVarSignal ( osal_id_t var_id )
```

Signals the condition variable resource referenced by var id.

This function may be used to indicate when the state of a data object has been changed.

If there are threads blocked on the condition variable object referenced by var_id when this function is called, one of those threads will be unblocked, as determined by the scheduling policy.

Parameters

in	var⊸	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condition variable

Time-limited wait on the condition variable object referenced by var_id.

Identical in operation to OS_CondVarWait(), except that the maximum amount of time that the task will be blocked is limited.

The abs_wakeup_time refers to the absolute time of the system clock at which the task should be unblocked to run, regardless of the state of the condition variable. This refers to the same system clock that is the subject of the OS GetLocalTime() API.

Parameters

i	n	var_id	The object ID to operate on
i	n	abs_wakeup_time	The system time at which the task should be unblocked (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the id passed in is not a valid condvar

```
9.48.2.9 OS_CondVarUnlock() int32 OS_CondVarUnlock ( osal_id_t var_id )
```

Unlocks/Releases the underlying mutex associated with a condition variable.

The mutex should be unlocked by a task once reading or modifying the data object associated with a condition variable is complete.

Parameters

in	var⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid condition variable

Waits on the condition variable object referenced by var_id.

The calling task will be blocked until another task calls the function OS_CondVarSignal() or OS_CondVarBroadcast() on the same condition variable.

The underlying mutex associated with the condition variable must be locked and owned by the calling task at the time this function is invoked. As part of this call, the mutex will be unlocked as the task blocks. This is done in such a way that there is no possibility that another task could aquire the mutex before the calling task has actually blocked.

This atomicity with respect to blocking the task and unlocking the mutex is a critical difference between condition variables and other synchronization primitives. It avoids a window of opportunity where inherent in the simpler synchronization resource types where the state of the data could change between the time that the calling task tested the state and the time that the task actually blocks on the sync resource.

Parameters

in	var←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the id passed in is not a valid condvar

9.49 OSAL Counting Semaphore APIs

Functions

- int32 OS_CountSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

 Creates a counting semaphore.
- int32 OS_CountSemGive (osal_id_t sem_id)

Increment the semaphore value.

int32 OS_CountSemTake (osal_id_t sem_id)

Decrement the semaphore value.

int32 OS CountSemTimedWait (osal id t sem id, uint32 msecs)

Decrement the semaphore value with timeout.

• int32 OS CountSemDelete (osal id t sem id)

Deletes the specified counting Semaphore.

int32 OS CountSemGetIdByName (osal id t *sem id, const char *sem name)

Find an existing semaphore ID by name.

int32 OS_CountSemGetInfo (osal_id_t sem_id, OS_count_sem_prop_t *count_prop)

Fill a property object buffer with details regarding the resource.

9.49.1 Detailed Description

9.49.2 Function Documentation

Creates a counting semaphore.

Creates a counting semaphore with initial value specified by sem_initial_value and name specified by sem_name. sem_id will be returned to the caller.

Note

Underlying RTOS implementations may or may not impose a specific upper limit to the value of a counting semaphore. If the OS has a specific limit and the sem_initial_value exceeds this limit, then OS_INVALID_SEM_VALUE is returned. On other implementations, any 32-bit integer value may be acceptable. For maximum portability, it is recommended to keep counting semaphore values within the range of a "short int" (i.e. between 0 and 32767). Many platforms do accept larger values, but may not be guaranteed.

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	sem_name	the name of the new resource to create (must not be null)
in	sem_initial_value	the initial value of the counting semaphore
in	options	Reserved for future use, should be passed as 0.

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sen name or sem_id are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken
OS_ERR_NAME_TAKEN	if this is already the name of a counting semaphore
OS_INVALID_SEM_VALUE	if the semaphore value is too high (return value only verified in coverage test)
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in
	coverage test)

9.49.2.2 OS_CountSemDelete() int32 OS_CountSemDelete (osal_id_t sem_id)

Deletes the specified counting Semaphore.

Parameters

in	sem←	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid counting semaphore
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

Find an existing semaphore ID by name.

This function tries to find a counting sem Id given the name of a count_sem The id is returned through sem_id

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified counting semaphore.

Parameters

in	sem_id	The object ID to operate on
out	count_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null
OS_ERR_NOT_IMPLEMENTED	Not implemented.

Increment the semaphore value.

The function unlocks the semaphore referenced by sem_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

in	sem⊷	The object ID to operate on
	_id	

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a counting semaphore
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

9.49.2.6 OS_CountSemTake() int32 OS_CountSemTake (osal_id_t sem_id)

Decrement the semaphore value.

The locks the semaphore referenced by sem_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the ld passed in is not a valid counting semaphore
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

Decrement the semaphore value with timeout.

The function locks the semaphore referenced by sem_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

in	sem⊷ _id	The object ID to operate on
in	msecs	The maximum amount of time to block, in milliseconds

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_SEM_TIMEOUT	if semaphore was not relinquished in time
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

9.50 OSAL Directory APIs

Functions

• int32 OS_DirectoryOpen (osal_id_t *dir_id, const char *path)

Opens a directory.

int32 OS_DirectoryClose (osal_id_t dir_id)

Closes an open directory.

int32 OS_DirectoryRewind (osal_id_t dir_id)

Rewinds an open directory.

• int32 OS_DirectoryRead (osal_id_t dir_id, os_dirent_t *dirent)

Reads the next name in the directory.

int32 OS_mkdir (const char *path, uint32 access)

Makes a new directory.

• int32 OS rmdir (const char *path)

Removes a directory from the file system.

9.50.1 Detailed Description

9.50.2 Function Documentation

9.50.2.1 OS_DirectoryClose() int32 OS_DirectoryClose (osal_id_t dir_id)

Closes an open directory.

The directory referred to by dir_id will be closed

Parameters

in	dir⇔	The handle ID of the directory
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the directory handle is invalid

Opens a directory.

Prepares for reading the files within a directory

Parameters

out	dir⇔	Location to store handle ID of the directory (must not be null)
	_id	
in	path	The directory to open (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if dir_id or path is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path argument exceeds the maximum length
OS_FS_ERR_PATH_INVALID	if the path argument is not valid
OS_ERROR	if the directory could not be opened

Reads the next name in the directory.

Obtains directory entry data for the next file from an open directory

Parameters

	in	dir←	The handle ID of the directory
		_id	
ĺ	out	dirent	Buffer to store directory entry information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if dirent argument is NULL
OS_ERR_INVALID_ID	if the directory handle is invalid
OS_ERROR	at the end of the directory or if the OS call otherwise fails

9.50.2.4 OS_DirectoryRewind() int32 OS_DirectoryRewind (osal_id_t dir_id)

Rewinds an open directory.

Resets a directory read handle back to the first file.

Parameters

in	dir⊷	The handle ID of the directory
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the directory handle is invalid

Makes a new directory.

Makes a directory specified by path.

Parameters

in	path	The new directory name (must not be null)
in	access	The permissions for the directory (reserved for future use)

Note

Current implementations do not utilize the "access" parameter. Applications should still pass the intended value (OS_READ_WRITE or OS_READ_ONLY) to be compatible with future implementations.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call fails (return value only verified in coverage test)

```
9.50.2.6 OS_rmdir() int32 OS_rmdir ( const char * path )
```

Removes a directory from the file system.

Removes a directory from the structure. The directory must be empty prior to this operation.

Parameters

in	path	The directory to remove
----	------	-------------------------

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	
OS_ERROR	if the directory remove operation failed (return value only verified in coverage test)

9.51 OSAL Return Code Defines

The specific status/return code definitions listed in this section may be extended or refined in future versions of OSAL.

Macros

```
• #define OS_SUCCESS (0)
     Successful execution.

    #define OS_ERROR (-1)

     Failed execution.

    #define OS_INVALID_POINTER (-2)

     Invalid pointer.

    #define OS ERROR ADDRESS MISALIGNED (-3)

     Address misalignment.

    #define OS ERROR TIMEOUT (-4)

     Error timeout.

    #define OS_INVALID_INT_NUM (-5)

     Invalid Interrupt number.

    #define OS_SEM_FAILURE (-6)

     Semaphore failure.

    #define OS_SEM_TIMEOUT (-7)

     Semaphore timeout.

    #define OS QUEUE EMPTY (-8)

     Queue empty.

    #define OS_QUEUE_FULL (-9)

     Queue full.

    #define OS_QUEUE_TIMEOUT (-10)

     Queue timeout.

    #define OS_QUEUE_INVALID_SIZE (-11)

     Queue invalid size.

    #define OS_QUEUE_ID_ERROR (-12)

     Queue ID error.

    #define OS_ERR_NAME_TOO_LONG (-13)

     name length including null terminator greater than OS_MAX_API_NAME

    #define OS_ERR_NO_FREE_IDS (-14)

     No free IDs.

    #define OS_ERR_NAME_TAKEN (-15)

     Name taken.

    #define OS ERR INVALID ID (-16)

     Invalid ID.

    #define OS ERR NAME NOT FOUND (-17)

     Name not found.

    #define OS_ERR_SEM_NOT_FULL (-18)

     Semaphore not full.

    #define OS_ERR_INVALID_PRIORITY (-19)

     Invalid priority.

    #define OS INVALID SEM VALUE (-20)
```

Invalid semaphore value.

```
• #define OS_ERR_FILE (-27)
     File error.
• #define OS_ERR_NOT_IMPLEMENTED (-28)
     Not implemented.
• #define OS_TIMER_ERR_INVALID_ARGS (-29)
     Timer invalid arguments.

    #define OS_TIMER_ERR_TIMER_ID (-30)

     Timer ID error.
• #define OS_TIMER_ERR_UNAVAILABLE (-31)
     Timer unavailable.

    #define OS_TIMER_ERR_INTERNAL (-32)

     Timer internal error.
• #define OS_ERR_OBJECT_IN_USE (-33)
     Object in use.
• #define OS ERR BAD ADDRESS (-34)
     Bad address.
• #define OS_ERR_INCORRECT_OBJ_STATE (-35)
     Incorrect object state.
• #define OS_ERR_INCORRECT_OBJ_TYPE (-36)
     Incorrect object type.
• #define OS_ERR_STREAM_DISCONNECTED (-37)
     Stream disconnected.

    #define OS_ERR_OPERATION_NOT_SUPPORTED (-38)

     Requested operation not support on supplied object(s)
• #define OS_ERR_INVALID_SIZE (-40)
     Invalid Size.
• #define OS_ERR_OUTPUT_TOO_LARGE (-41)
     Size of output exceeds limit
• #define OS_ERR_INVALID_ARGUMENT (-42)
     Invalid argument value (other than ID or size)
• #define OS_FS_ERR_PATH_TOO_LONG (-103)
     FS path too long.

    #define OS_FS_ERR_NAME_TOO_LONG (-104)

     FS name too long.

    #define OS_FS_ERR_DRIVE_NOT_CREATED (-106)

     FS drive not created.

    #define OS_FS_ERR_DEVICE_NOT_FREE (-107)

     FS device not free.
• #define OS_FS_ERR_PATH_INVALID (-108)
     FS path invalid.
```

9.51.1 Detailed Description

The specific status/return code definitions listed in this section may be extended or refined in future versions of OSAL.

Note

Application developers should assume that any OSAL API may return any status value listed here. While the documentation of each OSAL API function indicates the return/status values that function may directly generate, functions may also pass through other status codes from related functions, so that list should not be considered absolute/exhaustive.

The int32 data type should be used to store an OSAL status code. Negative values will always represent errors, while non-negative values indicate success. Most APIs specifically return OS_SUCCESS (0) upon successful execution, but some return a nonzero value, such as data size.

Ideally, in order to more easily adapt to future OSAL versions and status code extensions/refinements, applications should typically check for errors as follows:

```
int32 status;
status = OS_TaskCreate(...); (or any other API)
if (status < OS_SUCCESS)
{
    handle or report error...
    may also check for specific codes here.
}
else
{
    handle normal/successful status...
}</pre>
```

9.51.2 Macro Definition Documentation

9.51.2.1 OS ERR BAD ADDRESS #define OS_ERR_BAD_ADDRESS (-34)

Bad address.

Definition at line 124 of file osapi-error.h.

```
9.51.2.2 OS_ERR_FILE #define OS_ERR_FILE (-27)
```

File error.

Definition at line 117 of file osapi-error.h.

```
9.51.2.3 OS_ERR_INCORRECT_OBJ_STATE #define OS_ERR_INCORRECT_OBJ_STATE (-35)
```

Incorrect object state.

Definition at line 125 of file osapi-error.h.

```
9.51.2.4 OS_ERR_INCORRECT_OBJ_TYPE #define OS_ERR_INCORRECT_OBJ_TYPE (-36)
```

Incorrect object type.

Definition at line 126 of file osapi-error.h.

```
9.51.2.5 OS_ERR_INVALID_ARGUMENT #define OS_ERR_INVALID_ARGUMENT (-42)
```

Invalid argument value (other than ID or size)

Definition at line 131 of file osapi-error.h.

9.51.2.6 OS_ERR_INVALID_ID #define OS_ERR_INVALID_ID (-16)

Invalid ID.

Definition at line 112 of file osapi-error.h.

9.51.2.7 OS_ERR_INVALID_PRIORITY #define OS_ERR_INVALID_PRIORITY (-19)

Invalid priority.

Definition at line 115 of file osapi-error.h.

9.51.2.8 OS_ERR_INVALID_SIZE #define OS_ERR_INVALID_SIZE (-40)

Invalid Size.

Definition at line 129 of file osapi-error.h.

9.51.2.9 OS_ERR_NAME_NOT_FOUND #define OS_ERR_NAME_NOT_FOUND (-17)

Name not found.

Definition at line 113 of file osapi-error.h.

9.51.2.10 OS_ERR_NAME_TAKEN #define OS_ERR_NAME_TAKEN (-15)

Name taken.

Definition at line 111 of file osapi-error.h.

9.51.2.11 OS_ERR_NAME_TOO_LONG #define OS_ERR_NAME_TOO_LONG (-13)

name length including null terminator greater than $OS_MAX_API_NAME$

Definition at line 109 of file osapi-error.h.

9.51.2.12 OS_ERR_NO_FREE_IDS #define OS_ERR_NO_FREE_IDS (-14)

No free IDs.

Definition at line 110 of file osapi-error.h.

9.51.2.13 OS_ERR_NOT_IMPLEMENTED #define OS_ERR_NOT_IMPLEMENTED (-28)

Not implemented.

Definition at line 118 of file osapi-error.h.

9.51.2.14 OS_ERR_OBJECT_IN_USE #define OS_ERR_OBJECT_IN_USE (-33)

Object in use.

Definition at line 123 of file osapi-error.h.

9.51.2.15 OS_ERR_OPERATION_NOT_SUPPORTED #define OS_ERR_OPERATION_NOT_SUPPORTED (-38)

Requested operation not support on supplied object(s)

Definition at line 128 of file osapi-error.h.

9.51.2.16 OS_ERR_OUTPUT_TOO_LARGE #define OS_ERR_OUTPUT_TOO_LARGE (-41)

Size of output exceeds limit

Definition at line 130 of file osapi-error.h.

9.51.2.17 OS_ERR_SEM_NOT_FULL #define OS_ERR_SEM_NOT_FULL (-18)

Semaphore not full.

Definition at line 114 of file osapi-error.h.

9.51.2.18 OS_ERR_STREAM_DISCONNECTED #define OS_ERR_STREAM_DISCONNECTED (-37)

Stream disconnected.

Definition at line 127 of file osapi-error.h.

9.51.2.19 OS ERROR #define OS_ERROR (-1)

Failed execution.

Definition at line 97 of file osapi-error.h.

9.51.2.20 OS ERROR ADDRESS MISALIGNED #define OS_ERROR_ADDRESS_MISALIGNED (-3)

Address misalignment.

Definition at line 99 of file osapi-error.h.

9.51.2.21 OS_ERROR_TIMEOUT #define OS_ERROR_TIMEOUT (-4)

Error timeout.

Definition at line 100 of file osapi-error.h.

9.51.2.22 OS_FS_ERR_DEVICE_NOT_FREE #define OS_FS_ERR_DEVICE_NOT_FREE (-107)

FS device not free.

Definition at line 144 of file osapi-error.h.

9.51.2.23 OS_FS_ERR_DRIVE_NOT_CREATED #define OS_FS_ERR_DRIVE_NOT_CREATED (-106)

FS drive not created.

Definition at line 143 of file osapi-error.h.

9.51.2.24 OS_FS_ERR_NAME_TOO_LONG #define OS_FS_ERR_NAME_TOO_LONG (-104)

FS name too long.

Definition at line 142 of file osapi-error.h.

9.51.2.25 OS_FS_ERR_PATH_INVALID #define OS_FS_ERR_PATH_INVALID (-108)

FS path invalid.

Definition at line 145 of file osapi-error.h.

9.51.2.26 OS_FS_ERR_PATH_TOO_LONG #define OS_FS_ERR_PATH_TOO_LONG (-103)

FS path too long.

Definition at line 141 of file osapi-error.h.

9.51.2.27 OS INVALID INT_NUM #define OS_INVALID_INT_NUM (-5)

Invalid Interrupt number.

Definition at line 101 of file osapi-error.h.

9.51.2.28 OS_INVALID_POINTER #define OS_INVALID_POINTER (-2)

Invalid pointer.

Definition at line 98 of file osapi-error.h.

9.51.2.29 OS_INVALID_SEM_VALUE #define OS_INVALID_SEM_VALUE (-20)

Invalid semaphore value.

Definition at line 116 of file osapi-error.h.

9.51.2.30 OS_QUEUE_EMPTY #define OS_QUEUE_EMPTY (-8)

Queue empty.

Definition at line 104 of file osapi-error.h.

9.51.2.31 OS_QUEUE_FULL #define OS_QUEUE_FULL (-9)

Queue full.

Definition at line 105 of file osapi-error.h.

9.51.2.32 OS_QUEUE_ID_ERROR #define OS_QUEUE_ID_ERROR (-12)

Queue ID error.

Definition at line 108 of file osapi-error.h.

9.51.2.33 OS_QUEUE_INVALID_SIZE #define OS_QUEUE_INVALID_SIZE (-11)

Queue invalid size.

Definition at line 107 of file osapi-error.h.

9.51.2.34 OS_QUEUE_TIMEOUT #define OS_QUEUE_TIMEOUT (-10)

Queue timeout.

Definition at line 106 of file osapi-error.h.

9.51.2.35 OS_SEM_FAILURE #define OS_SEM_FAILURE (-6)

Semaphore failure.

Definition at line 102 of file osapi-error.h.

9.51.2.36 OS_SEM_TIMEOUT #define OS_SEM_TIMEOUT (-7)

Semaphore timeout.

Definition at line 103 of file osapi-error.h.

9.51.2.37 OS_SUCCESS #define OS_SUCCESS (0)

Successful execution.

Definition at line 96 of file osapi-error.h.

9.51.2.38 OS_TIMER_ERR_INTERNAL #define OS_TIMER_ERR_INTERNAL (-32)

Timer internal error.

Definition at line 122 of file osapi-error.h.

9.51.2.39 OS_TIMER_ERR_INVALID_ARGS #define OS_TIMER_ERR_INVALID_ARGS (-29)

Timer invalid arguments.

Definition at line 119 of file osapi-error.h.

$\textbf{9.51.2.40} \quad \textbf{OS_TIMER_ERR_TIMER_ID} \quad \texttt{\#define OS_TIMER_ERR_TIMER_ID} \quad (-30)$

Timer ID error.

Definition at line 120 of file osapi-error.h.

9.51.2.41 OS_TIMER_ERR_UNAVAILABLE #define OS_TIMER_ERR_UNAVAILABLE (-31)

Timer unavailable.

Definition at line 121 of file osapi-error.h.

9.52 OSAL Error Info APIs

Functions

• static long OS_StatusToInteger (osal_status_t Status)

Convert a status code to a native "long" type.

• int32 OS_GetErrorName (int32 error_num, os_err_name_t *err_name)

Convert an error number to a string.

• char * OS_StatusToString (osal_status_t status, os_status_string_t *status_string)

Convert status to a string.

9.52.1 Detailed Description

9.52.2 Function Documentation

Convert an error number to a string.

Parameters

in	error_num	Error number to convert
out	err_name	Buffer to store error string

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	if successfully converted to a string
OS_INVALID_POINTER	if err_name is NULL
OS_ERROR	if error could not be converted

Convert a status code to a native "long" type.

For printing or logging purposes, this converts the given status code to a "long" (signed integer) value. It should be used in conjunction with the "%Id" conversion specifier in printf-style statements.

in Status Execution status, see OSAL Return Code Def	fines
--	-------

9.52 OSAL Error Info APIs 333

Returns

Same status value converted to the "long" data type

Definition at line 164 of file osapi-error.h.

Convert status to a string.

Parameters

in	status	Status value to convert
out	status_string	Buffer to store status converted to string

Returns

Passed in string pointer

9.53 OSAL File Access Option Defines

Macros

- #define OS_READ_ONLY 0
- #define OS WRITE ONLY 1
- #define OS_READ_WRITE 2

9.53.1 Detailed Description

9.53.2 Macro Definition Documentation

9.53.2.1 OS_READ_ONLY #define OS_READ_ONLY 0 Read only file access

Definition at line 35 of file osapi-file.h.

9.53.2.2 OS_READ_WRITE #define OS_READ_WRITE 2 Read write file access Definition at line 37 of file osapi-file.h.

 $\begin{array}{lll} \textbf{9.53.2.3} & \textbf{OS_WRITE_ONLY} & \texttt{\#define OS_WRITE_ONLY 1} \\ \textbf{Write only file access} \\ \textbf{Definition at line 36 of file osapi-file.h.} \end{array}$

9.54 OSAL Reference Point For Seek Offset Defines

Macros

- #define OS_SEEK_SET 0
- #define OS SEEK CUR 1
- #define OS_SEEK_END 2

9.54.1 Detailed Description

9.54.2 Macro Definition Documentation

9.54.2.1 OS_SEEK_CUR #define OS_SEEK_CUR 1 Seek offset current Definition at line 44 of file osapi-file.h.

9.54.2.2 OS_SEEK_END #define OS_SEEK_END 2 Seek offset end Definition at line 45 of file osapi-file.h.

9.54.2.3 OS_SEEK_SET #define OS_SEEK_SET 0 Seek offset set

Definition at line 43 of file osapi-file.h.

9.55 OSAL Standard File APIs

Functions

```
• int32 OS_OpenCreate (osal_id_t *filedes, const char *path, int32 flags, int32 access_mode)
```

Open or create a file.

• int32 OS_close (osal_id_t filedes)

Closes an open file handle.

int32 OS read (osal id t filedes, void *buffer, size t nbytes)

Read from a file handle.

• int32 OS write (osal id t filedes, const void *buffer, size t nbytes)

Write to a file handle.

int32 OS TimedRead (osal id t filedes, void *buffer, size t nbytes, int32 timeout)

File/Stream input read with a timeout.

int32 OS_TimedWrite (osal_id_t filedes, const void *buffer, size_t nbytes, int32 timeout)

File/Stream output write with a timeout.

• int32 OS chmod (const char *path, uint32 access mode)

Changes the permissions of a file.

• int32 OS_stat (const char *path, os_fstat_t *filestats)

Obtain information about a file or directory.

int32 OS_lseek (osal_id_t filedes, int32 offset, uint32 whence)

Seeks to the specified position of an open file.

int32 OS remove (const char *path)

Removes a file from the file system.

• int32 OS_rename (const char *old_filename, const char *new_filename)

Renames a file.

int32 OS cp (const char *src, const char *dest)

Copies a single file from src to dest.

• int32 OS_mv (const char *src, const char *dest)

Move a single file from src to dest.

int32 OS_FDGetInfo (osal_id_t filedes, OS_file_prop_t *fd_prop)

Obtain information about an open file.

int32 OS_FileOpenCheck (const char *Filename)

Checks to see if a file is open.

int32 OS_CloseAllFiles (void)

Close all open files.

int32 OS_CloseFileByName (const char *Filename)

Close a file by filename.

9.55.1 Detailed Description

9.55.2 Function Documentation

Changes the permissions of a file.

Parameters

in	path	File to change (must not be null)
in	access_mode	Desired access mode - see OSAL File Access Option Defines

Note

Some file systems do not implement permissions. If the underlying OS does not support this operation, then OS_ERR_NOT_IMPLEMENTED is returned.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_ERR_NOT_IMPLEMENTED	if the filesystem does not support this call
OS_INVALID_POINTER	if the path argument is NULL

Closes an open file handle.

This closes regular file handles and any other file-like resource, such as network streams or pipes.

Parameters

in	filedes	The handle ID to operate on
----	---------	-----------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERROR	if an unexpected/unhandled error occurs (return value only verified in coverage test)

Close all open files.

Closes All open files that were opened through the OSAL

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if one or more file close returned an error (return value only verified in coverage test)

9.55.2.4 OS_CloseFileByName() int32 OS_CloseFileByName (const char * Filename)

Close a file by filename.

Allows a file to be closed by name. This will only work if the name passed in is the same name used to open the file.

Parameters

in	Filename	The file to close (must not be null)
----	----------	--------------------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_FS_ERR_PATH_INVALID	if the file is not found
OS_ERROR	if the file close returned an error (return value only verified in coverage test)
OS_INVALID_POINTER	if the filename argument is NULL

```
9.55.2.5 OS_cp() int32 OS_cp ( const char * src, const char * dest )
```

Copies a single file from src to dest.

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

in	src	The source file to operate on (must not be null)
in	dest	The destination file (must not be null)

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be accessed
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

Obtain information about an open file.

Copies the information of the given file descriptor into a structure passed in

Parameters

in	filedes	The handle ID to operate on
out	fd_prop	Storage buffer for file information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_INVALID_POINTER	if the fd_prop argument is NULL

Checks to see if a file is open.

This function takes a filename and determines if the file is open. The function will return success if the file is open.

in	Filename	The file to operate on (must not be null)
----	----------	---

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	if the file is open
OS_ERROR	if the file is not open
OS_INVALID_POINTER	if the filename argument is NULL

Seeks to the specified position of an open file.

Sets the read/write pointer to a specific offset in a specific file.

Parameters

in	filedes	The handle ID to operate on
in	offset	The file offset to seek to
in	whence	The reference point for offset, see OSAL Reference Point For Seek Offset Defines

Returns

Byte offset from the beginning of the file or appropriate error code, see OSAL Return Code Defines

Return values

OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERROR	if OS call failed (return value only verified in coverage test)

Move a single file from src to dest.

This first attempts to rename the file, which is faster if the source and destination reside on the same file system. If this fails, it falls back to copying the file and removing the original.

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	src	The source file to operate on (must not be null)
in	dest	The destination file (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be renamed.
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

Open or create a file.

Implements the same as OS_open/OS_creat but follows the OSAL paradigm of outputting the ID/descriptor separately from the return value, rather than relying on the user to convert it back.

Parameters

out	filedes	The handle ID (OS_OBJECT_ID_UNDEFINED on failure) (must not be null)
in	path	File name to create or open (must not be null)
in	flags	The file permissions - see OS_file_flag_t
in	access_mode	Intended access mode - see OSAL File Access Option Defines

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the command was not executed properly
OS_INVALID_POINTER	if pointer argument was NULL
OS_ERR_NO_FREE_IDS	if all available file handles are in use
OS_FS_ERR_NAME_TOO_LONG	if the filename portion of the path exceeds OS_MAX_FILE_NAME
OS_FS_ERR_PATH_INVALID	if the path argument is not valid
OS_FS_ERR_PATH_TOO_LONG	if the path argument exceeds OS_MAX_PATH_LEN

Read from a file handle.

Reads up to nbytes from a file, and puts them into buffer.

If the file position is at the end of file (or beyond, if the OS allows) then this function will return 0.

Parameters

in	filedes	The handle ID to operate on
out	buffer	Storage location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)

Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0.

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if buffer is a null pointer
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_ERROR	if OS call failed (return value only verified in coverage test)
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
0	if at end of file/stream data

```
9.55.2.12 OS_remove() int32 OS_remove ( const char * path )
```

Removes a file from the file system.

Removes a given filename from the drive

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

in path The file to operate on (must not be nul	in	path	The file to operate on (must not be null)
---	----	------	---

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if there is no device or the driver returns error
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_NAME_TOO_LONG	if the name of the file to remove is too long

Renames a file.

Changes the name of a file, where the source and destination reside on the same file system.

Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	old_filename	The original filename (must not be null)
in	new_filename	The desired filename (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be opened or renamed.
OS_INVALID_POINTER	if old_filename or new_filename are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the new name is too long to be stored locally

Obtain information about a file or directory.

Returns information about a file or directory in an os fstat t structure

Parameters

	in	path	The file to operate on (must not be null)
Ī	out	filestats	Buffer to store file information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path or filestats is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the name of the file is too long to be stored
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call failed

File/Stream input read with a timeout.

This implements a time-limited read and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports, such as pipes or special devices.

If data is immediately available on the file/socket, this will return that data along with the actual number of bytes that were immediately available. It will not block.

If the file position is at the end of file or end of stream data (e.g. if the remote end has closed the connection), then this function will immediately return 0 without blocking for the timeout period.

If no data is immediately available, but the underlying resource/stream is still connected to a peer, this will wait up to the given timeout for additional data to appear. If no data appears within the timeout period, then this returns the OS_ERROR_TIMEOUT status code. This allows the caller to differentiate an open (but idle) socket connection from a connection which has been closed by the remote peer.

In all cases this will return successfully as soon as at least 1 byte of actual data is available. It will not attempt to read the entire input buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

in	filedes	The handle ID to operate on
out	buffer	Storage location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)

Byte count on success or appropriate error code, see OSAL Return Code Defines

Return values

OS_ERROR_TIMEOUT	if no data became available during timeout period
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_INVALID_POINTER	if the passed-in buffer is not valid
0	if at end of file/stream data

File/Stream output write with a timeout.

This implements a time-limited write and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports.

If output buffer space is immediately available on the file/socket, this will place data into the buffer and return the actual number of bytes that were queued for output. It will not block.

If no output buffer space is immediately available, this will wait up to the given timeout for space to become available. If no space becomes available within the timeout period, then this returns an error code (not zero).

In all cases this will return successfully as soon as at least 1 byte of actual data is output. It will *not* attempt to write the entire output buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

Parameters

in	filedes	The handle ID to operate on
in	buffer	Source location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

OS_ERROR_TIMEOUT	if no data became available during timeout period
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_INVALID_POINTER	if the passed-in buffer is not valid
0	if file/stream cannot accept any more data

Write to a file handle.

Writes to a file. copies up to a maximum of nbytes of buffer to the file described in filedes

Parameters

in	filedes	The handle ID to operate on
in	buffer	Source location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)

Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0.

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

0	if file/stream cannot accept any more data
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERROR	if OS call failed (return value only verified in coverage test)
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_INVALID_POINTER	if buffer is NULL

9.56 OSAL File System Level APIs

Functions

int32 OS FileSysAddFixedMap (osal_id_t *filesys_id, const char *phys_path, const char *virt_path)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

 int32 OS_mkfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Makes a file system on the target.

int32 OS mount (const char *devname, const char *mountpoint)

Mounts a file system.

int32 OS_initfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Initializes an existing file system.

int32 OS_rmfs (const char *devname)

Removes a file system.

int32 OS unmount (const char *mountpoint)

Unmounts a mounted file system.

• int32 OS_FileSysStatVolume (const char *name, OS_statvfs_t *statbuf)

Obtains information about size and free space in a volume.

int32 OS_chkfs (const char *name, bool repair)

Checks the health of a file system and repairs it if necessary.

int32 OS_FS_GetPhysDriveName (char *PhysDriveName, const char *MountPoint)

Obtains the physical drive name associated with a mount point.

int32 OS_TranslatePath (const char *VirtualPath, char *LocalPath)

Translates an OSAL Virtual file system path to a host Local path.

int32 OS_GetFsInfo (os_fsinfo_t *filesys_info)

Returns information about the file system.

9.56.1 Detailed Description

9.56.2 Function Documentation

Checks the health of a file system and repairs it if necessary.

Checks the drives for inconsistencies and optionally also repairs it

Note

not all operating systems implement this function. If the underlying OS does not provide a facility to check the volume, then OS ERR NOT IMPLEMENTED will be returned.

in	name	The device/path to operate on (must not be null)
in	repair	Whether to also repair inconsistencies

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_INVALID_POINTER	Name is NULL
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	Failed execution. (return value only verified in coverage test)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

This mimics the behavior of a "FS_BASED" entry in the VolumeTable but is registered at runtime. It is intended to be called by the PSP/BSP prior to starting the application.

Note

OSAL virtual mount points are required to be a single, non-empty top-level directory name. Virtual path names always follow the form /<virt_mount_point>/<relative_path>/<file>. Only the relative path may be omitted/empty (i.e. /<virt_mount_point>/<file>) but the virtual mount point must be present and not an empty string. In particular this means it is not possible to directly refer to files in the "root" of the native file system from OSAL. However it is possible to create a virtual map to the root, such as by calling:

```
OS_FileSysAddFixedMap(&fs_id, "/", "/root");
```

Parameters

out	filesys_id	A buffer to store the ID of the file system mapping (must not be null)
in	phys_path	The native system directory (an existing mount point) (must not be null)
in	virt_path	The virtual mount point of this filesystem (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_FS_ERR_PATH_TOO_LONG	if the overall phys_path is too long
OS_ERR_NAME_TOO_LONG	if the phys_path basename (filesystem name) is too long
OS_INVALID_POINTER	if any argument is NULL

Obtains information about size and free space in a volume.

Populates the supplied OS_statvfs_t structure, which includes the block size and total/free blocks in a file system volume. This replaces two older OSAL calls:

OS_fsBlocksFree() is determined by reading the blocks_free output struct member OS_fsBytesFree() is determined by multiplying blocks_free by the block_size member

Parameters

i	in	name	The device/path to operate on (must not be null)
C	out	statbuf	Output structure to populate (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if name or statbuf is NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

Obtains the physical drive name associated with a mount point.

Returns the name of the physical volume associated with the drive, when given the OSAL mount point of the drive

Parameters

(out	PhysDriveName	Buffer to store physical drive name (must not be null)
=	in	MountPoint 4 8 1	OSAL mount point (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL
OS_ERR_NAME_NOT_FOUND	if the MountPoint is not mounted in OSAL
OS_FS_ERR_PATH_TOO_LONG	if the MountPoint is too long

Returns information about the file system.

Returns information about the file system in an os_fsinfo_t. This includes the number of open files and file systems

Parameters

out	filesys_info	Buffer to store filesystem information (must not be null)
-----	--------------	---

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if filesys_info is NULL

Initializes an existing file system.

Initializes a file system on the target.

Note

The "volname" parameter of RAM disks should always begin with the string "RAM", e.g. "RAMDISK" or "RA⊷ M0","RAM1", etc if multiple devices are created. The underlying implementation uses this to select the correct filesystem type/format, and this may also be used to differentiate between RAM disks and real physical disks.

Parameters

in	address	The address at which to start the new disk. If address == 0, then space will be allocated by
		the OS
in	devname	The underlying kernel device to use, if applicable. (must not be null)
in	volname	The name of the volume (see note) (must not be null)
in	blocksize	The size of a single block on the drive
in	numblocks	The number of blocks to allocate for the drive

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname or volname are NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_FS_ERR_DRIVE_NOT_CREATED	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)

Makes a file system on the target.

Makes a file system on the target. Highly dependent on underlying OS and dependent on OS volume table definition.

Note

The "volname" parameter of RAM disks should always begin with the string "RAM", e.g. "RAMDISK" or "RA ← M0","RAM1", etc if multiple devices are created. The underlying implementation uses this to select the correct filesystem type/format, and this may also be used to differentiate between RAM disks and real physical disks.

Parameters

in	address	The address at which to start the new disk. If address == 0 space will be allocated by the OS.
in	devname	The underlying kernel device to use, if applicable. (must not be null)
in	volname	The name of the volume (see note) (must not be null)
in	blocksize	The size of a single block on the drive
in	numblocks	The number of blocks to allocate for the drive

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname or volname is NULL
OS_FS_ERR_PATH_TOO_LONG	if the overall devname or volname is too long
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_FS_ERR_DRIVE_NOT_CREATED	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

```
9.56.2.8 OS_mount() int32 OS_mount (
```

```
const char * devname,
const char * mountpoint )
```

Mounts a file system.

Mounts a file system / block device at the given mount point.

Parameters

in	devname	The name of the drive to mount. devname is the same from OS_mkfs (must not be null)
in	mountpoint	The name to call this disk from now on (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NAME_NOT_FOUND	if the device name does not exist in OSAL
OS_FS_ERR_PATH_TOO_LONG	if the mount point string is too long
OS_INVALID_POINTER	if any argument is NULL
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)

```
9.56.2.9 OS_rmfs() int32 OS_rmfs ( const char * devname )
```

Removes a file system.

This function will remove or un-map the target file system. Note that this is not the same as un-mounting the file system.

Parameters

in	devname	The name of the "generic" drive (must not be null)
----	---------	--

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname is NULL
OS_FS_ERR_PATH_TOO_LONG	if the devname is too long
OS_ERR_NAME_NOT_FOUND	if the devname does not exist in OSAL
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)

Translates an OSAL Virtual file system path to a host Local path.

Translates a virtual path to an actual system path name

Note

The buffer provided in the LocalPath argument is required to be at least OS_MAX_PATH_LEN characters in length.

Parameters

	in	VirtualPath	OSAL virtual path name (must not be null)
Ī	out	LocalPath	Buffer to store native/translated path name (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL
OS_FS_ERR_NAME_TOO_LONG	if the filename component is too long
OS_FS_ERR_PATH_INVALID	if either parameter cannot be interpreted as a path
OS_FS_ERR_PATH_TOO_LONG	if either input or output pathnames are too long

Unmounts a mounted file system.

This function will unmount a drive from the file system and make all open file descriptors useless.

Note

Any open file descriptors referencing this file system should be closed prior to unmounting a drive

Parameters

in	mountpoint	The mount point to remove from OS_mount (must not be null)]
----	------------	--	---

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if name is NULL
OS_FS_ERR_PATH_TOO_LONG	if the absolute path given is too long

OS_ERR_NAME_NOT_FOUND	if the mountpoint is not mounted in OSAL
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

9.57 OSAL Heap APIs 355

9.57 OSAL Heap APIs

Functions

• int32 OS_HeapGetInfo (OS_heap_prop_t *heap_prop)

Return current info on the heap.

9.57.1 Detailed Description

9.57.2 Function Documentation

```
9.57.2.1 OS_HeapGetInfo() int32 OS_HeapGetInfo ( OS_heap_prop_t * heap_prop_)
```

Return current info on the heap.

Parameters

out	heap_prop	Storage buffer for heap info
-----	-----------	------------------------------

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the heap_prop argument is NULL

9.58 OSAL Object Type Defines

Macros

• #define OS OBJECT TYPE UNDEFINED 0x00

Object type undefined.

• #define OS_OBJECT_TYPE_OS_TASK 0x01

Object task type.

#define OS_OBJECT_TYPE_OS_QUEUE 0x02

Object queue type.

#define OS OBJECT TYPE OS COUNTSEM 0x03

Object counting semaphore type.

#define OS_OBJECT_TYPE_OS_BINSEM 0x04

Object binary semaphore type.

#define OS_OBJECT_TYPE_OS_MUTEX 0x05

Object mutex type.

#define OS_OBJECT_TYPE_OS_STREAM 0x06

Object stream type.

#define OS_OBJECT_TYPE_OS_DIR 0x07

Object directory type.

#define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

Object timebase type.

• #define OS OBJECT TYPE OS TIMECB 0x09

Object timer callback type.

• #define OS OBJECT TYPE OS MODULE 0x0A

Object module type.

• #define OS_OBJECT_TYPE_OS_FILESYS 0x0B

Object file system type.

#define OS_OBJECT_TYPE_OS_CONSOLE 0x0C

Object console type.

#define OS_OBJECT_TYPE_OS_CONDVAR 0x0D

Object condition variable type.

• #define OS_OBJECT_TYPE_USER 0x10

Object user type.

9.58.1 Detailed Description

9.58.2 Macro Definition Documentation

9.58.2.1 OS_OBJECT_TYPE_OS_BINSEM #define OS_OBJECT_TYPE_OS_BINSEM 0x04

Object binary semaphore type.

Definition at line 42 of file osapi-idmap.h.

9.58.2.2 OS_OBJECT_TYPE_OS_CONDVAR #define OS_OBJECT_TYPE_OS_CONDVAR 0x0D

Object condition variable type.

Definition at line 51 of file osapi-idmap.h.

9.58.2.3 OS_OBJECT_TYPE_OS_CONSOLE #define OS_OBJECT_TYPE_OS_CONSOLE 0x0C Object console type.

Definition at line 50 of file osapi-idmap.h.

9.58.2.4 OS_OBJECT_TYPE_OS_COUNTSEM #define OS_OBJECT_TYPE_OS_COUNTSEM 0x03

Object counting semaphore type.

Definition at line 41 of file osapi-idmap.h.

9.58.2.5 OS_OBJECT_TYPE_OS_DIR #define OS_OBJECT_TYPE_OS_DIR 0x07

Object directory type.

Definition at line 45 of file osapi-idmap.h.

9.58.2.6 OS_OBJECT_TYPE_OS_FILESYS #define OS_OBJECT_TYPE_OS_FILESYS 0x0B

Object file system type.

Definition at line 49 of file osapi-idmap.h.

9.58.2.7 OS_OBJECT_TYPE_OS_MODULE #define OS_OBJECT_TYPE_OS_MODULE 0x0A

Object module type.

Definition at line 48 of file osapi-idmap.h.

9.58.2.8 OS_OBJECT_TYPE_OS_MUTEX #define OS_OBJECT_TYPE_OS_MUTEX 0x05

Object mutex type.

Definition at line 43 of file osapi-idmap.h.

 $\textbf{9.58.2.9} \quad \textbf{OS_OBJECT_TYPE_OS_QUEUE} \quad \texttt{\#define OS_OBJECT_TYPE_OS_QUEUE } \quad \texttt{0x02}$

Object queue type.

Definition at line 40 of file osapi-idmap.h.

9.58.2.10 OS_OBJECT_TYPE_OS_STREAM #define OS_OBJECT_TYPE_OS_STREAM 0x06

Object stream type.

Definition at line 44 of file osapi-idmap.h.

9.58.2.11 OS_OBJECT_TYPE_OS_TASK #define OS_OBJECT_TYPE_OS_TASK 0x01

Object task type.

Definition at line 39 of file osapi-idmap.h.

9.58.2.12 OS_OBJECT_TYPE_OS_TIMEBASE #define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

Object timebase type.

Definition at line 46 of file osapi-idmap.h.

9.58.2.13 OS_OBJECT_TYPE_OS_TIMECB #define OS_OBJECT_TYPE_OS_TIMECB 0x09

Object timer callback type.

Definition at line 47 of file osapi-idmap.h.

9.58.2.14 OS_OBJECT_TYPE_UNDEFINED #define OS_OBJECT_TYPE_UNDEFINED 0x00

Object type undefined.

Definition at line 38 of file osapi-idmap.h.

9.58.2.15 OS_OBJECT_TYPE_USER #define OS_OBJECT_TYPE_USER 0x10

Object user type.

Definition at line 52 of file osapi-idmap.h.

9.59 OSAL Object ID Utility APIs

Functions

static unsigned long OS ObjectIdToInteger (osal id t object id)

Obtain an integer value corresponding to an object ID.

static osal_id_t OS_ObjectIdFromInteger (unsigned long value)

Obtain an osal ID corresponding to an integer value.

static bool OS_ObjectIdEqual (osal_id_t object_id1, osal_id_t object_id2)

Check two OSAL object ID values for equality.

static bool OS ObjectIdDefined (osal id t object id)

Check if an object ID is defined.

• int32 OS GetResourceName (osal id t object id, char *buffer, size t buffer size)

Obtain the name of an object given an arbitrary object ID.

osal objtype t OS IdentifyObject (osal id t object id)

Obtain the type of an object given an arbitrary object ID.

int32 OS_ConvertToArrayIndex (osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

int32 OS_ObjectIdToArrayIndex (osal_objtype_t idtype, osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

void OS_ForEachObject (osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for all valid object IDs

 void OS_ForEachObjectOfType (osal_objtype_t objtype, osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for valid object IDs of a specific type

9.59.1 Detailed Description

9.59.2 Function Documentation

Converts an abstract ID into a number suitable for use as an array index.

This will return a unique zero-based integer number in the range of [0,MAX) for any valid object ID. This may be used by application code as an array index for indexing into local tables.

Note

This does NOT verify the validity of the ID, that is left to the caller. This is only the conversion logic.

This routine accepts any object type, and returns a value based on the maximum number of objects for that type. This is equivalent to invoking OS_ObjectIdToArrayIndex() with the idtype set to OS_OBJECT_TYPE_UNDEFINED.

See also

OS_ObjectIdToArrayIndex

in	object_id	The object ID to operate on
out	*ArrayIndex	The Index to return (must not be null)

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the object_id argument is not valid
OS_INVALID_POINTER	if the ArrayIndex is NULL

call the supplied callback function for all valid object IDs

Loops through all defined OSAL objects of all types and calls callback_ptr on each one If creator_id is nonzero then only objects with matching creator id are processed.

Parameters

in	creator_id	Filter objects to those created by a specific task This may be passed as OS_OBJECT_CREATOR_ANY to return all objects
in	callback_ptr	Function to invoke for each matching object ID
in	callback_arg	Opaque Argument to pass to callback function (may be NULL)

call the supplied callback function for valid object IDs of a specific type

Loops through all defined OSAL objects of a specific type and calls callback_ptr on each one If creator_id is nonzero then only objects with matching creator id are processed.

in	objtype	The type of objects to iterate
in	creator_id	Filter objects to those created by a specific task This may be passed as
		OS_OBJECT_CREATOR_ANY to return all objects
in	callback_ptr	Function to invoke for each matching object ID
in	callback_arg	Opaque Argument to pass to callback function (may be NULL)

```
size_t buffer_size )
```

Obtain the name of an object given an arbitrary object ID.

All OSAL resources generally have a name associated with them. This allows application code to retrieve the name of any valid OSAL object ID.

Parameters

in	object_id	The object ID to operate on
out	buffer	Buffer in which to store the name (must not be null)
in	buffer_size	Size of the output storage buffer (must not be zero)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the passed-in ID is not a valid OSAL ID
OS_INVALID_POINTER	if the passed-in buffer is invalid
OS_ERR_NAME_TOO_LONG	if the name will not fit in the buffer provided

Obtain the type of an object given an arbitrary object ID. Given an arbitrary object ID, get the type of the object

Parameters

in	object⊷	The object ID to operate on
	_id	

Returns

The object type portion of the object_id, see OSAL Object Type Defines for expected values

Check if an object ID is defined.

The OSAL ID values should be treated as abstract values by applications, and not directly manipulated using standard C operators.

This returns false if the ID is NOT a defined resource (i.e. free/empty/invalid).

Note

OS_ObjectIdDefined(OS_OBJECT_ID_UNDEFINED) is always guaranteed to be false.

Parameters

in	object⊷	The first object ID
	_id	

Definition at line 150 of file osapi-idmap.h.

References OS_ObjectIdToInteger().

Check two OSAL object ID values for equality.

The OSAL ID values should be treated as abstract values by applications, and not directly manipulated using standard C operators.

This checks two values for equality, replacing the "==" operator.

Parameters

in	object_id1	The first object ID
in	object_id2	The second object ID

Returns

true if the object IDs are equal

Definition at line 129 of file osapi-idmap.h.

References OS_ObjectIdToInteger().

9.59.2.8 OS_ObjectIdFromInteger() static osal_id_t OS_ObjectIdFromInteger (unsigned long value) [inline], [static]

Obtain an osal ID corresponding to an integer value.

Provides the inverse of OS ObjectIdToInteger(). Reconstitutes the original osal id type from an integer representation.

Parameters

in	value	The integer representation of an OSAL ID
----	-------	--

Returns

The ID value converted to an osal id t

Definition at line 102 of file osapi-idmap.h.

Converts an abstract ID into a number suitable for use as an array index.

This will return a unique zero-based integer number in the range of [0,MAX) for any valid object ID. This may be used by application code as an array index for indexing into local tables.

This routine operates on a specific object type, and returns a value based on the maximum number of objects for that type.

If the idtype is passed as OS_OBJECT_TYPE_UNDEFINED, then object type verification is skipped and any object ID will be accepted and converted to an index. In this mode, the range of the output depends on the actual passed-in object type.

If the idtype is passed as any other value, the passed-in ID value is first confirmed to be the correct type. This check will guarantee that the output is within an expected range; for instance, if the type is passed as OS_OBJECT_TYPE_OS_TASK, then the output index is guaranteed to be between 0 and OS_MAX_TASKS-1 after successful conversion.

Parameters

in	idtype	The object type to convert
in	object_id	The object ID to operate on
out	*ArrayIndex	The Index to return (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the object_id argument is not valid
OS_INVALID_POINTER	if the ArrayIndex is NULL

9.59.2.10 OS_ObjectIdToInteger() static unsigned long OS_ObjectIdToInteger (osal_id_t object_id) [inline], [static]

Obtain an integer value corresponding to an object ID.

Obtains an integer representation of an object id, generally for the purpose of printing to the console or system logs. The returned value is of the type "unsigned long" for direct use with printf-style functions. It is recommended to use the "%lx" conversion specifier as the hexadecimal encoding clearly delineates the internal fields.

Note

This provides the raw integer value and is *not* suitable for use as an array index, as the result is not zero-based. See the OS_ConvertToArrayIndex() to obtain a zero-based index value.

Parameters

in	object⊷	The object ID
	_id	

Returns

integer value representation of object ID

Definition at line 80 of file osapi-idmap.h.

Referenced by OS_ObjectIdDefined(), and OS_ObjectIdEqual().

9.60 OSAL Dynamic Loader and Symbol APIs

Functions

- int32 OS_SymbolLookup (cpuaddr *symbol_address, const char *symbol_name) Find the Address of a Symbol.
- $\bullet \ \, int 32\ OS_Module Symbol Lookup\ (osal_id_t\ module_id,\ cpuaddr\ *symbol_address,\ const\ char\ *symbol_name) \\$

Find the Address of a Symbol within a module.

• int32 OS_SymbolTableDump (const char *filename, size_t size_limit)

Dumps the system symbol table to a file.

- int32 OS_ModuleLoad (osal_id_t *module_id, const char *module_name, const char *filename, uint32 flags)

 Loads an object file.
- int32 OS_ModuleUnload (osal_id_t module_id)

Unloads the module file.

int32 OS_ModuleInfo (osal_id_t module_id, OS_module_prop_t *module_info)

Obtain information about a module.

9.60.1 Detailed Description

9.60.2 Function Documentation

Obtain information about a module.

Returns information about the loadable module

Parameters

in	module_id	OSAL ID of the previously the loaded module
out	module_info	Buffer to store module information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the module id invalid
OS_INVALID_POINTER	if the pointer to the ModuleInfo structure is invalid
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

```
uint32 flags )
```

Loads an object file.

Loads an object file into the running operating system

The "flags" parameter may influence how the loaded module symbols are made available for use in the application. See OS_MODULE_FLAG_LOCAL_SYMBOLS and OS_MODULE_FLAG_GLOBAL_SYMBOLS for descriptions.

Parameters

out	module_id	Non-zero OSAL ID corresponding to the loaded module
in	module_name	Name of module (must not be null)
in	filename	File containing the object code to load (must not be null)
in	flags	Options for the loaded module

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if one of the parameters is NULL
OS_ERR_NO_FREE_IDS	if the module table is full
OS_ERR_NAME_TAKEN	if the name is in use
OS_ERR_NAME_TOO_LONG	if the module_name is too long
OS_FS_ERR_PATH_INVALID	if the filename argument is not valid
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

Find the Address of a Symbol within a module.

This is similar to OS_SymbolLookup() but for a specific module ID. This should be used to look up a symbol in a module that has been loaded with the OS_MODULE_FLAG_LOCAL_SYMBOLS flag.

Parameters

in	module_id	Module ID that should contain the symbol
out	symbol_address	Set to the address of the symbol (must not be null)
in	symbol_name	Name of the symbol to look up (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
------------	-----------------------

Return values

OS_ERROR	if the symbol could not be found
OS_INVALID_POINTER	if one of the pointers passed in are NULL

9.60.2.4 OS_ModuleUnload() int32 OS_ModuleUnload (osal_id_t module_id)

Unloads the module file.

Unloads the module file from the running operating system

Parameters

in	module⇔	OSAL ID of the previously the loaded module	
	_id		

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the module id invalid
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

Find the Address of a Symbol.

This calls to the OS dynamic symbol lookup implementation, and/or checks a static symbol table for a matching symbol name

The static table is intended to support embedded targets that do not have module loading capability or have it disabled.

Parameters

out	symbol_address	Set to the address of the symbol (must not be null)
in	symbol_name	Name of the symbol to look up (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the symbol could not be found
OS_INVALID_POINTER	if one of the pointers passed in are NULL

Dumps the system symbol table to a file.

Dumps the system symbol table to the specified filename

Note

Not all RTOS implementations support this API. If the underlying module subsystem does not provide a facility to iterate through the symbol table, then the OS_ERR_NOT_IMPLEMENTED status code is returned.

Parameters

in	filename	File to write to (must not be null)
in	size_limit	Maximum number of bytes to write

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_INVALID_POINTER	if the filename argument is NULL
OS_FS_ERR_PATH_INVALID	if the filename argument is not valid
OS_ERR_NAME_TOO_LONG	if any of the symbol names are too long (return value only verified in coverage test)
OS_ERR_OUTPUT_TOO_LARGE	if the size_limit was reached before completing all symbols (return value only verified in coverage test)
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

9.61 OSAL Mutex APIs

Functions

• int32 OS_MutSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 options)

Creates a mutex semaphore.

int32 OS_MutSemGive (osal_id_t sem_id)

Releases the mutex object referenced by sem_id.

int32 OS_MutSemTake (osal_id_t sem_id)

Acquire the mutex object referenced by sem_id.

• int32 OS_MutSemDelete (osal_id_t sem_id)

Deletes the specified Mutex Semaphore.

int32 OS_MutSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing mutex ID by name.

int32 OS MutSemGetInfo (osal id t sem id, OS mut sem prop t *mut prop)

Fill a property object buffer with details regarding the resource.

9.61.1 Detailed Description

9.61.2 Function Documentation

Creates a mutex semaphore.

Mutex semaphores are always created in the unlocked (full) state.

Parameters

out sem_id		will be set to the non-zero ID of the newly-created resource (must not be null)	
in	sem_name	the name of the new resource to create (must not be null)	
in	options	reserved for future use. Should be passed as 0.	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sem_id or sem_name are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if there are no more free mutex lds
OS_ERR_NAME_TAKEN	if there is already a mutex with the same name
OS_SEM_FAILURE	if the OS call failed (return value only verified in coverage test)

9.61 OSAL Mutex APIs 369

Deletes the specified Mutex Semaphore.

Delete the semaphore. This also frees the respective sem_id such that it can be used again when another is created.

Parameters

in	sem⊷	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

Find an existing mutex ID by name.

This function tries to find a mutex sem Id given the name of a mut_sem. The id is returned through sem_id

Parameters

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified mutex semaphore.

Parameters

in	sem_id	The object ID to operate on
out	mut_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the mut_prop pointer is null

Releases the mutex object referenced by sem_id.

If there are threads blocked on the mutex object referenced by mutex when this function is called, resulting in the mutex becoming available, the scheduling policy shall determine which thread shall acquire the mutex.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

Acquire the mutex object referenced by sem_id.

If the mutex is already locked, the calling thread shall block until the mutex becomes available. This operation shall return with the mutex object referenced by mutex in the locked state with the calling thread as its owner.

9.61 OSAL Mutex APIs 371

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS Successful execution.	
OS_ERR_INVALID_ID	the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

9.62 OSAL Network ID APIs

Provides some basic methods to query a network host name and ID.

Functions

• int32 OS_NetworkGetID (void)

Gets the network ID of the local machine.

int32 OS_NetworkGetHostName (char *host_name, size_t name_len)

Gets the local machine network host name.

9.62.1 Detailed Description

Provides some basic methods to query a network host name and ID.

9.62.2 Function Documentation

Gets the local machine network host name.

If configured in the underlying network stack, this function retrieves the local hostname of the system.

Parameters

out	host_name	Buffer to hold name information (must not be null)
in	name_len	Maximum length of host name buffer (must not be zero)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_SIZE	if the name_len is zero
OS_INVALID_POINTER	if the host_name is NULL

Gets the network ID of the local machine.

The ID is an implementation-defined value and may not be consistent in meaning across different platform types.

Note

This API may be removed in a future version of OSAL due to inconsistencies between platforms.

Returns

The ID or fixed value of -1 if the host id could not be found. Note it is not possible to differentiate between error codes and valid network IDs here. It is assumed, however, that -1 is never a valid ID.

9.63 OSAL Printf APIs

Functions

void OS_printf (const char *string,...) OS_PRINTF(1

Abstraction for the system printf() call.

void void OS_printf_disable (void)

This function disables the output from OS_printf.

void OS_printf_enable (void)

This function enables the output from OS_printf.

9.63.1 Detailed Description

9.63.2 Function Documentation

Abstraction for the system printf() call.

This function abstracts out the printf type statements. This is useful for using OS- specific thats that will allow non-polled print statements for the real time systems.

Operates in a manner similar to the printf() call defined by the standard C library and takes all the parameters and formatting options of printf. This abstraction may implement additional buffering, if necessary, to improve the real-time performance of the call.

Strings (including terminator) longer than OS BUFFER SIZE will be truncated.

The output of this routine also may be dynamically enabled or disabled by the OS_printf_enable() and OS_printf_disable() calls, respectively.

Parameters

in	string	Format string, followed by additional arguments	
----	--------	---	--

This function disables the output from OS_printf.

This function enables the output from OS printf.

9.64 OSAL Message Queue APIs

Functions

int32 OS_QueueCreate (osal_id_t *queue_id, const char *queue_name, osal_blockcount_t queue_depth, size
 t data size, uint32 flags)

Create a message queue.

int32 OS QueueDelete (osal id t queue id)

Deletes the specified message queue.

int32 OS_QueueGet (osal_id_t queue_id, void *data, size_t size, size_t *size_copied, int32 timeout)

Receive a message on a message queue.

• int32 OS_QueuePut (osal_id_t queue_id, const void *data, size_t size, uint32 flags)

Put a message on a message queue.

int32 OS_QueueGetIdByName (osal_id_t *queue_id, const char *queue_name)

Find an existing queue ID by name.

int32 OS_QueueGetInfo (osal_id_t queue_id, OS_queue_prop_t *queue_prop)

Fill a property object buffer with details regarding the resource.

9.64.1 Detailed Description

9.64.2 Function Documentation

Create a message queue.

This is the function used to create a queue in the operating system. Depending on the underlying operating system, the memory for the queue will be allocated automatically or allocated by the code that sets up the queue. Queue names must be unique; if the name already exists this function fails. Names cannot be NULL.

Parameters

out	queue_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	queue_name	the name of the new resource to create (must not be null)
in	queue_depth	the maximum depth of the queue
in	data_size	the size of each entry in the queue (must not be zero)
in	flags	options for the queue (reserved for future use, pass as 0)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if a pointer passed in is NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME

Return values

OS_ERR_NO_FREE_IDS	if there are already the max queues created
OS_ERR_NAME_TAKEN	if the name is already being used on another queue
OS_ERR_INVALID_SIZE	if data_size is 0
OS_QUEUE_INVALID_SIZE	if the queue depth exceeds the limit
OS_ERROR	if the OS create call fails

```
9.64.2.2 OS_QueueDelete() int32 OS_QueueDelete ( osal_id_t queue_id )
```

Deletes the specified message queue.

This is the function used to delete a queue in the operating system. This also frees the respective queue_id to be used again when another queue is created.

Note

If There are messages on the queue, they will be lost and any subsequent calls to QueueGet or QueuePut to this queue will result in errors

Parameters

in	queue⊷	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in does not exist
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

Receive a message on a message queue.

If a message is pending, it is returned immediately. Otherwise the calling task will block until a message arrives or the timeout expires.

Parameters

in	queue_id	The object ID to operate on
----	----------	-----------------------------

Parameters

out	data	The buffer to store the received message (must not be null)
in	size	The size of the data buffer (must not be zero)
out	size_copied	Set to the actual size of the message (must not be null)
in	timeout	The maximum amount of time to block, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the given ID does not exist
OS_INVALID_POINTER	if a pointer passed in is NULL
OS_QUEUE_EMPTY	if the Queue has no messages on it to be received
OS_QUEUE_TIMEOUT	if the timeout was OS_PEND and the time expired
OS_QUEUE_INVALID_SIZE	if the size copied from the queue was not correct
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

```
9.64.2.4 OS_QueueGetIdByName() int32 OS_QueueGetIdByName ( osal_id_t * queue_id, const char * queue_name )
```

Find an existing queue ID by name.

This function tries to find a queue Id given the name of the queue. The id of the queue is passed back in queue_id.

Parameters

ου	ıt	queue_id	will be set to the ID of the existing resource
in	1	queue_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the name or id pointers are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	the name was not found in the table

9.64.2.5 OS_QueueGetInfo() int32 OS_QueueGetInfo (

```
osal_id_t queue_id,
OS_queue_prop_t * queue_prop )
```

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (name and creator) about the specified queue.

Parameters

in	queue_id	The object ID to operate on
out	queue_prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_INVALID_POINTER	if queue_prop is NULL	
OS_ERR_INVALID_ID	if the ID given is not a valid queue	

Put a message on a message queue.

Parameters

in	queue⊷	The object ID to operate on	
	_id		
in	data	The buffer containing the message to put (must not be null)	
in	size	The size of the data buffer (must not be zero)	
in	flags	Currently reserved/unused, should be passed as 0	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS Successful execution.		
OS_ERR_INVALID_ID	if the queue id passed in is not a valid queue	
OS_INVALID_POINTER	if the data pointer is NULL	
OS_QUEUE_INVALID_SIZE	if the data message is too large for the queue	
OS_QUEUE_FULL	if the queue cannot accept another message	
OS_ERROR if the OS call returns an unexpected error (return value only verified in cove		

9.65 OSAL Select APIs 379

9.65 OSAL Select APIs

Functions

• int32 OS_SelectMultiple (OS_FdSet *ReadSet, OS_FdSet *WriteSet, int32 msecs)

Wait for events across multiple file handles.

• int32 OS_SelectSingle (osal_id_t objid, uint32 *StateFlags, int32 msecs)

Wait for events on a single file handle.

int32 OS_SelectFdZero (OS_FdSet *Set)

Clear a FdSet structure.

• int32 OS_SelectFdAdd (OS_FdSet *Set, osal_id_t objid)

Add an ID to an FdSet structure.

int32 OS_SelectFdClear (OS_FdSet *Set, osal_id_t objid)

Clear an ID from an FdSet structure.

• bool OS SelectFdlsSet (const OS FdSet *Set, osal id t objid)

Check if an FdSet structure contains a given ID.

9.65.1 Detailed Description

9.65.2 Function Documentation

Add an ID to an FdSet structure.

After this call the set will contain the given OSAL ID

Parameters

in,out	Set	Pointer to OS_FdSet object to operate on (must not be no	
in	objid	The handle ID to add to the set	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_INVALID_POINTER	if argument is NULL	
OS_ERR_INVALID_ID	if the objid is not a valid handle	

Clear an ID from an FdSet structure.

After this call the set will no longer contain the given OSAL ID

Parameters

in,out	Set	Pointer to OS_FdSet object to operate on (must not be null)
in objid The handle ID to remo		The handle ID to remove from the set

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_INVALID_POINTER	if argument is NULL	
OS_ERR_INVALID_ID	if the objid is not a valid handle	

Check if an FdSet structure contains a given ID.

Parameters

in	Set	Pointer to OS_FdSet object to operate on (must not be null)
in	in objid The handle ID to check for in the set	

Returns

Boolean set status

Return values

true	FdSet structure contains ID
false	FDSet structure does not contain ID

9.65.2.4 OS_SelectFdZero() int32 OS_SelectFdZero (OS_FdSet * Set)

Clear a FdSet structure.

After this call the set will contain no OSAL IDs

Parameters

out	Set	Pointer to OS	FdSet object to clear	(must not be null)

9.65 OSAL Select APIs 381

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL

Wait for events across multiple file handles.

Wait for any of the given sets of IDs to become readable or writable

This function will block until any of the following occurs:

- · At least one OSAL ID in the ReadSet is readable
- · At least one OSAL ID in the WriteSet is writable
- · The timeout has elapsed

The sets are input/output parameters. On entry, these indicate the file handle(s) to wait for. On exit, these are set to the actual file handle(s) that have activity.

If the timeout occurs this returns an error code and all output sets should be empty.

Note

This does not lock or otherwise protect the file handles in the given sets. If a filehandle supplied via one of the FdSet arguments is closed or modified by another while this function is in progress, the results are undefined. Because of this limitation, it is recommended to use OS_SelectSingle() whenever possible.

Parameters

in,out	ReadSet	Set of handles to check/wait to become readable
in,out	WriteSet	Set of handles to check/wait to become writable
in	msecs	Indicates the timeout. Positive values will wait up to that many milliseconds. Zero will not wait (poll). Negative values will wait forever (pend)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	If any handle in the ReadSet or WriteSet is readable or writable, respectively
OS_ERROR_TIMEOUT	If no handles in the ReadSet or WriteSet became readable or
	writable within the timeout
OS_ERR_OPERATION_NOT_SUPPORTED	if a specified handle does not support select
OS_ERR_INVALID_ID	if no valid handles were contained in the ReadSet/WriteSet

Wait for events on a single file handle.

Wait for a single OSAL filehandle to change state

This function can be used to wait for a single OSAL stream ID to become readable or writable. On entry, the "StateFlags" parameter should be set to the desired state (OS_STREAM_STATE_READABLE and/or OS_STREAM_STATE_WR← ITABLE) and upon return the flags will be set to the state actually detected.

As this operates on a single ID, the filehandle is protected during this call, such that another thread accessing the same handle will return an error. However, it is important to note that once the call returns then other threads may then also read/write and affect the state before the current thread can service it.

To mitigate this risk the application may prefer to use the OS_TimedRead/OS_TimedWrite calls.

Parameters

in		objid	The handle ID to select on
in,	out	StateFlags	State flag(s) (readable or writable) (must not be null)
in		msecs	Indicates the timeout. Positive values will wait up to that many milliseconds. Zero will not wait (poll). Negative values will wait forever (pend)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	If the handle is readable and/or writable, as requested
OS_ERROR_TIMEOUT	If the handle did not become readable or writable within the timeout
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the objid is not a valid handle

9.66 OSAL Shell APIs 383

9.66 OSAL Shell APIs

Functions

• int32 OS_ShellOutputToFile (const char *Cmd, osal_id_t filedes)

Executes the command and sends output to a file.

9.66.1 Detailed Description

9.66.2 Function Documentation

Executes the command and sends output to a file.

Takes a shell command in and writes the output of that command to the specified file The output file must be opened previously with write access (OS_WRITE_ONLY or OS_READ_WRITE).

Parameters

in	Cmd	Command to pass to shell (must not be null)
in	filedes	File to send output to.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the command was not executed properly
OS_INVALID_POINTER	if Cmd argument is NULL
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid

9.67 OSAL Socket Address APIs

These functions provide a means to manipulate network addresses in a manner that is (mostly) agnostic to the actual network address type.

Functions

int32 OS SocketAddrInit (OS SockAddr t *Addr, OS SocketDomain t Domain)

Initialize a socket address structure to hold an address of the given family.

int32 OS_SocketAddrToString (char *buffer, size_t buflen, const OS_SockAddr_t *Addr)

Get a string representation of a network host address.

int32 OS SocketAddrFromString (OS SockAddr t *Addr, const char *string)

Set a network host address from a string representation.

int32 OS SocketAddrGetPort (uint16 *PortNum, const OS SockAddr t *Addr)

Get the port number of a network address.

int32 OS SocketAddrSetPort (OS SockAddr t *Addr, uint16 PortNum)

Set the port number of a network address.

9.67.1 Detailed Description

These functions provide a means to manipulate network addresses in a manner that is (mostly) agnostic to the actual network address type.

Every network address should be representable as a string (i.e. dotted decimal IP, etc). This can serve as the "common denominator" to all address types.

9.67.2 Function Documentation

Set a network host address from a string representation.

The specific format of the output string depends on the address family.

The address structure should have been previously initialized using OS_SocketAddrInit() to set the address family type.

Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X). It is up to the discretion of the underlying implementation whether to accept hostnames, as this depends on the availability of DNS services. Since many embedded deployments do not have name services, this should not be relied upon.

Parameters

out	Addr	The address buffer to initialize (must not be null)
in	string	The string to initialize the address from (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERROR	if the string cannot be converted to an address

Get the port number of a network address.

For network protocols that have the concept of a port number (such as TCP/IP and UDP/IP) this function gets the port number from the address structure.

Parameters

out	PortNum	Buffer to store the port number (must not be null)
in	Addr	The network address buffer (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_BAD_ADDRESS	if the address domain is not compatible

Initialize a socket address structure to hold an address of the given family. The address is set to a suitable default value for the family.

Parameters

out	Addr	The address buffer to initialize (must not be null)
in	Domain	The address family

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

Return values

OS_INVALID_POINTER	if Addr argument is NULL
OS_ERR_NOT_IMPLEMENTED	if the system does not implement the requested domain

Set the port number of a network address.

For network protocols that have the concept of a port number (such as TCP/IP and UDP/IP) this function sets the port number from the address structure.

Parameters

out	Addr	The network address buffer (must not be null)
in	PortNum	The port number to set

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_BAD_ADDRESS	if the address domain is not compatible

Get a string representation of a network host address.

The specific format of the output string depends on the address family.

This string should be suitable to pass back into OS_SocketAddrFromString() which should recreate the same network address, and it should also be meaningful to a user of printed or logged as a C string.

Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X).

Parameters

out	buffer	Buffer to hold the output string (must not be null)
in	buflen	Maximum length of the output string (must not be zero)
in	Addr	The network address buffer to convert (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERROR	if the address cannot be converted to string, or string buffer too small

9.68 OSAL Socket Management APIs

These functions are loosely related to the BSD Sockets API but made to be more consistent with other OSAL API functions. That is, they operate on OSAL IDs (32-bit opaque number values) and return an OSAL error code.

Functions

- int32 OS_SocketOpen (osal_id_t *sock_id, OS_SocketDomain_t Domain, OS_SocketType_t Type)
 Opens a socket.
- int32 OS_SocketBind (osal_id_t sock_id, const OS_SockAddr_t *Addr)

Binds a socket to a given local address and enter listening (server) mode.

int32 OS_SocketListen (osal_id_t sock_id)

Places the specified socket into a listening state.

int32 OS SocketBindAddress (osal id t sock id, const OS SockAddr t *Addr)

Binds a socket to a given local address.

int32 OS_SocketConnect (osal_id_t sock_id, const OS_SockAddr_t *Addr, int32 timeout)

Connects a socket to a given remote address.

int32 OS_SocketShutdown (osal_id_t sock_id, OS_SocketShutdownMode_t Mode)

Implement graceful shutdown of a stream socket.

- int32 OS_SocketAccept (osal_id_t sock_id, osal_id_t *connsock_id, OS_SockAddr_t *Addr, int32 timeout)
 - Waits for and accept the next incoming connection on the given socket.
- int32 OS_SocketRecvFrom (osal_id_t sock_id, void *buffer, size_t buflen, OS_SockAddr_t *RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

int32 OS_SocketSendTo (osal_id_t sock_id, const void *buffer, size_t buflen, const OS_SockAddr_t *Remote ← Addr)

Sends data to a message-oriented (datagram) socket.

• int32 OS_SocketGetIdByName (osal_id_t *sock_id, const char *sock_name)

Gets an OSAL ID from a given name.

• int32 OS_SocketGetInfo (osal_id_t sock_id, OS_socket_prop_t *sock_prop)

Gets information about an OSAL Socket ID.

9.68.1 Detailed Description

These functions are loosely related to the BSD Sockets API but made to be more consistent with other OSAL API functions. That is, they operate on OSAL IDs (32-bit opaque number values) and return an OSAL error code.

OSAL Socket IDs are very closely related to File IDs and share the same ID number space. Additionally, the file OS read() / OS write() / OS close() calls also work on sockets.

Note that all of functions may return OS_ERR_NOT_IMPLEMENTED if network support is not configured at compile time.

9.68.2 Function Documentation

Waits for and accept the next incoming connection on the given socket.

This is used for sockets operating in a "server" role. The socket must be a stream type (connection-oriented) and previously bound to a local address using OS_SocketBind(). This will block the caller up to the given timeout or until an incoming connection request occurs, whichever happens first.

The new stream connection is then returned to the caller and the original server socket ID can be reused for the next connection.

Parameters

in	sock_id	The server socket ID, previously bound using OS_SocketBind()
out	connsock←	The connection socket, a new ID that can be read/written (must not be null)
	_id	
in	Addr	The remote address of the incoming connection (must not be null)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_ERR_INCORRECT_OBJ_STATE	if the socket is not bound or already connected

Binds a socket to a given local address and enter listening (server) mode.

This is a convenience/compatibility routine to perform both OS_SocketBindAddress() and OS_SocketListen() operations in a single call, intended to simplify the setup for a server role.

If the socket is connectionless, then it only binds to the local address.

Parameters

in	sock← _id	The socket ID
in	Addr	The local address to bind to (must not be null)

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid

Return values

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already bound
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

Binds a socket to a given local address.

The specified socket will be bound to the local address and port, if available. This controls the source address reflected in network traffic transmitted via this socket.

After binding to the address, a stream socket may be followed by a call to either OS_SocketListen() for a server role or to OS_SocketConnect() for a client role.

Parameters

in	sock⊷	The socket ID
	_id	
in	Addr	The local address to bind to (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already bound
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

Connects a socket to a given remote address.

The socket will be connected to the remote address and port, if available. This only applies to stream-oriented sockets. Calling this on a datagram socket will return an error (these sockets should use SendTo/RecvFrom).

Parameters

in	sock⊷	The socket ID
	_id	
in	Addr	The remote address to connect to (must not be null)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already connected
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_INVALID_POINTER	if Addr argument is NULL

Gets an OSAL ID from a given name.

Note

OSAL Sockets use generated names according to the address and type.

See also

OS_SocketGetInfo()

Parameters

out	sock_id	Buffer to hold result (must not be null)
in	sock_name	Name of socket to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is id or name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

Gets information about an OSAL Socket ID.

OSAL Sockets use generated names according to the address and type. This allows applications to find the name of a given socket.

Parameters

in	sock_id	The socket ID
out	sock_prop	Buffer to hold socket information (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null

Places the specified socket into a listening state.

This function only applies to connection-oriented (stream) sockets that are intended to be used in a server-side role. This places the socket into a state where it can accept incoming connections from clients.

Parameters

in	sock⇔	The socket ID
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already listening
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a stream socket

Opens a socket.

A new, unconnected and unbound socket is allocated of the given domain and type.

Parameters

out	sock⊷	Buffer to hold the non-zero OSAL ID (must not be null)
	_id	
in	Domain	The domain / address family of the socket (INET or INET6, etc)
in	Туре	The type of the socket (STREAM or DATAGRAM)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_NOT_IMPLEMENTED	if the system does not implement the requested socket/address domain

Reads data from a message-oriented (datagram) socket.

int32 timeout)

If a message is already available on the socket, this should immediately return that data without blocking. Otherwise, it may block up to the given timeout.

Parameters

in	sock_id	The socket ID, previously bound using OS_SocketBind()
out	buffer	Pointer to message data receive buffer (must not be null)
in	buflen	The maximum length of the message data to receive (must not be zero)
out	RemoteAddr	Buffer to store the remote network address (may be NULL)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Count of actual bytes received or error status, see OSAL Return Code Defines

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

Sends data to a message-oriented (datagram) socket.

This sends data in a non-blocking mode. If the socket is not currently able to queue the message, such as if its outbound buffer is full, then this returns an error code.

Parameters

in	sock_id	The socket ID, which must be of the datagram type
in	buffer	Pointer to message data to send (must not be null)
in	buflen	The length of the message data to send (must not be zero)
in	RemoteAddr	Buffer containing the remote network address to send to

Returns

Count of actual bytes sent or error status, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

Implement graceful shutdown of a stream socket.

This can be utilized to indicate the end of data stream without immediately closing the socket, giving the remote side an indication that the data transfer is complete.

Parameters

in	sock⊷	The socket ID
	_id	
in	Mode	Whether to shutdown reading, writing, or both.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid

OS_ERR_INVALID_ARGUMENT	if the Mode argument is not one of the valid options
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_ERR_INCORRECT_OBJ_STATE	if the socket is not connected

9.69 OSAL Task APIs

Functions

int32 OS_TaskCreate (osal_id_t *task_id, const char *task_name, osal_task_entry function_pointer, osal_stackptr_t stack_pointer, size_t stack_size, osal_priority_t priority_uint32 flags)

Creates a task and starts running it.

int32 OS TaskDelete (osal id t task id)

Deletes the specified Task.

void OS TaskExit (void)

Exits the calling task.

• int32 OS TaskInstallDeleteHandler (osal task entry function pointer)

Installs a handler for when the task is deleted.

• int32 OS TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

int32 OS_TaskSetPriority (osal_id_t task_id, osal_priority_t new_priority)

Sets the given task to a new priority.

· osal id t OS TaskGetId (void)

Obtain the task id of the calling task.

int32 OS_TaskGetIdByName (osal_id_t *task_id, const char *task_name)

Find an existing task ID by name.

int32 OS_TaskGetInfo (osal_id_t task_id, OS_task_prop_t *task_prop)

Fill a property object buffer with details regarding the resource.

int32 OS_TaskFindIdBySystemData (osal_id_t *task_id, const void *sysdata, size_t sysdata_size)

Reverse-lookup the OSAL task ID from an operating system ID.

9.69.1 Detailed Description

9.69.2 Function Documentation

Creates a task and starts running it.

Creates a task and passes back the id of the task created. Task names must be unique; if the name already exists this function fails. Names cannot be NULL.

Portable applications should always specify the actual stack size in the stack_size parameter, not 0. This size value is not enforced/checked by OSAL, but is simply passed through to the RTOS for stack creation. Some RTOS implementations may assume 0 means a default stack size while others may actually create a task with no stack.

Unlike stack_size, the stack_pointer is optional and can be specified as NULL. In that case, a stack of the requested size will be dynamically allocated from the system heap.

Parameters

out	task_id	will be set to the non-zero ID of the newly-created resource (must not be null)

9.69 OSAL Task APIs 397

Parameters

in	task_name	the name of the new resource to create (must not be null)	
in	function_pointer	the entry point of the new task (must not be null)	
in	stack_pointer	pointer to the stack for the task, or NULL to allocate a stack from the system memory heap	
in	stack_size	the size of the stack (must not be zero)	
in	priority	initial priority of the new task	
in	flags	initial options for the new task	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any of the necessary pointers are NULL
OS_ERR_INVALID_SIZE	if the stack_size argument is zero
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_INVALID_PRIORITY	if the priority is bad (return value only verified in coverage test)
OS_ERR_NO_FREE_IDS	if there can be no more tasks created
OS_ERR_NAME_TAKEN	if the name specified is already used by a task
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

Delay a task for specified amount of milliseconds.

Causes the current thread to be suspended from execution for the period of millisecond. This is a scheduled wait (clock_nanosleep/rtems_task_wake_after/taskDelay), not a "busy" wait.

Parameters

in	millisecond	Amount of time to delay
----	-------------	-------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

9.69.2.3 OS_TaskDelete() int32 OS_TaskDelete (

```
osal_id_t task_id )
```

Deletes the specified Task.

The task will be removed from the local tables. and the OS will be configured to stop executing the task at the next opportunity.

Parameters

in	task⊷	The object ID to operate on
	id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the ID given to it is invalid	
OS_ERROR	if the OS delete call fails (return value only verified in coverage test)	

Exits the calling task.

The calling thread is terminated. This function does not return.

Reverse-lookup the OSAL task ID from an operating system ID.

This provides a method by which an external entity may find the OSAL task ID corresponding to a system-defined identifier (e.g. TASK_ID, pthread_t, rtems_id, etc).

Normally OSAL does not expose the underlying OS-specific values to the application, but in some circumstances, such as exception handling, the OS may provide this information directly to a BSP handler outside of the normal OSAL API.

Parameters

out	task_id	The buffer where the task id output is stored (must not be null)
in	sysdata	Pointer to the system-provided identification data
in	sysdata_size	Size of the system-provided identification data

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_INVALID_POINTER	if a pointer argument is NULL

9.69 OSAL Task APIs 399

Obtain the task id of the calling task.

This function returns the task id of the calling task

Returns

Task ID, or zero if the operation failed (zero is never a valid task ID)

Find an existing task ID by name.

This function tries to find a task Id given the name of a task

Parameters

С	out	task_id	will be set to the ID of the existing resource
i	in	task_name	the name of the existing resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the pointers passed in are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name wasn't found in the table

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (creator, stack size, priority, name) about the specified task.

Parameters

in	task_id	The object ID to operate on
out	task prop	The property object buffer to fill (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid
OS_INVALID_POINTER	if the task_prop pointer is NULL

9.69.2.9 OS_TaskInstallDeleteHandler() int32 OS_TaskInstallDeleteHandler (osal_task_entry function_pointer)

Installs a handler for when the task is deleted.

This function is used to install a callback that is called when the task is deleted. The callback is called when OS_Task Delete is called with the task ID. A task delete handler is useful for cleaning up resources that a task creates, before the task is removed from the system.

Parameters

in	function_pointer	function to be called when task exits
----	------------------	---------------------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_ERR_INVALID_ID	if the calling context is not an OSAL task
-------------------	--

Sets the given task to a new priority.

Parameters

in	task_id	The object ID to operate on
in	new_priority	Set the new priority

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid

9.69 OSAL Task APIs 401

OS_ERR_INVALID_PRIORITY	if the priority is greater than the max allowed (return value only verified in coverage test)
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

9.70 OSAL Time Base APIs

Functions

Create an abstract Time Base resource.

int32 OS_TimeBaseSet (osal_id_t timebase_id, uint32 start_time, uint32 interval_time)

Sets the tick period for simulated time base objects.

• int32 OS TimeBaseDelete (osal id t timebase id)

Deletes a time base object.

int32 OS_TimeBaseGetIdByName (osal_id_t *timebase_id, const char *timebase_name)

Find the ID of an existing time base resource.

int32 OS TimeBaseGetInfo (osal id t timebase id, OS timebase prop) t *timebase prop)

Obtain information about a timebase resource.

• int32 OS TimeBaseGetFreeRun (osal id t timebase id, uint32 *freerun val)

Read the value of the timebase free run counter.

9.70.1 Detailed Description

9.70.2 Function Documentation

Create an abstract Time Base resource.

An OSAL time base is an abstraction of a "timer tick" that can, in turn, be used for measurement of elapsed time between events.

Time bases can be simulated by the operating system using the OS kernel-provided timing facilities, or based on a hardware timing source if provided by the BSP.

A time base object has a servicing task associated with it, that runs at elevated priority and will thereby interrupt user-level tasks when timing ticks occur.

If the external_sync function is passed as NULL, the operating system kernel timing resources will be utilized for a simulated timer tick.

If the external_sync function is not NULL, this should point to a BSP-provided function that will block the calling task until the next tick occurs. This can be used for synchronizing with hardware events.

Note

When provisioning a tunable RTOS kernel, such as RTEMS, the kernel should be configured to support at least (OS_MAX_TASKS + OS_MAX_TIMEBASES) threads, to account for the helper threads associated with time base objects.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

	out	timebase_id	will be set to the non-zero ID of the newly-created resource (must not be null)	
	in	timebase_name	e_name The name of the time base (must not be null)	
in external_sync A synchronization function for BSP hardware-based timer ticks		A synchronization function for BSP hardware-based timer ticks		

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NAME_TAKEN	if the name specified is already used
OS_ERR_NO_FREE_IDS	if there can be no more timebase resources created
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_ERR_NAME_TOO_LONG	if the timebase_name is too long
OS_INVALID_POINTER	if a pointer argument is NULL

```
9.70.2.2 OS_TimeBaseDelete() int32 OS_TimeBaseDelete ( osal_id_t timebase_id )
```

Deletes a time base object.

The helper task and any other resources associated with the time base abstraction will be freed.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timebase⊷	The timebase resource to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Read the value of the timebase free run counter.

Poll the timer free-running time counter in a lightweight fashion.

The free run count is a monotonically increasing value reflecting the total time elapsed since the timebase inception. Units are the same as the timebase itself, usually microseconds.

Applications may quickly and efficiently calculate relative time differences by polling this value and subtracting the previous counter value.

The absolute value of this counter is not relevant, because it will "roll over" after $2^{\circ}32$ units of time. For a timebase with microsecond units, this occurs approximately every 4294 seconds, or about 1.2 hours.

Note

To ensure consistency of results, the application should sample the value at a minimum of two times the roll over frequency, and calculate the difference between the consecutive samples.

Parameters

in	timebase⊷ _id	The timebase to operate on
out	freerun_val	Buffer to store the free run counter (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_INVALID_POINTER	if pointer argument is NULL

Find the ID of an existing time base resource.

Given a time base name, find and output the ID associated with it.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

out	timebase_id	will be set to the non-zero ID of the matching resource (must not be null)
in	timebase_name	The name of the timebase resource to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if timebase_id or timebase_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME

Return values

OS_ERR_NAME_NOT_FOUND	if the name was not found in the table
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Obtain information about a timebase resource.

Fills the buffer referred to by the timebase_prop parameter with relevant information about the time base resource. This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified timebase.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timebase_id	The timebase resource ID
out <i>timebase_prop</i>		Buffer to store timebase properties (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_INVALID_POINTER	if the timebase_prop pointer is null
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Sets the tick period for simulated time base objects.

This sets the actual tick period for timing ticks that are simulated by the RTOS kernel (i.e. the "external_sync" parameter on the call to OS_TimeBaseCreate() is NULL).

The RTOS will be configured to wake up the helper thread at the requested interval.

This function has no effect for time bases that are using a BSP-provided external_sync function.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timebase_id	The timebase resource to configure
in	start_time	The amount of delay for the first tick, in microseconds.
in	interval_time	The amount of delay between ticks, in microseconds.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_TIMER_ERR_INVALID_ARGS	if start_time or interval_time are out of range

9.71 OSAL Timer APIs 407

9.71 OSAL Timer APIs

Functions

int32 OS_TimerCreate (osal_id_t *timer_id, const char *timer_name, uint32 *clock_accuracy, OS_TimerCallback_t callback_ptr)

Create a timer object.

 int32 OS_TimerAdd (osal_id_t *timer_id, const char *timer_name, osal_id_t timebase_id, OS_ArgCallback_t callback ptr, void *callback arg)

Add a timer object based on an existing TimeBase resource.

int32 OS TimerSet (osal id t timer id, uint32 start time, uint32 interval time)

Configures a periodic or one shot timer.

int32 OS_TimerDelete (osal_id_t timer_id)

Deletes a timer resource.

• int32 OS_TimerGetIdByName (osal_id_t *timer_id, const char *timer_name)

Locate an existing timer resource by name.

int32 OS TimerGetInfo (osal id t timer id, OS timer prop t *timer prop)

Gets information about an existing timer.

9.71.1 Detailed Description

9.71.2 Function Documentation

Add a timer object based on an existing TimeBase resource.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function uses an existing time base object to service this timer, which must exist prior to adding the timer. The precision of the timer is the same as that of the underlying time base object. Multiple timer objects can be created referring to a single time base object.

This routine also uses a different callback function prototype from OS_TimerCreate(), allowing a single opaque argument to be passed to the callback routine. The OSAL implementation does not use this parameter, and may be set NULL. The callback function for this method should be declared according to the OS_ArgCallback_t function pointer type. The timer_id is passed in to the function by the OSAL, and the arg parameter is passed through from the callback_arg argument on this call.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

See also

OS_ArgCallback_t

Parameters

out	timer_id	Will be set to the non-zero resource ID of the timer object (must not be null)
in	timer_name	Name of the timer object (must not be null)
in	timebase⊷ _id	The time base resource to use as a reference
in	callback_ptr	Application-provided function to invoke (must not be null)
in	callback_arg	Opaque argument to pass to callback function, may be NULL

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any parameters are NULL
OS_ERR_INVALID_ID	if the timebase_id parameter is not valid
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_TAKEN	if the name is already in use by another timer.
OS_ERR_NO_FREE_IDS	if all of the timers are already allocated.
OS_ERR_INCORRECT_OBJ_STATE	if invoked from a timer context
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)

Create a timer object.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function creates a dedicated (hidden) time base object to service this timer, which is created and deleted with the timer object itself. The internal time base is configured for an OS simulated timer tick at the same interval as the timer. The callback function should be declared according to the OS_TimerCallback_t function pointer type. The timer_id value is passed to the callback function.

Note

clock_accuracy comes from the underlying OS tick value. The nearest integer microsecond value is returned, so may not be exact.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

See also

OS_TimerCallback_t

9.71 OSAL Timer APIs 409

Parameters

ou	timer_id	Will be set to the non-zero resource ID of the timer object (must not be null)	
in	timer_name	r_name Name of the timer object (must not be null)	
ou	clock_accuracy	Expected precision of the timer, in microseconds. This is the underlying tick value rounded to the nearest microsecond integer. (must not be null)	
in	callback_ptr	The function pointer of the timer callback (must not be null).	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any parameters are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_TAKEN	if the name is already in use by another timer.
OS_ERR_NO_FREE_IDS	if all of the timers are already allocated.
OS_ERR_INCORRECT_OBJ_STATE	if invoked from a timer context
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)

Deletes a timer resource.

The application callback associated with the timer will be stopped, and the resources freed for future use.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timer←	The timer ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is invalid.
OS_TIMER_ERR_INTERNAL	if there was a problem deleting the timer in the host OS (return value only verified in coverage test)
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Locate an existing timer resource by name.

Outputs the ID associated with the given timer, if it exists.

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

out	timer_id	Will be set to the timer ID corresponding to the name (must not be null)
in	timer_name	The timer name to find (must not be null)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if timer_id or timer_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Gets information about an existing timer.

This function takes timer_id, and looks it up in the OS table. It puts all of the information known about that timer into a structure pointer to by timer_prop.

9.71 OSAL Timer APIs 411

Parameters

Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timer_id	The timer ID to operate on
out	timer_prop	Buffer containing timer properties (must not be null)
		creator: the OS task ID of the task that created this timer
		name: the string name of the timer
		 start_time: the start time in microseconds, if any
		 interval_time: the interval time in microseconds, if any
		accuracy: the accuracy of the timer in microseconds

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timer
OS_INVALID_POINTER	if the timer_prop pointer is null
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

Configures a periodic or one shot timer.

This function programs the timer with a start time and an optional interval time. The start time is the time in microseconds when the user callback function will be called. If the interval time is non-zero, the timer will be reprogrammed with that interval in microseconds to call the user callback function periodically. If the start time and interval time are zero, the function will return an error.

For a "one-shot" timer, the start_time configures the expiration time, and the interval_time should be passed as zero to indicate the timer is not to be automatically reset.

Note

The resolution of the times specified is limited to the clock accuracy returned in the OS_TimerCreate call. If the times specified in the start_msec or interval_msec parameters are less than the accuracy, they will be rounded up to the accuracy of the timer.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

Parameters

in	timer_id	The timer ID to operate on	
in	start_time	Time in microseconds to the first expiration	
in	interval_time	Time in microseconds between subsequent intervals, value of zero will only call the user callback function once after the start_msec time.	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is not valid.
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_TIMER_ERR_INVALID_ARGS	if the start_time or interval_time is out of range, or both 0

10 Data Structure Documentation

10.1 CCSDS_ExtendedHeader Struct Reference

CCSDS packet extended header.
#include <ccsds_hdr.h>

Data Fields

• uint8 Subsystem [2]

subsystem qualifier

· uint8 SystemId [2]

system qualifier

10.1.1 Detailed Description

CCSDS packet extended header.

Definition at line 73 of file ccsds_hdr.h.

10.1.2 Field Documentation

10.1.2.1 Subsystem uint8 CCSDS_ExtendedHeader::Subsystem[2] subsystem qualifier

Definition at line 75 of file ccsds hdr.h.

10.1.2.2 SystemId uint8 CCSDS_ExtendedHeader::SystemId[2] system qualifier

Definition at line 82 of file ccsds_hdr.h.

The documentation for this struct was generated from the following file:

• cfe/modules/msg/fsw/inc/ccsds_hdr.h

10.2 CCSDS_PrimaryHeader Struct Reference

CCSDS packet primary header.
#include <ccsds_hdr.h>

Data Fields

• uint8 StreamId [2]

packet identifier word (stream ID)

• uint8 Sequence [2]

packet sequence word

• uint8 Length [2]

packet length word

10.2.1 Detailed Description

CCSDS packet primary header.

Definition at line 51 of file ccsds_hdr.h.

10.2.2 Field Documentation

10.2.2.1 Length uint8 CCSDS_PrimaryHeader::Length[2] packet length word Definition at line 71 of file ccsds hdr.h.

10.2.2.2 Sequence uint8 CCSDS_PrimaryHeader::Sequence[2] packet sequence word Definition at line 66 of file ccsds hdr.h.

10.2.2.3 StreamId uint8 CCSDS_PrimaryHeader::StreamId[2] packet identifier word (stream ID)

Definition at line 59 of file ccsds hdr.h.

The documentation for this struct was generated from the following file:

cfe/modules/msg/fsw/inc/ccsds hdr.h

10.3 CFE_ES_Applnfo Struct Reference

Application Information.

#include <cfe_es_extern_typedefs.h>

Data Fields

• CFE Resourceld t Resourceld

Application or Library ID for this resource.

uint32 Type

The type of App: CORE or EXTERNAL.

char Name [CFE_MISSION_MAX_API_LEN]

The Registered Name of the Application.

char EntryPoint [CFE_MISSION_MAX_API_LEN]

The Entry Point label for the Application.

char FileName [CFE_MISSION_MAX_PATH_LEN]

The Filename of the file containing the Application.

CFE ES MemOffset t StackSize

The Stack Size of the Application.

· uint32 AddressesAreValid

Indicates that the Code, Data, and BSS addresses/sizes are valid.

CFE_ES_MemAddress_t CodeAddress

The Address of the Application Code Segment.

CFE_ES_MemOffset_t CodeSize

The Code Size of the Application.

CFE ES MemAddress t DataAddress

The Address of the Application Data Segment.

· CFE ES MemOffset t DataSize

The Data Size of the Application.

CFE ES MemAddress t BSSAddress

The Address of the Application BSS Segment.

· CFE ES MemOffset t BSSSize

The BSS Size of the Application.

CFE ES MemAddress t StartAddress

The Start Address of the Application.

CFE_ES_ExceptionAction_Enum_t ExceptionAction

What should occur if Application has an exception (Restart Application OR Restart Processor)

CFE ES TaskPriority Atom t Priority

The Priority of the Application.

CFE_ES_TaskId_t MainTaskId

The Application's Main Task ID.

uint32 ExecutionCounter

The Application's Main Task Execution Counter.

char MainTaskName [CFE MISSION MAX API LEN]

The Application's Main Task ID.

· uint32 NumOfChildTasks

Number of Child tasks for an App.

10.3.1 Detailed Description

Application Information.

Structure that is used to provide information about an app. It is primarily used for the QueryOne and QueryAll Commands.

While this structure is primarily intended for Application info, it can also represent Library information where only a subset of the information applies.

Definition at line 435 of file cfe_es_extern_typedefs.h.

10.3.2 Field Documentation

10.3.2.1 AddressesAreValid uint32 CFE_ES_AppInfo::AddressesAreValid Indicates that the Code, Data, and BSS addresses/sizes are valid.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AddrsValid

Definition at line 451 of file cfe es extern typedefs.h.

10.3.2.2 BSSAddress CFE_ES_MemAddress_t CFE_ES_AppInfo::BSSAddress

The Address of the Application BSS Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BSSAddress

Definition at line 461 of file cfe_es_extern_typedefs.h.

10.3.2.3 BSSSize CFE_ES_MemOffset_t CFE_ES_AppInfo::BSSSize

The BSS Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BSSSize

Definition at line 463 of file cfe es extern typedefs.h.

10.3.2.4 CodeAddress CFE_ES_MemAddress_t CFE_ES_AppInfo::CodeAddress The Address of the Application Code Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CodeAddress

Definition at line 453 of file cfe es extern typedefs.h.

10.3.2.5 CodeSize CFE_ES_MemOffset_t CFE_ES_AppInfo::CodeSize The Code Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CodeSize

Definition at line 455 of file cfe es extern typedefs.h.

10.3.2.6 DataAddress CFE_ES_MemAddress_t CFE_ES_AppInfo::DataAddress The Address of the Application Data Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_DataAddress

Definition at line 457 of file cfe_es_extern_typedefs.h.

10.3.2.7 DataSize CFE_ES_MemOffset_t CFE_ES_AppInfo::DataSize The Data Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_DataSize

Definition at line 459 of file cfe_es_extern_typedefs.h.

10.3.2.8 EntryPoint char CFE_ES_AppInfo::EntryPoint[CFE_MISSION_MAX_API_LEN] The Entry Point label for the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppEntryPt[OS_MAX_API_NAME]

Definition at line 444 of file cfe_es_extern_typedefs.h.

10.3.2.9 ExceptionAction CFE_ES_ExceptionAction_Enum_t CFE_ES_AppInfo::ExceptionAction What should occur if Application has an exception (Restart Application OR Restart Processor)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ExceptnActn

Definition at line 467 of file cfe_es_extern_typedefs.h.

10.3.2.10 ExecutionCounter uint32 CFE_ES_AppInfo::ExecutionCounter The Application's Main Task Execution Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ExecutionCtr

Definition at line 474 of file cfe es extern typedefs.h.

10.3.2.11 FileName char CFE_ES_AppInfo::FileName[CFE_MISSION_MAX_PATH_LEN] The Filename of the file containing the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppFilename[OS_MAX_PATH_LEN]

Definition at line 446 of file cfe es extern typedefs.h.

10.3.2.12 MainTaskld CFE_ES_TaskId_t CFE_ES_AppInfo::MainTaskId The Application's Main Task ID.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MainTaskId

Definition at line 472 of file cfe es extern typedefs.h.

10.3.2.13 MainTaskName char CFE_ES_AppInfo::MainTaskName[CFE_MISSION_MAX_API_LEN] The Application's Main Task ID.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MainTaskName[OS_MAX_API_NAME]

Definition at line 476 of file cfe_es_extern_typedefs.h.

10.3.2.14 Name char CFE_ES_AppInfo::Name[CFE_MISSION_MAX_API_LEN] The Registered Name of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppName[OS_MAX_API_NAME]

Definition at line 442 of file cfe_es_extern_typedefs.h.

10.3.2.15 NumOfChildTasks uint32 CFE_ES_AppInfo::NumOfChildTasks Number of Child tasks for an App.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ChildTasks

Definition at line 478 of file cfe_es_extern_typedefs.h.

10.3.2.16 Priority CFE_ES_TaskPriority_Atom_t CFE_ES_AppInfo::Priority The Priority of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_Priority

Definition at line 470 of file cfe_es_extern_typedefs.h.

10.3.2.17 ResourceId CFE_ResourceId_t CFE_ES_AppInfo::ResourceId Application or Library ID for this resource.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppID

Definition at line 437 of file cfe es extern typedefs.h.

10.3.2.18 StackSize CFE_ES_MemOffset_t CFE_ES_AppInfo::StackSize The Stack Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_StackSize

Definition at line 449 of file cfe_es_extern_typedefs.h.

10.3.2.19 StartAddress CFE_ES_MemAddress_t CFE_ES_AppInfo::StartAddress The Start Address of the Application.

Telemetry Mnemonic(s) \$sc \$cpu ES StartAddr

Definition at line 465 of file cfe_es_extern_typedefs.h.

10.3.2.20 Type uint32 CFE_ES_AppInfo::Type The type of App: CORE or EXTERNAL.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppType

Definition at line 439 of file cfe_es_extern_typedefs.h.

The documentation for this struct was generated from the following file:

· cfe/modules/core api/fsw/inc/cfe es extern typedefs.h

10.4 CFE_ES_AppNameCmd Struct Reference

Generic application name command.

#include <cfe_es_msg.h>

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_ES_AppNameCmd_Payload_t Payload

Command payload.

10.4.1 Detailed Description

Generic application name command.

Definition at line 1197 of file cfe es msg.h.

10.4.2 Field Documentation

10.4.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_AppNameCmd::CommandHeader Command header.

Definition at line 1199 of file cfe es msg.h.

10.4.2.2 Payload CFE_ES_AppNameCmd_Payload_t CFE_ES_AppNameCmd::Payload

Command payload.

Definition at line 1200 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe_es_msg.h

10.5 CFE_ES_AppNameCmd_Payload Struct Reference

Generic application name command payload.

#include <cfe_es_msg.h>

Data Fields

• char Application [CFE MISSION MAX API LEN]

ASCII text string containing Application or Library Name.

10.5.1 Detailed Description

Generic application name command payload.

For command details, see CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_QUERY_ONE_CC Definition at line 1189 of file cfe es msg.h.

10.5.2 Field Documentation

10.5.2.1 Application char CFE_ES_AppNameCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]

ASCII text string containing Application or Library Name.

Definition at line 1191 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.6 CFE_ES_AppReloadCmd_Payload Struct Reference

Reload Application Command Payload.

#include <cfe_es_msq.h>

Data Fields

char Application [CFE_MISSION_MAX_API_LEN]

ASCII text string containing Application Name.

• char AppFileName [CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

10.6.1 Detailed Description

Reload Application Command Payload.

For command details, see CFE ES RELOAD APP CC

Definition at line 1218 of file cfe_es_msg.h.

10.6.2 Field Documentation

10.6.2.1 AppFileName char CFE_ES_AppReloadCmd_Payload::AppFileName[CFE_MISSION_MAX_PATH_LEN] Full path and filename of Application's executable image.

Definition at line 1221 of file cfe_es_msg.h.

10.6.2.2 Application char CFE_ES_AppReloadCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]

ASCII text string containing Application Name.

Definition at line 1220 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.7 CFE_ES_BlockStats Struct Reference

Block statistics.

#include <cfe_es_extern_typedefs.h>

Data Fields

• CFE_ES_MemOffset_t BlockSize

Number of bytes in each of these blocks.

uint32 NumCreated

Number of Memory Blocks of this size created.

• uint32 NumFree

Number of Memory Blocks of this size that are free.

10.7.1 Detailed Description

Block statistics.

Sub-Structure that is used to provide information about a specific block size/bucket within a memory pool. Definition at line 532 of file cfe_es_extern_typedefs.h.

10.7.2 Field Documentation

10.7.2.1 BlockSize CFE_ES_MemOffset_t CFE_ES_BlockStats::BlockSize

Number of bytes in each of these blocks.

Definition at line 534 of file cfe_es_extern_typedefs.h.

10.7.2.2 NumCreated uint32 CFE_ES_BlockStats::NumCreated

Number of Memory Blocks of this size created.

Definition at line 535 of file cfe_es_extern_typedefs.h.

10.7.2.3 NumFree uint32 CFE_ES_BlockStats::NumFree

Number of Memory Blocks of this size that are free.

Definition at line 536 of file cfe_es_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core api/fsw/inc/cfe es extern typedefs.h

10.8 CFE_ES_CDSRegDumpRec Struct Reference

CDS Register Dump Record.

#include <cfe_es_extern_typedefs.h>

Data Fields

CFE_ES_CDSHandle_t Handle

Handle of CDS.

· CFE ES MemOffset t Size

Size, in bytes, of the CDS memory block.

bool Table

Flag that indicates whether CDS contains a Critical Table.

char Name [CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]

Processor Unique Name of CDS.

uint8 ByteAlignSpare [3]

Spare bytes to ensure structure size is multiple of 4 bytes.

10.8.1 Detailed Description

CDS Register Dump Record.

Structure that is used to provide information about a critical data store. It is primarily used for the Dump CDS registry (CFE ES DUMP CDS REGISTRY CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Dump CDS registry command. Therefore it should be considered part of the overall telemetry interface.

Definition at line 517 of file cfe_es_extern_typedefs.h.

10.8.2 Field Documentation

```
10.8.2.1 ByteAlignSpare uint8 CFE_ES_CDSRegDumpRec::ByteAlignSpare[3]
```

Spare bytes to ensure structure size is multiple of 4 bytes.

Definition at line 523 of file cfe_es_extern_typedefs.h.

```
10.8.2.2 Handle CFE_ES_CDSHandle_t CFE_ES_CDSRegDumpRec::Handle
```

Handle of CDS.

Definition at line 519 of file cfe_es_extern_typedefs.h.

```
10.8.2.3 Name char CFE_ES_CDSRegDumpRec::Name[CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]
```

Processor Unique Name of CDS.

Definition at line 522 of file cfe_es_extern_typedefs.h.

```
10.8.2.4 Size CFE_ES_MemOffset_t CFE_ES_CDSRegDumpRec::Size
```

Size, in bytes, of the CDS memory block.

Definition at line 520 of file cfe es extern typedefs.h.

10.8.2.5 Table bool CFE_ES_CDSRegDumpRec::Table

Flag that indicates whether CDS contains a Critical Table.

Definition at line 521 of file cfe es extern typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h

10.9 CFE_ES_DeleteCDSCmd Struct Reference

Delete Critical Data Store Command.

#include <cfe_es_msq.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

• CFE_ES_DeleteCDSCmd_Payload_t Payload

Command payload.

10.9.1 Detailed Description

Delete Critical Data Store Command.

Definition at line 1270 of file cfe es msg.h.

10.9.2 Field Documentation

10.9.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_DeleteCDSCmd::CommandHeader

Command header.

Definition at line 1272 of file cfe_es_msg.h.

10.9.2.2 Payload CFE_ES_DeleteCDSCmd_Payload_t CFE_ES_DeleteCDSCmd::Payload

Command payload.

Definition at line 1273 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.10 CFE ES DeleteCDSCmd Payload Struct Reference

Delete Critical Data Store Command Payload.

```
#include <cfe_es_msg.h>
```

Data Fields

char CdsName [CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]

ASCII text string containing name of CDS to delete.

10.10.1 Detailed Description

Delete Critical Data Store Command Payload.

For command details, see CFE ES DELETE CDS CC

Definition at line 1261 of file cfe es msg.h.

10.10.2 Field Documentation

10.10.2.1 CdsName char CFE_ES_DeleteCDSCmd_Payload::CdsName[CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN] ASCII text string containing name of CDS to delete.

Definition at line 1264 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.11 CFE_ES_DumpCDSRegistryCmd Struct Reference

Dump CDS Registry Command.

#include <cfe_es_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

· CFE ES DumpCDSRegistryCmd Payload t Payload

Command payload.

10.11.1 Detailed Description

Dump CDS Registry Command.

Definition at line 1395 of file cfe_es_msg.h.

10.11.2 Field Documentation

10.11.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_DumpCDSRegistryCmd::CommandHeader Command header.

Definition at line 1397 of file cfe_es_msg.h.

10.11.2.2 Payload CFE_ES_DumpCDSRegistryCmd_Payload_t CFE_ES_DumpCDSRegistryCmd::Payload Command payload.

Definition at line 1398 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe_es_msg.h

10.12 CFE_ES_DumpCDSRegistryCmd_Payload Struct Reference

Dump CDS Registry Command Payload.

#include <cfe_es_msg.h>

Data Fields

char DumpFilename [CFE_MISSION_MAX_PATH_LEN]

ASCII text string of full path and filename of file CDS Registry is to be written.

10.12.1 Detailed Description

Dump CDS Registry Command Payload.
For command details, see CFE_ES_DUMP_CDS_REGISTRY_CC
Definition at line 1386 of file cfe_es_msg.h.

10.12.2 Field Documentation

10.12.2.1 DumpFilename char CFE_ES_DumpCDSRegistryCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN]

ASCII text string of full path and filename of file CDS Registry is to be written.

Definition at line 1388 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.13 CFE_ES_FileNameCmd Struct Reference

Generic file name command.

#include <cfe_es_msg.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE ES FileNameCmd Payload t Payload

Command payload.

10.13.1 Detailed Description

Generic file name command.

Definition at line 1116 of file cfe_es_msg.h.

10.13.2 Field Documentation

10.13.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_FileNameCmd::CommandHeader

Command header.

Definition at line 1118 of file cfe_es_msg.h.

10.13.2.2 Payload CFE_ES_FileNameCmd_Payload_t CFE_ES_FileNameCmd::Payload

Command payload.

Definition at line 1119 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.14 CFE_ES_FileNameCmd_Payload Struct Reference

Generic file name command payload.

#include <cfe_es_msq.h>

Data Fields

char FileName [CFE MISSION MAX PATH LEN]

ASCII text string containing full path and filename of file in which Application data is to be dumped.

10.14.1 Detailed Description

Generic file name command payload.

This format is shared by several executive services commands. For command details, see CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC, CFE_ES_WRITE_SYSLOG_CC, and CFE_ES_WRITE_ER_LOG_CC Definition at line 1107 of file cfe_es_msg.h.

10.14.2 Field Documentation

10.14.2.1 FileName char CFE_ES_FileNameCmd_Payload::FileName[CFE_MISSION_MAX_PATH_LEN]

ASCII text string containing full path and filename of file in which Application data is to be dumped. Definition at line 1109 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.15 CFE_ES_HousekeepingTlm Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader
 - Telemetry header.
- CFE_ES_HousekeepingTlm_Payload_t Payload

Telemetry payload.

10.15.1 Detailed Description

Definition at line 1542 of file cfe_es_msg.h.

10.15.2 Field Documentation

10.15.2.1 Payload CFE_ES_HousekeepingTlm_Payload_t CFE_ES_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 1545 of file cfe_es_msg.h.

10.15.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_ES_HousekeepingTlm::TelemetryHeader Telemetry header.

Definition at line 1544 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.16 CFE_ES_HousekeepingTlm_Payload Struct Reference

#include <cfe_es_msg.h>

Data Fields

• uint8 CommandCounter

The ES Application Command Counter.

uint8 CommandErrorCounter

The ES Application Command Error Counter.

uint16 CFECoreChecksum

Checksum of cFE Core Code.

· uint8 CFEMajorVersion

Major Version Number of cFE.

uint8 CFEMinorVersion

Minor Version Number of cFE.

uint8 CFERevision

Sub-Minor Version Number of cFE.

· uint8 CFEMissionRevision

Mission Version Number of cFE.

• uint8 OSALMajorVersion

OS Abstraction Layer Major Version Number.

uint8 OSALMinorVersion

OS Abstraction Layer Minor Version Number.

uint8 OSALRevision

OS Abstraction Layer Revision Number.

• uint8 OSALMissionRevision

OS Abstraction Layer MissionRevision Number.

• uint8 PSPMajorVersion

Platform Support Package Major Version Number.

• uint8 PSPMinorVersion

Platform Support Package Minor Version Number.

· uint8 PSPRevision

Platform Support Package Revision Number.

• uint8 PSPMissionRevision

Platform Support Package MissionRevision Number.

CFE_ES_MemOffset_t SysLogBytesUsed

Total number of bytes used in system log.

• CFE_ES_MemOffset_t SysLogSize

Total size of the system log.

uint32 SysLogEntries

Number of entries in the system log.

uint32 SysLogMode

Write/Overwrite Mode.

uint32 ERLogIndex

Current index of the ER Log (wraps around)

uint32 ERLogEntries

Number of entries made in the ER Log since the power on.

· uint32 RegisteredCoreApps

Number of Applications registered with ES.

uint32 RegisteredExternalApps

Number of Applications registered with ES.

uint32 RegisteredTasks

Number of Tasks (main AND child tasks) registered with ES.

· uint32 RegisteredLibs

Number of Libraries registered with ES.

uint32 ResetType

Reset type (PROCESSOR or POWERON)

uint32 ResetSubtype

Reset Sub Type.

• uint32 ProcessorResets

Number of processor resets since last power on.

uint32 MaxProcessorResets

Max processor resets before a power on is done.

uint32 BootSource

Boot source (as provided from BSP)

• uint32 PerfState

Current state of Performance Analyzer.

· uint32 PerfMode

Current mode of Performance Analyzer.

uint32 PerfTriggerCount

Number of Times Performance Analyzer has Triggered.

uint32 PerfFilterMask [CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Filter Masks.

uint32 PerfTriggerMask [CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Trigger Masks.

uint32 PerfDataStart

Identifies First Stored Entry in Performance Analyzer Log.

· uint32 PerfDataEnd

Identifies Last Stored Entry in Performance Analyzer Log.

· uint32 PerfDataCount

Number of Entries Put Into the Performance Analyzer Log.

· uint32 PerfDataToWrite

Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

CFE ES MemOffset t HeapBytesFree

Number of free bytes remaining in the OS heap.

CFE_ES_MemOffset_t HeapBlocksFree

Number of free blocks remaining in the OS heap.

CFE_ES_MemOffset_t HeapMaxBlockSize

Number of bytes in the largest free block.

10.16.1 Detailed Description

Name Executive Services Housekeeping Packet

Definition at line 1445 of file cfe es msg.h.

10.16.2 Field Documentation

10.16.2.1 BootSource uint32 CFE_ES_HousekeepingTlm_Payload::BootSource Boot source (as provided from BSP)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BootSource

Definition at line 1511 of file cfe es msg.h.

10.16.2.2 CFECoreChecksum uint16 CFE_ES_HousekeepingTlm_Payload::CFECoreChecksum Checksum of cFE Core Code.

Telemetry Mnemonic(s) \$sc \$cpu ES CKSUM

Definition at line 1452 of file cfe_es_msg.h.

10.16.2.3 CFEMajorVersion uint8 CFE_ES_HousekeepingTlm_Payload::CFEMajorVersion Major Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMAJORVER

Definition at line 1454 of file cfe es msg.h.

10.16.2.4 CFEMinorVersion uint8 CFE_ES_HousekeepingTlm_Payload::CFEMinorVersion Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMINORVER

Definition at line 1456 of file cfe_es_msg.h.

10.16.2.5 CFEMissionRevision uint8 CFE_ES_HousekeepingTlm_Payload::CFEMissionRevision Mission Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMISSIONREV

Definition at line 1460 of file cfe_es_msg.h.

10.16.2.6 CFERevision uint8 CFE_ES_HousekeepingTlm_Payload::CFERevision Sub-Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEREVISION

Definition at line 1458 of file cfe_es_msg.h.

10.16.2.7 CommandCounter uint8 CFE_ES_HousekeepingTlm_Payload::CommandCounter The ES Application Command Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CMDPC

Definition at line 1447 of file cfe_es_msg.h.

10.16.2.8 CommandErrorCounter uint8 CFE_ES_HousekeepingTlm_Payload::CommandErrorCounter The ES Application Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CMDEC

Definition at line 1449 of file cfe es msg.h.

10.16.2.9 ERLogEntries uint32 CFE_ES_HousekeepingTlm_Payload::ERLogEntries Number of entries made in the ER Log since the power on.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ERLOGENTRIES

Definition at line 1491 of file cfe es msg.h.

10.16.2.10 ERLogIndex uint32 CFE_ES_HousekeepingTlm_Payload::ERLogIndex Current index of the ER Log (wraps around)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ERLOGINDEX

Definition at line 1489 of file cfe_es_msg.h.

10.16.2.11 HeapBlocksFree CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::HeapBlocksFree Number of free blocks remaining in the OS heap.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapBlocksFree

Definition at line 1536 of file cfe_es_msg.h.

10.16.2.12 HeapBytesFree CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::HeapBytesFree Number of free bytes remaining in the OS heap.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapBytesFree

Definition at line 1534 of file cfe es msg.h.

10.16.2.13 HeapMaxBlockSize CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::HeapMaxBlockSize Number of bytes in the largest free block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapMaxBlkSize

Definition at line 1538 of file cfe_es_msg.h.

10.16.2.14 MaxProcessorResets uint32 CFE_ES_HousekeepingTlm_Payload::MaxProcessorResets Max processor resets before a power on is done.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MaxProcResets

Definition at line 1509 of file cfe es msg.h.

10.16.2.15 OSALMajorVersion uint8 CFE_ES_HousekeepingTlm_Payload::OSALMajorVersion OS Abstraction Layer Major Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMAJORVER

Definition at line 1462 of file cfe es msg.h.

10.16.2.16 OSALMinorVersion uint8 CFE_ES_HousekeepingTlm_Payload::OSALMinorVersion OS Abstraction Layer Minor Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMINORVER

Definition at line 1464 of file cfe es msg.h.

10.16.2.17 OSALMissionRevision uint8 CFE_ES_HousekeepingTlm_Payload::OSALMissionRevision OS Abstraction Layer MissionRevision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMISSIONREV

Definition at line 1468 of file cfe_es_msg.h.

10.16.2.18 OSALRevision uint CFE_ES_HousekeepingTlm_Payload::OSALRevision OS Abstraction Layer Revision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSREVISION

Definition at line 1466 of file cfe_es_msg.h.

10.16.2.19 PerfDataCount uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataCount Number of Entries Put Into the Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataCnt

Definition at line 1529 of file cfe_es_msg.h.

10.16.2.20 PerfDataEnd uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataEnd Identifies Last Stored Entry in Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataEnd

Definition at line 1527 of file cfe_es_msg.h.

10.16.2.21 PerfDataStart uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataStart Identifies First Stored Entry in Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataStart

Definition at line 1525 of file cfe_es_msg.h.

10.16.2.22 PerfDataToWrite uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataToWrite Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfData2Write

Definition at line 1532 of file cfe es msg.h.

10.16.2.23 PerfFilterMask uint32 CFE_ES_HousekeepingTlm_Payload::PerfFilterMask[CFE_MISSION_ES_PERF_MAX_IDS/32] Current Setting of Performance Analyzer Filter Masks.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfFltrMask[MaskCnt]

Definition at line 1520 of file cfe es msg.h.

10.16.2.24 PerfMode uint32 CFE_ES_HousekeepingTlm_Payload::PerfMode Current mode of Performance Analyzer.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfMode

Definition at line 1516 of file cfe es msg.h.

10.16.2.25 PerfState uint32 CFE_ES_HousekeepingTlm_Payload::PerfState Current state of Performance Analyzer.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfState

Definition at line 1514 of file cfe_es_msg.h.

10.16.2.26 PerfTriggerCount uint32 CFE_ES_HousekeepingTlm_Payload::PerfTriggerCount Number of Times Performance Analyzer has Triggered.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfTrigCnt

Definition at line 1518 of file cfe_es_msg.h.

10.16.2.27 PerfTriggerMask uint32 CFE_ES_HousekeepingTlm_Payload::PerfTriggerMask[CFE_MISSION_ES_PERF_MAX_IDS/32] Current Setting of Performance Analyzer Trigger Masks.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfTrigMask[MaskCnt]

Definition at line 1523 of file cfe_es_msg.h.

10.16.2.28 ProcessorResets uint32 CFE_ES_HousekeepingTlm_Payload::ProcessorResets Number of processor resets since last power on.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ProcResetCnt

Definition at line 1507 of file cfe es msg.h.

10.16.2.29 PSPMajorVersion uint8 CFE_ES_HousekeepingTlm_Payload::PSPMajorVersion Platform Support Package Major Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPMAJORVER

Definition at line 1471 of file cfe es msg.h.

10.16.2.30 PSPMinorVersion uint8 CFE_ES_HousekeepingTlm_Payload::PSPMinorVersion Platform Support Package Minor Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPMINORVER

Definition at line 1473 of file cfe_es_msg.h.

10.16.2.31 PSPMissionRevision uint8 CFE_ES_HousekeepingTlm_Payload::PSPMissionRevision Platform Support Package MissionRevision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPMISSIONREV

Definition at line 1477 of file cfe_es_msg.h.

10.16.2.32 PSPRevision uint8 CFE_ES_HousekeepingTlm_Payload::PSPRevision Platform Support Package Revision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PSPREVISION

Definition at line 1475 of file cfe_es_msg.h.

10.16.2.33 RegisteredCoreApps uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredCoreApps Number of Applications registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegCoreApps

Definition at line 1494 of file cfe_es_msg.h.

10.16.2.34 RegisteredExternalApps uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredExternalApps Number of Applications registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegExtApps

Definition at line 1496 of file cfe_es_msg.h.

10.16.2.35 RegisteredLibs uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredLibs Number of Libraries registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegLibs

Definition at line 1500 of file cfe es msg.h.

10.16.2.36 RegisteredTasks uint32 CFE_ES_HousekeepingTlm_Payload::RegisteredTasks Number of Tasks (main AND child tasks) registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegTasks

Definition at line 1498 of file cfe es msg.h.

10.16.2.37 ResetSubtype uint32 CFE_ES_HousekeepingTlm_Payload::ResetSubtype Reset Sub Type.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ResetSubtype

Definition at line 1505 of file cfe es msg.h.

10.16.2.38 ResetType uint32 CFE_ES_HousekeepingTlm_Payload::ResetType Reset type (PROCESSOR or POWERON)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ResetType

Definition at line 1503 of file cfe es msg.h.

10.16.2.39 SysLogBytesUsed CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::SysLogBytesUsed Total number of bytes used in system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGBYTEUSED

Definition at line 1480 of file cfe es msg.h.

10.16.2.40 SysLogEntries uint32 CFE_ES_HousekeepingTlm_Payload::SysLogEntries Number of entries in the system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGENTRIES

Definition at line 1484 of file cfe es msg.h.

10.16.2.41 SysLogMode uint32 CFE_ES_HousekeepingTlm_Payload::SysLogMode Write/Overwrite Mode.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGMODE

Definition at line 1486 of file cfe_es_msg.h.

10.16.2.42 SysLogSize CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::SysLogSize Total size of the system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGSIZE

Definition at line 1482 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.17 CFE_ES_MemPoolStats Struct Reference

Memory Pool Statistics.

#include <cfe_es_extern_typedefs.h>

Data Fields

CFE ES MemOffset t PoolSize

Size of Memory Pool (in bytes)

· uint32 NumBlocksRequested

Number of times a memory block has been allocated.

uint32 CheckErrCtr

Number of errors detected when freeing a memory block.

• CFE_ES_MemOffset_t NumFreeBytes

Number of bytes never allocated to a block.

• CFE_ES_BlockStats_t BlockStats [CFE_MISSION_ES_POOL_MAX_BUCKETS]

Contains stats on each block size.

10.17.1 Detailed Description

Memory Pool Statistics.

Structure that is used to provide information about a memory pool. Used by the Memory Pool Stats telemetry message.

See also

CFE_ES_SEND_MEM_POOL_STATS_CC

Definition at line 547 of file cfe_es_extern_typedefs.h.

10.17.2 Field Documentation

10.17.2.1 BlockStats CFE_ES_BlockStats_t CFE_ES_MemPoolStats::BlockStats[CFE_MISSION_ES_POOL_MAX_BUCKETS] Contains stats on each block size.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlkStats[BLK_SIZES]

Definition at line 557 of file cfe_es_extern_typedefs.h.

10.17.2.2 CheckErrCtr uint32 CFE_ES_MemPoolStats::CheckErrCtr

Number of errors detected when freeing a memory block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlkErrCTR

Definition at line 553 of file cfe_es_extern_typedefs.h.

10.17.2.3 NumBlocksRequested uint32 CFE_ES_MemPoolStats::NumBlocksRequested

Number of times a memory block has been allocated.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlksREQ

Definition at line 551 of file cfe es extern typedefs.h.

10.17.2.4 NumFreeBytes CFE_ES_MemOffset_t CFE_ES_MemPoolStats::NumFreeBytes Number of bytes never allocated to a block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_FreeBytes

Definition at line 555 of file cfe_es_extern_typedefs.h.

10.17.2.5 PoolSize CFE_ES_MemOffset_t CFE_ES_MemPoolStats::PoolSize Size of Memory Pool (in bytes)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PoolSize

Definition at line 549 of file cfe es extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h

10.18 CFE_ES_MemStatsTlm Struct Reference

#include <cfe_es_msq.h>

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader
 - Telemetry header.
- CFE_ES_PoolStatsTlm_Payload_t Payload

Telemetry payload.

10.18.1 Detailed Description

Definition at line 1434 of file cfe es msg.h.

10.18.2 Field Documentation

10.18.2.1 Payload CFE_ES_PoolStatsTlm_Payload_t CFE_ES_MemStatsTlm::Payload Telemetry payload.

Definition at line 1437 of file cfe_es_msg.h.

10.18.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_ES_MemStatsTlm::TelemetryHeader

Telemetry header.

Definition at line 1436 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.19 CFE_ES_NoArgsCmd Struct Reference

Generic "no arguments" command.

#include <cfe_es_msg.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

10.19.1 Detailed Description

Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE_ES_NOOP_CC)
- 3. The Reset Counters Command (For details, see CFE ES RESET COUNTERS CC)

Definition at line 1059 of file cfe_es_msg.h.

10.19.2 Field Documentation

10.19.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_NoArgsCmd::CommandHeader Command header.

Definition at line 1061 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.20 CFE_ES_OneAppTIm Struct Reference

```
#include <cfe_es_msq.h>
```

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

· CFE ES OneAppTlm Payload t Payload

Telemetry payload.

10.20.1 Detailed Description

Definition at line 1418 of file cfe es msg.h.

10.20.2 Field Documentation

10.20.2.1 Payload CFE_ES_OneAppTlm_Payload_t CFE_ES_OneAppTlm::Payload

Telemetry payload.

Definition at line 1421 of file cfe_es_msg.h.

10.20.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_ES_OneAppTlm::TelemetryHeader Telemetry header.

Definition at line 1420 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.21 CFE_ES_OneAppTIm_Payload Struct Reference

#include <cfe es msq.h>

Data Fields

· CFE ES Applnfo t Applnfo

For more information, see CFE_ES_AppInfo_t.

10.21.1 Detailed Description

Name Single Application Information Packet

Definition at line 1413 of file cfe es msg.h.

10.21.2 Field Documentation

10.21.2.1 Appinfo CFE_ES_AppInfo_t CFE_ES_OneAppTlm_Payload::AppInfo For more information, see CFE ES Applnfo t. Definition at line 1415 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.22 CFE ES OverWriteSysLogCmd Struct Reference

Overwrite/Discard System Log Configuration Command Payload.

#include <cfe_es_msg.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE_ES_OverWriteSysLogCmd_Payload_t Payload

Command payload.

10.22.1 Detailed Description

Overwrite/Discard System Log Configuration Command Payload. Definition at line 1146 of file cfe_es_msg.h.

10.22.2 Field Documentation

10.22.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_OverWriteSysLogCmd::CommandHeader Command header.

Definition at line 1148 of file cfe es msg.h.

10.22.2.2 Payload CFE_ES_OverWriteSysLogCmd_Payload_t CFE_ES_OverWriteSysLogCmd::Payload Command payload.

Definition at line 1149 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.23 CFE_ES_OverWriteSysLogCmd_Payload Struct Reference

Overwrite/Discard System Log Configuration Command Payload.

#include <cfe_es_msg.h>

Data Fields

uint32 Mode

CFE_ES_LogMode_DISCARD=Throw away most recent messages, CFE_ES_LogMode_OVERWRITE=Overwrite oldest with most recent

10.23.1 Detailed Description

Overwrite/Discard System Log Configuration Command Payload. For command details, see CFE_ES_OVER_WRITE_SYSLOG_CC Definition at line 1137 of file cfe es msg.h.

10.23.2 Field Documentation

10.23.2.1 Mode uint32 CFE_ES_OverWriteSysLogCmd_Payload::Mode

CFE_ES_LogMode_DISCARD=Throw away most recent messages, CFE_ES_LogMode_OVERWRITE=Overwrite oldest with most recent

Definition at line 1139 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe_es_msg.h

10.24 CFE_ES_PoolAlign Union Reference

Pool Alignment.

#include <cfe_es_api_typedefs.h>

Data Fields

void * Ptr

Aligned pointer.

· long long int LongInt

Aligned Long Integer.

• long double LongDouble

Aligned Long Double.

10.24.1 Detailed Description

Pool Alignment.

Union that can be used for minimum memory alignment of ES memory pools on the target. It contains the longest native data types such that the alignment of this structure should reflect the largest possible alignment requirements for any data on this processor.

Definition at line 105 of file cfe es api typedefs.h.

10.24.2 Field Documentation

10.24.2.1 LongDouble long double CFE_ES_PoolAlign::LongDouble

Aligned Long Double.

Definition at line 110 of file cfe es api typedefs.h.

10.24.2.2 LongInt long long int CFE_ES_PoolAlign::LongInt

Aligned Long Integer.

Definition at line 109 of file cfe_es_api_typedefs.h.

10.24.2.3 Ptr void* CFE_ES_PoolAlign::Ptr

Aligned pointer.

Definition at line 107 of file cfe_es_api_typedefs.h.

The documentation for this union was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h

10.25 CFE ES PoolStatsTim Payload Struct Reference

#include <cfe_es_msg.h>

Data Fields

• CFE_ES_MemHandle_t PoolHandle

Handle of memory pool whose stats are being telemetered.

CFE_ES_MemPoolStats_t PoolStats

For more info, see CFE_ES_MemPoolStats_t.

10.25.1 Detailed Description

Name Memory Pool Statistics Packet

Definition at line 1427 of file cfe_es_msg.h.

10.25.2 Field Documentation

10.25.2.1 PoolHandle CFE_ES_MemHandle_t CFE_ES_PoolStatsTlm_Payload::PoolHandle

Handle of memory pool whose stats are being telemetered.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PoolHandle

Definition at line 1429 of file cfe es msg.h.

Definition at line 1431 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.26 CFE_ES_ReloadAppCmd Struct Reference

Reload Application Command.

#include <cfe_es_msg.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_AppReloadCmd_Payload_t Payload

Command payload.

10.26.1 Detailed Description

Reload Application Command.

Definition at line 1228 of file cfe_es_msg.h.

10.26.2 Field Documentation

10.26.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_ReloadAppCmd::CommandHeader

Command header.

Definition at line 1230 of file cfe_es_msg.h.

10.26.2.2 Payload CFE_ES_AppReloadCmd_Payload_t CFE_ES_ReloadAppCmd::Payload

Command payload.

Definition at line 1231 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.27 CFE_ES_RestartCmd Struct Reference

Restart cFE Command.

#include <cfe_es_msg.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_RestartCmd_Payload_t Payload

Command payload.

10.27.1 Detailed Description

Restart cFE Command.

Definition at line 1093 of file cfe_es_msg.h.

10.27.2 Field Documentation

10.27.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_RestartCmd::CommandHeader

Command header.

Definition at line 1095 of file cfe_es_msg.h.

10.27.2.2 Payload CFE_ES_RestartCmd_Payload_t CFE_ES_RestartCmd::Payload

Command payload.

Definition at line 1096 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.28 CFE_ES_RestartCmd_Payload Struct Reference

Restart cFE Command Payload.

#include <cfe_es_msg.h>

Data Fields

uint16 RestartType

CFE_PSP_RST_TYPE_PROCESSOR=Processor Reset or CFE_PSP_RST_TYPE_POWERON=Power-On Reset

10.28.1 Detailed Description

Restart cFE Command Payload.
For command details, see CFE_ES_RESTART_CC
Definition at line 1084 of file cfe_es_msg.h.

10.28.2 Field Documentation

10.28.2.1 RestartType uint16 CFE_ES_RestartCmd_Payload::RestartType
CFE PSP RST TYPE PROCESSOR=Processor Reset or CFE PSP RST TYPE POWERON=Power-On Reset

Definition at line 1086 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.29 CFE_ES_SendMemPoolStatsCmd Struct Reference

Send Memory Pool Statistics Command.

#include <cfe_es_msq.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE ES SendMemPoolStatsCmd Payload t Payload

Command payload.

10.29.1 Detailed Description

Send Memory Pool Statistics Command.

Definition at line 1374 of file cfe_es_msg.h.

10.29.2 Field Documentation

10.29.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_SendMemPoolStatsCmd::CommandHeader Command header.

Definition at line 1376 of file cfe_es_msg.h.

10.29.2.2 Payload CFE_ES_SendMemPoolStatsCmd_Payload_t CFE_ES_SendMemPoolStatsCmd::Payload Command payload.

Definition at line 1377 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.30 CFE_ES_SendMemPoolStatsCmd_Payload Struct Reference

Send Memory Pool Statistics Command Payload.

```
#include <cfe_es_msg.h>
```

Data Fields

- char Application [CFE_MISSION_MAX_API_LEN]
 - RESERVED should be all zeroes
- · CFE ES MemHandle t PoolHandle

Handle of Pool whose statistics are to be telemetered.

10.30.1 Detailed Description

Send Memory Pool Statistics Command Payload. For command details, see CFE_ES_SEND_MEM_POOL_STATS_CC Definition at line 1365 of file cfe es msg.h.

10.30.2 Field Documentation

10.30.2.1 Application char CFE_ES_SendMemPoolStatsCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]

• RESERVED - should be all zeroes

Definition at line 1367 of file cfe es msg.h.

 $\textbf{10.30.2.2} \quad \textbf{PoolHandle} \quad \texttt{CFE_ES_MemHandle_t} \quad \texttt{CFE_ES_SendMemPoolStatsCmd_Payload::PoolHandle}$

Handle of Pool whose statistics are to be telemetered.

Definition at line 1368 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.31 CFE_ES_SetMaxPRCountCmd Struct Reference

Set Maximum Processor Reset Count Command.

#include <cfe_es_msq.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

• CFE_ES_SetMaxPRCountCmd_Payload_t Payload

Command payload.

10.31.1 Detailed Description

Set Maximum Processor Reset Count Command.

Definition at line 1249 of file cfe_es_msg.h.

10.31.2 Field Documentation

10.31.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_SetMaxPRCountCmd::CommandHeader Command header.

Definition at line 1251 of file cfe_es_msg.h.

10.31.2.2 Payload CFE_ES_SetMaxPRCountCmd_Payload_t CFE_ES_SetMaxPRCountCmd::Payload Command payload.

Definition at line 1252 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.32 CFE ES SetMaxPRCountCmd Payload Struct Reference

Set Maximum Processor Reset Count Command Payload.

#include <cfe_es_msg.h>

Data Fields

uint16 MaxPRCount

New maximum number of Processor Resets before an automatic Power-On Reset is performed.

10.32.1 Detailed Description

Set Maximum Processor Reset Count Command Payload. For command details, see CFE_ES_SET_MAX_PR_COUNT_CC Definition at line 1240 of file cfe es msg.h.

10.32.2 Field Documentation

10.32.2.1 MaxPRCount uint16 CFE_ES_SetMaxPRCountCmd_Payload::MaxPRCount

New maximum number of Processor Resets before an automatic Power-On Reset is performed.

Definition at line 1242 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.33 CFE_ES_SetPerfFilterMaskCmd Struct Reference

Set Performance Analyzer Filter Mask Command.

#include <cfe_es_msg.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

· CFE ES SetPerfFilterMaskCmd Payload t Payload

Command payload.

10.33.1 Detailed Description

Set Performance Analyzer Filter Mask Command. Definition at line 1332 of file cfe es msg.h.

10.33.2 Field Documentation

10.33.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_SetPerfFilterMaskCmd::CommandHeader Command header.

Definition at line 1334 of file cfe_es_msg.h.

10.33.2.2 Payload CFE_ES_SetPerfFilterMaskCmd_Payload_t CFE_ES_SetPerfFilterMaskCmd::Payload Command payload.

Definition at line 1335 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.34 CFE_ES_SetPerfFilterMaskCmd_Payload Struct Reference

Set Performance Analyzer Filter Mask Command Payload.

#include <cfe_es_msg.h>

Data Fields

• uint32 FilterMaskNum

Index into array of Filter Masks.

uint32 FilterMask

New Mask for specified entry in array of Filter Masks.

10.34.1 Detailed Description

Set Performance Analyzer Filter Mask Command Payload. For command details, see CFE_ES_SET_PERF_FILTER_MASK_CC Definition at line 1323 of file cfe_es_msg.h.

10.34.2 Field Documentation

10.34.2.1 FilterMask uint32 CFE_ES_SetPerfFilterMaskCmd_Payload::FilterMask New Mask for specified entry in array of Filter Masks.

Definition at line 1326 of file cfe_es_msg.h.

 $\textbf{10.34.2.2} \quad \textbf{FilterMaskNum} \quad \texttt{uint32} \quad \texttt{CFE_ES_SetPerfFilterMaskCmd_Payload::} \\ \textbf{FilterMaskNum} \quad \texttt{uint32} \quad \texttt{CFE_ES_SetPerfFilterMaskNum} \\ \textbf{FilterMaskNum} \quad \texttt{uint32} \quad \texttt{cont32} \quad \texttt{cont32} \\ \textbf{FilterMaskNum} \quad \texttt{cont32} \\ \textbf{FilterMaskNum} \quad \texttt{cont32} \\ \textbf{cont32} \quad \texttt{cont32} \\ \textbf{cont32} \\ \textbf{cont32} \quad \texttt{cont32} \\ \textbf{cont32} \quad \texttt{cont32} \\ \textbf{cont32} \\ \textbf{cont32} \quad \texttt{cont32} \\ \textbf{cont32} \\ \textbf{$

Index into array of Filter Masks.

Definition at line 1325 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.35 CFE_ES_SetPerfTriggerMaskCmd Struct Reference

Set Performance Analyzer Trigger Mask Command.

#include <cfe_es_msq.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_SetPerfTrigMaskCmd_Payload_t Payload

Command payload.

10.35.1 Detailed Description

Set Performance Analyzer Trigger Mask Command.

Definition at line 1353 of file cfe_es_msg.h.

10.35.2 Field Documentation

10.35.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_SetPerfTriggerMaskCmd::CommandHeader Command header.

Definition at line 1355 of file cfe_es_msg.h.

10.35.2.2 Payload CFE_ES_SetPerfTrigMaskCmd_Payload_t CFE_ES_SetPerfTriggerMaskCmd::Payload Command payload.

Definition at line 1356 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.36 CFE_ES_SetPerfTrigMaskCmd_Payload Struct Reference

Set Performance Analyzer Trigger Mask Command Payload.

```
#include <cfe_es_msg.h>
```

Data Fields

uint32 TriggerMaskNum

Index into array of Trigger Masks.

· uint32 TriggerMask

New Mask for specified entry in array of Trigger Masks.

10.36.1 Detailed Description

Set Performance Analyzer Trigger Mask Command Payload.
For command details, see CFE_ES_SET_PERF_TRIGGER_MASK_CC
Definition at line 1344 of file cfe_es_msg.h.

10.36.2 Field Documentation

10.36.2.1 TriggerMask uint32 CFE_ES_SetPerfTrigMaskCmd_Payload::TriggerMask New Mask for specified entry in array of Trigger Masks.

Definition at line 1347 of file cfe es msg.h.

10.36.2.2 TriggerMaskNum uint32 CFE_ES_SetPerfTrigMaskCmd_Payload::TriggerMaskNum Index into array of Trigger Masks.

Definition at line 1346 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.37 CFE_ES_StartApp Struct Reference

Start Application Command.

#include <cfe_es_msg.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE_ES_StartAppCmd_Payload_t Payload

Command payload.

10.37.1 Detailed Description

Start Application Command.

Definition at line 1177 of file cfe_es_msg.h.

10.37.2 Field Documentation

10.37.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_StartApp::CommandHeader

Command header.

Definition at line 1179 of file cfe_es_msg.h.

10.37.2.2 Payload CFE_ES_StartAppCmd_Payload_t CFE_ES_StartApp::Payload

Command payload.

Definition at line 1180 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.38 CFE_ES_StartAppCmd_Payload Struct Reference

Start Application Command Payload.

#include <cfe_es_msq.h>

Data Fields

char Application [CFE_MISSION_MAX_API_LEN]

Name of Application to be started.

char AppEntryPoint [CFE_MISSION_MAX_API_LEN]

Symbolic name of Application's entry point.

char AppFileName [CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

CFE ES MemOffset t StackSize

Desired stack size for the new application.

CFE_ES_ExceptionAction_Enum_t ExceptionAction

CFE_ES_ExceptionAction_RESTART_APP=On exception, restart Application, CFE_ES_ExceptionAction_PROC_RESTART=On exception, perform a Processor Reset

· CFE ES TaskPriority Atom t Priority

The new Applications runtime priority.

10.38.1 Detailed Description

Start Application Command Payload.

For command details, see CFE ES START APP CC

Definition at line 1158 of file cfe_es_msg.h.

10.38.2 Field Documentation

10.38.2.1 AppEntryPoint char CFE_ES_StartAppCmd_Payload::AppEntryPoint[CFE_MISSION_MAX_API_LEN]

Symbolic name of Application's entry point.

Definition at line 1161 of file cfe_es_msg.h.

10.38.2.2 AppFileName char CFE_ES_StartAppCmd_Payload::AppFileName[CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

Definition at line 1162 of file cfe es msg.h.

10.38.2.3 Application char CFE_ES_StartAppCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]

Name of Application to be started.

Definition at line 1160 of file cfe_es_msg.h.

10.38.2.4 ExceptionAction CFE_ES_ExceptionAction_Enum_t CFE_ES_StartAppCmd_Payload::Exception←

Action

CFE_ES_ExceptionAction_RESTART_APP=On exception, restart Application, CFE_ES_ExceptionAction_PROC_RESTART=On exception, perform a Processor Reset

Definition at line 1167 of file cfe es msg.h.

10.38.2.5 Priority CFE_ES_TaskPriority_Atom_t CFE_ES_StartAppCmd_Payload::Priority

The new Applications runtime priority.

Definition at line 1171 of file cfe es msg.h.

10.38.2.6 StackSize CFE_ES_MemOffset_t CFE_ES_StartAppCmd_Payload::StackSize

Desired stack size for the new application.

Definition at line 1165 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe_es_msg.h

10.39 CFE ES StartPerfCmd Payload Struct Reference

Start Performance Analyzer Command Payload.

#include <cfe_es_msg.h>

Data Fields

uint32 TriggerMode

Desired trigger position (Start, Center, End)

10.39.1 Detailed Description

Start Performance Analyzer Command Payload.

For command details, see CFE ES START PERF DATA CC

Definition at line 1282 of file cfe_es_msg.h.

10.39.2 Field Documentation

10.39.2.1 TriggerMode uint32 CFE_ES_StartPerfCmd_Payload::TriggerMode

Desired trigger position (Start, Center, End)

Definition at line 1284 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe_es_msg.h

10.40 CFE_ES_StartPerfDataCmd Struct Reference

Start Performance Analyzer Command.

#include <cfe_es_msq.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_ES_StartPerfCmd_Payload_t Payload

Command payload.

10.40.1 Detailed Description

Start Performance Analyzer Command.

Definition at line 1290 of file cfe es msg.h.

10.40.2 Field Documentation

10.40.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_StartPerfDataCmd::CommandHeader Command header.

Definition at line 1292 of file cfe es msg.h.

10.40.2.2 Payload CFE_ES_StartPerfCmd_Payload_t CFE_ES_StartPerfDataCmd::Payload Command payload.

Definition at line 1293 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.41 CFE_ES_StopPerfCmd_Payload Struct Reference

Stop Performance Analyzer Command Payload.

#include <cfe_es_msg.h>

Data Fields

char DataFileName [CFE MISSION MAX PATH LEN]

ASCII text string of full path and filename of file Performance Analyzer data is to be written.

10.41.1 Detailed Description

Stop Performance Analyzer Command Payload. For command details, see CFE_ES_STOP_PERF_DATA_CC Definition at line 1302 of file cfe_es_msg.h.

10.41.2 Field Documentation

10.41.2.1 DataFileName char CFE_ES_StopPerfCmd_Payload::DataFileName[CFE_MISSION_MAX_PATH_LEN]
ASCII text string of full path and filename of file Performance Analyzer data is to be written.

Definition at line 1304 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

10.42 CFE_ES_StopPerfDataCmd Struct Reference

Stop Performance Analyzer Command.

```
#include <cfe_es_msg.h>
```

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_ES_StopPerfCmd_Payload_t Payload

Command payload.

10.42.1 Detailed Description

Stop Performance Analyzer Command.

Definition at line 1311 of file cfe_es_msg.h.

10.42.2 Field Documentation

10.42.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_ES_StopPerfDataCmd::CommandHeader Command header.

Definition at line 1313 of file cfe es msg.h.

10.42.2.2 Payload CFE_ES_StopPerfCmd_Payload_t CFE_ES_StopPerfDataCmd::Payload Command payload.

Definition at line 1314 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

10.43 CFE_ES_TaskInfo Struct Reference

Task Information.

#include <cfe_es_extern_typedefs.h>

Data Fields

CFE_ES_TaskId_t TaskId

Task Id.

uint32 ExecutionCounter

Task Execution Counter.

char TaskName [CFE_MISSION_MAX_API_LEN]

Task Name.

• CFE_ES_Appld_t Appld

Parent Application ID.

char AppName [CFE_MISSION_MAX_API_LEN]

Parent Application Name.

- CFE_ES_MemOffset_t StackSize
- CFE_ES_TaskPriority_Atom_t Priority
- uint8 Spare [2]

10.43.1 Detailed Description

Task Information.

Structure that is used to provide information about a task. It is primarily used for the Query All Tasks (CFE_ES_QUERY_ALL_TASKS_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Query All Tasks command. Therefore it should be considered part of the overall telemetry interface.

Definition at line 493 of file cfe_es_extern_typedefs.h.

10.43.2 Field Documentation

```
10.43.2.1 Appld CFE_ES_Appld_t CFE_ES_TaskInfo::Appld
```

Parent Application ID.

Definition at line 498 of file cfe es extern typedefs.h.

10.43.2.2 AppName char CFE_ES_TaskInfo::AppName[CFE_MISSION_MAX_API_LEN]

Parent Application Name.

Definition at line 499 of file cfe es extern typedefs.h.

10.43.2.3 ExecutionCounter uint32 CFE_ES_TaskInfo::ExecutionCounter

Task Execution Counter.

Definition at line 496 of file cfe es extern typedefs.h.

10.43.2.4 Priority CFE_ES_TaskPriority_Atom_t CFE_ES_TaskInfo::Priority

Priority of task

Definition at line 501 of file cfe_es_extern_typedefs.h.

10.43.2.5 Spare uint8 CFE_ES_TaskInfo::Spare[2]

Spare bytes for alignment

Definition at line 502 of file cfe_es_extern_typedefs.h.

10.43.2.6 StackSize CFE_ES_MemOffset_t CFE_ES_TaskInfo::StackSize

Size of task stack

Definition at line 500 of file cfe_es_extern_typedefs.h.

10.43.2.7 Taskid CFE_ES_Taskid_t CFE_ES_Taskinfo::Taskid

Task Id.

Definition at line 495 of file cfe es extern typedefs.h.

10.43.2.8 TaskName char CFE_ES_TaskInfo::TaskName[CFE_MISSION_MAX_API_LEN] Task Name.

Definition at line 497 of file cfe es extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h

10.44 CFE_EVS_AppDataCmd_Payload Struct Reference

Write Event Services Application Information to File Command Payload. #include <cfe_evs_msg.h>

Data Fields

• char AppDataFilename [CFE_MISSION_MAX_PATH_LEN] Filename where application data is to be written.

10.44.1 Detailed Description

Write Event Services Application Information to File Command Payload. For command details, see CFE_EVS_WRITE_APP_DATA_FILE_CC Definition at line 946 of file cfe_evs_msg.h.

10.44.2 Field Documentation

10.44.2.1 AppDataFilename char CFE_EVS_AppDataCmd_Payload::AppDataFilename[CFE_MISSION_MAX_PATH_LEN] Filename where application data is to be written.

Definition at line 948 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe evs msg.h

10.45 CFE_EVS_AppNameBitMaskCmd Struct Reference

Generic App Name and Bitmask Command.

#include <cfe_evs_msg.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_EVS_AppNameBitMaskCmd_Payload_t Payload

Command payload.

10.45.1 Detailed Description

Generic App Name and Bitmask Command. Definition at line 1110 of file cfe_evs_msg.h.

10.45.2 Field Documentation

10.45.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_AppNameBitMaskCmd::CommandHeader Command header.

Definition at line 1112 of file cfe evs msg.h.

10.45.2.2 Payload CFE_EVS_AppNameBitMaskCmd_Payload_t CFE_EVS_AppNameBitMaskCmd::Payload

Command payload.

Definition at line 1113 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

· cfe/modules/evs/fsw/inc/cfe evs msg.h

10.46 CFE_EVS_AppNameBitMaskCmd_Payload Struct Reference

Generic App Name and Bitmask Command Payload.

#include <cfe evs msq.h>

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

uint8 BitMask

BitMask to use in the command.

• uint8 Spare

Pad to even byte.

10.46.1 Detailed Description

Generic App Name and Bitmask Command Payload.

For command details, see CFE_EVS_ENABLE_APP_EVENT_TYPE_CC and/or CFE_EVS_DISABLE_APP_EVENT_TYPE_CC Definition at line 1100 of file cfe_evs_msg.h.

10.46.2 Field Documentation

10.46.2.1 AppName char CFE_EVS_AppNameBitMaskCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

Definition at line 1102 of file cfe_evs_msg.h.

10.46.2.2 BitMask uint8 CFE_EVS_AppNameBitMaskCmd_Payload::BitMask

BitMask to use in the command.

Definition at line 1103 of file cfe_evs_msg.h.

10.46.2.3 Spare uint8 CFE_EVS_AppNameBitMaskCmd_Payload::Spare

Pad to even byte.

Definition at line 1104 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe evs msg.h

10.47 CFE_EVS_AppNameCmd Struct Reference

Generic App Name Command.

#include <cfe_evs_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameCmd_Payload_t Payload

Command payload.

10.47.1 Detailed Description

Generic App Name Command.

Definition at line 1049 of file cfe_evs_msg.h.

10.47.2 Field Documentation

$\textbf{10.47.2.1} \quad \textbf{CommandHeader} \quad \texttt{CFE_MSG_CommandHeader_t} \quad \texttt{CFE_EVS_AppNameCmd::CommandHeader}$

Command header.

Definition at line 1051 of file cfe_evs_msg.h.

10.47.2.2 Payload CFE_EVS_AppNameCmd_Payload_t CFE_EVS_AppNameCmd::Payload

Command payload.

Definition at line 1052 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.48 CFE_EVS_AppNameCmd_Payload Struct Reference

Generic App Name Command Payload.

#include <cfe_evs_msg.h>

Data Fields

char AppName [CFE MISSION MAX API LEN]

Application name to use in the command.

10.48.1 Detailed Description

Generic App Name Command Payload.

For command details, see CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC, CFE_EVS_RESET_APP_COUNTER_CC and/or CFE_EVS_RESET_ALL_FILTERS_CC Definition at line 1041 of file cfe_evs_msg.h.

10.48.2 Field Documentation

10.48.2.1 AppName char CFE_EVS_AppNameCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

Definition at line 1043 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.49 CFE EVS AppNameEventIDCmd Struct Reference

Generic App Name and Event ID Command.

#include <cfe_evs_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameEventIDCmd_Payload_t Payload

Command payload.

10.49.1 Detailed Description

Generic App Name and Event ID Command. Definition at line 1080 of file cfe evs msg.h.

10.49.2 Field Documentation

10.49.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_AppNameEventIDCmd::CommandHeader Command header.

Definition at line 1082 of file cfe evs msg.h.

10.49.2.2 Payload CFE_EVS_AppNameEventIDCmd_Payload_t CFE_EVS_AppNameEventIDCmd::Payload Command payload.

Definition at line 1083 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe evs msg.h

10.50 CFE_EVS_AppNameEventIDCmd_Payload Struct Reference

Generic App Name and Event ID Command Payload.

#include <cfe_evs_msg.h>

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

uint16 EventID

Event ID to use in the command.

10.50.1 Detailed Description

Generic App Name and Event ID Command Payload.

For command details, see CFE_EVS_RESET_FILTER_CC and CFE_EVS_DELETE_EVENT_FILTER_CC Definition at line 1071 of file cfe_evs_msg.h.

10.50.2 Field Documentation

10.50.2.1 AppName char CFE_EVS_AppNameEventIDCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN] Application name to use in the command.

Definition at line 1073 of file cfe evs msg.h.

10.50.2.2 EventID uint16 CFE_EVS_AppNameEventIDCmd_Payload::EventID

Event ID to use in the command.

Definition at line 1074 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe evs msg.h

10.51 CFE_EVS_AppNameEventIDMaskCmd Struct Reference

Generic App Name, Event ID, Mask Command.

#include <cfe_evs_msq.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppNameEventIDMaskCmd_Payload_t Payload

Command payload.

10.51.1 Detailed Description

Generic App Name, Event ID, Mask Command.

Definition at line 1141 of file cfe_evs_msg.h.

10.51.2 Field Documentation

10.51.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_AppNameEventIDMaskCmd::CommandHeader Command header.

Definition at line 1143 of file cfe_evs_msg.h.

10.51.2.2 Payload CFE_EVS_AppNameEventIDMaskCmd_Payload_t CFE_EVS_AppNameEventIDMaskCmd::Payload Command payload.

Definition at line 1144 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe evs msg.h

10.52 CFE_EVS_AppNameEventIDMaskCmd_Payload Struct Reference

Generic App Name, Event ID, Mask Command Payload.

#include <cfe_evs_msg.h>

Data Fields

char AppName [CFE MISSION MAX API LEN]

Application name to use in the command.

uint16 EventID

Event ID to use in the command.

· uint16 Mask

Mask to use in the command.

10.52.1 Detailed Description

Generic App Name, Event ID, Mask Command Payload.

For command details, see CFE_EVS_SET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC and/or CFE_EVS_DELETE_EVENT_FILD Definition at line 1131 of file cfe_evs_msg.h.

10.52.2 Field Documentation

10.52.2.1 AppName char CFE_EVS_AppNameEventIDMaskCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN] Application name to use in the command.

Definition at line 1133 of file cfe_evs_msg.h.

10.52.2.2 EventID uint16 CFE_EVS_AppNameEventIDMaskCmd_Payload::EventID

Event ID to use in the command.

Definition at line 1134 of file cfe evs msg.h.

10.52.2.3 Mask uint16 CFE_EVS_AppNameEventIDMaskCmd_Payload::Mask

Mask to use in the command.

Definition at line 1135 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.53 CFE_EVS_AppTImData Struct Reference

#include <cfe_evs_msg.h>

Data Fields

CFE_ES_Appld_t ApplD

Numerical application identifier.

uint16 AppMessageSentCounter

Application message sent counter.

uint8 AppEnableStatus

Application event service enable status.

• uint8 AppMessageSquelchedCounter

Number of events squelched.

10.53.1 Detailed Description

Definition at line 1159 of file cfe evs msg.h.

10.53.2 Field Documentation

10.53.2.1 AppEnableStatus uint8 CFE_EVS_AppTlmData::AppEnableStatus Application event service enable status.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPENASTAT

Definition at line 1165 of file cfe evs msg.h.

10.53.2.2 AppID CFE_ES_AppId_t CFE_EVS_AppTlmData::AppID

Numerical application identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPID

Definition at line 1161 of file cfe evs msg.h.

10.53.2.3 AppMessageSentCounter uint16 CFE_EVS_AppTlmData::AppMessageSentCounter Application message sent counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].APPMSGSENTC Definition at line 1163 of file cfe_evs_msg.h.

10.53.2.4 AppMessageSquelchedCounter uint8 CFE_EVS_AppTlmData::AppMessageSquelchedCounter Number of events squelched.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].SQUELCHEDC

Definition at line 1167 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe evs msg.h

10.54 CFE_EVS_BinFilter Struct Reference

Event message filter definition structure.

#include <cfe_evs_api_typedefs.h>

Data Fields

uint16 EventID

Numerical event identifier.

· uint16 Mask

Binary filter mask value.

10.54.1 Detailed Description

Event message filter definition structure.

Definition at line 60 of file cfe_evs_api_typedefs.h.

10.54.2 Field Documentation

10.54.2.1 EventID uint16 CFE_EVS_BinFilter::EventID

Numerical event identifier.

Definition at line 62 of file cfe_evs_api_typedefs.h.

10.54.2.2 Mask uint16 CFE_EVS_BinFilter::Mask

Binary filter mask value.

Definition at line 63 of file cfe evs api typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h

10.55 CFE EVS BitMaskCmd Struct Reference

Generic Bitmask Command.

#include <cfe_evs_msg.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_BitMaskCmd_Payload_t Payload

Command payload.

10.55.1 Detailed Description

Generic Bitmask Command.

Definition at line 1018 of file cfe_evs_msg.h.

10.55.2 Field Documentation

10.55.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_BitMaskCmd::CommandHeader

Command header.

Definition at line 1020 of file cfe_evs_msg.h.

10.55.2.2 Payload CFE_EVS_BitMaskCmd_Payload_t CFE_EVS_BitMaskCmd::Payload

Command payload.

Definition at line 1021 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe evs msg.h

10.56 CFE_EVS_BitMaskCmd_Payload Struct Reference

Generic Bitmask Command Payload.

#include <cfe_evs_msg.h>

Data Fields

uint8 BitMask

BitMask to use in the command.

• uint8 Spare

Pad to even byte.

10.56.1 Detailed Description

Generic Bitmask Command Payload.

For command details, see CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_PORTS_CC and/or CFE_EVS_DISABLE_PORTS_CC

Definition at line 1009 of file cfe evs msg.h.

10.56.2 Field Documentation

10.56.2.1 BitMask uint8 CFE_EVS_BitMaskCmd_Payload::BitMask

BitMask to use in the command.

Definition at line 1011 of file cfe_evs_msg.h.

10.56.2.2 Spare uint8 CFE_EVS_BitMaskCmd_Payload::Spare

Pad to even byte.

Definition at line 1012 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe evs msg.h

10.57 CFE_EVS_HousekeepingTlm Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_EVS_HousekeepingTlm_Payload_t Payload

Telemetry payload.

10.57.1 Detailed Description

Definition at line 1212 of file cfe_evs_msg.h.

10.57.2 Field Documentation

10.57.2.1 Payload CFE_EVS_HousekeepingTlm_Payload_t CFE_EVS_HousekeepingTlm::Payload Telemetry payload.

Definition at line 1215 of file cfe_evs_msg.h.

10.57.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_EVS_HousekeepingTlm::TelemetryHeader Telemetry header.

Definition at line 1214 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.58 CFE EVS HousekeepingTlm Payload Struct Reference

#include <cfe_evs_msg.h>

Data Fields

• uint8 CommandCounter

EVS Command Counter.

uint8 CommandErrorCounter

EVS Command Error Counter.

uint8 MessageFormatMode

Event message format mode (short/long)

uint8 MessageTruncCounter

Event message truncation counter.

• uint8 UnregisteredAppCounter

Unregistered application message send counter.

uint8 OutputPort

Output port mask.

uint8 LogFullFlag

Local event log full flag.

• uint8 LogMode

Local event logging mode (overwrite/discard)

• uint16 MessageSendCounter

Event message send counter.

uint16 LogOverflowCounter

Local event log overflow counter.

uint8 LogEnabled

Current event log enable/disable state.

uint8 Spare1

Padding for 32 bit boundary.

• uint8 Spare2

Padding for 32 bit boundary.

• uint8 Spare3

Padding for 32 bit boundary.

• CFE_EVS_AppTImData_t AppData [CFE_MISSION_ES_MAX_APPLICATIONS]

Array of registered application table data.

10.58.1 Detailed Description

Name Event Services Housekeeping Telemetry Packet

Definition at line 1174 of file cfe_evs_msg.h.

10.58.2 Field Documentation

10.58.2.1 AppData CFE_EVS_AppTlmData_t CFE_EVS_HousekeepingTlm_Payload::AppData[CFE_MISSION_ES_MAX_APPLICATIONS] Array of registered application table data.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS]

Definition at line 1208 of file cfe evs msg.h.

10.58.2.2 CommandCounter uint8 CFE_EVS_HousekeepingTlm_Payload::CommandCounter EVS Command Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_CMDPC

Definition at line 1176 of file cfe evs msg.h.

10.58.2.3 CommandErrorCounter uint8 CFE_EVS_HousekeepingTlm_Payload::CommandErrorCounter EVS Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_CMDEC

Definition at line 1178 of file cfe_evs_msg.h.

10.58.2.4 LogEnabled uint8 CFE_EVS_HousekeepingTlm_Payload::LogEnabled Current event log enable/disable state.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGENABLED

Definition at line 1199 of file cfe_evs_msg.h.

10.58.2.5 LogFullFlag uint8 CFE_EVS_HousekeepingTlm_Payload::LogFullFlag Local event log full flag.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGFULL

Definition at line 1189 of file cfe_evs_msg.h.

10.58.2.6 LogMode uint8 CFE_EVS_HousekeepingTlm_Payload::LogMode Local event logging mode (overwrite/discard)

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGMODE

Definition at line 1191 of file cfe_evs_msg.h.

10.58.2.7 LogOverflowCounter uint16 CFE_EVS_HousekeepingTlm_Payload::LogOverflowCounter Local event log overflow counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGOVERFLOWC

Definition at line 1196 of file cfe evs msg.h.

10.58.2.8 MessageFormatMode uint8 CFE_EVS_HousekeepingTlm_Payload::MessageFormatMode Event message format mode (short/long)

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGFMTMODE

Definition at line 1180 of file cfe evs msg.h.

10.58.2.9 MessageSendCounter uint16 CFE_EVS_HousekeepingTlm_Payload::MessageSendCounter Event message send counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGSENTC

Definition at line 1194 of file cfe_evs_msg.h.

10.58.2.10 MessageTruncCounter uint8 CFE_EVS_HousekeepingTlm_Payload::MessageTruncCounter Event message truncation counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGTRUNC

Definition at line 1182 of file cfe_evs_msg.h.

 $\begin{tabular}{ll} \textbf{10.58.2.11} & \textbf{OutputPort} & \textbf{uint8} & \textbf{CFE_EVS_HousekeepingTlm_Payload::} \textbf{OutputPort} \\ \textbf{Output port mask.} \end{tabular}$

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_OUTPUTPORT

Definition at line 1187 of file cfe_evs_msg.h.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE1

Definition at line 1201 of file cfe_evs_msg.h.

10.58.2.13 Spare2 uint8 CFE_EVS_HousekeepingTlm_Payload::Spare2 Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE2

Definition at line 1203 of file cfe_evs_msg.h.

10.58.2.14 Spare3 uint8 CFE_EVS_HousekeepingTlm_Payload::Spare3 Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE3

Definition at line 1205 of file cfe_evs_msg.h.

10.58.2.15 UnregisteredAppCounter uint8 CFE_EVS_HousekeepingTlm_Payload::UnregisteredAppCounter Unregistered application message send counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_UNREGAPPC

Definition at line 1185 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe evs msg.h

10.59 CFE_EVS_LogFileCmd_Payload Struct Reference

Write Event Log to File Command Payload.

#include <cfe_evs_msq.h>

Data Fields

char LogFilename [CFE_MISSION_MAX_PATH_LEN]

Filename where log data is to be written.

10.59.1 Detailed Description

Write Event Log to File Command Payload. For command details, see CFE_EVS_WRITE_LOG_DATA_FILE_CC Definition at line 926 of file cfe evs msg.h.

10.59.2 Field Documentation

10.59.2.1 LogFilename char CFE_EVS_LogFileCmd_Payload::LogFilename[CFE_MISSION_MAX_PATH_LEN] Filename where log data is to be written.

Definition at line 928 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.60 CFE EVS LongEventTlm Struct Reference

#include <cfe_evs_msg.h>

Data Fields

· CFE MSG TelemetryHeader t TelemetryHeader

Telemetry header.

CFE_EVS_LongEventTlm_Payload_t Payload

Telemetry payload.

10.60.1 Detailed Description

Definition at line 1256 of file cfe evs msg.h.

10.60.2 Field Documentation

10.60.2.1 Payload CFE_EVS_LongEventTlm_Payload_t CFE_EVS_LongEventTlm::Payload

Telemetry payload.

Definition at line 1259 of file cfe_evs_msg.h.

10.60.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_EVS_LongEventTlm::TelemetryHeader

Telemetry header.

Definition at line 1258 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.61 CFE_EVS_LongEventTlm_Payload Struct Reference

#include <cfe_evs_msg.h>

Data Fields

• CFE_EVS_PacketID_t PacketID

Event packet information.

char Message [CFE MISSION EVS MAX MESSAGE LENGTH]

Event message string.

• uint8 Spare1

Structure padding.

• uint8 Spare2

Structure padding.

10.61.1 Detailed Description

Name Event Message Telemetry Packet (Long format)

Definition at line 1237 of file cfe_evs_msg.h.

10.61.2 Field Documentation

10.61.2.1 Message char CFE_EVS_LongEventTlm_Payload::Message[CFE_MISSION_EVS_MAX_MESSAGE_LENGTH] Event message string.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENT[CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]

Definition at line 1240 of file cfe_evs_msg.h.

10.61.2.2 PacketID CFE_EVS_PacketID_t CFE_EVS_LongEventTlm_Payload::PacketID

Event packet information.

Definition at line 1239 of file cfe_evs_msg.h.

10.61.2.3 Spare1 uint8 CFE_EVS_LongEventTlm_Payload::Spare1 Structure padding.

Telemetry Mnemonic(s) \$sc \$cpu EVS SPARE1

Definition at line 1242 of file cfe_evs_msg.h.

10.61.2.4 Spare2 uint8 CFE_EVS_LongEventTlm_Payload::Spare2 Structure padding.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SPARE2

Definition at line 1244 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.62 CFE EVS NoArgsCmd Struct Reference

Command with no additional arguments.

#include <cfe_evs_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.62.1 Detailed Description

Command with no additional arguments.

Definition at line 905 of file cfe evs msg.h.

10.62.2 Field Documentation

10.62.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_NoArgsCmd::CommandHeader

Command header.

Definition at line 907 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.63 CFE_EVS_PacketID Struct Reference

#include <cfe_evs_msq.h>

Data Fields

char AppName [CFE MISSION MAX API LEN]

Application name.

uint16 EventID

Numerical event identifier.

uint16 EventType

Numerical event type identifier.

uint32 SpacecraftID

Spacecraft identifier.

· uint32 ProcessorID

Numerical processor identifier.

10.63.1 Detailed Description

Telemetry packet structures
Definition at line 1220 of file cfe_evs_msg.h.

10.63.2 Field Documentation

10.63.2.1 AppName char CFE_EVS_PacketID::AppName[CFE_MISSION_MAX_API_LEN] Application name.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APPNAME[OS_MAX_API_NAME]

Definition at line 1222 of file cfe_evs_msg.h.

10.63.2.2 EventID uint16 CFE_EVS_PacketID::EventID

Numerical event identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENTID

Definition at line 1224 of file cfe_evs_msg.h.

10.63.2.3 EventType uint16 CFE_EVS_PacketID::EventType

Numerical event type identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENTTYPE

Definition at line 1226 of file cfe_evs_msg.h.

10.63.2.4 ProcessorID uint32 CFE_EVS_PacketID::ProcessorID

Numerical processor identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_PROCESSORID

Definition at line 1230 of file cfe_evs_msg.h.

10.63.2.5 SpacecraftID uint32 CFE_EVS_PacketID::SpacecraftID Spacecraft identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SCID

Definition at line 1228 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.64 CFE_EVS_SetEventFormatCode_Payload Struct Reference

Set Event Format Mode Command Payload.

#include <cfe_evs_msg.h>

Data Fields

CFE_EVS_MsgFormat_Enum_t MsgFormat

Mode to use in the command.

• uint8 Spare

Pad to even byte.

10.64.1 Detailed Description

Set Event Format Mode Command Payload.
For command details, see CFE_EVS_SET_EVENT_FORMAT_MODE_CC
Definition at line 987 of file cfe_evs_msg.h.

10.64.2 Field Documentation

10.64.2.1 MsgFormat CFE_EVS_MsgFormat_Enum_t CFE_EVS_SetEventFormatCode_Payload::MsgFormat Mode to use in the command.

Definition at line 989 of file cfe_evs_msg.h.

10.64.2.2 Spare uint8 CFE_EVS_SetEventFormatCode_Payload::Spare

Pad to even byte.

Definition at line 990 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.65 CFE_EVS_SetEventFormatModeCmd Struct Reference

Set Event Format Mode Command.

#include <cfe_evs_msg.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_SetEventFormatMode_Payload_t Payload

Command payload.

10.65.1 Detailed Description

Set Event Format Mode Command.

Definition at line 996 of file cfe_evs_msg.h.

10.65.2 Field Documentation

10.65.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_SetEventFormatModeCmd::CommandHeader Command header.

Definition at line 998 of file cfe_evs_msg.h.

10.65.2.2 Payload CFE_EVS_SetEventFormatMode_Payload_t CFE_EVS_SetEventFormatModeCmd::Payload Command payload.

Definition at line 999 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.66 CFE_EVS_SetLogMode_Payload Struct Reference

Set Log Mode Command Payload.

#include <cfe_evs_msg.h>

Data Fields

• CFE_EVS_LogMode_Enum_t LogMode

Mode to use in the command.

· uint8 Spare

Pad to even byte.

10.66.1 Detailed Description

Set Log Mode Command Payload.

For command details, see CFE_EVS_SET_LOG_MODE_CC

Definition at line 966 of file cfe_evs_msg.h.

10.66.2 Field Documentation

10.66.2.1 LogMode CFE_EVS_LogMode_Enum_t CFE_EVS_SetLogMode_Payload::LogMode

Mode to use in the command.

Definition at line 968 of file cfe_evs_msg.h.

10.66.2.2 Spare uint8 CFE_EVS_SetLogMode_Payload::Spare

Pad to even byte.

Definition at line 969 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe evs msg.h

10.67 CFE_EVS_SetLogModeCmd Struct Reference

Set Log Mode Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

· CFE EVS SetLogMode Payload t Payload

Command payload.

10.67.1 Detailed Description

Set Log Mode Command.

Definition at line 975 of file cfe_evs_msg.h.

10.67.2 Field Documentation

10.67.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_SetLogModeCmd::CommandHeader Command header.

Definition at line 977 of file cfe_evs_msg.h.

10.67.2.2 Payload CFE_EVS_SetLogMode_Payload_t CFE_EVS_SetLogModeCmd::Payload

Command payload.

Definition at line 978 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.68 CFE_EVS_ShortEventTlm Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_EVS_ShortEventTlm_Payload_t Payload

Telemetry payload.

10.68.1 Detailed Description

Definition at line 1262 of file cfe_evs_msg.h.

10.68.2 Field Documentation

10.68.2.1 Payload CFE_EVS_ShortEventTlm_Payload_t CFE_EVS_ShortEventTlm::Payload Telemetry payload.

Definition at line 1265 of file cfe_evs_msg.h.

10.68.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_EVS_ShortEventTlm::TelemetryHeader Telemetry header.

Definition at line 1264 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

· cfe/modules/evs/fsw/inc/cfe evs msg.h

10.69 CFE_EVS_ShortEventTlm_Payload Struct Reference

#include <cfe_evs_msg.h>

Data Fields

· CFE EVS PacketID t PacketID

Event packet information.

10.69.1 Detailed Description

Name Event Message Telemetry Packet (Short format)

Definition at line 1251 of file cfe_evs_msg.h.

10.69.2 Field Documentation

10.69.2.1 PacketID CFE_EVS_PacketID_t CFE_EVS_ShortEventTlm_Payload::PacketID

Event packet information.

Definition at line 1253 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe evs msg.h

10.70 CFE_EVS_WriteAppDataFileCmd Struct Reference

Write Event Services Application Information to File Command.

#include <cfe_evs_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_AppDataCmd_Payload_t Payload

Command payload.

10.70.1 Detailed Description

Write Event Services Application Information to File Command.

Definition at line 954 of file cfe evs msg.h.

10.70.2 Field Documentation

10.70.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_WriteAppDataFileCmd::CommandHeader Command header.

Definition at line 956 of file cfe evs msg.h.

10.70.2.2 Payload CFE_EVS_AppDataCmd_Payload_t CFE_EVS_WriteAppDataFileCmd::Payload Command payload.

Definition at line 957 of file cfe evs msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe_evs_msg.h

10.71 CFE_EVS_WriteLogDataFileCmd Struct Reference

Write Event Log to File Command.

#include <cfe_evs_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_EVS_LogFileCmd_Payload_t Payload

Command payload.

10.71.1 Detailed Description

Write Event Log to File Command.

Definition at line 934 of file cfe_evs_msg.h.

10.71.2 Field Documentation

10.71.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_EVS_WriteLogDataFileCmd::CommandHeader Command header.

Definition at line 936 of file cfe evs msg.h.

10.71.2.2 Payload CFE_EVS_LogFileCmd_Payload_t CFE_EVS_WriteLogDataFileCmd::Payload Command payload.

Definition at line 937 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe evs msg.h

10.72 CFE_FS_FileWriteMetaData Struct Reference

External Metadata/State object associated with background file writes.

#include <cfe_fs_api_typedefs.h>

Data Fields

- volatile bool IsPending
- char FileName [OS MAX PATH LEN]
- uint32 FileSubType
- char Description [CFE FS HDR DESC MAX LEN]
- CFE_FS_FileWriteGetData_t GetData
- CFE_FS_FileWriteOnEvent_t OnEvent

10.72.1 Detailed Description

External Metadata/State object associated with background file writes.

Applications intending to schedule background file write jobs should instantiate this object in static/global data memory. This keeps track of the state of the file write request(s).

Definition at line 123 of file cfe_fs_api_typedefs.h.

10.72.2 Field Documentation

10.72.2.1 Description char CFE_FS_FileWriteMetaData::Description[CFE_FS_HDR_DESC_MAX_LEN]

Description of file (for FS header)

Definition at line 131 of file cfe_fs_api_typedefs.h.

10.72.2.2 FileName char CFE_FS_FileWriteMetaData::FileName[OS_MAX_PATH_LEN]

Name of file to write

Definition at line 127 of file cfe fs api typedefs.h.

10.72.2.3 FileSubType uint32 CFE_FS_FileWriteMetaData::FileSubType

Type of file to write (for FS header)

Definition at line 130 of file cfe_fs_api_typedefs.h.

10.72.2.4 GetData CFE_FS_FileWriteGetData_t CFE_FS_FileWriteMetaData::GetData

Application callback to get a data record

Definition at line 133 of file cfe_fs_api_typedefs.h.

10.72.2.5 IsPending volatile bool CFE_FS_FileWriteMetaData::IsPending

Whether request is pending (volatile as it may be checked outside lock)

Definition at line 125 of file cfe_fs_api_typedefs.h.

10.72.2.6 OnEvent CFE_FS_FileWriteOnEvent_t CFE_FS_FileWriteMetaData::OnEvent

Application callback for abstract event processing

Definition at line 134 of file cfe fs api typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core api/fsw/inc/cfe fs api typedefs.h

10.73 CFE_FS_Header Struct Reference

Standard cFE File header structure definition.

#include <cfe_fs_extern_typedefs.h>

Data Fields

uint32 ContentType

Identifies the content type (='cFE1'=0x63464531)

• uint32 SubType

Type of Content Type, if necessary.

· uint32 Length

Length of this header to support external processing.

· uint32 SpacecraftID

Spacecraft that generated the file.

uint32 ProcessorID

Processor that generated the file.

· uint32 ApplicationID

Application that generated the file.

· uint32 TimeSeconds

File creation timestamp (seconds)

uint32 TimeSubSeconds

File creation timestamp (sub-seconds)

• char Description [CFE_FS_HDR_DESC_MAX_LEN]

File description.

10.73.1 Detailed Description

Standard cFE File header structure definition.

Definition at line 203 of file cfe_fs_extern_typedefs.h.

10.73.2 Field Documentation

10.73.2.1 ApplicationID uint32 CFE_FS_Header::ApplicationID

Application that generated the file.

Definition at line 212 of file cfe_fs_extern_typedefs.h.

10.73.2.2 ContentType uint32 CFE_FS_Header::ContentType

Identifies the content type (='cFE1'=0x63464531)

Definition at line 205 of file cfe fs extern typedefs.h.

10.73.2.3 Description char CFE_FS_Header::Description[CFE_FS_HDR_DESC_MAX_LEN]

File description.

Definition at line 217 of file cfe_fs_extern_typedefs.h.

10.73.2.4 Length uint32 CFE_FS_Header::Length

Length of this header to support external processing.

Definition at line 209 of file cfe_fs_extern_typedefs.h.

10.73.2.5 ProcessorID uint32 CFE_FS_Header::ProcessorID

Processor that generated the file.

Definition at line 211 of file cfe_fs_extern_typedefs.h.

10.73.2.6 SpacecraftID uint32 CFE_FS_Header::SpacecraftID

Spacecraft that generated the file.

Definition at line 210 of file cfe fs extern typedefs.h.

10.73.2.7 SubType uint32 CFE_FS_Header::SubType

Type of ContentType, if necessary.

Standard SubType definitions can be found here

Definition at line 206 of file cfe fs extern typedefs.h.

10.73.2.8 TimeSeconds uint32 CFE_FS_Header::TimeSeconds

File creation timestamp (seconds)

Definition at line 214 of file cfe_fs_extern_typedefs.h.

10.73.2.9 TimeSubSeconds uint32 CFE_FS_Header::TimeSubSeconds

File creation timestamp (sub-seconds)

Definition at line 215 of file cfe_fs_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h

10.74 CFE_SB_AllSubscriptionsTlm Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader
 - Telemetry header.
- CFE_SB_AllSubscriptionsTlm_Payload_t Payload

Telemetry payload.

10.74.1 Detailed Description

Definition at line 787 of file cfe_sb_msg.h.

10.74.2 Field Documentation

10.74.2.1 Payload CFE_SB_AllSubscriptionsTlm_Payload_t CFE_SB_AllSubscriptionsTlm::Payload Telemetry payload.

Definition at line 790 of file cfe_sb_msg.h.

10.74.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_SB_AllSubscriptionsTlm::TelemetryHeader Telemetry header.

Definition at line 789 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe sb msg.h

10.75 CFE_SB_AllSubscriptionsTlm_Payload Struct Reference

#include <cfe_sb_msq.h>

Data Fields

· uint32 PktSegment

Pkt number(starts at 1) in the series.

· uint32 TotalSegments

Total number of pkts needed to complete the request.

uint32 Entries

Number of entries in the pkt.

CFE_SB_SubEntries_t Entry [CFE_SB_SUB_ENTRIES_PER_PKT]

Array of CFE_SB_SubEntries_t entries.

10.75.1 Detailed Description

Name SB Previous Subscriptions Packet

This structure defines the pkt(s) sent by SB that contains a list of all current subscriptions. This pkt is generated on cmd and intended to be used primarily by the Software Bus Networking Application (SBN). Typically, when the cmd is received there are more subscriptions than can fit in one pkt. The complete list of subscriptions is sent via a series of segmented pkts.

Definition at line 779 of file cfe sb msg.h.

10.75.2 Field Documentation

10.75.2.1 Entries uint32 CFE_SB_AllSubscriptionsTlm_Payload::Entries

Number of entries in the pkt.

Definition at line 783 of file cfe_sb_msg.h.

10.75.2.2 Entry CFE_SB_SubEntries_t CFE_SB_AllSubscriptionsTlm_Payload::Entry[CFE_SB_SUB_ENTRIES_PER_PKT]
Array of CFE_SB_SubEntries_t entries.

Definition at line 784 of file cfe sb msg.h.

10.75.2.3 PktSegment uint32 CFE_SB_AllSubscriptionsTlm_Payload::PktSegment

Pkt number(starts at 1) in the series.

Definition at line 781 of file cfe_sb_msg.h.

10.75.2.4 TotalSegments uint32 CFE_SB_AllSubscriptionsTlm_Payload::TotalSegments

Total number of pkts needed to complete the request.

Definition at line 782 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.76 CFE_SB_HousekeepingTlm Struct Reference

#include <cfe_sb_msg.h>

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_SB_HousekeepingTlm_Payload_t Payload

Telemetry payload.

10.76.1 Detailed Description

Definition at line 597 of file cfe_sb_msg.h.

10.76.2 Field Documentation

10.76.2.1 Payload CFE_SB_HousekeepingTlm_Payload_t CFE_SB_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 600 of file cfe sb msg.h.

10.76.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_SB_HousekeepingTlm::TelemetryHeader Telemetry header.

Definition at line 599 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.77 CFE_SB_HousekeepingTlm_Payload Struct Reference

#include <cfe_sb_msg.h>

Data Fields

• uint8 CommandCounter

Count of valid commands received.

uint8 CommandErrorCounter

Count of invalid commands received.

· uint8 NoSubscribersCounter

Count pkts sent with no subscribers.

• uint8 MsgSendErrorCounter

Count of message send errors.

• uint8 MsgReceiveErrorCounter

Count of message receive errors.

· uint8 InternalErrorCounter

Count of queue read or write errors.

uint8 CreatePipeErrorCounter

Count of errors in create pipe API.

· uint8 SubscribeErrorCounter

Count of errors in subscribe API.

• uint8 PipeOptsErrorCounter

Count of errors in set/get pipe options API.

· uint8 DuplicateSubscriptionsCounter

Count of duplicate subscriptions.

uint8 GetPipeIdByNameErrorCounter

Count of errors in get pipe id by name API.

uint8 Spare2Align [1]

Spare bytes to ensure alignment.

• uint16 PipeOverflowErrorCounter

Count of pipe overflow errors.

uint16 MsgLimitErrorCounter

Count of msg id to pipe errors.

• CFE_ES_MemHandle_t MemPoolHandle

Handle to SB's Memory Pool.

• uint32 MemInUse

Memory in use.

· uint32 UnmarkedMem

cfg param CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus Peak Memory in use

10.77.1 Detailed Description

Name Software Bus task housekeeping Packet

Definition at line 554 of file cfe_sb_msg.h.

10.77.2 Field Documentation

10.77.2.1 CommandCounter uint8 CFE_SB_HousekeepingTlm_Payload::CommandCounter Count of valid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_CMDPC

Definition at line 558 of file cfe_sb_msg.h.

10.77.2.2 CommandErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::CommandErrorCounter Count of invalid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_CMDEC

Definition at line 560 of file cfe_sb_msg.h.

10.77.2.3 CreatePipeErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::CreatePipeErrorCounter Count of errors in create pipe API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_NewPipeEC

Definition at line 571 of file cfe_sb_msg.h.

10.77.2.4 DuplicateSubscriptionsCounter uint8 CFE_SB_HousekeepingTlm_Payload::DuplicateSubscriptions←

Count of duplicate subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_DupSubCnt

Definition at line 577 of file cfe sb msg.h.

10.77.2.5 GetPipeldByNameErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::GetPipeIdByName← ErrorCounter

Count of errors in get pipe id by name API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_GetPipeIDByNameEC

Definition at line 579 of file cfe sb msg.h.

10.77.2.6 InternalErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::InternalErrorCounter Count of queue read or write errors.

Telemetry Mnemonic(s) \$sc \$cpu SB InternalEC

Definition at line 569 of file cfe_sb_msg.h.

10.77.2.7 MemInUse uint32 CFE_SB_HousekeepingTlm_Payload::MemInUse Memory in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MemInUse

Definition at line 592 of file cfe_sb_msg.h.

10.77.2.8 MemPoolHandle CFE_ES_MemHandle_t CFE_SB_HousekeepingTlm_Payload::MemPoolHandle Handle to SB's Memory Pool.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MemPoolHdl

Definition at line 589 of file cfe sb msg.h.

10.77.2.9 MsgLimitErrorCounter uint16 CFE_SB_HousekeepingTlm_Payload::MsgLimitErrorCounter Count of msg id to pipe errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgLimEC

Definition at line 586 of file cfe_sb_msg.h.

10.77.2.10 MsgReceiveErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::MsgReceiveErrorCounter Count of message receive errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgRecEC

Definition at line 567 of file cfe_sb_msg.h.

10.77.2.11 MsgSendErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::MsgSendErrorCounter Count of message send errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgSndEC

Definition at line 564 of file cfe_sb_msg.h.

10.77.2.12 NoSubscribersCounter uint8 CFE_SB_HousekeepingTlm_Payload::NoSubscribersCounter Count pkts sent with no subscribers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_NoSubEC

Definition at line 562 of file cfe_sb_msg.h.

10.77.2.13 PipeOptsErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::PipeOptsErrorCounter Count of errors in set/get pipe options API.

Telemetry Mnemonic(s) \$sc \$cpu SB PipeOptsEC

Definition at line 575 of file cfe_sb_msg.h.

10.77.2.14 PipeOverflowErrorCounter uint16 CFE_SB_HousekeepingTlm_Payload::PipeOverflowError← Counter

Count of pipe overflow errors.

Telemetry Mnemonic(s) \$sc \$cpu SB PipeOvrEC

Definition at line 584 of file cfe sb msg.h.

10.77.2.15 Spare2Align uint8 CFE_SB_HousekeepingTlm_Payload::Spare2Align[1] Spare bytes to ensure alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Spare2Align[2]

Definition at line 581 of file cfe_sb_msg.h.

10.77.2.16 SubscribeErrorCounter uint8 CFE_SB_HousekeepingTlm_Payload::SubscribeErrorCounter Count of errors in subscribe API.

Telemetry Mnemonic(s) \$sc \$cpu SB SubscrEC

Definition at line 573 of file cfe_sb_msg.h.

10.77.2.17 UnmarkedMem uint32 CFE_SB_HousekeepingTlm_Payload::UnmarkedMem cfg param CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus Peak Memory in use

Telemetry Mnemonic(s) \$sc_\$cpu_SB_UnMarkedMem

Definition at line 595 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.78 CFE_SB_Msg Union Reference

Software Bus generic message.

#include <cfe_sb_api_typedefs.h>

Data Fields

CFE_MSG_Message_t Msg

Base message type without enforced alignment.

long long int LongInt

Align to support Long Integer.

long double LongDouble

Align to support Long Double.

10.78.1 Detailed Description

Software Bus generic message.

Definition at line 142 of file cfe_sb_api_typedefs.h.

10.78.2 Field Documentation

10.78.2.1 LongDouble long double CFE_SB_Msg::LongDouble

Align to support Long Double.

Definition at line 146 of file cfe_sb_api_typedefs.h.

10.78.2.2 LongInt long long int CFE_SB_Msg::LongInt

Align to support Long Integer.

Definition at line 145 of file cfe_sb_api_typedefs.h.

10.78.2.3 Msg CFE_MSG_Message_t CFE_SB_Msg::Msg

Base message type without enforced alignment.

Definition at line 144 of file cfe_sb_api_typedefs.h.

The documentation for this union was generated from the following file:

cfe/modules/core api/fsw/inc/cfe sb api typedefs.h

10.79 CFE_SB_Msgld_t Struct Reference

```
CFE_SB_Msgld_t type definition.
#include <cfe_sb_extern_typedefs.h>
```

Data Fields

· CFE SB Msgld Atom t Value

10.79.1 Detailed Description

CFE_SB_Msgld_t type definition.

Software Bus message identifier used in many SB APIs

Currently this is directly mapped to the underlying holding type (not wrapped) for compatibility with existing usage semantics in apps (mainly switch/case statements)

Note

In a future version it could become a type-safe wrapper similar to the route index, to avoid message IDs getting mixed between other integer values.

Definition at line 114 of file cfe_sb_extern_typedefs.h.

10.79.2 Field Documentation

10.79.2.1 Value CFE_SB_MsgId_Atom_t CFE_SB_MsgId_t::Value

Definition at line 116 of file cfe_sb_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h

10.80 CFE_SB_MsgMapFileEntry Struct Reference

```
SB Map File Entry.
```

#include <cfe_sb_msq.h>

Data Fields

CFE SB Msgld t Msgld

Message Id which has been subscribed to.

CFE_SB_RouteId_Atom_t Index

Routing raw index value (0 based, not Route ID)

10.80.1 Detailed Description

SB Map File Entry.

Structure of one element of the map information in response to CFE_SB_WRITE_MAP_INFO_CC Definition at line 725 of file cfe_sb_msg.h.

10.80.2 Field Documentation

 $\begin{tabular}{ll} \textbf{10.80.2.1} & \textbf{Index} & \texttt{CFE_SB_RouteId_Atom_t CFE_SB_MsgMapFileEntry::} Index \\ \textbf{Routing raw index value (0 based, not Route ID)} \\ \end{tabular}$

Definition at line 728 of file cfe_sb_msg.h.

10.80.2.2 Msgld CFE_SB_MsgId_t CFE_SB_MsgMapFileEntry::MsgId

Message Id which has been subscribed to.

Definition at line 727 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.81 CFE_SB_PipeDepthStats Struct Reference

SB Pipe Depth Statistics.

#include <cfe_sb_msg.h>

Data Fields

• CFE_SB_PipeId_t PipeId

Pipe Id associated with the stats below.

uint16 MaxQueueDepth

Number of messages the pipe can hold.

• uint16 CurrentQueueDepth

Number of messages currently on the pipe.

· uint16 PeakQueueDepth

Peak number of messages that have been on the pipe.

• uint16 Spare

Spare word to ensure alignment.

10.81.1 Detailed Description

SB Pipe Depth Statistics.

Used in SB Statistics Telemetry Packet CFE_SB_StatsTIm_t

Definition at line 608 of file cfe sb msg.h.

10.81.2 Field Documentation

10.81.2.1 CurrentQueueDepth uint16 CFE_SB_PipeDepthStats::CurrentQueueDepth

Number of messages currently on the pipe.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDINUSE

Definition at line 614 of file cfe_sb_msg.h.

10.81.2.2 MaxQueueDepth uint16 CFE_SB_PipeDepthStats::MaxQueueDepth

Number of messages the pipe can hold.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDDEPTH

Definition at line 612 of file cfe sb msg.h.

10.81.2.3 PeakQueueDepth uint16 CFE_SB_PipeDepthStats::PeakQueueDepth

Peak number of messages that have been on the pipe.

Telemetry Mnemonic(s) \$sc \$cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDPKINUSE

Definition at line 616 of file cfe_sb_msg.h.

10.81.2.4 Pipeld CFE_SB_PipeId_t CFE_SB_PipeDepthStats::PipeId

Pipe Id associated with the stats below.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPIPEID

Definition at line 610 of file cfe sb msg.h.

10.81.2.5 Spare uint16 CFE_SB_PipeDepthStats::Spare

Spare word to ensure alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDSPARE

Definition at line 618 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.82 CFE_SB_PipeInfoEntry Struct Reference

SB Pipe Information File Entry.

#include <cfe sb msq.h>

Data Fields

- CFE_SB_PipeId_t PipeId
- CFE_ES_Appld_t Appld
- char PipeName [CFE_MISSION_MAX_API_LEN]
- char AppName [CFE_MISSION_MAX_API_LEN]
- uint16 MaxQueueDepth
- uint16 CurrentQueueDepth
- · uint16 PeakQueueDepth
- uint16 SendErrors
- uint8 Opts
- uint8 Spare [3]

10.82.1 Detailed Description

SB Pipe Information File Entry.

This statistics structure is output as part of the CFE SB "Send Pipe Info" command (CFE_SB_SEND_PIPE_INFO_CC). Previous versions of CFE simply wrote the internal CFE_SB_PipeD_t object to the file, but this also contains information such as pointers which are not relevant outside the running CFE process.

By defining the pipe info structure separately, it also provides some independence, such that the internal CFE_SB_

PipeD_t definition can evolve without changing the binary format of the information file.

Definition at line 637 of file cfe_sb_msg.h.

10.82.2 Field Documentation

10.82.2.1 Appld CFE_ES_Appld_t CFE_SB_PipeInfoEntry::Appld

The runtime ID of the application that owns the pipe Definition at line 640 of file cfe sb msg.h.

10.82.2.2 AppName char CFE_SB_PipeInfoEntry::AppName[CFE_MISSION_MAX_API_LEN]

The Name of the application that owns the pipe Definition at line 642 of file cfe sb msg.h.

10.82.2.3 CurrentQueueDepth uint16 CFE_SB_PipeInfoEntry::CurrentQueueDepth

The current depth of the pipe

Definition at line 644 of file cfe_sb_msg.h.

10.82.2.4 MaxQueueDepth uint16 CFE_SB_PipeInfoEntry::MaxQueueDepth

The allocated depth of the pipe (max capacity) Definition at line 643 of file cfe_sb_msg.h.

10.82.2.5 Opts uint8 CFE_SB_PipeInfoEntry::Opts

Pipe options set (bitmask)

Definition at line 647 of file cfe sb msg.h.

10.82.2.6 PeakQueueDepth uint16 CFE_SB_PipeInfoEntry::PeakQueueDepth

The peak depth of the pipe (high watermark)

Definition at line 645 of file cfe_sb_msg.h.

10.82.2.7 Pipeld CFE_SB_PipeId_t CFE_SB_PipeInfoEntry::PipeId

The runtime ID of the pipe

Definition at line 639 of file cfe_sb_msg.h.

10.82.2.8 PipeName char CFE_SB_PipeInfoEntry::PipeName[CFE_MISSION_MAX_API_LEN]

The Name of the pipe

Definition at line 641 of file cfe_sb_msg.h.

10.82.2.9 SendErrors uint16 CFE_SB_PipeInfoEntry::SendErrors

Number of errors when writing to this pipe

Definition at line 646 of file cfe_sb_msg.h.

10.82.2.10 Spare uint8 CFE_SB_PipeInfoEntry::Spare[3]

Padding to make this structure a multiple of 4 bytes

Definition at line 648 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.83 CFE_SB_Qos_t Struct Reference

Quality Of Service Type Definition.

#include <cfe_sb_extern_typedefs.h>

Data Fields

uint8 Priority

Specify high(1) or low(0) message priority for off-board routing, currently unused.

· uint8 Reliability

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

10.83.1 Detailed Description

Quality Of Service Type Definition.

Currently an unused parameter in CFE_SB_SubscribeEx Intended to be used for interprocessor communication only Definition at line 131 of file cfe_sb_extern_typedefs.h.

10.83.2 Field Documentation

10.83.2.1 Priority uint8 CFE_SB_Qos_t::Priority

Specify high(1) or low(0) message priority for off-board routing, currently unused.

Definition at line 133 of file cfe sb extern typedefs.h.

10.83.2.2 Reliability uint8 CFE_SB_Qos_t::Reliability

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

Definition at line 134 of file cfe sb extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h

10.84 CFE_SB_RouteCmd Struct Reference

Enable/Disable Route Command.

#include <cfe_sb_msg.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE SB RouteCmd Payload t Payload

Command payload.

10.84.1 Detailed Description

Enable/Disable Route Command.

Definition at line 535 of file cfe_sb_msg.h.

10.84.2 Field Documentation

10.84.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_SB_RouteCmd::CommandHeader

Command header.

Definition at line 537 of file cfe sb msg.h.

10.84.2.2 Payload CFE_SB_RouteCmd_Payload_t CFE_SB_RouteCmd::Payload

Command payload.

Definition at line 538 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.85 CFE_SB_RouteCmd_Payload Struct Reference

Enable/Disable Route Command Payload.

#include <cfe_sb_msq.h>

Data Fields

CFE_SB_Msgld_t Msgld

Message ID of route to be enabled or disabled CFE SB Msgld t.

CFE_SB_PipeId_t Pipe

Pipe ID of route to be enabled or disabled CFE_SB_PipeId_t.

· uint8 Spare

Spare byte to make command even number of bytes.

10.85.1 Detailed Description

Enable/Disable Route Command Payload.

This structure contains a definition used by two SB commands, 'Enable Route' CFE_SB_ENABLE_ROUTE_CC and 'Disable Route' CFE_SB_DISABLE_ROUTE_CC. A route is the destination pipe for a particular message and is therefore defined as a Msgld and Pipeld combination.

Definition at line 525 of file cfe_sb_msg.h.

10.85.2 Field Documentation

10.85.2.1 Msgld CFE_SB_MsgId_t CFE_SB_RouteCmd_Payload::MsgId

Message ID of route to be enabled or disabled CFE SB Msgld t.

Definition at line 527 of file cfe_sb_msg.h.

10.85.2.2 Pipe CFE_SB_PipeId_t CFE_SB_RouteCmd_Payload::Pipe

Pipe ID of route to be enabled or disabled CFE SB Pipeld t.

Definition at line 528 of file cfe_sb_msg.h.

10.85.2.3 Spare uint8 CFE_SB_RouteCmd_Payload::Spare

Spare byte to make command even number of bytes.

Definition at line 529 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.86 CFE_SB_RoutingFileEntry Struct Reference

SB Routing File Entry.

#include <cfe_sb_msg.h>

Data Fields

• CFE_SB_Msgld_t Msgld

Message Id portion of the route.

· CFE SB Pipeld t Pipeld

Pipe Id portion of the route.

· uint8 State

Route Enabled or Disabled.

• uint16 MsgCnt

Number of msgs with this Msgld sent to this Pipeld.

• char AppName [CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

char PipeName [CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

10.86.1 Detailed Description

SB Routing File Entry.

Structure of one element of the routing information in response to CFE_SB_WRITE_ROUTING_INFO_CC Definition at line 710 of file cfe_sb_msg.h.

10.86.2 Field Documentation

10.86.2.1 AppName char CFE_SB_RoutingFileEntry::AppName[CFE_MISSION_MAX_API_LEN] Pipe Depth Statistics.

Definition at line 716 of file cfe sb msg.h.

10.86.2.2 MsgCnt uint16 CFE_SB_RoutingFileEntry::MsgCnt

Number of msgs with this Msgld sent to this Pipeld.

Definition at line 715 of file cfe_sb_msg.h.

10.86.2.3 Msgld CFE_SB_Msgld_t CFE_SB_RoutingFileEntry::Msgld

Message Id portion of the route.

Definition at line 712 of file cfe_sb_msg.h.

10.86.2.4 Pipeld CFE_SB_PipeId_t CFE_SB_RoutingFileEntry::PipeId

Pipe Id portion of the route.

Definition at line 713 of file cfe sb msg.h.

10.86.2.5 PipeName char CFE_SB_RoutingFileEntry::PipeName[CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

Definition at line 717 of file cfe_sb_msg.h.

10.86.2.6 State uint8 CFE_SB_RoutingFileEntry::State

Route Enabled or Disabled.

Definition at line 714 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.87 CFE_SB_SingleSubscriptionTlm Struct Reference

#include <cfe_sb_msg.h>

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE_SB_SingleSubscriptionTlm_Payload_t Payload

Telemetry payload.

10.87.1 Detailed Description

Definition at line 749 of file cfe sb msg.h.

10.87.2 Field Documentation

10.87.2.1 Payload CFE_SB_SingleSubscriptionTlm_Payload_t CFE_SB_SingleSubscriptionTlm::Payload Telemetry payload.

Definition at line 752 of file cfe_sb_msg.h.

10.87.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_SB_SingleSubscriptionTlm::TelemetryHeader Telemetry header.

Definition at line 751 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.88 CFE_SB_SingleSubscriptionTlm_Payload Struct Reference

#include <cfe_sb_msg.h>

Data Fields

uint8 SubType

Subscription or Unsubscription.

CFE_SB_Msgld_t Msgld

Msgld subscribed or unsubscribe to.

• CFE_SB_Qos_t Qos

Quality of Service, used only for interprocessor communication.

CFE SB Pipeld t Pipe

Destination pipe id to send above msg id

10.88.1 Detailed Description

Name SB Subscription Report Packet

This structure defines the pkt sent by SB when a subscription or a request to unsubscribe is received while subscription reporting is enabled. By default subscription reporting is disabled. This feature is intended to be used primarily by Software Bus Networking Application (SBN)

See also

CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_DISABLE_SUB_REPORTING_CC

Definition at line 741 of file cfe_sb_msg.h.

10.88.2 Field Documentation

10.88.2.1 Msgld CFE_SB_Msgld_t CFE_SB_SingleSubscriptionTlm_Payload::Msgld Msgld subscribed or unsubscribe to.

Definition at line 744 of file cfe sb msg.h.

10.88.2.2 Pipe CFE_SB_PipeId_t CFE_SB_SingleSubscriptionTlm_Payload::Pipe Destination pipe id to send above msg id

Definition at line 746 of file cfe sb msg.h.

10.88.2.3 Qos CFE_SB_Qos_t CFE_SB_SingleSubscriptionTlm_Payload::Qos Quality of Service, used only for interprocessor communication. Definition at line 745 of file cfe_sb_msg.h.

10.88.2.4 SubType uint8 CFE_SB_SingleSubscriptionTlm_Payload::SubType Subscription or Unsubscription.

Definition at line 743 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.89 CFE_SB_StatsTIm Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE SB StatsTlm Payload t Payload

Telemetry payload.

10.89.1 Detailed Description

Definition at line 699 of file cfe_sb_msg.h.

10.89.2 Field Documentation

10.89.2.1 Payload CFE_SB_StatsTlm_Payload_t CFE_SB_StatsTlm::Payload

Telemetry payload.

Definition at line 702 of file cfe sb msg.h.

10.89.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_SB_StatsTlm::TelemetryHeader

Telemetry header.

Definition at line 701 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.90 CFE_SB_StatsTIm_Payload Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

• uint32 MsgldsInUse

Current number of Msglds with a destination.

• uint32 PeakMsgldsInUse

Peak number of Msglds with a destination.

uint32 MaxMsgldsAllowed

cFE Cfg Param CFE_PLATFORM_SB_MAX_MSG_IDS

• uint32 PipesInUse

Number of pipes currently in use.

• uint32 PeakPipesInUse

Peak number of pipes since last reboot.

uint32 MaxPipesAllowed

cFE Cfg Param CFE_PLATFORM_SB_MAX_PIPES

uint32 MemInUse

Memory bytes currently in use for SB msg transfers.

uint32 PeakMemInUse

Peak memory bytes in use for SB msg transfers.

uint32 MaxMemAllowed

cFE Cfg Param CFE_PLATFORM_SB_BUF_MEMORY_BYTES

• uint32 SubscriptionsInUse

Number of current subscriptions.

• uint32 PeakSubscriptionsInUse

Peak number of subscriptions.

uint32 MaxSubscriptionsAllowed

product of CFE_PLATFORM_SB_MAX_MSG_IDS and CFE_PLATFORM_SB_MAX_DEST_PER_PKT

uint32 SBBuffersInUse

Number of SB message buffers currently in use.

· uint32 PeakSBBuffersInUse

Max number of SB message buffers in use.

uint32 MaxPipeDepthAllowed

Maximum allowed pipe depth.

CFE_SB_PipeDepthStats_t PipeDepthStats [CFE_MISSION_SB_MAX_PIPES]

Pipe Depth Statistics CFE_SB_PipeDepthStats_t.

10.90.1 Detailed Description

Name SB Statistics Telemetry Packet

SB Statistics packet sent in response to CFE_SB_SEND_SB_STATS_CC Definition at line 656 of file cfe_sb_msg.h.

10.90.2 Field Documentation

10.90.2.1 MaxMemAllowed uint32 CFE_SB_StatsTlm_Payload::MaxMemAllowed cFE Cfg Param CFE_PLATFORM_SB_BUF_MEMORY_BYTES

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMBMALW

Definition at line 676 of file cfe sb msg.h.

10.90.2.2 MaxMsgldsAllowed uint32 CFE_SB_StatsTlm_Payload::MaxMsgldsAllowed cFE Cfg Param CFE_PLATFORM_SB_MAX_MSG_IDS

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMMIDALW

Definition at line 662 of file cfe_sb_msg.h.

10.90.2.3 MaxPipeDepthAllowed uint32 CFE_SB_StatsTlm_Payload::MaxPipeDepthAllowed Maximum allowed pipe depth.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMPDALW

Definition at line 692 of file cfe_sb_msg.h.

10.90.2.4 MaxPipesAllowed uint32 CFE_SB_StatsTlm_Payload::MaxPipesAllowed cFE Cfg Param CFE PLATFORM SB MAX PIPES

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMPALW

Definition at line 669 of file cfe sb msg.h.

10.90.2.5 MaxSubscriptionsAllowed uint32 CFE_SB_StatsTlm_Payload::MaxSubscriptionsAllowed product of CFE_PLATFORM_SB_MAX_MSG_IDS and CFE_PLATFORM_SB_MAX_DEST_PER_PKT

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMSALW

Definition at line 683 of file cfe sb msg.h.

10.90.2.6 MeminUse uint32 CFE_SB_StatsTlm_Payload::MemInUse Memory bytes currently in use for SB msg transfers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMBMIU

Definition at line 672 of file cfe_sb_msg.h.

10.90.2.7 MsgldsInUse uint32 CFE_SB_StatsTlm_Payload::MsgldsInUse Current number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMIDIU

Definition at line 658 of file cfe_sb_msg.h.

10.90.2.8 PeakMemInUse uint32 CFE_SB_StatsTlm_Payload::PeakMemInUse Peak memory bytes in use for SB msg transfers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPBMIU

Definition at line 674 of file cfe_sb_msg.h.

10.90.2.9 PeakMsgldsInUse uint32 CFE_SB_StatsTlm_Payload::PeakMsgldsInUse Peak number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPMIDIU

Definition at line 660 of file cfe_sb_msg.h.

10.90.2.10 PeakPipesInUse uint32 CFE_SB_StatsTlm_Payload::PeakPipesInUse Peak number of pipes since last reboot.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPPIU

Definition at line 667 of file cfe sb msg.h.

10.90.2.11 PeakSBBuffersInUse uint32 CFE_SB_StatsTlm_Payload::PeakSBBuffersInUse Max number of SB message buffers in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPSBBIU

Definition at line 689 of file cfe sb msg.h.

10.90.2.12 PeakSubscriptionsInUse uint32 CFE_SB_StatsTlm_Payload::PeakSubscriptionsInUse Peak number of subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPSIU

Definition at line 681 of file cfe sb msg.h.

10.90.2.13 PipeDepthStats CFE_SB_PipeDepthStats_t CFE_SB_StatsTlm_Payload::PipeDepthStats[CFE_MISSION_SB_MAX_PIPEPEDEPTh Statistics CFE_SB_PipeDepthStats_t.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES]

Definition at line 695 of file cfe_sb_msg.h.

10.90.2.14 PipesInUse uint32 CFE_SB_StatsTlm_Payload::PipesInUse Number of pipes currently in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPIU

Definition at line 665 of file cfe_sb_msg.h.

10.90.2.15 SBBuffersInUse uint32 CFE_SB_StatsTlm_Payload::SBBuffersInUse Number of SB message buffers currently in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMSBBIU

Definition at line 687 of file cfe_sb_msg.h.

10.90.2.16 SubscriptionsInUse uint32 CFE_SB_StatsTlm_Payload::SubscriptionsInUse Number of current subscriptions.

Telemetry Mnemonic(s) \$sc \$cpu SB Stat.SB SMSIU

Definition at line 679 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

10.91 CFE_SB_SubEntries Struct Reference

SB Previous Subscriptions Entry. #include <cfe_sb_msg.h>

Data Fields

• CFE_SB_Msgld_t Msgld

Msgld portion of the subscription.

CFE_SB_Qos_t Qos

Qos portion of the subscription.

CFE_SB_PipeId_t Pipe

Pipeld portion of the subscription.

10.91.1 Detailed Description

SB Previous Subscriptions Entry.

This structure defines an entry used in the CFE_SB_PrevSubsPkt_t Intended to be used primarily by Software Bus Networking Application (SBN)

Used in structure definition CFE SB AllSubscriptionsTlm t

Definition at line 763 of file cfe sb msg.h.

10.91.2 Field Documentation

```
10.91.2.1 Msgld CFE_SB_MsgId_t CFE_SB_SubEntries::MsgId
```

Msgld portion of the subscription.

Definition at line 765 of file cfe_sb_msg.h.

10.91.2.2 Pipe CFE_SB_PipeId_t CFE_SB_SubEntries::Pipe

Pipeld portion of the subscription.

Definition at line 767 of file cfe sb msg.h.

10.91.2.3 Qos CFE_SB_Qos_t CFE_SB_SubEntries::Qos

Qos portion of the subscription.

Definition at line 766 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.92 CFE_SB_WriteFileInfoCmd Struct Reference

Write File Info Command.

#include <cfe_sb_msq.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_SB_WriteFileInfoCmd_Payload_t Payload

Command payload.

10.92.1 Detailed Description

Write File Info Command.

Definition at line 504 of file cfe sb msg.h.

10.92.2 Field Documentation

 $\textbf{10.92.2.1} \quad \textbf{CommandHeader} \quad \texttt{CFE_MSG_CommandHeader_t} \quad \texttt{CFE_SB_WriteFileInfoCmd::CommandHeader}$

Command header.

Definition at line 506 of file cfe_sb_msg.h.

10.92.2.2 Payload CFE_SB_WriteFileInfoCmd_Payload_t CFE_SB_WriteFileInfoCmd::Payload Command payload.

Definition at line 507 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe sb msg.h

10.93 CFE_SB_WriteFileInfoCmd_Payload Struct Reference

Write File Info Command Payload.

#include <cfe_sb_msg.h>

Data Fields

• char Filename [CFE_MISSION_MAX_PATH_LEN]

Path and Filename of data to be loaded.

10.93.1 Detailed Description

Write File Info Command Payload.

This structure contains a generic definition used by SB commands that write to a file Definition at line 496 of file cfe_sb_msg.h.

10.93.2 Field Documentation

10.93.2.1 Filename char CFE_SB_WriteFileInfoCmd_Payload::Filename[CFE_MISSION_MAX_PATH_LEN]

Path and Filename of data to be loaded.

Definition at line 498 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe_sb_msg.h

10.94 CFE TBL AbortLoadCmd Struct Reference

Abort Load Command.

#include <cfe_tbl_msq.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TBL_AbortLoadCmd_Payload_t Payload

Command payload.

10.94.1 Detailed Description

Abort Load Command.

Definition at line 685 of file cfe_tbl_msg.h.

10.94.2 Field Documentation

10.94.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_AbortLoadCmd::CommandHeader

Command header.

Definition at line 687 of file cfe tbl msg.h.

10.94.2.2 Payload CFE_TBL_AbortLoadCmd_Payload_t CFE_TBL_AbortLoadCmd::Payload

Command payload.

Definition at line 688 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.95 CFE_TBL_AbortLoadCmd_Payload Struct Reference

Abort Load Command Payload.

#include <cfe_tbl_msq.h>

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose load is to be aborted.

10.95.1 Detailed Description

Abort Load Command Payload.

For command details, see CFE_TBL_ABORT_LOAD_CC

Definition at line 675 of file cfe tbl msg.h.

10.95.2 Field Documentation

10.95.2.1 TableName char CFE_TBL_AbortLoadCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table whose load is to be aborted.

ASCII string containing full table name identifier of a table whose load is to be aborted Definition at line 677 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.96 CFE_TBL_ActivateCmd Struct Reference

Activate Table Command.

#include <cfe_tbl_msq.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE TBL ActivateCmd Payload t Payload

Command payload.

10.96.1 Detailed Description

Activate Table Command.

Definition at line 596 of file cfe tbl msg.h.

10.96.2 Field Documentation

10.96.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_ActivateCmd::CommandHeader

Command header.

Definition at line 598 of file cfe_tbl_msg.h.

10.96.2.2 Payload CFE_TBL_ActivateCmd_Payload_t CFE_TBL_ActivateCmd::Payload

Command payload.

Definition at line 599 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.97 CFE_TBL_ActivateCmd_Payload Struct Reference

Activate Table Command Payload.

#include <cfe_tbl_msg.h>

Data Fields

char TableName [CFE MISSION TBL MAX FULL NAME LEN]

Full Name of Table to be activated.

10.97.1 Detailed Description

Activate Table Command Payload.

For command details, see CFE_TBL_ACTIVATE_CC

Definition at line 586 of file cfe_tbl_msg.h.

10.97.2 Field Documentation

10.97.2.1 TableName char CFE_TBL_ActivateCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table to be activated.

ASCII string containing full table name identifier of table to be activated

Definition at line 588 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.98 CFE_TBL_DelCDSCmd_Payload Struct Reference

Delete Critical Table CDS Command Payload.

#include <cfe_tbl_msg.h>

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose CDS is to be deleted.

10.98.1 Detailed Description

Delete Critical Table CDS Command Payload. For command details, see CFE_TBL_DELETE_CDS_CC Definition at line 652 of file cfe_tbl_msg.h.

10.98.2 Field Documentation

10.98.2.1 TableName char CFE_TBL_DelCDSCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose CDS is to be deleted.

ASCII string containing full table name identifier of a critical table whose CDS is to be deleted Definition at line 654 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.99 CFE TBL DeleteCDSCmd Struct Reference

Delete Critical Table CDS Command.

#include <cfe_tbl_msg.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TBL_DelCDSCmd_Payload_t Payload

Command payload.

10.99.1 Detailed Description

Delete Critical Table CDS Command.

Definition at line 664 of file cfe_tbl_msg.h.

10.99.2 Field Documentation

10.99.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_DeleteCDSCmd::CommandHeader

Command header.

Definition at line 666 of file cfe tbl msg.h.

10.99.2.2 Payload CFE_TBL_DelCDSCmd_Payload_t CFE_TBL_DeleteCDSCmd::Payload

Command payload.

Definition at line 667 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.100 CFE_TBL_DumpCmd Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE TBL DumpCmd Payload t Payload

Command payload.

10.100.1 Detailed Description

/brief Dump Table Command
Definition at line 548 of file cfe_tbl_msg.h.

10.100.2 Field Documentation

10.100.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_DumpCmd::CommandHeader Command header.

Definition at line 550 of file cfe_tbl_msg.h.

10.100.2.2 Payload CFE_TBL_DumpCmd_Payload_t CFE_TBL_DumpCmd::Payload

Command payload.

Definition at line 551 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.101 CFE_TBL_DumpCmd_Payload Struct Reference

Dump Table Command Payload.

```
#include <cfe_tbl_msg.h>
```

Data Fields

uint16 ActiveTableFlag

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full name of table to be dumped.

char DumpFilename [CFE MISSION MAX PATH LEN]

Full Filename where data is to be written.

10.101.1 Detailed Description

Dump Table Command Payload.
For command details, see CFE_TBL_DUMP_CC
Definition at line 529 of file cfe_tbl_msg.h.

10.101.2 Field Documentation

10.101.2.1 ActiveTableFlag uint16 CFE_TBL_DumpCmd_Payload::ActiveTableFlag CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table Selects either the "Inactive" (CFE_TBL_BufferSelect_INACTIVE) buffer or the "Active" (CFE_TBL_BufferSelect_ACTIVE) buffer to be dumped Definition at line 531 of file cfe tbl msg.h.

10.101.2.2 DumpFilename char CFE_TBL_DumpCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN]
Full Filename where data is to be written.

ASCII string containing full path of filename where data is to be dumped Definition at line 540 of file cfe_tbl_msg.h.

10.101.2.3 TableName char CFE_TBL_DumpCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full name of table to be dumped.

ASCII string containing full table name identifier of table to be dumped Definition at line 537 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.102 CFE TBL DumpRegistryCmd Struct Reference

Dump Registry Command.

#include <cfe_tbl_msg.h>

Data Fields

CFE MSG CommandHeader t CommandHeader

Command header.

CFE TBL DumpRegistryCmd Payload t Payload

Command payload.

10.102.1 Detailed Description

Dump Registry Command.

Definition at line 618 of file cfe_tbl_msg.h.

10.102.2 Field Documentation

 $\textbf{10.102.2.1} \quad \textbf{CommandHeader} \quad \texttt{CFE_MSG_CommandHeader_t} \quad \texttt{CFE_TBL_DumpRegistryCmd::CommandHeader} \\$

Command header.

Definition at line 620 of file cfe_tbl_msg.h.

10.102.2.2 Payload CFE_TBL_DumpRegistryCmd_Payload_t CFE_TBL_DumpRegistryCmd::Payload

Command payload.

Definition at line 621 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

· cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.103 CFE_TBL_DumpRegistryCmd_Payload Struct Reference

Dump Registry Command Payload.

#include <cfe_tbl_msq.h>

Data Fields

char DumpFilename [CFE_MISSION_MAX_PATH_LEN]

Full Filename where dumped data is to be written.

10.103.1 Detailed Description

Dump Registry Command Payload.
For command details, see CFE_TBL_DUMP_REGISTRY_CC
Definition at line 607 of file cfe tbl msg.h.

10.103.2 Field Documentation

10.103.2.1 DumpFilename char CFE_TBL_DumpRegistryCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN]

Full Filename where dumped data is to be written.

ASCII string containing full path of filename where registry is to be dumped Definition at line 609 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.104 CFE TBL File Hdr Struct Reference

The definition of the header fields that are included in CFE Table Data files.

#include <cfe_tbl_extern_typedefs.h>

Data Fields

- · uint32 Reserved
- CFE_ES_MemOffset_t Offset
- CFE_ES_MemOffset_t NumBytes
- char TableName [CFE MISSION TBL MAX FULL NAME LEN]

10.104.1 Detailed Description

The definition of the header fields that are included in CFE Table Data files. This header follows the CFE_FS header and precedes the actual table data. Definition at line 70 of file cfe_tbl_extern_typedefs.h.

10.104.2 Field Documentation

10.104.2.1 NumBytes CFE_ES_MemOffset_t CFE_TBL_File_Hdr::NumBytes Number of bytes to load into table Definition at line 74 of file cfe_tbl_extern_typedefs.h.

10.104.2.2 Offset CFE_ES_MemOffset_t CFE_TBL_File_Hdr::Offset Byte Offset at which load should commence

Definition at line 73 of file cfe_tbl_extern_typedefs.h.

10.104.2.3 Reserved uint32 CFE_TBL_File_Hdr::Reserved

Future Use: NumTblSegments in File?

Definition at line 72 of file cfe_tbl_extern_typedefs.h.

10.104.2.4 TableName char CFE_TBL_File_Hdr::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Fully qualified name of table to load

Definition at line 75 of file cfe_tbl_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h

10.105 CFE TBL FileDef Struct Reference

#include <cfe_tbl_filedef.h>

Data Fields

• char ObjectName [64]

Name of instantiated variable that contains desired table image.

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of Table as defined onboard.

char Description [CFE FS HDR DESC MAX LEN]

Description of table image that is included in cFE File Header.

• char TgtFilename [CFE_MISSION_MAX_FILE_LEN]

Default filename to be used for output of elf2cfetbl utility.

· uint32 ObjectSize

Size, in bytes, of instantiated object.

10.105.1 Detailed Description

Definition at line 56 of file cfe tbl filedef.h.

10.105.2 Field Documentation

10.105.2.1 Description char CFE_TBL_FileDef::Description[CFE_FS_HDR_DESC_MAX_LEN]

Description of table image that is included in cFE File Header.

Definition at line 60 of file cfe tbl filedef.h.

10.105.2.2 ObjectName char CFE_TBL_FileDef::ObjectName[64]

Name of instantiated variable that contains desired table image.

Definition at line 58 of file cfe tbl filedef.h.

10.105.2.3 ObjectSize uint32 CFE_TBL_FileDef::ObjectSize

Size, in bytes, of instantiated object.

Definition at line 64 of file cfe_tbl_filedef.h.

10.105.2.4 TableName char CFE_TBL_FileDef::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of Table as defined onboard.

Definition at line 59 of file cfe_tbl_filedef.h.

10.105.2.5 TgtFilename char CFE_TBL_FileDef::TgtFilename[CFE_MISSION_MAX_FILE_LEN]

Default filename to be used for output of elf2cfetbl utility.

Definition at line 62 of file cfe_tbl_filedef.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h

10.106 CFE_TBL_HousekeepingTIm Struct Reference

#include <cfe_tbl_msg.h>

Data Fields

- CFE_MSG_TelemetryHeader_t TelemetryHeader
 - Telemetry header.
- CFE_TBL_HousekeepingTlm_Payload_t Payload

Telemetry payload.

10.106.1 Detailed Description

Definition at line 784 of file cfe_tbl_msg.h.

10.106.2 Field Documentation

10.106.2.1 Payload CFE_TBL_HousekeepingTlm_Payload_t CFE_TBL_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 787 of file cfe tbl msg.h.

10.106.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_TBL_HousekeepingTlm::TelemetryHeader Telemetry header.

Definition at line 786 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.107 CFE_TBL_HousekeepingTlm_Payload Struct Reference

#include <cfe_tbl_msq.h>

Data Fields

uint8 CommandCounter

Count of valid commands received.

uint8 CommandErrorCounter

Count of invalid commands received.

uint16 NumTables

Number of Tables Registered.

uint16 NumLoadPending

Number of Tables pending on Applications for their update.

uint16 ValidationCounter

Number of completed table validations.

uint32 LastValCrc

Data Integrity Value computed for last table validated.

· int32 LastValStatus

Returned status from validation function for last table validated.

bool ActiveBuffer

Indicator of whether table buffer validated was 0=Inactive, 1=Active.

char LastValTableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of last table validated.

uint8 SuccessValCounter

Total number of successful table validations.

uint8 FailedValCounter

Total number of unsuccessful table validations.

uint8 NumValRequests

Number of times Table Services has requested validations from Apps.

uint8 NumFreeSharedBufs

Number of free Shared Working Buffers.

uint8 ByteAlignPad1

Spare byte to ensure longword alignment.

CFE_ES_MemHandle_t MemPoolHandle

Handle to TBL's memory pool.

CFE_TIME_SysTime_t LastUpdateTime

Time of last table update.

char LastUpdatedTable [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of the last table updated.

char LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]

Path and Name of last table image file loaded.

char LastFileDumped [CFE_MISSION_MAX_PATH_LEN]

Path and Name of last file dumped to.

char LastTableLoaded [CFE MISSION TBL MAX FULL NAME LEN]

Name of the last table loaded.

10.107.1 Detailed Description

Name Table Services Housekeeping Packet

Definition at line 725 of file cfe_tbl_msg.h.

10.107.2 Field Documentation

10.107.2.1 ActiveBuffer bool CFE_TBL_HousekeepingTlm_Payload::ActiveBuffer Indicator of whether table buffer validated was 0=Inactive, 1=Active.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValBuf

Definition at line 752 of file cfe_tbl_msg.h.

10.107.2.2 ByteAlignPad1 uint8 CFE_TBL_HousekeepingTlm_Payload::ByteAlignPad1 Spare byte to ensure longword alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ByteAlignPad1

Definition at line 768 of file cfe_tbl_msg.h.

10.107.2.3 CommandCounter uint8 CFE_TBL_HousekeepingTlm_Payload::CommandCounter Count of valid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CMDPC

Definition at line 730 of file cfe tbl msg.h.

10.107.2.4 CommandErrorCounter uint8 CFE_TBL_HousekeepingTlm_Payload::CommandErrorCounter Count of invalid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CMDEC

Definition at line 732 of file cfe_tbl_msg.h.

10.107.2.5 FailedValCounter uint8 CFE_TBL_HousekeepingTlm_Payload::FailedValCounter Total number of unsuccessful table validations.

Telemetry Mnemonic(s) \$sc \$cpu TBL ValFailedCtr

Definition at line 758 of file cfe tbl msg.h.

10.107.2.6 LastFileDumped char CFE_TBL_HousekeepingTlm_Payload::LastFileDumped[CFE_MISSION_MAX_PATH_LEN] Path and Name of last file dumped to.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastFileDumped[OS MAX PATH LEN]

Definition at line 778 of file cfe tbl msg.h.

10.107.2.7 LastFileLoaded char CFE_TBL_HousekeepingTlm_Payload::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN] Path and Name of last table image file loaded.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileLoaded[OS_MAX_PATH_LEN]

Definition at line 776 of file cfe tbl msg.h.

10.107.2.8 LastTableLoaded char CFE_TBL_HousekeepingTlm_Payload::LastTableLoaded[CFE_MISSION_TBL_MAX_FULL_NAME_LIN

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastTableLoaded[CFE_TBL_MAX_FULL_NAME_LEN]

Definition at line 780 of file cfe_tbl_msg.h.

10.107.2.9 LastUpdatedTable char CFE_TBL_HousekeepingTlm_Payload::LastUpdatedTable[CFE_MISSION_TBL_MAX_FULL_NAME_Name of the last table updated.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastUpdTblName[CFE TB MAX FULL NAME LEN]

Definition at line 774 of file cfe_tbl_msg.h.

10.107.2.10 LastUpdateTime CFE_TIME_SysTime_t CFE_TBL_HousekeepingTlm_Payload::LastUpdateTime Time of last table update.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastUpdTime, \$sc \$cpu TBL SECONDS, \$sc \$cpu TBL SUBSECONDS

Definition at line 772 of file cfe_tbl_msg.h.

10.107.2.11 LastValCrc uint32 CFE_TBL_HousekeepingTlm_Payload::LastValCrc Data Integrity Value computed for last table validated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValCRC

Definition at line 748 of file cfe_tbl_msg.h.

10.107.2.12 LastValStatus int32 CFE_TBL_HousekeepingTlm_Payload::LastValStatus Returned status from validation function for last table validated.

Telemetry Mnemonic(s) \$sc \$cpu TBI LastValS

Definition at line 750 of file cfe tbl msg.h.

10.107.2.13 LastValTableName char CFE_TBL_HousekeepingTlm_Payload::LastValTableName[CFE_MISSION_TBL_MAX_FULL_NAM. Name of last table validated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValTblName[CFE_TB_MAX_FULL_NAME_LEN]

Definition at line 754 of file cfe tbl msg.h.

10.107.2.14 MemPoolHandle CFE_ES_MemHandle_t CFE_TBL_HousekeepingTlm_Payload::MemPoolHandle Handle to TBL's memory pool.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_MemPoolHandle

Definition at line 770 of file cfe tbl msg.h.

10.107.2.15 NumFreeSharedBufs uint8 CFE_TBL_HousekeepingTlm_Payload::NumFreeSharedBufs Number of free Shared Working Buffers.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumFreeShrBuf

Definition at line 766 of file cfe_tbl_msg.h.

10.107.2.16 NumLoadPending uint16 CFE_TBL_HousekeepingTlm_Payload::NumLoadPending Number of Tables pending on Applications for their update.

Telemetry Mnemonic(s) \$sc \$cpu TBL NumUpdatesPend

Definition at line 740 of file cfe_tbl_msg.h.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumTables

Definition at line 738 of file cfe tbl msg.h.

10.107.2.18 NumValRequests uint8 CFE_TBL_HousekeepingTlm_Payload::NumValRequests Number of times Table Services has requested validations from Apps.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValReqCtr

Definition at line 760 of file cfe_tbl_msg.h.

10.107.2.19 SuccessValCounter uint8 CFE_TBL_HousekeepingTlm_Payload::SuccessValCounter Total number of successful table validations.

Telemetry Mnemonic(s) \$sc \$cpu TBL ValSuccessCtr

Definition at line 756 of file cfe tbl msg.h.

10.107.2.20 ValidationCounter uint16 CFE_TBL_HousekeepingTlm_Payload::ValidationCounter Number of completed table validations.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValCompltdCtr

Definition at line 746 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.108 CFE_TBL_Info Struct Reference

Table Info.

#include <cfe_tbl_api_typedefs.h>

Data Fields

size t Size

Size, in bytes, of Table.

uint32 NumUsers

Number of Apps with access to the table.

• uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

uint32 Crc

Most recently calculated CRC by TBL services on table contents.

CFE_TIME_SysTime_t TimeOfLastUpdate

Time when Table was last updated.

• bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

· bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

bool UserDefAddr

Flag indicating Table address was defined by Owner Application.

· bool Critical

Flag indicating Table contents are maintained in a CDS.

char LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]

Filename of last file loaded into table.

10.108.1 Detailed Description

Table Info.

Definition at line 109 of file cfe_tbl_api_typedefs.h.

10.108.2 Field Documentation

10.108.2.1 Crc uint32 CFE_TBL_Info::Crc

Most recently calculated CRC by TBL services on table contents.

Definition at line 115 of file cfe tbl api typedefs.h.

10.108.2.2 Critical bool CFE_TBL_Info::Critical

Flag indicating Table contents are maintained in a CDS.

Definition at line 121 of file cfe_tbl_api_typedefs.h.

10.108.2.3 DoubleBuffered bool CFE_TBL_Info::DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

Definition at line 119 of file cfe_tbl_api_typedefs.h.

10.108.2.4 DumpOnly bool CFE_TBL_Info::DumpOnly

Flag indicating Table is NOT to be loaded.

Definition at line 118 of file cfe tbl api typedefs.h.

10.108.2.5 FileCreateTimeSecs uint32 CFE_TBL_Info::FileCreateTimeSecs

File creation time from last file loaded into table.

Definition at line 113 of file cfe tbl api typedefs.h.

10.108.2.6 FileCreateTimeSubSecs uint32 CFE_TBL_Info::FileCreateTimeSubSecs

File creation time from last file loaded into table.

Definition at line 114 of file cfe tbl api typedefs.h.

10.108.2.7 LastFileLoaded char CFE_TBL_Info::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN]

Filename of last file loaded into table.

Definition at line 122 of file cfe_tbl_api_typedefs.h.

10.108.2.8 NumUsers uint32 CFE_TBL_Info::NumUsers

Number of Apps with access to the table.

Definition at line 112 of file cfe_tbl_api_typedefs.h.

10.108.2.9 Size size_t CFE_TBL_Info::Size

Size, in bytes, of Table.

Definition at line 111 of file cfe_tbl_api_typedefs.h.

10.108.2.10 TableLoadedOnce bool CFE_TBL_Info::TableLoadedOnce

Flag indicating whether table has been loaded once or not.

Definition at line 117 of file cfe tbl api typedefs.h.

10.108.2.11 TimeOfLastUpdate CFE_TIME_SysTime_t CFE_TBL_Info::TimeOfLastUpdate

Time when Table was last updated.

Definition at line 116 of file cfe tbl api typedefs.h.

10.108.2.12 UserDefAddr bool CFE_TBL_Info::UserDefAddr

Flag indicating Table address was defined by Owner Application.

Definition at line 120 of file cfe_tbl_api_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h

10.109 CFE_TBL_LoadCmd Struct Reference

Load Table Command.

#include <cfe_tbl_msg.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

· CFE TBL LoadCmd Payload t Payload

Command payload.

10.109.1 Detailed Description

Load Table Command.

Definition at line 518 of file cfe_tbl_msg.h.

10.109.2 Field Documentation

10.109.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_LoadCmd::CommandHeader

Command header.

Definition at line 520 of file cfe tbl msg.h.

10.109.2.2 Payload CFE_TBL_LoadCmd_Payload_t CFE_TBL_LoadCmd::Payload

Command payload.

Definition at line 521 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.110 CFE TBL LoadCmd Payload Struct Reference

Load Table Command Payload.

#include <cfe tbl msq.h>

Data Fields

char LoadFilename [CFE_MISSION_MAX_PATH_LEN]

Filename (and path) of data to be loaded.

10.110.1 Detailed Description

Load Table Command Payload.

For command details, see CFE_TBL_LOAD_CC

Definition at line 510 of file cfe tbl msg.h.

10.110.2 Field Documentation

10.110.2.1 LoadFilename char CFE_TBL_LoadCmd_Payload::LoadFilename[CFE_MISSION_MAX_PATH_LEN] Filename (and path) of data to be loaded.

Definition at line 512 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.111 CFE TBL NoArgsCmd Struct Reference

Generic "no arguments" command.
#include <cfe_tbl_msq.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.111.1 Detailed Description

Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE_TBL_NOOP_CC)
- 3. The Reset Counters Command (For details, see CFE_TBL_RESET_COUNTERS_CC)

Definition at line 490 of file cfe_tbl_msg.h.

10.111.2 Field Documentation

10.111.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_NoArgsCmd::CommandHeader

Command header.

Definition at line 492 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.112 CFE_TBL_NotifyCmd Struct Reference

#include <cfe_tbl_msq.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TBL_NotifyCmd_Payload_t Payload

Command payload.

10.112.1 Detailed Description

/brief Table Management Notification Command Definition at line 712 of file cfe_tbl_msg.h.

10.112.2 Field Documentation

$\textbf{10.112.2.1} \quad \textbf{CommandHeader} \quad \texttt{CFE_MSG_CommandHeader_t} \quad \texttt{CFE_TBL_NotifyCmd::} \\ \textbf{CommandHeader} \quad \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{CFE_TBL_NotifyCmd::} \\ \textbf{CommandHeader} \quad \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{CFE_TBL_NotifyCmd::} \\ \textbf{CommandHeader} \\ \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{CFE_TBL_NotifyCmd::} \\ \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{CFE_TBL_NotifyCmd::} \\ \textbf{CFE_MSG_CommandHeader_t} \\ \textbf{CFE_MSG_CommandHea$

Command header.

Definition at line 714 of file cfe tbl msg.h.

10.112.2.2 Payload CFE_TBL_NotifyCmd_Payload_t CFE_TBL_NotifyCmd::Payload

Command payload.

Definition at line 715 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.113 CFE_TBL_NotifyCmd_Payload Struct Reference

Table Management Notification Command Payload.

```
#include <cfe_tbl_msg.h>
```

Data Fields

· uint32 Parameter

Application specified command parameter.

10.113.1 Detailed Description

Table Management Notification Command Payload.

Description

Whenever an application that owns a table calls the CFE_TBL_NotifyByMessage API following the table registration, Table services will generate the following command message with the application specified message ID, command code and parameter whenever the table requires management (e.g. - loads and validations).

Definition at line 704 of file cfe_tbl_msg.h.

10.113.2 Field Documentation

10.113.2.1 Parameter uint32 CFE_TBL_NotifyCmd_Payload::Parameter

Application specified command parameter.

Definition at line 706 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.114 CFE_TBL_SendRegistryCmd Struct Reference

Send Table Registry Command.

#include <cfe_tbl_msq.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE_TBL_SendRegistryCmd_Payload_t Payload

Command payload.

10.114.1 Detailed Description

Send Table Registry Command.

Definition at line 641 of file cfe tbl msg.h.

10.114.2 Field Documentation

10.114.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_SendRegistryCmd::CommandHeader Command header.

Definition at line 643 of file cfe_tbl_msg.h.

10.114.2.2 Payload CFE_TBL_SendRegistryCmd_Payload_t CFE_TBL_SendRegistryCmd::Payload Command payload.

Definition at line 644 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.115 CFE TBL SendRegistryCmd Payload Struct Reference

Send Table Registry Command Payload.

```
#include <cfe_tbl_msg.h>
```

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose registry entry is to be telemetered.

10.115.1 Detailed Description

Send Table Registry Command Payload.

For command details, see CFE TBL SEND REGISTRY CC

Definition at line 629 of file cfe tbl msg.h.

10.115.2 Field Documentation

10.115.2.1 TableName char CFE_TBL_SendRegistryCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table whose registry entry is to be telemetered.

ASCII string containing full table name identifier of table whose registry entry is to be telemetered via CFE_TBL_TableRegistryTIm_t

Definition at line 631 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.116 CFE TBL TableRegistryTlm Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

• CFE_TBL_TblRegPacket_Payload_t Payload

Telemetry payload.

10.116.1 Detailed Description

Definition at line 831 of file cfe_tbl_msg.h.

10.116.2 Field Documentation

10.116.2.1 Payload CFE_TBL_TblRegPacket_Payload_t CFE_TBL_TableRegistryTlm::Payload Telemetry payload.

Definition at line 834 of file cfe_tbl_msg.h.

10.116.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_TBL_TableRegistryTlm::TelemetryHeader Telemetry header.

Definition at line 833 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.117 CFE_TBL_TblRegPacket_Payload Struct Reference

#include <cfe_tbl_msg.h>

Data Fields

CFE_ES_MemOffset_t Size

Size, in bytes, of Table.

• uint32 Crc

Most recently calculated CRC of Table.

• CFE_ES_MemAddress_t ActiveBufferAddr

Address of Active Buffer.

· CFE ES MemAddress t InactiveBufferAddr

Address of Inactive Buffer.

· CFE ES MemAddress t ValidationFuncPtr

Ptr to Owner App's function that validates tbl contents.

CFE_TIME_SysTime_t TimeOfLastUpdate

Time when Table was last updated.

uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

• uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

• bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

• bool LoadPending

Flag indicating an inactive buffer is ready to be copied.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

• bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

• char Name [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Processor specific table name.

char LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]

Filename of last file loaded into table.

char OwnerAppName [CFE_MISSION_MAX_API_LEN]

Name of owning application.

· bool Critical

Indicates whether table is Critical or not.

uint8 ByteAlign4

Spare byte to maintain byte alignment.

10.117.1 Detailed Description

Name Table Registry Info Packet

Definition at line 793 of file cfe_tbl_msg.h.

10.117.2 Field Documentation

10.117.2.1 ActiveBufferAddr CFE_ES_MemAddress_t CFE_TBL_TblRegPacket_Payload::ActiveBufferAddr Address of Active Buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ActBufAdd

Definition at line 799 of file cfe tbl msg.h.

10.117.2.2 ByteAlign4 uint8 CFE_TBL_TblRegPacket_Payload::ByteAlign4 Spare byte to maintain byte alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Spare4

Definition at line 827 of file cfe tbl msg.h.

10.117.2.3 Crc uint32 CFE_TBL_TblRegPacket_Payload::Crc Most recently calculated CRC of Table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CRC

Definition at line 797 of file cfe tbl msg.h.

10.117.2.4 Critical bool CFE_TBL_TblRegPacket_Payload::Critical Indicates whether table is Critical or not.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Spare3

Definition at line 825 of file cfe_tbl_msg.h.

10.117.2.5 DoubleBuffered bool CFE_TBL_TblRegPacket_Payload::DoubleBuffered Flag indicating Table has a dedicated inactive buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_DblBuffered

Definition at line 817 of file cfe_tbl_msg.h.

10.117.2.6 DumpOnly bool CFE_TBL_TblRegPacket_Payload::DumpOnly Flag indicating Table is NOT to be loaded.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_DumpOnly

Definition at line 815 of file cfe_tbl_msg.h.

10.117.2.7 FileCreateTimeSecs uint32 CFE_TBL_TblRegPacket_Payload::FileCreateTimeSecs File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_FILECSECONDS

Definition at line 807 of file cfe_tbl_msg.h.

10.117.2.8 FileCreateTimeSubSecs uint32 CFE_TBL_TblRegPacket_Payload::FileCreateTimeSubSecs File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_FILECSUBSECONDS

Definition at line 809 of file cfe tbl msg.h.

10.117.2.9 InactiveBufferAddr CFE_ES_MemAddress_t CFE_TBL_TblRegPacket_Payload::InactiveBufferAddr Address of Inactive Buffer.

Telemetry Mnemonic(s) \$sc \$cpu TBL IActBufAdd

Definition at line 801 of file cfe tbl msg.h.

10.117.2.10 LastFileLoaded char CFE_TBL_TblRegPacket_Payload::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN] Filename of last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileUpd[OS_MAX_PATH_LEN]

Definition at line 821 of file cfe tbl msg.h.

10.117.2.11 LoadPending bool CFE_TBL_TblRegPacket_Payload::LoadPending Flag indicating an inactive buffer is ready to be copied.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_UpdatePndng

Definition at line 813 of file cfe_tbl_msg.h.

10.117.2.12 Name char CFE_TBL_TblRegPacket_Payload::Name[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Processor specific table name.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Name[CFE_TB_MAX_FULL_NAME_LEN]

Definition at line 819 of file cfe_tbl_msg.h.

10.117.2.13 OwnerAppName char CFE_TBL_TblRegPacket_Payload::OwnerAppName[CFE_MISSION_MAX_API_LEN] Name of owning application.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_OwnerApp[OS_MAX_API_NAME]

Definition at line 823 of file cfe_tbl_msg.h.

10.117.2.14 Size CFE_ES_MemOffset_t CFE_TBL_TblRegPacket_Payload::Size Size, in bytes, of Table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_SIZE

Definition at line 795 of file cfe_tbl_msg.h.

10.117.2.15 TableLoadedOnce bool CFE_TBL_TblRegPacket_Payload::TableLoadedOnce Flag indicating whether table has been loaded once or not.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LoadedOnce

Definition at line 811 of file cfe tbl msg.h.

10.117.2.16 TimeOfLastUpdate CFE_TIME_SysTime_t CFE_TBL_TblRegPacket_Payload::TimeOfLastUpdate Time when Table was last updated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_TimeLastUpd, \$sc_\$cpu_TBL_TLUSECONDS, \$sc_\$cpu_TBL_TLUSUB → SECONDS

Definition at line 805 of file cfe tbl msg.h.

10.117.2.17 ValidationFuncPtr CFE_ES_MemAddress_t CFE_TBL_TblRegPacket_Payload::ValidationFuncPtr Ptr to Owner App's function that validates tbl contents.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValFuncPtr

Definition at line 803 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.118 CFE_TBL_ValidateCmd Struct Reference

Validate Table Command.

#include <cfe_tbl_msg.h>

Data Fields

- CFE_MSG_CommandHeader_t CommandHeader
 - Command header.
- CFE_TBL_ValidateCmd_Payload_t Payload

Command payload.

10.118.1 Detailed Description

Validate Table Command.

Definition at line 575 of file cfe_tbl_msg.h.

10.118.2 Field Documentation

10.118.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TBL_ValidateCmd::CommandHeader

Command header.

Definition at line 577 of file cfe_tbl_msg.h.

10.118.2.2 Payload CFE_TBL_ValidateCmd_Payload_t CFE_TBL_ValidateCmd::Payload

Command payload.

Definition at line 578 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h

10.119 CFE_TBL_ValidateCmd_Payload Struct Reference

Validate Table Command Payload.

#include <cfe_tbl_msq.h>

Data Fields

uint16 ActiveTableFlag

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table to be validated.

10.119.1 Detailed Description

Validate Table Command Payload.
For command details, see CFE_TBL_VALIDATE_CC
Definition at line 559 of file cfe_tbl_msg.h.

10.119.2 Field Documentation

10.119.2.1 ActiveTableFlag uint16 CFE_TBL_ValidateCmd_Payload::ActiveTableFlag CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table Selects either the "Inactive" (CFE_TBL_BufferSelect_INACTIVE) buffer or the "Active" (CFE_TBL_BufferSelect_ACTIVE) buffer to be validated Definition at line 561 of file cfe tbl msg.h.

10.119.2.2 TableName char CFE_TBL_ValidateCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table to be validated.

ASCII string containing full table name identifier of table to be validated Definition at line 567 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

10.120 CFE TIME DiagnosticTIm Struct Reference

#include <cfe_time_msq.h>

Data Fields

 CFE_MSG_TelemetryHeader_t TelemetryHeader Telemetry header.

CFE_TIME_DiagnosticTIm_Payload_t Payload
 Telemetry payload.

10.120.1 Detailed Description

Definition at line 1120 of file cfe_time_msg.h.

10.120.2 Field Documentation

10.120.2.1 Payload CFE_TIME_DiagnosticTlm_Payload_t CFE_TIME_DiagnosticTlm::Payload Telemetry payload.

Definition at line 1123 of file cfe_time_msg.h.

10.120.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_TIME_DiagnosticTlm::TelemetryHeader Telemetry header.

Definition at line 1122 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.121 CFE_TIME_DiagnosticTIm_Payload Struct Reference

#include <cfe_time_msg.h>

Data Fields

CFE_TIME_SysTime_t AtToneMET

MET at time of tone.

CFE_TIME_SysTime_t AtToneSTCF

STCF at time of tone.

CFE_TIME_SysTime_t AtToneDelay

Adjustment for slow tone detection.

CFE_TIME_SysTime_t AtToneLatch

Local clock latched at time of tone.

int16 AtToneLeapSeconds

Leap Seconds at time of tone.

CFE_TIME_ClockState_Enum_t ClockStateAPI

Clock state as per API.

• CFE_TIME_SysTime_t TimeSinceTone

Time elapsed since the tone.

CFE_TIME_SysTime_t CurrentLatch

Local clock latched just "now".

CFE_TIME_SysTime_t CurrentMET

MET at this instant.

CFE_TIME_SysTime_t CurrentTAI

TAI at this instant.

CFE_TIME_SysTime_t CurrentUTC

UTC at this instant.

· int16 ClockSetState

Time has been "set".

int16 ClockFlyState

Current fly-wheel state.

• int16 ClockSource

Internal vs external, etc.

• int16 ClockSignal

Primary vs redundant, etc.

• int16 ServerFlyState

Used by clients only.

• int16 Forced2Fly

Commanded into fly-wheel.

uint16 ClockStateFlags

Clock State Flags.

• int16 OneTimeDirection

One time STCF adjustment direction (Add = 1, Sub = 2)

· int16 OneHzDirection

1Hz STCF adjustment direction

• int16 DelayDirection

Client latency adjustment direction.

CFE_TIME_SysTime_t OneTimeAdjust

Previous one-time STCF adjustment.

CFE_TIME_SysTime_t OneHzAdjust

Current 1Hz STCF adjustment.

CFE_TIME_SysTime_t ToneSignalLatch

Local Clock latched at most recent tone signal.

CFE_TIME_SysTime_t ToneDataLatch

Local Clock latched at arrival of tone data.

· uint32 ToneMatchCounter

Tone signal / data verification count.

uint32 ToneMatchErrorCounter

Tone signal / data verification error count.

· uint32 ToneSignalCounter

Tone signal detected SB message count.

uint32 ToneDataCounter

Time at the tone data SB message count.

· uint32 ToneIntCounter

Tone signal ISR execution count.

uint32 ToneIntErrorCounter

Tone signal ISR error count.

· uint32 ToneTaskCounter

Tone task execution count.

· uint32 VersionCounter

Count of mods to time at tone reference data (version)

· uint32 LocalIntCounter

Local 1Hz ISR execution count.

uint32 LocalTaskCounter

Local 1Hz task execution count.

uint32 VirtualMET

Software MET.

· uint32 MinElapsed

Min tone signal / data pkt arrival window (Sub-seconds)

uint32 MaxElapsed

Max tone signal / data pkt arrival window (Sub-seconds)

CFE_TIME_SysTime_t MaxLocalClock

Max local clock value before rollover.

uint32 ToneOverLimit

Max between tone signal interrupts.

uint32 ToneUnderLimit

Min between tone signal interrupts.

• uint32 DataStoreStatus

Data Store status (preserved across processor reset)

10.121.1 Detailed Description

Name Time Services Diagnostics Packet

Definition at line 974 of file cfe time msg.h.

10.121.2 Field Documentation

10.121.2.1 AtToneDelay CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneDelay Adjustment for slow tone detection.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs

Definition at line 983 of file cfe time msg.h.

10.121.2.2 AtToneLatch CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneLatch Local clock latched at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTValidS, \$sc_\$cpu_TIME_DTValidSs

Definition at line 985 of file cfe time msg.h.

10.121.2.3 AtToneLeapSeconds int16 CFE_TIME_DiagnosticTlm_Payload::AtToneLeapSeconds Leap Seconds at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLeapS

Definition at line 988 of file cfe_time_msg.h.

10.121.2.4 AtToneMET CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneMET MET at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTMETS, \$sc_\$cpu_TIME_DTMETSs

Definition at line 979 of file cfe_time_msg.h.

10.121.2.5 AtToneSTCF CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::AtToneSTCF STCF at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSTCFS, \$sc_\$cpu_TIME_DSTCFSS

Definition at line 981 of file cfe_time_msg.h.

10.121.2.6 ClockFlyState int16 CFE_TIME_DiagnosticTlm_Payload::ClockFlyState
Current fly-wheel state.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DFlywheel

Definition at line 1012 of file cfe_time_msg.h.

10.121.2.7 ClockSetState int16 CFE_TIME_DiagnosticTlm_Payload::ClockSetState Time has been "set".

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DValid

Definition at line 1010 of file cfe time msg.h.

10.121.2.8 ClockSignal int16 CFE_TIME_DiagnosticTlm_Payload::ClockSignal Primary vs redundant, etc.

Telemetry Mnemonic(s) \$sc \$cpu TIME DSignal

Definition at line 1016 of file cfe_time_msg.h.

10.121.2.9 ClockSource int16 CFE_TIME_DiagnosticTlm_Payload::ClockSource Internal vs external, etc.

Telemetry Mnemonic(s) \$sc \$cpu TIME DSource

Definition at line 1014 of file cfe time msg.h.

10.121.2.10 ClockStateAPI CFE_TIME_ClockState_Enum_t CFE_TIME_DiagnosticTlm_Payload::ClockStateAPI Clock state as per API.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAPIState

Definition at line 990 of file cfe_time_msg.h.

10.121.2.11 ClockStateFlags uint16 CFE_TIME_DiagnosticTlm_Payload::ClockStateFlags Clock State Flags.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DStateFlags, \$sc_\$cpu_TIME_DFlagSet, \$sc_\$cpu_TIME_DFlagFly, \$sc_\$cpu_TIME_DFlagSrc, \$sc_\$cpu_TIME_DFlagPri, \$sc_\$cpu_TIME_DFlagSfly, \$sc_↔ \$cpu_TIME_DFlagCfly, \$sc_\$cpu_TIME_DFlagAdjd, \$sc_\$cpu_TIME_DFlag1Hzd, \$sc_↔ \$cpu_TIME_DFlagClat, \$sc_\$cpu_TIME_DFlagSorC, \$sc_\$cpu_TIME_DFlagNIU

Definition at line 1026 of file cfe time msg.h.

10.121.2.12 CurrentLatch CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentLatch Local clock latched just "now".

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLocalS, \$sc_\$cpu_TIME_DLocalSs

Definition at line 998 of file cfe_time_msg.h.

10.121.2.13 CurrentMET CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentMET MET at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMETS, \$sc_\$cpu_TIME_DMETSs

Definition at line 1000 of file cfe time msg.h.

10.121.2.14 CurrentTAI CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentTAI TAI at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTAIS, \$sc_\$cpu_TIME_DTAISS

Definition at line 1002 of file cfe time msg.h.

10.121.2.15 CurrentUTC CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::CurrentUTC UTC at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DUTCS, \$sc_\$cpu_TIME_DUTCSS

Definition at line 1004 of file cfe time msg.h.

10.121.2.16 DataStoreStatus uint32 CFE_TIME_DiagnosticTlm_Payload::DataStoreStatus Data Store status (preserved across processor reset)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DataStStat

Definition at line 1116 of file cfe_time_msg.h.

10.121.2.17 DelayDirection int16 CFE_TIME_DiagnosticTlm_Payload::DelayDirection Client latency adjustment direction.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLatentDir

Definition at line 1036 of file cfe_time_msg.h.

10.121.2.18 Forced2Fly int16 CFE_TIME_DiagnosticTlm_Payload::Forced2Fly Commanded into fly-wheel.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DCMD2Fly

Definition at line 1020 of file cfe_time_msg.h.

10.121.2.19 LocalIntCounter uint32 CFE_TIME_DiagnosticTlm_Payload::LocalIntCounter Local 1Hz ISR execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzISRCNT

Definition at line 1074 of file cfe_time_msg.h.

10.121.2.20 LocalTaskCounter uint32 CFE_TIME_DiagnosticTlm_Payload::LocalTaskCounter Local 1Hz task execution count.

Telemetry Mnemonic(s) \$sc \$cpu TIME D1HzTaskCNT

Definition at line 1076 of file cfe time msg.h.

10.121.2.21 MaxElapsed uint32 CFE_TIME_DiagnosticTlm_Payload::MaxElapsed Max tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMaxWindow

Definition at line 1096 of file cfe time msg.h.

10.121.2.22 MaxLocalClock CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::MaxLocalClock Max local clock value before rollover.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DWrapS, \$sc_\$cpu_TIME_DWrapSs

Definition at line 1102 of file cfe time msg.h.

10.121.2.23 MinElapsed uint32 CFE_TIME_DiagnosticTlm_Payload::MinElapsed Min tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMinWindow

Definition at line 1094 of file cfe_time_msg.h.

10.121.2.24 OneHzAdjust CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::OneHzAdjust Current 1Hz STCF adjustment.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzAdjS, \$sc_\$cpu_TIME_D1HzAdjSs

Definition at line 1044 of file cfe_time_msg.h.

10.121.2.25 OneHzDirection int16 CFE_TIME_DiagnosticTlm_Payload::OneHzDirection 1Hz STCF adjustment direction

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzAdjDir

Definition at line 1034 of file cfe_time_msg.h.

10.121.2.26 OneTimeAdjust CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::OneTimeAdjust Previous one-time STCF adjustment.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAdjustS, \$sc_\$cpu_TIME_DAdjustSs

Definition at line 1042 of file cfe_time_msg.h.

10.121.2.27 OneTimeDirection intl6 CFE_TIME_DiagnosticTlm_Payload::OneTimeDirection One time STCF adjustment direction (Add = 1, Sub = 2)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAdjustDir

Definition at line 1032 of file cfe time msg.h.

10.121.2.28 ServerFlyState int16 CFE_TIME_DiagnosticTlm_Payload::ServerFlyState Used by clients only.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSrvFly

Definition at line 1018 of file cfe time msg.h.

10.121.2.29 TimeSinceTone CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::TimeSinceTone Time elapsed since the tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DElapsedS, \$sc_\$cpu_TIME_DElapsedSs

Definition at line 996 of file cfe time msg.h.

10.121.2.30 ToneDataCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneDataCounter Time at the tone data SB message count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTatTCNT

Definition at line 1064 of file cfe_time_msg.h.

10.121.2.31 ToneDataLatch CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::ToneDataLatch Local Clock latched at arrival of tone data.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTDS, \$sc_\$cpu_TIME_DTDSs

Definition at line 1052 of file cfe_time_msg.h.

10.121.2.32 ToneIntCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneIntCounter Tone signal ISR execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsISRCNT

Definition at line 1066 of file cfe_time_msg.h.

10.121.2.33 ToneIntErrorCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneIntErrorCounter Tone signal ISR error count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsISRERR

Definition at line 1068 of file cfe_time_msg.h.

10.121.2.34 ToneMatchCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneMatchCounter Tone signal / data verification count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVerifyCNT

Definition at line 1058 of file cfe time msg.h.

10.121.2.35 ToneMatchErrorCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneMatchErrorCounter Tone signal / data verification error count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVerifyER

Definition at line 1060 of file cfe time msg.h.

10.121.2.36 ToneOverLimit uint32 CFE_TIME_DiagnosticTlm_Payload::ToneOverLimit Max between tone signal interrupts.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMaxSs

Definition at line 1108 of file cfe time msg.h.

 $\textbf{10.121.2.37} \quad \textbf{ToneSignalCounter} \quad \textbf{uint32} \quad \texttt{CFE_TIME_DiagnosticTlm_Payload::} \\ \textbf{ToneSignalCounter} \\ \textbf{Tone signal detected SB message count.}$

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTSDetCNT

Definition at line 1062 of file cfe_time_msg.h.

10.121.2.38 ToneSignalLatch CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload::ToneSignalLatch Local Clock latched at most recent tone signal.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTTS, \$sc_\$cpu_TIME_DTTSs

Definition at line 1050 of file cfe_time_msg.h.

10.121.2.39 ToneTaskCounter uint32 CFE_TIME_DiagnosticTlm_Payload::ToneTaskCounter Tone task execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsTaskCNT

Definition at line 1070 of file cfe_time_msg.h.

10.121.2.40 ToneUnderLimit uint32 CFE_TIME_DiagnosticTlm_Payload::ToneUnderLimit Min between tone signal interrupts.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMinSs

Definition at line 1110 of file cfe_time_msg.h.

10.121.2.41 VersionCounter uint32 CFE_TIME_DiagnosticTlm_Payload::VersionCounter Count of mods to time at tone reference data (version)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVersionCNT

Definition at line 1072 of file cfe time msg.h.

10.121.2.42 VirtualMET uint32 CFE_TIME_DiagnosticTlm_Payload::VirtualMET Software MET.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLogicalMET

Definition at line 1082 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.122 CFE TIME HousekeepingTlm Struct Reference

#include <cfe_time_msg.h>

Data Fields

• CFE_MSG_TelemetryHeader_t TelemetryHeader

Telemetry header.

CFE TIME HousekeepingTlm Payload t Payload

Telemetry payload.

10.122.1 Detailed Description

Definition at line 963 of file cfe time msg.h.

10.122.2 Field Documentation

10.122.2.1 Payload CFE_TIME_HousekeepingTlm_Payload_t CFE_TIME_HousekeepingTlm::Payload Telemetry payload.

Definition at line 966 of file cfe_time_msg.h.

10.122.2.2 TelemetryHeader CFE_MSG_TelemetryHeader_t CFE_TIME_HousekeepingTlm::TelemetryHeader Telemetry header.

Definition at line 965 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe_time_msg.h

10.123 CFE TIME HousekeepingTlm Payload Struct Reference

#include <cfe_time_msq.h>

Data Fields

uint8 CommandCounter

Time Command Execution Counter.

uint8 CommandErrorCounter

Time Command Error Counter.

· uint16 ClockStateFlags

State Flags.

CFE TIME ClockState Enum t ClockStateAPI

API State.

int16 LeapSeconds

Current Leaps Seconds.

• uint32 SecondsMET

Current MET (seconds)

uint32 SubsecsMET

Current MET (sub-seconds)

• uint32 SecondsSTCF

Current STCF (seconds)

uint32 SubsecsSTCF

Current STCF (sub-seconds)

• uint32 Seconds1HzAdj

Current 1 Hz SCTF adjustment (seconds)

uint32 Subsecs1HzAdj

Current 1 Hz SCTF adjustment (sub-seconds)

· uint32 SecondsDelay

Current 1 Hz SCTF Delay (seconds)

· uint32 SubsecsDelay

Current 1 Hz SCTF Delay (sub-seconds)

10.123.1 Detailed Description

Name Time Services Housekeeping Packet

Definition at line 905 of file cfe_time_msg.h.

10.123.2 Field Documentation

10.123.2.1 ClockStateAPI CFE_TIME_ClockState_Enum_t CFE_TIME_HousekeepingTlm_Payload::ClockState↔
API

API State.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAPIState

Definition at line 920 of file cfe time msg.h.

10.123.2.2 ClockStateFlags uint16 CFE_TIME_HousekeepingTlm_Payload::ClockStateFlags State Flags.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_StateFlg, \$sc_\$cpu_TIME_FlagSet, \$sc_\$cpu_TIME_FlagFly, \$sc_\$cpu←

__TIME_FlagSrc, \$sc_\$cpu_TIME_FlagPri, \$sc_\$cpu_TIME_FlagSfly, \$sc_\$cpu_TIME_←

FlagCfly, \$sc_\$cpu_TIME_FlagAdjd, \$sc_\$cpu_TIME_Flag1Hzd, \$sc_\$cpu_TIME_FlagClat,

\$sc_\$cpu_TIME_FlagSorC, \$sc_\$cpu_TIME_FlagNIU

Definition at line 918 of file cfe time msg.h.

10.123.2.3 CommandCounter uint8 CFE_TIME_HousekeepingTlm_Payload::CommandCounter Time Command Execution Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_CMDPC

Definition at line 910 of file cfe time msg.h.

10.123.2.4 CommandErrorCounter uint8 CFE_TIME_HousekeepingTlm_Payload::CommandErrorCounter Time Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_CMDEC

Definition at line 912 of file cfe time msg.h.

10.123.2.5 LeapSeconds int16 CFE_TIME_HousekeepingTlm_Payload::LeapSeconds Current Leaps Seconds.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_LeapSecs

Definition at line 926 of file cfe_time_msg.h.

10.123.2.6 Seconds1HzAdj uint32 CFE_TIME_HousekeepingTlm_Payload::Seconds1HzAdj Current 1 Hz SCTF adjustment (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSecs

Definition at line 946 of file cfe_time_msg.h.

10.123.2.7 SecondsDelay uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsDelay Current 1 Hz SCTF Delay (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSecs

Definition at line 956 of file cfe_time_msg.h.

10.123.2.8 SecondsMET uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsMET Current MET (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_METSecs

Definition at line 932 of file cfe_time_msg.h.

10.123.2.9 SecondsSTCF uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsSTCF Current STCF (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_STCFSecs

Definition at line 937 of file cfe time msg.h.

10.123.2.10 Subsecs1HzAdj uint32 CFE_TIME_HousekeepingTlm_Payload::Subsecs1HzAdj Current 1 Hz SCTF adjustment (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSSecs

Definition at line 948 of file cfe_time_msg.h.

10.123.2.11 SubsecsDelay uint32 CFE_TIME_HousekeepingTlm_Payload::SubsecsDelay Current 1 Hz SCTF Delay (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSSecs

Definition at line 958 of file cfe_time_msg.h.

10.123.2.12 SubsecsMET uint32 CFE_TIME_HousekeepingTlm_Payload::SubsecsMET Current MET (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_METSubsecs

Definition at line 934 of file cfe_time_msg.h.

10.123.2.13 SubsecsSTCF uint32 CFE_TIME_HousekeepingTlm_Payload::SubsecsSTCF Current STCF (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_STCFSubsecs

Definition at line 939 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.124 CFE TIME LeapsCmd Payload Struct Reference

Set leap seconds command payload.
#include <cfe_time_msg.h>

Data Fields

• int16 LeapSeconds

10.124.1 Detailed Description

Set leap seconds command payload. Definition at line 750 of file cfe_time_msg.h.

10.124.2 Field Documentation

10.124.2.1 LeapSeconds int16 CFE_TIME_LeapsCmd_Payload::LeapSeconds

Definition at line 752 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe time msg.h

10.125 CFE_TIME_NoArgsCmd Struct Reference

Generic no argument command.

#include <cfe_time_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

10.125.1 Detailed Description

Generic no argument command.

Definition at line 729 of file cfe time msg.h.

10.125.2 Field Documentation

10.125.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_NoArgsCmd::CommandHeader Command header.

Definition at line 731 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe_time_msg.h

10.126 CFE_TIME_OneHzAdjustmentCmd Struct Reference

Generic seconds, subseconds adjustment command.

#include <cfe_time_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_TIME_OneHzAdjustmentCmd_Payload_t Payload

Command payload.

10.126.1 Detailed Description

Generic seconds, subseconds adjustment command.

Definition at line 866 of file cfe time msg.h.

10.126.2 Field Documentation

10.126.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_OneHzAdjustmentCmd::CommandHeader Command header.

Definition at line 868 of file cfe time msg.h.

10.126.2.2 Payload CFE_TIME_OneHzAdjustmentCmd_Payload_t CFE_TIME_OneHzAdjustmentCmd::Payload Command payload.

Definition at line 869 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe time msg.h

10.127 CFE TIME OneHzAdjustmentCmd Payload Struct Reference

Generic seconds, subseconds command payload.

#include <cfe_time_msg.h>

Data Fields

- uint32 Seconds
- · uint32 Subseconds

10.127.1 Detailed Description

Generic seconds, subseconds command payload. Definition at line 857 of file cfe time msg.h.

10.127.2 Field Documentation

10.127.2.1 Seconds uint32 CFE_TIME_OneHzAdjustmentCmd_Payload::Seconds Definition at line 859 of file cfe_time_msg.h.

10.127.2.2 Subseconds uint32 CFE_TIME_OneHzAdjustmentCmd_Payload::Subseconds Definition at line 860 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

· cfe/modules/time/fsw/inc/cfe time msg.h

10.128 CFE TIME SetLeapSecondsCmd Struct Reference

Set leap seconds command.

#include <cfe_time_msg.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_LeapsCmd_Payload_t Payload

Command payload.

10.128.1 Detailed Description

Set leap seconds command.

Definition at line 758 of file cfe time msg.h.

10.128.2 Field Documentation

10.128.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetLeapSecondsCmd::CommandHeader Command header.

Definition at line 760 of file cfe time msg.h.

10.128.2.2 Payload CFE_TIME_LeapsCmd_Payload_t CFE_TIME_SetLeapSecondsCmd::Payload Command payload.

Definition at line 761 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.129 CFE_TIME_SetSignalCmd Struct Reference

Set tone signal source command.

#include <cfe_time_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_TIME_SignalCmd_Payload_t Payload

Command payload.

10.129.1 Detailed Description

Set tone signal source command.

Definition at line 817 of file cfe_time_msg.h.

10.129.2 Field Documentation

10.129.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetSignalCmd::CommandHeader Command header.

Definition at line 819 of file cfe time msg.h.

10.129.2.2 Payload CFE_TIME_SignalCmd_Payload_t CFE_TIME_SetSignalCmd::Payload

Command payload.

Definition at line 820 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe time msg.h

10.130 CFE_TIME_SetSourceCmd Struct Reference

Set time data source command.

#include <cfe_time_msq.h>

Data Fields

· CFE MSG CommandHeader t CommandHeader

Command header.

• CFE_TIME_SourceCmd_Payload_t Payload

Command payload.

10.130.1 Detailed Description

Set time data source command.

Definition at line 798 of file cfe time msg.h.

10.130.2 Field Documentation

10.130.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_SetSourceCmd::CommandHeader Command header.

Definition at line 800 of file cfe time msg.h.

10.130.2.2 Payload CFE_TIME_SourceCmd_Payload_t CFE_TIME_SetSourceCmd::Payload Command payload.

Definition at line 801 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.131 CFE TIME SetStateCmd Struct Reference

Set clock state command.

#include <cfe_time_msg.h>

Data Fields

CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_StateCmd_Payload_t Payload

Command payload.

10.131.1 Detailed Description

Set clock state command.

Definition at line 779 of file cfe_time_msg.h.

10.131.2 Field Documentation

 $\textbf{10.131.2.1} \quad \textbf{CommandHeader} \quad \texttt{CFE_MSG_CommandHeader_t} \quad \texttt{CFE_TIME_SetStateCmd::CommandHeader}$

Command header.

Definition at line 781 of file cfe time msg.h.

10.131.2.2 Payload CFE_TIME_StateCmd_Payload_t CFE_TIME_SetStateCmd::Payload

Command payload.

Definition at line 782 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe time msg.h

10.132 CFE_TIME_SignalCmd_Payload Struct Reference

Set tone signal source command payload.

#include <cfe_time_msg.h>

Data Fields

• int16 ToneSource

CFE_TIME_ToneSignalSelect_PRIMARY=Primary Source, CFE_TIME_ToneSignalSelect_REDUNDANT=Redundant Source

10.132.1 Detailed Description

Set tone signal source command payload. Definition at line 807 of file cfe_time_msg.h.

10.132.2 Field Documentation

10.132.2.1 ToneSource int16 CFE_TIME_SignalCmd_Payload::ToneSource CFE_TIME_ToneSignalSelect_PRIMARY=Primary Source, CFE_TIME_ToneSignalSelect_REDUNDANT=Redundant Source

Selects either the "Primary" or "Redundant" tone signal source Definition at line 809 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.133 CFE TIME SourceCmd Payload Struct Reference

Set time data source command payload.

#include <cfe_time_msg.h>

Data Fields

• int16 TimeSource

CFE_TIME_SourceSelect_INTERNAL=Internal Source, CFE_TIME_SourceSelect_EXTERNAL=External Source

10.133.1 Detailed Description

Set time data source command payload.

Definition at line 788 of file cfe_time_msg.h.

10.133.2 Field Documentation

10.133.2.1 TimeSource int16 CFE_TIME_SourceCmd_Payload::TimeSource CFE_TIME_SourceSelect_INTERNAL=Internal Source, CFE_TIME_SourceSelect_EXTERNAL=External Source

Selects either the "Internal" and "External" clock source

Definition at line 790 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.134 CFE_TIME_StateCmd_Payload Struct Reference

Set clock state command payload.

#include <cfe_time_msq.h>

Data Fields

CFE_TIME_ClockState_Enum_t ClockState

CFE_TIME_ClockState_INVALID=Spacecraft time has not been accurately set, CFE_TIME_ClockState_VALID=Spacecraft clock has been accurately set, CFE_TIME_ClockState_FLYWHEEL=Force into FLYWHEEL mode

10.134.1 Detailed Description

Set clock state command payload.

Definition at line 767 of file cfe_time_msg.h.

10.134.2 Field Documentation

10.134.2.1 ClockState CFE_TIME_ClockState_Enum_t CFE_TIME_StateCmd_Payload::ClockState CFE_TIME_ClockState_INVALID=Spacecraft time has not been accurately set, CFE_TIME_ClockState_VALID=Spacecraft clock has been accurately set, CFE_TIME_ClockState_FLYWHEEL=Force into FLYWHEEL mode

Selects the current clock state

Definition at line 769 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.135 CFE_TIME_SysTime Struct Reference

Data structure used to hold system time values.

```
#include <cfe_time_extern_typedefs.h>
```

Data Fields

· uint32 Seconds

Number of seconds since epoch.

• uint32 Subseconds

Number of subseconds since epoch (LSB = 2^{\land} (-32) seconds)

10.135.1 Detailed Description

Data structure used to hold system time values.

Description

The CFE_TIME_SysTime_t data structure is used to hold time values. Time is referred to as the elapsed time (in seconds and subseconds) since a specified epoch time. The subseconds field contains the number of 2^{-1} second intervals that have elapsed since the epoch.

Definition at line 51 of file cfe_time_extern_typedefs.h.

10.135.2 Field Documentation

10.135.2.1 Seconds uint32 CFE_TIME_SysTime::Seconds

Number of seconds since epoch.

Definition at line 53 of file cfe_time_extern_typedefs.h.

10.135.2.2 Subseconds uint32 CFE_TIME_SysTime::Subseconds

Number of subseconds since epoch (LSB = 2^{\land} (-32) seconds)

Definition at line 54 of file cfe time extern typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h

10.136 CFE_TIME_TimeCmd Struct Reference

Generic seconds, microseconds argument command.

#include <cfe_time_msq.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

• CFE_TIME_TimeCmd_Payload_t Payload

Command payload.

10.136.1 Detailed Description

Generic seconds, microseconds argument command. Definition at line 835 of file cfe_time_msg.h.

10.136.2 Field Documentation

$\textbf{10.136.2.1} \quad \textbf{CommandHeader} \quad \texttt{CFE_MSG_CommandHeader_t} \quad \texttt{CFE_TIME_TimeCmd::CommandHeader}$

Command header.

Definition at line 837 of file cfe time msg.h.

10.136.2.2 Payload CFE_TIME_TimeCmd_Payload_t CFE_TIME_TimeCmd::Payload

Command payload.

Definition at line 838 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

· cfe/modules/time/fsw/inc/cfe time msg.h

10.137 CFE TIME TimeCmd Payload Struct Reference

Generic seconds, microseconds command payload.

#include <cfe_time_msg.h>

Data Fields

- uint32 Seconds
- · uint32 MicroSeconds

10.137.1 Detailed Description

Generic seconds, microseconds command payload. Definition at line 826 of file cfe time msg.h.

10.137.2 Field Documentation

10.137.2.1 MicroSeconds uint32 CFE_TIME_TimeCmd_Payload::MicroSeconds Definition at line 829 of file cfe_time_msg.h.

10.137.2.2 Seconds uint32 CFE_TIME_TimeCmd_Payload::Seconds Definition at line 828 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

· cfe/modules/time/fsw/inc/cfe time msg.h

10.138 CFE TIME ToneDataCmd Struct Reference

Time at tone data command.

#include <cfe_time_msq.h>

Data Fields

• CFE_MSG_CommandHeader_t CommandHeader

Command header.

CFE_TIME_ToneDataCmd_Payload_t Payload

Command payload.

10.138.1 Detailed Description

Time at tone data command.

Definition at line 894 of file cfe time msg.h.

10.138.2 Field Documentation

10.138.2.1 CommandHeader CFE_MSG_CommandHeader_t CFE_TIME_ToneDataCmd::CommandHeader Command header.

Definition at line 896 of file cfe time msg.h.

10.138.2.2 Payload CFE_TIME_ToneDataCmd_Payload_t CFE_TIME_ToneDataCmd::Payload Command payload.

Definition at line 897 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe_time_msg.h

10.139 CFE_TIME_ToneDataCmd_Payload Struct Reference

Time at tone data command payload.

#include <cfe_time_msg.h>

Data Fields

CFE_TIME_SysTime_t AtToneMET

MET at time of tone.

CFE_TIME_SysTime_t AtToneSTCF

STCF at time of tone.

• int16 AtToneLeapSeconds

Leap Seconds at time of tone.

CFE_TIME_ClockState_Enum_t AtToneState

Clock state at time of tone.

10.139.1 Detailed Description

Time at tone data command payload.

Definition at line 883 of file cfe time msg.h.

10.139.2 Field Documentation

10.139.2.1 AtToneLeapSeconds int16 CFE_TIME_ToneDataCmd_Payload::AtToneLeapSeconds Leap Seconds at time of tone.

Definition at line 887 of file cfe_time_msg.h.

10.139.2.2 AtToneMET CFE_TIME_SysTime_t CFE_TIME_ToneDataCmd_Payload::AtToneMET

MET at time of tone.

Definition at line 885 of file cfe time msg.h.

10.139.2.3 AtToneState CFE_TIME_ClockState_Enum_t CFE_TIME_ToneDataCmd_Payload::AtToneState Clock state at time of tone.

Definition at line 888 of file cfe_time_msg.h.

10.139.2.4 AtToneSTCF CFE_TIME_SysTime_t CFE_TIME_ToneDataCmd_Payload::AtToneSTCF

STCF at time of tone.

Definition at line 886 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe time msg.h

10.140 OS_bin_sem_prop_t Struct Reference

OSAL binary semaphore properties.

#include <osapi-binsem.h>

Data Fields

- char name [OS MAX API NAME]
- · osal id t creator
- int32 value

10.140.1 Detailed Description

OSAL binary semaphore properties. Definition at line 39 of file osapi-binsem.h.

10.140.2 Field Documentation

10.140.2.1 creator osal_id_t OS_bin_sem_prop_t::creator Definition at line 42 of file osapi-binsem.h.

10.140.2.2 name char OS_bin_sem_prop_t::name[OS_MAX_API_NAME] Definition at line 41 of file osapi-binsem.h.

10.140.2.3 value int32 OS_bin_sem_prop_t::value

Definition at line 43 of file osapi-binsem.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-binsem.h

10.141 OS condvar prop t Struct Reference

OSAL condition variable properties.

#include <osapi-condvar.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator

10.141.1 Detailed Description

OSAL condition variable properties.

Definition at line 34 of file osapi-condvar.h.

10.141.2 Field Documentation

10.141.2.1 creator osal_id_t OS_condvar_prop_t::creator Definition at line 37 of file osapi-condvar.h.

10.141.2.2 name char OS_condvar_prop_t::name[OS_MAX_API_NAME]
Definition at line 36 of file osapi-condvar.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-condvar.h

10.142 OS_count_sem_prop_t Struct Reference

OSAL counting semaphore properties. #include <osapi-countsem.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal_id_t creator
- int32 value

10.142.1 Detailed Description

OSAL counting semaphore properties. Definition at line 32 of file osapi-countsem.h.

10.142.2 Field Documentation

10.142.2.1 creator osal_id_t OS_count_sem_prop_t::creator Definition at line 35 of file osapi-countsem.h.

10.142.2.2 name char OS_count_sem_prop_t::name[OS_MAX_API_NAME] Definition at line 34 of file osapi-countsem.h.

10.142.2.3 value int32 OS_count_sem_prop_t::value

Definition at line 36 of file osapi-countsem.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-countsem.h

10.143 os_dirent_t Struct Reference

Directory entry.

#include <osapi-dir.h>

Data Fields

• char FileName [OS MAX FILE NAME]

10.143.1 Detailed Description

Directory entry.

Definition at line 32 of file osapi-dir.h.

10.143.2 Field Documentation

```
10.143.2.1 FileName char os_dirent_t::FileName[OS_MAX_FILE_NAME]
```

Definition at line 34 of file osapi-dir.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-dir.h

10.144 OS FdSet Struct Reference

An abstract structure capable of holding several OSAL IDs.

```
#include <osapi-select.h>
```

Data Fields

• uint8 object_ids [(OS_MAX_NUM_OPEN_FILES+7)/8]

10.144.1 Detailed Description

An abstract structure capable of holding several OSAL IDs.

This is part of the select API and is manipulated using the related API calls. It should not be modified directly by applications.

Note: Math is to determine uint8 array size needed to represent single bit OS_MAX_NUM_OPEN_FILES objects, + 7 rounds up and 8 is the size of uint8.

See also

```
OS_SelectFdZero(), OS_SelectFdAdd(), OS_SelectFdClear(), OS_SelectFdIsSet()
```

Definition at line 43 of file osapi-select.h.

10.144.2 Field Documentation

```
10.144.2.1 object_ids uint8 OS_FdSet::object_ids[(OS_MAX_NUM_OPEN_FILES+7)/8]
```

Definition at line 45 of file osapi-select.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-select.h

10.145 OS_file_prop_t Struct Reference

OSAL file properties.

#include <osapi-file.h>

Data Fields

- char Path [OS MAX PATH LEN]
- osal_id_t User
- uint8 IsValid

10.145.1 Detailed Description

OSAL file properties.

Definition at line 49 of file osapi-file.h.

10.145.2 Field Documentation

```
10.145.2.1 IsValid uint8 OS_file_prop_t::IsValid
```

Definition at line 53 of file osapi-file.h.

10.145.2.2 Path char OS_file_prop_t::Path[OS_MAX_PATH_LEN]

Definition at line 51 of file osapi-file.h.

10.145.2.3 User osal_id_t OS_file_prop_t::User

Definition at line 52 of file osapi-file.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-file.h

10.146 os_fsinfo_t Struct Reference

OSAL file system info.

#include <osapi-filesys.h>

Data Fields

uint32 MaxFds

Total number of file descriptors.

• uint32 FreeFds

Total number that are free.

uint32 MaxVolumes

Maximum number of volumes.

• uint32 FreeVolumes

Total number of volumes free.

10.146.1 Detailed Description

OSAL file system info.

Definition at line 35 of file osapi-filesys.h.

10.146.2 Field Documentation

10.146.2.1 FreeFds uint32 os_fsinfo_t::FreeFds

Total number that are free.

Definition at line 38 of file osapi-filesys.h.

10.146.2.2 FreeVolumes uint32 os_fsinfo_t::FreeVolumes

Total number of volumes free.

Definition at line 40 of file osapi-filesys.h.

10.146.2.3 MaxFds uint32 os_fsinfo_t::MaxFds

Total number of file descriptors.

Definition at line 37 of file osapi-filesys.h.

10.146.2.4 MaxVolumes uint32 os_fsinfo_t::MaxVolumes

Maximum number of volumes.

Definition at line 39 of file osapi-filesys.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-filesys.h

10.147 os_fstat_t Struct Reference

File system status.

#include <osapi-file.h>

Data Fields

- uint32 FileModeBits
- OS_time_t FileTime
- size t FileSize

10.147.1 Detailed Description

File system status.

Note

This used to be directly typedef'ed to the "struct stat" from the C library

Some C libraries (glibc in particular) actually define member names to reference into sub-structures, so attempting to reuse a name like "st_mtime" might not work.

Definition at line 64 of file osapi-file.h.

10.147.2 Field Documentation

10.147.2.1 FileModeBits uint32 os_fstat_t::FileModeBits

Definition at line 66 of file osapi-file.h.

10.147.2.2 FileSize size_t os_fstat_t::FileSize

Definition at line 68 of file osapi-file.h.

10.147.2.3 FileTime OS_time_t os_fstat_t::FileTime

Definition at line 67 of file osapi-file.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-file.h

10.148 OS_heap_prop_t Struct Reference

OSAL heap properties.

#include <osapi-heap.h>

Data Fields

- · size t free bytes
- · osal blockcount tfree blocks
- size_t largest_free_block

10.148.1 Detailed Description

OSAL heap properties.

See also

OS_HeapGetInfo()

Definition at line 36 of file osapi-heap.h.

10.148.2 Field Documentation

10.148.2.1 free_blocks osal_blockcount_t OS_heap_prop_t::free_blocks Definition at line 39 of file osapi-heap.h.

10.148.2.2 free_bytes size_t OS_heap_prop_t::free_bytes Definition at line 38 of file osapi-heap.h.

10.148.2.3 largest_free_block size_t OS_heap_prop_t::largest_free_block Definition at line 40 of file osapi-heap.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-heap.h

10.149 OS_module_address_t Struct Reference

OSAL module address properties.

#include <osapi-module.h>

Data Fields

- · uint32 valid
- · uint32 flags
- · cpuaddr code address
- · cpuaddr code size
- · cpuaddr data address
- · cpuaddr data size
- · cpuaddr bss address
- · cpuaddr bss_size

10.149.1 Detailed Description

OSAL module address properties. Definition at line 78 of file osapi-module.h.

10.149.2 Field Documentation

10.149.2.1 bss_address cpuaddr OS_module_address_t::bss_address Definition at line 86 of file osapi-module.h.

10.149.2.2 bss_size cpuaddr OS_module_address_t::bss_size Definition at line 87 of file osapi-module.h.

10.149.2.3 code_address cpuaddr OS_module_address_t::code_address
Definition at line 82 of file osapi-module.h.

10.149.2.4 code_size cpuaddr OS_module_address_t::code_size Definition at line 83 of file osapi-module.h.

 $\begin{tabular}{ll} \textbf{10.149.2.5} & \textbf{data_address} & \texttt{cpuaddr} & \texttt{OS_module_address_t::} \texttt{data_address} \\ \textbf{Definition at line 84 of file osapi-module.h.} \\ \end{tabular}$

10.149.2.6 data_size cpuaddr OS_module_address_t::data_size Definition at line 85 of file osapi-module.h.

10.149.2.7 flags uint32 OS_module_address_t::flags Definition at line 81 of file osapi-module.h.

10.149.2.8 valid uint32 OS_module_address_t::valid

Definition at line 80 of file osapi-module.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-module.h

10.150 OS_module_prop_t Struct Reference

OSAL module properties.

#include <osapi-module.h>

Data Fields

- · cpuaddr entry point
- · cpuaddr host_module_id
- char filename [OS_MAX_PATH_LEN]
- char name [OS_MAX_API_NAME]
- · OS module address taddr

10.150.1 Detailed Description

OSAL module properties.

Definition at line 91 of file osapi-module.h.

10.150.2 Field Documentation

10.150.2.1 addr OS_module_address_t OS_module_prop_t::addr Definition at line 97 of file osapi-module.h.

10.150.2.2 entry_point cpuaddr OS_module_prop_t::entry_point Definition at line 93 of file osapi-module.h.

10.150.2.3 filename char OS_module_prop_t::filename[OS_MAX_PATH_LEN] Definition at line 95 of file osapi-module.h.

10.150.2.4 host_module_id cpuaddr OS_module_prop_t::host_module_id Definition at line 94 of file osapi-module.h.

10.150.2.5 name char OS_module_prop_t::name[OS_MAX_API_NAME]

Definition at line 96 of file osapi-module.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-module.h

10.151 OS_mut_sem_prop_t Struct Reference

OSAL mutex properties.

#include <osapi-mutex.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator

10.151.1 Detailed Description

OSAL mutex properties.

Definition at line 32 of file osapi-mutex.h.

10.151.2 Field Documentation

```
10.151.2.1 creator osal_id_t OS_mut_sem_prop_t::creator Definition at line 35 of file osapi-mutex.h.
```

10.151.2.2 name char OS_mut_sem_prop_t::name[OS_MAX_API_NAME] Definition at line 34 of file osapi-mutex.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-mutex.h

10.152 OS_queue_prop_t Struct Reference

OSAL queue properties.

#include <osapi-queue.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator

10.152.1 Detailed Description

OSAL queue properties.

Definition at line 32 of file osapi-queue.h.

10.152.2 Field Documentation

```
10.152.2.1 creator osal_id_t OS_queue_prop_t::creator Definition at line 35 of file osapi-queue.h.
```

```
10.152.2.2 name char OS_queue_prop_t::name[OS_MAX_API_NAME] Definition at line 34 of file osapi-queue.h.
```

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-queue.h

10.153 OS_SockAddr_t Struct Reference

Encapsulates a generic network address.
#include <osapi-sockets.h>

Data Fields

· size_t ActualLength

Length of the actual address data.

OS SockAddrData t AddrData

Abstract Address data.

10.153.1 Detailed Description

Encapsulates a generic network address.

This is just an abstract buffer type that holds a network address. It is allocated for the worst-case size defined by OS_SOCKADDR_MAX_LEN, and the real size is stored within.

Definition at line 109 of file osapi-sockets.h.

10.153.2 Field Documentation

10.153.2.1 ActualLength size_t OS_SockAddr_t::ActualLength

Length of the actual address data.

Definition at line 111 of file osapi-sockets.h.

10.153.2.2 AddrData OS_SockAddrData_t OS_SockAddr_t::AddrData

Abstract Address data.

Definition at line 112 of file osapi-sockets.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-sockets.h

10.154 OS_SockAddrData_t Union Reference

Storage buffer for generic network address.

#include <osapi-sockets.h>

Data Fields

uint8 Buffer [OS_SOCKADDR_MAX_LEN]

Ensures length of at least OS_SOCKADDR_MAX_LEN.

• uint32 AlignU32

Ensures uint32 alignment.

void * AlignPtr

Ensures pointer alignment.

10.154.1 Detailed Description

Storage buffer for generic network address.

This is a union type that helps to ensure a minimum alignment value for the data storage, such that it can be cast to the system-specific type without increasing alignment requirements.

Definition at line 95 of file osapi-sockets.h.

10.154.2 Field Documentation

10.154.2.1 AlignPtr void* OS_SockAddrData_t::AlignPtr

Ensures pointer alignment.

Definition at line 99 of file osapi-sockets.h.

10.154.2.2 AlignU32 uint32 OS_SockAddrData_t::AlignU32

Ensures uint32 alignment.

Definition at line 98 of file osapi-sockets.h.

10.154.2.3 Buffer uint8 OS_SockAddrData_t::Buffer[OS_SOCKADDR_MAX_LEN]

Ensures length of at least OS_SOCKADDR_MAX_LEN.

Definition at line 97 of file osapi-sockets.h.

The documentation for this union was generated from the following file:

osal/src/os/inc/osapi-sockets.h

10.155 OS_socket_prop_t Struct Reference

Encapsulates socket properties.

#include <osapi-sockets.h>

Data Fields

• char name [OS MAX API NAME]

Name of the socket.

· osal id t creator

OSAL TaskID which opened the socket.

10.155.1 Detailed Description

Encapsulates socket properties.

This is for consistency with other OSAL resource types. Currently no extra properties are exposed here but this could change in a future revision of OSAL as needed.

Definition at line 122 of file osapi-sockets.h.

10.155.2 Field Documentation

10.155.2.1 creator osal_id_t OS_socket_prop_t::creator

OSAL TaskID which opened the socket.

Definition at line 125 of file osapi-sockets.h.

10.155.2.2 name char OS_socket_prop_t::name[OS_MAX_API_NAME]

Name of the socket.

Definition at line 124 of file osapi-sockets.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-sockets.h

10.156 OS_static_symbol_record_t Struct Reference

Associates a single symbol name with a memory address.

#include <osapi-module.h>

Data Fields

- const char * Name
- void(* Address)(void)
- const char * Module

10.156.1 Detailed Description

Associates a single symbol name with a memory address.

If the OS_STATIC_SYMBOL_TABLE feature is enabled, then an array of these structures should be provided by the application. When the application needs to find a symbol address, the static table will be checked in addition to (or instead of) the OS/library-provided lookup function.

This static symbol allows systems that do not implement dynamic module loading to maintain the same semantics as dynamically loaded modules.

Definition at line 113 of file osapi-module.h.

10.156.2 Field Documentation

10.156.2.1 Address void(* OS_static_symbol_record_t::Address) (void) Definition at line 116 of file osapi-module.h.

10.156.2.2 Module const char* OS_static_symbol_record_t::Module Definition at line 117 of file osapi-module.h.

10.156.2.3 Name const char* OS_static_symbol_record_t::Name Definition at line 115 of file osapi-module.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-module.h

10.157 OS_statvfs_t Struct Reference

#include <osapi-filesys.h>

Data Fields

- size t block size
- · osal_blockcount_t total_blocks
- osal_blockcount_t blocks_free

10.157.1 Detailed Description

Definition at line 49 of file osapi-filesys.h.

10.157.2 Field Documentation

10.157.2.1 block_size size_t OS_statvfs_t::block_size

Block size of underlying FS

Definition at line 51 of file osapi-filesys.h.

10.157.2.2 blocks_free osal_blockcount_t OS_statvfs_t::blocks_free

Available blocks in underlying FS

Definition at line 53 of file osapi-filesys.h.

10.157.2.3 total_blocks osal_blockcount_t OS_statvfs_t::total_blocks

Total blocks in underlying FS

Definition at line 52 of file osapi-filesys.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-filesys.h

10.158 OS_task_prop_t Struct Reference

OSAL task properties.

#include <osapi-task.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator
- · size t stack size
- · osal_priority_t priority

10.158.1 Detailed Description

OSAL task properties.

Definition at line 57 of file osapi-task.h.

10.158.2 Field Documentation

10.158.2.1 creator osal_id_t OS_task_prop_t::creator

Definition at line 60 of file osapi-task.h.

10.158.2.2 name char OS_task_prop_t::name[OS_MAX_API_NAME]

Definition at line 59 of file osapi-task.h.

10.158.2.3 priority osal_priority_t OS_task_prop_t::priority

Definition at line 62 of file osapi-task.h.

10.158.2.4 stack_size size_t OS_task_prop_t::stack_size

Definition at line 61 of file osapi-task.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-task.h

10.159 OS_time_t Struct Reference

OSAL time interval structure.

#include <osapi-clock.h>

Data Fields

int64 ticks

10.159.1 Detailed Description

OSAL time interval structure.

This is used to represent a basic time interval.

When used with OS_GetLocalTime/OS_SetLocalTime, this represents the interval from the OS's epoch point, typically 01 Jan 1970 00:00:00 UTC on systems that have a persistent real time clock (RTC), or the system boot time if there is no RTC available.

Applications should not directly access fields within this structure, as the definition may change in future versions of OSAL. Instead, applications should use the accessor/conversion methods defined below. Definition at line 45 of file osapi-clock.h.

10.159.2 Field Documentation

10.159.2.1 ticks int64 OS_time_t::ticks

Ticks elapsed since reference point

Definition at line 47 of file osapi-clock.h.

Referenced by OS_TimeAdd(), OS_TimeAssembleFromMicroseconds(), OS_TimeAssembleFromMilliseconds(), O \leftarrow S_TimeAssembleFromNanoseconds(), OS_TimeAssembleFromSubseconds(), OS_TimeGetFractionalPart(), OS_ \leftarrow TimeGetTotalMicroseconds(), OS_TimeGetTotalMilliseconds(), OS_TimeGetTotalNanoseconds(), OS_TimeGetTotalConds(), OS_TimeGetTotalConds(),

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-clock.h

10.160 OS_timebase_prop_t Struct Reference

Time base properties.

#include <osapi-timebase.h>

Data Fields

- char name [OS MAX API NAME]
- osal_id_t creator
- · uint32 nominal interval time
- uint32 freerun_time
- · uint32 accuracy

10.160.1 Detailed Description

Time base properties.

Definition at line 37 of file osapi-timebase.h.

10.160.2 Field Documentation

10.160.2.1 accuracy uint32 OS_timebase_prop_t::accuracy

Definition at line 43 of file osapi-timebase.h.

10.160.2.2 creator osal_id_t OS_timebase_prop_t::creator

Definition at line 40 of file osapi-timebase.h.

10.160.2.3 freerun_time uint32 OS_timebase_prop_t::freerun_time

Definition at line 42 of file osapi-timebase.h.

10.160.2.4 name char OS_timebase_prop_t::name[OS_MAX_API_NAME]

Definition at line 39 of file osapi-timebase.h.

 $\textbf{10.160.2.5} \quad \textbf{nominal_interval_time} \quad \texttt{uint32} \quad \texttt{OS_timebase_prop_t::} \\ \texttt{nominal_interval_time}$

Definition at line 41 of file osapi-timebase.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-timebase.h

10.161 OS timer prop t Struct Reference

Timer properties.

#include <osapi-timer.h>

Data Fields

- char name [OS_MAX_API_NAME]
- · osal id t creator
- uint32 start_time
- · uint32 interval time
- · uint32 accuracy

10.161.1 Detailed Description

Timer properties.

Definition at line 37 of file osapi-timer.h.

10.161.2 Field Documentation

11 File Documentation 557

10.161.2.1 accuracy uint32 OS_timer_prop_t::accuracy Definition at line 43 of file osapi-timer.h.

10.161.2.2 creator osal_id_t OS_timer_prop_t::creator Definition at line 40 of file osapi-timer.h.

10.161.2.3 interval_time uint32 OS_timer_prop_t::interval_time Definition at line 42 of file osapi-timer.h.

10.161.2.4 name char OS_timer_prop_t::name[OS_MAX_API_NAME] Definition at line 39 of file osapi-timer.h.

10.161.2.5 start_time uint32 OS_timer_prop_t::start_time Definition at line 41 of file osapi-timer.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-timer.h

11 File Documentation

11.1 build/osal public api/inc/osconfig.h File Reference

Macros

- #define OSAL CONFIG INCLUDE DYNAMIC LOADER
 - Configuration file Operating System Abstraction Layer.
- #define OSAL CONFIG INCLUDE NETWORK
- #define OSAL_CONFIG_INCLUDE_STATIC_LOADER
- #define OSAL CONFIG CONSOLE ASYNC
- #define OS_MAX_TASKS 64

The maximum number of to support.

• #define OS_MAX_QUEUES 64

The maximum number of queues to support.

• #define OS_MAX_COUNT_SEMAPHORES 20

The maximum number of counting semaphores to support.

• #define OS_MAX_BIN_SEMAPHORES 20

The maximum number of binary semaphores to support.

#define OS_MAX_MUTEXES 20

The maximum number of mutexes to support.

#define OS_MAX_CONDVARS 4

The maximum number of condition variables to support.

#define OS MAX MODULES 20

The maximum number of modules to support.

#define OS_MAX_TIMEBASES 5

The maximum number of timebases to support.

#define OS MAX TIMERS 10

The maximum number of timer callbacks to support.

• #define OS MAX NUM OPEN FILES 50

The maximum number of concurrently open files to support.

#define OS_MAX_NUM_OPEN_DIRS 4

The maximum number of concurrently open directories to support.

• #define OS MAX FILE SYSTEMS 14

The maximum number of file systems to support.

• #define OS MAX SYM LEN 64

The maximum length of symbols.

#define OS MAX FILE NAME 20

The maximum length of OSAL file names.

• #define OS_MAX_PATH_LEN 64

The maximum length of OSAL path names.

• #define OS MAX API NAME 20

The maximum length of OSAL resource names.

#define OS_SOCKADDR_MAX_LEN 28

The maximum size of the socket address structure.

• #define OS BUFFER SIZE 172

The maximum size of output produced by a single OS_printf()

• #define OS BUFFER MSG DEPTH 100

The maximum number of OS_printf() output strings to buffer.

#define OS UTILITYTASK PRIORITY 245

Priority level of the background utility task.

#define OS_UTILITYTASK_STACK_SIZE 2048

The stack size of the background utility task.

• #define OS_MAX_CMD_LEN 1000

The maximum size of a shell command.

• #define OS_QUEUE_MAX_DEPTH 50

The maximum depth of OSAL queues.

• #define OS SHELL CMD INPUT FILE NAME ""

The name of the temporary file used to store shell commands.

• #define OS_PRINTF_CONSOLE_NAME ""

The name of the primary console device.

• #define OS_ADD_TASK_FLAGS 0

Flags added to all tasks on creation.

#define OS_MAX_CONSOLES 1

The maximum number of console devices to support.

#define OS_MODULE_FILE_EXTENSION ".so"

The system-specific file extension used on loadable module files.

- #define OS_FS_DEV_NAME_LEN 32
- #define OS FS PHYS NAME LEN 64
- #define OS_FS_VOL_NAME_LEN 32

11.1.1 Macro Definition Documentation

11.1.1.1 OS_ADD_TASK_FLAGS #define OS_ADD_TASK_FLAGS 0

Flags added to all tasks on creation.

Added to the task flags on creation

Supports adding floating point support for all tasks when the OS requires it Definition at line 254 of file osconfig.h.

11.1.1.2 OS_BUFFER_MSG_DEPTH #define OS_BUFFER_MSG_DEPTH 100

The maximum number of OS_printf() output strings to buffer.

Based on the OSAL_CONFIG_PRINTF_BUFFER_DEPTH configuration option Definition at line 187 of file osconfig.h.

11.1.1.3 OS BUFFER SIZE #define OS_BUFFER_SIZE 172

The maximum size of output produced by a single OS_printf()

Based on the OSAL_CONFIG_PRINTF_BUFFER_SIZE configuration option Definition at line 180 of file osconfig.h.

11.1.1.4 OS_FS_DEV_NAME_LEN #define OS_FS_DEV_NAME_LEN 32

Device name length

Definition at line 281 of file osconfig.h.

11.1.1.5 OS FS PHYS NAME LEN #define OS_FS_PHYS_NAME_LEN 64

Physical drive name length

Definition at line 282 of file osconfig.h.

11.1.1.6 OS_FS_VOL_NAME_LEN #define OS_FS_VOL_NAME_LEN 32

Volume name length

Definition at line 283 of file osconfig.h.

11.1.1.7 OS MAX API NAME #define OS_MAX_API_NAME 20

The maximum length of OSAL resource names.

Based on the OSAL CONFIG MAX API NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 163 of file osconfig.h.

11.1.1.8 OS_MAX_BIN_SEMAPHORES #define OS_MAX_BIN_SEMAPHORES 20

The maximum number of binary semaphores to support.

Based on the OSAL_CONFIG_MAX_BIN_SEMAPHORES configuration option Definition at line 65 of file osconfig.h.

11.1.1.9 OS_MAX_CMD_LEN #define OS_MAX_CMD_LEN 1000

The maximum size of a shell command.

This limit is only applicable if shell support is enabled.

Based on the OSAL CONFIG MAX CMD LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 218 of file osconfig.h.

11.1.1.10 OS_MAX_CONDVARS #define OS_MAX_CONDVARS 4

The maximum number of condition variables to support.

Based on the OSAL_CONFIG_MAX_CONDVARS configuration option

Definition at line 79 of file osconfig.h.

11.1.1.11 OS_MAX_CONSOLES #define OS_MAX_CONSOLES 1

The maximum number of console devices to support.

Fixed value based on current OSAL implementation, not user configurable.

Definition at line 269 of file osconfig.h.

11.1.1.12 OS_MAX_COUNT_SEMAPHORES #define OS_MAX_COUNT_SEMAPHORES 20

The maximum number of counting semaphores to support.

Based on the OSAL_CONFIG_MAX_COUNT_SEMAPHORES configuration option

Definition at line 58 of file osconfig.h.

11.1.1.13 OS_MAX_FILE_NAME #define OS_MAX_FILE_NAME 20

The maximum length of OSAL file names.

This limit applies specifically to the file name portion, not the directory portion, of a path name.

Based on the OSAL_CONFIG_MAX_FILE_NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 142 of file osconfig.h.

11.1.1.14 OS_MAX_FILE_SYSTEMS #define OS_MAX_FILE_SYSTEMS 14

The maximum number of file systems to support.

Based on the OSAL_CONFIG_MAX_FILE_SYSTEMS configuration option

Definition at line 121 of file osconfig.h.

11.1.1.15 OS_MAX_MODULES #define OS_MAX_MODULES 20

The maximum number of modules to support.

Based on the OSAL_CONFIG_MAX_MODULES configuration option

Definition at line 86 of file osconfig.h.

11.1.1.16 OS_MAX_MUTEXES #define OS_MAX_MUTEXES 20

The maximum number of mutexes to support.

Based on the OSAL_CONFIG_MAX_MUTEXES configuration option

Definition at line 72 of file osconfig.h.

11.1.1.17 OS MAX NUM OPEN DIRS #define OS_MAX_NUM_OPEN_DIRS 4

The maximum number of concurrently open directories to support.

Based on the OSAL_CONFIG_MAX_NUM_OPEN_DIRS configuration option

Definition at line 114 of file osconfig.h.

11.1.1.18 OS_MAX_NUM_OPEN_FILES #define OS_MAX_NUM_OPEN_FILES 50

The maximum number of concurrently open files to support.

Based on the OSAL CONFIG MAX NUM OPEN FILES configuration option

Definition at line 107 of file osconfig.h.

11.1.1.19 OS MAX PATH LEN #define OS_MAX_PATH_LEN 64

The maximum length of OSAL path names.

This limit applies to the overall length of a path name, including the file name and directory portions.

Based on the OSAL CONFIG MAX PATH LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 154 of file osconfig.h.

11.1.1.20 OS MAX QUEUES #define OS_MAX_QUEUES 64

The maximum number of queues to support.

Based on the OSAL CONFIG MAX QUEUES configuration option

Definition at line 51 of file osconfig.h.

11.1.1.21 OS MAX SYM LEN #define OS_MAX_SYM_LEN 64

The maximum length of symbols.

Based on the OSAL_CONFIG_MAX_SYM_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 130 of file osconfig.h.

11.1.1.22 OS_MAX_TASKS #define OS_MAX_TASKS 64

The maximum number of to support.

Based on the OSAL_CONFIG_MAX_TASKS configuration option

Definition at line 44 of file osconfig.h.

11.1.1.23 OS_MAX_TIMEBASES #define OS_MAX_TIMEBASES 5

The maximum number of timebases to support.

Based on the OSAL CONFIG MAX TIMEBASES configuration option

Definition at line 93 of file osconfig.h.

11.1.1.24 OS_MAX_TIMERS #define OS_MAX_TIMERS 10

The maximum number of timer callbacks to support.

Based on the OSAL CONFIG MAX TIMERS configuration option

Definition at line 100 of file osconfig.h.

11.1.1.25 OS_MODULE_FILE_EXTENSION #define OS_MODULE_FILE_EXTENSION ".so"

The system-specific file extension used on loadable module files.

Fixed value based on system selection, not user configurable.

Definition at line 276 of file osconfig.h.

11.1.1.26 OS PRINTF CONSOLE NAME #define OS_PRINTF_CONSOLE_NAME ""

The name of the primary console device.

This is the device to which OS_printf() output is written. The output may be configured to tag each line with this prefix for identification.

Based on the OSAL CONFIG PRINTF CONSOLE NAME configuration option

Definition at line 245 of file osconfig.h.

11.1.1.27 OS QUEUE MAX DEPTH #define OS_QUEUE_MAX_DEPTH 50

The maximum depth of OSAL queues.

Based on the OSAL CONFIG QUEUE MAX DEPTH configuration option

Definition at line 225 of file osconfig.h.

11.1.1.28 OS_SHELL_CMD_INPUT_FILE_NAME #define OS_SHELL_CMD_INPUT_FILE_NAME ""

The name of the temporary file used to store shell commands.

This configuration is only applicable if shell support is enabled, and only necessary/relevant on some OS implementa-

Based on the OSAL CONFIG SHELL CMD INPUT FILE NAME configuration option

Definition at line 235 of file osconfig.h.

11.1.1.29 OS SOCKADDR MAX LEN #define OS_SOCKADDR_MAX_LEN 28

The maximum size of the socket address structure.

This is part of the Socket API, and should be set large enough to hold the largest address type in use on the target system.

Based on the OSAL_CONFIG_SOCKADDR_MAX_LEN configuration option

Definition at line 173 of file osconfig.h.

11.1.1.30 OS_UTILITYTASK_PRIORITY #define OS_UTILITYTASK_PRIORITY 245

Priority level of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_PRIORITY configuration option Definition at line 197 of file osconfig.h.

11.1.1.31 OS UTILITYTASK STACK SIZE #define OS_UTILITYTASK_STACK_SIZE 2048

The stack size of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_STACK_SIZE configuration option Definition at line 207 of file osconfig.h.

11.1.1.32 OSAL_CONFIG_CONSOLE_ASYNC #define OSAL_CONFIG_CONSOLE_ASYNC

Definition at line 27 of file osconfig.h.

11.1.1.33 OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER #define OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER

Configuration file Operating System Abstraction Layer.

The specific definitions in this file may only be modified by setting the respective OSAL configuration options in the CMake build.

Any direct modifications to the generated copy will be overwritten each time CMake executes.

Note

This file was automatically generated by CMake from /home/runner/work/cFE/cFE/osal/default_config.cmake

Definition at line 21 of file osconfig.h.

11.1.34 OSAL_CONFIG_INCLUDE_NETWORK #define OSAL_CONFIG_INCLUDE_NETWORK Definition at line 22 of file osconfig.h.

11.1.1.35 OSAL_CONFIG_INCLUDE_STATIC_LOADER #define OSAL_CONFIG_INCLUDE_STATIC_LOADER Definition at line 23 of file osconfig.h.

11.2 cpu1 msgids.h File Reference

#include "cfe_mission_cfg.h"

Macros

#define CFE PLATFORM CMD MID BASE 0x1800

Platform command message ID base offset.

#define CFE PLATFORM TLM MID BASE 0x0800

Platform telemetry message ID base offset.

#define CFE_PLATFORM_CMD_MID_BASE_GLOB 0x1860

"Global" command message ID base offset

- #define CFE_EVS_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_EVS_CMD_MSG /*
 0x1801 */
- #define CFE_TEST_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TEST_CMD_MSG /*
 0x1802 */

/* 0x0808 */

- #define CFE_SB_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_CMD_MSG /* 0x1803
 */
- #define CFE_TBL_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TBL_CMD_MSG /*
 0x1804 */
- #define CFE_TIME_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_CMD_MSG /*
 0x1805 */
- #define CFE_ES_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_ES_CMD_MSG /* 0x1806
 */
- #define CFE_ES_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_ES_SEND_HK_MSG /* 0x1808 */
- #define CFE_EVS_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_EVS_SEND_HK_MSG /* 0x1809 */
- #define CFE_SB_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SEND_HK_MSG /* 0x180B */
- #define CFE_TBL_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TBL_SEND_HK_MSG /* 0x180C */
- #define CFE_TIME_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_SEND_HK_MSG /* 0x180D */
- #define CFE_SB_SUB_RPT_CTRL_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SUB_RPT_CTRL_MSG /* 0x180E */
- #define CFE_TIME_TONE_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_TONE_CMD_MSG /* 0x1810 */
- #define CFE_TIME_1HZ_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_1HZ_CMD_MSG /* 0x1811 */
- #define CFE_TIME_DATA_CMD_MID CFE_PLATFORM_CMD_MID_BASE_GLOB + CFE_MISSION_TIME_DATA_CMD_MSG /* 0x1860 */
- #define CFE_TIME_SEND_CMD_MID CFE_PLATFORM_CMD_MID_BASE_GLOB + CFE_MISSION_TIME_SEND_CMD_MSG
 /* 0x1862 */
- #define CFE_ES_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_HK_TLM_MSG /*
 0x0800 */
- #define CFE_EVS_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_HK_TLM_MSG /* 0x0801 */
- #define CFE_TEST_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TEST_HK_TLM_MSG /* 0x0802 */
- #define CFE_SB_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_HK_TLM_MSG /*
 0x0803 */
- #define CFE_TBL_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TBL_HK_TLM_MSG /* 0x0804 */
- #define CFE_TIME_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TIME_HK_TLM_MSG /* 0x0805 */
- #define CFE_TIME_DIAG_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TIME_DIAG_TLM_MSG /* 0x0806 */
- #define CFE_EVS_SHORT_EVENT_MSG_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_SHORT_EVENT_MS
 /* 0x0809 */
- #define CFE_SB_STATS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_STATS_TLM_MSG /* 0x080A */
- #define CFE_ES_APP_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_APP_TLM_MSG /* 0x080B */
- #define CFE_TBL_REG_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TBL_REG_TLM_MSG /* 0x080C */

- #define CFE_SB_ALLSUBS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_ALLSUBS_TLM_MSG /* 0x080D */
- #define CFE_SB_ONESUB_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_ONESUB_TLM_MSG /* 0x080E */
- #define CFE_ES_MEMSTATS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_MEMSTATS_TLM_MSG /* 0x0810 */

11.2.1 Detailed Description

Purpose: This header file contains the Message Id's for messages used by the cFE core.

Author: R.McGraw/SSI

Notes: This file should not contain messages defined by cFE external applications.

11.2.2 Macro Definition Documentation

11.2.2.1 CFE_ES_APP_TLM_MID #define CFE_ES_APP_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_APP_TLM_MSG /* 0x080B */

Definition at line 125 of file cpu1 msgids.h.

11.2.2.2 CFE_ES_CMD_MID #define CFE_ES_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_ES_CMD_MSG /* 0x1806 */

Definition at line 92 of file cpu1 msgids.h.

11.2.2.3 CFE_ES_HK_TLM_MID #define CFE_ES_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_HK_TLM_MSG /* 0x0800 */

Definition at line 115 of file cpu1 msgids.h.

11.2.2.4 CFE_ES_MEMSTATS_TLM_MID #define CFE_ES_MEMSTATS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_ES_MEMSTATS_TLM_MSG /* 0x0810 */

Definition at line 129 of file cpu1_msgids.h.

11.2.2.5 CFE_ES_SEND_HK_MID #define CFE_ES_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_ES_SEND_HK_MSG
/* 0x1808 */

Definition at line 94 of file cpu1 msgids.h.

11.2.2.6 CFE_EVS_CMD_MID #define CFE_EVS_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_EVS_CMD_MSG /* 0x1801 */

Definition at line 87 of file cpu1 msgids.h.

11.2.2.7 CFE_EVS_HK_TLM_MID #define CFE_EVS_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_HK_TLM_MSG

/* 0x0801 */

Definition at line 116 of file cpu1 msgids.h.

11.2.2.8 CFE_EVS_LONG_EVENT_MSG_MID #define CFE_EVS_LONG_EVENT_MSG_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_LONG_EVENT_MSG_MSG /* 0x0808 */

Definition at line 122 of file cpu1 msgids.h.

11.2.2.9 CFE_EVS_SEND_HK_MID #define CFE_EVS_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_EVS_SEND_HK_
/* 0x1809 */

Definition at line 95 of file cpu1_msgids.h.

11.2.2.10 CFE_EVS_SHORT_EVENT_MSG_MID #define CFE_EVS_SHORT_EVENT_MSG_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG /* 0x0809 */

Definition at line 123 of file cpu1_msgids.h.

11.2.2.11 CFE_PLATFORM_CMD_MID_BASE #define CFE_PLATFORM_CMD_MID_BASE 0x1800

Platform command message ID base offset.

Example mechanism for setting default command bits and deconflicting MIDs across multiple platforms in a mission. For any sufficiently complex mission this method is typically replaced by a centralized message ID management scheme. 0x1800 - Nominal value for default message ID implementation (V1). This sets the command field and the secondary header present field. Typical V1 command MID range is 0x1800-1FFF. Additional cpus can deconflict message IDs by incrementing this value to provide sub-allocations (0x1900 for example). 0x0080 - Command bit for MISSION_MSGI D_V2 message ID implementation (V2). Although this can be used for the value below due to the relatively small set of MIDs in the framework it will not scale so an alternative method of deconfliction is recommended. Definition at line 59 of file cpu1 msgids.h.

11.2.2.12 CFE_PLATFORM_CMD_MID_BASE_GLOB #define CFE_PLATFORM_CMD_MID_BASE_GLOB 0x1860 "Global" command message ID base offset

0x1860 - Nominal value for message ID V1 0x00E0 - Potential value for MISSION_MSGID_V2, note command bit is 0x0080. Works in limited cases only, alternative method of deconfliction is recommended. See CFE_PLATFORM_CMD_MID_BASE for more information

Definition at line 82 of file cpu1 msgids.h.

11.2.2.13 CFE PLATFORM TLM MID BASE #define CFE_PLATFORM_TLM_MID_BASE 0x0800

Platform telemetry message ID base offset.

0x0800 - Nominal for message ID V1 0x0000 - Potential value for MISSION_MSGID_V2, but limited to a range of 0x0000-0x007F since the command bit is 0x0080. Alternative method of deconfliction is recommended.

See CFE_PLATFORM_CMD_MID_BASE for more information

Definition at line 71 of file cpu1_msgids.h.

11.2.2.14 CFE_SB_ALLSUBS_TLM_MID #define CFE_SB_ALLSUBS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_ALLSUBS_TLM_MSG /* 0x080D */

Definition at line 127 of file cpu1_msgids.h.

11.2.2.15 CFE_SB_CMD_MID #define CFE_SB_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_CMD_MSG /* 0x1803 */

Definition at line 89 of file cpu1 msgids.h.

11.2.2.16 CFE_SB_HK_TLM_MID #define CFE_SB_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_HK_TLM_MSG /* 0x0803 */

Definition at line 118 of file cpu1_msgids.h.

11.2.2.17 CFE_SB_ONESUB_TLM_MID #define CFE_SB_ONESUB_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_ONESUB_TLM_MSG /* 0x080E */

Definition at line 128 of file cpu1 msgids.h.

11.2.2.18 CFE_SB_SEND_HK_MID #define CFE_SB_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SEND_HK_MS
/* 0x180B */

Definition at line 97 of file cpu1 msgids.h.

11.2.2.19 CFE_SB_STATS_TLM_MID #define CFE_SB_STATS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_STATS_
/* 0x080A */

Definition at line 124 of file cpu1 msgids.h.

11.2.2.20 CFE_SB_SUB_RPT_CTRL_MID #define CFE_SB_SUB_RPT_CTRL_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SUB_RPT_CTRL_MSG /* 0x180E */

Definition at line 101 of file cpu1_msgids.h.

11.2.2.21 CFE_TBL_CMD_MID #define CFE_TBL_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TBL_CMD_MSG /* 0x1804 */

Definition at line 90 of file cpu1 msgids.h.

11.2.2.22 CFE_TBL_HK_TLM_MID #define CFE_TBL_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TBL_HK_TLM_MS /* 0x0804 */

Definition at line 119 of file cpu1_msgids.h.

11.2.2.23 CFE_TBL_REG_TLM_MID #define CFE_TBL_REG_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TBL_REG_TLM_/* 0x080C */

Definition at line 126 of file cpu1_msgids.h.

11.2.2.24 CFE_TBL_SEND_HK_MID #define CFE_TBL_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TBL_SEND_HK
/* 0x180C */

Definition at line 98 of file cpu1_msgids.h.

11.2.2.25 CFE_TEST_CMD_MID #define CFE_TEST_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TEST_CMD_MSG

/* 0x1802 */

Definition at line 88 of file cpu1 msgids.h.

11.2.2.26 CFE_TEST_HK_TLM_MID #define CFE_TEST_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TEST_HK_TLM
/* 0x0802 */

Definition at line 117 of file cpu1 msgids.h.

11.2.2.27 CFE_TIME_1HZ_CMD_MID #define CFE_TIME_1HZ_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_1HZ_
/* 0x1811 */

Definition at line 104 of file cpu1_msgids.h.

11.2.2.28 CFE_TIME_CMD_MID #define CFE_TIME_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_CMD_MSG /* 0x1805 */

Definition at line 91 of file cpu1 msgids.h.

11.2.2.29 CFE_TIME_DATA_CMD_MID #define CFE_TIME_DATA_CMD_MID CFE_PLATFORM_CMD_MID_BASE_GLOB + CFE_MISSION_TIME_DATA_CMD_MSG /* 0x1860 */

Definition at line 109 of file cpu1_msgids.h.

11.2.2.30 CFE_TIME_DIAG_TLM_MID #define CFE_TIME_DIAG_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TIME_DIAG_TLM_MSG /* 0x0806 */

Definition at line 121 of file cpu1_msgids.h.

11.2.2.31 CFE_TIME_HK_TLM_MID #define CFE_TIME_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TIME_HK_TLM_
/* 0x0805 */

Definition at line 120 of file cpu1 msgids.h.

11.2.2.32 CFE_TIME_SEND_CMD_MID #define CFE_TIME_SEND_CMD_MID CFE_PLATFORM_CMD_MID_BASE_GLOB + CFE_MISSION_TIME_SEND_CMD_MSG /* 0x1862 */

Definition at line 110 of file cpu1 msgids.h.

11.2.2.33 CFE_TIME_SEND_HK_MID #define CFE_TIME_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_SEND_/* 0x180D */

Definition at line 99 of file cpu1 msgids.h.

11.2.2.34 CFE_TIME_TONE_CMD_MID #define CFE_TIME_TONE_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TIME_TONE_CMD_MSG /* 0x1810 */
Definition at line 103 of file cpu1_msgids.h.

11.3 cpu1_platform_cfg.h File Reference

Macros

- #define CFE PLATFORM ES NONVOL DISK MOUNT STRING "/cf"
- #define CFE PLATFORM ES RAM DISK MOUNT STRING "/ram"
- #define CFE_PLATFORM_SB_MAX_MSG_IDS 256
- #define CFE PLATFORM SB MAX PIPES 64

- #define CFE_PLATFORM_SB_MAX_DEST_PER_PKT 16
- #define CFE PLATFORM SB DEFAULT MSG LIMIT 4
- #define CFE_PLATFORM_SB_BUF_MEMORY_BYTES 524288
- #define CFE_PLATFORM_SB_HIGHEST_VALID_MSGID 0x1FFF
- #define CFE PLATFORM ENDIAN CCSDS LITTLE ENDIAN
- #define CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME "/ram/cfe_sb_route.dat"
- #define CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME "/ram/cfe_sb_pipe.dat"
- #define CFE PLATFORM SB DEFAULT MAP FILENAME "/ram/cfe sb msgmap.dat"
- #define CFE PLATFORM SB FILTERED EVENT1 CFE SB SEND NO SUBS EID
- #define CFE PLATFORM SB FILTER MASK1 CFE EVS FIRST 4 STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT2 CFE_SB_DUP_SUBSCRIP_EID
- #define CFE PLATFORM SB FILTER MASK2 CFE EVS FIRST 4 STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT3 CFE_SB_MSGID_LIM_ERR_EID
- #define CFE PLATFORM SB FILTER MASK3 CFE EVS FIRST 16 STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT4 CFE_SB_Q_FULL_ERR_EID
- #define CFE_PLATFORM_SB_FILTER_MASK4 CFE_EVS_FIRST_16_STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT5 0
- #define CFE_PLATFORM_SB_FILTER_MASK5 CFE_EVS_NO_FILTER
- #define CFE_PLATFORM_SB_FILTERED_EVENT6 0
- #define CFE_PLATFORM_SB_FILTER_MASK6 CFE_EVS_NO_FILTER
- #define CFE_PLATFORM_SB_FILTERED_EVENT7 0
- #define CFE_PLATFORM_SB_FILTER_MASK7 CFE_EVS_NO_FILTER
- #define CFE PLATFORM SB FILTERED EVENT8 0
- #define CFE PLATFORM SB FILTER MASK8 CFE EVS NO FILTER
- #define CFE PLATFORM SB MEM BLOCK SIZE 01 8
- #define CFE PLATFORM SB MEM BLOCK SIZE 02 16
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 64
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 96
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 128
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 160
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 256
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 512
- #define CFE PLATFORM SB MEM BLOCK SIZE 11 1024
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12 2048
- #define CFE PLATFORM SB MEM BLOCK SIZE 13 4096
- #define CFE PLATFORM SB MEM BLOCK SIZE 14 8192
- #define CFE PLATFORM SB MEM BLOCK SIZE 15 16384
- #define CFE PLATFORM SB MEM BLOCK SIZE 16 32768
- #define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MSG_SIZE + 128)
- #define CFE_PLATFORM_TIME_CFG_SERVER true
- #define CFE_PLATFORM_TIME_CFG_CLIENT false
- #define CFE PLATFORM TIME CFG VIRTUAL true
- #define CFE PLATFORM TIME CFG SIGNAL false
- #define CFE_PLATFORM_TIME_CFG_SOURCE false
- #define CFE_PLATFORM_TIME_CFG_SRC_MET false
- #define CFE_PLATFORM_TIME_CFG_SRC_GPS false
- #define CFE_PLATFORM_TIME_CFG_SRC_TIME false
- #define CFE PLATFORM TIME MAX DELTA SECS 0
- #define CFE PLATFORM TIME MAX DELTA SUBS 500000

- #define CFE_PLATFORM_TIME_MAX_LOCAL_SECS 27
- #define CFE PLATFORM TIME MAX LOCAL SUBS 0
- #define CFE_PLATFORM_TIME_CFG_TONE_LIMIT 20000
- #define CFE PLATFORM TIME CFG START FLY 2
- #define CFE PLATFORM TIME CFG LATCH FLY 8
- #define CFE_PLATFORM_ES_MAX_APPLICATIONS 32
- #define CFE_PLATFORM_ES_MAX_LIBRARIES 10
- #define CFE PLATFORM ES ER LOG ENTRIES 20
- #define CFE PLATFORM ES ER LOG MAX CONTEXT SIZE 256
- #define CFE PLATFORM ES SYSTEM LOG SIZE 3072
- #define CFE PLATFORM ES OBJECT TABLE SIZE 30
- #define CFE PLATFORM ES MAX GEN COUNTERS 8
- #define CFE PLATFORM_ES_APP_SCAN_RATE 1000
- #define CFE PLATFORM ES APP KILL TIMEOUT 5
- #define CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE 512
- #define CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS 4096
- #define CFE PLATFORM ES RAM DISK PERCENT RESERVED 30
- #define CFE PLATFORM ES CDS SIZE (128 * 1024)
- #define CFE_PLATFORM_ES_USER_RESERVED_SIZE (1024 * 1024)
- #define CFE PLATFORM ES RESET AREA SIZE (170 * 1024)
- #define CFE PLATFORM ES MEMPOOL ALIGN SIZE MIN 4
- #define CFE_PLATFORM_ES_NONVOL_STARTUP_FILE "/cf/cfe_es_startup.scr"
- #define CFE PLATFORM ES VOLATILE STARTUP FILE "/ram/cfe es startup.scr"
- #define CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE "/ram/cfe_es_app_info.log"
- #define CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE "/ram/cfe_es_taskinfo.log"
- #define CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE "/ram/cfe_es_syslog.log"
- #define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE "/ram/cfe_erlog.log"
- #define CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"
- #define CFE PLATFORM ES DEFAULT CDS REG DUMP FILE "/ram/cfe cds reg.log"
- #define CFE PLATFORM ES DEFAULT POR SYSLOG MODE 0
- #define CFE PLATFORM ES DEFAULT PR SYSLOG MODE 1
- #define CFE PLATFORM ES PERF DATA BUFFER SIZE 10000
- #define CFE_PLATFORM_ES_PERF_FILTMASK_NONE 0
- #define CFE_PLATFORM_ES_PERF_FILTMASK_ALL \sim CFE_PLATFORM_ES_PERF_FILTMASK_NONE
- #define CFE PLATFORM ES PERF FILTMASK INIT CFE PLATFORM ES PERF FILTMASK ALL
- #define CFE_PLATFORM_ES_PERF_TRIGMASK_NONE 0
- #define CFE_PLATFORM_ES_PERF_TRIGMASK_ALL ~CFE_PLATFORM_ES_PERF_TRIGMASK_NONE
- #define CFE PLATFORM ES PERF TRIGMASK INIT CFE PLATFORM ES PERF TRIGMASK NONE
- #define CFE PLATFORM ES PERF CHILD PRIORITY 200
- #define CFE PLATFORM ES PERF CHILD STACK SIZE 4096
- #define CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY 20
- #define CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS 50
- #define CFE_PLATFORM_ES_DEFAULT_STACK_SIZE 8192
- #define CFE PLATFORM EVS START TASK PRIORITY 61
- #define CFE PLATFORM EVS START TASK STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE
- #define CFE_PLATFORM_SB_START_TASK_PRIORITY 64
- #define CFE_PLATFORM_SB_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE_PLATFORM_ES_START_TASK_PRIORITY 68
- #define CFE_PLATFORM_ES_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE_PLATFORM_TIME_START_TASK_PRIORITY 60
- #define CFE_PLATFORM_TIME_TONE_TASK_PRIORITY 25

- #define CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY 25
- #define CFE_PLATFORM_TIME_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE 4096
- #define CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE 8192
- #define CFE PLATFORM TBL START TASK PRIORITY 70
- #define CFE_PLATFORM_TBL_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES 512
- #define CFE PLATFORM ES MAX PROCESSOR RESETS 2
- #define CFE PLATFORM ES POOL MAX BUCKETS 17
- #define CFE PLATFORM ES MAX MEMORY POOLS 10
- #define CFE PLATFORM ES MEM BLOCK SIZE 01 8
- #define CFE PLATFORM ES MEM BLOCK SIZE 02 16
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 32
- #define CFE PLATFORM ES MEM BLOCK SIZE 04 48
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 64
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 96
- #define CFE PLATFORM ES MEM BLOCK SIZE 07 128
- #define CFE PLATFORM ES MEM BLOCK SIZE 08 160 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 256
- #define CFE PLATFORM ES MEM BLOCK SIZE 10 512
- #define CFE PLATFORM ES MEM BLOCK SIZE 11 1024
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 2048
- #define CFE PLATFORM ES MEM BLOCK SIZE 13 4096 #define CFE PLATFORM ES MEM BLOCK SIZE 14 8192
- #define CFE PLATFORM ES MEM BLOCK SIZE 15 16384
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16 32768
- #define CFE PLATFORM ES MAX BLOCK SIZE 80000
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01 8
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02 16
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03 32 #define CFE PLATFORM ES CDS MEM BLOCK SIZE 04 48
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 05 64
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 06 96
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07 128
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 08 160
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09 256
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 10 512
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 11 1024
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 12 2048
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13 4096
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 14 8192 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 16384
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16 32768
- #define CFE PLATFORM ES CDS MAX BLOCK SIZE 80000
- #define CFE PLATFORM EVS MAX EVENT FILTERS 8
- #define CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST 32
- #define CFE PLATFORM EVS APP EVENTS PER SEC 8
- #define CFE PLATFORM EVS DEFAULT LOG FILE "/ram/cfe evs.log"
- #define CFE_PLATFORM_EVS_LOG_MAX 20
- #define CFE PLATFORM EVS DEFAULT APP DATA FILE "/ram/cfe evs app.dat"
- #define CFE PLATFORM EVS PORT DEFAULT 0x0001

- #define CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG 0xE
- #define CFE PLATFORM EVS DEFAULT LOG MODE 1
- #define CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE CFE_EVS_MsgFormat_LONG
- #define CFE_PLATFORM_TBL_BUF_MEMORY_BYTES 524288
- #define CFE PLATFORM TBL MAX DBL TABLE SIZE 16384
- #define CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE 16384
- #define CFE PLATFORM TBL MAX NUM TABLES 128
- #define CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES 32
- #define CFE PLATFORM TBL MAX NUM HANDLES 256
- #define CFE PLATFORM TBL MAX SIMULTANEOUS LOADS 4
- #define CFE PLATFORM TBL MAX NUM VALIDATIONS 10
- #define CFE PLATFORM TBL DEFAULT REG DUMP FILE "/ram/cfe tbl reg.log"
- #define CFE PLATFORM TBL VALID SCID COUNT 0
- #define CFE_PLATFORM_TBL_U32FROM4CHARS(_C1, _C2, _C3, _C4) ((uint32)(_C1) << 24 | (uint32)(_C2) << 16 | (uint32)(_C3) << 8 | (uint32)(_C4))
- #define CFE PLATFORM TBL VALID SCID 1 (0x42)
- #define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE PLATFORM TBL VALID PRID COUNT 0
- #define CFE_PLATFORM_TBL_VALID_PRID_1 (1)
- #define CFE PLATFORM TBL VALID PRID 2 (CFE PLATFORM TBL U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE_PLATFORM_TBL_VALID_PRID_3 0
- #define CFE_PLATFORM_TBL_VALID_PRID_4 0
- #define CFE PLATFORM ES STARTUP SYNC POLL MSEC 50
- #define CFE PLATFORM CORE MAX STARTUP MSEC 30000
- #define CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC 1000

11.3.1 Detailed Description

Purpose: This header file contains the platform configuration parameters.

Notes: The impact of changing these configurations from their default value is not yet documented. Changing these values may impact the performance and functionality of the system.

Author: R.McGraw/SSI

11.3.2 Macro Definition Documentation

11.3.2.1 CFE_PLATFORM_CORE_MAX_STARTUP_MSEC #define CFE_PLATFORM_CORE_MAX_STARTUP_MS← EC 30000

Purpose CFE core application startup timeout

Description:

The upper limit for the amount of time that the cFE core applications (ES, SB, EVS, TIME, TBL) are each allotted to reach their respective "ready" states.

The CFE "main" thread starts individual tasks for each of the core applications (except FS). Each of these must perform some initialization work before the next core application can be started, so the main thread waits to ensure that the application has reached the "ready" state before starting the next application.

If any core application fails to start, then it indicates a major problem with the system and startup is aborted. Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1713 of file cpu1_platform_cfg.h.

11.3.2.2 CFE_PLATFORM_ENDIAN #define CFE_PLATFORM_ENDIAN CCSDS_LITTLE_ENDIAN

Purpose Platform Endian Indicator

Description:

The value of this constant indicates the endianess of the target system

Limits

This parameter has a lower limit of 0 and an upper limit of 1.

Definition at line 190 of file cpu1_platform_cfg.h.

11.3.2.3 CFE_PLATFORM_ES_APP_KILL_TIMEOUT #define CFE_PLATFORM_ES_APP_KILL_TIMEOUT 5

Purpose Define ES Application Kill Timeout

Description:

ES Application Kill Timeout. This parameter controls the number of "scan periods" that ES will wait for an application to Exit after getting the signal Delete, Reload or Restart. The sequence works as follows:

- 1. ES will set the control request for an App to Delete/Restart/Reload and set this kill timer to the value in this parameter.
- If the App is responding and Calls it's RunLoop function, it will drop out of it's main loop and call CFE_ES

 _ExitApp. Once it calls Exit App, then ES can delete, restart, or reload the app the next time it scans the app table.
- 3. If the App is not responding, the ES App will decrement this Kill Timeout value each time it runs. If the timeout value reaches zero, ES will kill the app.

The Kill timeout value depends on the CFE_PLATFORM_ES_APP_SCAN_RATE. If the Scan Rate is 1000, or 1 second, and this CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 5, then it will take 5 seconds to kill a non-responding App. If the Scan Rate is 250, or 1/4 second, and the CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 2, then it will take 1/2 second to time out.

Limits

There is a lower limit of 1 and an upper limit of 100 on this configuration parameter. Units are number of CFE_PLATFORM_ES_APP_SCAN_RATE cycles.

Definition at line 620 of file cpu1 platform cfg.h.

11.3.2.4 CFE_PLATFORM_ES_APP_SCAN_RATE #define CFE_PLATFORM_ES_APP_SCAN_RATE 1000

Purpose Define ES Application Control Scan Rate

Description:

ES Application Control Scan Rate. This parameter controls the speed that ES scans the Application Table looking for App Delete/Restart/Reload requests. All Applications are deleted, restarted, or reloaded by the ES Application. ES will periodically scan for control requests to process. The scan rate is controlled by this parameter, which is given in milliseconds. A value of 1000 means that ES will scan the Application Table once per second. Be careful not to set the value of this too low, because ES will use more CPU cycles scanning the table.

Limits

There is a lower limit of 100 and an upper limit of 20000 on this configuration parameter. millisecond units.

Definition at line 591 of file cpu1 platform cfg.h.

11.3.2.5 CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE #define CFE_PLATFORM_ES_CDS_MAX_BLOCK_SI ← ZE 80000

Definition at line 1325 of file cpu1_platform_cfg.h.

11.3.2.6 CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES #define CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRI↔ ES 512

Purpose Define Maximum Number of Registered CDS Blocks

Description:

Maximum number of registered CDS Blocks

Limits

There is a lower limit of 8. There are no restrictions on the upper limit however, the maximum number of CDS entries is system dependent and should be verified.

Definition at line 1215 of file cpu1_platform_cfg.h.

11.3.2.7 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZ← E_01 8

Purpose Define ES Critical Data Store Memory Pool Block Sizes

Description:

Intermediate ES Critical Data Store Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4.

Definition at line 1309 of file cpu1 platform cfg.h.

11.3.2.8 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZ← E 02 16

Definition at line 1310 of file cpu1 platform cfg.h.

11.3.2.9 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZ← E_03 32

Definition at line 1311 of file cpu1 platform cfg.h.

11.3.2.10 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE_04 48

Definition at line 1312 of file cpu1_platform_cfg.h.

11.3.2.11 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE_05 64

Definition at line 1313 of file cpu1 platform cfg.h.

11.3.2.12 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_06 96

Definition at line 1314 of file cpu1 platform cfg.h.

11.3.2.13 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI← ZE_07 128

Definition at line 1315 of file cpu1 platform cfg.h.

11.3.2.14 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_08 160

Definition at line 1316 of file cpu1_platform_cfg.h.

11.3.2.15 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE 09 256

Definition at line 1317 of file cpu1_platform_cfg.h.

11.3.2.16 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE_10 512

Definition at line 1318 of file cpu1_platform_cfg.h.

11.3.2.17 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_11 1024

Definition at line 1319 of file cpu1 platform cfg.h.

11.3.2.18 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE 12 2048

Definition at line 1320 of file cpu1 platform cfg.h.

11.3.2.19 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_13 4096

Definition at line 1321 of file cpu1_platform_cfg.h.

11.3.2.20 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI ← ZE_14 8192

Definition at line 1322 of file cpu1 platform cfg.h.

11.3.2.21 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

ZE_15 16384

Definition at line 1323 of file cpu1 platform cfg.h.

11.3.2.22 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SI

∠E_16 32768

Definition at line 1324 of file cpu1_platform_cfg.h.

11.3.2.23 CFE_PLATFORM_ES_CDS_SIZE #define CFE_PLATFORM_ES_CDS_SIZE (128 * 1024)

Purpose Define Critical Data Store Size

Description:

Defines the Critical Data Store (CDS) area size in bytes size. The CDS is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 8192 and an upper limit of UINT_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 697 of file cpu1 platform cfg.h.

11.3.2.24 CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE #define CFE_PLATFORM_ES_DEFAULT_APP_LOG_FI←
LE "/ram/cfe_es_app_info.log"

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system apps.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 802 of file cpu1 platform cfg.h.

11.3.2.25 CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE #define CFE_PLATFORM_ES_DEFAULT_CDS←
__REG_DUMP_FILE "/ram/cfe_cds_reg.log"

Purpose Default Critical Data Store Registry Filename

Description:

The value of this constant defines the filename used to store the Critical Data Store Registry. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 876 of file cpu1_platform_cfg.h.

11.3.2.26 CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE #define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FI←
LE "/ram/cfe_erlog.log"

Purpose Default Exception and Reset (ER) Log Filename

Description:

The value of this constant defines the filename used to store the Exception and Reset (ER) Log. This filename is used only when no filename is specified in the command to dump the ER log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 848 of file cpu1_platform_cfg.h.

11.3.2.27 CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME #define CFE_PLATFORM_ES_DEFAULT_P←
ERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"

Purpose Default Performance Data Filename

Description:

The value of this constant defines the filename used to store the Performance Data. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 862 of file cpu1 platform cfg.h.

11.3.2.28 CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE #define CFE_PLATFORM_ES_DEFAULT_POR_← SYSLOG MODE 0

Purpose Define Default System Log Mode following Power On Reset

Description:

Defines the default mode for the operation of the ES System log following a power on reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 894 of file cpu1_platform_cfg.h.

11.3.2.29 CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE #define CFE_PLATFORM_ES_DEFAULT_PR_SY SLOG_MODE 1

Purpose Define Default System Log Mode following Processor Reset

Description:

Defines the default mode for the operation of the ES System log following a processor reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 912 of file cpu1_platform_cfg.h.

11.3.2.30 CFE_PLATFORM_ES_DEFAULT_STACK_SIZE #define CFE_PLATFORM_ES_DEFAULT_STACK_SI

ZE 8192

Purpose Define Default Stack Size for an Application

Description:

This parameter defines a default stack size. This parameter is used by the cFE Core Applications.

Limits

There is a lower limit of 2048. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1062 of file cpu1 platform cfg.h.

11.3.2.31 CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE #define CFE_PLATFORM_ES_DEFAULT_SYSLOG_FI←
LE "/ram/cfe_es_syslog.log"

Purpose Default System Log Filename

Description:

The value of this constant defines the filename used to store important information (as ASCII text strings) that might not be able to be sent in an Event Message. This filename is used only when no filename is specified in the command to dump the system log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 833 of file cpu1_platform_cfg.h.

11.3.2.32 CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE #define CFE_PLATFORM_ES_DEFAULT_TASK_LOG → _FILE "/ram/cfe_es_taskinfo.log"

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system tasks.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 817 of file cpu1 platform cfg.h.

11.3.2.33 CFE_PLATFORM_ES_ER_LOG_ENTRIES #define CFE_PLATFORM_ES_ER_LOG_ENTRIES 20

Purpose Define Max Number of ER (Exception and Reset) log entries

Description:

Defines the maximum number of ER (Exception and Reset) log entries

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of log entries is system dependent and should be verified.

Definition at line 518 of file cpu1 platform cfg.h.

11.3.2.34 CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE #define CFE_PLATFORM_ES_ER_LOG_MAX_CO↔ NTEXT SIZE 256

Purpose Maximum size of CPU Context in ES Error Log

Description:

This should be large enough to accommodate the CPU context information supplied by the PSP on the given platform.

Limits:

Must be greater than zero and a multiple of sizeof(uint32). Limited only by the available memory and the number of entries in the error log. Any context information beyond this size will be truncated.

Definition at line 532 of file cpu1_platform_cfg.h.

11.3.2.35 CFE_PLATFORM_ES_MAX_APPLICATIONS #define CFE_PLATFORM_ES_MAX_APPLICATIONS 32

Purpose Define Max Number of Applications

Description:

Defines the maximum number of applications that can be loaded into the system. This number does not include child tasks.

Limits

There is a lower limit of 6. The lower limit corresponds to the cFE internal applications. There are no restrictions on the upper limit however, the maximum number of applications is system dependent and should be verified. ApplDs that are checked against this configuration are defined by a 32 bit data word.

Definition at line 491 of file cpu1_platform_cfg.h.

11.3.2.36 CFE_PLATFORM_ES_MAX_BLOCK_SIZE #define CFE_PLATFORM_ES_MAX_BLOCK_SIZE 80000 Definition at line 1298 of file cpu1_platform_cfg.h.

11.3.2.37 CFE_PLATFORM_ES_MAX_GEN_COUNTERS #define CFE_PLATFORM_ES_MAX_GEN_COUNTERS 8

Purpose Define Max Number of Generic Counters

Description:

Defines the maximum number of Generic Counters that can be registered.

Limits

This parameter has a lower limit of 1 and an upper limit of 65535.

Definition at line 572 of file cpu1 platform cfg.h.

11.3.2.38 CFE_PLATFORM_ES_MAX_LIBRARIES #define CFE_PLATFORM_ES_MAX_LIBRARIES 10

Purpose Define Max Number of Shared libraries

Description:

Defines the maximum number of cFE Shared libraries that can be loaded into the system.

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of libraries is system dependent and should be verified.

Definition at line 505 of file cpu1 platform cfg.h.

11.3.2.39 CFE_PLATFORM_ES_MAX_MEMORY_POOLS #define CFE_PLATFORM_ES_MAX_MEMORY_POOLS 10

Purpose Maximum number of memory pools

Description:

The upper limit for the number of memory pools that can concurrently exist within the system.

The CFE_SB and CFE_TBL core subsystems each define a memory pool.

Individual applications may also create memory pools, so this value should be set sufficiently high enough to support the applications being used on this platform.

Limits:

Must be at least 2 to support CFE core - SB and TBL pools. No specific upper limit.

Definition at line 1263 of file cpu1 platform cfg.h.

11.3.2.40 CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS #define CFE_PLATFORM_ES_MAX_PROCESSOR_R ← ESETS 2

Purpose Define Number of Processor Resets Before a Power On Reset

Description:

Number of Processor Resets before a Power On Reset is called. If set to 2, then 2 processor resets will occur, and the 3rd processor reset will be a power on reset instead.

Limits

There is a lower limit of 0. There are no restrictions on the upper limit however, the maximum number of processor resets may be system dependent and should be verified.

Definition at line 1230 of file cpu1 platform cfg.h.

11.3.2.41 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 8

Purpose Define Default ES Memory Pool Block Sizes

Description:

Default Intermediate ES Memory Pool Block Sizes. If an application is using the CFE_ES Memory Pool AP ← Is (CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf and CFE_ES_PutPoolBuf) but finds these sizes inappropriate for their use, they may wish to use the CFE_ES_PoolCreateEx API to specify their own intermediate block sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. Also, CFE_PLATFORM_ES_MAX_← BLOCK_SIZE must be larger than CFE_MISSION_SB_MAX_SB_MSG_SIZE and both CFE_PLATFORM_TB← L_MAX_SNGL_TABLE_SIZE and CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE. Note that if Table Services have been removed from the CFE, the table size limits are still enforced although the table size definitions may be reduced.

Definition at line 1282 of file cpu1_platform_cfg.h.

- 11.3.2.42 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 16 Definition at line 1283 of file cpu1_platform_cfg.h.
- 11.3.2.43 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 32 Definition at line 1284 of file cpu1_platform_cfg.h.
- 11.3.2.44 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 48 Definition at line 1285 of file cpu1_platform_cfg.h.
- 11.3.2.45 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 64 Definition at line 1286 of file cpu1 platform_cfg.h.
- 11.3.2.46 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 96 Definition at line 1287 of file cpu1_platform_cfg.h.
- 11.3.2.47 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 128 Definition at line 1288 of file cpu1 platform cfg.h.
- **11.3.2.48 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08** #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 160 Definition at line 1289 of file cpu1_platform_cfg.h.
- 11.3.2.49 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 256 Definition at line 1290 of file cpu1 platform cfg.h.

11.3.2.50 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 512 Definition at line 1291 of file cpu1_platform_cfg.h.

11.3.2.51 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 1024 Definition at line 1292 of file cpu1 platform cfg.h.

11.3.2.52 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 2048 Definition at line 1293 of file cpu1 platform cfg.h.

11.3.2.53 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13 4096 Definition at line 1294 of file cpu1_platform_cfg.h.

11.3.2.54 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14 8192 Definition at line 1295 of file cpu1 platform cfg.h.

11.3.2.55 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_←
15 16384

Definition at line 1296 of file cpu1_platform_cfg.h.

11.3.2.56 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16 #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_← 16 32768

Definition at line 1297 of file cpu1 platform cfg.h.

11.3.2.57 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN #define CFE_PLATFORM_ES_MEMPOOL_ALIGN_S↔ IZE_MIN 4

Purpose Define Memory Pool Alignment Size

Description:

Ensures that buffers obtained from a memory pool are aligned to a certain minimum block size. Note the allocator will always align to the minimum required by the CPU architecture. This may be set greater than the CPU requirement as desired for optimal performance.

For some architectures/applications it may be beneficial to set this to the cache line size of the target CPU, or to use special SIMD instructions that require a more stringent memory alignment.

Limits

This must always be a power of 2, as it is used as a binary address mask.

Definition at line 759 of file cpu1 platform cfg.h.

11.3.2.58 CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING #define CFE_PLATFORM_ES_NONVOL_DISK __MOUNT_STRING "/cf"

Purpose Default virtual path for persistent storage

Description:

This configures the default location in the virtual file system for persistent/non-volatile storage. Files such as the startup script, app/library dynamic modules, and configuration tables are expected to be stored in this directory.

Definition at line 47 of file cpu1 platform cfg.h.

11.3.2.59 CFE_PLATFORM_ES_NONVOL_STARTUP_FILE #define CFE_PLATFORM_ES_NONVOL_STARTUP_FI LE "/cf/cfe_es_startup.scr"

Purpose ES Nonvolatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 773 of file cpu1 platform cfg.h.

11.3.2.60 CFE PLATFORM ES OBJECT TABLE SIZE #define CFE_PLATFORM_ES_OBJECT_TABLE_SIZE 30

Purpose Define Number of entries in the ES Object table

Description:

Defines the number of entries in the ES Object table. This table controls the core cFE startup.

Limits

There is a lower limit of 15. There are no restrictions on the upper limit however, the maximum object table size is system dependent and should be verified.

Definition at line 561 of file cpu1_platform_cfg.h.

11.3.2.61 CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY #define CFE_PLATFORM_ES_PERF_CHILD_MS_DEL← AY 20

Purpose Define Performance Analyzer Child Task Delay

Description:

This parameter defines the delay time (in milliseconds) between performance data file writes performed by the Executive Services Performance Analyzer Child Task.

Limits

It is recommended this parameter be greater than or equal to 20ms. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFF.

Definition at line 1036 of file cpu1 platform cfg.h.

11.3.2.62 CFE_PLATFORM_ES_PERF_CHILD_PRIORITY #define CFE_PLATFORM_ES_PERF_CHILD_PRIORI←
TY 200

Purpose Define Performance Analyzer Child Task Priority

Description:

This parameter defines the priority of the child task spawned by the Executive Services to write performance data to a file. Lower numbers are higher priority, with 1 being the highest priority in the case of a child task.

Limits

Valid range for a child task is 1 to 255 however, the priority cannot be higher (lower number) than the ES parent application priority.

Definition at line 1007 of file cpu1 platform cfg.h.

11.3.2.63 CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE #define CFE_PLATFORM_ES_PERF_CHILD_STACK_ SIZE 4096

Purpose Define Performance Analyzer Child Task Stack Size

Description:

This parameter defines the stack size of the child task spawned by the Executive Services to write performance data to a file.

Limits

It is recommended this parameter be greater than or equal to 4KB. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFFF.

Definition at line 1021 of file cpu1_platform_cfg.h.

11.3.2.64 CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE #define CFE_PLATFORM_ES_PERF_DATA_BUFFER←
_SIZE 10000

Purpose Define Max Size of Performance Data Buffer

Description:

Defines the maximum size of the performance data buffer. Units are number of performance data entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Limits

There is a lower limit of 1025. There are no restrictions on the upper limit however, the maximum buffer size is system dependent and should be verified. The units are number of entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Definition at line 928 of file cpu1 platform cfg.h.

11.3.2.65 CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS #define CFE_PLATFORM_ES_PERF_ENTRIES_B

TWN DLYS 50

Purpose Define Performance Analyzer Child Task Number of Entries Between Delay

Description:

This parameter defines the number of performance analyzer entries the Performance Analyzer Child Task will write to the file between delays.

Definition at line 1046 of file cpu1 platform cfg.h.

11.3.2.66 CFE PLATFORM ES PERF FILTMASK ALL #define CFE PLATFORM ES PERF FILTMASK ALL ~CFE PLATFORM ES PER

Purpose Define Filter Mask Setting for Enabling All Performance Entries

Description:

Defines the filter mask for enabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 948 of file cpu1 platform cfg.h.

11.3.2.67 CFE_PLATFORM_ES_PERF_FILTMASK_INIT #define CFE_PLATFORM_ES_PERF_FILTMASK_IN← IT CFE_PLATFORM_ES_PERF_FILTMASK_ALL

Purpose Define Default Filter Mask Setting for Performance Data Buffer

Description:

Defines the default filter mask for the performance data buffer. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 959 of file cpu1_platform_cfg.h.

11.3.2.68 CFE PLATFORM ES PERF FILTMASK NONE #define CFE_PLATFORM_ES_PERF_FILTMASK_NONE 0

Purpose Define Filter Mask Setting for Disabling All Performance Entries

Description:

Defines the filter mask for disabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 938 of file cpu1_platform_cfg.h.

11.3.2.69 CFE_PLATFORM_ES_PERF_TRIGMASK_ALL #define CFE_PLATFORM_ES_PERF_TRIGMASK_A← LL ~CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Purpose Define Filter Trigger Setting for Enabling All Performance Entries

Description:

Defines the trigger mask for enabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 981 of file cpu1 platform cfg.h.

11.3.2.70 CFE_PLATFORM_ES_PERF_TRIGMASK_INIT #define CFE_PLATFORM_ES_PERF_TRIGMASK_IN ← IT CFE PLATFORM ES PERF TRIGMASK NONE

Purpose Define Default Filter Trigger Setting for Performance Data Buffer

Description:

Defines the default trigger mask for the performance data buffer. The value is a 32-bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 992 of file cpu1_platform_cfg.h.

11.3.2.71 CFE_PLATFORM_ES_PERF_TRIGMASK_NONE #define CFE_PLATFORM_ES_PERF_TRIGMASK_NONE 0

Purpose Define Default Filter Trigger Setting for Disabling All Performance Entries

Description:

Defines the default trigger mask for disabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 970 of file cpu1_platform_cfg.h.

11.3.2.72 CFE_PLATFORM_ES_POOL_MAX_BUCKETS #define CFE_PLATFORM_ES_POOL_MAX_BUCKETS 17

Purpose Maximum number of block sizes in pool structures

Description:

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS.

Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

The ES and CDS block size lists must correlate with this value Definition at line 1245 of file cpu1_platform_cfg.h.

11.3.2.73 CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING #define CFE_PLATFORM_ES_RAM_DISK_MOUNT_← STRING "/ram"

Purpose Default virtual path for volatile storage

Description:

The CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING parameter is used to set the cFE mount path for the CFE RAM disk. This is a parameter for missions that do not want to use the default value of "/ram", or for missions that need to have a different value for different CPUs or Spacecraft. Note that the vxWorks OSAL cannot currently handle names that have more than one path separator in it. The names "/ram", "/ramdisk", "/disk123" will all work, but "/disks/ram" will not. Multiple separators can be used with the posix or RTEMS ports.

Definition at line 63 of file cpu1 platform cfg.h.

11.3.2.74 CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS #define CFE_PLATFORM_ES_RAM_DISK_NUM_SEC ← TORS 4096

Purpose ES Ram Disk Number of Sectors

Description:

Defines the ram disk number of sectors. The ram disk is one of four memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum number of RAM sectors is system dependent and should be verified.

Definition at line 656 of file cpu1_platform_cfg.h.

11.3.2.75 CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED #define CFE_PLATFORM_ES_RAM_DISK_P← ERCENT_RESERVED 30

Purpose Percentage of Ram Disk Reserved for Decompressing Apps

Description:

The CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED parameter is used to make sure that the Volatile (RAM) Disk has a defined amount of free space during a processor reset. The cFE uses the Volatile disk to decompress cFE applications during system startup. If this Volatile disk happens to get filled with logs and misc files, then a processor reset may not work, because there will be no room to decompress cFE apps. To solve that problem, this parameter sets the "Low Water Mark" for disk space on a Processor reset. It should be set to allow the largest cFE Application to be decompressed. During a Processor reset, if there is not sufficient space left on the disk, it will be re-formatted in order to clear up some space.

This feature can be turned OFF by setting the parameter to 0.

Limits

There is a lower limit of 0 and an upper limit of 75 on this configuration parameter. Units are percentage. A setting of zero will turn this feature off.

Definition at line 680 of file cpu1_platform_cfg.h.

11.3.2.76 CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE #define CFE_PLATFORM_ES_RAM_DISK_SECTOR_S ← IZE 512

Purpose ES Ram Disk Sector Size

Description:

Defines the ram disk sector size. The ram disk is 1 of 4 memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum RAM disk sector size is system dependent and should be verified.

Definition at line 638 of file cpu1_platform_cfg.h.

11.3.2.77 CFE_PLATFORM_ES_RESET_AREA_SIZE #define CFE_PLATFORM_ES_RESET_AREA_SIZE (170 * 1024)

Purpose Define ES Reset Area Size

Description:

The ES Reset Area Size. This is the size in bytes of the cFE Reset variable and log area. This is a block of memory used by the cFE to store the system log ER Log and critical reset variables. This is 4 of 4 of the memory areas that are preserved during a processor reset. Note: This area must be sized large enough to hold all of the data structures. It should be automatically sized based on the CFE_ES_ResetData_t type, but circular dependencies in the headers prevent it from being defined this way. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 153600 (150KBytes) and an upper limit of UINT_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 740 of file cpu1_platform_cfg.h.

11.3.2.78 CFE_PLATFORM_ES_START_TASK_PRIORITY #define CFE_PLATFORM_ES_START_TASK_PRIORI← TY 68

Purpose Define ES Task Priority

Description:

Defines the cFE_ES Task priority.

Limits

Not Applicable

Definition at line 1125 of file cpu1_platform_cfg.h.

11.3.2.79 CFE_PLATFORM_ES_START_TASK_STACK_SIZE #define CFE_PLATFORM_ES_START_TASK_STACK → SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define ES Task Stack Size

Description:

Defines the cFE_ES Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1140 of file cpu1 platform cfg.h.

11.3.2.80 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC #define CFE_PLATFORM_ES_STARTUP_← SCRIPT_TIMEOUT_MSEC 1000

Purpose Startup script timeout

Description:

The upper limit for the total amount of time that all apps listed in the CFE ES startup script may take to all become ready.

Unlike the "core" app timeout, this is a soft limit; if the allotted time is exceeded, it probably indicates an issue with one of the apps, but does not cause CFE ES to take any additional action other than logging the event to the syslog. Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1731 of file cpu1_platform_cfg.h.

11.3.2.81 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC #define CFE_PLATFORM_ES_STARTUP_SYNC_P↔ OLL_MSEC 50

Purpose Poll timer for startup sync delay

Description:

During startup, some tasks may need to synchronize their own initialization with the initialization of other applications in the system.

CFE ES implements an API to accomplish this, that performs a task delay (sleep) while polling the overall system state until other tasks are ready.

This value controls the amount of time that the CFE_ES_ApplicationSyncDelay will sleep between each check of the system state. This should be large enough to allow other tasks to run, but not so large as to noticeably delay the startup completion.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1689 of file cpu1 platform cfg.h.

11.3.2.82 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE #define CFE_PLATFORM_ES_SYSTEM_LOG_SIZE 3072

Purpose Define Size of the cFE System Log.

Description:

Defines the size in bytes of the cFE system log. The system log holds variable length strings that are terminated by a linefeed and null character.

Limits

There is a lower limit of 512. There are no restrictions on the upper limit however, the maximum system log size is system dependent and should be verified.

Definition at line 547 of file cpu1 platform cfg.h.

```
11.3.2.83 CFE_PLATFORM_ES_USER_RESERVED_SIZE #define CFE_PLATFORM_ES_USER_RESERVED_SI 

∠E (1024 * 1024)
```

Purpose Define User Reserved Memory Size

Description:

User Reserved Memory Size. This is the size in bytes of the cFE User reserved Memory area. This is a block of memory that is available for cFE application use. The address is obtained by calling CFE_PSP_GetUserReservedArea. The User Reserved Memory is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 1024 and an upper limit of UINT_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 717 of file cpu1_platform_cfg.h.

```
11.3.2.84 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE #define CFE_PLATFORM_ES_VOLATILE_STARTUP_←
FILE "/ram/cfe_es_startup.scr"
```

Purpose ES Volatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 787 of file cpu1 platform cfg.h.

11.3.2.85 CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC #define CFE_PLATFORM_EVS_APP_EVENTS_PER_S← EC 8

Purpose Sustained number of event messages per second per app before squelching

Description:

Sustained number of events that may be emitted per app per second.

Limits

This number must be less than or equal to CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST. Values lower than 8 may cause functional and unit test failures.

Definition at line 1362 of file cpu1_platform_cfg.h.

11.3.2.86 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE #define CFE_PLATFORM_EVS_DEFAULT_APP_DAT A_FILE "/ram/cfe_evs_app.dat"

Purpose Default EVS Application Data Filename

Description:

The value of this constant defines the filename used to store the EVS Application Data(event counts/filtering information). This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 1403 of file cpu1_platform_cfg.h.

11.3.2.87 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE #define CFE_PLATFORM_EVS_DEFAULT_LOG_FILE "/ram/cfe← _evs.log"

Purpose Default Event Log Filename

Description:

The value of this constant defines the filename used to store the Event Services local event log. This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 1376 of file cpu1 platform cfg.h.

11.3.2.88 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE #define CFE_PLATFORM_EVS_DEFAULT_LOG_MODE 1

Purpose Default EVS Local Event Log Mode

Description:

Defines a state of overwrite(0) or discard(1) for the operation of the EVS local event log. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest event in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. Overwrite Mode = 0, Discard Mode = 1.

Limits

The valid settings are 0 or 1

Definition at line 1450 of file cpu1 platform cfg.h.

11.3.2.89 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE #define CFE_PLATFORM_EVS_DEFAULT_MS← G_FORMAT_MODE CFE_EVS_MsgFormat_LONG

Purpose Default EVS Message Format Mode

Description:

Defines the default message format (long or short) for event messages being sent to the ground. Choose between CFE_EVS_MsgFormat_LONG or CFE_EVS_MsgFormat_SHORT.

Limits

The valid settings are CFE_EVS_MsgFormat_LONG or CFE_EVS_MsgFormat_SHORT

Definition at line 1463 of file cpu1_platform_cfg.h.

11.3.2.90 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG #define CFE_PLATFORM_EVS_DEFAULT_TYPE_FL↔ AG 0xE

Purpose Default EVS Event Type Filter Mask

Description:

Defines a state of on or off for all four event types. The term event 'type' refers to the criticality level and may be Debug, Informational, Error or Critical. Each event type has a bit position. (bit 0 = Debug, bit 1 = Info, bit 2 = Error, bit 3 = Critical). This is a global setting, meaning it applies to all applications. To filter an event type, set its bit to zero. For example, 0xE means Debug = OFF, Info = ON, Error = ON, Critical = ON

Limits

The valid settings are 0x0 to 0xF.

Definition at line 1434 of file cpu1 platform cfg.h.

11.3.2.91 CFE_PLATFORM_EVS_LOG_MAX #define CFE_PLATFORM_EVS_LOG_MAX 20

Purpose Maximum Number of Events in EVS Local Event Log

Description:

Dictates the EVS local event log capacity. Units are the number of events.

Limits

There are no restrictions on the lower and upper limits however, the maximum log size is system dependent and should be verified.

Definition at line 1388 of file cpu1_platform_cfg.h.

11.3.2.92 CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST #define CFE_PLATFORM_EVS_MAX_APP_EVENT_B URST 32

Purpose Maximum number of event before squelching

Description:

Maximum number of events that may be emitted per app per second. Setting this to 0 will cause events to be unrestricted.

Limits

This number must be less than or equal to INT_MAX/1000

Definition at line 1350 of file cpu1_platform_cfg.h.

11.3.2.93 CFE_PLATFORM_EVS_MAX_EVENT_FILTERS #define CFE_PLATFORM_EVS_MAX_EVENT_FILTERS 8

Purpose Define Maximum Number of Event Filters per Application

Description:

Maximum number of events that may be filtered per application.

Limits

There are no restrictions on the lower and upper limits however, the maximum number of event filters is system dependent and should be verified.

Definition at line 1338 of file cpu1_platform_cfg.h.

11.3.2.94 CFE_PLATFORM_EVS_PORT_DEFAULT #define CFE_PLATFORM_EVS_PORT_DEFAULT 0x0001

Purpose Default EVS Output Port State

Description:

Defines the default port state (enabled or disabled) for the four output ports defined within the Event Service. Port 1 is usually the uart output terminal. To enable a port, set the proper bit to a 1. Bit 0 is port 1, bit 1 is port2 etc.

Limits

The valid settings are 0x0 to 0xF.

Definition at line 1417 of file cpu1 platform cfg.h.

11.3.2.95 CFE_PLATFORM_EVS_START_TASK_PRIORITY #define CFE_PLATFORM_EVS_START_TASK_PRIORI← TY 61

Purpose Define EVS Task Priority

Description:

Defines the cFE_EVS Task priority.

Limits

Not Applicable

Definition at line 1073 of file cpu1 platform cfg.h.

11.3.2.96 CFE_PLATFORM_EVS_START_TASK_STACK_SIZE #define CFE_PLATFORM_EVS_START_TASK_STA← CK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define EVS Task Stack Size

Description:

Defines the cFE EVS Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1088 of file cpu1_platform_cfg.h.

11.3.2.97 CFE_PLATFORM_SB_BUF_MEMORY_BYTES #define CFE_PLATFORM_SB_BUF_MEMORY_BYTES 524288

Purpose Size of the SB buffer memory pool

Description:

Dictates the size of the SB memory pool. For each message the SB sends, the SB dynamically allocates from this memory pool, the memory needed to process the message. The memory needed to process each message is msg size + msg descriptor(CFE_SB_BufferD_t). This memory pool is also used to allocate destination descriptors (CFE_SB_DestinationD_t) during the subscription process. To see the run-time, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'. Some memory statistics have been added to the SB housekeeping packet. NOTE: It is important to monitor these statistics to ensure the desired memory margin is met.

Limits

This parameter has a lower limit of 512 and an upper limit of UINT MAX (4 Gigabytes).

Definition at line 153 of file cpu1 platform cfg.h.

11.3.2.98 CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME #define CFE_PLATFORM_SB_DEFAULT_MAP_FILEN←
AME "/ram/cfe_sb_msgmap.dat"

Purpose Default Message Map Filename

Description:

The value of this constant defines the filename used to store the software bus message map information. This filename is used only when no filename is specified in the command. The message map is a lookup table (array of 16bit words) that has an element for each possible Msgld value and holds the routing table index for that Msgld. The Msg Map provides fast access to the destinations of a message.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 235 of file cpu1_platform_cfg.h.

11.3.2.99 CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT #define CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT 4

Purpose Default Subscription Message Limit

Description:

Dictates the default Message Limit when using the CFE_SB_Subscribe API. This will limit the number of messages with a specific message ID that can be received through a subscription. This only changes the default; other message limits can be set on a per subscription basis using CFE_SB_SubscribeEx.

Limits

This parameter has a lower limit of 4 and an upper limit of 65535.

Definition at line 131 of file cpu1_platform_cfg.h.

11.3.2.100 CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME #define CFE_PLATFORM_SB_DEFAULT_PIPE_FIL←
ENAME "/ram/cfe_sb_pipe.dat"

Purpose Default Pipe Information Filename

Description:

The value of this constant defines the filename used to store the software bus pipe information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 218 of file cpu1 platform cfg.h.

11.3.2.101 CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME #define CFE_PLATFORM_SB_DEFAULT_ROU←
TING FILENAME "/ram/cfe sb route.dat"

Purpose Default Routing Information Filename

Description:

The value of this constant defines the filename used to store the software bus routing information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 204 of file cpu1_platform_cfg.h.

11.3.2.102 CFE_PLATFORM_SB_FILTER_MASK1 #define CFE_PLATFORM_SB_FILTER_MASK1 CFE_EVS_FIRST_4_STOP Definition at line 253 of file cpu1 platform cfg.h.

11.3.2.103 CFE_PLATFORM_SB_FILTER_MASK2 #define CFE_PLATFORM_SB_FILTER_MASK2 CFE_EVS_FIRST_4_STOP Definition at line 256 of file cpu1 platform cfg.h.

11.3.2.104 CFE_PLATFORM_SB_FILTER_MASK3 #define CFE_PLATFORM_SB_FILTER_MASK3 CFE_EVS_FIRST_16_STOP Definition at line 259 of file cpu1 platform cfg.h.

11.3.2.105 CFE_PLATFORM_SB_FILTER_MASK4 #define CFE_PLATFORM_SB_FILTER_MASK4 CFE_EVS_FIRST_16_STOP Definition at line 262 of file cpu1 platform cfg.h.

11.3.2.106 CFE_PLATFORM_SB_FILTER_MASK5 #define CFE_PLATFORM_SB_FILTER_MASK5 CFE_EVS_NO_FILTER Definition at line 265 of file cpu1_platform_cfg.h.

11.3.2.107 CFE_PLATFORM_SB_FILTER_MASK6 #define CFE_PLATFORM_SB_FILTER_MASK6 CFE_EVS_NO_FILTER Definition at line 268 of file cpu1_platform_cfg.h.

11.3.2.108 CFE_PLATFORM_SB_FILTER_MASK7 #define CFE_PLATFORM_SB_FILTER_MASK7 CFE_EVS_NO_FILTER Definition at line 271 of file cpu1 platform cfg.h.

11.3.2.109 CFE_PLATFORM_SB_FILTER_MASK8 #define CFE_PLATFORM_SB_FILTER_MASK8 CFE_EVS_NO_FILTER Definition at line 274 of file cpu1 platform cfg.h.

11.3.2.110 CFE_PLATFORM_SB_FILTERED_EVENT1 #define CFE_PLATFORM_SB_FILTERED_EVENT1 CFE_SB_SEND_NO_SUBS_EID

Purpose SB Event Filtering

Description:

This group of configuration parameters dictates what SB events will be filtered through EVS. The filtering will begin after the SB task initializes and stay in effect until a cmd to EVS changes it. This allows the operator to set limits on the number of event messages that are sent during system initialization. NOTE: Set all unused event values and mask values to zero

Limits

This filtering applies only to SB events. These parameters have a lower limit of 0 and an upper limit of 65535.

Definition at line 252 of file cpu1 platform cfg.h.

11.3.2.111 CFE_PLATFORM_SB_FILTERED_EVENT2 #define CFE_PLATFORM_SB_FILTERED_EVENT2 CFE_SB_DUP_SUBSCRIP_EID Definition at line 255 of file cpu1_platform_cfg.h.

11.3.2.112 CFE_PLATFORM_SB_FILTERED_EVENT3 #define CFE_PLATFORM_SB_FILTERED_EVENT3 CFE_SB_MSGID_LIM_ERR_EID Definition at line 258 of file cpu1 platform cfg.h.

11.3.2.113 CFE_PLATFORM_SB_FILTERED_EVENT4 #define CFE_PLATFORM_SB_FILTERED_EVENT4 CFE_SB_Q_FULL_ERR_EID Definition at line 261 of file cpu1_platform_cfg.h.

11.3.2.114 CFE_PLATFORM_SB_FILTERED_EVENT5 #define CFE_PLATFORM_SB_FILTERED_EVENT5 0 Definition at line 264 of file cpu1 platform cfg.h.

11.3.2.115 CFE_PLATFORM_SB_FILTERED_EVENT6 #define CFE_PLATFORM_SB_FILTERED_EVENT6 0 Definition at line 267 of file cpu1_platform_cfg.h.

11.3.2.117 CFE_PLATFORM_SB_FILTERED_EVENT8 #define CFE_PLATFORM_SB_FILTERED_EVENT8 0 Definition at line 273 of file cpu1_platform_cfg.h.

11.3.2.118 CFE_PLATFORM_SB_HIGHEST_VALID_MSGID #define CFE_PLATFORM_SB_HIGHEST_VALID_MSG← ID 0x1FFF

Purpose Highest Valid Message Id

Description:

The value of this constant dictates the range of valid message ID's, from 0 to CFE_PLATFORM_SB_HIGHEST ∨ VALID MSGID (inclusive).

Although this can be defined differently across platforms, each platform can only publish/subscribe to message ids within their allowable range. Typically this value is set the same across all mission platforms to avoid this complexity.

Limits

CFE_SB_INVALID_MSG is set to the maximum representable number of type CFE_SB_Msgld_t. CFE_PLATF ORM SB HIGHEST VALID MSGID lower limit is 1, up to CFE_SB_INVALID MSG_ID - 1.

When using the direct message map implementation for software bus routing, this value is used to size the map where a value of 0x1FFF results in a 16 KBytes map and 0xFFFF is 128 KBytes.

When using the hash implementation for software bus routing, a multiple of the CFE_PLATFORM_SB_MAX_MSG_IDS is used to size the message map. In that case the range selected here does not impact message map memory use, so it's reasonable to use up to the full range supported by the message ID implementation.

Definition at line 179 of file cpu1 platform cfg.h.

11.3.2.119 CFE_PLATFORM_SB_MAX_BLOCK_SIZE #define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MS + 128)

Definition at line 303 of file cpu1 platform cfg.h.

11.3.2.120 CFE PLATFORM SB MAX DEST PER PKT #define CFE_PLATFORM_SB_MAX_DEST_PER_PKT 16

Purpose Maximum Number of unique local destinations a single Msgld can have

Description:

Dictates the maximum number of unique local destinations a single Msgld can have.

Limits

This parameter has a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of destinations per packet is system dependent and should be verified. Destination number values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 116 of file cpu1 platform cfg.h.

11.3.2.121 CFE_PLATFORM_SB_MAX_MSG_IDS #define CFE_PLATFORM_SB_MAX_MSG_IDS 256

Purpose Maximum Number of Unique Message IDs SB Routing Table can hold

Description:

Dictates the maximum number of unique Msglds the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the runtime, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This must be a power of two if software bus message routing hash implementation is being used. Lower than 64 will cause unit test failures, and telemetry reporting is impacted below 32. There is no hard upper limit, but impacts memory footprint. For software bus message routing search implementation the number of msg ids subscribed to impacts performance.

Definition at line 83 of file cpu1 platform cfg.h.

11.3.2.122 CFE PLATFORM SB MAX PIPES #define CFE PLATFORM SB MAX PIPES 64

Purpose Maximum Number of Unique Pipes SB Routing Table can hold

Description:

Dictates the maximum number of unique Pipes the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the runtime, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This parameter has a lower limit of 1. This parameter must also be less than or equal to OS MAX QUEUES.

Definition at line 100 of file cpu1_platform_cfg.h.

11.3.2.123 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 8

Purpose Define SB Memory Pool Block Sizes

Description:

Software Bus Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. The number of block sizes defined cannot exceed CFE_PLATFORM_ES_POOL_MAX_BUCKETS

Definition at line 287 of file cpu1_platform_cfg.h.

11.3.2.124 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 16 Definition at line 288 of file cpu1_platform_cfg.h.

11.3.2.125 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20 Definition at line 289 of file cpu1_platform_cfg.h.

11.3.2.126 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36 Definition at line 290 of file cpu1 platform cfg.h.

11.3.2.127 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 64 Definition at line 291 of file cpu1_platform_cfg.h.

11.3.2.128 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 96 Definition at line 292 of file cpu1 platform cfg.h.

11.3.2.129 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 128 Definition at line 293 of file cpu1 platform cfg.h.

11.3.2.130 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 160 Definition at line 294 of file cpu1 platform cfg.h.

11.3.2.131 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 256 Definition at line 295 of file cpu1 platform cfg.h.

11.3.2.132 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 512 Definition at line 296 of file cpu1_platform_cfg.h.

11.3.2.133 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
11 1024

Definition at line 297 of file cpu1_platform_cfg.h.

11.3.2.134 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
12 2048

Definition at line 298 of file cpu1_platform_cfg.h.

11.3.2.135 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_↔ 13 4096

Definition at line 299 of file cpu1_platform_cfg.h.

11.3.2.136 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_← 14 8192

Definition at line 300 of file cpu1_platform_cfg.h.

11.3.2.137 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
15 16384

Definition at line 301 of file cpu1 platform cfg.h.

11.3.2.138 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16 #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_←
16 32768

Definition at line 302 of file cpu1 platform cfg.h.

11.3.2.139 CFE_PLATFORM_SB_START_TASK_PRIORITY #define CFE_PLATFORM_SB_START_TASK_PRIORI← TY 64

Purpose Define SB Task Priority

Description:

Defines the cFE_SB Task priority.

Limits

Not Applicable

Definition at line 1099 of file cpu1_platform_cfg.h.

11.3.2.140 CFE_PLATFORM_SB_START_TASK_STACK_SIZE #define CFE_PLATFORM_SB_START_TASK_STAC ← K_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define SB Task Stack Size

Description:

Defines the cFE_SB Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1114 of file cpu1_platform_cfg.h.

11.3.2.141 CFE_PLATFORM_TBL_BUF_MEMORY_BYTES #define CFE_PLATFORM_TBL_BUF_MEMORY_BYT↔ ES 524288

Purpose Size of Table Services Table Memory Pool

Description:

Defines the TOTAL size of the memory pool that cFE Table Services allocates from the system. The size must be large enough to provide memory for each registered table, the inactive buffers for double buffered tables and for the shared inactive buffers for single buffered tables.

Limits

The cFE does not place a limit on the size of this parameter.

Definition at line 1479 of file cpu1_platform_cfg.h.

11.3.2.142 CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE #define CFE_PLATFORM_TBL_DEFAULT_REG_D ← UMP_FILE "/ram/cfe_tbl_reg.log"

Purpose Default Filename for a Table Registry Dump

Description:

Defines the file name used to store the table registry when no filename is specified in the dump registry command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 1593 of file cpu1_platform_cfg.h.

11.3.2.143 CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES #define CFE_PLATFORM_TBL_MAX_CRITICAL_TA↔
BLES 32

Purpose Maximum Number of Critical Tables that can be Registered

Description:

Defines the maximum number of critical tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Critical Table Registry which is maintained in the Critical Data Store. An excessively high number will waste Critical Data Store memory. Therefore, this number must not exceed the value defined in CFE_ES_CDS_MAX — _CRITICAL_TABLES.

Definition at line 1534 of file cpu1_platform_cfg.h.

11.3.2.144 CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE #define CFE_PLATFORM_TBL_MAX_DBL_TABLE_SI

ZE 16384

Purpose Maximum Size Allowed for a Double Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a double buffered table.

Limits

The cFE does not place a limit on the size of this parameter but it must be less than half of CFE_PLATFORM_TBL_BUF_MEMORY_E

Definition at line 1491 of file cpu1 platform cfg.h.

11.3.2.145 CFE_PLATFORM_TBL_MAX_NUM_HANDLES #define CFE_PLATFORM_TBL_MAX_NUM_HANDLES 256

Purpose Maximum Number of Table Handles

Description:

Defines the maximum number of Table Handles.

Limits

This number must be less than 32767. This number must be at least as big as the number of tables (CFE_PLATFORM_TBL_MAX_NUM_TABLES) and should be set higher if tables are shared between applications.

Definition at line 1547 of file cpu1_platform_cfg.h.

11.3.2.146 CFE_PLATFORM_TBL_MAX_NUM_TABLES #define CFE_PLATFORM_TBL_MAX_NUM_TABLES 128

Purpose Maximum Number of Tables Allowed to be Registered

Description:

Defines the maximum number of tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Table Registry. An excessively high number will waste memory.

Definition at line 1520 of file cpu1_platform_cfg.h.

11.3.2.147 CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS #define CFE_PLATFORM_TBL_MAX_NUM_VALIDAT ← IONS 10

Purpose Maximum Number of Simultaneous Table Validations

Description:

Defines the maximum number of pending validations that the Table Services can handle at any one time. When a table has a validation function, a validation request is made of the application to perform that validation. This number determines how many of those requests can be outstanding at any one time.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 20 is suggested but not required.

Definition at line 1580 of file cpu1 platform cfg.h.

11.3.2.148 CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS #define CFE_PLATFORM_TBL_MAX_SIMULT ← ANEOUS LOADS 4

Purpose Maximum Number of Simultaneous Loads to Support

Description:

Defines the maximum number of single buffered tables that can be loaded simultaneously. This number is used to determine the number of shared buffers to allocate.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 5 is suggested but not required.

Definition at line 1562 of file cpu1_platform_cfg.h.

11.3.2.149 CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE #define CFE_PLATFORM_TBL_MAX_SNGL_TABLE_← SIZE 16384

Purpose Maximum Size Allowed for a Single Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a single buffered table. **NOTE:** This size determines the size of all shared table buffers. Therefore, this size will be multiplied by CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS below when allocating memory for shared tables.

Limits

The cFE does not place a limit on the size of this parameter but it must be small enough to allow for CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS number of tables to fit into CFE_PLATFORM_TBL_BUF_MEMORY_BYTI

Definition at line 1507 of file cpu1 platform cfg.h.

11.3.2.150 CFE_PLATFORM_TBL_START_TASK_PRIORITY #define CFE_PLATFORM_TBL_START_TASK_PRIOR ← ITY 70

Purpose Define TBL Task Priority

Description:

Defines the cFE_TBL Task priority.

Limits

Not Applicable

Definition at line 1187 of file cpu1 platform cfg.h.

11.3.2.151 CFE_PLATFORM_TBL_START_TASK_STACK_SIZE #define CFE_PLATFORM_TBL_START_TASK_ST↔
ACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE

Purpose Define TBL Task Stack Size

Description:

Defines the cFE_TBL Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1202 of file cpu1_platform_cfg.h.

Definition at line 1615 of file cpu1_platform_cfg.h.

```
11.3.2.153 CFE_PLATFORM_TBL_VALID_PRID_1 #define CFE_PLATFORM_TBL_VALID_PRID_1 (1)
```

Purpose Processor ID values used for table load validation

Description:

Defines the processor ID values used for validating the processor ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 1664 of file cpu1_platform_cfg.h.

```
11.3.2.154 CFE_PLATFORM_TBL_VALID_PRID_2 #define CFE_PLATFORM_TBL_VALID_PRID_2 (CFE_PLATFORM_TBL_U32FROM4CHA'b', 'c', 'd'))
```

Definition at line 1665 of file cpu1_platform_cfg.h.

11.3.2.155 CFE_PLATFORM_TBL_VALID_PRID_3 #define CFE_PLATFORM_TBL_VALID_PRID_3 0 Definition at line 1666 of file cpu1_platform_cfg.h.

11.3.2.156 CFE_PLATFORM_TBL_VALID_PRID_4 #define CFE_PLATFORM_TBL_VALID_PRID_4 0 Definition at line 1667 of file cpu1 platform cfg.h.

11.3.2.157 CFE_PLATFORM_TBL_VALID_PRID_COUNT #define CFE_PLATFORM_TBL_VALID_PRID_COUNT 0

Purpose Number of Processor ID's specified for validation

Description:

Defines the number of specified processor ID values that are verified during table loads. If the number is zero then no validation of the processor ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of processor ID's defined below are compared to the processor ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified processor ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 4.

Definition at line 1650 of file cpu1_platform_cfg.h.

11.3.2.158 CFE_PLATFORM_TBL_VALID_SCID_1 #define CFE_PLATFORM_TBL_VALID_SCID_1 (0x42)

Purpose Spacecraft ID values used for table load validation

Description:

Defines the spacecraft ID values used for validating the spacecraft ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 1630 of file cpu1 platform cfg.h.

11.3.2.159 CFE_PLATFORM_TBL_VALID_SCID_2 #define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHA'b', 'c', 'd'))

Definition at line 1631 of file cpu1_platform_cfg.h.

11.3.2.160 CFE_PLATFORM_TBL_VALID_SCID_COUNT #define CFE_PLATFORM_TBL_VALID_SCID_COUNT 0

Purpose Number of Spacecraft ID's specified for validation

Description:

Defines the number of specified spacecraft ID values that are verified during table loads. If the number is zero then no validation of the spacecraft ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of spacecraft ID's defined below are compared to the spacecraft ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified spacecraft ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 2.

Definition at line 1612 of file cpu1 platform cfg.h.

11.3.2.161 CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY #define CFE_PLATFORM_TIME_1HZ_TASK_PRIORI←
TY 25

Definition at line 1157 of file cpu1 platform cfg.h.

11.3.2.162 CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE #define CFE_PLATFORM_TIME_1HZ_TASK_STACK ← _ SIZE 8192

Definition at line 1176 of file cpu1 platform cfg.h.

11.3.2.163 CFE_PLATFORM_TIME_CFG_CLIENT #define CFE_PLATFORM_TIME_CFG_CLIENT false Definition at line 318 of file cpu1_platform_cfg.h.

11.3.2.164 CFE_PLATFORM_TIME_CFG_LATCH_FLY #define CFE_PLATFORM_TIME_CFG_LATCH_FLY 8

Purpose Define Periodic Time to Update Local Clock Tone Latch

Description:

Define Periodic Time to Update Local Clock Tone Latch. Applies only when in flywheel mode. This define dictates the period at which the simulated 'last tone' time is updated. Units are seconds.

Limits

Not Applicable

Definition at line 475 of file cpu1_platform_cfg.h.

11.3.2.165 CFE_PLATFORM_TIME_CFG_SERVER #define CFE_PLATFORM_TIME_CFG_SERVER true

Purpose Time Server or Time Client Selection

Description:

This configuration parameter selects whether the Time task functions as a time "server" or "client". A time server generates the "time at the tone" packet which is received by time clients.

Limits

Enable one, and only one by defining either CFE_PLATFORM_TIME_CFG_SERVER or CFE_PLATFORM_TI ← ME_CFG_CLIENT AS true. The other must be defined as false.

Definition at line 317 of file cpu1_platform_cfg.h.

11.3.2.166 CFE_PLATFORM_TIME_CFG_SIGNAL #define CFE_PLATFORM_TIME_CFG_SIGNAL false

Purpose Include or Exclude the Primary/Redundant Tone Selection Cmd

Description:

Depending on the specific hardware system configuration, it may be possible to switch between a primary and redundant tone signal. If supported by hardware, this definition will enable command interfaces to select the active tone signal. Both Time Clients and Time Servers support this feature. Note: Set the CFE_PLATFORM_TIME_

CFG SIGNAL define to true to enable tone signal commands.

Limits

Not Applicable

Definition at line 365 of file cpu1 platform cfg.h.

11.3.2.167 CFE_PLATFORM_TIME_CFG_SOURCE #define CFE_PLATFORM_TIME_CFG_SOURCE false

Purpose Include or Exclude the Internal/External Time Source Selection Cmd

Description:

By default, Time Servers maintain time using an internal MET which may be a h/w register or software counter, depending on available hardware. The following definition enables command interfaces to switch between an internal MET, or external time data received from one of several supported external time sources. Only a Time Server may be configured to use external time data. Note: Set the CFE_PLATFORM_TIME_CFG_SOURCE define to true to include the Time Source Selection Command (command allows selection between the internal or external time source). Then choose the external source with the CFE_TIME_CFG_SRC_??? define.

Limits

Only applies if CFE PLATFORM TIME CFG SERVER is set to true.

Definition at line 385 of file cpu1_platform_cfg.h.

11.3.2.168 CFE_PLATFORM_TIME_CFG_SRC_GPS #define CFE_PLATFORM_TIME_CFG_SRC_GPS false Definition at line 402 of file cpu1 platform cfg.h.

11.3.2.169 CFE PLATFORM TIME CFG SRC MET #define CFE_PLATFORM_TIME_CFG_SRC_MET false

Purpose Choose the External Time Source for Server only

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true, then one of the following external time source types must also be set to true. Do not set any of the external time source types to true unless CFE PLATFORM TIME CFG_SOURCE is set to true.

Limits

- 1. If CFE_PLATFORM_TIME_CFG_SOURCE is set to true then one and only one of the following three external time sources can and must be set true: CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TIME_CFG_SRC_GPS, CFE_PLATFORM_TIME_CFG_SRC_TIME
- 2. Only applies if CFE PLATFORM TIME CFG SERVER is set to true.

Definition at line 401 of file cpu1 platform cfg.h.

11.3.2.170 CFE_PLATFORM_TIME_CFG_SRC_TIME #define CFE_PLATFORM_TIME_CFG_SRC_TIME false Definition at line 403 of file cpu1 platform cfg.h.

11.3.2.171 CFE PLATFORM TIME CFG START FLY #define CFE_PLATFORM_TIME_CFG_START_FLY 2

Purpose Define Time to Start Flywheel Since Last Tone

Description:

Define time to enter flywheel mode (in seconds since last tone data update) Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 462 of file cpu1 platform cfg.h.

11.3.2.172 CFE PLATFORM TIME CFG TONE LIMIT #define CFE_PLATFORM_TIME_CFG_TONE_LIMIT 20000

Purpose Define Timing Limits From One Tone To The Next

Description:

Defines limits to the timing of the 1Hz tone signal. A tone signal is valid only if it arrives within one second (plus or minus the tone limit) from the previous tone signal. Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 450 of file cpu1_platform_cfg.h.

11.3.2.173 CFE_PLATFORM_TIME_CFG_VIRTUAL #define CFE_PLATFORM_TIME_CFG_VIRTUAL true

Purpose Time Tone In Big-Endian Order

Description:

If this configuration parameter is defined, the CFE time server will publish time tones with payloads in big-endian order, and time clients will expect the tones to be in big-endian order. This is useful for mixed-endian environments. This will become obsolete once EDS is available and the CFE time tone message is defined.

Purpose Local MET or Virtual MET Selection for Time Servers

Description:

Depending on the specific hardware system configuration, it may be possible for Time Servers to read the "local" MET from a h/w register rather than having to track the MET as the count of tone signal interrupts (virtual MET)

Time Clients must be defined as using a virtual MET. Also, a Time Server cannot be defined as having both a h/w MET and an external time source (they both cannot synchronize to the same tone).

Note: "disable" this define (set to false) only for Time Servers with local hardware that supports a h/w MET that is synchronized to the tone signal !!!

Limits

Only applies if CFE PLATFORM TIME CFG SERVER is set to true.

Definition at line 350 of file cpu1 platform cfg.h.

11.3.2.174 CFE_PLATFORM_TIME_MAX_DELTA_SECS #define CFE_PLATFORM_TIME_MAX_DELTA_SECS 0

Purpose Define the Max Delta Limits for Time Servers using an Ext Time Source

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true and one of the external time sources is also set to true, then the delta time limits for range checking is used.

When a new time value is received from an external source, the value is compared against the "expected" time value. If the delta exceeds the following defined amount, then the new time data will be ignored. This range checking is only performed after the clock state has been commanded to "valid". Until then, external time data is accepted unconditionally. Limits

Applies only if both CFE_PLATFORM_TIME_CFG_SERVER and CFE_PLATFORM_TIME_CFG_SOURCE are set to true.

Definition at line 422 of file cpu1_platform_cfg.h.

11.3.2.175 CFE_PLATFORM_TIME_MAX_DELTA_SUBS #define CFE_PLATFORM_TIME_MAX_DELTA_SUBS 500000 Definition at line 423 of file cpu1 platform cfg.h.

11.3.2.176 CFE_PLATFORM_TIME_MAX_LOCAL_SECS #define CFE_PLATFORM_TIME_MAX_LOCAL_SECS 27

Purpose Define the Local Clock Rollover Value in seconds and subseconds

Description:

Specifies the capability of the local clock. Indicates the time at which the local clock rolls over.

Limits

Not Applicable

Definition at line 435 of file cpu1_platform_cfg.h.

11.3.2.177 CFE_PLATFORM_TIME_MAX_LOCAL_SUBS #define CFE_PLATFORM_TIME_MAX_LOCAL_SUBS 0 Definition at line 436 of file cpu1_platform_cfg.h.

11.3.2.178 CFE_PLATFORM_TIME_START_TASK_PRIORITY #define CFE_PLATFORM_TIME_START_TASK_PRI↔
ORITY 60

Purpose Define TIME Task Priorities

Description:

Defines the cFE_TIME Task priority. Defines the cFE_TIME Tone Task priority. Defines the cFE_TIME 1HZ Task priority.

Limits

There is a lower limit of zero and an upper limit of 255 on these configuration parameters. Remember that the meaning of each task priority is inverted – a "lower" number has a "higher" priority.

Definition at line 1155 of file cpu1 platform cfg.h.

11.3.2.179 CFE_PLATFORM_TIME_START_TASK_STACK_SIZE #define CFE_PLATFORM_TIME_START_TASK_←
STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE

Purpose Define TIME Task Stack Sizes

Description:

Defines the cFE_TIME Main Task Stack Size Defines the cFE_TIME Tone Task Stack Size Defines the cFE_TIME 1HZ Task Stack Size

Limits

There is a lower limit of 2048 on these configuration parameters. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1174 of file cpu1 platform cfg.h.

11.3.2.180 CFE_PLATFORM_TIME_TONE_TASK_PRIORITY #define CFE_PLATFORM_TIME_TONE_TASK_PRIOR ← LTY 25

Definition at line 1156 of file cpu1 platform cfg.h.

11.3.2.181 CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE #define CFE_PLATFORM_TIME_TONE_TASK_ST↔ ACK_SIZE 4096

Definition at line 1175 of file cpu1_platform_cfg.h.

11.4 sample_mission_cfg.h File Reference

Macros

- #define CFE MISSION SB MAX SB MSG SIZE 32768
- #define CFE_MISSION_TIME_CFG_DEFAULT_TAI true
- #define CFE_MISSION_TIME_CFG_DEFAULT_UTC false
- #define CFE_MISSION_TIME_CFG_FAKE_TONE true
- #define CFE_MISSION_TIME_AT_TONE_WAS true
- #define CFE MISSION TIME AT TONE WILL BE false
- #define CFE_MISSION_TIME_MIN_ELAPSED 0
- #define CFE_MISSION_TIME_MAX_ELAPSED 200000
- #define CFE_MISSION_TIME_DEF_MET_SECS 1000
- #define CFE_MISSION_TIME_DEF_MET_SUBS 0
- #define CFE_MISSION_TIME_DEF_STCF_SECS 1000000
- #define CFE MISSION TIME DEF STCF SUBS 0
- #define CFE_MISSION_TIME_DEF_LEAPS 37
- #define CFE_MISSION_TIME_DEF_DELAY_SECS 0
- #define CFE_MISSION_TIME_DEF_DELAY_SUBS 1000
- #define CFE_MISSION_TIME_EPOCH_YEAR 1980
- #define CFE MISSION TIME EPOCH DAY 1
- #define CFE_MISSION_TIME_EPOCH_HOUR 0
- #define CFE_MISSION_TIME_EPOCH_MINUTE 0
- #define CFE MISSION TIME EPOCH SECOND 0

#define CFE_MISSION_TIME_EPOCH_MICROS 0
 #define CFE_MISSION_TIME_FS_FACTOR 789004800

 #define CFE MISSION ES CDS MAX NAME LENGTH 16 #define CFE MISSION EVS MAX MESSAGE LENGTH 122 Checksum/CRC algorithm identifiers #define CFE_MISSION_ES_CRC_8 CFE_ES_CrcType_CRC_8 /* 1 */ #define CFE_MISSION_ES_CRC_16 CFE_ES_CrcType_CRC_16 /* 2 */ #define CFE_MISSION_ES_CRC_32 CFE_ES_CrcType_CRC_32 /* 3 */ #define CFE_MISSION_ES_DEFAULT_CRC CFE_ES_CrcType_CRC_16 #define CFE_MISSION_TBL_MAX_NAME_LENGTH 16 #define CFE_MISSION_EVS_CMD_MSG 1 #define CFE_MISSION_TEST_CMD_MSG 2 #define CFE_MISSION_SB_CMD_MSG 3 #define CFE_MISSION_TBL_CMD_MSG 4 #define CFE_MISSION_TIME_CMD_MSG 5 #define CFE_MISSION_ES_CMD_MSG 6 #define CFE MISSION ES SEND HK MSG 8 • #define CFE MISSION EVS SEND HK MSG 9 #define CFE MISSION SB SEND HK MSG 11 • #define CFE MISSION TBL SEND HK MSG 12 #define CFE MISSION TIME SEND HK MSG 13 #define CFE MISSION SB SUB RPT CTRL MSG 14 #define CFE MISSION TIME TONE CMD MSG 16 #define CFE_MISSION_TIME_1HZ_CMD_MSG 17 #define CFE_MISSION_TIME_DATA_CMD_MSG 0 #define CFE_MISSION_TIME_SEND_CMD_MSG 2 • #define CFE MISSION ES HK TLM MSG 0 • #define CFE MISSION EVS HK TLM MSG 1 • #define CFE MISSION TEST HK TLM MSG 2 #define CFE MISSION SB_HK_TLM_MSG 3 #define CFE MISSION TBL HK TLM MSG 4 #define CFE MISSION TIME HK TLM MSG 5 #define CFE MISSION TIME DIAG TLM MSG 6 #define CFE MISSION EVS LONG EVENT MSG MSG 8 #define CFE MISSION EVS SHORT EVENT MSG MSG 9 #define CFE MISSION SB STATS TLM MSG 10 #define CFE MISSION ES APP TLM MSG 11 • #define CFE MISSION_TBL_REG_TLM_MSG 12 #define CFE_MISSION_SB_ALLSUBS_TLM_MSG 13 #define CFE MISSION SB ONESUB TLM MSG 14 #define CFE MISSION ES MEMSTATS TLM MSG 16 #define CFE MISSION ES MAX APPLICATIONS 16 #define CFE_MISSION_ES_PERF_MAX_IDS 128 #define CFE_MISSION_ES_POOL_MAX_BUCKETS 17 #define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_NAME_LENGTH + CFE MISSION MAX API LEN + 4) • #define CFE MISSION SB MAX PIPES 64 #define CFE MISSION MAX PATH LEN 64

11.4.1 Detailed Description

#define CFE_MISSION_MAX_FILE_LEN 20
 #define CFE_MISSION_MAX_API_LEN 20

+ CFE MISSION MAX API LEN + 4)

Purpose: This header file contains the mission configuration parameters and typedefs with mission scope.

Notes: The impact of changing these configurations from their default value is not yet documented. Changing these values may impact the performance and functionality of the system.

#define CFE MISSION ES CDS MAX FULL NAME LEN (CFE MISSION ES CDS MAX NAME LENGTH

Author: R.McGraw/SSI

11.4.2 Macro Definition Documentation

11.4.2.1 CFE_MISSION_ES_APP_TLM_MSG #define CFE_MISSION_ES_APP_TLM_MSG 11 Definition at line 368 of file sample mission cfg.h.

11.4.2.2 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN #define CFE_MISSION_ES_CDS_MAX_FULL_NAME_L←
EN (CFE_MISSION_ES_CDS_MAX_NAME_LENGTH + CFE_MISSION_MAX_API_LEN + 4)

Purpose Maximum Length of Full CDS Name in messages

Description:

Indicates the maximum length (in characters) of the entire CDS name of the following form: "ApplicationName. ← CDSName"

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 563 of file sample_mission_cfg.h.

11.4.2.3 CFE MISSION ES CDS MAX NAME LENGTH #define CFE_MISSION_ES_CDS_MAX_NAME_LENGTH 16

Purpose Maximum Length of CDS Name

Description:

Indicates the maximum length (in characters) of the CDS name ('CDSName') portion of a Full CDS Name of the following form: "ApplicationName.CDSName"

This length does not need to include an extra character for NULL termination.

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 245 of file sample_mission_cfg.h.

11.4.2.4 CFE_MISSION_ES_CMD_MSG #define CFE_MISSION_ES_CMD_MSG 6 Definition at line 318 of file sample mission cfg.h.

11.4.2.5 CFE_MISSION_ES_CRC_16 #define CFE_MISSION_ES_CRC_16 CFE_ES_CrcType_CRC_16 /* 2 */ Definition at line 267 of file sample mission cfg.h.

11.4.2.6 CFE_MISSION_ES_CRC_32 #define CFE_MISSION_ES_CRC_32 CFE_ES_CrcType_CRC_32 /* 3 */ Definition at line 268 of file sample mission cfg.h.

11.4.2.7 CFE_MISSION_ES_CRC_8 #define CFE_MISSION_ES_CRC_8 CFE_ES_CrcType_CRC_8 /* 1 */ Definition at line 266 of file sample mission cfg.h.

11.4.2.8 CFE MISSION ES DEFAULT CRC #define CFE_MISSION_ES_DEFAULT_CRC CFE_ES_CrcType_CRC_16

Purpose Mission Default CRC algorithm

Description:

Indicates the which CRC algorithm should be used as the default for verifying the contents of Critical Data Stores and when calculating Table Image data integrity values.

Limits

Currently only CFE_ES_CrcType_CRC_16 is supported (see brief in CFE_ES_CrcType_Enum definition in cfe_es_api_typedefs.h)

Definition at line 284 of file sample mission cfg.h.

11.4.2.9 CFE_MISSION_ES_HK_TLM_MSG #define CFE_MISSION_ES_HK_TLM_MSG 0

Purpose cFE Portable Message Numbers for Telemetry

Description:

Portable message numbers for the cFE telemetry messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 357 of file sample mission cfg.h.

11.4.2.10 CFE_MISSION_ES_MAX_APPLICATIONS #define CFE_MISSION_ES_MAX_APPLICATIONS 16

Purpose Mission Max Apps in a message

Description:

Indicates the maximum number of apps in a telemetry housekeeping message

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 388 of file sample mission cfg.h.

11.4.2.11 CFE_MISSION_ES_MEMSTATS_TLM_MSG #define CFE_MISSION_ES_MEMSTATS_TLM_MSG 16 Definition at line 372 of file sample mission cfg.h.

11.4.2.12 CFE MISSION ES PERF MAX IDS #define CFE_MISSION_ES_PERF_MAX_IDS 128

Purpose Define Max Number of Performance IDs for messages

Description:

Defines the maximum number of perf ids allowed in command/telemetry messages

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 405 of file sample mission cfg.h.

11.4.2.13 CFE_MISSION_ES_POOL_MAX_BUCKETS #define CFE_MISSION_ES_POOL_MAX_BUCKETS 17

Purpose Maximum number of block sizes in pool structures

Description:

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS. This definition is used as the array size with the pool stats structure, and therefore should be consistent across all CPUs in a mission, as well as with the ground station.

There is also a platform-specific limit which may be fewer than this value.

Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

Definition at line 426 of file sample mission cfg.h.

11.4.2.14 CFE_MISSION_ES_SEND_HK_MSG #define CFE_MISSION_ES_SEND_HK_MSG 8 Definition at line 320 of file sample mission cfg.h.

11.4.2.15 CFE_MISSION_EVS_CMD_MSG #define CFE_MISSION_EVS_CMD_MSG 1

Purpose cFE Portable Message Numbers for Commands

Description:

Portable message numbers for the cFE command messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 313 of file sample mission cfg.h.

11.4.2.16 CFE_MISSION_EVS_HK_TLM_MSG #define CFE_MISSION_EVS_HK_TLM_MSG 1 Definition at line 358 of file sample mission cfg.h.

11.4.2.17 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG #define CFE_MISSION_EVS_LONG_EVENT_MSG_MSG 8 Definition at line 365 of file sample mission cfg.h.

11.4.2.18 CFE_MISSION_EVS_MAX_MESSAGE_LENGTH #define CFE_MISSION_EVS_MAX_MESSAGE_LENG←
TH 122

Purpose Maximum Event Message Length

Description:

Indicates the maximum length (in characters) of the formatted text string portion of an event message

This length does not need to include an extra character for NULL termination.

Limits

Not Applicable

Definition at line 259 of file sample mission cfg.h.

11.4.2.19 CFE_MISSION_EVS_SEND_HK_MSG #define CFE_MISSION_EVS_SEND_HK_MSG 9 Definition at line 321 of file sample mission cfg.h.

11.4.2.20 CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG #define CFE_MISSION_EVS_SHORT_EVENT_MSG_M↔ SG 9

Definition at line 366 of file sample_mission_cfg.h.

11.4.2.21 CFE MISSION MAX API LEN #define CFE_MISSION_MAX_API_LEN 20

Purpose cFE Maximum length for API names within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_API_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_API_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS MAX API LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 543 of file sample mission cfg.h.

11.4.2.22 CFE_MISSION_MAX_FILE_LEN #define CFE_MISSION_MAX_FILE_LEN 20

Purpose cFE Maximum length for filenames within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_FILE_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_FILE_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_FILE_LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 517 of file sample_mission_cfg.h.

11.4.2.23 CFE MISSION MAX PATH LEN #define CFE_MISSION_MAX_PATH_LEN 64

Purpose cFE Maximum length for pathnames within data exchange structures

Description:

The value of this constant dictates the size of pathnames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_PATH_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_PATH_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_PATH_LEN value.

This length must include an extra character for NULL termination.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 490 of file sample_mission_cfg.h.

11.4.2.24 CFE_MISSION_SB_ALLSUBS_TLM_MSG #define CFE_MISSION_SB_ALLSUBS_TLM_MSG 13 Definition at line 370 of file sample mission cfg.h.

11.4.2.25 CFE_MISSION_SB_CMD_MSG #define CFE_MISSION_SB_CMD_MSG 3 Definition at line 315 of file sample mission cfg.h.

11.4.2.26 CFE_MISSION_SB_HK_TLM_MSG #define CFE_MISSION_SB_HK_TLM_MSG 3 Definition at line 360 of file sample mission cfg.h.

11.4.2.27 CFE_MISSION_SB_MAX_PIPES #define CFE_MISSION_SB_MAX_PIPES 64

Purpose Maximum Number of pipes that SB command/telemetry messages may hold

Description:

Dictates the maximum number of unique Pipes the SB message definitions will hold.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 463 of file sample_mission_cfg.h.

11.4.2.28 CFE_MISSION_SB_MAX_SB_MSG_SIZE #define CFE_MISSION_SB_MAX_SB_MSG_SIZE 32768

Purpose Maximum SB Message Size

Description:

The following definition dictates the maximum message size allowed on the software bus. SB checks the pkt length field in the header of all messages sent. If the pkt length field indicates the message is larger than this define, SB sends an event and rejects the send.

Limits

This parameter has a lower limit of 6 (CCSDS primary header size). There are no restrictions on the upper limit however, the maximum message size is system dependent and should be verified. Total message size values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 53 of file sample_mission_cfg.h.

11.4.2.29 CFE_MISSION_SB_ONESUB_TLM_MSG #define CFE_MISSION_SB_ONESUB_TLM_MSG 14 Definition at line 371 of file sample_mission_cfg.h.

11.4.2.30 CFE_MISSION_SB_SEND_HK_MSG #define CFE_MISSION_SB_SEND_HK_MSG 11 Definition at line 323 of file sample_mission_cfg.h.

11.4.2.31 CFE_MISSION_SB_STATS_TLM_MSG #define CFE_MISSION_SB_STATS_TLM_MSG 10 Definition at line 367 of file sample mission cfg.h.

11.4.2.32 CFE_MISSION_SB_SUB_RPT_CTRL_MSG #define CFE_MISSION_SB_SUB_RPT_CTRL_MSG 14 Definition at line 327 of file sample mission cfg.h.

11.4.2.33 CFE_MISSION_TBL_CMD_MSG #define CFE_MISSION_TBL_CMD_MSG 4 Definition at line 316 of file sample_mission_cfg.h.

11.4.2.34 CFE_MISSION_TBL_HK_TLM_MSG #define CFE_MISSION_TBL_HK_TLM_MSG 4 Definition at line 361 of file sample_mission_cfg.h.

11.4.2.35 CFE_MISSION_TBL_MAX_FULL_NAME_LEN #define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX + CFE_MISSION_MAX_API_LEN + 4)

Purpose Maximum Length of Full Table Name in messages

Description:

Indicates the maximum length (in characters) of the entire table name within software bus messages, in "App

Name. Table Name" notation.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 446 of file sample_mission_cfg.h.

11.4.2.36 CFE MISSION TBL MAX NAME LENGTH #define CFE_MISSION_TBL_MAX_NAME_LENGTH 16

Purpose Maximum Table Name Length

Description:

Indicates the maximum length (in characters) of the table name ('TblName') portion of a Full Table Name of the following form: "ApplicationName.TblName"

This length does not need to include an extra character for NULL termination.

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 300 of file sample_mission_cfg.h.

11.4.2.37 CFE_MISSION_TBL_REG_TLM_MSG #define CFE_MISSION_TBL_REG_TLM_MSG 12 Definition at line 369 of file sample mission cfg.h.

11.4.2.38 CFE_MISSION_TBL_SEND_HK_MSG #define CFE_MISSION_TBL_SEND_HK_MSG 12 Definition at line 324 of file sample mission cfg.h.

11.4.2.39 CFE_MISSION_TEST_CMD_MSG #define CFE_MISSION_TEST_CMD_MSG 2 Definition at line 314 of file sample_mission_cfg.h.

11.4.2.40 CFE_MISSION_TEST_HK_TLM_MSG #define CFE_MISSION_TEST_HK_TLM_MSG 2 Definition at line 359 of file sample_mission_cfg.h.

11.4.2.41 CFE_MISSION_TIME_1HZ_CMD_MSG #define CFE_MISSION_TIME_1HZ_CMD_MSG 17 Definition at line 330 of file sample mission cfg.h.

11.4.2.42 CFE_MISSION_TIME_AT_TONE_WAS #define CFE_MISSION_TIME_AT_TONE_WAS true

Purpose Default Time and Tone Order

Description:

Time Services may be configured to expect the time at the tone data packet to either precede or follow the tone signal. If the time at the tone data packet follows the tone signal, then the data within the packet describes what the time "was" at the tone. If the time at the tone data packet precedes the tone signal, then the data within the packet describes what the time "will be" at the tone. One, and only one, of the following symbols must be set to true:

- CFE_MISSION_TIME_AT_TONE_WAS
- CFE_MISSION_TIME_AT_TONE_WILL_BE Note: If Time Services is defined as using a simulated tone signal (see CFE_MISSION_TIME_CFG_FAKE_TONE above), then the tone data packet must follow the tone signal.

Limits

Either CFE_MISSION_TIME_AT_TONE_WAS or CFE_MISSION_TIME_AT_TONE_WILL_BE must be set to true. They may not both be true and they may not both be false.

Definition at line 108 of file sample_mission_cfg.h.

11.4.2.43 CFE_MISSION_TIME_AT_TONE_WILL_BE #define CFE_MISSION_TIME_AT_TONE_WILL_BE false Definition at line 109 of file sample_mission_cfg.h.

11.4.2.44 CFE_MISSION_TIME_CFG_DEFAULT_TAI #define CFE_MISSION_TIME_CFG_DEFAULT_TAI true

Purpose Default Time Format

Description:

The following definitions select either UTC or TAI as the default (mission specific) time format. Although it is possible for an application to request time in a specific format, most callers should use CFE_TIME_GetTime(), which returns time in the default format. This avoids having to modify each individual caller when the default choice is changed.

Limits

if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as true then CFE_MISSION_TIME_CFG_DEFAULT_
UTC must be defined as false. if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as false then CFE_MI
SSION_TIME_CFG_DEFAULT_UTC must be defined as true.

Definition at line 72 of file sample mission cfg.h.

11.4.2.45 CFE_MISSION_TIME_CFG_DEFAULT_UTC #define CFE_MISSION_TIME_CFG_DEFAULT_UTC false Definition at line 73 of file sample_mission_cfg.h.

11.4.2.46 CFE_MISSION_TIME_CFG_FAKE_TONE #define CFE_MISSION_TIME_CFG_FAKE_TONE true

Purpose Default Time Format

Description:

The following definition enables the use of a simulated time at the tone signal using a software bus message.

Limits

Not Applicable

Definition at line 85 of file sample mission cfg.h.

11.4.2.47 CFE_MISSION_TIME_CMD_MSG # define CFE_MISSION_TIME_CMD_MSG 5 Definition at line 317 of file sample_mission_cfg.h.

11.4.2.48 CFE MISSION TIME DATA CMD MSG #define CFE_MISSION_TIME_DATA_CMD_MSG 0

Purpose cFE Portable Message Numbers for Global Messages

Description:

Portable message numbers for the cFE global messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 343 of file sample mission cfg.h.

11.4.2.49 CFE_MISSION_TIME_DEF_DELAY_SECS #define CFE_MISSION_TIME_DEF_DELAY_SECS 0 Definition at line 167 of file sample mission cfg.h.

11.4.2.50 CFE_MISSION_TIME_DEF_DELAY_SUBS #define CFE_MISSION_TIME_DEF_DELAY_SUBS 1000 Definition at line 168 of file sample_mission_cfg.h.

11.4.2.51 CFE_MISSION_TIME_DEF_LEAPS #define CFE_MISSION_TIME_DEF_LEAPS 37 Definition at line 165 of file sample mission cfg.h.

11.4.2.52 CFE_MISSION_TIME_DEF_MET_SECS #define CFE_MISSION_TIME_DEF_MET_SECS 1000

Purpose Default Time Values

Description:

Default time values are provided to avoid problems due to time calculations performed after startup but before commands can be processed. For example, if the default time format is UTC then it is important that the sum of MET and STCF always exceed the value of Leap Seconds to prevent the UTC time calculation (time = MET + STCF - Leap Seconds) from resulting in a negative (very large) number.

Some past missions have also created known (albeit wrong) default timestamps. For example, assume the epoch is defined as Jan 1, 1970 and further assume the default time values are set to create a timestamp of Jan 1, 2000. Even though the year 2000 timestamps are wrong, it may be of value to keep the time within some sort of bounds acceptable to the software.

Note: Sub-second units are in micro-seconds (0 to 999,999) and all values must be defined

Limits

Not Applicable

Definition at line 159 of file sample_mission_cfg.h.

11.4.2.53 CFE_MISSION_TIME_DEF_MET_SUBS #define CFE_MISSION_TIME_DEF_MET_SUBS 0 Definition at line 160 of file sample_mission_cfg.h.

11.4.2.54 CFE_MISSION_TIME_DEF_STCF_SECS #define CFE_MISSION_TIME_DEF_STCF_SECS 1000000 Definition at line 162 of file sample_mission_cfg.h.

11.4.2.55 CFE_MISSION_TIME_DEF_STCF_SUBS #define CFE_MISSION_TIME_DEF_STCF_SUBS 0 Definition at line 163 of file sample_mission_cfg.h.

11.4.2.56 CFE_MISSION_TIME_DIAG_TLM_MSG #define CFE_MISSION_TIME_DIAG_TLM_MSG 6 Definition at line 363 of file sample mission cfg.h.

11.4.2.57 CFE_MISSION_TIME_EPOCH_DAY #define CFE_MISSION_TIME_EPOCH_DAY 1 Definition at line 186 of file sample mission cfg.h.

11.4.2.58 CFE_MISSION_TIME_EPOCH_HOUR #define CFE_MISSION_TIME_EPOCH_HOUR 0 Definition at line 187 of file sample mission cfg.h.

11.4.2.59 CFE_MISSION_TIME_EPOCH_MICROS #define CFE_MISSION_TIME_EPOCH_MICROS 0 Definition at line 190 of file sample_mission_cfg.h.

11.4.2.60 CFE_MISSION_TIME_EPOCH_MINUTE #define CFE_MISSION_TIME_EPOCH_MINUTE 0 Definition at line 188 of file sample mission cfg.h.

11.4.2.61 CFE_MISSION_TIME_EPOCH_SECOND #define CFE_MISSION_TIME_EPOCH_SECOND 0 Definition at line 189 of file sample_mission_cfg.h.

11.4.2.62 CFE MISSION TIME EPOCH YEAR #define CFE_MISSION_TIME_EPOCH_YEAR 1980

Purpose Default EPOCH Values

Description:

Default ground time epoch values Note: these values are used only by the CFE_TIME_Print() API function

Limits

Year - must be within 136 years Day - Jan 1 = 1, Feb 1 = 32, etc. Hour - 0 to 23 Minute - 0 to 59 Second - 0 to 59 Micros - 0 to 999999

Definition at line 185 of file sample mission cfg.h.

11.4.2.63 CFE_MISSION_TIME_FS_FACTOR #define CFE_MISSION_TIME_FS_FACTOR 789004800

Purpose Time File System Factor

Description:

Define the s/c vs file system time conversion constant...

Note: this value is intended for use only by CFE TIME API functions to convert time values based on the ground system epoch (s/c time) to and from time values based on the file system epoch (fs time).

FS time = S/C time + factor S/C time = FS time - factor

Worksheet:

S/C epoch = Jan 1, 2005 (LRO ground system epoch) FS epoch = Jan 1, 1980 (vxWorks DOS file system epoch)

Delta = 25 years, 0 days, 0 hours, 0 minutes, 0 seconds

Leap years = 1980, 1984, 1988, 1992, 1996, 2000, 2004 (divisible by 4 - except if by 100 - unless also by 400)

1 year = 31,536,000 seconds 1 day = 86,400 seconds 1 hour = 3,600 seconds 1 minute = 60 seconds

25 years = 788,400,000 seconds 7 extra leap days = 604,800 seconds

total delta = 789,004,800 seconds

Limits

Not Applicable

Definition at line 228 of file sample_mission_cfg.h.

11.4.2.64 CFE_MISSION_TIME_HK_TLM_MSG #define CFE_MISSION_TIME_HK_TLM_MSG 5 Definition at line 362 of file sample mission cfg.h.

11.4.2.65 CFE_MISSION_TIME_MAX_ELAPSED #define CFE_MISSION_TIME_MAX_ELAPSED 200000 Definition at line 134 of file sample_mission_cfg.h.

11.4.2.66 CFE_MISSION_TIME_MIN_ELAPSED #define CFE_MISSION_TIME_MIN_ELAPSED 0

Purpose Min and Max Time Elapsed

Description:

Based on the definition of Time and Tone Order (CFE_MISSION_TIME_AT_TONE_WAS/WILL_BE) either the "time at the tone" signal or data packet will follow the other. This definition sets the valid window of time for the second of the pair to lag behind the first. Time Services will invalidate both the tone and packet if the second does not arrive within this window following the first.

For example, if the data packet follows the tone, it might be valid for the data packet to arrive between zero and 100,000 micro-seconds after the tone. But, if the tone follows the packet, it might be valid only if the packet arrived between 200,000 and 700,000 micro-seconds before the tone.

Note: units are in micro-seconds

Limits

0 to 999,999 decimal

Definition at line 133 of file sample mission cfg.h.

11.4.2.67 CFE_MISSION_TIME_SEND_CMD_MSG #define CFE_MISSION_TIME_SEND_CMD_MSG 2 Definition at line 344 of file sample_mission_cfg.h.

11.4.2.68 CFE_MISSION_TIME_SEND_HK_MSG #define CFE_MISSION_TIME_SEND_HK_MSG 13 Definition at line 325 of file sample_mission_cfg.h.

11.4.2.69 CFE_MISSION_TIME_TONE_CMD_MSG #define CFE_MISSION_TIME_TONE_CMD_MSG 16 Definition at line 329 of file sample_mission_cfg.h.

11.5 sample_perfids.h File Reference

Macros

#define CFE_MISSION_ES_PERF_EXIT_BIT 31
 bit (31) is reserved by the perf utilities

cFE Performance Monitor IDs (Reserved IDs 0-31)

• #define CFE MISSION ES MAIN PERF ID 1

Performance ID for Executive Services Task.

#define CFE_MISSION_EVS_MAIN_PERF_ID 2

Performance ID for Events Services Task.

#define CFE MISSION TBL MAIN PERF ID 3

Performance ID for Table Services Task.

#define CFE MISSION SB MAIN PERF ID 4

Performance ID for Software Bus Services Task.

#define CFE_MISSION_SB_MSG_LIM_PERF_ID 5

Performance ID for Software Bus Msg Limit Errors.

#define CFE MISSION SB PIPE OFLOW PERF ID 27

Performance ID for Software Bus Pipe Overflow Errors.

#define CFE_MISSION_TIME_MAIN_PERF_ID 6

Performance ID for Time Services Task.

• #define CFE MISSION TIME TONE1HZISR PERF ID 7

Performance ID for 1 Hz Tone ISR.

#define CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID 8

Performance ID for 1 Hz Local ISR.

• #define CFE MISSION TIME SENDMET PERF ID 9

Performance ID for Time ToneSendMET.

#define CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID 10

Performance ID for 1 Hz Local Task.

• #define CFE MISSION TIME TONE1HZTASK PERF ID 11

Performance ID for 1 Hz Tone Task.

11.5.1 Detailed Description

Purpose: This file contains the cFE performance IDs

Design Notes: Each performance id is used to identify something that needs to be measured. Performance ids are limited to the range of 0 to CFE_MISSION_ES_PERF_MAX_IDS - 1. Any performance ids outside of this range will be ignored and will be flagged as an error. Note that performance ids 0-31 are reserved for the cFE Core. References:

11.5.2 Macro Definition Documentation

11.5.2.1 CFE MISSION ES MAIN PERF ID #define CFE_MISSION_ES_MAIN_PERF_ID 1

Performance ID for Executive Services Task.

Definition at line 42 of file sample_perfids.h.

11.5.2.2 CFE_MISSION_ES_PERF_EXIT_BIT #define CFE_MISSION_ES_PERF_EXIT_BIT 31

bit (31) is reserved by the perf utilities

Definition at line 38 of file sample_perfids.h.

11.5.2.3 CFE_MISSION_EVS_MAIN_PERF_ID #define CFE_MISSION_EVS_MAIN_PERF_ID 2

Performance ID for Events Services Task.

Definition at line 43 of file sample perfids.h.

11.5.2.4 CFE_MISSION_SB_MAIN_PERF_ID #define CFE_MISSION_SB_MAIN_PERF_ID 4

Performance ID for Software Bus Services Task.

Definition at line 45 of file sample perfids.h.

11.5.2.5 CFE_MISSION_SB_MSG_LIM_PERF_ID #define CFE_MISSION_SB_MSG_LIM_PERF_ID 5

Performance ID for Software Bus Msg Limit Errors.

Definition at line 46 of file sample perfids.h.

11.5.2.6 CFE_MISSION_SB_PIPE_OFLOW_PERF_ID #define CFE_MISSION_SB_PIPE_OFLOW_PERF_ID 27

Performance ID for Software Bus Pipe Overflow Errors.

Definition at line 47 of file sample_perfids.h.

11.5.2.7 CFE_MISSION_TBL_MAIN_PERF_ID #define CFE_MISSION_TBL_MAIN_PERF_ID 3

Performance ID for Table Services Task.

Definition at line 44 of file sample_perfids.h.

11.5.2.8 CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID #define CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID 8

Performance ID for 1 Hz Local ISR.

Definition at line 51 of file sample perfids.h.

$\textbf{11.5.2.9} \quad \textbf{CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID} \quad \texttt{\#define CFE_MISSION_TIME_LOCAL1HZTASK_PERF} \leftarrow \textbf{11.5.2.9}$

_ID 10

Performance ID for 1 Hz Local Task.

Definition at line 54 of file sample perfids.h.

11.5.2.10 CFE_MISSION_TIME_MAIN_PERF_ID #define CFE_MISSION_TIME_MAIN_PERF_ID 6

Performance ID for Time Services Task.

Definition at line 49 of file sample_perfids.h.

11.5.2.11 CFE_MISSION_TIME_SENDMET_PERF_ID #define CFE_MISSION_TIME_SENDMET_PERF_ID 9

Performance ID for Time ToneSendMET.

Definition at line 53 of file sample_perfids.h.

11.5.2.12 CFE_MISSION_TIME_TONE1HZISR_PERF_ID #define CFE_MISSION_TIME_TONE1HZISR_PERF_ID 7

Performance ID for 1 Hz Tone ISR.

Definition at line 50 of file sample perfids.h.

11.5.2.13 CFE_MISSION_TIME_TONE1HZTASK_PERF_ID #define CFE_MISSION_TIME_TONE1HZTASK_PERF_

ID 11

Performance ID for 1 Hz Tone Task.

Definition at line 55 of file sample perfids.h.

- 11.6 cfe/docs/src/cfe_api.dox File Reference
- 11.7 cfe/docs/src/cfe_es.dox File Reference
- 11.8 cfe/docs/src/cfe_evs.dox File Reference
- 11.9 cfe/docs/src/cfe_frontpage.dox File Reference
- 11.10 cfe/docs/src/cfe glossary.dox File Reference
- 11.11 cfe/docs/src/cfe sb.dox File Reference
- 11.12 cfe/docs/src/cfe_tbl.dox File Reference
- 11.13 cfe/docs/src/cfe_time.dox File Reference
- 11.14 cfe/docs/src/cfe xref.dox File Reference
- 11.15 cfe/docs/src/cfs versions.dox File Reference
- 11.16 cfe/modules/core api/fsw/inc/cfe.h File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_mission_cfg.h"
#include "cfe_error.h"
#include "cfe_es.h"
#include "cfe_es.h"
#include "cfe_ts.h"
#include "cfe_time.h"
#include "cfe_tbl.h"
#include "cfe_msg.h"
#include "cfe_resourceid.h"
#include "cfe_psp.h"
```

11.16.1 Detailed Description

Purpose: cFE header file

Author: David Kobe, the Hammers Company, Inc.

Notes: This header file centralizes the includes for all cFE Applications. It includes all header files necessary to completely define the cFE interface.

11.17 cfe/modules/core_api/fsw/inc/cfe_config.h File Reference

```
#include "common_types.h"
#include "cfe_config_api_typedefs.h"
#include "cfe_config_ids.h"
```

Functions

uint32 CFE_Config_GetValue (CFE_ConfigId_t ConfigId)

Obtain an integer value correlating to an CFE configuration ID.

const void * CFE_Config_GetObjPointer (CFE_Configld_t Configld)

Obtain a pointer value correlating to an CFE configuration ID.

• const char * CFE_Config_GetString (CFE_ConfigId_t ConfigId)

Obtain a string value correlating to an CFE configuration ID.

const char * CFE_Config_GetName (CFE_ConfigId_t ConfigId)

Obtain the name of a CFE configuration ID.

CFE_ConfigId_t CFE_Config_GetIdByName (const char *Name)

Obtain the ID value associated with a configuration name.

void CFE Config IterateAll (void *Arg, CFE Config Callback t Callback)

Iterate all known name/ID value pairs.

11.17.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.17.2 Function Documentation

11.17.2.1 CFE_Config_GetIdByName() CFE_ConfigId_t CFE_Config_GetIdByName (

const char * Name)

Obtain the ID value associated with a configuration name.

Parameters

in N	lame The	name of the ID to look up
------	----------	---------------------------

Returns

ID associated with name

Return values

CFE_CONFIGID_UNDEFINED	if the name did not correspond to a key
------------------------	---

Obtain the name of a CFE configuration ID.

Retreives the printable name associated with the specified key.

Note

This function does not return NULL.

If the ID is not valid/known, then the implementation returns the special string '[unknown]' rather than NULL, so this function may be more easily used in printf() style calls.

Parameters

in	Config←	Configuration ID/Key to look up
	ld	

Returns

Name associated with key

Obtain a pointer value correlating to an CFE configuration ID. Retreives the pointer value associated with the specified key.

If no value has been set, or the key is not valid, this returns NULL.

Parameters

in	Config←	Configuration ID/Key to look up
	ld	

Returns

Value associated with key

Return values

Obtain a string value correlating to an CFE configuration ID.

Retreives the string value associated with the specified key.

If no value has been set, or the key is not valid, this returns the special string "UNDEFINED"

Note

This function does not return NULL, so it can be used directly in printf-style calls.

Parameters

in	Config←	Configuration ID/Key to look up
	ld	

Returns

String value associated with key

Obtain an integer value correlating to an CFE configuration ID.

Retreives the integer value associated with the specified key.

If no value has been set, or the key is not valid, this returns 0.

Parameters

in	Config←	Configuration ID/Key to look up	l
	ld		Ì

Returns

Value associated with key

Return values

```
0 if key is not defined or not set
```


Iterate all known name/ID value pairs.

Parameters

in	Arg	User-supplied opaque argument to pass to callback
in	Callback	User-supplied callback function to invoke for each ID

11.18 cfe/modules/core api/fsw/inc/cfe config api typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_resourceid_api_typedefs.h"
```

Macros

- #define CFE_CONFIGID_C(val) ((CFE_Configld_t)CFE_RESOURCEID_WRAP(val))
- #define CFE_CONFIGID_UNDEFINED CFE_CONFIGID_C(CFE_RESOURCEID_UNDEFINED)

Typedefs

- typedef CFE_RESOURCEID_BASE_TYPE CFE_Configld_t
 A type for Configuration IDs.
- typedef void(* CFE_Config_Callback_t) (void *Arg, CFE_ConfigId_t Id, const char *Name)

11.18.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.18.2 Macro Definition Documentation

```
11.18.2.1 CFE_CONFIGID_C #define CFE_CONFIGID_C(

val ) ((CFE_ConfigId_t)CFE_RESOURCEID_WRAP(val))
```

Definition at line 48 of file cfe_config_api_typedefs.h.

11.18.2.2 CFE_CONFIGID_UNDEFINED #define CFE_CONFIGID_UNDEFINED CFE_CONFIGID_C(CFE_RESOURCEID_UNDEFINED)

Definition at line 49 of file cfe_config_api_typedefs.h.

11.18.3 Typedef Documentation

```
11.18.3.1 CFE_Config_Callback_t typedef void(* CFE_Config_Callback_t) (void *Arg, CFE_ConfigId_t Id, const char *Name)
```

Definition at line 51 of file cfe_config_api_typedefs.h.

```
11.18.3.2 CFE_Configld_t typedef CFE_RESOURCEID_BASE_TYPE CFE_Configld_t
```

A type for Configuration IDs.

This is the type that is used for any API accepting or returning a configuration key ID Definition at line 46 of file cfe config api typedefs.h.

11.19 cfe/modules/core_api/fsw/inc/cfe_endian.h File Reference

```
#include "common_types.h"
```

Macros

- #define CFE_MAKE_BIG16(n) ((((n)&0x00FF) << 8) | (((n)&0xFF00) >> 8))
- #define CFE_MAKE_BIG32(n) ((((n)&0x000000FF) << 24) | (((n)&0x0000FF00) << 8) | (((n)&0x0FF00000) >> 8) | (((n)&0xFF000000) >> 24))

11.19.1 Detailed Description

Purpose: Define macros to enforce big-endian/network byte order for 16 and 32 bit integers

11.19.2 Macro Definition Documentation

```
11.19.2.1 CFE_MAKE_BIG16 #define CFE_MAKE_BIG16(
```

n) ((((n)&0x00FF) << 8) | (((n)&0xFF00) >> 8))

Definition at line 64 of file cfe endian.h.

11.20 cfe/modules/core_api/fsw/inc/cfe_error.h File Reference

```
#include "osapi.h"
```

Macros

#define CFE_STATUS_C(X) ((CFE_Status_t)(X))

cFE Status macro for literal

• #define CFE_STATUS_STRING_LENGTH 11

cFE Status converted to string length limit

#define CFE_SEVERITY_BITMASK ((CFE_Status_t)0xc0000000)

Error Severity Bitmask.

#define CFE_SEVERITY_SUCCESS ((CFE_Status_t)0x00000000)

Severity Success.

#define CFE_SEVERITY_INFO ((CFE_Status_t)0x40000000)

Severity Info.

#define CFE_SEVERITY_ERROR ((CFE_Status_t)0xc0000000)

Severity Error.

#define CFE_SERVICE_BITMASK ((CFE_Status_t)0x0e000000)

Error Service Bitmask.

#define CFE_EVENTS_SERVICE ((CFE_Status_t)0x02000000)

Event Service.

#define CFE_EXECUTIVE_SERVICE ((CFE_Status_t)0x04000000)

Executive Service.

#define CFE_FILE_SERVICE ((CFE_Status_t)0x06000000)

File Service.

#define CFE_GENERIC_SERVICE ((CFE_Status_t)0x08000000)

Generic Service.

#define CFE_SOFTWARE_BUS_SERVICE ((CFE_Status_t)0x0a000000)

Software Bus Service.

#define CFE_TABLE_SERVICE ((CFE_Status_t)0x0c000000)

Table Service.

• #define CFE_TIME_SERVICE ((CFE_Status_t)0x0e000000)

Time Service.

• #define CFE_SUCCESS ((CFE_Status_t)0)

Successful execution.

#define CFE_STATUS_NO_COUNTER_INCREMENT ((CFE_Status_t)0x48000001)

No Counter Increment.

#define CFE STATUS WRONG MSG LENGTH ((CFE Status t)0xc8000002)

Wrong Message Length.

#define CFE STATUS UNKNOWN MSG ID ((CFE Status t)0xc8000003)

Unknown Message ID.

#define CFE STATUS BAD COMMAND CODE ((CFE Status t)0xc8000004)

```
Bad Command Code.
```

#define CFE_STATUS_EXTERNAL_RESOURCE_FAIL ((CFE_Status_t)0xc8000005)

External failure.

#define CFE_STATUS_REQUEST_ALREADY_PENDING ((int32)0xc8000006)

Request already pending.

#define CFE_STATUS_NOT_IMPLEMENTED ((CFE_Status_t)0xc800ffff)

Not Implemented.

#define CFE_EVS_UNKNOWN_FILTER ((CFE_Status_t)0xc2000001)

Unknown Filter.

#define CFE_EVS_APP_NOT_REGISTERED ((CFE_Status_t)0xc2000002)

Application Not Registered.

#define CFE EVS APP ILLEGAL APP ID ((CFE Status t)0xc2000003)

Illegal Application ID.

#define CFE_EVS_APP_FILTER_OVERLOAD ((CFE_Status_t)0xc2000004)

Application Filter Overload.

#define CFE_EVS_RESET_AREA_POINTER ((CFE_Status_t)0xc2000005)

Reset Area Pointer Failure.

#define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006)

Event Not Registered.

#define CFE EVS FILE WRITE ERROR ((CFE Status t)0xc2000007)

File Write Error.

#define CFE_EVS_INVALID_PARAMETER ((CFE_Status_t)0xc2000008)

Invalid Pointer.

#define CFE_EVS_APP_SQUELCHED ((CFE_Status_t)0xc2000009)

Event squelched.

#define CFE_EVS_NOT_IMPLEMENTED ((CFE_Status_t)0xc200ffff)

Not Implemented.

#define CFE_ES_ERR_RESOURCEID_NOT_VALID ((CFE_Status_t)0xc4000001)

Resource ID is not valid.

#define CFE_ES_ERR_NAME_NOT_FOUND ((CFE_Status_t)0xc4000002)

Resource Name Error.

#define CFE ES ERR APP CREATE ((CFE Status t)0xc4000004)

Application Create Error.

#define CFE ES ERR CHILD TASK CREATE ((CFE Status t)0xc4000005)

Child Task Create Error.

#define CFE ES ERR SYS LOG FULL ((CFE Status t)0xc4000006)

System Log Full.

#define CFE_ES_ERR_MEM_BLOCK_SIZE ((CFE_Status_t)0xc4000008)

Memory Block Size Error.

#define CFE_ES_ERR_LOAD_LIB ((CFE_Status_t)0xc4000009)

Load Library Error.

#define CFE_ES_BAD_ARGUMENT ((CFE_Status_t)0xc400000a)

Bad Argument.

#define CFE_ES_ERR_CHILD_TASK_REGISTER ((CFE_Status_t)0xc400000b)

Child Task Register Error.

#define CFE_ES_CDS_ALREADY_EXISTS ((CFE_Status_t)0x4400000d)

CDS Already Exists.

```
    #define CFE_ES_CDS_INSUFFICIENT_MEMORY ((CFE_Status_t)0xc400000e)

     CDS Insufficient Memory.

    #define CFE ES CDS INVALID NAME ((CFE Status t)0xc400000f)

     CDS Invalid Name.

    #define CFE ES CDS INVALID SIZE ((CFE Status t)0xc4000010)

     CDS Invalid Size.

    #define CFE ES CDS INVALID ((CFE Status t)0xc4000012)

     CDS Invalid.

    #define CFE ES CDS ACCESS ERROR ((CFE Status t)0xc4000013)

     CDS Access Frror.

    #define CFE ES FILE IO ERR ((CFE Status t)0xc4000014)

     File IO Error.

    #define CFE ES RST ACCESS ERR ((CFE Status t)0xc4000015)

     Reset Area Access Error.
#define CFE_ES_ERR_APP_REGISTER ((CFE_Status_t)0xc4000017)
     Application Register Error.

    #define CFE ES ERR CHILD TASK DELETE ((CFE Status t)0xc4000018)

     Child Task Delete Error.

    #define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((CFE_Status_t)0xc4000019)

     Child Task Delete Passed Main Task.

    #define CFE_ES_CDS_BLOCK_CRC_ERR ((CFE_Status_t)0xc400001A)

     CDS Block CRC Error.

    #define CFE_ES_MUT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001B)

     Mutex Semaphore Delete Error.

    #define CFE_ES_BIN_SEM_DELETE_ERR ((CFE_Status_t)0xc400001C)

     Binary Semaphore Delete Error.

    #define CFE_ES_COUNT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001D)

     Counting Semaphore Delete Error.

    #define CFE_ES_QUEUE_DELETE_ERR ((CFE_Status_t)0xc400001E)

     Queue Delete Error.

    #define CFE_ES_FILE_CLOSE_ERR ((CFE_Status_t)0xc400001F)

     File Close Error.

    #define CFE_ES_CDS_WRONG_TYPE_ERR ((CFE_Status_t)0xc4000020)

     CDS Wrong Type Error.

    #define CFE ES CDS OWNER ACTIVE ERR ((CFE Status t)0xc4000022)

     CDS Owner Active Error.

    #define CFE_ES_APP_CLEANUP_ERR ((CFE_Status_t)0xc4000023)

     Application Cleanup Error.

    #define CFE ES TIMER DELETE ERR ((CFE Status t)0xc4000024)

     Timer Delete Error.

    #define CFE_ES_BUFFER_NOT_IN_POOL ((CFE_Status_t)0xc4000025)

     Buffer Not In Pool.

    #define CFE ES TASK DELETE ERR ((CFE Status t)0xc4000026)

     Task Delete Error.

    #define CFE ES OPERATION TIMED OUT ((CFE Status t)0xc4000027)

     Operation Timed Out.

    #define CFE ES LIB ALREADY LOADED ((CFE Status t)0x44000028)
```

```
Library Already Loaded.

    #define CFE_ES_ERR_SYS_LOG_TRUNCATED ((CFE_Status_t)0x44000029)

     System Log Message Truncated.

    #define CFE ES NO RESOURCE IDS AVAILABLE ((CFE Status t)0xc400002B)

     Resource ID is not available.

    #define CFE_ES_POOL_BLOCK_INVALID ((CFE_Status_t)0xc400002C)

     Invalid pool block.

    #define CFE ES ERR DUPLICATE NAME ((CFE Status t)0xc400002E)

     Duplicate Name Error.

    #define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff)

     Not Implemented.

    #define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001)

     Bad Argument.

    #define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002)

     Invalid Path.

    #define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003)

     Filename Too Long.

    #define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff)

     Not Implemented.
#define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001)
     Time Out.

    #define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002)

     No Message.

    #define CFE_SB_BAD_ARGUMENT ((CFE_Status_t)0xca000003)

     Bad Argument.

    #define CFE_SB_MAX_PIPES_MET ((CFE_Status_t)0xca000004)

     Max Pipes Met.

    #define CFE_SB_PIPE_CR_ERR ((CFE_Status_t)0xca000005)

     Pipe Create Error.
• #define CFE_SB_PIPE_RD_ERR ((CFE_Status_t)0xca000006)
     Pipe Read Error.

    #define CFE SB MSG TOO BIG ((CFE Status t)0xca000007)

     Message Too Big.

    #define CFE SB BUF ALOC ERR ((CFE Status t)0xca000008)

     Buffer Allocation Error.

    #define CFE SB MAX MSGS MET ((CFE Status t)0xca000009)

     Max Messages Met.

    #define CFE SB MAX DESTS MET ((CFE Status t)0xca000000a)

     Max Destinations Met.

    #define CFE_SB_INTERNAL_ERR ((CFE_Status_t)0xca00000c)

     Internal Error.

    #define CFE SB WRONG MSG TYPE ((CFE Status t)0xca00000d)

     Wrong Message Type.

    #define CFE_SB_BUFFER_INVALID ((CFE_Status_t)0xca00000e)
```

#define CFE SB NOT IMPLEMENTED ((CFE Status t)0xca00ffff)

Buffer Invalid.

Not Implemented.

```
• #define CFE_TBL_ERR_INVALID_HANDLE ((CFE_Status_t)0xcc000001)

Invalid Handle.
```

- #define CFE_TBL_ERR_INVALID_NAME ((CFE_Status_t)0xcc000002)
 Invalid Name.
- #define CFE_TBL_ERR_INVALID_SIZE ((CFE_Status_t)0xcc000003)
 Invalid Size.
- #define CFE_TBL_INFO_UPDATE_PENDING ((CFE_Status_t)0x4c000004)
 Update Pending.
- #define CFE_TBL_ERR_NEVER_LOADED ((CFE_Status_t)0xcc000005)
 Never Loaded.
- #define CFE_TBL_ERR_REGISTRY_FULL ((CFE_Status_t)0xcc000006)
 Registry Full.
- #define CFE_TBL_WARN_DUPLICATE ((CFE_Status_t)0x4c000007)
 Duplicate Warning.
- #define CFE_TBL_ERR_NO_ACCESS ((CFE_Status_t)0xcc000008)
 No Access.
- #define CFE_TBL_ERR_UNREGISTERED ((CFE_Status_t)0xcc000009)
 Unregistered.
- #define CFE_TBL_ERR_HANDLES_FULL ((CFE_Status_t)0xcc00000B)
 Handles Full.
- #define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((CFE_Status_t)0xcc00000C)
 Duplicate Table With Different Size.
- #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t)0xcc00000D)
 Duplicate Table And Not Owned.
- #define CFE_TBL_INFO_UPDATED ((CFE_Status_t)0x4c00000E)
 Updated.
- #define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t)0xcc00000F)
 No Buffer Available.
- #define CFE_TBL_ERR_DUMP_ONLY ((CFE_Status_t)0xcc000010)
 Dump Only Error.
- #define CFE_TBL_ERR_ILLEGAL_SRC_TYPE ((CFE_Status_t)0xcc000011)
 Illegal Source Type.
- #define CFE_TBL_ERR_LOAD_IN_PROGRESS ((CFE_Status_t)0xcc000012)
 Load In Progress.
- #define CFE_TBL_ERR_FILE_TOO_LARGE ((CFE_Status_t)0xcc000014)
 File Too Large.
- #define CFE_TBL_WARN_SHORT_FILE ((CFE_Status_t)0x4c000015)
 Short File Warning.
- #define CFE_TBL_ERR_BAD_CONTENT_ID ((CFE_Status_t)0xcc000016)
 Bad Content ID.
- #define CFE_TBL_INFO_NO_UPDATE_PENDING ((CFE_Status_t)0x4c000017)
 No Update Pending.
- #define CFE_TBL_INFO_TABLE_LOCKED ((CFE_Status_t)0x4c000018)
 Table Locked.
- #define CFE_TBL_INFO_VALIDATION_PENDING ((CFE_Status_t)0x4c000019)
- #define CFE_TBL_INFO_NO_VALIDATION_PENDING ((CFE_Status_t)0x4c00001A)
- #define CFE TBL ERR BAD SUBTYPE ID ((CFE Status t)0xcc00001B)

```
Bad Subtype ID.

    #define CFE TBL ERR FILE SIZE INCONSISTENT ((CFE Status t)0xcc00001C)

     File Size Inconsistent.

    #define CFE_TBL_ERR_NO_STD_HEADER ((CFE_Status_t)0xcc00001D)

     No Standard Header.

    #define CFE_TBL_ERR_NO_TBL_HEADER ((CFE_Status_t)0xcc00001E)

     No Table Header.

    #define CFE_TBL_ERR_FILENAME_TOO_LONG ((CFE_Status_t)0xcc00001F)

     Filename Too Long.

    #define CFE_TBL_ERR_FILE_FOR_WRONG_TABLE ((CFE_Status_t)0xcc000020)

     File For Wrong Table.

    #define CFE TBL ERR LOAD INCOMPLETE ((CFE Status t)0xcc000021)

     Load Incomplete.

    #define CFE TBL WARN PARTIAL LOAD ((CFE Status t)0x4c000022)

     Partial Load Warning.

    #define CFE TBL ERR PARTIAL LOAD ((CFE Status t)0xcc000023)

     Partial Load Error.

    #define CFE_TBL_INFO_DUMP_PENDING ((CFE_Status_t)0x4c000024)

     Dump Pending.
• #define CFE TBL ERR INVALID OPTIONS ((CFE Status t)0xcc000025)
     Invalid Options.

    #define CFE_TBL_WARN_NOT_CRITICAL ((CFE_Status_t)0x4c000026)

     Not Critical Warning.

    #define CFE_TBL_INFO_RECOVERED_TBL ((CFE_Status_t)0x4c000027)

     Recovered Table.

    #define CFE TBL ERR BAD SPACECRAFT ID ((CFE Status t)0xcc000028)

     Bad Spacecraft ID.

    #define CFE TBL ERR BAD PROCESSOR ID ((CFE Status t)0xcc000029)

     Bad Processor ID.

    #define CFE TBL MESSAGE ERROR ((CFE Status t)0xcc00002a)

     Message Error.

    #define CFE TBL ERR SHORT FILE ((CFE Status t)0xcc00002b)

    #define CFE TBL ERR ACCESS ((CFE Status t)0xcc00002c)

    #define CFE_TBL_BAD_ARGUMENT ((CFE_Status_t)0xcc00002d)

     Bad Argument.
• #define CFE_TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff)
     Not Implemented.

    #define CFE TIME NOT IMPLEMENTED ((CFE Status t)0xce00ffff)

     Not Implemented.

    #define CFE TIME INTERNAL ONLY ((CFE Status t)0xce000001)

     Internal Only.

    #define CFE TIME OUT OF RANGE ((CFE Status t)0xce0000002)

     Out Of Range.

    #define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((CFE_Status_t)0xce000003)

     Too Many Sync Callbacks.
• #define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000004)
```

Callback Not Registered.

Bad Argument.

#define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t)0xce000005)

Typedefs

typedef int32 CFE Status t

cFE Status type for readability and eventually type safety

typedef char CFE_StatusString_t[CFE_STATUS_STRING_LENGTH]

For the CFE_ES_StatusToString() function, to ensure everyone is making an array of the same length.

Functions

char * CFE_ES_StatusToString (CFE_Status_t status, CFE_StatusString_t *status_string)
 Convert status to a string.

11.20.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.20.2 Macro Definition Documentation

```
11.20.2.1 CFE_EVENTS_SERVICE #define CFE_EVENTS_SERVICE ((CFE_Status_t)0x02000000)
```

Event Service.

Definition at line 126 of file cfe error.h.

11.20.2.2 CFE_EXECUTIVE_SERVICE #define CFE_EXECUTIVE_SERVICE ((CFE_Status_t)0x04000000)

Executive Service.

Definition at line 127 of file cfe_error.h.

11.20.2.3 CFE_FILE_SERVICE #define CFE_FILE_SERVICE ((CFE_Status_t)0x06000000)

File Service.

Definition at line 128 of file cfe error.h.

11.20.2.4 CFE_GENERIC_SERVICE #define CFE_GENERIC_SERVICE ((CFE_Status_t)0x08000000)

Generic Service.

Definition at line 129 of file cfe_error.h.

11.20.2.5 CFE_SERVICE_BITMASK #define CFE_SERVICE_BITMASK ((CFE_Status_t)0x0e000000)

Error Service Bitmask.

Definition at line 124 of file cfe_error.h.

11.20.2.6 CFE_SEVERITY_BITMASK #define CFE_SEVERITY_BITMASK ((CFE_Status_t)0xc0000000)

Error Severity Bitmask.

Definition at line 115 of file cfe error.h.

11.20.2.7 CFE_SEVERITY_ERROR #define CFE_SEVERITY_ERROR ((CFE_Status_t)0xc0000000)

Severity Error.

Definition at line 119 of file cfe error.h.

11.20.2.8 CFE SEVERITY INFO #define CFE_SEVERITY_INFO ((CFE_Status_t)0x40000000)

Severity Info.

Definition at line 118 of file cfe error.h.

11.20.2.9 CFE_SEVERITY_SUCCESS #define CFE_SEVERITY_SUCCESS ((CFE_Status_t)0x00000000)

Severity Success.

Definition at line 117 of file cfe_error.h.

11.20.2.10 CFE_SOFTWARE_BUS_SERVICE #define CFE_SOFTWARE_BUS_SERVICE ((CFE_Status_t)0x0a000000)

Software Bus Service.

Definition at line 130 of file cfe error.h.

11.20.2.11 CFE STATUS C #define CFE_STATUS_C(

X) ((CFE_Status_t)(X))

cFE Status macro for literal

Definition at line 48 of file cfe_error.h.

11.20.2.12 CFE_STATUS_STRING_LENGTH #define CFE_STATUS_STRING_LENGTH 11

cFE Status converted to string length limit

Used for sizing CFE_StatusString_t intended for use in printing CFE_Status_t values Sized for 0x%08x and NULL Definition at line 56 of file cfe_error.h.

11.20.2.13 CFE TABLE SERVICE #define CFE_TABLE_SERVICE ((CFE_Status_t) 0x0c000000)

Table Service.

Definition at line 131 of file cfe_error.h.

11.20.2.14 CFE_TIME_SERVICE #define CFE_TIME_SERVICE ((CFE_Status_t)0x0e000000)

Time Service.

Definition at line 132 of file cfe_error.h.

11.20.3 Typedef Documentation

11.20.3.1 CFE_Status_t typedef int32 CFE_Status_t

cFE Status type for readability and eventually type safety

Definition at line 43 of file cfe_error.h.

11.20.3.2 CFE_StatusString_t typedef char CFE_StatusString_t[CFE_STATUS_STRING_LENGTH] For the CFE_ES_StatusToString() function, to ensure everyone is making an array of the same length. Definition at line 62 of file cfe error.h.

11.20.4 Function Documentation

Parameters

in	status	Status value to convert
out	status_string	Buffer to store status converted to string

Returns

Passed in string pointer

11.21 cfe/modules/core_api/fsw/inc/cfe_es.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_resourceid_api_typedefs.h"
```

Macros

- #define OS_PRINTF(m, n)
- #define CFE_ES_DBIT(x) (1L << (x)) /* Places a one at bit positions 0 thru 31 */
- #define CFE_ES_DTEST(i, x) (((i)&CFE_ES_DBIT(x)) != 0) /* true iff bit x of i is set */
- #define CFE_ES_TEST_LONG_MASK(m, s) (CFE_ES_DTEST(m[(s) / 32], (s) % 32)) /* Test a bit within an array
 of 32-bit integers. */
- #define CFE ES PerfLogEntry(id) (CFE ES PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

#define CFE_ES_PerfLogExit(id) (CFE_ES_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

Functions

CFE_Status_t CFE_ES_AppID_ToIndex (CFE_ES_AppId_t AppID, uint32 *Idx)

Obtain an index value correlating to an ES Application ID.

int32 CFE_ES_LibID_ToIndex (CFE_ES_LibId_t LibId, uint32 *Idx)

Obtain an index value correlating to an ES Library ID.

CFE_Status_t CFE_ES_TaskID_ToIndex (CFE_ES_TaskId_t TaskID, uint32 *Idx)

Obtain an index value correlating to an ES Task ID.

CFE_Status_t CFE_ES_CounterID_ToIndex (CFE_ES_CounterId_t CounterId, uint32 *Idx)

Obtain an index value correlating to an ES Counter ID.

Flags)

Creates a new task under an existing Application.

```
    void CFE_ES_Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char *StartFilePath)

     cFE Main Entry Point used by Board Support Package to start cFE

    CFE Status t CFE ES ResetCFE (uint32 ResetType)

      Reset the cFE Core and all cFE Applications.

    CFE Status t CFE ES RestartApp (CFE ES Appld t ApplD)

      Restart a single cFE Application.

    CFE_Status_t CFE_ES_ReloadApp (CFE_ES_AppId_t AppID, const char *AppFileName)

      Reload a single cFE Application.

    CFE_Status_t CFE_ES_DeleteApp (CFE_ES_Appld_t ApplD)

      Delete a cFE Application.

    void CFE ES ExitApp (uint32 ExitStatus)

      Exit a cFE Application.

    bool CFE_ES_RunLoop (uint32 *RunStatus)

      Check for Exit, Restart, or Reload commands.

    CFE Status t CFE ES WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds)

      Allow an Application to Wait for a minimum global system state.

    void CFE_ES_WaitForStartupSync (uint32 TimeOutMilliseconds)

      Allow an Application to Wait for the "OPERATIONAL" global system state.

    void CFE_ES_IncrementTaskCounter (void)

      Increments the execution counter for the calling task.

    int32 CFE ES GetResetType (uint32 *ResetSubtypePtr)

      Return the most recent Reset Type.

    CFE Status t CFE ES GetAppID (CFE ES AppId t *AppIdPtr)

      Get an Application ID for the calling Application.

    CFE Status t CFE ES GetTaskID (CFE ES TaskId t *TaskIdPtr)

      Get the task ID of the calling context.

    CFE Status t CFE ES GetAppIDByName (CFE ES AppId t *AppIdPtr, const char *AppName)

      Get an Application ID associated with a specified Application name.

    CFE Status t CFE ES GetLibIDByName (CFE ES LibId t *LibIdPtr, const char *LibName)

      Get a Library ID associated with a specified Library name.

    CFE_Status_t CFE_ES_GetAppName (char *AppName, CFE_ES_AppId_t AppId, size_t BufferLength)

      Get an Application name for a specified Application ID.

    CFE_Status_t CFE_ES_GetLibName (char *LibName, CFE_ES_LibId_t LibId, size_t BufferLength)

      Get a Library name for a specified Library ID.

    CFE_Status_t CFE_ES_GetAppInfo (CFE_ES_AppInfo_t *AppInfo, CFE_ES_AppId_t AppId)

      Get Application Information given a specified App ID.

    CFE_Status_t CFE_ES_GetTaskInfo (CFE_ES_TaskInfo_t *TaskInfo, CFE_ES_TaskId_t TaskId)

      Get Task Information given a specified Task ID.

    int32 CFE_ES_GetLibInfo (CFE_ES_AppInfo_t *LibInfo, CFE_ES_LibId_t LibId)

      Get Library Information given a specified Resource ID.

    int32 CFE_ES_GetModuleInfo (CFE_ES_AppInfo_t *ModuleInfo, CFE_ResourceId_t ResourceId)

      Get Information given a specified Resource ID.
• CFE Status t CFE ES CreateChildTask (CFE ES TaskId t *TaskIdPtr, const char *TaskName, CFE ES ChildTaskMainFuncPtr
```

FunctionPtr, CFE ES StackPointer t StackPtr, size t StackSize, CFE ES TaskPriority Atom t Priority, uint32

CFE Status t CFE ES GetTaskIDByName (CFE ES TaskId t *TaskIdPtr, const char *TaskName)

Generated by Doxygen

Get a Task ID associated with a specified Task name.

CFE Status t CFE ES GetTaskName (char *TaskName, CFE ES TaskId t TaskId, size t BufferLength)

Get a Task name for a specified Task ID.

CFE Status t CFE ES DeleteChildTask (CFE ES TaskId t TaskId)

Deletes a task under an existing Application.

void CFE ES ExitChildTask (void)

Exits a child task.

void CFE ES BackgroundWakeup (void)

Wakes up the CFE background task.

CFE_Status_t CFE_ES_WriteToSysLog (const char *SpecStringPtr,...) OS_PRINTF(1

Write a string to the cFE System Log.

 CFE_Status_t uint32 CFE_ES_CalculateCRC (const void *DataPtr, size_t DataLength, uint32 InputCRC, CFE_ES_CrcType_Enum_t TypeCRC)

Calculate a CRC on a block of memory.

void CFE_ES_ProcessAsyncEvent (void)

Notification that an asynchronous event was detected by the underlying OS/PSP.

CFE_Status_t CFE_ES_RegisterCDS (CFE_ES_CDSHandle_t *CDSHandlePtr, size_t BlockSize, const char *Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

- CFE_Status_t CFE_ES_GetCDSBlockIDByName (CFE_ES_CDSHandle_t *BlockIdPtr, const char *BlockName)

 Get a CDS Block ID associated with a specified CDS Block name.
- CFE_Status_t CFE_ES_GetCDSBlockName (char *BlockName, CFE_ES_CDSHandle_t BlockId, size_t Buffer
 Length)

Get a Block name for a specified Block ID.

CFE Status t CFE ES CopyToCDS (CFE ES CDSHandle t Handle, const void *DataToCopy)

Save a block of data in the Critical Data Store (CDS)

CFE Status t CFE ES RestoreFromCDS (void *RestoreToMemory, CFE ES CDSHandle t Handle)

Recover a block of data from the Critical Data Store (CDS)

CFE Status t CFE ES PoolCreateNoSem (CFE ES MemHandle t *PoolID, void *MemPtr, size t Size)

Initializes a memory pool created by an application without using a semaphore during processing.

CFE_Status_t CFE_ES_PoolCreate (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size)

Initializes a memory pool created by an application while using a semaphore during processing.

CFE_Status_t CFE_ES_PoolCreateEx (CFE_ES_MemHandle_t *PoolID, void *MemPtr, size_t Size, uint16
 NumBlockSizes, const size_t *BlockSizes, bool UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

int32 CFE_ES_PoolDelete (CFE_ES_MemHandle_t PoolID)

Deletes a memory pool that was previously created.

int32 CFE_ES_GetPoolBuf (CFE_ES_MemPoolBuf_t *BufPtr, CFE_ES_MemHandle_t Handle, size_t Size)

Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.

- CFE_Status_t CFE_ES_GetPoolBufInfo (CFE_ES_MemHandle_t Handle, CFE_ES_MemPoolBuf_t BufPtr)
 Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.
- int32 CFE ES PutPoolBuf (CFE ES MemHandle t Handle, CFE ES MemPoolBuf t BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE ES GetPoolBuf.

- CFE_Status_t CFE_ES_GetMemPoolStats (CFE_ES_MemPoolStats_t *BufPtr, CFE_ES_MemHandle_t Handle) Extracts the statistics maintained by the memory pool software.
- void CFE ES PerfLogAdd (uint32 Marker, uint32 EntryExit)

Adds a new entry to the data buffer.

CFE Status t CFE ES RegisterGenCounter (CFE ES CounterId t *CounterIdPtr, const char *CounterName)

Register a generic counter.

CFE_Status_t CFE_ES_DeleteGenCounter (CFE_ES_CounterId_t CounterId)

Delete a generic counter.

• CFE Status t CFE ES IncrementGenCounter (CFE ES Counterld t Counterld)

Increments the specified generic counter.

CFE Status t CFE ES SetGenCount (CFE ES Counterld t Counterld, uint32 Count)

Set the specified generic counter.

CFE_Status_t CFE_ES_GetGenCount (CFE_ES_CounterId_t CounterId, uint32 *Count)

Get the specified generic counter count.

CFE_Status_t CFE_ES_GetGenCounterIDByName (CFE_ES_CounterId_t *CounterIdPtr, const char *CounterName)

Get the Id associated with a generic counter name.

CFE_Status_t CFE_ES_GetGenCounterName (char *CounterName, CFE_ES_CounterId_t CounterId, size_←
t BufferLength)

Get a Counter name for a specified Counter ID.

11.21.1 Detailed Description

Purpose: Unit specification for Executive Services library functions and macros.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.21.2 Macro Definition Documentation

```
11.21.2.1 CFE_ES_DBIT #define CFE_ES_DBIT(

x ) (1L << (x)) /* Places a one at bit positions 0 thru 31 */
```

Definition at line 57 of file cfe_es.h.

Definition at line 58 of file cfe_es.h.

```
11.21.2.3 CFE ES TEST LONG MASK #define CFE_ES_TEST_LONG_MASK(
```

```
m, s) (CFE_ES_DTEST(m[(s) / 32], (s) % 32)) /* Test a bit within an array of 32-bit integers. */
```

Definition at line 59 of file cfe_es.h.

Definition at line 50 of file cfe es.h.

11.22 cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_es_extern_typedefs.h"
```

Data Structures

union CFE_ES_PoolAlign

Pool Alignment.

Macros

• #define CFE ES STATIC POOL TYPE(size)

Static Pool Type.

#define CFE_ES_MEMPOOLBUF_C(x) ((CFE_ES_MemPoolBuf_t)(x))

Conversion macro to create buffer pointer from another type.

#define CFE ES NO MUTEX false

Indicates that the memory pool selection will not use a semaphore.

#define CFE_ES_USE_MUTEX true

Indicates that the memory pool selection will use a semaphore.

Reset Type extensions

#define CFE_ES_APP_RESTART CFE_PSP_RST_TYPE_MAX

Conversions for ES resource IDs

- #define CFE_ES_APPID_C(val) ((CFE_ES_AppId_t)CFE_RESOURCEID_WRAP(val))
- #define CFE_ES_TASKID_C(val) ((CFE_ES_TaskId_t)CFE_RESOURCEID_WRAP(val))
- #define CFE_ES_LIBID_C(val) ((CFE_ES_LibId_t)CFE_RESOURCEID_WRAP(val))
- #define CFE ES COUNTERID C(val) ((CFE ES Counterld t)CFE RESOURCEID WRAP(val))
- #define CFE ES MEMHANDLE C(val) ((CFE ES MemHandle t)CFE RESOURCEID WRAP(val))
- #define CFE_ES_CDSHANDLE_C(val) ((CFE_ES_CDSHandle_t)CFE_RESOURCEID_WRAP(val))

Type-specific initializers for "undefined" resource IDs

- #define CFE ES APPID UNDEFINED CFE ES APPID C(CFE RESOURCEID UNDEFINED)
- #define CFE_ES_TASKID_UNDEFINED CFE_ES_TASKID_C(CFE_RESOURCEID_UNDEFINED)
- #define CFE_ES_LIBID_UNDEFINED CFE_ES_LIBID_C(CFE_RESOURCEID_UNDEFINED)
- #define CFE ES COUNTERID UNDEFINED CFE ES COUNTERID C(CFE RESOURCEID UNDEFINED)
- #define CFE_ES_MEMHANDLE_UNDEFINED CFE_ES_MEMHANDLE_C(CFE_RESOURCEID_UNDEFINED)
- #define CFE_ES_CDS_BAD_HANDLE CFE_ES_CDSHANDLE_C(CFE_RESOURCEID_UNDEFINED)

Task Stack Constants

#define CFE_ES_TASK_STACK_ALLOCATE NULL /* aka OS_TASK_STACK_ALLOCATE in proposed O
 SAL change */

Indicates that the stack for the child task should be dynamically allocated.

Typedefs

typedef void(* CFE ES TaskEntryFuncPtr t) (void)

Required Prototype of Task Main Functions.

typedef int32(* CFE ES LibraryEntryFuncPtr t) (CFE ES LibId t LibId)

Required Prototype of Library Initialization Functions.

typedef CFE_ES_TaskEntryFuncPtr_t CFE_ES_ChildTaskMainFuncPtr_t

Compatible typedef for ES child task entry point.

typedef void * CFE ES StackPointer t

Type for the stack pointer of tasks.

• typedef enum CFE_ES_CrcType_Enum CFE_ES_CrcType_Enum_t

Checksum/CRC algorithm identifiers.

• typedef union CFE ES PoolAlign CFE ES PoolAlign t

Pool Alignment.

typedef void * CFE_ES_MemPoolBuf_t

Pointer type used for memory pool API.

Enumerations

enum CFE_ES_CrcType_Enum { CFE_ES_CrcType_CRC_8 = 1, CFE_ES_CrcType_CRC_16 = 2, CFE_ES_CrcType_CRC_32 = 3 }

Checksum/CRC algorithm identifiers.

11.22.1 Detailed Description

Purpose: Unit specification for Executive Services library functions and macros.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.22.2 Macro Definition Documentation

```
11.22.2.1 CFE_ES_APP_RESTART #define CFE_ES_APP_RESTART CFE_PSP_RST_TYPE_MAX
```

Application only was reset (extend the PSP enumeration here)

Definition at line 57 of file cfe_es_api_typedefs.h.

```
11.22.2.2 CFE_ES_APPID_C #define CFE_ES_APPID_C(

val ) ((CFE_ES_AppId_t)CFE_RESOURCEID_WRAP(val))
```

Definition at line 168 of file cfe_es_api_typedefs.h.

11.22.2.3 CFE_ES_APPID_UNDEFINED #define CFE_ES_APPID_UNDEFINED CFE_ES_APPID_C (CFE_RESOURCEID_UNDEFINED)

Definition at line 180 of file cfe_es_api_typedefs.h.

11.22.2.4 CFE_ES_CDS_BAD_HANDLE #define CFE_ES_CDS_BAD_HANDLE CFE_ES_CDSHANDLE_C (CFE_RESOURCEID_UNDEFINED)
Definition at line 185 of file cfe_es_api_typedefs.h.

```
11.22.2.5 CFE_ES_CDSHANDLE_C #define CFE_ES_CDSHANDLE_C(

val) ((CFE_ES_CDSHandle_t)CFE_RESOURCEID_WRAP(val))
```

Definition at line 173 of file cfe_es_api_typedefs.h.

```
11.22.2.6 CFE ES COUNTERID C #define CFE_ES_COUNTERID_C(
```

val) ((CFE_ES_CounterId_t)CFE_RESOURCEID_WRAP(val))

Definition at line 171 of file cfe_es_api_typedefs.h.

11.22.2.7 CFE_ES_COUNTERID_UNDEFINED #define CFE_ES_COUNTERID_UNDEFINED CFE_ES_COUNTERID_C(CFE_RESOURCEID_UNDEFINED Definition at line 183 of file cfe es api typedefs.h.

```
11.22.2.8 CFE_ES_LIBID_C #define CFE_ES_LIBID_C(
```

val) ((CFE_ES_LibId_t)CFE_RESOURCEID_WRAP(val))

Definition at line 170 of file cfe_es_api_typedefs.h.

11.22.2.9 CFE_ES_LIBID_UNDEFINED #define CFE_ES_LIBID_UNDEFINED CFE_ES_LIBID_C (CFE_RESOURCEID_UNDEFINED) Definition at line 182 of file cfe es api typedefs.h.

```
11.22.2.10 CFE ES MEMHANDLE C #define CFE_ES_MEMHANDLE_C(
```

val) ((CFE_ES_MemHandle_t)CFE_RESOURCEID_WRAP(val))

Definition at line 172 of file cfe_es_api_typedefs.h.

11.22.2.11 CFE_ES_MEMHANDLE_UNDEFINED #define CFE_ES_MEMHANDLE_UNDEFINED CFE_ES_MEMHANDLE_C(CFE_RESOURCEID_Definition at line 184 of file cfe_es_api_typedefs.h.

```
11.22.2.12 CFE_ES_MEMPOOLBUF_C #define CFE_ES_MEMPOOLBUF_C(
```

```
x ) ((CFE_ES_MemPoolBuf_t)(x))
```

Conversion macro to create buffer pointer from another type.

In cases where the actual buffer pointer is computed, this macro aids in converting the computed address (typically an OSAL "cpuaddr" type) into a buffer pointer.

Note

Any address calculation needs to take machine alignment requirements into account.

Definition at line 153 of file cfe_es_api_typedefs.h.

11.22.2.13 CFE_ES_NO_MUTEX #define CFE_ES_NO_MUTEX false

Indicates that the memory pool selection will not use a semaphore.

Definition at line 200 of file cfe es api typedefs.h.

11.22.2.14 CFE_ES_STATIC_POOL_TYPE #define CFE_ES_STATIC_POOL_TYPE(

Static Pool Type.

A macro to help instantiate static memory pools that are correctly aligned. This resolves to a union type that contains a member called "Data" that will be correctly aligned to be a memory pool and sized according to the argument. Definition at line 120 of file cfe es api typedefs.h.

```
11.22.2.15 CFE_ES_TASK_STACK_ALLOCATE #define CFE_ES_TASK_STACK_ALLOCATE NULL /* aka OS_TA← SK_STACK_ALLOCATE in proposed OSAL change */
```

Indicates that the stack for the child task should be dynamically allocated.

This value may be supplied as the Stack Pointer argument to CFE_ES_ChildTaskCreate() to indicate that the stack should be dynamically allocated.

Definition at line 197 of file cfe es api typedefs.h.

```
11.22.2.16 CFE_ES_TASKID_C #define CFE_ES_TASKID_C(

val ) ((CFE_ES_TaskId_t)CFE_RESOURCEID_WRAP(val))
```

Definition at line 169 of file cfe_es_api_typedefs.h.

11.22.2.17 CFE_ES_TASKID_UNDEFINED #define CFE_ES_TASKID_UNDEFINED CFE_ES_TASKID_C (CFE_RESOURCEID_UNDEFINED)
Definition at line 181 of file cfe_es_api_typedefs.h.

11.22.2.18 CFE_ES_USE_MUTEX #define CFE_ES_USE_MUTEX true

Indicates that the memory pool selection will use a semaphore.

Definition at line 201 of file cfe_es_api_typedefs.h.

11.22.3 Typedef Documentation

$\textbf{11.22.3.1} \quad \textbf{CFE_ES_ChildTaskMainFuncPtr_t} \quad \texttt{typedef CFE_ES_TaskEntryFuncPtr_t CFE_ES_ChildTaskMainFuncPtr_t}$

Compatible typedef for ES child task entry point.

All ES task functions (main + child) use the same entry point type.

Definition at line 77 of file cfe es api typedefs.h.

11.22.3.2 CFE_ES_CrcType_Enum_t typedef enum CFE_ES_CrcType_Enum CFE_ES_CrcType_Enum_t

Checksum/CRC algorithm identifiers.

Currently only CFE_ES_CrcType_CRC_16 is supported.

11.22.3.3 CFE_ES_LibraryEntryFuncPtr_t typedef int32(* CFE_ES_LibraryEntryFuncPtr_t) (CFE_ES_LibId_t LibId)

Required Prototype of Library Initialization Functions.

Definition at line 69 of file cfe es api typedefs.h.

$\textbf{11.22.3.4} \quad \textbf{CFE_ES_MemPoolBuf_t} \quad \texttt{typedef void* CFE_ES_MemPoolBuf_t}$

Pointer type used for memory pool API.

This is used in the Get/Put API calls to refer to a pool buffer.

This pointer is expected to be type cast to the real object type after getting a new buffer. Using void* allows this type conversion to occur easily.

Note

Older versions of CFE implemented the API using a uint32*, which required explicit type casting everywhere it was called. Although the API type is now void* to make usage easier, the pool buffers are aligned to machine requirements - typically 64 bits.

Definition at line 141 of file cfe_es_api_typedefs.h.

11.22.3.5 CFE_ES_PoolAlign_t typedef union CFE_ES_PoolAlign CFE_ES_PoolAlign_t

Pool Alignment.

Union that can be used for minimum memory alignment of ES memory pools on the target. It contains the longest native data types such that the alignment of this structure should reflect the largest possible alignment requirements for any data on this processor.

11.22.3.6 CFE_ES_StackPointer_t typedef void* CFE_ES_StackPointer_t

Type for the stack pointer of tasks.

This type is used in the CFE ES task API.

Definition at line 84 of file cfe es api typedefs.h.

11.22.3.7 CFE_ES_TaskEntryFuncPtr_t typedef void(* CFE_ES_TaskEntryFuncPtr_t) (void)

Required Prototype of Task Main Functions.

Definition at line 68 of file cfe es api typedefs.h.

11.22.4 Enumeration Type Documentation

11.22.4.1 CFE_ES_CrcType_Enum enum CFE_ES_CrcType_Enum

Checksum/CRC algorithm identifiers.

Currently only CFE_ES_CrcType_CRC_16 is supported.

Enumerator

CFE_ES_CrcType_CRC_8	CRC (8 bit additive - returns 32 bit total) (Not currently implemented)
CFE_ES_CrcType_CRC_16	CRC (16 bit additive - returns 32 bit total)
CFE_ES_CrcType_CRC_32	CRC (32 bit additive - returns 32 bit total) (Not currently implemented)

Definition at line 91 of file cfe es api typedefs.h.

11.23 cfe/modules/core api/fsw/inc/cfe es extern typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_resourceid_typedef.h"
#include "cfe_mission_cfq.h"
```

Data Structures

```
    struct CFE_ES_AppInfo
```

Application Information.

struct CFE_ES_TaskInfo

Task Information.

struct CFE ES CDSRegDumpRec

CDS Register Dump Record.

• struct CFE_ES_BlockStats

Block statistics.

struct CFE_ES_MemPoolStats

Memory Pool Statistics.

Macros

- #define CFE_ES_MEMOFFSET_C(x) ((CFE_ES_MemOffset_t)(x))
- #define CFE ES MEMADDRESS C(x) ((CFE ES MemAddress t)((cpuaddr)(x)&0xFFFFFFFF))

Typedefs

typedef uint8 CFE_ES_LogMode_Enum_t

Identifies handling of log messages after storage is filled.

typedef uint8 CFE_ES_ExceptionAction_Enum_t

Identifies action to take if exception occurs.

typedef uint8 CFE_ES_AppType_Enum_t

Identifies type of CFE application.

typedef uint32 CFE_ES_RunStatus_Enum_t

Run Status and Exit Status identifiers.

typedef uint32 CFE_ES_SystemState_Enum_t

The overall cFE System State.

• typedef uint8 CFE_ES_LogEntryType_Enum_t

Type of entry in the Error and Reset (ER) Log.

typedef uint32 CFE_ES_AppState_Enum_t

Application Run State.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_Appld_t

A type for Application IDs.

typedef CFE RESOURCEID BASE TYPE CFE ES Taskld t

A type for Task IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_LibId_t

A type for Library IDs.

typedef CFE RESOURCEID BASE TYPE CFE ES Counterld t

A type for Counter IDs.

typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_MemHandle_t

Memory Handle type.

typedef CFE RESOURCEID BASE TYPE CFE ES CDSHandle t

CDS Handle type.

typedef uint16 CFE_ES_TaskPriority_Atom_t

Type used for task priority in CFE ES as including the commands/telemetry messages.

typedef uint32 CFE_ES_MemOffset_t

```
11.23 cfe/modules/core api/fsw/inc/cfe es extern typedefs.h File Reference
                                                                                                      651
         Type used for memory sizes and offsets in commands and telemetry.

    typedef uint32 CFE ES MemAddress t

         Type used for memory addresses in command and telemetry messages.

    typedef struct CFE ES Applnfo CFE ES Applnfo t

         Application Information.

    typedef struct CFE ES TaskInfo CFE ES TaskInfo t

         Task Information.

    typedef struct CFE ES CDSRegDumpRec CFE ES CDSRegDumpRec t

         CDS Register Dump Record.
   • typedef struct CFE ES BlockStats CFE ES BlockStats t
        Block statistics.

    typedef struct CFE ES MemPoolStats CFE ES MemPoolStats t

         Memory Pool Statistics.
Enumerations

    enum CFE ES LogMode { CFE ES LogMode OVERWRITE = 0, CFE ES LogMode DISCARD = 1 }

        Label definitions associated with CFE ES LogMode Enum t.

    enum CFE_ES_ExceptionAction { CFE_ES_ExceptionAction_RESTART_APP = 0, CFE_ES_ExceptionAction_PROC_RESTART

        Label definitions associated with CFE_ES_ExceptionAction_Enum_t.
   enum CFE_ES_AppType { CFE_ES_AppType_CORE = 1, CFE_ES_AppType_EXTERNAL = 2, CFE_ES_AppType_LIBRARY
     = 3 }
         Label definitions associated with CFE_ES_AppType_Enum_t.
   enum CFE ES RunStatus {
     CFE_ES_RunStatus_UNDEFINED = 0, CFE_ES_RunStatus_APP_RUN = 1, CFE_ES_RunStatus_APP_EXIT =
     2, CFE ES RunStatus APP ERROR = 3,
     CFE_ES_RunStatus_SYS_EXCEPTION = 4, CFE_ES_RunStatus_SYS_RESTART = 5, CFE_ES_RunStatus_SYS_RELOAD
     = 6, CFE ES RunStatus SYS DELETE = 7,
     CFE ES RunStatus CORE APP INIT ERROR = 8, CFE ES RunStatus CORE APP RUNTIME ERROR =
     9, CFE ES RunStatus MAX }
         Label definitions associated with CFE_ES_RunStatus_Enum_t.

    enum CFE ES SystemState {
```

CFE_ES_SystemState_UNDEFINED = 0, CFE_ES_SystemState_EARLY_INIT = 1, CFE_ES_SystemState_CORE_STARTUP = 2, CFE ES SystemState CORE READY = 3, CFE_ES_SystemState_APPS_INIT = 4, CFE_ES_SystemState_OPERATIONAL = 5, CFE_ES_SystemState_SHUTDOWN

Label definitions associated with CFE_ES_SystemState_Enum_t.

 enum CFE ES LogEntryType { CFE ES LogEntryType CORE = 1, CFE ES LogEntryType APPLICATION = 2 }

Label definitions associated with CFE ES LogEntryType Enum t.

enum CFE ES AppState { CFE_ES_AppState_UNDEFINED = 0, CFE_ES_AppState_EARLY_INIT = 1, CFE_ES_AppState_LATE_INIT = 2, CFE ES AppState RUNNING = 3, CFE ES AppState WAITING = 4, CFE ES AppState STOPPED = 5, CFE ES AppState MAX } Label definitions associated with CFE_ES_AppState_Enum_t.

11.23.1 Detailed Description

= 6, CFE ES SystemState MAX }

Declarations and prototypes for cfe es extern typedefs module

11.23.2 Macro Definition Documentation

```
11.23.2.1 CFE_ES_MEMADDRESS_C #define CFE_ES_MEMADDRESS_C(

x ) ((CFE_ES_MemAddress_t)((cpuaddr)(x)&0xFFFFFFFF))
```

Definition at line 419 of file cfe_es_extern_typedefs.h.

```
\textbf{11.23.2.2} \quad \textbf{CFE\_ES\_MEMOFFSET\_C} \quad \texttt{\#define CFE\_ES\_MEMOFFSET\_C} \ (
```

x) ((CFE_ES_MemOffset_t)(x))

Definition at line 388 of file cfe_es_extern_typedefs.h.

11.23.3 Typedef Documentation

```
11.23.3.1 CFE_ES_Appld_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_Appld_t
```

A type for Application IDs.

This is the type that is used for any API accepting or returning an App ID

Definition at line 322 of file cfe_es_extern_typedefs.h.

11.23.3.2 CFE_ES_AppInfo_t typedef struct CFE_ES_AppInfo CFE_ES_AppInfo_t

Application Information.

Structure that is used to provide information about an app. It is primarily used for the QueryOne and QueryAll Commands.

While this structure is primarily intended for Application info, it can also represent Library information where only a subset of the information applies.

11.23.3.3 CFE_ES_AppState_Enum_t typedef uint32 CFE_ES_AppState_Enum_t

Application Run State.

The normal progression of APP states: UNDEFINED -> EARLY_INIT -> LATE_INIT -> RUNNING -> WAITING -> STOPPED

Note

These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible

See also

```
enum CFE_ES_AppState
```

Definition at line 315 of file cfe_es_extern_typedefs.h.

11.23.3.4 CFE_ES_AppType_Enum_t typedef uint8 CFE_ES_AppType_Enum_t

Identifies type of CFE application.

See also

```
enum CFE ES AppType
```

Definition at line 114 of file cfe es extern typedefs.h.

11.23.3.5 CFE_ES_BlockStats_t typedef struct CFE_ES_BlockStats CFE_ES_BlockStats_t Block statistics.

Sub-Structure that is used to provide information about a specific block size/bucket within a memory pool.

11.23.3.6 CFE_ES_CDSHandle_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CDSHandle_t CDS Handle type.

Data type used to hold Handles of Critical Data Stores. See CFE_ES_RegisterCDS Definition at line 358 of file cfe es extern typedefs.h.

11.23.3.7 CFE_ES_CDSRegDumpRec_t typedef struct CFE_ES_CDSRegDumpRec CFE_ES_CDSRegDumpRec_t CDS Register Dump Record.

Structure that is used to provide information about a critical data store. It is primarily used for the Dump CDS registry (CFE_ES_DUMP_CDS_REGISTRY_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Dump CDS registry command. Therefore it should be considered part of the overall telemetry interface.

11.23.3.8 CFE_ES_CounterId_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CounterId_t

A type for Counter IDs.

This is the type that is used for any API accepting or returning a Counter ID Definition at line 343 of file cfe es extern typedefs.h.

11.23.3.9 CFE_ES_ExceptionAction_Enum_t typedef uint8 CFE_ES_ExceptionAction_Enum_t Identifies action to take if exception occurs.

See also

enum CFE_ES_ExceptionAction

Definition at line 86 of file cfe_es_extern_typedefs.h.

11.23.3.10 CFE ES LibId t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_LibId_t

A type for Library IDs.

This is the type that is used for any API accepting or returning a Lib ID Definition at line 336 of file cfe es extern typedefs.h.

11.23.3.11 CFE_ES_LogEntryType_Enum_t typedef uint8 CFE_ES_LogEntryType_Enum_t

Type of entry in the Error and Reset (ER) Log.

See also

enum CFE_ES_LogEntryType

Definition at line 262 of file cfe es extern typedefs.h.

11.23.3.12 CFE_ES_LogMode_Enum_t typedef uint8 CFE_ES_LogMode_Enum_t

Identifies handling of log messages after storage is filled.

See also

enum CFE ES LogMode

Definition at line 63 of file cfe_es_extern_typedefs.h.

11.23.3.13 CFE_ES_MemAddress_t typedef uint32 CFE_ES_MemAddress_t

Type used for memory addresses in command and telemetry messages.

For backward compatibility with existing CFE code this should be uint32, but if running on a 64-bit platform, addresses in telemetry will be truncated to 32 bits and therefore will not be valid.

On 64-bit platforms this can be a 64-bit address which will allow the full memory address in commands and telemetry, but this will break compatibility with existing control systems, and may also change the alignment/padding of messages. In either case this must be an unsigned type.

FSW code should access this value via the macros provided, which converts to the native "cpuaddr" type provided by OSAL. This macro provides independence between the message representation and local representation of a memory address.

Definition at line 409 of file cfe es extern typedefs.h.

11.23.3.14 CFE_ES_MemHandle_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_MemHandle_t

Memory Handle type.

Data type used to hold Handles of Memory Pools created via CFE_ES_PoolCreate and CFE_ES_PoolCreateNoSem Definition at line 351 of file cfe es extern typedefs.h.

$\textbf{11.23.3.15} \quad \textbf{CFE_ES_MemOffset_t} \quad \texttt{typedef uint32 CFE_ES_MemOffset_t}$

Type used for memory sizes and offsets in commands and telemetry.

For backward compatibility with existing CFE code this should be uint32, but all telemetry information will be limited to 4GB in size as a result.

On 64-bit platforms this can be a 64-bit value which will allow larger memory objects, but this will break compatibility with existing control systems, and may also change the alignment/padding of messages.

In either case this must be an unsigned type.

Definition at line 382 of file cfe es extern typedefs.h.

11.23.3.16 CFE_ES_MemPoolStats_t typedef struct CFE_ES_MemPoolStats CFE_ES_MemPoolStats_t

Memory Pool Statistics.

Structure that is used to provide information about a memory pool. Used by the Memory Pool Stats telemetry message.

See also

CFE_ES_SEND_MEM_POOL_STATS_CC

11.23.3.17 CFE ES RunStatus_Enum_t typedef uint32 CFE_ES_RunStatus_Enum_t

Run Status and Exit Status identifiers.

See also

enum CFE ES RunStatus

Definition at line 182 of file cfe es extern typedefs.h.

11.23.3.18 CFE_ES_SystemState_Enum_t typedef uint32 CFE_ES_SystemState_Enum_t

The overall cFE System State.

These values are used with the CFE ES WaitForSystemState API call to synchronize application startup.

Note

These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible

See also

enum CFE_ES_SystemState

Definition at line 239 of file cfe_es_extern_typedefs.h.

11.23.3.19 CFE_ES_TaskId_t typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_TaskId_t

A type for Task IDs.

This is the type that is used for any API accepting or returning a Task ID

Definition at line 329 of file cfe_es_extern_typedefs.h.

11.23.3.20 CFE_ES_TaskInfo_t typedef struct CFE_ES_TaskInfo CFE_ES_TaskInfo_t

Task Information.

Structure that is used to provide information about a task. It is primarily used for the Query All Tasks (CFE_ES_QUERY_ALL_TASKS_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Query All Tasks command. Therefore it should be considered part of the overall telemetry interface.

11.23.3.21 CFE_ES_TaskPriority_Atom_t typedef uint16 CFE_ES_TaskPriority_Atom_t

Type used for task priority in CFE ES as including the commands/telemetry messages.

Note

the valid range is only 0-255 (same as OSAL) but a wider type is used for backward compatibility in binary formats of messages.

Definition at line 368 of file cfe es extern typedefs.h.

11.23.4 Enumeration Type Documentation

11.23.4.1 CFE ES AppState enum CFE_ES_AppState

Label definitions associated with CFE_ES_AppState_Enum_t.

Enumerator

CFE_ES_AppState_UNDEFINED	Initial state before app thread is started.
CFE_ES_AppState_EARLY_INIT	App thread has started, app performing early initialization of its own data.
CFE_ES_AppState_LATE_INIT	Early/Local initialization is complete. First sync point.

Enumerator

CFE_ES_AppState_RUNNING	All initialization is complete. Second sync point.	
CFE_ES_AppState_WAITING	Application is waiting on a Restart/Reload/Delete request.	
CFE_ES_AppState_STOPPED	Application is stopped.	
CFE_ES_AppState_MAX	Reserved entry, marker for the maximum state.	

Definition at line 267 of file cfe_es_extern_typedefs.h.

11.23.4.2 CFE_ES_AppType enum CFE_ES_AppType

Label definitions associated with CFE_ES_AppType_Enum_t.

Enumerator

CFE_ES_AppType_CORE	CFE core application.
CFE_ES_AppType_EXTERNAL	CFE external application.
CFE_ES_AppType_LIBRARY	CFE library.

Definition at line 91 of file cfe_es_extern_typedefs.h.

11.23.4.3 CFE ES ExceptionAction enum CFE_ES_ExceptionAction

Label definitions associated with CFE_ES_ExceptionAction_Enum_t.

Enumerator

CFE_ES_ExceptionAction_RESTART_APP	Restart application if exception occurs.
CFE_ES_ExceptionAction_PROC_RESTART	Restart processor if exception occurs.

Definition at line 68 of file cfe_es_extern_typedefs.h.

11.23.4.4 CFE_ES_LogEntryType enum CFE_ES_LogEntryType

Label definitions associated with CFE_ES_LogEntryType_Enum_t.

Enumerator

CFE_ES_LogEntryType_CORE	Log entry from a core subsystem.
CFE_ES_LogEntryType_APPLICATION	Log entry from an application.

Definition at line 244 of file cfe_es_extern_typedefs.h.

11.23.4.5 CFE_ES_LogMode enum CFE_ES_LogMode

Label definitions associated with CFE_ES_LogMode_Enum_t.

Enumerator

CFE_ES_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_ES_LogMode_DISCARD	Discard Log Mode.

Definition at line 45 of file cfe_es_extern_typedefs.h.

11.23.4.6 CFE_ES_RunStatus enum CFE_ES_RunStatus

Label definitions associated with CFE_ES_RunStatus_Enum_t.

Enumerator

CFE_ES_RunStatus_UNDEFINED	Reserved value, should not be used.
CFE_ES_RunStatus_APP_RUN	Indicates that the Application should continue to run.
CFE_ES_RunStatus_APP_EXIT	Indicates that the Application wants to exit normally.
CFE_ES_RunStatus_APP_ERROR	Indicates that the Application is quitting with an error.
CFE_ES_RunStatus_SYS_EXCEPTION	The cFE App caused an exception.
CFE_ES_RunStatus_SYS_RESTART	The system is requesting a restart of the cFE App.
CFE_ES_RunStatus_SYS_RELOAD	The system is requesting a reload of the cFE App.
CFE_ES_RunStatus_SYS_DELETE	The system is requesting that the cFE App is stopped.
CFE_ES_RunStatus_CORE_APP_INIT_ERROR	Indicates that the Core Application could not Init.
CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR	Indicates that the Core Application had a runtime failure.
CFE_ES_RunStatus_MAX	Reserved value, marker for the maximum state.

Definition at line 119 of file cfe_es_extern_typedefs.h.

11.23.4.7 CFE_ES_SystemState enum CFE_ES_SystemState

Label definitions associated with CFE_ES_SystemState_Enum_t.

Enumerator

CFE_ES_SystemState_UNDEFINED	reserved
CFE_ES_SystemState_EARLY_INIT	single threaded mode while setting up CFE itself
CFE_ES_SystemState_CORE_STARTUP	core apps (CFE_ES_ObjectTable) are starting (multi-threaded)
CFE_ES_SystemState_CORE_READY	core is ready, starting other external apps/libraries (if any)
CFE_ES_SystemState_APPS_INIT	startup apps have all completed their early init, but not necessarily operational yet
CFE_ES_SystemState_OPERATIONAL	normal operation mode; all apps are RUNNING
CFE_ES_SystemState_SHUTDOWN	reserved for future use, all apps would be STOPPED
CFE_ES_SystemState_MAX	Reserved value, marker for the maximum state.

Definition at line 187 of file cfe_es_extern_typedefs.h.

11.24 cfe/modules/core_api/fsw/inc/cfe_evs.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_evs_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

Macros

- #define CFE EVS Send(E, T, ...) CFE EVS SendEvent((E), CFE EVS EventType ##T, VA ARGS)
- #define CFE_EVS_SendDbg(E, ...) CFE_EVS_Send(E, DEBUG, __VA_ARGS__)
- #define CFE_EVS_SendInfo(E, ...) CFE_EVS_Send(E, INFORMATION, __VA_ARGS__)
- #define CFE EVS SendErr(E, ...) CFE EVS Send(E, ERROR, VA ARGS)
- #define CFE_EVS_SendCrit(E, ...) CFE_EVS_Send(E, CRITICAL, __VA_ARGS__)

Functions

- CFE_Status_t CFE_EVS_Register (const void *Filters, uint16 NumEventFilters, uint16 FilterScheme)

 Register an application for receiving event services.
- CFE_Status_t CFE_EVS_SendEvent (uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(3
 Generate a software event.
- CFE_Status_t CFE_EVS_SendEventWithAppID (uint16 EventID, uint16 EventType, CFE_ES_AppId_t AppID, const char *Spec,...) OS_PRINTF(4

Generate a software event given the specified Application ID.

 CFE_Status_t CFE_Status_t CFE_EVS_SendTimedEvent (CFE_TIME_SysTime_t Time, uint16 EventID, uint16 EventType, const char *Spec,...) OS PRINTF(4

Generate a software event with a specific time tag.

• CFE Status t CFE EVS ResetFilter (uint16 EventID)

Resets the calling application's event filter for a single event ID.

CFE_Status_t CFE_EVS_ResetAllFilters (void)

Resets all of the calling application's event filters.

11.24.1 Detailed Description

Title: Event Services API Application Library Header File

Purpose: Unit specification for Event services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.24.2 Macro Definition Documentation

Definition at line 50 of file cfe evs.h.

```
11.24.2.3 CFE_EVS_SendDbg #define CFE_EVS_SendDbg(

E,

...) CFE_EVS_Send(E, DEBUG, __VA_ARGS__)

Definition at line 47 of file cfe_evs.h.

11.24.2.4 CFE_EVS_SendErr #define CFE_EVS_SendErr(

E,

...) CFE_EVS_Send(E, ERROR, __VA_ARGS__)

Definition at line 49 of file cfe_evs.h.

11.24.2.5 CFE_EVS_SendInfo #define CFE_EVS_SendInfo(

E,

...) CFE_EVS_Send(E, INFORMATION, __VA_ARGS__)

Definition at line 48 of file cfe_evs.h.
```

11.25 cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_evs_extern_typedefs.h"
```

Data Structures

struct CFE_EVS_BinFilter

Event message filter definition structure.

Macros

Common Event Filter Mask Values

Message is sent if (previous event count) & MASK == 0

- #define CFE_EVS_NO_FILTER 0x0000
 - Stops any filtering. All messages are sent.
- #define CFE_EVS_FIRST_ONE_STOP 0xFFFF

Sends the first event. All remaining messages are filtered.

#define CFE_EVS_FIRST_TWO_STOP 0xFFFE

Sends the first 2 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_4_STOP 0xFFFC

Sends the first 4 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_8_STOP 0xFFF8

Sends the first 8 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_16_STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_32_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_64_STOP 0xFFC0

Sends the first 64 events. All remaining messages are filtered.

#define CFE_EVS_EVERY_OTHER_ONE 0x0001

Sends every other event.

#define CFE_EVS_EVERY_OTHER_TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

#define CFE_EVS_EVERY_FOURTH_ONE 0x0003

Sends every fourth event message. All others are filtered.

Typedefs

typedef struct CFE EVS BinFilter CFE EVS BinFilter t

Event message filter definition structure.

11.25.1 Detailed Description

Title: Event Services API Application Library Header File

Purpose: Unit specification for Event services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.25.2 Macro Definition Documentation

11.25.2.1 CFE EVS EVERY FOURTH ONE #define CFE_EVS_EVERY_FOURTH_ONE 0x0003

Sends every fourth event message. All others are filtered.

Definition at line 54 of file cfe_evs_api_typedefs.h.

11.25.2.2 CFE_EVS_EVERY_OTHER_ONE #define CFE_EVS_EVERY_OTHER_ONE 0x0001

Sends every other event.

Definition at line 52 of file cfe_evs_api_typedefs.h.

11.25.2.3 CFE_EVS_EVERY_OTHER_TWO #define CFE_EVS_EVERY_OTHER_TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

Definition at line 53 of file cfe_evs_api_typedefs.h.

11.25.2.4 CFE_EVS_FIRST_16_STOP #define CFE_EVS_FIRST_16_STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

Definition at line 49 of file cfe_evs_api_typedefs.h.

11.25.2.5 CFE EVS FIRST 32 STOP #define CFE_EVS_FIRST_32_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

Definition at line 50 of file cfe_evs_api_typedefs.h.

11.25.2.6 CFE_EVS_FIRST_4_STOP #define CFE_EVS_FIRST_4_STOP 0xFFFC

Sends the first 4 events. All remaining messages are filtered.

Definition at line 47 of file cfe_evs_api_typedefs.h.

11.25.2.7 CFE_EVS_FIRST_64_STOP #define CFE_EVS_FIRST_64_STOP 0xFFC0

Sends the first 64 events. All remaining messages are filtered.

Definition at line 51 of file cfe_evs_api_typedefs.h.

 $\begin{tabular}{ll} \textbf{11.25.2.8} & \textbf{CFE_EVS_FIRST_8_STOP} & \texttt{\#define CFE_EVS_FIRST_8_STOP 0xFFF8} \\ \textbf{Sends the first 8 events. All remaining messages are filtered.} \\ \end{tabular}$

Definition at line 48 of file cfe_evs_api_typedefs.h.

11.25.2.9 CFE_EVS_FIRST_ONE_STOP #define CFE_EVS_FIRST_ONE_STOP 0xffff

Sends the first event. All remaining messages are filtered.

Definition at line 45 of file cfe_evs_api_typedefs.h.

11.25.2.10 CFE_EVS_FIRST_TWO_STOP #define CFE_EVS_FIRST_TWO_STOP 0xfffE

Sends the first 2 events. All remaining messages are filtered.

Definition at line 46 of file cfe evs api typedefs.h.

11.25.2.11 CFE EVS NO FILTER #define CFE_EVS_NO_FILTER 0x0000

Stops any filtering. All messages are sent.

Definition at line 44 of file cfe_evs_api_typedefs.h.

11.25.3 Typedef Documentation

11.25.3.1 CFE_EVS_BinFilter_t typedef struct CFE_EVS_BinFilter_t Event message filter definition structure.

11.26 cfe/modules/core api/fsw/inc/cfe evs extern typedefs.h File Reference

#include "common_types.h"

Typedefs

- typedef uint8 CFE_EVS_MsgFormat_Enum_t
 - Identifies format of log messages.
- typedef uint8 CFE_EVS_LogMode_Enum_t

Identifies handling of log messages after storage is filled.

- typedef uint16 CFE EVS EventType Enum t
 - Identifies type of event message.
- typedef uint8 CFE_EVS_EventFilter_Enum_t

Identifies event filter schemes.

typedef uint8 CFE_EVS_EventOutput_Enum_t

Identifies event output port.

Enumerations

- enum CFE_EVS_MsgFormat { CFE_EVS_MsgFormat_SHORT = 0, CFE_EVS_MsgFormat_LONG = 1 }
 Label definitions associated with CFE_EVS_MsgFormat_Enum_t.
- enum CFE_EVS_LogMode { CFE_EVS_LogMode_OVERWRITE = 0, CFE_EVS_LogMode_DISCARD = 1 }
 Label definitions associated with CFE_EVS_LogMode_Enum_t.
- enum CFE_EVS_EventType { CFE_EVS_EventType_DEBUG = 1, CFE_EVS_EventType_INFORMATION = 2, CFE_EVS_EventType_ERROR = 3, CFE_EVS_EventType_CRITICAL = 4 }

Label definitions associated with CFE_EVS_EventType_Enum_t.

enum CFE_EVS_EventFilter { CFE_EVS_EventFilter_BINARY = 0 }

Label definitions associated with CFE_EVS_EventFilter_Enum_t.

enum CFE_EVS_EventOutput { CFE_EVS_EventOutput_PORT1 = 1, CFE_EVS_EventOutput_PORT2 = 2, CFE_EVS_EventOutput_PORT3 = 3, CFE_EVS_EventOutput_PORT4 = 4 }

Label definitions associated with CFE_EVS_EventOutput_Enum_t.

11.26.1 Detailed Description

Declarations and prototypes for cfe_evs_extern_typedefs module

11.26.2 Typedef Documentation

See also

enum CFE_EVS_EventFilter

Definition at line 135 of file cfe evs extern typedefs.h.

11.26.2.2 CFE_EVS_EventOutput_Enum_t typedef uint8 CFE_EVS_EventOutput_Enum_t Identifies event output port.

See also

enum CFE EVS EventOutput

Definition at line 168 of file cfe_evs_extern_typedefs.h.

11.26.2.3 CFE_EVS_EventType_Enum_t typedef uint16 CFE_EVS_EventType_Enum_t Identifies type of event message.

See also

enum CFE_EVS_EventType

Definition at line 117 of file cfe_evs_extern_typedefs.h.

11.26.2.4 CFE_EVS_LogMode_Enum_t typedef uint8 CFE_EVS_LogMode_Enum_t Identifies handling of log messages after storage is filled.

See also

enum CFE_EVS_LogMode

Definition at line 84 of file cfe_evs_extern_typedefs.h.

11.26.2.5 CFE_EVS_MsgFormat_Enum_t typedef uint8 CFE_EVS_MsgFormat_Enum_t Identifies format of log messages.

See also

enum CFE_EVS_MsgFormat

Definition at line 61 of file cfe_evs_extern_typedefs.h.

11.26.3 Enumeration Type Documentation

11.26.3.1 CFE_EVS_EventFilter enum CFE_EVS_EventFilter Label definitions associated with CFE_EVS_EventFilter_Enum_t.

Enumerator

CFE_EVS_EventFilter_BINARY	Binary event filter.
----------------------------	----------------------

Definition at line 122 of file cfe_evs_extern_typedefs.h.

11.26.3.2 CFE_EVS_EventOutput enum CFE_EVS_EventOutput Label definitions associated with CFE_EVS_EventOutput_Enum_t.

Enumerator

CFE_EVS_EventOutput_PORT1	Output Port 1.
CFE_EVS_EventOutput_PORT2	Output Port 2.
CFE_EVS_EventOutput_PORT3	Output Port 3.
CFE_EVS_EventOutput_PORT4	Output Port 4.

Definition at line 140 of file cfe_evs_extern_typedefs.h.

11.26.3.3 CFE_EVS_EventType enum CFE_EVS_EventType Label definitions associated with CFE_EVS_EventType_Enum_t.

Enumerator

CFE_EVS_EventType_DEBUG	Events that are intended only for debugging, not nominal operations.
CFE_EVS_EventType_INFORMATION	Events that identify a state change or action that is not an error.
CFE_EVS_EventType_ERROR	Events that identify an error but are not catastrophic (e.g bad command.
CFE_EVS_EventType_CRITICAL	Events that identify errors that are unrecoverable autonomously.

Definition at line 89 of file cfe_evs_extern_typedefs.h.

11.26.3.4 CFE_EVS_LogMode enum CFE_EVS_LogMode

 $Label\ definitions\ associated\ with\ CFE_EVS_LogMode_Enum_t.$

Enumerator

CFE_EVS_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_EVS_LogMode_DISCARD	Discard Log Mode.

Definition at line 66 of file cfe evs extern typedefs.h.

11.26.3.5 CFE_EVS_MsgFormat enum CFE_EVS_MsgFormat Label definitions associated with CFE_EVS_MsgFormat_Enum_t.

Enumerator

CFE_EVS_MsgFormat_SHORT	Short Format Messages.
CFE_EVS_MsgFormat_LONG	Long Format Messages.

Definition at line 43 of file cfe evs extern typedefs.h.

11.27 cfe/modules/core_api/fsw/inc/cfe_fs.h File Reference

```
#include "common_types.h"
#include "osconfig.h"
#include "cfe_platform_cfg.h"
#include "cfe_error.h"
#include "cfe_fs_api_typedefs.h"
#include "cfe_fs_extern_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

Functions

CFE_Status_t CFE_FS_ReadHeader (CFE_FS_Header_t *Hdr, osal_id_t FileDes)

Read the contents of the Standard cFE File Header.

void CFE_FS_InitHeader (CFE_FS_Header_t *Hdr, const char *Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

• CFE Status t CFE FS WriteHeader (osal id t FileDes, CFE FS Header t *Hdr)

Write the specified Standard cFE File Header to the specified file.

CFE_Status_t CFE_FS_SetTimestamp (osal_id_t FileDes, CFE_TIME_SysTime_t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

const char * CFE_FS_GetDefaultMountPoint (CFE_FS_FileCategory_t FileCategory)

Get the default virtual mount point for a file category.

const char * CFE_FS_GetDefaultExtension (CFE_FS_FileCategory_t FileCategory)

Get the default filename extension for a file category.

int32 CFE_FS_ParseInputFileNameEx (char *OutputBuffer, const char *InputBuffer, size_t OutputBufSize, size
 _t InputBufSize, const char *DefaultInput, const char *DefaultPath, const char *DefaultExtension)

Parse a filename input from an input buffer into a local buffer.

• int32 CFE_FS_ParseInputFileName (char *OutputBuffer, const char *InputName, size_t OutputBufSize, CFE_FS_FileCategory_t FileCategory)

Parse a filename string from the user into a local buffer.

CFE Status t CFE FS ExtractFilenameFromPath (const char *OriginalPath, char *FileNameOnly)

Extracts the filename from a unix style path and filename string.

• int32 CFE FS BackgroundFileDumpRequest (CFE FS FileWriteMetaData t *Meta)

Register a background file dump request.

bool CFE FS BackgroundFileDumplsPending (const CFE FS FileWriteMetaData t *Meta)

Query if a background file write request is currently pending.

11.27.1 Detailed Description

Purpose: cFE File Services (FS) library API header file

Author: S.Walling/Microtel

11.28 cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h File Reference

```
#include "common_types.h"
#include "osconfig.h"
#include "cfe_fs_extern_typedefs.h"
```

Data Structures

• struct CFE FS FileWriteMetaData

External Metadata/State object associated with background file writes.

Typedefs

- typedef bool(* CFE_FS_FileWriteGetData_t) (void *Meta, uint32 RecordNum, void **Buffer, size_t *BufSize)
- typedef void(* CFE_FS_FileWriteOnEvent_t) (void *Meta, CFE_FS_FileWriteEvent_t Event, int32 Status, uint32 RecordNum, size_t BlockSize, size_t Position)
- typedef struct CFE FS FileWriteMetaData CFE FS FileWriteMetaData t

CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR, CFE_FS_FileWriteEvent_MAX }

External Metadata/State object associated with background file writes.

Enumerations

```
    enum CFE_FS_FileCategory_t {
        CFE_FS_FileCategory_UNKNOWN, CFE_FS_FileCategory_DYNAMIC_MODULE, CFE_FS_FileCategory_BINARY_DATA_DUM
        CFE_FS_FileCategory_TEXT_LOG,
        CFE_FS_FileCategory_SCRIPT, CFE_FS_FileCategory_TEMP, CFE_FS_FileCategory_MAX }
        Generalized file types/categories known to FS.
    enum CFE_FS_FileWriteEvent_t {
        CFE_FS_FileWriteEvent_UNDEFINED, CFE_FS_FileWriteEvent_COMPLETE, CFE_FS_FileWriteEvent_CREATE_ERROR,
        CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR,
```

11.28.1 Detailed Description

Purpose: cFE File Services (FS) library API header file

Author: S.Walling/Microtel

11.28.2 Typedef Documentation

11.28.2.1 CFE_FS_FileWriteGetData_t typedef bool(* CFE_FS_FileWriteGetData_t) (void *Meta, uint32 RecordNum, void **Buffer, size_t *BufSize)

Data Getter routine provided by requester

Outputs a data block. Should return true if the file is complete (last record/EOF), otherwise return false.

Parameters

Γ	in,out	Meta	Pointer to the metadata object
	III, Out	IVIELA	Fornier to the metadata object
	in	RecordNum	Incrementing record number counter
out		Buffer	Pointer to buffer data block, should be set by implementation
Ī	out	BufSize	Pointer to buffer data size, should be set by implementation

Returns

End of file status

Return values

true	if at last data record, and output file should be closed
false	if not at last record, more data records to write

Note

The implementation of this function must always set the "Buffer" and "BufSize" outputs. If no data is available, they may be set to NULL and 0, respectively.

Definition at line 97 of file cfe_fs_api_typedefs.h.

11.28.2.2 CFE_FS_FileWriteMetaData_t typedef struct CFE_FS_FileWriteMetaData CFE_FS_FileWriteMetaData_t External Metadata/State object associated with background file writes.

Applications intending to schedule background file write jobs should instantiate this object in static/global data memory. This keeps track of the state of the file write request(s).

11.28.2.3 CFE_FS_FileWriteOnEvent_t typedef void(* CFE_FS_FileWriteOnEvent_t) (void *Meta, CFE_FS_FileWriteEvent_Event, int32 Status, uint32 RecordNum, size_t BlockSize, size_t Position)

Event generator routine provided by requester

Invoked from certain points in the file write process. Implementation may invoke CFE_EVS_SendEvent() appropriately to inform of progress.

Parameters

in,out	Meta	Pointer to the metadata object
in <i>Event</i> Generali		Generalized type of event to report (not actual event ID)
in	Status	Generalized status code (may be from OSAL or CFE)
in RecordNum Record number counter at which event or		Record number counter at which event occurred
in	BlockSize	Size of record being processed when event occurred (if applicable)
in	Position	File position/size when event occurred

Definition at line 113 of file cfe fs api typedefs.h.

11.28.3 Enumeration Type Documentation

11.28.3.1 CFE_FS_FileCategory_t enum CFE_FS_FileCategory_t

Generalized file types/categories known to FS.

This defines different categories of files, where they may reside in different default locations of the virtualized file system. This is different from, and should not be confused with, the "SubType" field in the FS header. This value is only used at runtime for FS APIs and should not actually appear in any output file or message.

Enumerator

CFE_FS_FileCategory_UNKNOWN	Placeholder, unknown file category
CFE_FS_FileCategory_DYNAMIC_MODULE	Dynamically loadable apps/libraries (e.gso, .o, .dll, etc)
CFE_FS_FileCategory_BINARY_DATA_DUMP	Binary log file generated by various data dump commands
CFE_FS_FileCategory_TEXT_LOG	Text-based log file generated by various commands
CFE_FS_FileCategory_SCRIPT	Text-based Script files (e.g. ES startup script)
CFE_FS_FileCategory_TEMP	Temporary/Ephemeral files
CFE_FS_FileCategory_MAX	Placeholder, keep last

Definition at line 48 of file cfe_fs_api_typedefs.h.

11.28.3.2 CFE_FS_FileWriteEvent_t enum CFE_FS_FileWriteEvent_t

Enumerator

CFE_FS_FileWriteEvent_UNDEFINED	
CFE_FS_FileWriteEvent_COMPLETE	File is completed successfully
CFE_FS_FileWriteEvent_CREATE_ERROR	Unable to create/open file
CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR	Unable to write FS header
CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR	Unable to write data record
CFE_FS_FileWriteEvent_MAX	

Definition at line 68 of file cfe_fs_api_typedefs.h.

11.29 cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h File Reference

#include "common_types.h"

Data Structures

· struct CFE FS Header

Standard cFE File header structure definition.

Macros

#define CFE_FS_HDR_DESC_MAX_LEN 32

Max length of description field in a standard cFE File Header.

#define CFE FS FILE CONTENT ID 0x63464531

Magic Number for cFE compliant files (= 'cFE1')

Typedefs

typedef uint32 CFE_FS_SubType_Enum_t

Content descriptor for File Headers.

typedef struct CFE_FS_Header CFE_FS_Header_t

Standard cFE File header structure definition.

Enumerations

```
    enum CFE_FS_SubType {
    CFE_FS_SubType_ES_ERLOG = 1, CFE_FS_SubType_ES_SYSLOG = 2, CFE_FS_SubType_ES_QUERYALL
    = 3, CFE_FS_SubType_ES_PERFDATA = 4,
    CFE_FS_SubType_ES_CDS_REG = 6, CFE_FS_SubType_TBL_REG = 9, CFE_FS_SubType_TBL_IMG = 8,
    CFE_FS_SubType_EVS_APPDATA = 15,
    CFE_FS_SubType_EVS_EVENTLOG = 16, CFE_FS_SubType_SB_PIPEDATA = 20, CFE_FS_SubType_SB_ROUTEDATA
    = 21, CFE_FS_SubType_SB_MAPDATA = 22,
    CFE_FS_SubType_ES_QUERYALLTASKS = 23 }
```

File subtypes used within cFE.

11.29.1 Detailed Description

Declarations and prototypes for cfe_fs_extern_typedefs module

11.29.2 Macro Definition Documentation

```
11.29.2.1 CFE_FS_FILE_CONTENT_ID #define CFE_FS_FILE_CONTENT_ID 0x63464531 Magic Number for cFE compliant files (= 'cFE1')

Definition at line 51 of file cfe_fs_extern_typedefs.h.
```

```
11.29.2.2 CFE_FS_HDR_DESC_MAX_LEN #define CFE_FS_HDR_DESC_MAX_LEN 32 Max length of description field in a standard cFE File Header.

Definition at line 49 of file cfe_fs_extern_typedefs.h.
```

11.29.3 Typedef Documentation

```
11.29.3.1 CFE_FS_Header_t typedef struct CFE_FS_Header_t Standard cFE File header structure definition.
```

```
11.29.3.2 CFE_FS_SubType_Enum_t typedef uint32 CFE_FS_SubType_Enum_t Content descriptor for File Headers.
```

See also

```
enum CFE_FS_SubType
```

Definition at line 198 of file cfe fs extern typedefs.h.

11.29.4 Enumeration Type Documentation

11.29.4.1 CFE_FS_SubType enum CFE_FS_SubType

File subtypes used within cFE.

This defines all the file subtypes used by cFE. Note apps can extend as needed but need to avoid conflicts (app context not currently included in the file header).

Enumerator

CFE_FS_SubType_ES_ERLOG	Executive Services Exception/Reset Log Type. Executive Services Exception/Reset Log File which is generated in response to a \$sc_\$cpu_ES_WriteERLog2File command.
CFE_FS_SubType_ES_SYSLOG	Executive Services System Log Type. Executive Services System Log File which is generated in response to a \$sc_\$cpu_ES_WriteSysLog2File command.
CFE_FS_SubType_ES_QUERYALL	Executive Services Information on All Applications File. Executive Services Information on All Applications File which is generated in response to a \$sc_\$cpu_ES_WriteAppInfo2File command.
CFE_FS_SubType_ES_PERFDATA	Executive Services Performance Data File. Executive Services Performance Analyzer Data File which is generated in response to a \$sc_\$cpu_ES_StopLAData command.
CFE_FS_SubType_ES_CDS_REG	Executive Services Critical Data Store Registry Dump File. Executive Services Critical Data Store Registry Dump File which is generated in response to a \$sc_\$cpu_ES_WriteCDS2File command.
CFE_FS_SubType_TBL_REG	Table Services Registry Dump File. Table Services Registry Dump File which is generated in response to a \$sc_\$cpu_TBL_WriteReg2File command.
CFE_FS_SubType_TBL_IMG	Table Services Table Image File. Table Services Table Image File which is generated either on the ground or in response to a \$sc_\$cpu_TBL_DUMP command.
CFE_FS_SubType_EVS_APPDATA	Event Services Application Data Dump File. Event Services Application Data Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteAppData2File command.
CFE_FS_SubType_EVS_EVENTLOG	Event Services Local Event Log Dump File. Event Services Local Event Log Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteLog2File command.
CFE_FS_SubType_SB_PIPEDATA	Software Bus Pipe Data Dump File. Software Bus Pipe Data Dump File which is generated in response to a \$sc_\$cpu_SB_WritePipe2File command.
CFE_FS_SubType_SB_ROUTEDATA	Software Bus Message Routing Data Dump File. Software Bus Message Routing Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteRouting2File command.
CFE_FS_SubType_SB_MAPDATA	Software Bus Message Mapping Data Dump File. Software Bus Message Mapping Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteMap2File command.
CFE_FS_SubType_ES_QUERYALLTASKS	Executive Services Query All Tasks Data File. Executive Services Query All Tasks Data File which is generated in response to a \$sc_\$cpu_ES_WriteTaskInfo2File command.

Definition at line 61 of file cfe_fs_extern_typedefs.h.

11.30 cfe/modules/core api/fsw/inc/cfe msg.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_msg_hdr.h"
#include "cfe_msg_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_sb_api_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

Functions

CFE_Status_t CFE_MSG_Init (CFE_MSG_Message_t *MsgPtr, CFE_SB_MsgId_t MsgId, CFE_MSG_Size_t Size)

Initialize a message.

- CFE_Status_t CFE_MSG_GetSize (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t *Size)

 Gets the total size of a message.
- CFE_Status_t CFE_MSG_SetSize (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Size_t Size)
 Sets the total size of a message.
- CFE_Status_t CFE_MSG_GetType (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t *Type)

 Gets the message type.
- CFE_Status_t CFE_MSG_SetType (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Type_t Type)

 Sets the message type.
- CFE_Status_t CFE_MSG_GetHeaderVersion (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_HeaderVersion_t *Version)

Gets the message header version.

CFE_Status_t CFE_MSG_SetHeaderVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_HeaderVersion_t Version)

Sets the message header version.

CFE_Status_t CFE_MSG_GetHasSecondaryHeader (const CFE_MSG_Message_t *MsgPtr, bool *Has⇔ Secondary)

Gets the message secondary header boolean.

- CFE_Status_t CFE_MSG_SetHasSecondaryHeader (CFE_MSG_Message_t *MsgPtr, bool HasSecondary)

 Sets the message secondary header boolean.
- CFE_Status_t CFE_MSG_GetApId (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t *ApId)
 Gets the message application ID.
- CFE_Status_t CFE_MSG_SetApId (CFE_MSG_Message_t *MsgPtr, CFE_MSG_ApId_t ApId)
 Sets the message application ID.
- CFE_Status_t CFE_MSG_GetSegmentationFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_SegmentationFlag_t *SegFlag)

Gets the message segmentation flag.

 CFE_Status_t CFE_MSG_SetSegmentationFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SegmentationFlag_t SegFlag)

Sets the message segmentation flag.

CFE_Status_t CFE_MSG_GetSequenceCount (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount_t *SeqCnt)

Gets the message sequence count.

CFE_Status_t CFE_MSG_SetSequenceCount (CFE_MSG_Message_t *MsgPtr, CFE_MSG_SequenceCount_t SeqCnt)

Sets the message sequence count.

- CFE_MSG_SequenceCount_t CFE_MSG_GetNextSequenceCount (CFE_MSG_SequenceCount_t SeqCnt)
 Gets the next sequence count value (rolls over if appropriate)
- CFE_Status_t CFE_MSG_GetEDSVersion (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t *Version)

Gets the message EDS version.

- CFE_Status_t CFE_MSG_SetEDSVersion (CFE_MSG_Message_t *MsgPtr, CFE_MSG_EDSVersion_t Version) Sets the message EDS version.
- CFE_Status_t CFE_MSG_GetEndian (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t *Endian) Gets the message endian.
- CFE_Status_t CFE_MSG_SetEndian (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Endian_t Endian) Sets the message endian.
- CFE_Status_t CFE_MSG_GetPlaybackFlag (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_t *PlayFlag)

Gets the message playback flag.

CFE_Status_t CFE_MSG_SetPlaybackFlag (CFE_MSG_Message_t *MsgPtr, CFE_MSG_PlaybackFlag_t PlayFlag)

Sets the message playback flag.

CFE_Status_t CFE_MSG_GetSubsystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t *Subsystem)

Gets the message subsystem.

CFE_Status_t CFE_MSG_SetSubsystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_Subsystem_t Subsystem)

Sets the message subsystem.

- CFE_Status_t CFE_MSG_GetSystem (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t *System)
 Gets the message system.
- CFE_Status_t CFE_MSG_SetSystem (CFE_MSG_Message_t *MsgPtr, CFE_MSG_System_t System) Sets the message system.
- CFE_Status_t CFE_MSG_GenerateChecksum (CFE_MSG_Message_t *MsgPtr)
 - Calculates and sets the checksum of a message.
- CFE_Status_t CFE_MSG_ValidateChecksum (const CFE_MSG_Message_t *MsgPtr, bool *IsValid)
 Validates the checksum of a message.
- CFE_Status_t CFE_MSG_SetFcnCode (CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t FcnCode)

 Sets the function code field in a message.
- CFE_Status_t CFE_MSG_GetFcnCode (const CFE_MSG_Message_t *MsgPtr, CFE_MSG_FcnCode_t *Fcn← Code)

Gets the function code field from a message.

- CFE_Status_t CFE_MSG_GetMsgTime (const CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t *Time)

 Gets the time field from a message.
- CFE_Status_t CFE_MSG_SetMsgTime (CFE_MSG_Message_t *MsgPtr, CFE_TIME_SysTime_t NewTime)
 Sets the time field in a message.
- CFE_Status_t CFE_MSG_GetMsgld (const CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t *Msgld)
 Gets the message id from a message.
- CFE_Status_t CFE_MSG_SetMsgld (CFE_MSG_Message_t *MsgPtr, CFE_SB_Msgld_t Msgld)
 Sets the message id bits in a message.
- CFE_Status_t CFE_MSG_GetTypeFromMsgld (CFE_SB_Msgld_t Msgld, CFE_MSG_Type_t *Type)
 Gets message type using message ID.

11.30.1 Detailed Description

Message access APIs

11.31 cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
```

Macros

```
• #define CFE_MSG_BAD_ARGUMENT CFE_SB_BAD_ARGUMENT
```

Error - bad argument.

#define CFE_MSG_NOT_IMPLEMENTED CFE_SB_NOT_IMPLEMENTED

Error - not implemented.

#define CFE_MSG_WRONG_MSG_TYPE CFE_SB_WRONG_MSG_TYPE

Error - wrong type.

Typedefs

typedef size t CFE MSG Size t

Message size, note CCSDS maximum is UINT16_MAX+7.

typedef uint32 CFE MSG Checksum t

Message checksum (Oversized to avoid redefine)

typedef uint16 CFE_MSG_FcnCode_t

Message function code.

typedef uint16 CFE_MSG_HeaderVersion_t

Message header version.

typedef uint16 CFE_MSG_ApId_t

Message application ID.

typedef uint16 CFE_MSG_SequenceCount_t

Message sequence count.

typedef uint16 CFE_MSG_EDSVersion_t

Message EDS version.

typedef uint16 CFE_MSG_Subsystem_t

Message subsystem.

typedef uint16 CFE_MSG_System_t

Message system.

typedef enum CFE_MSG_Type CFE_MSG_Type_t

Message type.

• typedef enum CFE_MSG_SegmentationFlag CFE_MSG_SegmentationFlag_t

Segmentation flags.

• typedef enum CFE_MSG_Endian CFE_MSG_Endian_t

Endian flag.

typedef enum CFE_MSG_PlaybackFlag CFE_MSG_PlaybackFlag_t

Playback flag.

• typedef union CFE_MSG_Message CFE_MSG_Message_t

cFS generic base message

typedef struct CFE MSG CommandHeader CFE MSG CommandHeader t

cFS command header

typedef struct CFE_MSG_TelemetryHeader CFE_MSG_TelemetryHeader_t
 cFS telemetry header

Enumerations

```
    enum CFE_MSG_Type { CFE_MSG_Type_Invalid, CFE_MSG_Type_Cmd, CFE_MSG_Type_Tlm }
    Message type.
```

```
    enum CFE_MSG_SegmentationFlag {
        CFE_MSG_SegFlag_Invalid, CFE_MSG_SegFlag_Continue, CFE_MSG_SegFlag_First, CFE_MSG_SegFlag_Last,
        CFE_MSG_SegFlag_Unsegmented }
```

Segmentation flags.

enum CFE_MSG_Endian { CFE_MSG_Endian_Invalid, CFE_MSG_Endian_Big, CFE_MSG_Endian_Little }
 Endian flag.

enum CFE_MSG_PlaybackFlag { CFE_MSG_PlayFlag_Invalid, CFE_MSG_PlayFlag_Original, CFE_MSG_PlayFlag_Playback
 }

Playback flag.

11.31.1 Detailed Description

Typedefs for Message API

Separate from API so these can be adjusted for custom implementations

11.31.2 Macro Definition Documentation

11.31.2.1 CFE_MSG_BAD_ARGUMENT #define CFE_MSG_BAD_ARGUMENT CFE_SB_BAD_ARGUMENT Error - bad argument.

Definition at line 39 of file cfe_msg_api_typedefs.h.

11.31.2.2 CFE_MSG_NOT_IMPLEMENTED #define CFE_MSG_NOT_IMPLEMENTED CFE_SB_NOT_IMPLEMENTED Error - not implemented.

Definition at line 40 of file cfe_msg_api_typedefs.h.

11.31.2.3 CFE_MSG_WRONG_MSG_TYPE #define CFE_MSG_WRONG_MSG_TYPE CFE_SB_WRONG_MSG_TYPE Error - wrong type.

Definition at line 41 of file cfe_msg_api_typedefs.h.

11.31.3 Typedef Documentation

11.31.3.1 CFE_MSG_ApId_t typedef uint16 CFE_MSG_ApId_t

Message application ID.

Definition at line 50 of file cfe msg api typedefs.h.

11.31.3.2 CFE_MSG_Checksum_t typedef uint32 CFE_MSG_Checksum_t

Message checksum (Oversized to avoid redefine)

Definition at line 47 of file cfe_msg_api_typedefs.h.

11.31.3.3 CFE_MSG_CommandHeader_t typedef struct CFE_MSG_CommandHeader_t cFS command header

Definition at line 107 of file cfe_msg_api_typedefs.h.

11.31.3.4 CFE MSG EDSVersion t typedef uint16 CFE_MSG_EDSVersion_t

Message EDS version.

Definition at line 52 of file cfe_msg_api_typedefs.h.

11.31.3.5 CFE_MSG_Endian_t typedef enum CFE_MSG_Endian_t Endian flag.

11.31.3.6 CFE_MSG_FcnCode_t typedef uint16 CFE_MSG_FcnCode_t

Message function code.

Definition at line 48 of file cfe_msg_api_typedefs.h.

$\textbf{11.31.3.7} \quad \textbf{CFE_MSG_HeaderVersion_t} \quad \texttt{typedef uint16 CFE_MSG_HeaderVersion_t}$

Message header version.

Definition at line 49 of file cfe_msg_api_typedefs.h.

11.31.3.8 CFE_MSG_Message_t typedef union CFE_MSG_Message_t

cFS generic base message

Definition at line 102 of file cfe_msg_api_typedefs.h.

11.31.3.9 CFE_MSG_PlaybackFlag_t typedef enum CFE_MSG_PlaybackFlag_t Playback flag.

11.31.3.10 CFE_MSG_SegmentationFlag_t typedef enum CFE_MSG_SegmentationFlag CFE_MSG_SegmentationFlag_t Segmentation flags.

$\textbf{11.31.3.11} \quad \textbf{CFE_MSG_SequenceCount_t} \quad \texttt{typedef uint16 CFE_MSG_SequenceCount_t}$

Message sequence count.

Definition at line 51 of file cfe_msg_api_typedefs.h.

11.31.3.12 CFE_MSG_Size_t typedef size_t CFE_MSG_Size_t

Message size, note CCSDS maximum is UINT16 MAX+7.

Definition at line 46 of file cfe_msg_api_typedefs.h.

$\textbf{11.31.3.13} \quad \textbf{CFE_MSG_Subsystem_t} \quad \texttt{typedef uint16 CFE_MSG_Subsystem_t}$

Message subsystem.

Definition at line 53 of file cfe_msg_api_typedefs.h.

11.31.3.14 CFE_MSG_System_t typedef uint16 CFE_MSG_System_t

Message system.

Definition at line 54 of file cfe_msg_api_typedefs.h.

11.31.3.15 CFE_MSG_TelemetryHeader_t typedef struct CFE_MSG_TelemetryHeader CFE_MSG_TelemetryHeader_t cFS telemetry header

Definition at line 112 of file cfe_msg_api_typedefs.h.

11.31.3.16 CFE_MSG_Type_t typedef enum CFE_MSG_Type CFE_MSG_Type_t Message type.

11.31.4 Enumeration Type Documentation

11.31.4.1 CFE_MSG_Endian enum CFE_MSG_Endian Endian flag.

Enumerator

CFE_MSG_Endian_Invalid	Invalid endian setting.
CFE_MSG_Endian_Big	Big endian.
CFE_MSG_Endian_Little	Little endian.

Definition at line 75 of file cfe msg api typedefs.h.

11.31.4.2 CFE_MSG_PlaybackFlag enum CFE_MSG_PlaybackFlag

Playback flag.

Enumerator

CFE_MSG_PlayFlag_Invalid	Invalid playback setting.
CFE_MSG_PlayFlag_Original	Original.
CFE_MSG_PlayFlag_Playback	Playback.

Definition at line 83 of file cfe_msg_api_typedefs.h.

Enumerator

CFE_MSG_SegFlag_Invalid	Invalid segmentation flag.
-------------------------	----------------------------

Enumerator

CFE_MSG_SegFlag_Continue	Continuation segment of User Data.
CFE_MSG_SegFlag_First	First segment of User Data.
CFE_MSG_SegFlag_Last	Last segment of User Data.
CFE_MSG_SegFlag_Unsegmented	Unsegmented data.

Definition at line 65 of file cfe msg api typedefs.h.

11.31.4.4 CFE_MSG_Type enum CFE_MSG_Type Message type.

Enumerator

CFE_MSG_Type_Invalid	Message type invalid, undefined, not implemented.
CFE_MSG_Type_Cmd	Command message type.
CFE_MSG_Type_TIm	Telemetry message type.

Definition at line 57 of file cfe msg api typedefs.h.

11.32 cfe/modules/core api/fsw/inc/cfe resourceid.h File Reference

#include "cfe_resourceid_api_typedefs.h"

Functions

• uint32 CFE Resourceld GetBase (CFE Resourceld t Resourceld)

Get the Base value (type/category) from a resource ID value.

uint32 CFE_ResourceId_GetSerial (CFE_ResourceId_t ResourceId)

Get the Serial Number (sequential ID) from a resource ID value.

CFE_ResourceId_t CFE_ResourceId_FindNext (CFE_ResourceId_t StartId, uint32 TableSize, bool(*Check← Func)(CFE_ResourceId_t))

Locate the next resource ID which does not map to an in-use table entry.

• int32 CFE_ResourceId_ToIndex (CFE_ResourceId_t Id, uint32 BaseValue, uint32 TableSize, uint32 *Idx)

Internal routine to aid in converting an ES resource ID to an array index.

Resource ID test/conversion macros and inline functions

- #define CFE_RESOURCEID_TO_ULONG(id) CFE_ResourceId_ToInteger(CFE_RESOURCEID_UNWRAP(id))

 Convert a derived (app-specific) ID directly into an "unsigned long".

Determine if a derived (app-specific) ID is defined or not.

#define CFE_RESOURCEID_TEST_EQUAL(id1, id2) CFE_ResourceId_Equal(CFE_RESOURCEID_UNWR
 — AP(id1), CFE_RESOURCEID_UNWRAP(id2))

Determine if two derived (app-specific) IDs are equal.

• static unsigned long CFE_ResourceId_ToInteger (CFE_ResourceId_t id)

Convert a resource ID to an integer.

• static CFE_ResourceId_t CFE_ResourceId_FromInteger (unsigned long Value)

Convert an integer to a resource ID.

static bool CFE Resourceld Equal (CFE Resourceld t id1, CFE Resourceld t id2)

Compare two Resource ID values for equality.

static bool CFE_ResourceId_IsDefined (CFE_ResourceId_t id)

Check if a resource ID value is defined.

11.32.1 Detailed Description

Contains global prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

Simple operations are provided as inline functions, which should alleviate the need to do direct manipulation of resource IDs:

- · Check for undefined ID value
- · Check for equality of two ID values
- Convert ID to simple integer (typically for printing/logging)
- Convert simple integer to ID (inverse of above)

11.32.2 Macro Definition Documentation

```
11.32.2.1 CFE_RESOURCEID_TEST_DEFINED #define CFE_RESOURCEID_TEST_DEFINED(

id ) CFE_ResourceId_IsDefined(CFE_RESOURCEID_UNWRAP(id))
```

Determine if a derived (app-specific) ID is defined or not.

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE_RESOURCEID_BASE_TYPE.

Definition at line 70 of file cfe_resourceid.h.

Determine if two derived (app-specific) IDs are equal.

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE_RESOURCEID_BASE_TYPE.

Definition at line 78 of file cfe resourceid.h.

Convert a derived (app-specific) ID directly into an "unsigned long".

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE_RESOURCEID_BASE_TYPE.

There is no inverse of this macro, as it depends on the actual derived type desired. Applications needing to recreate an ID from an integer should use CFE_ResourceId_FromInteger() combined with a cast/conversion to the correct/intended derived type, as needed.

Note

This evaluates as an "unsigned long" such that it can be used in printf()-style functions with the "%lx" modifier without extra casting, as this is the most typical use-case for representing an ID as an integer.

Definition at line 62 of file cfe_resourceid.h.

11.32.3 Function Documentation

Compare two Resource ID values for equality.

Parameters

in	id1	Resource ID to check
in	id2	Resource ID to check

Returns

true if id1 and id2 are equal, false otherwise.

Definition at line 133 of file cfe_resourceid.h. Referenced by CFE_ResourceId_IsDefined().

Locate the next resource ID which does not map to an in-use table entry.

This begins searching from StartId which should be the most recently issued ID for the resource category. This will then search for the next ID which does *not* map to a table entry that is in use. That is, it does not alias any valid ID when converted to an array index.

returns an undefined ID value if no open slots are available

Parameters

in	StartId	the last issued ID for the resource category (app, lib, etc).
in	TableSize	the maximum size of the target table
in	CheckFunc	a function to check if the given ID is available

Returns

Next ID value which does not map to a valid entry

Return values

CFE_RESOURCEID_UNDEFINED	if no open slots or bad arguments.
--------------------------	------------------------------------

11.32.3.3 CFE_ResourceId_FromInteger() static CFE_ResourceId_t CFE_ResourceId_FromInteger (unsigned long Value) [inline], [static]

Convert an integer to a resource ID.

This is the inverse of CFE_Resourceld_ToInteger(), and reconstitutes the original CFE_Resourceld_t value from the integer representation.

This may be used, for instance, where an ID value is parsed from a text file or message using C library APIs such as scanf() or strtoul().

See also

CFE_ResourceId_ToInteger()

Parameters

in	Value	Integer value to convert
----	-------	--------------------------

Returns

ID value corresponding to integer

Definition at line 121 of file cfe resourceid.h.

11.32.3.4 CFE_ResourceId_GetBase() uint32 CFE_ResourceId_GetBase (CFE_ResourceId_t ResourceId)

Get the Base value (type/category) from a resource ID value.

This masks out the ID serial number to obtain the base value, which is different for each resource type.

Note

The value is NOT shifted or otherwise adjusted.

Parameters

in	Resource←	the resource ID to decode
	ld	

Returns

The base value associated with that ID

Get the Serial Number (sequential ID) from a resource ID value.

This masks out the ID base value to obtain the serial number, which is different for each entity created.

Parameters

in	Resource←	the resource ID to decode
	ld	

Returns

The serial number associated with that ID

Check if a resource ID value is defined.

The constant CFE_RESOURCEID_UNDEFINED represents an undefined ID value, such that the expression:

```
CFE_ResourceId_IsDefined(CFE_RESOURCEID_UNDEFINED)
```

Always returns false.

Parameters

in <i>id</i>	Resource ID to check
--------------	----------------------

Returns

True if the ID may refer to a defined entity, false if invalid/undefined.

Definition at line 151 of file cfe resourceid.h.

References CFE_ResourceId_Equal(), and CFE_RESOURCEID_UNDEFINED.

Here is the call graph for this function:



Internal routine to aid in converting an ES resource ID to an array index.

Parameters

in	ld	The resource ID
in	BaseValue	The respective ID base value corresponding to the ID type
in	TableSize	The actual size of the internal table (MAX index value + 1)
out	ldx	The output index

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

11.32.3.8 CFE_ResourceId_ToInteger() static unsigned long CFE_ResourceId_ToInteger (CFE_ResourceId_t id) [inline], [static]

Convert a resource ID to an integer.

This is primarily intended for logging purposes, such was writing to debug console, event messages, or log files, using printf-like APIs.

For compatibility with C library APIs, this returns an "unsigned long" type and should be used with the "%lx" format specifier in a printf format string.

Note

No assumptions should be made about the actual integer value, such as its base/range. It may be printed, but should not be modified or tested/compared using other arithmetic ops, and should never be used as the index to an array or table. See the related function CFE_Resourceld_ToIndex() for cases where a zero-based array/table index is needed.

See also

CFE_ResourceId_FromInteger()

Parameters

in	id	Resource ID to convert
Т11	iu	hesource in to convert

Returns

Integer value corresponding to ID

Definition at line 102 of file cfe_resourceid.h.

11.33 cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h File Reference

```
#include "cfe_resourceid_typedef.h"
```

Macros

Resource ID predefined values

- #define CFE_RESOURCEID_UNDEFINED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0))

 A resource ID value that represents an undefined/unused resource.
- #define CFE_RESOURCEID_RESERVED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0xFFFFFFF))

 A resource ID value that represents a reserved entry.

11.33.1 Detailed Description

Contains global prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

Simple operations are provided as inline functions, which should alleviate the need to do direct manipulation of resource IDs:

- · Check for undefined ID value
- · Check for equality of two ID values
- Convert ID to simple integer (typically for printing/logging)
- · Convert simple integer to ID (inverse of above)

11.33.2 Macro Definition Documentation

```
11.33.2.1 CFE_RESOURCEID_RESERVED #define CFE_RESOURCEID_RESERVED ((CFE_Resourceid_t)CFE_R← ESOURCEID_WRAP(0xFFFFFFFF))
```

A resource ID value that represents a reserved entry.

This is not a valid value for any resource type, but is used to mark table entries that are not available for use. For instance, this may be used while setting up an entry initially.

Definition at line 74 of file cfe resourceid api typedefs.h.

```
11.33.2.2 CFE_RESOURCEID_UNDEFINED #define CFE_RESOURCEID_UNDEFINED ((CFE_Resourceid_t)CFE← _RESOURCEID_WRAP(0))
```

A resource ID value that represents an undefined/unused resource.

This constant may be used to initialize local variables of the CFE_ResourceId_t type to a safe value that will not alias a valid ID.

By design, this value is also the result of zeroing a CFE_ResourceId_t type via standard functions like memset(), such that objects initialized using this method will also be set to safe values.

Definition at line 65 of file cfe_resourceid_api_typedefs.h.

11.34 cfe/modules/core api/fsw/inc/cfe sb.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_sb_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
```

Macros

```
#define CFE_BIT(x) (1 << (x))

Places a one at bit positions 0 - 31.</li>
#define CFE_SET(i, x) ((i) |= CFE_BIT(x))

Sets bit x of i.
#define CFE_CLR(i, x) ((i) &= ~CFE_BIT(x))

Clears bit x of i.
#define CFE_TST(i, x) (((i)&CFE_BIT(x)) != 0)

true(non zero) if bit x of i is set
```

Functions

```
    CFE_Status_t CFE_SB_CreatePipe (CFE_SB_PipeId_t *PipeIdPtr, uint16 Depth, const char *PipeName)
    Creates a new software bus pipe.
```

CFE_Status_t CFE_SB_DeletePipe (CFE_SB_PipeId_t PipeId)

Delete a software bus pipe.

CFE Status t CFE SB Pipeld ToIndex (CFE SB Pipeld t PipelD, uint32 *Idx)

Obtain an index value correlating to an SB Pipe ID.

• CFE Status t CFE SB SetPipeOpts (CFE SB Pipeld t Pipeld, uint8 Opts)

Set options on a pipe.

• CFE Status t CFE SB GetPipeOpts (CFE SB PipeId t PipeId, uint8 *OptsPtr)

Get options on a pipe.

- CFE_Status_t CFE_SB_GetPipeName (char *PipeNameBuf, size_t PipeNameSize, CFE_SB_PipeId_t PipeId)

 Get the pipe name for a given id.
- CFE_Status_t CFE_SB_GetPipeIdByName (CFE_SB_PipeId_t *PipeIdPtr, const char *PipeName)
 Get pipe id by pipe name.
- CFE_Status_t CFE_SB_SubscribeEx (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, CFE_SB_Qos_t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

CFE_Status_t CFE_SB_Subscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Subscribe to a message on the software bus with default parameters.

- CFE_Status_t CFE_SB_SubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, uint16 MsgLim)

 Subscribe to a message while keeping the request local to a cpu.
- CFE Status t CFE SB Unsubscribe (CFE SB Msgld t Msgld, CFE SB Pipeld t Pipeld)

Remove a subscription to a message on the software bus.

CFE_Status_t CFE_SB_UnsubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

- CFE_Status_t CFE_SB_TransmitMsg (const CFE_MSG_Message_t *MsgPtr, bool IncrementSequenceCount)
 Transmit a message.
- CFE_Status_t CFE_SB_ReceiveBuffer (CFE_SB_Buffer_t **BufPtr, CFE_SB_PipeId_t PipeId, int32 TimeOut)

 *Receive a message from a software bus pipe.
- CFE SB Buffer t * CFE SB AllocateMessageBuffer (size t MsgSize)

Get a buffer pointer to use for "zero copy" SB sends.

CFE_Status_t CFE_SB_ReleaseMessageBuffer (CFE_SB_Buffer_t *BufPtr)

Release an unused "zero copy" buffer pointer.

Transmit a buffer.

- CFE_Status_t CFE_SB_TransmitBuffer (CFE_SB_Buffer_t *BufPtr, bool IncrementSequenceCount)
- void CFE SB SetUserDataLength (CFE MSG Message t *MsgPtr, size t DataLength)

Sets the length of user data in a software bus message.

void CFE_SB_TimeStampMsg (CFE_MSG_Message_t *MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

int32 CFE_SB_MessageStringSet (char *DestStringPtr, const char *SourceStringPtr, size_t DestMaxSize, size
 _t SourceMaxSize)

Copies a string into a software bus message.

void * CFE_SB_GetUserData (CFE_MSG_Message_t *MsgPtr)

Get a pointer to the user data portion of a software bus message.

size_t CFE_SB_GetUserDataLength (const CFE_MSG_Message_t *MsgPtr)

Gets the length of user data in a software bus message.

• int32 CFE_SB_MessageStringGet (char *DestStringPtr, const char *SourceStringPtr, const char *DefaultString, size t DestMaxSize, size t SourceMaxSize)

Copies a string out of a software bus message.

bool CFE_SB_IsValidMsgld (CFE_SB_Msgld_t Msgld)

Identifies whether a given CFE_SB_Msgld_t is valid.

static bool CFE_SB_Msgld_Equal (CFE_SB_Msgld_t Msgld1, CFE_SB_Msgld_t Msgld2)

Identifies whether two CFE_SB_Msgld_t values are equal.

static CFE SB Msgld Atom t CFE SB MsgldToValue (CFE SB Msgld t Msgld)

Converts a CFE_SB_Msgld_t to a normal integer.

static CFE_SB_Msgld_t CFE_SB_ValueToMsgld (CFE_SB_Msgld_Atom_t MsgldValue)

Converts a normal integer into a CFE SB Msgld t.

11.34.1 Detailed Description

Purpose: This header file contains all definitions for the cFE Software Bus Application Programmer's Interface.

Author: R.McGraw/SSI

11.34.2 Macro Definition Documentation

Places a one at bit positions 0 - 31.

Definition at line 44 of file cfe_sb.h.

```
11.34.2.2 CFE_CLR #define CFE_CLR( i, x ) ((i) &= \simCFE_BIT(x))
```

Clears bit x of i.

Definition at line 46 of file cfe_sb.h.

Sets bit x of i.

Definition at line 45 of file cfe_sb.h.

true(non zero) if bit x of i is set

Definition at line 47 of file cfe_sb.h.

11.35 cfe/modules/core api/fsw/inc/cfe sb api typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_sb_extern_typedefs.h"
#include "cfe_msg_api_typedefs.h"
```

```
#include "cfe_resourceid_api_typedefs.h"
#include "cfe msg hdr.h"
```

Data Structures

union CFE SB Msg

Software Bus generic message.

Macros

• #define CFE SB POLL 0

Option used with CFE_SB_ReceiveBuffer to request immediate pipe status.

• #define CFE_SB_PEND_FOREVER -1

Option used with CFE_SB_ReceiveBuffer to force a wait for next message.

#define CFE SB SUBSCRIPTION 0

Subtype specifier used in CFE_SB_SingleSubscriptionTlm_t by SBN App.

#define CFE SB UNSUBSCRIPTION 1

Subtype specified used in CFE_SB_SingleSubscriptionTlm_t by SBN App.

#define CFE_SB_MSGID_WRAP_VALUE(val)

Translation macro to convert from Msgld integer values to opaque/abstract API values.

#define CFE_SB_MSGID_C(val) ((CFE_SB_MsgId_t)CFE_SB_MSGID_WRAP_VALUE(val))

Translation macro to convert to Msgld integer values from a literal.

• #define CFE_SB_MSGID_UNWRAP_VALUE(mid) ((mid).Value)

Translation macro to convert to Msgld integer values from opaque/abstract API values.

#define CFE_SB_MSGID_RESERVED CFE_SB_MSGID_WRAP_VALUE(0)

Reserved value for CFE_SB_Msgld_t that will not match any valid Msgld.

• #define CFE_SB_INVALID_MSG_ID CFE_SB_MSGID_C(0)

A literal of the CFE SB Msgld t type representing an invalid ID.

#define CFE_SB_PIPEID_C(val) ((CFE_SB_Pipeld_t)CFE_RESOURCEID_WRAP(val))

Cast/Convert a generic CFE_ResourceId_t to a CFE_SB_PipeId_t.

#define CFE_SB_INVALID_PIPE CFE_SB_PIPEID_C(CFE_RESOURCEID_UNDEFINED)

A CFE_SB_PipeId_t value which is always invalid.

• #define CFE SB PIPEOPTS IGNOREMINE 0x00000001

Messages sent by the app that owns this pipe will not be sent to this pipe.

#define CFE_SB_DEFAULT_QOS ((CFE_SB_Qos_t) {0})

Default Qos macro.

Typedefs

typedef union CFE_SB_Msg CFE_SB_Buffer_t

Software Bus generic message.

11.35.1 Detailed Description

Purpose: This header file contains all definitions for the cFE Software Bus Application Programmer's Interface. Author: R.McGraw/SSI

11.35.2 Macro Definition Documentation

```
11.35.2.1 CFE_SB_DEFAULT_QOS #define CFE_SB_DEFAULT_QOS ((CFE_SB_Qos_t) {0})
```

Default Qos macro.

Definition at line 135 of file cfe_sb_api_typedefs.h.

```
11.35.2.2 CFE_SB_INVALID_MSG_ID #define CFE_SB_INVALID_MSG_ID CFE_SB_MSGID_C(0)
```

A literal of the CFE SB Msgld t type representing an invalid ID.

This value should be used for runtime initialization of CFE_SB_Msgld_t values.

Note

This may be a compound literal in a future revision. Per C99, compound literals are Ivalues, not rvalues, so this value should not be used in static/compile-time data initialization. For static data initialization purposes (rvalue), CFE_SB_MSGID_RESERVED should be used instead. However, in the current implementation, they are equivalent.

Definition at line 113 of file cfe sb api typedefs.h.

```
11.35.2.3 CFE_SB_INVALID_PIPE #define CFE_SB_INVALID_PIPE CFE_SB_PIPEID_C (CFE_RESOURCEID_UNDEFINED)
```

A CFE_SB_PipeId_t value which is always invalid.

This may be used as a safe initializer for CFE_SB_PipeId_t values

Definition at line 125 of file cfe_sb_api_typedefs.h.

```
11.35.2.4 CFE_SB_MSGID_C #define CFE_SB_MSGID_C(

val ) ((CFE_SB_MSgId_t)CFE_SB_MSGID_WRAP_VALUE(val))
```

Translation macro to convert to Msgld integer values from a literal.

This ensures that the literal is interpreted as the CFE_SB_Msgld_t type, rather than the default type associated with that literal (e.g. int/unsigned int).

Note

Due to constraints in C99 this style of initializer can only be used at runtime, not for static/compile-time initializers.

See also

```
CFE SB ValueToMsgld()
```

Definition at line 80 of file cfe sb api typedefs.h.

```
11.35.2.5 CFE_SB_MSGID_RESERVED #define CFE_SB_MSGID_RESERVED CFE_SB_MSGID_WRAP_VALUE(0)
```

Reserved value for CFE_SB_Msgld_t that will not match any valid Msgld.

This rvalue macro can be used for static/compile-time data initialization to ensure that the initialized value does not alias to a valid Msgld object.

Definition at line 100 of file cfe_sb_api_typedefs.h.

```
11.35.2.6 CFE_SB_MSGID_UNWRAP_VALUE #define CFE_SB_MSGID_UNWRAP_VALUE(
    mid ) ((mid).Value)
```

Translation macro to convert to Msgld integer values from opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE_SB_MsgldToValue() inline function instead.

See also

```
CFE SB MsgldToValue()
```

Definition at line 92 of file cfe sb api typedefs.h.

```
11.35.2.7 CFE_SB_MSGID_WRAP_VALUE #define CFE_SB_MSGID_WRAP_VALUE(

val )

Value:

val 

val
```

Translation macro to convert from Msgld integer values to opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE_SB_ValueToMsgld() inline function instead.

See also

```
CFE_SB_ValueToMsgld()
```

Definition at line 64 of file cfe sb api typedefs.h.

```
11.35.2.8 CFE_SB_PEND_FOREVER #define CFE_SB_PEND_FOREVER -1 Option used with CFE_SB_ReceiveBuffer to force a wait for next message. Definition at line 46 of file cfe sb api typedefs.h.
```

```
11.35.2.9 CFE_SB_PIPEID_C #define CFE_SB_PIPEID_C (

val ) ((CFE_SB_PipeId_t) CFE_RESOURCEID_WRAP (val))

Cast/Convert a generic CFE_ResourceId_t to a CFE_SB_PipeId_t.

Definition at line 118 of file cfe_sb_api_typedefs.h.
```

```
11.35.2.10 CFE_SB_POLL #define CFE_SB_POLL 0
```

Option used with CFE_SB_ReceiveBuffer to request immediate pipe status. Definition at line 45 of file cfe sb api typedefs.h.

```
11.35.2.11 CFE_SB_SUBSCRIPTION #define CFE_SB_SUBSCRIPTION 0 Subtype specifier used in CFE_SB_SingleSubscriptionTlm_t by SBN App. Definition at line 47 of file cfe_sb_api_typedefs.h.
```

```
11.35.2.12 CFE_SB_UNSUBSCRIPTION #define CFE_SB_UNSUBSCRIPTION 1 Subtype specified used in CFE_SB_SingleSubscriptionTlm_t by SBN App. Definition at line 48 of file cfe_sb_api_typedefs.h.
```

11.35.3 Typedef Documentation

```
11.35.3.1 CFE_SB_Buffer_t typedef union CFE_SB_Msg CFE_SB_Buffer_t Software Bus generic message.
```

11.36 cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_resourceid_typedef.h"
```

Data Structures

```
• struct CFE_SB_Msgld_t

CFE_SB_Msgld_t type definition.
```

struct CFE_SB_Qos_t

Quality Of Service Type Definition.

Macros

#define CFE_SB_SUB_ENTRIES_PER_PKT 20
 Configuration parameter used by SBN App.

Typedefs

typedef uint8 CFE_SB_QosPriority_Enum_t

Selects the priority level for message routing.

typedef uint8 CFE_SB_QosReliability_Enum_t

Selects the reliability level for message routing.

typedef uint16 CFE_SB_Routeld_Atom_t

An integer type that should be used for indexing into the Routing Table.

• typedef uint32 CFE_SB_Msgld_Atom_t

CFE_SB_Msgld_Atom_t primitive type definition.

• typedef CFE_RESOURCEID_BASE_TYPE CFE_SB_Pipeld_t

CFE_SB_PipeId_t to primitive type definition.

Enumerations

```
• enum CFE_SB_QosPriority { CFE_SB_QosPriority_LOW = 0, CFE_SB_QosPriority_HIGH = 1 }

Label definitions associated with CFE_SB_QosPriority_Enum_t.
```

enum CFE_SB_QosReliability { CFE_SB_QosReliability_LOW = 0, CFE_SB_QosReliability_HIGH = 1 }
 Label definitions associated with CFE_SB_QosReliability_Enum_t.

11.36.1 Detailed Description

Declarations and prototypes for cfe_sb_extern_typedefs module

11.36.2 Macro Definition Documentation

```
11.36.2.1 CFE_SB_SUB_ENTRIES_PER_PKT #define CFE_SB_SUB_ENTRIES_PER_PKT 20 Configuration parameter used by SBN App.

Definition at line 42 of file cfe sb extern typedefs.h.
```

11.36.3 Typedef Documentation

11.36.3.1 CFE_SB_Msgld_Atom_t typedef uint32 CFE_SB_MsgId_Atom_t

CFE_SB_MsgId_Atom_t primitive type definition.

This is an integer type capable of holding any Message ID value Note: This value is limited via CFE_PLATFORM_SB_HIGHEST_VALID_M Definition at line 101 of file cfe_sb_extern_typedefs.h.

11.36.3.2 CFE SB Pipeld t typedef CFE_RESOURCEID_BASE_TYPE CFE_SB_PipeId_t

CFE SB Pipeld t to primitive type definition.

Software Bus pipe identifier used in many SB APIs, as well as SB Telemetry messages and data files.

Definition at line 124 of file cfe_sb_extern_typedefs.h.

11.36.3.3 CFE_SB_QosPriority_Enum_t typedef uint8 CFE_SB_QosPriority_Enum_t

Selects the priority level for message routing.

See also

enum CFE_SB_QosPriority

Definition at line 65 of file cfe sb extern typedefs.h.

11.36.3.4 CFE_SB_QosReliability_Enum_t typedef uint8 CFE_SB_QosReliability_Enum_t

Selects the reliability level for message routing.

See also

enum CFE_SB_QosReliability

Definition at line 88 of file cfe_sb_extern_typedefs.h.

11.36.3.5 CFE_SB_RouteId_Atom_t typedef uint16 CFE_SB_RouteId_Atom_t

An integer type that should be used for indexing into the Routing Table.

Definition at line 93 of file cfe_sb_extern_typedefs.h.

11.36.4 Enumeration Type Documentation

11.36.4.1 CFE_SB_QosPriority enum CFE_SB_QosPriority

Label definitions associated with CFE_SB_QosPriority_Enum_t.

Enumerator

CFE_SB_QosPriority_LOW	Normal priority level.
CFE_SB_QosPriority_HIGH	High priority.

Definition at line 47 of file cfe_sb_extern_typedefs.h.

11.36.4.2 CFE_SB_QosReliability enum CFE_SB_QosReliability

Label definitions associated with CFE SB QosReliability Enum t.

Enumerator

CFE_SB_QosReliability_LOW	Normal (best-effort) reliability.
CFE_SB_QosReliability_HIGH	High reliability.

Definition at line 70 of file cfe_sb_extern_typedefs.h.

11.37 cfe/modules/core_api/fsw/inc/cfe_tbl.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_tbl_api_typedefs.h"
#include "cfe_sb_api_typedefs.h"
```

Functions

CFE_Status_t CFE_TBL_Register (CFE_TBL_Handle_t *TblHandlePtr, const char *Name, size_t Size, uint16
TblOptionFlags, CFE_TBL_CallbackFuncPtr_t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

CFE_Status_t CFE_TBL_Share (CFE_TBL_Handle_t *TblHandlePtr, const char *TblName)

Obtain handle of table registered by another application.

CFE_Status_t CFE_TBL_Unregister (CFE_TBL_Handle_t TblHandle)

Unregister a table.

 CFE_Status_t CFE_TBL_Load (CFE_TBL_Handle_t TblHandle, CFE_TBL_SrcEnum_t SrcType, const void *SrcDataPtr)

Load a specified table with data from specified source.

• CFE_Status_t CFE_TBL_Update (CFE_TBL_Handle_t TblHandle)

Update contents of a specified table, if an update is pending.

• CFE_Status_t CFE_TBL_Validate (CFE_TBL_Handle_t TblHandle)

Perform steps to validate the contents of a table image.

CFE_Status_t CFE_TBL_Manage (CFE_TBL_Handle_t TblHandle)

Perform standard operations to maintain a table.

CFE_Status_t CFE_TBL_DumpToBuffer (CFE_TBL_Handle_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

• CFE Status t CFE TBL Modified (CFE TBL Handle t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

• CFE Status t CFE TBL GetAddress (void **TblPtr, CFE TBL Handle t TblHandle)

Obtain the current address of the contents of the specified table.

• CFE Status t CFE TBL ReleaseAddress (CFE TBL Handle t TblHandle)

Release previously obtained pointer to the contents of the specified table.

CFE_Status_t CFE_TBL_GetAddresses (void **TblPtrs[], uint16 NumTables, const CFE_TBL_Handle_t Tbl
 Handles[])

Obtain the current addresses of an array of specified tables.

CFE Status t CFE TBL ReleaseAddresses (uint16 NumTables, const CFE TBL Handle t TblHandles[])

Release the addresses of an array of specified tables.

CFE Status t CFE TBL GetStatus (CFE TBL Handle t TblHandle)

Obtain current status of pending actions for a table.

CFE_Status_t CFE_TBL_GetInfo (CFE_TBL_Info_t *TbIInfoPtr, const char *TbIName)

Obtain characteristics/information of/about a specified table.

 CFE_Status_t CFE_TBL_NotifyByMessage (CFE_TBL_Handle_t TblHandle, CFE_SB_Msgld_t Msgld, CFE_MSG_FcnCode_t CommandCode, uint32 Parameter)

Instruct cFE Table Services to notify Application via message when table requires management.

11.37.1 Detailed Description

Title: Table Services API Application Library Header File

Purpose: Unit specification for Table services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

11.38 cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_time_extern_typedefs.h"
```

Data Structures

• struct CFE_TBL_Info

Table Info.

Macros

#define CFE_TBL_OPT_BUFFER_MSK (0x0001)

Table buffer mask.

#define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

#define CFE_TBL_OPT_DBL_BUFFER (0x0001)

Double buffer table.

#define CFE_TBL_OPT_LD_DMP_MSK (0x0002)

Table load/dump mask.

#define CFE_TBL_OPT_LOAD_DUMP (0x0000)

Load/Dump table.

#define CFE_TBL_OPT_DUMP_ONLY (0x0002)

Dump only table.

#define CFE_TBL_OPT_USR_DEF_MSK (0x0004)

Table user defined mask.

#define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

• #define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

#define CFE TBL OPT CRITICAL MSK (0x0008)

Table critical mask.

#define CFE TBL OPT NOT CRITICAL (0x0000)

Not critical table.

#define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

- #define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)
 Default table options.
- #define CFE_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_FULL_NAME_LEN)

Table maximum full name length.

#define CFE_TBL_BAD_TABLE_HANDLE (CFE_TBL_Handle_t)0xFFFF

Bad table handle.

Typedefs

typedef int32(* CFE TBL CallbackFuncPtr t) (void *TblPtr)

Table Callback Function.

typedef int16 CFE_TBL_Handle_t

Table Handle primitive.

typedef enum CFE_TBL_SrcEnum CFE_TBL_SrcEnum_t

Table Source.

typedef struct CFE_TBL_Info CFE_TBL_Info_t

Table Info.

Enumerations

enum CFE_TBL_SrcEnum { CFE_TBL_SRC_FILE = 0, CFE_TBL_SRC_ADDRESS }
 Table Source.

11.38.1 Detailed Description

Title: Table Services API Application Library Header File

Purpose: Unit specification for Table services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

11.38.2 Macro Definition Documentation

11.38.2.1 CFE_TBL_BAD_TABLE_HANDLE #define CFE_TBL_BAD_TABLE_HANDLE (CFE_TBL_Handle_t) 0xFFFF Bad table handle.

Definition at line 79 of file cfe_tbl_api_typedefs.h.

11.38.2.2 CFE_TBL_MAX_FULL_NAME_LEN #define CFE_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_FULL_NAME_LEN) Table maximum full name length.

The full length of table names is defined at the mission scope. This is defined here to support applications that depend on cfe tbl.h providing this value.

Definition at line 76 of file cfe_tbl_api_typedefs.h.

11.38.3 Typedef Documentation

11.38.3.1 CFE_TBL_CallbackFuncPtr_t typedef int32(* CFE_TBL_CallbackFuncPtr_t) (void *TblPtr) Table Callback Function.

Definition at line 84 of file cfe_tbl_api_typedefs.h.

11.38.3.2 CFE_TBL_Handle_t typedef int16 CFE_TBL_Handle_t

Table Handle primitive.

Definition at line 87 of file cfe_tbl_api_typedefs.h.

11.38.3.3 CFE_TBL_Info_t typedef struct CFE_TBL_Info CFE_TBL_Info_t Table Info.

11.38.3.4 CFE_TBL_SrcEnum_t typedef enum CFE_TBL_SrcEnum_t Table Source.

11.38.4 Enumeration Type Documentation

11.38.4.1 CFE_TBL_SrcEnum enum CFE_TBL_SrcEnum Table Source.

Enumerator

CFE_TBL_SRC_FILE	File source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a null terminated character string. The string should specify the full path and filename of the file containing the initial data contents of the table.
CFE_TBL_SRC_ADDRESS	Address source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a memory location that is the beginning of the initialization data for loading the table OR, in the case of a "user defined" dump only table, the address of the active table itself. The block of memory is assumed to be of the same size specified in the CFE_TBL_Register function Size parameter.

Definition at line 90 of file cfe_tbl_api_typedefs.h.

11.39 cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_es_extern_typedefs.h"
#include "cfe_mission_cfg.h"
```

Data Structures

• struct CFE_TBL_File_Hdr

The definition of the header fields that are included in CFE Table Data files.

Typedefs

• typedef uint16 CFE_TBL_BufferSelect_Enum_t

Selects the buffer to operate on for validate or dump commands.

• typedef struct CFE_TBL_File_Hdr CFE_TBL_File_Hdr_t

The definition of the header fields that are included in CFE Table Data files.

Enumerations

• enum CFE_TBL_BufferSelect { CFE_TBL_BufferSelect_INACTIVE = 0, CFE_TBL_BufferSelect_ACTIVE = 1 } Label definitions associated with CFE_TBL_BufferSelect_Enum_t.

11.39.1 Detailed Description

Declarations and prototypes for cfe_tbl_extern_typedefs module

11.39.2 Typedef Documentation

11.39.2.1 CFE_TBL_BufferSelect_Enum_t typedef uint16 CFE_TBL_BufferSelect_Enum_t Selects the buffer to operate on for validate or dump commands.

See also

```
enum CFE_TBL_BufferSelect
```

Definition at line 63 of file cfe_tbl_extern_typedefs.h.

```
11.39.2.2 CFE_TBL_File_Hdr_t typedef struct CFE_TBL_File_Hdr_CFE_TBL_File_Hdr_t
```

The definition of the header fields that are included in CFE Table Data files.

This header follows the CFE_FS header and precedes the actual table data.

11.39.3 Enumeration Type Documentation

11.39.3.1 CFE_TBL_BufferSelect enum CFE_TBL_BufferSelect Label definitions associated with CFE_TBL_BufferSelect Enum t.

Enumerator

CFE_TBL_BufferSelect_INACTIVE	Select the Inactive buffer for validate or dump.
CFE_TBL_BufferSelect_ACTIVE	Select the Active buffer for validate or dump.

Definition at line 45 of file cfe_tbl_extern_typedefs.h.

11.40 cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h File Reference

```
#include "cfe_mission_cfg.h"
#include "common_types.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_fs_extern_typedefs.h"
```

Data Structures

· struct CFE TBL FileDef

Macros

• #define CFE TBL FILEDEF(ObjName, TblName, Desc, Filename)

Typedefs

typedef struct CFE_TBL_FileDef CFE_TBL_FileDef_t

11.40.1 Detailed Description

Title: ELF2CFETBL Utility Header File for Table Images

Purpose: This header file provides a data structure definition and macro definition required in source code that is intended to be compiled into a cFE compatible Table Image file.

Design Notes:

Typically, a user would include this file in a ".c" file that contains nothing but a desired instantiation of values for a table image along with the macro defined below. After compilation, the resultant elf file can be processed using the 'elf2cfetbl' utility to generate a file that can be loaded onto a cFE flight system and successfully loaded into a table using the cFE Table Services.

References: Flight Software Branch C Coding Standard Version 1.0a Notes:

11.40.2 Macro Definition Documentation

```
11.40.2.1 CFE_TBL_FILEDEF #define CFE_TBL_FILEDEF(
               ObjName,
               TblName,
               Desc.
               Filename )
Value:
    static OS_USED CFE_TBL_FileDef_t CFE_TBL_FileDef = {#ObjName "\0", #TblName "\0", #Desc "\0", #Filename
       "\0", \
                                                      sizeof(ObjName);
The CFE TBL FILEDEF macro can be used to simplify the declaration of a table image when using the elf2cfetbl utility.
Note that the macro adds a NULL at the end to ensure that it is null-terminated. (C allows
a struct to be statically initialized with a string exactly the length of the array, which
loses the null terminator.) This means the actual length limit of the fields are the above
An example of the source code and how this macro would be used is as follows:
 #include "cfe_tbl_filedef.h"
typedef struct MyTblStruct
    int
           Int1;
           Int2:
   int
           Int3;
   int
   char
           Char1:
} MyTblStruct_t;
MyTblStruct_t MyTblStruct = { 0x01020304, 0x05060708, 0x090A0B0C, 0x0D };
CFE_TBL_FILEDEF (MyTblStruct, MyApp.TableName, Table Utility Test Table, MyTblDefault.bin )
Definition at line 95 of file cfe_tbl_filedef.h.
```

11.40.3 Typedef Documentation

```
11.40.3.1 CFE_TBL_FileDef_t typedef struct CFE_TBL_FileDef CFE_TBL_FileDef_t
```

11.41 cfe/modules/core_api/fsw/inc/cfe_time.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_time_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
```

Macros

#define CFE_TIME_Copy(m, t)
 Time Copy.

Functions

CFE TIME SysTime t CFE TIME GetTime (void)

Get the current spacecraft time.

CFE_TIME_SysTime_t CFE_TIME_GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE TIME SysTime t CFE TIME GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

CFE TIME SysTime t CFE TIME GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

uint32 CFE TIME GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

uint32 CFE_TIME_GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

CFE_TIME_SysTime_t CFE_TIME_GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE TIME GetLeapSeconds (void)

Get the current value of the leap seconds counter.

• CFE_TIME_ClockState_Enum_t CFE_TIME_GetClockState (void)

Get the current state of the spacecraft clock.

uint16 CFE_TIME_GetClockInfo (void)

Provides information about the spacecraft clock.

• CFE_TIME_SysTime_t CFE_TIME_Add (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)

Adds two time values.

• CFE_TIME_SysTime_t CFE_TIME_Subtract (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)

Subtracts two time values.

CFE_TIME_Compare_t CFE_TIME_Compare (CFE_TIME_SysTime_t TimeA, CFE_TIME_SysTime_t TimeB)
 Compares two time values.

• CFE TIME SysTime t CFE TIME MET2SCTime (CFE TIME SysTime t METTime)

Convert specified MET into Spacecraft Time.

• uint32 CFE_TIME_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

• uint32 CFE TIME Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

void CFE_TIME_ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE TIME ExternalMET (CFE TIME SysTime t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE_TIME_ExternalGPS (CFE_TIME_SysTime_t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE_TIME_ExternalTime (CFE_TIME_SysTime_t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

CFE_Status_t CFE_TIME_RegisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

CFE_Status_t CFE_TIME_UnregisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

void CFE_TIME_Print (char *PrintBuffer, CFE_TIME_SysTime_t TimeToPrint)

Print a time value as a string.

void CFE_TIME_Local1HzISR (void)

This function is called via a timer callback set up at initialization of the TIME service.

11.41.1 Detailed Description

Purpose: cFE Time Services (TIME) library API header file

Author: S.Walling/Microtel

Notes:

11.41.2 Macro Definition Documentation

Time Copy.

Macro to copy systime into another systime. Preferred to use this macro as it does not require the two arguments to be exactly the same type, it will work with any two structures that define "Seconds" and "Subseconds" members. Definition at line 48 of file cfe time.h.

11.42 cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_time_extern_typedefs.h"
```

Macros

• #define CFE TIME PRINTED STRING SIZE 24

Required size of buffer to be passed into CFE_TIME_Print (includes null terminator)

Typedefs

- typedef enum CFE_TIME_Compare CFE_TIME_Compare_t

 Enumerated types identifying the relative relationships of two times.
- typedef int32(* CFE_TIME_SynchCallbackPtr_t) (void)

Time Synchronization Callback Function Ptr Type.

Enumerations

• enum CFE_TIME_Compare { CFE_TIME_A_LT_B = -1, CFE_TIME_EQUAL = 0, CFE_TIME_A_GT_B = 1 } Enumerated types identifying the relative relationships of two times.

11.42.1 Detailed Description

Purpose: cFE Time Services (TIME) library API header file Author: S.Walling/Microtel

Notes:

11.42.2 Macro Definition Documentation

11.42.2.1 CFE_TIME_PRINTED_STRING_SIZE #define CFE_TIME_PRINTED_STRING_SIZE 24 Required size of buffer to be passed into CFE_TIME_Print (includes null terminator)

Definition at line 44 of file cfe_time_api_typedefs.h.

11.42.3 Typedef Documentation

11.42.3.1 CFE_TIME_Compare_t typedef enum CFE_TIME_Compare CFE_TIME_Compare_t Enumerated types identifying the relative relationships of two times.

Description

Since time fields contain numbers that are relative to an epoch time, then it is possible for a time value to be "negative". This can lead to some confusion about what relationship exists between two time values. To resolve this confusion, the cFE provides the API CFE_TIME_Compare which returns these enumerated values.

11.42.3.2 CFE_TIME_SynchCallbackPtr_t typedef int32(* CFE_TIME_SynchCallbackPtr_t) (void) Time Synchronization Callback Function Ptr Type.

Description

Applications that wish to get direct notification of the receipt of the cFE Time Synchronization signal (typically a 1 Hz signal), must register a callback function with the following prototype via the CFE_TIME_RegisterSynchCallback API.

Definition at line 75 of file cfe_time_api_typedefs.h.

11.42.4 Enumeration Type Documentation

11.42.4.1 CFE_TIME_Compare enum CFE_TIME_Compare

Enumerated types identifying the relative relationships of two times.

Description

Since time fields contain numbers that are relative to an epoch time, then it is possible for a time value to be "negative". This can lead to some confusion about what relationship exists between two time values. To resolve this confusion, the cFE provides the API CFE_TIME_Compare which returns these enumerated values.

Enumerator

	The first specified time is considered to be before the second specified time.
CFE_TIME_A_LT_B	
CFE_TIME_EQUAL	The two specified times are considered to be equal.
CFE_TIME_A_GT↔	The first specified time is considered to be after the second specified time.
_B	

Definition at line 60 of file cfe time api typedefs.h.

11.43 cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h File Reference

#include "common_types.h"

Data Structures

• struct CFE TIME SysTime

Data structure used to hold system time values.

Typedefs

typedef struct CFE TIME SysTime CFE TIME SysTime t

Data structure used to hold system time values.

• typedef uint8 CFE_TIME_FlagBit_Enum_t

Bit positions of the various clock state flags.

typedef int16 CFE_TIME_ClockState_Enum_t

Enumerated types identifying the quality of the current time.

typedef uint8 CFE_TIME_SourceSelect_Enum_t

Clock Source Selection Parameters.

typedef uint8 CFE TIME ToneSignalSelect Enum t

Tone Signal Selection Parameters.

• typedef uint8 CFE_TIME_AdjustDirection_Enum_t

STCF adjustment direction (for both one-time and 1Hz adjustments)

• typedef uint8 CFE_TIME_FlywheelState_Enum_t

Fly-wheel status values.

typedef uint8 CFE_TIME_SetState_Enum_t

Clock status values (has the clock been set to correct time)

Enumerations

```
enum CFE TIME FlagBit {
     CFE_TIME_FlagBit_CLKSET = 0, CFE_TIME_FlagBit_FLYING = 1, CFE_TIME_FlagBit_SRCINT = 2,
     CFE TIME FlagBit SIGPRI = 3,
     CFE TIME FlagBit SRVFLY = 4, CFE TIME FlagBit CMDFLY = 5, CFE TIME FlagBit ADDADJ = 6,
     CFE TIME FlagBit ADD1HZ = 7.
     CFE TIME FlagBit ADDTCL = 8, CFE TIME FlagBit SERVER = 9, CFE TIME FlagBit GDTONE = 10 }
        Label definitions associated with CFE_TIME_FlagBit_Enum_t.
   • enum CFE TIME ClockState { CFE TIME ClockState INVALID = -1, CFE TIME ClockState VALID = 0,
     CFE TIME ClockState FLYWHEEL = 1 }
        Label definitions associated with CFE TIME ClockState Enum t.
   • enum CFE_TIME_SourceSelect { CFE_TIME_SourceSelect_INTERNAL = 1, CFE_TIME_SourceSelect_EXTERNAL
     = 2 }
        Label definitions associated with CFE_TIME_SourceSelect_Enum_t.

    enum CFE_TIME_ToneSignalSelect_REDUNDANT

     = 2 }
        Label definitions associated with CFE_TIME_ToneSignalSelect_Enum_t.

    enum CFE TIME AdjustDirection { CFE TIME AdjustDirection ADD = 1, CFE TIME AdjustDirection SUBTRACT

     = 2 }
        Label definitions associated with CFE_TIME_AdjustDirection_Enum_t.
   • enum CFE TIME FlywheelState { CFE TIME FlywheelState NO FLY = 0, CFE TIME FlywheelState IS FLY
        Label definitions associated with CFE TIME FlywheelState Enum t.
   • enum CFE TIME SetState { CFE TIME SetState NOT SET = 0, CFE TIME SetState WAS SET = 1 }
        Label definitions associated with CFE_TIME_SetState_Enum_t.
11.43.1 Detailed Description
Declarations and prototypes for cfe_time_extern_typedefs module
11.43.2 Typedef Documentation
```

11.43.2.1 CFE_TIME_AdjustDirection_Enum_t typedef uint8 CFE_TIME_AdjustDirection_Enum_t STCF adjustment direction (for both one-time and 1Hz adjustments)

See also

enum CFE TIME AdjustDirection

Definition at line 244 of file cfe time extern typedefs.h.

11.43.2.2 CFE_TIME_ClockState_Enum_t typedef int16 CFE_TIME_ClockState_Enum_t Enumerated types identifying the quality of the current time.

Description

The CFE_TIME_ClockState_Enum_t enumerations identify the three recognized states of the current time. If the clock has never been successfully synchronized with the primary onboard clock source, the time is considered to be CFE_TIME_ClockState_INVALID. If the time is currently synchronized (i.e. - the primary synchronization mechanism has not been dropped for any significant amount of time), then the current time is considered to be CFE_TIME_ClockState_VALID. If the time had, at some point in the past, been synchronized, but the synchronization with the primary onboard clock has since been lost, then the time is considered to be CFE_TIME_ClockState_FLYWHEEL. Since different clocks drift at different rates from one another, the accuracy of the time while in CFE_TIME_ClockState_FLYWHEEL is dependent upon the time spent in that state.

See also

```
enum CFE TIME ClockState
```

Definition at line 175 of file cfe time extern typedefs.h.

11.43.2.3 CFE_TIME_FlagBit_Enum_t typedef uint8 CFE_TIME_FlagBit_Enum_t Bit positions of the various clock state flags.

See also

```
enum CFE_TIME_FlagBit
```

Definition at line 123 of file cfe time extern typedefs.h.

11.43.2.4 CFE_TIME_FlywheelState_Enum_t typedef uint8 CFE_TIME_FlywheelState_Enum_t Fly-wheel status values.

See also

```
enum CFE TIME FlywheelState
```

Definition at line 267 of file cfe_time_extern_typedefs.h.

11.43.2.5 CFE_TIME_SetState_Enum_t typedef uint8 CFE_TIME_SetState_Enum_t Clock status values (has the clock been set to correct time)

See also

```
enum CFE TIME SetState
```

Definition at line 290 of file cfe_time_extern_typedefs.h.

11.43.2.6 CFE_TIME_SourceSelect_Enum_t typedef uint8 CFE_TIME_SourceSelect_Enum_t Clock Source Selection Parameters.

See also

```
enum CFE_TIME_SourceSelect
```

Definition at line 198 of file cfe time extern typedefs.h.

11.43.2.7 CFE_TIME_SysTime_t typedef struct CFE_TIME_SysTime CFE_TIME_SysTime_t Data structure used to hold system time values.

Description

The CFE_TIME_SysTime_t data structure is used to hold time values. Time is referred to as the elapsed time (in seconds and subseconds) since a specified epoch time. The subseconds field contains the number of $2^{(-32)}$ second intervals that have elapsed since the epoch.

11.43.2.8 CFE_TIME_ToneSignalSelect_Enum_t typedef uint8 CFE_TIME_ToneSignalSelect_Enum_t Tone Signal Selection Parameters.

See also

enum CFE_TIME_ToneSignalSelect

Definition at line 221 of file cfe_time_extern_typedefs.h.

11.43.3 Enumeration Type Documentation

11.43.3.1 CFE_TIME_AdjustDirection enum CFE_TIME_AdjustDirection Label definitions associated with CFE_TIME_AdjustDirection Enum t.

Enumerator

CFE_TIME_AdjustDirection_ADD	Add time adjustment.
CFE_TIME_AdjustDirection_SUBTRACT	Subtract time adjustment.

Definition at line 226 of file cfe_time_extern_typedefs.h.

11.43.3.2 CFE_TIME_ClockState enum CFE_TIME_ClockState

Label definitions associated with CFE_TIME_ClockState_Enum_t.

Enumerator

CFE_TIME_ClockState_INVALID	The spacecraft time has not been set since the last clock reset. Times returned by clock routines have no relationship to any ground-based time reference.
CFE_TIME_ClockState_VALID	The spacecraft time has been set at least once since the last clock reset, and it is synchronized with the primary on-board time base. Times returned by clock routines can be trusted.
CFE_TIME_ClockState_FLYWHEEL	The spacecraft time has been set at least once since the last clock reset, but it is not currently synchronized with the primary on-board time base. Times returned by clock routines are a "best guess" based on a non-optimal oscillator.

Definition at line 128 of file cfe_time_extern_typedefs.h.

11.43.3.3 CFE_TIME_FlagBit enum CFE_TIME_FlagBit Label definitions associated with CFE_TIME_FlagBit_Enum_t.

Enumerator

CFE_TIME_FlagBit_CLKSET	The spacecraft time has been set.
CFE_TIME_FlagBit_FLYING	This instance of Time Services is flywheeling.
CFE_TIME_FlagBit_SRCINT	The clock source is set to internal.
CFE_TIME_FlagBit_SIGPRI	The clock signal is set to primary.
CFE_TIME_FlagBit_SRVFLY	The Time Server is in flywheel mode.
CFE_TIME_FlagBit_CMDFLY	This instance of Time Services was commanded into flywheel mode.
CFE_TIME_FlagBit_ADDADJ	One time STCF Adjustment is to be done in positive direction.
CFE_TIME_FlagBit_ADD1HZ	1 Hz STCF Adjustment is to be done in a positive direction
CFE_TIME_FlagBit_ADDTCL	Time Client Latency is applied in a positive direction.
CFE_TIME_FlagBit_SERVER	This instance of Time Services is a Time Server.
CFE_TIME_FlagBit_GDTONE	The tone received is good compared to the last tone received.

Definition at line 60 of file cfe_time_extern_typedefs.h.

11.43.3.4 CFE_TIME_FlywheelState enum CFE_TIME_FlywheelState Label definitions associated with CFE_TIME_FlywheelState_Enum_t.

Enumerator

CFE_TIME_FlywheelState_NO_FLY	Not in flywheel state.
CFE_TIME_FlywheelState_IS_FLY	In flywheel state.

Definition at line 249 of file cfe_time_extern_typedefs.h.

11.43.3.5 CFE_TIME_SetState enum CFE_TIME_SetState Label definitions associated with CFE_TIME_SetState_Enum_t.

Enumerator

CFE_TIME_SetState_NOT_SET	Spacecraft time has not been set.
CFE_TIME_SetState_WAS_SET	Spacecraft time has been set.

Definition at line 272 of file cfe_time_extern_typedefs.h.

11.43.3.6 CFE_TIME_SourceSelect enum CFE_TIME_SourceSelect Label definitions associated with CFE_TIME_SourceSelect_Enum_t.

Enumerator

CFE_TIME_SourceSelect_INTERNAL	Use Internal Source.
CFE_TIME_SourceSelect_EXTERNAL	Use External Source.

Definition at line 180 of file cfe_time_extern_typedefs.h.

11.43.3.7 CFE_TIME_ToneSignalSelect enum CFE_TIME_ToneSignalSelect

Label definitions associated with CFE TIME ToneSignalSelect Enum t.

Enumerator

CFE_TIME_ToneSignalSelect_PRIMARY	Primary Source.
CFE_TIME_ToneSignalSelect_REDUNDANT	Redundant Source.

Definition at line 203 of file cfe_time_extern_typedefs.h.

11.44 cfe/modules/core api/fsw/inc/cfe version.h File Reference

Macros

• #define CFE_BUILD_NUMBER 246

Development: Number of development git commits since CFE_BUILD_BASELINE.

#define CFE_BUILD_BASELINE "v7.0.0-rc4"

Development: Reference git tag for build number.

• #define CFE_MAJOR_VERSION 6

Major version number.

#define CFE MINOR VERSION 7

Minor version number.

• #define CFE REVISION 99

Revision version number. Value of 99 indicates a development version.

• #define CFE MISSION REV 0xFF

Mission revision.

• #define CFE_STR_HELPER(x) #x

Convert argument to string.

• #define CFE_STR(x) CFE_STR_HELPER(x)

Expand macro before conversion.

#define CFE_SRC_VERSION CFE_BUILD_BASELINE "+dev" CFE_STR(CFE_BUILD_NUMBER)

Short Build Version String.

 #define CFE_VERSION_STRING " cFE DEVELOPMENT BUILD " CFE_SRC_VERSION " (Codename: Draco), Last Official Release: cfe v6.7.0"

Long Build Version String.

11.44.1 Detailed Description

Provide version identifiers for the cFE core. See Version Numbers for further details.

11.44.2 Macro Definition Documentation

11.44.2.1 CFE_BUILD_BASELINE #define CFE_BUILD_BASELINE "v7.0.0-rc4"

Development: Reference git tag for build number.

Definition at line 30 of file cfe_version.h.

11.44.2.2 CFE_BUILD_NUMBER #define CFE_BUILD_NUMBER 246

Development: Number of development git commits since CFE BUILD BASELINE.

Definition at line 29 of file cfe_version.h.

11.44.2.3 CFE_MAJOR_VERSION #define CFE_MAJOR_VERSION 6

Major version number.

Definition at line 33 of file cfe version.h.

11.44.2.4 CFE_MINOR_VERSION #define CFE_MINOR_VERSION 7

Minor version number.

Definition at line 34 of file cfe_version.h.

11.44.2.5 CFE_MISSION_REV #define CFE_MISSION_REV 0xFF

Mission revision.

Values 1-254 are reserved for mission use to denote patches/customizations as needed. NOTE: Reserving 0 and 0xFF for cFS open-source development use (pending resolution of nasa/cFS#440)

Definition at line 44 of file cfe version.h.

11.44.2.6 CFE_REVISION #define CFE_REVISION 99

Revision version number. Value of 99 indicates a development version.

Definition at line 35 of file cfe_version.h.

11.44.2.7 CFE_SRC_VERSION #define CFE_SRC_VERSION CFE_BUILD_BASELINE "+dev" CFE_STR(CFE_BUILD_NUMBER)

Short Build Version String.

Short string identifying the build, see Version Numbers for suggested format for development and official releases.

Definition at line 55 of file cfe_version.h.

11.44.2.8 CFE_STR #define CFE_STR(

x) CFE_STR_HELPER(x)

Expand macro before conversion.

Definition at line 47 of file cfe_version.h.

11.44.2.9 CFE_STR_HELPER #define CFE_STR_HELPER(

x) #x

Convert argument to string.

Definition at line 46 of file cfe_version.h.

11.44.2.10 CFE_VERSION_STRING #define CFE_VERSION_STRING " cFE DEVELOPMENT BUILD " CFE_SRC_V ERSION " (Codename: Draco), Last Official Release: cfe v6.7.0"

Long Build Version String.

Long freeform string identifying the build, see Version Numbers for suggested format for development and official releases.

Definition at line 63 of file cfe version.h.

11.45 cfe/modules/es/fsw/inc/cfe_es_events.h File Reference

Macros

ES event IDs

```
• #define CFE ES INIT INF EID 1
```

ES Initialization Event ID.

#define CFE ES INITSTATS INF EID 2

ES Initialization Statistics Information Event ID.

#define CFE ES NOOP INF EID 3

ES No-op Command Success Event ID.

#define CFE_ES_RESET_INF_EID 4

ES Reset Counters Command Success Event ID.

#define CFE_ES_START_INF_EID 6

ES Start Application Command Success Event ID.

• #define CFE ES STOP DBG EID 7

ES Stop Application Command Request Success Event ID.

• #define CFE ES STOP INF EID 8

ES Stop Application Completed Event ID.

• #define CFE ES RESTART APP DBG EID 9

ES Restart Application Command Request Success Event ID.

#define CFE ES RESTART APP INF EID 10

ES Restart Application Completed Event ID.

#define CFE ES RELOAD APP DBG EID 11

ES Reload Application Command Request Success Event ID.

• #define CFE ES RELOAD APP INF EID 12

ES Reload Application Complete Event ID.

#define CFE_ES_EXIT_APP_INF_EID 13

ES Nominal Exit Application Complete Event ID.

#define CFE_ES_ERREXIT_APP_INF_EID 14

ES Error Exit Application Complete Event ID.

• #define CFE_ES_ONE_APP_EID 15

ES Query One Application Command Success Event ID.

• #define CFE ES ALL APPS EID 16

ES Query All Applications Command Success Event ID.

#define CFE_ES_SYSLOG1_INF_EID 17

ES Clear System Log Command Success Event ID.

#define CFE_ES_SYSLOG2_EID 18

ES Write System Log Command Success Event ID.

• #define CFE ES ERLOG1 INF EID 19

ES Clear Exception Reset Log Command Success Event ID.

#define CFE_ES_ERLOG2_EID 20

ES Write Exception Reset Log Complete Event ID.

• #define CFE ES MID ERR EID 21

ES Invalid Message ID Received Event ID.

#define CFE ES CC1 ERR EID 22

ES Invalid Command Code Received Event ID.

#define CFE_ES_LEN_ERR_EID 23

ES Invalid Command Length Event ID.

#define CFE ES BOOT ERR EID 24

ES Restart Command Invalid Restart Type Event ID.

• #define CFE_ES_START_ERR_EID 26

ES Start Application Command Application Creation Failed Event ID.

• #define CFE_ES_START_INVALID_FILENAME_ERR_EID 27

ES Start Application Command Invalid Filename Event ID.

```
    #define CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID 28

     ES Start Application Command Entry Point NULL Event ID.

    #define CFE ES START NULL APP NAME ERR EID 29

     ES Start Application Command App Name NULL Event ID.

    #define CFE_ES_START_PRIORITY_ERR_EID 31

     ES Start Application Command Priority Too Large Event ID.

    #define CFE_ES_START_EXC_ACTION_ERR_EID 32

     ES Start Application Command Exception Action Invalid Event ID.
• #define CFE ES ERREXIT APP ERR EID 33
     ES Error Exit Application Cleanup Failed Event ID.

    #define CFE_ES_STOP_ERR1_EID 35

     ES Stop Application Command Request Failed Event ID.
• #define CFE_ES_STOP_ERR2 EID 36
     ES Stop Application Command Get AppID By Name Failed Event ID.

    #define CFE_ES_STOP_ERR3_EID 37

     ES Stop Application Cleanup Failed Event ID.

    #define CFE ES RESTART APP ERR1 EID 38

     ES Restart Application Command Request Failed Event ID.
• #define CFE_ES_RESTART_APP_ERR2_EID 39
     ES Restart Application Command Get ApplD By Name Failed Event ID.
• #define CFE ES RESTART APP ERR3 EID 40
     ES Restart Application Startup Failed Event ID.

    #define CFE ES RESTART APP ERR4 EID 41

     ES Restart Application Cleanup Failed Event ID.

    #define CFE ES RELOAD APP ERR1 EID 42

     ES Reload Application Command Request Failed Event ID.

    #define CFE ES RELOAD APP ERR2 EID 43

     ES Reload Application Command Get ApplD By Name Failed Event ID.

    #define CFE ES RELOAD APP ERR3 EID 44

     ES Reload Application Startup Failed Event ID.

    #define CFE ES RELOAD APP ERR4 EID 45

     ES Reload Application Cleanup Failed Event ID.

    #define CFE ES EXIT APP ERR EID 46

     ES Exit Application Cleanup Failed Event ID.

    #define CFE ES PCR ERR1 EID 47

     ES Process Control Invalid Exception State Event ID.

    #define CFE ES PCR ERR2 EID 48

     ES Process Control Unknown State Event ID.

    #define CFE ES ONE ERR EID 49

     ES Query One Application Data Command Transmit Message Failed Event ID.

    #define CFE ES ONE APPID ERR EID 50

     ES Query One Application Data Command Get ApplD By Name Failed Event ID.

    #define CFE ES OSCREATE ERR EID 51

     ES Query All Application Data Command File Creation Failed Event ID.

    #define CFE ES WRHDR ERR EID 52

     ES Query All Application Data Command File Write Header Failed Event ID.

    #define CFE ES TASKWR ERR EID 53

     ES Query All Application Data Command File Write App Data Failed Event ID.

    #define CFE ES SYSLOG2 ERR EID 55

     ES Write System Log Command Filename Parse or File Creation Failed Event ID.

    #define CFE ES ERLOG2 ERR EID 56

     ES Write Exception Reset Log Command Request or File Creation Failed Event ID.
• #define CFE_ES_PERF_STARTCMD EID 57
     ES Start Performance Analyzer Data Collection Command Success Event ID.

    #define CFE ES PERF STARTCMD ERR EID 58
```

```
ES Start Performance Analyzer Data Collection Command Idle Check Failed Event ID.
• #define CFE_ES_PERF_STARTCMD_TRIG_ERR_EID 59
     ES Start Performance Analyzer Data Collection Command Invalid Trigger Event ID.
• #define CFE ES PERF STOPCMD EID 60
     ES Stop Performance Analyzer Data Collection Command Request Success Event ID.

    #define CFE ES PERF STOPCMD ERR2 EID 62

     ES Stop Performance Analyzer Data Collection Command Request Idle Check Failed Event ID.

    #define CFE_ES_PERF_FILTMSKCMD_EID 63

     ES Set Performance Analyzer Filter Mask Command Success Event ID.
• #define CFE ES PERF FILTMSKERR EID 64
     ES Set Performance Analyzer Filter Mask Command Invalid Index Event ID.

    #define CFE ES PERF TRIGMSKCMD EID 65

     ES Set Performance Analyzer Trigger Mask Command Success Event ID.

    #define CFE_ES_PERF_TRIGMSKERR_EID 66

     ES Set Performance Analyzer Trigger Mask Command Invalid Mask Event ID.

    #define CFE ES PERF LOG ERR EID 67

     ES Stop Performance Analyzer Data Collection Command Filename Parse or File Create Failed Event ID.

    #define CFE ES PERF DATAWRITTEN EID 68

     Performance Log Write Success Event ID.

    #define CFE_ES_CDS_REGISTER_ERR_EID 69

     ES Register CDS API Failed Event ID.

    #define CFE ES SYSLOGMODE EID 70

     ES Set System Log Overwrite Mode Command Success Event ID.

    #define CFE ES ERR SYSLOGMODE EID 71

     ES Set System Log Overwrite Mode Command Failed Event ID.
• #define CFE ES RESET PR COUNT EID 72
     ES Set Processor Reset Counter to Zero Command Success Event ID.

    #define CFE_ES_SET_MAX_PR_COUNT_EID 73

     ES Set Maximum Processor Reset Limit Command Success Event ID.

    #define CFE ES FILEWRITE ERR EID 74

     ES File Write Failed Event ID.

    #define CFE_ES_CDS_DELETE_ERR_EID 76

     ES Delete CDS Command Delete Failed Event ID.

    #define CFE_ES_CDS_NAME_ERR_EID 77

     ES Delete CDS Command Lookup CDS Failed Event ID.

    #define CFE ES CDS DELETED INFO EID 78

     ES Delete CDS Command Success Event ID.

    #define CFE_ES_CDS_DELETE_TBL_ERR_EID 79

     ES Delete CDS Command For Critical Table Event ID.

    #define CFE_ES_CDS_OWNER_ACTIVE_EID 80

     ES Delete CDS Command With Active Owner Event ID.

    #define CFE ES TLM POOL STATS INFO EID 81

     ES Telemeter Memory Statistics Command Success Event ID.

    #define CFE ES INVALID POOL HANDLE ERR EID 82

     ES Telemeter Memory Statistics Command Invalid Handle Event ID.

    #define CFE ES CDS REG DUMP INF EID 83

     ES Write Critical Data Store Registry Command Success Event ID.

    #define CFE ES CDS DUMP ERR EID 84

     ES Write Critical Data Store Registry Command Record Write Failed Event ID.

    #define CFE ES WRITE CFE HDR ERR EID 85

     ES Write Critical Data Store Registry Command Header Write Failed Event ID.
• #define CFE ES CREATING CDS DUMP ERR EID 86
     ES Write Critical Data Store Registry Command Filename Parse or File Create Failed Event ID.

    #define CFE ES TASKINFO EID 87
```

ES Write All Task Data Command Success Event ID.

• #define CFE_ES_TASKINFO_OSCREATE_ERR_EID 88

ES Write All Task Data Command Filename Parse or File Create Failed Event ID.

#define CFE_ES_TASKINFO_WRHDR_ERR_EID 89

ES Write All Task Data Command Write Header Failed Event ID.

#define CFE_ES_TASKINFO_WR_ERR_EID 90

ES Write All Task Data Command Write Data Failed Event ID.

• #define CFE_ES_VERSION_INF_EID 91

cFS Version Information Event ID

• #define CFE ES BUILD INF EID 92

cFS Build Information Event ID

#define CFE_ES_ERLOG_PENDING_ERR_EID 93

ES Write Exception Reset Log Command Already In Progress Event ID.

11.45.1 Detailed Description

cFE Executive Services Event IDs

11.45.2 Macro Definition Documentation

11.45.2.1 CFE_ES_ALL_APPS_EID #define CFE_ES_ALL_APPS_EID 16 ES Query All Applications Command Success Event ID.

Type: DEBUG

Cause:

ES Query All Applications Command success.

Definition at line 206 of file cfe_es_events.h.

11.45.2.2 CFE_ES_BOOT_ERR_EID #define CFE_ES_BOOT_ERR_EID 24 ES Restart Command Invalid Restart Type Event ID.

Type: ERROR

Cause:

ES cFE Restart Command failure due to invalid restart type.

Definition at line 294 of file cfe_es_events.h.

11.45.2.3 CFE_ES_BUILD_INF_EID #define CFE_ES_BUILD_INF_EID 92

cFS Build Information Event ID

Type: INFORMATION

Cause:

ES Initialization complete and response to ES NO-OP Command.

The Build field identifies the build date, time, hostname and user identifier of the build host machine for the current running binary. The first string is the build date/time, and the second string is formatted as "user@hostname"

This additionally reports the configuration name that was selected by the user, which may affect various platform/mission limits.

By default, if not specified/overridden, the default values of these variables will be: BUILDDATE ==> the output of "date +%Y%m%d%H%M" HOSTNAME ==> the output of "hostname" USER ==> the output of "whoami"

The values can be overridden by setting an environment variable with the names above to the value desired for the field when running "make".

Definition at line 1047 of file cfe_es_events.h.

11.45.2.4 CFE ES CC1 ERR EID #define CFE_ES_CC1_ERR_EID 22

ES Invalid Command Code Received Event ID.

Type: ERROR

Cause:

Invalid command code for message ID CFE_ES_CMD_MID received on the ES message pipe. Definition at line 272 of file cfe_es_events.h.

11.45.2.5 CFE_ES_CDS_DELETE_ERR_EID #define CFE_ES_CDS_DELETE_ERR_EID 76 ES Delete CDS Command Delete Failed Event ID.

Type: ERROR

Cause:


ES Delete CDS Command failed while deleting, see reported status code or system log for details. Definition at line 834 of file cfe es events.h.

11.45.2.6 CFE_ES_CDS_DELETE_TBL_ERR_EID #define CFE_ES_CDS_DELETE_TBL_ERR_EID 79 ES Delete CDS Command For Critical Table Event ID.

Type: ERROR

Cause:

Delete CDS Command failure due to the specified CDS name being a critical table. Critical Table images can only be deleted via a Table Services command, CFE_TBL_DELETE_CDS_CC. Definition at line 871 of file cfe_es_events.h.



Generated by Doxygen

11.45.2.11 CFE_ES_CDS_REG_DUMP_INF_EID #define CFE_ES_CDS_REG_DUMP_INF_EID 83 ES Write Critical Data Store Registry Command Success Event ID.
Type: DEBUG
0
Cause:
ES Write Critical Data Store Registry Command success. Definition at line 917 of file cfe_es_events.h.
11.45.2.12 CFE_ES_CDS_REGISTER_ERR_EID #define CFE_ES_CDS_REGISTER_ERR_EID 69 ES Register CDS API Failed Event ID.
Type: ERROR
Cause:
CFE_ES_RegisterCDS API failure, see reported status code or system log for details. Definition at line 766 of file cfe_es_events.h.
11.45.2.13 CFE_ES_CREATING_CDS_DUMP_ERR_EID #define CFE_ES_CREATING_CDS_DUMP_ERR_EID 86 ES Write Critical Data Store Registry Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
ES Write Critical Data Store Registry Command failed to parse filename or open/create the file. OVERLOADED Definition at line 953 of file cfe_es_events.h.
11.45.2.14 CFE_ES_ERLOG1_INF_EID #define CFE_ES_ERLOG1_INF_EID 19 ES Clear Exception Reset Log Command Success Event ID.
Type: INFORMATION
Cause:
ES Clear Exception Reset Log Command success. Definition at line 239 of file cfe_es_events.h.

11.45.2.15 CFE_ES_ERLOG2_EID #define CFE_ES_ERLOG2_EID 20 ES Write Exception Reset Log Complete Event ID.
Type: DEBUG
Cause:
Request to write the Exception Reset log successfully completed. Definition at line 250 of file cfe_es_events.h.
11.45.2.16 CFE_ES_ERLOG2_ERR_EID #define CFE_ES_ERLOG2_ERR_EID 56 ES Write Exception Reset Log Command Request or File Creation Failed Event ID.
Type: ERROR
Cause:
ES Write Exception Reset Log Command request failed or file creation failed. OVERLOADED Definition at line 626 of file cfe_es_events.h.
11.45.2.17 CFE_ES_ERLOG_PENDING_ERR_EID #define CFE_ES_ERLOG_PENDING_ERR_EID 93 ES Write Exception Reset Log Command Already In Progress Event ID.
Type: ERROR
Cause:
ES Write Exception Reset Log Command failure due to a write already being in progress. Definition at line 1059 of file cfe_es_events.h.
11.45.2.18 CFE_ES_ERR_SYSLOGMODE_EID #define CFE_ES_ERR_SYSLOGMODE_EID 71 ES Set System Log Overwrite Mode Command Failed Event ID.
Type: ERROR
Cause:
ES Set System Log Overwrite Mode Command failed due to invalid mode requested.

Definition at line 789 of file cfe_es_events.h.

11.45.2.19 CFE_ES_ERREXIT_APP_ERR_EID #define CFE_ES_ERREXIT_APP_ERR_EID 33

ES Error Exit Application Cleanup Failed Event ID.

Type: ERROR

Cause:

Error request to exit an application failed during application cleanup. Application and related resources will be in undefined state.

Definition at line 379 of file cfe_es_events.h.

11.45.2.20 CFE_ES_ERREXIT_APP_INF_EID #define CFE_ES_ERREXIT_APP_INF_EID 14

ES Error Exit Application Complete Event ID.

Type: INFORMATION

Cause:

Error request to exit an application successfully completed. This event indicates the Application exited due to an error condition. The details of the error that occurred should be given by the Application through an event message, System Log entry, or both.

Definition at line 184 of file cfe_es_events.h.

11.45.2.21 CFE_ES_EXIT_APP_ERR_EID #define CFE_ES_EXIT_APP_ERR_EID 46

ES Exit Application Cleanup Failed Event ID.

Type: ERROR

Cause:

Nominal request to exit an application failed during application cleanup. Application and related resources will be in undefined state.

Definition at line 522 of file cfe_es_events.h.

11.45.2.22 CFE_ES_EXIT_APP_INF_EID #define CFE_ES_EXIT_APP_INF_EID 13

ES Nominal Exit Application Complete Event ID.

Type: INFORMATION

Cause:

Nominal request to exit an application successfully completed. This event indicates the Application exited due to a nominal exit condition.

Definition at line 170 of file cfe es events.h.

11.45.2.23 CFE_ES_FILEWRITE_ERR_EID #define CFE_ES_FILEWRITE_ERR_EID 74 ES File Write Failed Event ID.
Type: ERROR
Cause:
ES File Write failure writing data to file. OVERLOADED Definition at line 822 of file cfe_es_events.h.
11.45.2.24 CFE_ES_INIT_INF_EID #define CFE_ES_INIT_INF_EID 1 ES Initialization Event ID.
Type: INFORMATION
Cause:
Executive Services Task initialization complete. Definition at line 42 of file cfe_es_events.h.
11.45.2.25 CFE_ES_INITSTATS_INF_EID #define CFE_ES_INITSTATS_INF_EID 2 ES Initialization Statistics Information Event ID. Type: INFORMATION
Cause:
Executive Services Task initialization complete. Definition at line 53 of file cfe_es_events.h.
11.45.2.26 CFE_ES_INVALID_POOL_HANDLE_ERR_EID #define CFE_ES_INVALID_POOL_HANDLE_ERR_EID 8 ES Telemeter Memory Statistics Command Invalid Handle Event ID.
Type: ERROR
Cause:
ES Telemeter Memory Statistics Command failure due to an invalid memory handle. Definition at line 906 of file cfe. es, events h

11.45.2.27 CFE_ES_LEN_ERR_EID #define CFE_ES_LEN_ERR_EID 23 ES Invalid Command Length Event ID.
Type: ERROR
Cause:
Cause.
Invalid length for the command code in message ID CFE_ES_CMD_MID received on the ES message pipe. Definition at line 283 of file cfe_es_events.h.
11.45.2.28 CFE_ES_MID_ERR_EID #define CFE_ES_MID_ERR_EID 21 ES Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the ES message pipe. Definition at line 261 of file cfe_es_events.h.
11.45.2.29 CFE_ES_NOOP_INF_EID #define CFE_ES_NOOP_INF_EID 3 ES No-op Command Success Event ID.
Type: INFORMATION
Cause:
ES No-op Command success. Definition at line 64 of file cfe_es_events.h.
11.45.2.30 CFE_ES_ONE_APP_EID #define CFE_ES_ONE_APP_EID 15 ES Query One Application Command Success Event ID.
Type: DEBUG
Cause:
ES Query One Application Command success. Definition at line 195 of file cfe_es_events.h.

11.45.2.31 CFE_ES_ONE_APPID_ERR_EID #define CFE_ES_ONE_APPID_ERR_EID 50 ES Query One Application Data Command Get AppID By Name Failed Event ID.
Type: ERROR
Cause:
ES Query One Application Data Command failed to get application ID from application name. Message will not be sent Definition at line 569 of file cfe_es_events.h.
11.45.2.32 CFE_ES_ONE_ERR_EID #define CFE_ES_ONE_ERR_EID 49 ES Query One Application Data Command Transmit Message Failed Event ID. Type: ERROR
Cause:
ES Query One Application Data Command failed during message transmission. Definition at line 557 of file cfe_es_events.h.
11.45.2.33 CFE_ES_OSCREATE_ERR_EID #define CFE_ES_OSCREATE_ERR_EID 51 ES Query All Application Data Command File Creation Failed Event ID. Type: ERROR
Cause:
ES Query All Application Data Command failed to create file. Definition at line 580 of file cfe_es_events.h.
11.45.2.34 CFE_ES_PCR_ERR1_EID #define CFE_ES_PCR_ERR1_EID 47 ES Process Control Invalid Exception State Event ID.
Type: ERROR
Cause:
Invalid Exception state encountered when processing requests for application state changes. Exceptions are processed immediately, so this state should never occur during routine processing.

Definition at line 534 of file cfe_es_events.h.

11.45.2.35 CFE_ES_PCR_ERR2_EID #define CFE_ES_PCR_ERR2_EID 48 ES Process Control Unknown State Event ID.
Type: ERROR
Cause:
Unknown state encountered when processing requests for application state changes. Definition at line 545 of file cfe_es_events.h.
11.45.2.36 CFE_ES_PERF_DATAWRITTEN_EID #define CFE_ES_PERF_DATAWRITTEN_EID 68 Performance Log Write Success Event ID.
Type: DEBUG
Cause:
Dequart to write the perfermance leg avecagefully completed
Request to write the performance log successfully completed. Definition at line 755 of file cfe_es_events.h.
11.45.2.37 CFE_ES_PERF_FILTMSKCMD_EID #define CFE_ES_PERF_FILTMSKCMD_EID 63 ES Set Performance Analyzer Filter Mask Command Success Event ID.
Type: DEBUG
Cause:
ES Set Performance Analyzer Filter Mask Command success. Definition at line 697 of file cfe_es_events.h.
11.45.2.38 CFE_ES_PERF_FILTMSKERR_EID #define CFE_ES_PERF_FILTMSKERR_EID 64 ES Set Performance Analyzer Filter Mask Command Invalid Index Event ID.
Type: ERROR
Cause:
ES Set Performance Analyzer Filter Mask Command failed filter index range check. Definition at line 709 of file cfe_es_events.h.

11.45.2.39 CFE_ES_PERF_LOG_ERR_EID #define CFE_ES_PERF_LOG_ERR_EID 67 ES Stop Performance Analyzer Data Collection Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Causas
Cause:
ES Stop Performance Analyzer Data Collection Command failed either parsing the file name or during open/creation of the file. OVERLOADED Definition at line 744 of file cfe_es_events.h.
11.45.2.40 CFE_ES_PERF_STARTCMD_EID #define CFE_ES_PERF_STARTCMD_EID 57 ES Start Performance Analyzer Data Collection Command Success Event ID.
Type: DEBUG
Cause:
ES Start Performance Analyzer Data Collection Command success. Definition at line 637 of file cfe_es_events.h.
11.45.2.41 CFE_ES_PERF_STARTCMD_ERR_EID #define CFE_ES_PERF_STARTCMD_ERR_EID 58 ES Start Performance Analyzer Data Collection Command Idle Check Failed Event ID. Type: ERROR
Cause:
ES Start Performance Analyzer Data Collection Command failed due to already being started. Definition at line 649 of file cfe_es_events.h.
11.45.2.42 CFE_ES_PERF_STARTCMD_TRIG_ERR_EID #define CFE_ES_PERF_STARTCMD_TRIG_ERR_EID 59 ES Start Performance Analyzer Data Collection Command Invalid Trigger Event ID.
Type: ERROR
Cause:
ES Start Performance Analyzer Data Collection Command failed due to invalid trigger mode. Definition at line 661 of file cfe, es, events h

11.45.2.43 CFE_ES_PERF_STOPCMD_EID #define CFE_ES_PERF_STOPCMD_EID 60 ES Stop Performance Analyzer Data Collection Command Request Success Event ID.
Type: DEBUG
Course
Cause:
ES Stop Performance Analyzer Data Collection Command success. Note this event signifies the request to stop and write the performance data has been successfully submitted. The successful completion will generate a CFE_ES_PERF_DATAWRITTEN_EID event. Definition at line 674 of file cfe_es_events.h.
11.45.2.44 CFE_ES_PERF_STOPCMD_ERR2_EID #define CFE_ES_PERF_STOPCMD_ERR2_EID 62 ES Stop Performance Analyzer Data Collection Command Request Idle Check Failed Event ID.
Type: ERROR
Cause:
ES Stop Performance Analyzer Data Collection Command failed due to a write already in progress. Definition at line 686 of file cfe_es_events.h.
11.45.2.45 CFE_ES_PERF_TRIGMSKCMD_EID #define CFE_ES_PERF_TRIGMSKCMD_EID 65
ES Set Performance Analyzer Trigger Mask Command Success Event ID. Type: DEBUG
Cause:
ES Set Performance Analyzer Trigger Mask Command success. Definition at line 720 of file cfe_es_events.h.
11.45.2.46 CFE_ES_PERF_TRIGMSKERR_EID #define CFE_ES_PERF_TRIGMSKERR_EID 66 ES Set Performance Analyzer Trigger Mask Command Invalid Mask Event ID. Type: ERROR
Cause:
ES Set Performance Analyzer Trigger Mask Command failed the mask range check.

Definition at line 732 of file cfe_es_events.h.

11.45.2.47 CFE_ES_RELOAD_APP_DBG_EID #define CFE_ES_RELOAD_APP_DBG_EID 11 ES Reload Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Reload Application Command success. Note this event signifies the request to reload the application has been successfully submitted. The successful completion will generate a CFE_ES_RELOAD_APP_INF_EID event. Definition at line 147 of file cfe_es_events.h.
11.45.2.48 CFE_ES_RELOAD_APP_ERR1_EID #define CFE_ES_RELOAD_APP_ERR1_EID 42 ES Reload Application Command Request Failed Event ID.
Type: ERROR
Cause:
ES Reload Application Command request failed. Definition at line 473 of file cfe_es_events.h.
11.45.2.49 CFE_ES_RELOAD_APP_ERR2_EID #define CFE_ES_RELOAD_APP_ERR2_EID 43 ES Reload Application Command Get ApplD By Name Failed Event ID. Type: ERROR
Types a.m.c.
Cause:
ES Reload Application Command failed to get application ID from application name. The application will not be reloaded. Definition at line 485 of file cfe_es_events.h.
11.45.2.50 CFE_ES_RELOAD_APP_ERR3_EID #define CFE_ES_RELOAD_APP_ERR3_EID 44 ES Reload Application Startup Failed Event ID.
Type: ERROR
Cause:

Request to reload an application failed during application startup. The application will not be reloaded. Definition at line 497 of file cfe_es_events.h.

11.45.2.51 CFE_ES_RELOAD_APP_ERR4_EID #define CFE_ES_RELOAD_APP_ERR4_EID 45 ES Reload Application Cleanup Failed Event ID.
Type: ERROR
Cause:
Request to reload an application failed during application cleanup. The application will not be reloaded and will be in an undefined state along with it's associated resources. Definition at line 510 of file cfe_es_events.h.
11.45.2.52 CFE_ES_RELOAD_APP_INF_EID #define CFE_ES_RELOAD_APP_INF_EID 12 ES Reload Application Complete Event ID. Type: INFORMATION
Cause:
Request to reload an application successfully completed. Definition at line 158 of file cfe_es_events.h.
11.45.2.53 CFE_ES_RESET_INF_EID #define CFE_ES_RESET_INF_EID 4 ES Reset Counters Command Success Event ID. Type: INFORMATION
Cause:
ES Reset Counters Command success. Definition at line 75 of file cfe_es_events.h.
11.45.2.54 CFE_ES_RESET_PR_COUNT_EID #define CFE_ES_RESET_PR_COUNT_EID 72 ES Set Processor Reset Counter to Zero Command Success Event ID.
Type: INFORMATION
Cause:
ES Set Processor Reset Counter to Zero Command success.

Definition at line 800 of file cfe_es_events.h.

11.45.2.55 CFE_ES_RESTART_APP_DBG_EID #define CFE_ES_RESTART_APP_DBG_EID 9 ES Restart Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Restart Application Command success. Note this event signifies the request to restart the application has been successfully submitted. The successful completion will generate a CFE_ES_RESTART_APP_INF_EID event. Definition at line 123 of file cfe_es_events.h.
11.45.2.56 CFE_ES_RESTART_APP_ERR1_EID #define CFE_ES_RESTART_APP_ERR1_EID 38 ES Restart Application Command Request Failed Event ID.
Type: ERROR
Cause:
ES Restart Application Command request failed. Definition at line 425 of file cfe_es_events.h.
11.45.2.57 CFE_ES_RESTART_APP_ERR2_EID #define CFE_ES_RESTART_APP_ERR2_EID 39 ES Restart Application Command Get ApplD By Name Failed Event ID. Type: ERROR
Cause:
ES Restart Application Command failed to get application ID from application name. The application will not be restarted. Definition at line 437 of file cfe_es_events.h.
11.45.2.58 CFE_ES_RESTART_APP_ERR3_EID #define CFE_ES_RESTART_APP_ERR3_EID 40 ES Restart Application Startup Failed Event ID.
Type: ERROR
Cause:

Request to restart an application failed during application startup. The application will not be restarted. Definition at line 449 of file cfe_es_events.h.

11.45.2.59 CFE_ES_RESTART_APP_ERR4_EID #define CFE_ES_RESTART_APP_ERR4_EID 41 ES Restart Application Cleanup Failed Event ID.
Type: ERROR
Cause:
Request to restart an application failed during application cleanup. The application will not be restarted and will be in an undefined state along with it's associated resources. Definition at line 462 of file cfe_es_events.h.
11.45.2.60 CFE_ES_RESTART_APP_INF_EID #define CFE_ES_RESTART_APP_INF_EID 10 ES Restart Application Completed Event ID.
Type: INFORMATION
Cause:
Request to restart an application successfully completed. Definition at line 134 of file cfe_es_events.h.
11.45.2.61 CFE_ES_SET_MAX_PR_COUNT_EID #define CFE_ES_SET_MAX_PR_COUNT_EID 73 ES Set Maximum Processor Reset Limit Command Success Event ID.
Type: INFORMATION
Cause:
ES Set Maximum Processor Reset Limit Command success. Definition at line 811 of file cfe_es_events.h.
11.45.2.62 CFE_ES_START_ERR_EID #define CFE_ES_START_ERR_EID 26 ES Start Application Command Application Creation Failed Event ID.
Type: ERROR
Cause:
ES Start Application Command failure during application creation after successful parameter validation. Definition at line 306 of file cfe_es_events.h.

11.45.2.63 CFE_ES_START_EXC_ACTION_ERR_EID #define CFE_ES_START_EXC_ACTION_ERR_EID 32 ES Start Application Command Exception Action Invalid Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to invalid application exception action. Definition at line 367 of file cfe_es_events.h.
11.45.2.64 CFE_ES_START_INF_EID #define CFE_ES_START_INF_EID 6 ES Start Application Command Success Event ID.
Type: INFORMATION
Cause:
ES Start Application Command success. Definition at line 86 of file cfe_es_events.h.
11.45.2.65 CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID #define CFE_ES_START_INVALID_ENTRY_POICTION NT_ERR_EID 28
ES Start Application Command Entry Point NULL Event ID. Type: ERROR
Cause:
ES Start Application Command failure due to a NULL Application Entry Point. Definition at line 330 of file cfe_es_events.h.
11.45.2.66 CFE_ES_START_INVALID_FILENAME_ERR_EID #define CFE_ES_START_INVALID_FILENAME_ERR← _EID 27
ES Start Application Command Invalid Filename Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to invalid filename. Definition at line 318 of file cfe_es_events.h.

11.45.2.67 CFE_ES_START_NULL_APP_NAME_ERR_EID #define CFE_ES_START_NULL_APP_NAME_ERR_E
ES Start Application Command App Name NULL Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to NULL Application Name. Definition at line 342 of file cfe_es_events.h.
11.45.2.68 CFE_ES_START_PRIORITY_ERR_EID #define CFE_ES_START_PRIORITY_ERR_EID 31 ES Start Application Command Priority Too Large Event ID. Type: ERROR
Cause:
ES Start Application Command failure due to a requested application priority greater than the maximum priority allower for tasks as defined by the OS Abstraction Layer (OS_MAX_PRIORITY). Definition at line 355 of file cfe_es_events.h.
11.45.2.69 CFE_ES_STOP_DBG_EID #define CFE_ES_STOP_DBG_EID 7 ES Stop Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Stop Application Command success. Note this event signifies the request to delete the application has been successfully submitted. The successful completion will generate a CFE_ES_STOP_INF_EID event. Definition at line 99 of file cfe_es_events.h.
11.45.2.70 CFE_ES_STOP_ERR1_EID #define CFE_ES_STOP_ERR1_EID 35 ES Stop Application Command Request Failed Event ID.
Type: ERROR
Cause:
ES Stop Application Command request failed. Definition at line 390 of file cfe_es_events.h.

11.45.2.71 CFE_ES_STOP_ERR2_EID #define CFE_ES_STOP_ERR2_EID 36 ES Stop Application Command Get ApplD By Name Failed Event ID.
Type: ERROR
Cause:
ES Stop Application Command failed to get application ID from application name. The application will not be deleted. Definition at line 402 of file cfe_es_events.h.
11.45.2.72 CFE_ES_STOP_ERR3_EID #define CFE_ES_STOP_ERR3_EID 37 ES Stop Application Cleanup Failed Event ID. Type: ERROR
Typo: Elition
Cause:
Request to delete an application failed during application cleanup. Application and related resources will be in undefined state. Definition at line 414 of file cfe_es_events.h.
11.45.2.73 CFE_ES_STOP_INF_EID #define CFE_ES_STOP_INF_EID 8 ES Stop Application Completed Event ID.
Type: INFORMATION
Cause:
Request to delete an application successfully completed. Definition at line 110 of file cfe_es_events.h.
11.45.2.74 CFE_ES_SYSLOG1_INF_EID #define CFE_ES_SYSLOG1_INF_EID 17 ES Clear System Log Command Success Event ID.
Type: INFORMATION
Cause:
ES Clear System Log Command success.

Definition at line 217 of file cfe_es_events.h.

11.45.2.75 CFE_ES_SYSLOG2_EID #define CFE_ES_SYSLOG2_EID 18 ES Write System Log Command Success Event ID.
Type: DEBUG
Cause:
FO.W. to Out on Lon Orange discussed
ES Write System Log Command success. Definition at line 228 of file cfe_es_events.h.
11.45.2.76 CFE_ES_SYSLOG2_ERR_EID #define CFE_ES_SYSLOG2_ERR_EID 55 ES Write System Log Command Filename Parse or File Creation Failed Event ID.
Type: ERROR
Cause:
ES Write System Log Command failed parsing file name or creating the file. OVERLOADED Definition at line 614 of file cfe_es_events.h.
11.45.2.77 CFE_ES_SYSLOGMODE_EID #define CFE_ES_SYSLOGMODE_EID 70 ES Set System Log Overwrite Mode Command Success Event ID.
Type: DEBUG
Cause:
ES Set System Log Overwrite Mode Command success. Definition at line 777 of file cfe_es_events.h.
11.45.2.78 CFE_ES_TASKINFO_EID #define CFE_ES_TASKINFO_EID 87 ES Write All Task Data Command Success Event ID.
Type: DEBUG
Cause:
FO Milita All Trada Data Command accesses
ES Write All Task Data Command success. Definition at line 964 of file cfe_es_events.h.

11.45.2.79 CFE_ES_IASKINFO_OSCREATE_ERR_EID #define CFE_ES_TASKINFO_OSCREATE_ERR_EID 88 ES Write All Task Data Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
Cause.
ES Write All Task Data Command failed to parse the filename or open/create the file. Definition at line 976 of file cfe_es_events.h.
11.45.2.80 CFE_ES_TASKINFO_WR_ERR_EID #define CFE_ES_TASKINFO_WR_ERR_EID 90 ES Write All Task Data Command Write Data Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to write task data to file. Definition at line 1000 of file cfe_es_events.h.
11.45.2.81 CFE_ES_TASKINFO_WRHDR_ERR_EID #define CFE_ES_TASKINFO_WRHDR_ERR_EID 89 ES Write All Task Data Command Write Header Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to write file header. Definition at line 988 of file cfe_es_events.h.
11.45.2.82 CFE_ES_TASKWR_ERR_EID #define CFE_ES_TASKWR_ERR_EID 53 ES Query All Application Data Command File Write App Data Failed Event ID.
Type: ERROR
Cause:
ES Query All Application Data Command failed to write file application data.

Definition at line 602 of file cfe_es_events.h.

11.45.2.83 CFE_ES_TLM_POOL_STATS_INFO_EID #define CFE_ES_TLM_POOL_STATS_INFO_EID 81 ES Telemeter Memory Statistics Command Success Event ID. Type: DEBUG Cause: ES Telemeter Memory Statistics Command success. Definition at line 894 of file cfe_es_events.h. 11.45.2.84 CFE ES VERSION INF EID #define CFE_ES_VERSION_INF_EID 91 cFS Version Information Event ID Type: INFORMATION Cause: ES Initialization complete and response to ES NO-OP Command. A separate version info event will be generated for every module which is statically linked into the CFE core executable (e.g. OSAL, PSP, MSG, SBR, etc). The version information reported in this event is derived from the source revision control system at build time, as opposed to manually-assigned semantic version numbers. It is intended to uniquely identify the actual source code that is currently running, to the extent this is possible. The Mission version information also identifies the build configuration name, if available. Definition at line 1021 of file cfe es events.h. 11.45.2.85 CFE_ES_WRHDR_ERR_EID #define CFE_ES_WRHDR_ERR_EID 52 ES Query All Application Data Command File Write Header Failed Event ID. Type: ERROR Cause: ES Query All Application Data Command failed to write file header. Definition at line 591 of file cfe_es_events.h. 11.45.2.86 CFE ES WRITE CFE HDR ERR EID #define CFE_ES_WRITE_CFE_HDR_ERR_EID 85 ES Write Critical Data Store Registry Command Header Write Failed Event ID. Type: ERROR Cause:

ES Write Critical Data Store Registry Command failed to write header.

Definition at line 941 of file cfe es events.h.

11.46 cfe/modules/es/fsw/inc/cfe_es_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_es_extern_typedefs.h"
```

Data Structures

struct CFE ES NoArgsCmd

Generic "no arguments" command.

struct CFE ES RestartCmd Payload

Restart cFE Command Payload.

struct CFE ES RestartCmd

Restart cFE Command.

struct CFE_ES_FileNameCmd_Payload

Generic file name command payload.

struct CFE ES FileNameCmd

Generic file name command.

struct CFE_ES_OverWriteSysLogCmd_Payload

Overwrite/Discard System Log Configuration Command Payload.

struct CFE_ES_OverWriteSysLogCmd

Overwrite/Discard System Log Configuration Command Payload.

struct CFE ES StartAppCmd Payload

Start Application Command Payload.

struct CFE_ES_StartApp

Start Application Command.

struct CFE ES AppNameCmd Payload

Generic application name command payload.

struct CFE_ES_AppNameCmd

Generic application name command.

struct CFE ES AppReloadCmd Payload

Reload Application Command Payload.

struct CFE_ES_ReloadAppCmd

Reload Application Command.

• struct CFE_ES_SetMaxPRCountCmd_Payload

Set Maximum Processor Reset Count Command Payload.

struct CFE_ES_SetMaxPRCountCmd

Set Maximum Processor Reset Count Command.

struct CFE_ES_DeleteCDSCmd_Payload

Delete Critical Data Store Command Payload.

• struct CFE_ES_DeleteCDSCmd

Delete Critical Data Store Command.

• struct CFE_ES_StartPerfCmd_Payload

Start Performance Analyzer Command Payload.

· struct CFE ES StartPerfDataCmd

Start Performance Analyzer Command.

• struct CFE_ES_StopPerfCmd_Payload

Stop Performance Analyzer Command Payload.

• struct CFE_ES_StopPerfDataCmd

Stop Performance Analyzer Command.

struct CFE ES SetPerfFilterMaskCmd Payload

Set Performance Analyzer Filter Mask Command Payload.

struct CFE ES SetPerfFilterMaskCmd

Set Performance Analyzer Filter Mask Command.

struct CFE ES SetPerfTrigMaskCmd Payload

Set Performance Analyzer Trigger Mask Command Payload.

struct CFE ES SetPerfTriggerMaskCmd

Set Performance Analyzer Trigger Mask Command.

struct CFE ES SendMemPoolStatsCmd Payload

Send Memory Pool Statistics Command Payload.

struct CFE ES SendMemPoolStatsCmd

Send Memory Pool Statistics Command.

struct CFE ES DumpCDSRegistryCmd Payload

Dump CDS Registry Command Payload.

struct CFE ES DumpCDSRegistryCmd

Dump CDS Registry Command.

- struct CFE_ES_OneAppTIm_Payload
- struct CFE ES OneAppTIm
- struct CFE_ES_PoolStatsTIm_Payload
- struct CFE ES MemStatsTlm
- struct CFE_ES_HousekeepingTlm_Payload
- struct CFE_ES_HousekeepingTlm

Macros

Executive Services Command Codes

- #define CFE ES NOOP CC 0
- #define CFE_ES_RESET_COUNTERS_CC 1
- #define CFE_ES_RESTART_CC 2
- #define CFE ES START APP CC 4
- #define CFE_ES_STOP APP CC 5
- #define CFE ES RESTART APP CC 6
- #define CFE ES RELOAD APP CC 7
- #define CFE ES QUERY ONE CC 8
- #define CFE_ES_QUERY_ALL_CC 9
- #define CFE ES CLEAR SYSLOG CC 10
- #define CFE ES WRITE SYSLOG CC 11
- #define CFE ES CLEAR ER LOG CC 12
- #define CFE_ES_WRITE_ER_LOG_CC 13
- #define CFE_ES_START_PERF_DATA_CC 14
- #define CFE ES STOP PERF DATA CC 15
- #define CFE ES SET PERF FILTER MASK CC 16
- #define CFE ES SET PERF TRIGGER MASK CC 17
- #define CFE ES OVER WRITE SYSLOG CC 18
- #define CFE ES RESET PR COUNT CC 19
- #define CFE ES SET MAX PR COUNT CC 20
- #define CFE ES DELETE CDS CC 21
- #define CFE_ES_SEND_MEM_POOL_STATS_CC 22
- #define CFE ES DUMP CDS REGISTRY CC 23
- #define CFE ES QUERY ALL TASKS CC 24

Typedefs

```
    typedef struct CFE_ES_NoArgsCmd CFE_ES_NoArgsCmd_t

     Generic "no arguments" command.

    typedef CFE_ES_NoArgsCmd_t CFE_ES_NoopCmd_t

    typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetCountersCmd_t

    typedef CFE ES NoArgsCmd t CFE ES ClearSysLogCmd t

    typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearERLogCmd_t

    typedef CFE ES NoArgsCmd t CFE ES ResetPRCountCmd t

    typedef CFE_ES_NoArgsCmd_t CFE_ES_SendHkCmd_t

    typedef struct CFE_ES_RestartCmd_Payload CFE_ES_RestartCmd_Payload_t

     Restart cFE Command Payload.

    typedef struct CFE_ES_RestartCmd CFE_ES_RestartCmd_t

     Restart cFE Command.

    typedef struct CFE ES FileNameCmd Payload CFE ES FileNameCmd Payload t

     Generic file name command payload.

    typedef struct CFE ES FileNameCmd CFE ES FileNameCmd t

     Generic file name command.

    typedef CFE ES FileNameCmd t CFE ES QueryAllCmd t

    typedef CFE ES FileNameCmd t CFE ES QueryAllTasksCmd t

    typedef CFE ES FileNameCmd t CFE ES WriteSysLogCmd t

    typedef CFE ES FileNameCmd t CFE ES WriteERLogCmd t

    typedef struct CFE_ES_OverWriteSysLogCmd_Payload CFE_ES_OverWriteSysLogCmd_Payload_t

     Overwrite/Discard System Log Configuration Command Payload.

    typedef struct CFE ES OverWriteSysLogCmd CFE ES OverWriteSysLogCmd t

     Overwrite/Discard System Log Configuration Command Payload.

    typedef struct CFE ES StartAppCmd Payload CFE ES StartAppCmd Payload t

     Start Application Command Payload.

    typedef struct CFE ES StartApp CFE ES StartAppCmd t

     Start Application Command.

    typedef struct CFE_ES_AppNameCmd_Payload CFE_ES_AppNameCmd_Payload_t

     Generic application name command payload.

    typedef struct CFE ES AppNameCmd CFE ES AppNameCmd t

     Generic application name command.

    typedef CFE_ES_AppNameCmd_t CFE_ES_StopAppCmd_t

    typedef CFE ES AppNameCmd t CFE ES RestartAppCmd t

    typedef CFE ES AppNameCmd t CFE ES QueryOneCmd t

• typedef struct CFE_ES_AppReloadCmd_Payload CFE_ES_AppReloadCmd_Payload_t
     Reload Application Command Payload.

    typedef struct CFE_ES_ReloadAppCmd CFE_ES_ReloadAppCmd_t

     Reload Application Command.

    typedef struct CFE ES SetMaxPRCountCmd Payload CFE ES SetMaxPRCountCmd Payload t

     Set Maximum Processor Reset Count Command Payload.

    typedef struct CFE ES SetMaxPRCountCmd CFE ES SetMaxPRCountCmd t

     Set Maximum Processor Reset Count Command.

    typedef struct CFE_ES_DeleteCDSCmd_Payload CFE_ES_DeleteCDSCmd_Payload_t

     Delete Critical Data Store Command Payload.

    typedef struct CFE ES DeleteCDSCmd CFE ES DeleteCDSCmd t
```

Delete Critical Data Store Command.

typedef struct CFE_ES_StartPerfCmd_Payload CFE_ES_StartPerfCmd_Payload_t

Start Performance Analyzer Command Payload.

typedef struct CFE_ES_StartPerfDataCmd CFE_ES_StartPerfDataCmd_t

Start Performance Analyzer Command.

typedef struct CFE_ES_StopPerfCmd_Payload CFE_ES_StopPerfCmd_Payload_t

Stop Performance Analyzer Command Payload.

typedef struct CFE_ES_StopPerfDataCmd CFE_ES_StopPerfDataCmd_t

Stop Performance Analyzer Command.

• typedef struct CFE_ES_SetPerfFilterMaskCmd_Payload CFE_ES_SetPerfFilterMaskCmd_Payload_t

Set Performance Analyzer Filter Mask Command Payload.

typedef struct CFE_ES_SetPerfFilterMaskCmd CFE_ES_SetPerfFilterMaskCmd_t

Set Performance Analyzer Filter Mask Command.

typedef struct CFE_ES_SetPerfTrigMaskCmd_Payload CFE_ES_SetPerfTrigMaskCmd_Payload_t

Set Performance Analyzer Trigger Mask Command Payload.

typedef struct CFE_ES_SetPerfTriggerMaskCmd CFE_ES_SetPerfTriggerMaskCmd_t

Set Performance Analyzer Trigger Mask Command.

typedef struct CFE_ES_SendMemPoolStatsCmd_Payload CFE_ES_SendMemPoolStatsCmd_Payload_t

Send Memory Pool Statistics Command Payload.

typedef struct CFE_ES_SendMemPoolStatsCmd CFE_ES_SendMemPoolStatsCmd_t

Send Memory Pool Statistics Command.

typedef struct CFE_ES_DumpCDSRegistryCmd_Payload CFE_ES_DumpCDSRegistryCmd_Payload_t

Dump CDS Registry Command Payload.

typedef struct CFE_ES_DumpCDSRegistryCmd CFE_ES_DumpCDSRegistryCmd_t

Dump CDS Registry Command.

- typedef struct CFE_ES_OneAppTIm_Payload CFE_ES_OneAppTIm_Payload_t
- typedef struct CFE_ES_OneAppTIm CFE_ES_OneAppTIm_t
- typedef struct CFE_ES_PoolStatsTIm_Payload CFE_ES_PoolStatsTIm_Payload_t
- typedef struct CFE_ES_MemStatsTIm CFE_ES_MemStatsTIm_t
- typedef struct CFE_ES_HousekeepingTlm_Payload CFE_ES_HousekeepingTlm_Payload_t
- typedef struct CFE_ES_HousekeepingTlm CFE_ES_HousekeepingTlm_t

11.46.1 Detailed Description

Purpose: cFE Executive Services (ES) Command and Telemetry packet definition file.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

11.46.2 Macro Definition Documentation

```
11.46.2.1 CFE_ES_CLEAR_ER_LOG_CC #define CFE_ES_CLEAR_ER_LOG_CC 12
```

Name Clears the contents of the Exception and Reset Log

Description

This command causes the contents of the Executive Services Exception and Reset Log to be cleared.

Command Mnemonic(s) \$sc_\$cpu_ES_ClearERLog

Command Structure

```
CFE ES ClearERLogCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES ERLOG1 INF EID informational event message will be generated.
- \$sc_\$cpu_ES_ERLOGINDEX Index into Exception Reset Log goes to zero

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not dangerous. However, any previously logged data will be lost.

See also

```
CFE ES CLEAR SYSLOG CC, CFE ES WRITE SYSLOG CC, CFE ES WRITE ER LOG CC
```

Definition at line 550 of file cfe es msg.h.

```
11.46.2.2 CFE ES CLEAR SYSLOG CC #define CFE_ES_CLEAR_SYSLOG_CC 10
```

Name Clear Executive Services System Log

Description

This command clears the contents of the Executive Services System Log.

Command Mnemonic(s) \$sc_\$cpu_ES_ClearSysLog

Command Structure

```
CFE_ES_ClearSysLogCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_SYSLOG1_INF_EID informational event message will be generated.
- \$sc_\$cpu_ES_SYSLOGBYTEUSED System Log Bytes Used will go to zero
- \$sc_\$cpu_ES_SYSLOGENTRIES Number of System Log Entries will go to zero

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not dangerous. However, any previously logged data will be lost.

See also

CFE_ES_WRITE_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC, CFE_ES_WRITE_ER_LOG_CC, CFE_ES_OVER_WRITE_SYS

Definition at line 473 of file cfe_es_msg.h.

11.46.2.3 CFE_ES_DELETE_CDS_CC #define CFE_ES_DELETE_CDS_CC 21

Name Delete Critical Data Store

Description

This command allows the user to delete a Critical Data Store that was created by an Application that is now no longer executing.

Command Mnemonic(s) \$sc_\$cpu_ES_DeleteCDS

Command Structure

CFE_ES_DeleteCDSCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE_ES_CDS_DELETED_INFO_EID informational event message will be generated.
- The specified CDS should no longer appear in a CDS Registry dump generated upon receipt of the CFE ES DUMP CDS REGISTRY CC command

Error Conditions

This command may fail for the following reason(s):

- The specified CDS is the CDS portion of a Critical Table
- · The specified CDS is not found in the CDS Registry
- · The specified CDS is associated with an Application that is still active
- · An error occurred while accessing the CDS memory (see the System Log for more details)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not critical because it is not possible to delete a CDS that is associated with an active application. However, deleting a CDS does eliminate any "history" that an application may be wishing to keep.

See also

CFE_ES_DUMP_CDS_REGISTRY_CC, CFE_TBL_DELETE_CDS_CC

Definition at line 919 of file cfe es msg.h.

11.46.2.4 CFE_ES_DUMP_CDS_REGISTRY_CC #define CFE_ES_DUMP_CDS_REGISTRY_CC 23

Name Dump Critical Data Store Registry to a File

Description

This command allows the user to dump the Critical Data Store Registry to an onboard file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteCDS2File

Command Structure

CFE ES DumpCDSRegistryCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES CDS REG DUMP INF EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The file name specified could not be parsed
- · Error occurred while creating or writing to the dump file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE ES DELETE CDS CC, CFE TBL DELETE CDS CC
```

Definition at line 1000 of file cfe_es_msg.h.

```
11.46.2.5 CFE_ES_NOOP_CC #define CFE_ES_NOOP_CC 0
```

Name Executive Services No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Executive Services task.

Command Mnemonic(s) \$sc_\$cpu_ES_NOOP

Command Structure

```
CFE ES NoopCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_BUILD_INF_EID informational event message will be generated
- The CFE_ES_NOOP_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

• The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE ES LEN ERR EID error event message will be generated

Criticality

None

See also

Definition at line 83 of file cfe_es_msg.h.

```
11.46.2.6 CFE_ES_OVER_WRITE_SYSLOG_CC #define CFE_ES_OVER_WRITE_SYSLOG_CC 18
```

Name Set Executive Services System Log Mode to Discard/Overwrite

Description

This command allows the user to configure the Executive Services to either discard new System Log messages when it is full or to overwrite the oldest messages.

Command Mnemonic(s) \$sc_\$cpu_ES_OverwriteSysLogMode

Command Structure

```
CFE_ES_OverWriteSysLogCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- $\bullet \ \$sc_\$cpu_ES_CMDPC command \ execution \ counter \ will \ increment$
- \$sc_\$cpu_ES_SYSLOGMODE Current System Log Mode should reflect the commanded value
- The CFE_ES_SYSLOGMODE_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

The desired mode is neither CFE ES LogMode OVERWRITE or CFE ES LogMode DISCARD

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

None. (It should be noted that "Overwrite" mode would allow a message identifying the cause of a problem to be lost by a subsequent flood of additional messages).

See also

```
CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_WRITE_SYSLOG_CC
```

Definition at line 802 of file cfe_es_msg.h.

```
11.46.2.7 CFE_ES_QUERY_ALL_CC #define CFE_ES_QUERY_ALL_CC 9
```

Name Writes all Executive Services Information on all loaded modules to a File

Description

This command takes the information kept by Executive Services on all of the registered applications and libraries and writes it to the specified file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteAppInfo2File

Command Structure

```
CFE_ES_QueryAllCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_ALL_APPS_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE ES QUERY ONE CC, CFE ES QUERY ALL TASKS CC
```

Definition at line 438 of file cfe_es_msg.h.

11.46.2.8 CFE_ES_QUERY_ALL_TASKS_CC #define CFE_ES_QUERY_ALL_TASKS_CC 24

Name Writes a list of All Executive Services Tasks to a File

Description

This command takes the information kept by Executive Services on all of the registered tasks and writes it to the specified file.

Command Mnemonic(s) \$sc \$cpu ES WriteTaskInfo2File

Command Structure

CFE_ES_QueryAllTasksCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE_ES_TASKINFO_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The file name specified could not be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ONE_CC

Definition at line 1042 of file cfe es msg.h.

11.46.2.9 CFE_ES_QUERY_ONE_CC #define CFE_ES_QUERY_ONE_CC 8

Name Request Executive Services Information on a specified module

Description

This command takes the information kept by Executive Services on the specified application or library and telemeters it to the ground.

Command Mnemonic(s) \$sc_\$cpu_ES_QueryApp

Command Structure

CFE ES QueryOneCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_ONE_APP_EID debug event message will be generated.
- Receipt of the CFE ES OneAppTlm t telemetry packet

Error Conditions

This command may fail for the following reason(s):

· The specified name is not recognized as an active application or library

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

None

See also

```
CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC
```

Definition at line 396 of file cfe_es_msg.h.

```
11.46.2.10 CFE_ES_RELOAD_APP_CC #define CFE_ES_RELOAD_APP_CC 7
```

Name Stops, Unloads, Loads from the command specified File and Restarts an Application

Description

This command halts and removes the specified Application from the system. Then it immediately loads the Application from the command specified file and restarts it. This command is especially useful for restarting a Command Ingest Application since once it has been stopped, no further commands can come in to restart it.

Command Mnemonic(s) \$sc_\$cpu_ES_ReloadApp

Command Structure

CFE ES ReloadAppCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_RELOAD_APP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the reload process has been initiated, not that it has completed.

Error Conditions

This command may fail for the following reason(s):

- · The specified application filename string cannot be parsed
- · The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

```
CFE_ES_START_APP_CC, CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC
```

Definition at line 360 of file cfe_es_msg.h.

```
11.46.2.11 CFE_ES_RESET_COUNTERS_CC #define CFE_ES_RESET_COUNTERS_CC 1
```

Name Executive Services Reset Counters

Description

This command resets the following counters within the Executive Services housekeeping telemetry:

- · Command Execution Counter
- · Command Error Counter

Command Mnemonic(s) \$sc_\$cpu_ES_ResetCtrs

Command Structure

CFE ES ResetCountersCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter and error counter will be reset to zero
- The CFE_ES_RESET_INF_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

```
CFE_ES_RESET_PR_COUNT_CC
```

Definition at line 120 of file cfe es msg.h.

11.46.2.12 CFE_ES_RESET_PR_COUNT_CC #define CFE_ES_RESET_PR_COUNT_CC 19

Name Resets the Processor Reset Counter to Zero

Description

This command allows the user to reset the Processor Reset Counter to zero. The Processor Reset Counter counts the number of Processor Resets that have occurred so as to identify when a Processor Reset should automatically be upgraded to a full Power-On Reset.

Command Mnemonic(s) \$sc \$cpu ES ResetPRCnt

Command Structure

```
CFE ES ResetPRCountCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- \$sc_\$cpu_ES_ProcResetCnt Current number of processor resets will go to zero
- The CFE_ES_RESET_PR_COUNT_EID informational event message will be generated.

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not critical. The only impact would be that the system would have to have more processor resets before an automatic power-on reset occurred.

See also

```
CFE_ES_SET_MAX_PR_COUNT_CC, CFE_ES_RESET_COUNTERS_CC
```

Definition at line 839 of file cfe es msg.h.

```
11.46.2.13 CFE_ES_RESTART_APP_CC #define CFE_ES_RESTART_APP_CC 6
```

Name Stops, Unloads, Loads using the previous File name, and Restarts an Application

Description

This command halts and removes the specified Application from the system. Then it immediately loads the Application from the same filename last used to start. This command is especially useful for restarting a Command Ingest Application since once it has been stopped, no further commands can come in to restart it.

Command Mnemonic(s) \$sc_\$cpu_ES_ResetApp

Command Structure

```
CFE_ES_RestartAppCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_RESTART_APP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the restart process has been initiated, not that it has completed.

Error Conditions

This command may fail for the following reason(s):

- · The original file is missing
- · The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases
- · Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

```
CFE_ES_START_APP_CC, CFE_ES_STOP_APP_CC, CFE_ES_RELOAD_APP_CC
```

Definition at line 314 of file cfe es msg.h.

11.46.2.14 CFE_ES_RESTART_CC #define CFE_ES_RESTART_CC 2

Name Executive Services Processor / Power-On Reset

Description

This command restarts the cFE in one of two modes. The Power-On Reset will cause the cFE to restart as though the power were first applied to the processor. The Processor Reset will attempt to retain the contents of the volatile disk and the contents of the Critical Data Store. NOTE: If a requested Processor Reset should cause the Processor Reset Counter (\$sc_\$cpu_ES_ProcResetCnt) to exceed OR EQUAL the limit CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS (which is reported in housekeeping telemetry as \$sc_\cup \$cpu_ES_MaxProcResets), the command is AUTOMATICALLY upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc_\$cpu_ES_ProcessorReset, \$sc_\$cpu_ES_PowerOnReset

Command Structure

CFE ES RestartCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_ProcResetCnt processor reset counter will increment (processor reset) or reset to zero (power-on reset)
- \$sc_\$cpu_ES_ResetType processor reset type will be updated
- \$sc_\$cpu_ES_ResetSubtype processor reset subtype will be updated
- New entries in the Exception Reset Log and System Log can be found NOTE: Verification of a Power-On Reset is shown through the loss of data nominally retained through a Processor Reset

NOTE: Since the reset of the processor resets the command execution counter (\$sc_\$cpu_ES_CMDPC), this counter CANNOT be used to verify command execution.

Error Conditions

This command may fail for the following reason(s):

• The Restart Type was not a recognized value.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE ES BOOT ERR EID error event message will be generated

Criticality

This command is, by definition, dangerous. Significant loss of data will occur. All processes and the cFE itself will be stopped and restarted. With the Power-On reset option, all data on the volatile disk and the contents of the Critical Data Store will be lost.

See also

CFE_ES_RESET_PR_COUNT_CC, CFE_ES_SET_MAX_PR_COUNT_CC

Definition at line 172 of file cfe es msg.h.

11.46.2.15 CFE_ES_SEND_MEM_POOL_STATS_CC #define CFE_ES_SEND_MEM_POOL_STATS_CC 22

Name Telemeter Memory Pool Statistics

Description

This command allows the user to obtain a snapshot of the statistics maintained for a specified memory pool.

Command Mnemonic(s) \$sc_\$cpu_ES_PoolStats

Command Structure

CFE_ES_SendMemPoolStatsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_TLM_POOL_STATS_INFO_EID debug event message will be generated.
- The Memory Pool Statistics Telemetry Packet is produced

Error Conditions

This command may fail for the following reason(s):

· The specified handle is not associated with a known memory pool

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

An incorrect Memory Pool Handle value can cause a system crash. Extreme care should be taken to ensure the memory handle value used in the command is correct.

See also

Definition at line 958 of file cfe_es_msg.h.

```
11.46.2.16 CFE_ES_SET_MAX_PR_COUNT_CC #define CFE_ES_SET_MAX_PR_COUNT_CC 20
```

Name Configure the Maximum Number of Processor Resets before a Power-On Reset

Description

This command allows the user to specify the number of Processor Resets that are allowed before the next Processor Reset is upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc_\$cpu_ES_SetMaxPRCnt

Command Structure

CFE ES SetMaxPRCountCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- \$sc_\$cpu_ES_MaxProcResets Current maximum number of processor resets before an automatic power-on reset will go to the command specified value.
- The CFE ES SET MAX PR COUNT EID informational event message will be generated.

Error Conditions

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

If the operator were to set the Maximum Processor Reset Count to too high a value, the processor would require an inordinate number of consecutive processor resets before an automatic power-on reset would occur. This could potentially leave the spacecraft without any control for a significant amount of time if a processor reset fails to clear a problem.

See also

CFE_ES_RESET_PR_COUNT_CC

Definition at line 877 of file cfe_es_msg.h.

11.46.2.17 CFE_ES_SET_PERF_FILTER_MASK_CC #define CFE_ES_SET_PERF_FILTER_MASK_CC 16

Name Set Performance Analyzer's Filter Masks

Description

This command sets the Performance Analyzer's Filter Masks.

Command Mnemonic(s) \$sc \$cpu ES LAFilterMask

Command Structure

CFE_ES_SetPerfFilterMaskCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfF1trMask[MaskCnt] the current performance filter mask value(s) should reflect
 the commanded value
- The CFE_ES_PERF_FILTMSKCMD_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

The Filter Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

Changing the filter masks may cause a small change in the Performance Analyzer's CPU utilization.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_TRIGGER_MASK_CC Definition at line 725 of file cfe es msg.h.

11.46.2.18 CFE_ES_SET_PERF_TRIGGER_MASK_CC #define CFE_ES_SET_PERF_TRIGGER_MASK_CC 17

Name Set Performance Analyzer's Trigger Masks

Description

This command sets the Performance Analyzer's Trigger Masks.

Command Mnemonic(s) \$sc_\$cpu_ES_LATriggerMask

Command Structure

CFE_ES_SetPerfTriggerMaskCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfTrigMask[MaskCnt] the current performance trigger mask value(s) should reflect the commanded value
- The CFE_ES_PERF_TRIGMSKCMD_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

· The Trigger Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

Changing the trigger masks may cause a small change in the Performance Analyzer's CPU utilization.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MASK_CC Definition at line 762 of file cfe es msg.h.

11.46.2.19 CFE_ES_START_APP_CC #define CFE_ES_START_APP_CC 4

Name Load and Start an Application

Description

This command starts the specified application with the specified start address, stack size, etc options.

Command Mnemonic(s) \$sc_\$cpu_ES_StartApp

Command Structure

CFE_ES_StartAppCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_START_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- The specified application filename string cannot be parsed
- · The specified application entry point is an empty string
- · The specified application name is an empty string
- · The specified priority is greater than 255
- The specified exception action is neither CFE_ES_ExceptionAction_RESTART_APP (0) or CFE_ES_ExceptionAction_PROC_ (1)
- The Operating System was unable to load the specified application file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous although system resources could be taxed beyond their limits with the starting of erroneous or invalid applications.

See also

CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_RELOAD_APP_CC

Definition at line 215 of file cfe es msg.h.

11.46.2.20 CFE_ES_START_PERF_DATA_CC #define CFE_ES_START_PERF_DATA_CC 14

Name Start Performance Analyzer

Description

This command causes the Performance Analyzer to begin collecting data using the specified trigger mode.

Command Mnemonic(s) \$sc_\$cpu_ES_StartLAData

Command Structure

CFE ES StartPerfDataCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfState Current performance analyzer state will change to either WAITING FOR TRIGGER or, if conditions are appropriate fast enough, TRIGGERED.
- \$sc_\$cpu_ES_PerfMode Performance Analyzer Mode will change to the commanded trigger mode (TRIGGER START, TRIGGER CENTER, or TRIGGER END).
- \$sc_\$cpu_ES_PerfTrigCnt Performance Trigger Count will go to zero
- \$sc_\$cpu_ES_PerfDataStart Data Start Index will go to zero
- \$sc_\$cpu_ES_PerfDataEnd Data End Index will go to zero
- \$sc_\$cpu_ES_PerfDataCnt Performance Data Counter will go to zero
- The CFE_ES_PERF_STARTCMD_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

- A previous CFE ES STOP PERF DATA CC command has not completely finished.
- An invalid trigger mode is requested.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous but may cause a small increase in CPU utilization as the performance analyzer data is collected.

See also

CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MASK_CC, CFE_ES_SET_PERF_TRIGGER_MASK_CC

Definition at line 638 of file cfe es msg.h.

11.46.2.21 CFE_ES_STOP_APP_CC #define CFE_ES_STOP_APP_CC 5

Name Stop and Unload Application

Description

This command halts and removes the specified Application from the system. **NOTE:** This command should never be used on the Command Ingest application. This would prevent further commands from entering the system. If Command Ingest needs to be stopped and restarted, use CFE_ES_RESTART_APP_CC or CFE_ES_RELOAD_APP_CC.

Command Mnemonic(s) \$sc_\$cpu_ES_StopApp

Command Structure

CFE ES StopAppCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_STOP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the stop request has been initiated, not that it has completed.
- Once the stop has successfully completed, the list of Applications and Tasks created in response to
 the \$sc_\$cpu_ES_WriteAppInfo2File, \$sc_\$cpu_ES_WriteTaskInfo2File should no
 longer contain the specified application.
- \$sc_\$cpu_ES_RegTasks number of tasks will decrease after tasks associated with app (main task and any child tasks) are stopped
- \$sc_\$cpu_ES_RegExtApps external application counter will decrement after app is cleaned up

Error Conditions

This command may fail for the following reason(s):

- · The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the removal of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

CFE_ES_START_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_RELOAD_APP_CC

Definition at line 268 of file cfe es msg.h.

11.46.2.22 CFE_ES_STOP_PERF_DATA_CC #define CFE_ES_STOP_PERF_DATA_CC 15

Name Stop Performance Analyzer and write data file

Description

This command stops the Performance Analyzer from collecting any more data, and writes all previously collected performance data to a log file.

Command Mnemonic(s) \$sc_\$cpu_ES_StopLAData

Command Structure

CFE ES StopPerfDataCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfState Current performance analyzer state will change to IDLE.
- The CFE_ES_PERF_STOPCMD_EID debug event message will be generated to indicate that data collection has been stopped. NOTE: Performance log data is written to the file as a background job. This event indicates that the file write process is initiated, not that it has completed.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- The file name specified could not be parsed
- · Log data from a previous Stop Performance Analyzer command is still being written to a file.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

NOTE: The performance analyzer data collection will still be stopped in the event of an error parsing the log file name or writing the log file.

Criticality

This command is not inherently dangerous. However, depending on configuration, performance data log files may be large in size and thus may fill the available storage.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MASK_CC, CFE_ES_SET_PERF_TRIGGER_MASK_CC

Definition at line 688 of file cfe es msg.h.

11.46.2.23 CFE_ES_WRITE_ER_LOG_CC #define CFE_ES_WRITE_ER_LOG_CC 13

Name Writes Exception and Reset Log to a File

Description

This command causes the contents of the Executive Services Exception and Reset Log to be written to the specified file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteERLog2File

Command Structure

CFE_ES_WriteERLogCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_ERLOG2_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · A previous request to write the ER log has not yet completed
- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_WRITE_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC

Definition at line 593 of file cfe es msg.h.

11.46.2.24 CFE_ES_WRITE_SYSLOG_CC #define CFE_ES_WRITE_SYSLOG_CC 11

Name Writes contents of Executive Services System Log to a File

Description

This command causes the contents of the Executive Services System Log to be written to a log file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteSysLog2File

Command Structure

CFE_ES_WriteSysLogCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_SYSLOG2_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC, CFE_ES_WRITE_ER_LOG_CC, CFE_ES_OVER_WRITE_SYS

Definition at line 516 of file cfe_es_msg.h.

11.46.3 Typedef Documentation

11.46.3.1 CFE_ES_AppNameCmd_Payload_t typedef struct CFE_ES_AppNameCmd_Payload CFE_ES_AppNameCmd_Payload_t Generic application name command payload.

For command details, see CFE ES STOP APP CC, CFE ES RESTART APP CC, CFE ES QUERY ONE CC

11.46.3.2 CFE_ES_AppNameCmd_t typedef struct CFE_ES_AppNameCmd CFE_ES_AppNameCmd_t Generic application name command.

11.46.3.3 CFE_ES_AppReloadCmd_Payload_t typedef struct CFE_ES_AppReloadCmd_Payload CFE_ES_AppReloadCmd_Payload Reload Application Command Payload.

For command details, see CFE_ES_RELOAD_APP_CC

11.46.3.4 CFE_ES_ClearERLogCmd_t typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearERLogCmd_t Definition at line 1074 of file cfe es msg.h.

11.46.3.5 CFE_ES_ClearSysLogCmd_t typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearSysLogCmd_t Definition at line 1073 of file cfe es msg.h.

11.46.3.6 CFE_ES_DeleteCDSCmd_Payload_t typedef struct CFE_ES_DeleteCDSCmd_Payload CFE_ES_DeleteCDSCmd_Payload Delete Critical Data Store Command Payload.

For command details, see CFE_ES_DELETE_CDS_CC

11.46.3.7 CFE_ES_DeleteCDSCmd_t typedef struct CFE_ES_DeleteCDSCmd CFE_ES_DeleteCDSCmd_t Delete Critical Data Store Command.

11.46.3.8 CFE_ES_DumpCDSRegistryCmd_Payload_t typedef struct CFE_ES_DumpCDSRegistryCmd_Payload CFE_ES_DumpCDSRegistryCmd_Payload_t

Dump CDS Registry Command Payload.

For command details, see CFE_ES_DUMP_CDS_REGISTRY_CC

11.46.3.9 CFE_ES_DumpCDSRegistryCmd_t typedef struct CFE_ES_DumpCDSRegistryCmd CFE_ES_DumpCDSRegistryCmd_t Dump CDS Registry Command.

11.46.3.10 CFE_ES_FileNameCmd_Payload_t typedef struct CFE_ES_FileNameCmd_Payload CFE_ES_FileNameCmd_Payload_t Generic file name command payload.

This format is shared by several executive services commands. For command details, see CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC, CFE_ES_WRITE_SYSLOG_CC, and CFE_ES_WRITE_ER_LOG_CC

11.46.3.11 CFE_ES_FileNameCmd_t typedef struct CFE_ES_FileNameCmd CFE_ES_FileNameCmd_t Generic file name command.

11.46.3.12 CFE_ES_HousekeepingTlm_Payload_t typedef struct CFE_ES_HousekeepingTlm_Payload CFE_ES_HousekeepingTl

Name Executive Services Housekeeping Packet

11.46.3.13 CFE ES HousekeepingTlm t typedef struct CFE_ES_HousekeepingTlm CFE_ES_HousekeepingTlm_t

```
11.46.3.14 CFE_ES_MemStatsTlm_t typedef struct CFE_ES_MemStatsTlm_t typedef struct CFE_ES_MemStatsTlm_t
```

11.46.3.15 CFE_ES_NoArgsCmd_t typedef struct CFE_ES_NoArgsCmd_CFE_ES_NoArgsCmd_t Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE ES NOOP CC)
- 3. The Reset Counters Command (For details, see CFE ES RESET COUNTERS CC)

11.46.3.16 CFE_ES_NoopCmd_t typedef CFE_ES_NoArgsCmd_t CFE_ES_NoopCmd_t Definition at line 1071 of file cfe es msg.h.

11.46.3.17 CFE_ES_OneAppTIm_Payload_t typedef struct CFE_ES_OneAppTlm_Payload CFE_ES_OneAppTlm_Payload_t

Name Single Application Information Packet

11.46.3.18 CFE_ES_OneAppTlm_t typedef struct CFE_ES_OneAppTlm CFE_ES_OneAppTlm_t

11.46.3.19 CFE_ES_OverWriteSysLogCmd_Payload_t typedef struct CFE_ES_OverWriteSysLogCmd_Payload CFE_ES_OverWriteSysLogCmd_Payload_t

Overwrite/Discard System Log Configuration Command Payload. For command details, see CFE ES OVER WRITE SYSLOG CC

11.46.3.20 CFE_ES_OverWriteSysLogCmd_t typedef struct CFE_ES_OverWriteSysLogCmd CFE_ES_OverWriteSysLogCmd_t Overwrite/Discard System Log Configuration Command Payload.

11.46.3.21 CFE_ES_PoolStatsTlm_Payload_t typedef struct CFE_ES_PoolStatsTlm_Payload CFE_ES_PoolStatsTlm_Payload_

Name Memory Pool Statistics Packet

11.46.3.22 CFE_ES_QueryAllCmd_t typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAllCmd_t Definition at line 1126 of file cfe_es_msg.h.

11.46.3.23 CFE_ES_QueryAllTasksCmd_t typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAllTasksCmd_t Definition at line 1127 of file cfe_es_msg.h.

11.46.3.24 CFE_ES_QueryOneCmd_t typedef CFE_ES_AppNameCmd_t CFE_ES_QueryOneCmd_t Definition at line 1210 of file cfe es msg.h.

11.46.3.25 CFE_ES_ReloadAppCmd_t typedef struct CFE_ES_ReloadAppCmd_t Reload Application Command.

11.46.3.26 CFE_ES_ResetCountersCmd_t typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetCountersCmd_t Definition at line 1072 of file cfe es msg.h.

11.46.3.27 CFE_ES_ResetPRCountCmd_t typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetPRCountCmd_t Definition at line 1075 of file cfe es msg.h.

11.46.3.28 CFE_ES_RestartAppCmd_t typedef CFE_ES_AppNameCmd_t CFE_ES_RestartAppCmd_t Definition at line 1209 of file cfe_es_msg.h.

11.46.3.29 CFE_ES_RestartCmd_Payload_t typedef struct CFE_ES_RestartCmd_Payload CFE_ES_RestartCmd_Payload_t Restart cFE Command Payload.
For command details, see CFE_ES_RESTART_CC

11.46.3.30 CFE_ES_RestartCmd_t typedef struct CFE_ES_RestartCmd_CFE_ES_RestartCmd_t Restart cFE Command.

11.46.3.31 CFE_ES_SendHkCmd_t typedef CFE_ES_NoArgsCmd_t CFE_ES_SendHkCmd_t Definition at line 1076 of file cfe es msg.h.

11.46.3.32 CFE_ES_SendMemPoolStatsCmd_Payload_t typedef struct CFE_ES_SendMemPoolStatsCmd_Payload_CFE_ES_SendMemPoolStatsCmd_Payload_t

Send Memory Pool Statistics Command Payload.

For command details, see CFE_ES_SEND_MEM_POOL_STATS_CC

11.46.3.33 CFE_ES_SendMemPoolStatsCmd_t typedef struct CFE_ES_SendMemPoolStatsCmd CFE_ES_SendMemPoolStatsCmd_ Send Memory Pool Statistics Command.

11.46.3.34 CFE_ES_SetMaxPRCountCmd_Payload_t typedef struct CFE_ES_SetMaxPRCountCmd_Payload CFE_ES_SetMaxPRCountCmd_Payload_t

Set Maximum Processor Reset Count Command Payload.

For command details, see CFE_ES_SET_MAX_PR_COUNT_CC

 $\textbf{11.46.3.35} \quad \textbf{CFE_ES_SetMaxPRCountCmd_t} \quad \texttt{typedef struct CFE_ES_SetMaxPRCountCmd_CFE_ES_SetMaxPRCountCmd_t} \\ \textbf{Set Maximum Processor Reset Count Command.}$

11.46.3.36 CFE_ES_SetPerfFilterMaskCmd_Payload_t typedef struct CFE_ES_SetPerfFilterMaskCmd_Payload_CFE_ES_SetPerfFilterMaskCmd_Payload_t

Set Performance Analyzer Filter Mask Command Payload.

For command details, see CFE_ES_SET_PERF_FILTER_MASK_CC

11.46.3.37 CFE_ES_SetPerfFilterMaskCmd_t typedef struct CFE_ES_SetPerfFilterMaskCmd CFE_ES_SetPerfFilterMaskCmd_Set Performance Analyzer Filter Mask Command.

11.46.3.38 CFE_ES_SetPerfTriggerMaskCmd_t typedef struct CFE_ES_SetPerfTriggerMaskCmd CFE_ES_SetPerfTriggerMask Set Performance Analyzer Trigger Mask Command.

 $\textbf{11.46.3.39} \quad \textbf{CFE_ES_SetPerfTrigMaskCmd_Payload_t} \quad \texttt{typedef struct CFE_ES_SetPerfTrigMaskCmd_Payload_t} \\ \textbf{CFE_ES_SetPerfTrigMaskCmd_Payload_t}$

Set Performance Analyzer Trigger Mask Command Payload. For command details, see CFE_ES_SET_PERF_TRIGGER_MASK_CC

11.46.3.40 CFE_ES_StartAppCmd_Payload_t typedef struct CFE_ES_StartAppCmd_Payload CFE_ES_StartAppCmd_Payload_t Start Application Command Payload.

For command details, see CFE ES START APP CC

11.46.3.41 CFE_ES_StartAppCmd_t typedef struct CFE_ES_StartApp CFE_ES_StartAppCmd_t Start Application Command.

11.46.3.42 CFE_ES_StartPerfCmd_Payload_t typedef struct CFE_ES_StartPerfCmd_Payload CFE_ES_StartPerfCmd_Payload_Start Performance Analyzer Command Payload.

For command details, see CFE_ES_START_PERF_DATA_CC

11.46.3.43 CFE_ES_StartPerfDataCmd_t typedef struct CFE_ES_StartPerfDataCmd CFE_ES_StartPerfDataCmd_t Start Performance Analyzer Command.

 $\begin{tabular}{ll} \bf 11.46.3.44 & CFE_ES_StopAppCmd_t & typedef & CFE_ES_AppNameCmd_t & CFE_ES_StopAppCmd_t \\ Definition at line 1208 of file cfe_es_msg.h. \\ \end{tabular}$

11.46.3.45 CFE_ES_StopPerfCmd_Payload_t typedef struct CFE_ES_StopPerfCmd_Payload CFE_ES_StopPerfCmd_Payload_t Stop Performance Analyzer Command Payload.

For command details, see CFE_ES_STOP_PERF_DATA_CC

11.46.3.46 CFE_ES_StopPerfDataCmd_t typedef struct CFE_ES_StopPerfDataCmd_CFE_ES_StopPerfDataCmd_t Stop Performance Analyzer Command.

11.46.3.47 CFE_ES_WriteERLogCmd_t typedef CFE_ES_FileNameCmd_t CFE_ES_WriteERLogCmd_t Definition at line 1129 of file cfe es msg.h.

11.46.3.48 CFE_ES_WriteSysLogCmd_t typedef CFE_ES_FileNameCmd_t CFE_ES_WriteSysLogCmd_t Definition at line 1128 of file cfe es msg.h.

11.47 cfe/modules/evs/fsw/inc/cfe_evs_events.h File Reference

Macros

EVS event IDs

• #define CFE EVS NOOP EID 0

EVS No-op Command Success Event ID.

#define CFE EVS STARTUP EID 1

EVS Initialization Event ID.

#define CFE EVS ERR WRLOGFILE EID 2

EVS Write Event Log Command File Write Entry Failed Event ID.

#define CFE_EVS_ERR_CRLOGFILE_EID 3

EVS Write Event Log Command Filename Parse or File Create Failed Event ID.

#define CFE_EVS_ERR_MSGID_EID 5

EVS Invalid Message ID Received Event ID.

• #define CFE_EVS_ERR_EVTIDNOREGS EID 6

EVS Command Event Not Registered For Filtering Event ID.

#define CFE EVS ERR APPNOREGS EID 7

EVS Command Application Not Registered With EVS Event ID.

• #define CFE EVS ERR ILLAPPIDRANGE EID 8

EVS Command Get Application Data Failure Event ID.

#define CFE EVS ERR NOAPPIDFOUND EID 9

EVS Command Get Application ID Failure Event ID.

#define CFE EVS ERR ILLEGALFMTMOD EID 10

EVS Set Event Format Command Invalid Format Event ID.

• #define CFE_EVS_ERR_MAXREGSFILTER_EID 11

EVS Add Filter Command Max Filters Exceeded Event ID.

#define CFE_EVS_ERR_WRDATFILE_EID 12

EVS Write Application Data Command Write Data Failure Event ID.

#define CFE_EVS_ERR_CRDATFILE_EID 13

EVS Write Application Data Command Filename Parse or File Create Failed Event ID.

• #define CFE_EVS_ERR_CC_EID 15

EVS Invalid Command Code Received Event ID.

#define CFE EVS RSTCNT EID 16

EVS Reset Counters Command Success Event ID.

#define CFE_EVS_SETFILTERMSK_EID 17

EVS Set Filter Command Success Event ID.

#define CFE_EVS_ENAPORT_EID 18

EVS Enable Ports Command Success Event ID.

#define CFE EVS DISPORT EID 19

EVS Disable Ports Command Success Event ID.

#define CFE_EVS_ENAEVTTYPE_EID 20

EVS Enable Event Type Command Success Event ID.

• #define CFE EVS DISEVTTYPE EID 21

EVS Disable Event Type Command Success Event ID.

#define CFE EVS SETEVTFMTMOD EID 22

EVS Set Event Format Mode Command Success Event ID.

#define CFE_EVS_ENAAPPEVTTYPE_EID 23

EVS Enable App Event Type Command Success Event ID.

#define CFE EVS DISAPPENTTYPE EID 24

EVS Disable App Event Type Command Success Event ID.

• #define CFE_EVS_ENAAPPEVT_EID 25

EVS Enable App Events Command Success Event ID.

• #define CFE_EVS_DISAPPEVT_EID 26

EVS Disable App Events Command Success Event ID.

Cause:

EVS Add Event Filter Command success. Definition at line 356 of file cfe evs events.h.

• #define CFE_EVS_RSTEVTCNT_EID 27

#define CFE EVS RSTFILTER EID 28

EVS Reset App Event Counter Command Success Event ID.

```
EVS Reset App Event Filter Command Success Event ID.
      • #define CFE EVS RSTALLFILTER EID 29
            EVS Reset All Filters Command Success Event ID.

    #define CFE EVS ADDFILTER EID 30

           EVS Add Event Filter Command Success Event ID.
      • #define CFE EVS DELFILTER EID 31
           EVS Delete Event Filter Command Success Event ID.

    #define CFE EVS WRDAT EID 32

            EVS Write Application Data Command Success Event ID.

    #define CFE_EVS_WRLOG_EID 33

           EVS Write Event Log Command Success Event ID.

    #define CFE EVS EVT FILTERED EID 37

           EVS Add Filter Command Duplicate Registration Event ID.

    #define CFE_EVS_LOGMODE_EID 38

           EVS Set Log Mode Command Success Event ID.

    #define CFE EVS ERR LOGMODE EID 39

           EVS Set Log Mode Command Invalid Mode Event ID.

    #define CFE_EVS_ERR_INVALID_BITMASK_EID 40

           EVS Port Or Event Type Bitmask Invalid Event ID.

    #define CFE EVS ERR UNREGISTERED EVS APP 41

           EVS Send Event API App Not Registered With EVS Event ID.
      • #define CFE_EVS_FILTER_MAX_EID 42
           EVS Filter Max Count Reached Event ID.

    #define CFE EVS LEN ERR EID 43

           EVS Invalid Command Length Event ID.

    #define CFE_EVS_SQUELCHED_ERR_EID 44

           EVS Events Squelched Error Event ID.
11.47.1 Detailed Description
cFE Event Services Event IDs
11.47.2 Macro Definition Documentation
11.47.2.1 CFE EVS ADDFILTER EID #define CFE_EVS_ADDFILTER_EID 30
EVS Add Event Filter Command Success Event ID.
Type: DEBUG
```

11.47.2.2 CFE_EVS_DELFILTER_EID #define CFE_EVS_DELFILTER_EID 31 EVS Delete Event Filter Command Success Event ID.
Type: DEBUG
Cause:
EVS Delete Event Filter Command success. Definition at line 367 of file cfe_evs_events.h.
11.47.2.3 CFE_EVS_DISAPPENTTYPE_EID #define CFE_EVS_DISAPPENTTYPE_EID 24 EVS Disable App Event Type Command Success Event ID.
Type: DEBUG
Cause:
EVS Disable App Event Type Command success.
Definition at line 290 of file cfe_evs_events.h.
11.47.2.4 CFE_EVS_DISAPPEVT_EID #define CFE_EVS_DISAPPEVT_EID 26
EVS Disable App Events Command Success Event ID.
Type: DEBUG
Cause:
EVS Disable App Events Command success.
Definition at line 312 of file cfe_evs_events.h.
11.47.2.5 CFE_EVS_DISEVTTYPE_EID #define CFE_EVS_DISEVTTYPE_EID 21 EVS Disable Event Type Command Success Event ID.
Type: DEBUG
Cause:
EVS Disable Event Type Command success.

Definition at line 257 of file cfe_evs_events.h.

11.47.2.6 CFE_EVS_DISPORT_EID #define CFE_EVS_DISPORT_EID 19 EVS Disable Ports Command Success Event ID.
Type: DEBUG
Cause:
EVS Disable Ports Command success. Definition at line 235 of file cfe_evs_events.h.
11.47.2.7 CFE_EVS_ENAAPPEVT_EID #define CFE_EVS_ENAAPPEVT_EID 25 EVS Enable App Events Command Success Event ID.
Type: DEBUG
Cause:
EVS Enable App Events Command success. Definition at line 301 of file cfe_evs_events.h.
11.47.2.8 CFE_EVS_ENAAPPEVTTYPE_EID #define CFE_EVS_ENAAPPEVTTYPE_EID 23 EVS Enable App Event Type Command Success Event ID.
Type: DEBUG
Cause:
EVS Enable App Event Type Command success. Definition at line 279 of file cfe_evs_events.h.
11.47.2.9 CFE_EVS_ENAEVTTYPE_EID #define CFE_EVS_ENAEVTTYPE_EID 20 EVS Enable Event Type Command Success Event ID.
Type: DEBUG
Cause:
EVS Enable Event Type Command success. Definition at line 246 of file cfe_evs_events.h.

11.47.2.10 CFE_EVS_ENAPORT_EID #define CFE_EVS_ENAPORT_EID 18 EVS Enable Ports Command Success Event ID.
Type: DEBUG
Cause:
EVS Enable Ports Command success. Definition at line 224 of file cfe_evs_events.h.
11.47.2.11 CFE_EVS_ERR_APPNOREGS_EID #define CFE_EVS_ERR_APPNOREGS_EID 7 EVS Command Application Not Registered With EVS Event ID.
Type: ERROR
Cause:
An EVS command handler failure due to the referenced application not being registered with EVS. OVERLOADED Definition at line 110 of file cfe_evs_events.h.
11.47.2.12 CFE_EVS_ERR_CC_EID #define CFE_EVS_ERR_CC_EID 15 EVS Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_EVS_CMD_MID received on the EVS message pipe. Definition at line 191 of file cfe_evs_events.h.
11.47.2.13 CFE_EVS_ERR_CRDATFILE_EID #define CFE_EVS_ERR_CRDATFILE_EID 13 EVS Write Application Data Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
Write Application Data Command failed to parse the filename or open/create the file. OVERLOADED

Generated by Doxygen

Definition at line 180 of file cfe_evs_events.h.

11.47.2.14 CFE_EVS_ERR_CRLOGFILE_EID #define CFE_EVS_ERR_CRLOGFILE_EID 3 EVS Write Event Log Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Course
Cause:
EVS Write Event Log Command failure parsing the file name or during open/creation of the file. OVERLOADED Definition at line 77 of file cfe_evs_events.h.
11.47.2.15 CFE_EVS_ERR_EVTIDNOREGS_EID #define CFE_EVS_ERR_EVTIDNOREGS_EID 6 EVS Command Event Not Registered For Filtering Event ID.
Type: ERROR
Cause:
An EVS command handler failure due to the event not being registered for filtering. OVERLOADED Definition at line 99 of file cfe_evs_events.h.
11.47.2.16 CFE_EVS_ERR_ILLAPPIDRANGE_EID #define CFE_EVS_ERR_ILLAPPIDRANGE_EID 8 EVS Command Get Application Data Failure Event ID.
Type: ERROR
Cause:
An EVS command handler failure retrieving the application data. OVERLOADED Definition at line 121 of file cfe_evs_events.h.
11.47.2.17 CFE_EVS_ERR_ILLEGALFMTMOD_EID #define CFE_EVS_ERR_ILLEGALFMTMOD_EID 10 EVS Set Event Format Command Invalid Format Event ID.
Type: ERROR
Cause:
EVS Set Event Format Command, failure due to invalid format argument

Definition at line 144 of file cfe_evs_events.h.

11.47.2.18 CFE_EVS_ERR_INVALID_BITMASK_EID #define CFE_EVS_ERR_INVALID_BITMASK_EID 40 EVS Port Or Event Type Bitmask Invalid Event ID.
Type: ERROR
Cause:
Invalid bitmask for EVS port or event type. OVERLOADED Definition at line 435 of file cfe_evs_events.h.
11.47.2.19 CFE_EVS_ERR_LOGMODE_EID #define CFE_EVS_ERR_LOGMODE_EID 39 EVS Set Log Mode Command Invalid Mode Event ID.
Type: ERROR
Cause:
EVS Set Log Mode Command failure due to invalid log mode. Definition at line 424 of file cfe_evs_events.h.
11.47.2.20 CFE_EVS_ERR_MAXREGSFILTER_EID #define CFE_EVS_ERR_MAXREGSFILTER_EID 11 EVS Add Filter Command Max Filters Exceeded Event ID.
Type: ERROR
Cause:
EVS Add Filter Command failure due to exceeding the maximum number of filters. Definition at line 156 of file cfe_evs_events.h.
11.47.2.21 CFE_EVS_ERR_MSGID_EID #define CFE_EVS_ERR_MSGID_EID 5 EVS Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the EVS message pipe. Definition at line 88 of file cfe_evs_events.h.

11.47.2.22 CFE_EVS_ERR_NOAPPIDFOUND_EID #define CFE_EVS_ERR_NOAPPIDFOUND_EID 9 EVS Command Get Application ID Failure Event ID.
Type: ERROR
Cause:
An EVS command handler failure retrieving the application ID. OVERLOADED Definition at line 132 of file cfe_evs_events.h.
11.47.2.23 CFE_EVS_ERR_UNREGISTERED_EVS_APP #define CFE_EVS_ERR_UNREGISTERED_EVS_APP 41 EVS Send Event API App Not Registered With EVS Event ID. Type: ERROR
Type: Enhon
Cause:
An EVS Send Event API called for application not registered with EVS. Definition at line 446 of file cfe_evs_events.h.
11.47.2.24 CFE_EVS_ERR_WRDATFILE_EID #define CFE_EVS_ERR_WRDATFILE_EID 12 EVS Write Application Data Command Write Data Failure Event ID.
Type: ERROR
Cause:
Write Application Data Command failure to write application EVS data. Definition at line 168 of file cfe_evs_events.h.
11.47.2.25 CFE_EVS_ERR_WRLOGFILE_EID #define CFE_EVS_ERR_WRLOGFILE_EID 2 EVS Write Event Log Command File Write Entry Failed Event ID.
Type: ERROR
Cause:
EVS Write Event Log Command failure writing data to the file. Definition at line 65 of file cfe_evs_events.h.

11.47.2.26 CFE_EVS_EVT_FILTERED_EID #define CFE_EVS_EVT_FILTERED_EID 37 EVS Add Filter Command Duplicate Registration Event ID.
Type: ERROR
Cause:
EVS Add Filter Command failure due to event already being registered for filtering. Definition at line 401 of file cfe_evs_events.h.
11.47.2.27 CFE_EVS_FILTER_MAX_EID #define CFE_EVS_FILTER_MAX_EID 42 EVS Filter Max Count Reached Event ID. Type: INFORMATIONAL
Cause:
Filter count for the event reached CFE_EVS_MAX_FILTER_COUNT and is latched until filter is reset. Definition at line 457 of file cfe_evs_events.h.
11.47.2.28 CFE_EVS_LEN_ERR_EID #define CFE_EVS_LEN_ERR_EID 43 EVS Invalid Command Length Event ID. Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_EVS_CMD_MID received on the EVS message pipe. Definition at line 468 of file cfe_evs_events.h.
11.47.2.29 CFE_EVS_LOGMODE_EID #define CFE_EVS_LOGMODE_EID 38 EVS Set Log Mode Command Success Event ID.
Type: DEBUG
Cause:
EVS Set Log Mode Command, success

Definition at line 412 of file cfe_evs_events.h.

11.47.2.30 CFE_EVS_NOOP_EID #define CFE_EVS_NOOP_EID 0 EVS No-op Command Success Event ID.
Type: INFORMATION
Cause:
EVS NO-OP command success. Definition at line 42 of file cfe_evs_events.h.
11.47.2.31 CFE_EVS_RSTALLFILTER_EID #define CFE_EVS_RSTALLFILTER_EID 29 EVS Reset All Filters Command Success Event ID.
Type: DEBUG
Cause:
EVS Reset All Filters Command success. Definition at line 345 of file cfe_evs_events.h.
11.47.2.32 CFE_EVS_RSTCNT_EID #define CFE_EVS_RSTCNT_EID 16 EVS Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
EVS Reset Counters Command success. Definition at line 202 of file cfe_evs_events.h.
11.47.2.33 CFE_EVS_RSTEVTCNT_EID #define CFE_EVS_RSTEVTCNT_EID 27 EVS Reset App Event Counter Command Success Event ID.
Type: DEBUG
Cause:
EVS Reset App Event Counter Command success. Definition at line 323 of file cfe_evs_events.h.

11.47.2.34 CFE_EVS_RSTFILTER_EID #define CFE_EVS_RSTFILTER_EID 28 EVS Reset App Event Filter Command Success Event ID.
Type: DEBUG
Cause:
EVS Reset App Event Filter Command success. Definition at line 334 of file cfe_evs_events.h.
11.47.2.35 CFE_EVS_SETEVTFMTMOD_EID #define CFE_EVS_SETEVTFMTMOD_EID 22 EVS Set Event Format Mode Command Success Event ID.
Type: DEBUG
Cause:
EVO Oct Forest Forest Made Occurred access
EVS Set Event Format Mode Command success. Definition at line 268 of file cfe_evs_events.h.
11.47.2.36 CFE_EVS_SETFILTERMSK_EID #define CFE_EVS_SETFILTERMSK_EID 17 EVS Set Filter Command Success Event ID.
Type: DEBUG
Cause:
EVS Set Filter Command success. Definition at line 213 of file cfe_evs_events.h.
11.47.2.37 CFE_EVS_SQUELCHED_ERR_EID #define CFE_EVS_SQUELCHED_ERR_EID 44 EVS Events Squelched Error Event ID.
Type: ERROR
Cause:
Events generated in app at a rate in excess of CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST in one moment or CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC sustained

Definition at line 481 of file cfe_evs_events.h.

```
11.47.2.38 CFE_EVS_STARTUP_EID #define CFE_EVS_STARTUP_EID 1 EVS Initialization Event ID.

Type: INFORMATION

Cause:
```

Event Services Task initialization complete. Definition at line 53 of file cfe_evs_events.h.

11.47.2.39 CFE_EVS_WRDAT_EID #define CFE_EVS_WRDAT_EID 32 EVS Write Application Data Command Success Event ID.

Type: DEBUG

Cause:

EVS Write Application Data Command success.

Definition at line 378 of file cfe_evs_events.h.

11.47.2.40 CFE_EVS_WRLOG_EID #define CFE_EVS_WRLOG_EID 33 EVS Write Event Log Command Success Event ID.

Type: DEBUG

Cause:

EVS Write Event Log Command success.

Definition at line 389 of file cfe_evs_events.h.

11.48 cfe/modules/evs/fsw/inc/cfe_evs_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_evs_extern_typedefs.h"
#include "cfe_es_extern_typedefs.h"
```

Data Structures

• struct CFE_EVS_NoArgsCmd

Command with no additional arguments.

struct CFE EVS LogFileCmd Payload

Write Event Log to File Command Payload.

• struct CFE_EVS_WriteLogDataFileCmd

Write Event Log to File Command.

struct CFE_EVS_AppDataCmd_Payload

Write Event Services Application Information to File Command Payload.

• struct CFE_EVS_WriteAppDataFileCmd

Write Event Services Application Information to File Command.

struct CFE EVS SetLogMode Payload

Set Log Mode Command Payload.

struct CFE EVS SetLogModeCmd

Set Log Mode Command.

• struct CFE_EVS_SetEventFormatCode_Payload

Set Event Format Mode Command Payload.

struct CFE EVS SetEventFormatModeCmd

Set Event Format Mode Command.

• struct CFE_EVS_BitMaskCmd_Payload

Generic Bitmask Command Payload.

struct CFE EVS BitMaskCmd

Generic Bitmask Command.

· struct CFE EVS AppNameCmd Payload

Generic App Name Command Payload.

• struct CFE_EVS_AppNameCmd

Generic App Name Command.

struct CFE_EVS_AppNameEventIDCmd_Payload

Generic App Name and Event ID Command Payload.

struct CFE_EVS_AppNameEventIDCmd

Generic App Name and Event ID Command.

struct CFE_EVS_AppNameBitMaskCmd_Payload

Generic App Name and Bitmask Command Payload.

struct CFE_EVS_AppNameBitMaskCmd

Generic App Name and Bitmask Command.

• struct CFE_EVS_AppNameEventIDMaskCmd_Payload

Generic App Name, Event ID, Mask Command Payload.

struct CFE EVS AppNameEventIDMaskCmd

Generic App Name, Event ID, Mask Command.

- struct CFE EVS AppTImData
- struct CFE_EVS_HousekeepingTlm_Payload
- struct CFE_EVS_HousekeepingTlm
- struct CFE_EVS_PacketID
- struct CFE_EVS_LongEventTlm_Payload
- struct CFE_EVS_ShortEventTlm_Payload
- struct CFE_EVS_LongEventTlm
- struct CFE EVS ShortEventTlm

Macros

- #define CFE EVS DEBUG BIT 0x0001
- #define CFE EVS INFORMATION BIT 0x0002
- #define CFE EVS ERROR BIT 0x0004
- #define CFE_EVS_CRITICAL_BIT 0x0008
- #define CFE_EVS_PORT1_BIT 0x0001
- #define CFE EVS PORT2 BIT 0x0002
- #define CFE EVS PORT3 BIT 0x0004
- #define CFE EVS PORT4 BIT 0x0008

Event Services Command Codes

- #define CFE EVS NOOP CC 0
- #define CFE_EVS_RESET_COUNTERS_CC 1
- #define CFE EVS ENABLE EVENT TYPE CC 2
- #define CFE_EVS_DISABLE_EVENT_TYPE_CC 3
- #define CFE_EVS_SET_EVENT_FORMAT_MODE_CC 4
- #define CFE EVS ENABLE APP EVENT TYPE CC 5
- #define CFE_EVS_DISABLE_APP_EVENT_TYPE_CC 6
- #define CFE EVS ENABLE APP EVENTS CC 7
- #define CFE EVS DISABLE APP EVENTS CC 8
- #define CFE_EVS_RESET_APP_COUNTER_CC 9
- #define CFE_EVS_SET_FILTER_CC 10
- #define CFE_EVS_ENABLE PORTS CC 11
- #define CFE_EVS_DISABLE_PORTS_CC 12
- #define CFE EVS RESET FILTER CC 13
- #define CFE_EVS_RESET_ALL FILTERS CC 14
- #define CFE_EVS_ADD_EVENT_FILTER_CC 15
- #define CFE_EVS_DELETE_EVENT_FILTER_CC 16
- #define CFE EVS WRITE APP DATA FILE CC 17
- #define CFE_EVS_WRITE_LOG_DATA_FILE_CC 18 #define CFE EVS SET LOG MODE CC 19
- #define CFE EVS CLEAR LOG CC 20

Typedefs

- typedef struct CFE EVS NoArgsCmd CFE EVS NoArgsCmd t
 - Command with no additional arguments.
- typedef CFE EVS NoArgsCmd t CFE EVS NoopCmd t
- typedef CFE EVS NoArgsCmd t CFE EVS ResetCountersCmd t
- typedef CFE EVS NoArgsCmd t CFE EVS ClearLogCmd t
- typedef CFE EVS NoArgsCmd t CFE EVS SendHkCmd t
- typedef struct CFE_EVS_LogFileCmd_Payload CFE_EVS_LogFileCmd_Payload_t Write Event Log to File Command Payload.
- typedef struct CFE_EVS_WriteLogDataFileCmd CFE_EVS_WriteLogDataFileCmd_t Write Event Log to File Command.
- typedef struct CFE_EVS_AppDataCmd_Payload CFE_EVS_AppDataCmd_Payload_t
 - Write Event Services Application Information to File Command Payload.
- typedef struct CFE EVS WriteAppDataFileCmd CFE EVS WriteAppDataFileCmd t
 - Write Event Services Application Information to File Command.
- typedef struct CFE_EVS_SetLogMode_Payload CFE_EVS_SetLogMode_Payload_t Set Log Mode Command Payload.
- typedef struct CFE EVS SetLogModeCmd CFE EVS SetLogModeCmd t

```
Set Log Mode Command.
```

• typedef struct CFE_EVS_SetEventFormatCode_Payload CFE_EVS_SetEventFormatMode_Payload_t

Set Event Format Mode Command Payload.

typedef struct CFE_EVS_SetEventFormatModeCmd CFE_EVS_SetEventFormatModeCmd_t

Set Event Format Mode Command.

• typedef struct CFE_EVS_BitMaskCmd_Payload CFE_EVS_BitMaskCmd_Payload_t

Generic Bitmask Command Payload.

typedef struct CFE EVS BitMaskCmd CFE EVS BitMaskCmd t

Generic Bitmask Command.

- typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnablePortsCmd_t
- typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisablePortsCmd_t
- typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnableEventTypeCmd_t
- typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisableEventTypeCmd_t
- typedef struct CFE EVS AppNameCmd Payload CFE EVS AppNameCmd Payload t

Generic App Name Command Payload.

typedef struct CFE_EVS_AppNameCmd CFE_EVS_AppNameCmd_t

Generic App Name Command.

- typedef CFE EVS AppNameCmd t CFE EVS EnableAppEventsCmd t
- typedef CFE_EVS_AppNameCmd_t CFE_EVS_DisableAppEventsCmd_t
- typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAppCounterCmd_t
- typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAllFiltersCmd_t
- typedef struct CFE_EVS_AppNameEventIDCmd_Payload CFE_EVS_AppNameEventIDCmd_Payload_t

Generic App Name and Event ID Command Payload.

typedef struct CFE EVS AppNameEventIDCmd CFE EVS AppNameEventIDCmd t

Generic App Name and Event ID Command.

- typedef CFE EVS AppNameEventIDCmd t CFE EVS ResetFilterCmd t
- typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_DeleteEventFilterCmd_t
- typedef struct CFE EVS AppNameBitMaskCmd Payload CFE EVS AppNameBitMaskCmd Payload t

Generic App Name and Bitmask Command Payload.

• typedef struct CFE_EVS_AppNameBitMaskCmd CFE_EVS_AppNameBitMaskCmd_t

Generic App Name and Bitmask Command.

- typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_EnableAppEventTypeCmd_t
- typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_DisableAppEventTypeCmd_t
- typedef struct CFE_EVS_AppNameEventIDMaskCmd_Payload CFE_EVS_AppNameEventIDMaskCmd_Payload_t

Generic App Name, Event ID, Mask Command Payload.

typedef struct CFE_EVS_AppNameEventIDMaskCmd_CFE_EVS_AppNameEventIDMaskCmd_t

Generic App Name, Event ID, Mask Command.

- typedef CFE EVS AppNameEventIDMaskCmd t CFE EVS AddEventFilterCmd t
- typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_SetFilterCmd_t
- typedef struct CFE_EVS_AppTImData CFE_EVS_AppTImData_t
- typedef struct CFE EVS HousekeepingTlm Payload CFE EVS HousekeepingTlm Payload t
- typedef struct CFE EVS HousekeepingTlm CFE EVS HousekeepingTlm t
- typedef struct CFE_EVS_PacketID CFE_EVS_PacketID_t
- typedef struct CFE EVS LongEventTlm Payload CFE EVS LongEventTlm Payload t
- typedef struct CFE EVS ShortEventTlm Payload CFE EVS ShortEventTlm Payload t
- typedef struct CFE_EVS_LongEventTlm CFE_EVS_LongEventTlm_t
- typedef struct CFE EVS ShortEventTlm CFE EVS ShortEventTlm t

11.48.1 Detailed Description

Title: Event Services Message definition header file Header File

Purpose: Unit specification for Event services command codes and data structures.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

11.48.2 Macro Definition Documentation

```
11.48.2.1 CFE EVS ADD EVENT FILTER CC #define CFE_EVS_ADD_EVENT_FILTER_CC 15
```

Name Add Application Event Filter

Description

This command adds the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_AddEvtFltr

Command Structure

CFE_EVS_AddEventFilterCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE EVS ADDFILTER EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is already added to the application event filter
- · Maximum number of event IDs already added to filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

```
CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_DELETE_EVENT_FILTER_CC
```

Definition at line 705 of file cfe evs msg.h.

11.48.2.2 CFE_EVS_CLEAR_LOG_CC #define CFE_EVS_CLEAR_LOG_CC 20

Name Clear Event Log

Description

This command clears the contents of the local event log.

Command Mnemonic(s) \$sc_\$cpu_EVS_ClrLog

Command Structure

CFE EVS ClearLogCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- \$sc_\$cpu_EVS_LOGFULL The LogFullFlag in the Housekeeping telemetry will be cleared
- \$sc_\$cpu_EVS_LOGOVERFLOWC The LogOverflowCounter in the Housekeeping telemetry will be reset to 0

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the log is cleared.

Criticality

Clearing the local event log is not particularly hazardous, as the result may be making available space to record valuable event data. However, inappropriately clearing the local event log could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

See also

CFE_EVS_WRITE_LOG_DATA_FILE_CC, CFE_EVS_SET_LOG_MODE_CC

Definition at line 885 of file cfe_evs_msg.h.

11.48.2.3 CFE_EVS_CRITICAL_BIT #define CFE_EVS_CRITICAL_BIT 0×0008 Definition at line 892 of file cfe_evs_msg.h.

11.48.2.4 CFE_EVS_DEBUG_BIT #define CFE_EVS_DEBUG_BIT 0×0001 Definition at line 889 of file cfe_evs_msg.h.

11.48.2.5 CFE_EVS_DELETE_EVENT_FILTER_CC #define CFE_EVS_DELETE_EVENT_FILTER_CC 16

Name Delete Application Event Filter

Description

This command removes the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DelEvtFltr

Command Structure

CFE_EVS_DeleteEventFilterCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DELFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

```
CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_CC
```

Definition at line 740 of file cfe_evs_msg.h.

```
11.48.2.6 CFE_EVS_DISABLE_APP_EVENT_TYPE_CC #define CFE_EVS_DISABLE_APP_EVENT_TYPE_CC 6
```

Name Disable Application Event Type

Description

This command disables the command specified event type for the command specified application, preventing the application from sending event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisAppEvtType, \$sc_\$cpu_EVS_DisAppEvtTypeMask

CFE_EVS_DisableAppEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS DISAPPENTTYPE EID debug event message
- The clearing of the Event Type Active Flag in The Event Type Active Flag in EVS App Data File

Error Conditions

This command may fail for the following reason(s):

- BitMask field invalid mask cannot be zero, and only bits 0-3 may be set
- Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu EVS CMDEC command error counter will increment
- · An Error specific event message

Criticality

Disabling an application's event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's event type could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 365 of file cfe_evs_msg.h.

11.48.2.7 CFE EVS DISABLE APP EVENTS CC #define CFE_EVS_DISABLE_APP_EVENTS_CC 8

Name Disable Event Services for an Application

Description

This command disables the command specified application from sending events through Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisAppEvGen

Command Structure

CFE EVS DisableAppEventsCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE EVS DISAPPEVT EID debug event message

Error Conditions

This command may fail for the following reason(s):

Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Disabling an application's events is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's events could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
CFE_EVS_DISABLE_APP_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC

Definition at line 443 of file cfe_evs_msg.h.

```
11.48.2.8 CFE EVS DISABLE EVENT_TYPE CC #define CFE_EVS_DISABLE_EVENT_TYPE_CC 3
```

Name Disable Event Type

Description

This command disables the command specified Event Type preventing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global disable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisEventType, \$sc_\$cpu_EVS_DisEventTypeMask

Command Structure

CFE_EVS_DisableEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered). A zero in a bit position means the filtering state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS DISEVTTYPE EID debug message

Error Conditions

This command may fail for the following reason(s):

· BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu EVS CMDEC command error counter will increment
- · An Error specific event message

Criticality

Disabling an event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an event type could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENT_TYFCFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 213 of file cfe_evs_msg.h.

11.48.2.9 CFE EVS DISABLE PORTS CC #define CFE_EVS_DISABLE_PORTS_CC 12

Name Disable Event Services Output Ports

Description

This command disables the specified port from outputting event messages.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisPort, \$sc_\$cpu_EVS_DisPortMask

Command Structure

CFE_EVS_DisablePortsCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be disabled. A zero in a bit position means the port state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISPORT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

· BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

CFE_EVS_ENABLE_PORTS_CC

Definition at line 599 of file cfe_evs_msg.h.

11.48.2.10 CFE EVS ENABLE APP EVENT TYPE CC #define CFE_EVS_ENABLE_APP_EVENT_TYPE_CC 5

Name Enable Application Event Type

Description

This command enables the command specified event type for the command specified application, allowing the application to send event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc \$cpu EVS EnaAppEvtType, \$sc \$cpu EVS EnaAppEvtTypeMask

Command Structure

CFE_EVS_EnableAppEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAAPPEVTTYPE_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · BitMask field invalid mask cannot be zero, and only bits 0-3 may be set
- Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Enabling an application event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's event type could result in flooding of the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENT_TYPE_C CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 312 of file cfe_evs_msg.h.

11.48.2.11 CFE_EVS_ENABLE_APP_EVENTS_CC #define CFE_EVS_ENABLE_APP_EVENTS_CC 7

Name Enable Event Services for an Application

Description

This command enables the command specified application to send events through the Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaAppEvGen

Command Structure

CFE EVS EnableAppEventsCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE EVS ENAAPPEVT EID debug event message
- · The setting of the Active Flag in The Active Flag in EVS App Data File

Error Conditions

This command may fail for the following reason(s):

Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Enabling an application events is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's events could result in flooding of the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
CFE_EVS_DISABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 404 of file cfe evs msg.h.

11.48.2.12 CFE_EVS_ENABLE_EVENT_TYPE_CC #define CFE_EVS_ENABLE_EVENT_TYPE_CC 2

Name Enable Event Type

Description

This command enables the command specified Event Type allowing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global enable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaEventType, \$sc_\$cpu_EVS_EnaEventTypeMask

Command Structure

CFE_EVS_EnableEventTypeCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered). A zero in a bit position means the filtering state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAEVTTYPE_EID debug message

Error Conditions

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

Enabling an event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an event type could result in flooding of the system.

See also

CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENT_TY CFE_EVS_ENABLE_APP_EVENTS_CC

Definition at line 164 of file cfe_evs_msg.h.

11.48.2.13 CFE_EVS_ENABLE_PORTS_CC #define CFE_EVS_ENABLE_PORTS_CC 11

Name Enable Event Services Output Ports

Description

This command enables the command specified port to output event messages

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaPort, \$sc_\$cpu_EVS_EnaPortMask

CFE_EVS_EnablePortsCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be enabled. A zero in a bit position means the port state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE EVS ENAPORT EID debug event message

Error Conditions

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

```
CFE_EVS_DISABLE_PORTS_CC
```

Definition at line 560 of file cfe evs msg.h.

```
11.48.2.14 CFE_EVS_ERROR_BIT #define CFE_EVS_ERROR_BIT 0x0004 Definition at line 891 of file cfe evs msg.h.
```

```
11.48.2.15 CFE_EVS_INFORMATION_BIT #define CFE_EVS_INFORMATION_BIT 0 \times 0002 Definition at line 890 of file cfe_evs_msg.h.
```

```
11.48.2.16 CFE_EVS_NOOP_CC #define CFE_EVS_NOOP_CC 0
```

Name Event Services No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Event Services task.

Command Mnemonic(s) \$sc \$cpu EVS NOOP

```
CFE_EVS_NoopCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The CFE_EVS_NOOP_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS itself) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 77 of file cfe_evs_msg.h.

11.48.2.17 CFE_EVS_PORT1_BIT #define CFE_EVS_PORT1_BIT 0x0001 Definition at line 895 of file cfe_evs_msg.h.

11.48.2.18 CFE_EVS_PORT2_BIT #define CFE_EVS_PORT2_BIT 0x0002 Definition at line 896 of file cfe_evs_msg.h.

11.48.2.19 CFE_EVS_PORT3_BIT #define CFE_EVS_PORT3_BIT 0×00004 Definition at line 897 of file cfe evs msg.h.

11.48.2.20 CFE_EVS_PORT4_BIT #define CFE_EVS_PORT4_BIT 0x0008 Definition at line 898 of file cfe_evs_msg.h.

11.48.2.21 CFE_EVS_RESET_ALL_FILTERS_CC #define CFE_EVS_RESET_ALL_FILTERS_CC 14

Name Reset All Event Filters for an Application

Description

This command resets all of the command specified applications event filters. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstAllFltrs

```
CFE EVS ResetAllFiltersCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_RSTALLFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

```
CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC
```

Definition at line 669 of file cfe evs msg.h.

```
11.48.2.22 CFE_EVS_RESET_APP_COUNTER_CC #define CFE_EVS_RESET_APP_COUNTER_CC 9
```

Name Reset Application Event Counters

Description

This command sets the command specified application's event counter to zero. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstAppCtrs

Command Structure

```
CFE_EVS_ResetAppCounterCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS RSTEVTCNT EID debug event message

Error Conditions

This command may fail for the following reason(s):

Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter value that is reset by this command.

See also

```
CFE EVS RESET COUNTERS CC
```

Definition at line 479 of file cfe evs msg.h.

11.48.2.23 CFE EVS RESET COUNTERS CC #define CFE_EVS_RESET_COUNTERS_CC 1

Name Event Services Reset Counters

Description

This command resets the following counters within the Event Services housekeeping telemetry:

- Command Execution Counter (\$sc \$cpu EVS CMDPC)
- Command Error Counter (\$sc_\$cpu_EVS_CMDEC)

Command Mnemonic(s) \$sc_\$cpu_EVS_ResetCtrs

Command Structure

```
CFE EVS ResetCountersCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will be reset to 0
- \$sc_\$cpu_EVS_CMDEC command error counter will be reset to 0
- The CFE_EVS_RSTCNT_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

```
CFE_EVS_RESET_APP_COUNTER_CC
```

Definition at line 116 of file cfe evs msg.h.

11.48.2.24 CFE_EVS_RESET_FILTER_CC #define CFE_EVS_RESET_FILTER_CC 13

Name Reset an Event Filter for an Application

Description

This command resets the command specified application's event filter for the command specified event ID. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstBinFltrCtr

Command Structure

CFE_EVS_ResetFilterCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_RSTFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC

Definition at line 635 of file cfe_evs_msg.h.

11.48.2.25 CFE_EVS_SET_EVENT_FORMAT_MODE_CC #define CFE_EVS_SET_EVENT_FORMAT_MODE_CC 4

Name Set Event Format Mode

Description

This command sets the event format mode to the command specified value. The event format mode may be either short or long. A short event format detaches the Event Data from the event message and only includes the following information in the event packet: Processor ID, Application ID, Event ID, and Event Type. Refer to section 5.3.3.4 for a description of the Event Service event packet contents. Event Data is defined to be data describing an Event that is supplied to the cFE Event Service. ASCII text strings are used as the primary format for Event Data because heritage ground systems use string compares as the basis for their automated alert systems. Two systems, ANSR and SERS were looked at for interface definitions. The short event format is used to accommodate experiences with limited telemetry bandwidth. The long event format includes all event information included within the short format along with the Event Data.

Command Mnemonic(s) \$sc_\$cpu_EVS_SetEvtFmt

Command Structure

CFE EVS SetEventFormatModeCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS SETEVTFMTMOD EID debug message

Error Conditions

This command may fail for the following reason(s):

· Invalid MsgFormat mode selection

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Setting the event format mode is not particularly hazardous, as the result may be saving necessary bandwidth. However, inappropriately setting the event format mode could result in a loss of information and missed behavior for the ground system

See also

Definition at line 260 of file cfe_evs_msg.h.

11.48.2.26 CFE_EVS_SET_FILTER_CC #define CFE_EVS_SET_FILTER_CC 10

Name Set Application Event Filter

Description

This command sets the command specified application's event filter mask to the command specified value for the command specified event. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc \$cpu EVS SetBinFltrMask

Command Structure

```
CFE_EVS_SetFilterCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_SETFILTERMSK_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Setting an application event filter mask is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately setting an application's event filter mask could result in a loss of critical information and missed behavior for the ground system or flooding of the ground system.

See also

```
CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC
```

Definition at line 521 of file cfe evs msg.h.

```
11.48.2.27 CFE_EVS_SET_LOG_MODE_CC #define CFE_EVS_SET_LOG_MODE_CC 19
```

Name Set Logging Mode

Description

This command sets the logging mode to the command specified value.

Command Mnemonic(s) \$sc_\$cpu_EVS_SetLogMode

CFE EVS SetLogModeCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE_EVS_LOGMODE_EID debug event message

Error Conditions

This command may fail for the following reason(s):

Invalid LogMode selected - must be either CFE EVS LogMode OVERWRITE or CFE EVS LogMode DISCARD

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Setting the event logging mode is not particularly hazardous, as the result may be saving valuable event data. However, inappropriately setting the log mode could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

See also

```
CFE EVS WRITE LOG DATA FILE CC, CFE EVS CLEAR LOG CC
```

Definition at line 850 of file cfe_evs_msg.h.

```
11.48.2.28 CFE EVS WRITE APP DATA FILE CC #define CFE_EVS_WRITE_APP_DATA_FILE_CC 17
```

Name Write Event Services Application Information to File

Description

This command writes all application data to a file for all applications that have registered with the EVS. The application data includes the Application ID, Active Flag, Event Count, Event Types Active Flag, and Filter Data.

Command Mnemonic(s) \$sc_\$cpu_EVS_WriteAppData2File

Command Structure

CFE_EVS_WriteAppDataFileCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS WRDAT EID debug event message
- The file specified in the command (or the default specified by the CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE configuration parameter) will be updated with the latest information.

Error Conditions

This command may fail for the following reason(s):

- The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

See also

```
CFE_EVS_WRITE_LOG_DATA_FILE_CC, CFE_EVS_SET_LOG_MODE_CC
```

Definition at line 779 of file cfe_evs_msg.h.

```
11.48.2.29 CFE_EVS_WRITE_LOG_DATA_FILE_CC #define CFE_EVS_WRITE_LOG_DATA_FILE_CC 18
```

Name Write Event Log to File

Description

This command requests the Event Service to generate a file containing the contents of the local event log.

Command Mnemonic(s) \$sc \$cpu EVS WriteLog2File

Command Structure

```
CFE_EVS_WriteLogDataFileCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_WRLOG_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- · An Error specific event message

Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

See also

CFE EVS WRITE APP DATA FILE CC, CFE EVS SET LOG MODE CC, CFE EVS CLEAR LOG CC

Definition at line 814 of file cfe_evs_msg.h.

11.48.3 Typedef Documentation

11.48.3.1 CFE_EVS_AddEventFilterCmd_t typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_AddEventFilterCmd_t Definition at line 1152 of file cfe_evs_msg.h.

11.48.3.2 CFE_EVS_AppDataCmd_Payload_t typedef struct CFE_EVS_AppDataCmd_Payload CFE_EVS_AppDataCmd_Payload_t Write Event Services Application Information to File Command Payload.

For command details, see CFE_EVS_WRITE_APP_DATA_FILE_CC

11.48.3.3 CFE_EVS_AppNameBitMaskCmd_Payload_t typedef struct CFE_EVS_AppNameBitMaskCmd_Payload CFE_EVS_AppNameBitMaskCmd_Payload_t

Generic App Name and Bitmask Command Payload.

For command details, see CFE EVS ENABLE APP EVENT TYPE CC and/or CFE EVS DISABLE APP EVENT TYPE CC

11.48.3.4 CFE_EVS_AppNameBitMaskCmd_t typedef struct CFE_EVS_AppNameBitMaskCmd CFE_EVS_AppNameBitMaskCmd_t Generic App Name and Bitmask Command.

11.48.3.5 CFE_EVS_AppNameCmd_Payload_t typedef struct CFE_EVS_AppNameCmd_Payload CFE_EVS_AppNameCmd_Payload_t Generic App Name Command Payload.

For command details, see CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC, CFE_EVS_RESET_APP_COUNTER_CC and/or CFE_EVS_RESET_ALL_FILTERS_CC

11.48.3.6 CFE_EVS_AppNameCmd_t typedef struct CFE_EVS_AppNameCmd CFE_EVS_AppNameCmd_t Generic App Name Command.

11.48.3.7 CFE_EVS_AppNameEventIDCmd_Payload_t typedef struct CFE_EVS_AppNameEventIDCmd_Payload CFE_EVS_AppNameEventIDCmd_Payload_t

Generic App Name and Event ID Command Payload.

For command details, see CFE_EVS_RESET_FILTER_CC and CFE_EVS_DELETE_EVENT_FILTER_CC

11.48.3.8 CFE_EVS_AppNameEventIDCmd_t typedef struct CFE_EVS_AppNameEventIDCmd CFE_EVS_AppNameEventIDCmd_t Generic App Name and Event ID Command.

11.48.3.9 CFE_EVS_AppNameEventIDMaskCmd_Payload_t typedef struct CFE_EVS_AppNameEventIDMaskCmd_Payload CFE EVS AppNameEventIDMaskCmd Payload t

Generic App Name, Event ID, Mask Command Payload.

For command details, see CFE_EVS_SET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC and/or CFE_EVS_DELETE_EVENT_FIL

11.48.3.10 CFE_EVS_AppNameEventIDMaskCmd_t typedef struct CFE_EVS_AppNameEventIDMaskCmd CFE_EVS_AppNameEventIDMaskCmd_t

Generic App Name, Event ID, Mask Command.

11.48.3.11 CFE_EVS_AppTImData_t typedef struct CFE_EVS_AppTlmData CFE_EVS_AppTlmData_t

11.48.3.12 CFE_EVS_BitMaskCmd_Payload_t typedef struct CFE_EVS_BitMaskCmd_Payload CFE_EVS_BitMaskCmd_Payload_t Generic Bitmask Command Payload.

For command details, see CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_D

11.48.3.13 CFE_EVS_BitMaskCmd_t typedef struct CFE_EVS_BitMaskCmd_t Generic Bitmask Command.

11.48.3.14 CFE_EVS_ClearLogCmd_t typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ClearLogCmd_t Definition at line 917 of file cfe_evs_msg.h.

11.48.3.15 CFE_EVS_DeleteEventFilterCmd_t typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_DeleteEventFilterCmd_t Definition at line 1092 of file cfe_evs_msg.h.

11.48.3.16 CFE_EVS_DisableAppEventsCmd_t typedef CFE_EVS_AppNameCmd_t CFE_EVS_DisableAppEventsCmd_t Definition at line 1061 of file cfe_evs_msg.h.

11.48.3.17 CFE_EVS_DisableAppEventTypeCmd_t typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_DisableAppEventTypeCmd_t
Definition at line 1122 of file cfe_evs_msg.h.

11.48.3.18 CFE_EVS_DisableEventTypeCmd_t typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisableEventTypeCmd_t Definition at line 1032 of file cfe evs msg.h.

11.48.3.19 CFE_EVS_DisablePortsCmd_t typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisablePortsCmd_t Definition at line 1030 of file cfe_evs_msg.h.

11.48.3.20 CFE_EVS_EnableAppEventsCmd_t typedef CFE_EVS_AppNameCmd_t CFE_EVS_EnableAppEventsCmd_t Definition at line 1060 of file cfe evs msg.h.

11.48.3.21 CFE_EVS_EnableAppEventTypeCmd_t typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_EnableAppEventTypeCmd_Definition at line 1121 of file cfe evs msg.h.

11.48.3.22 CFE_EVS_EnableEventTypeCmd_t typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnableEventTypeCmd_t Definition at line 1031 of file cfe evs msg.h.

11.48.3.23 CFE_EVS_EnablePortsCmd_t typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnablePortsCmd_t Definition at line 1029 of file cfe_evs_msg.h.

 $\textbf{11.48.3.24} \quad \textbf{CFE_EVS_HousekeepingTlm_Payload_t} \quad \texttt{typedef struct CFE_EVS_HousekeepingTlm_Payload_t} \\ \quad \texttt{CFE_EVS_HousekeepingTlm_Payload_t}$

Name Event Services Housekeeping Telemetry Packet

11.48.3.25 CFE_EVS_HousekeepingTlm_t typedef struct CFE_EVS_HousekeepingTlm CFE_EVS_HousekeepingTlm_t

11.48.3.26 CFE_EVS_LogFileCmd_Payload_t typedef struct CFE_EVS_LogFileCmd_Payload CFE_EVS_LogFileCmd_Payload_t Write Event Log to File Command Payload.

For command details, see CFE_EVS_WRITE_LOG_DATA_FILE_CC

11.48.3.27 CFE_EVS_LongEventTlm_Payload_t typedef struct CFE_EVS_LongEventTlm_Payload CFE_EVS_LongEventTlm_Payload_t

Name Event Message Telemetry Packet (Long format)

 $\textbf{11.48.3.28} \quad \textbf{CFE_EVS_LongEventTlm_t} \quad \textbf{typedef struct CFE_EVS_LongEventTlm_t}$

11.48.3.30 CFE_EVS_NoopCmd_t typedef CFE_EVS_NoArgsCmd_t CFE_EVS_NoopCmd_t Definition at line 915 of file cfe_evs_msg.h.

11.48.3.31 CFE_EVS_PacketID_t typedef struct CFE_EVS_PacketID_t Telemetry packet structures

11.48.3.32 CFE_EVS_ResetAllFiltersCmd_t typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAllFiltersCmd_t Definition at line 1063 of file cfe_evs_msg.h.

11.48.3.33 CFE_EVS_ResetAppCounterCmd_t typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAppCounterCmd_t Definition at line 1062 of file cfe evs msg.h.

11.48.3.34 CFE_EVS_ResetCountersCmd_t typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ResetCountersCmd_t Definition at line 916 of file cfe evs msg.h.

11.48.3.35 CFE_EVS_ResetFilterCmd_t typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_ResetFilterCmd_t Definition at line 1091 of file cfe evs msg.h.

11.48.3.36 CFE_EVS_SendHkCmd_t typedef CFE_EVS_NoArgsCmd_t CFE_EVS_SendHkCmd_t Definition at line 918 of file cfe evs msg.h.

 $\textbf{11.48.3.37} \quad \textbf{CFE_EVS_SetEventFormatMode_Payload_t} \quad \texttt{typedef struct CFE_EVS_SetEventFormatCode_Payload_t} \\ \textbf{CFE_EVS_SetEventFormatMode_Payload_t}$

Set Event Format Mode Command Payload.

For command details, see CFE EVS SET EVENT FORMAT MODE CC

11.48.3.38 CFE_EVS_SetEventFormatModeCmd_t typedef struct CFE_EVS_SetEventFormatModeCmd CFE_EVS_

11.48.3.39 CFE_EVS_SetFilterCmd_t typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_SetFilterCmd_t Definition at line 1153 of file cfe evs msg.h.

11.48.3.40 CFE_EVS_SetLogMode_Payload_t typedef struct CFE_EVS_SetLogMode_Payload CFE_EVS_SetLogMode_Payload_t Set Log Mode Command Payload.

For command details, see CFE_EVS_SET_LOG_MODE_CC

11.48.3.41 CFE_EVS_SetLogModeCmd_t typedef struct CFE_EVS_SetLogModeCmd CFE_EVS_SetLogModeCmd_t Set Log Mode Command.

11.48.3.42 CFE_EVS_ShortEventTIm_Payload_t typedef struct CFE_EVS_ShortEventTlm_Payload CFE_EVS_ShortEventTlm_P

Name Event Message Telemetry Packet (Short format)

11.48.3.43 CFE_EVS_ShortEventTlm_t typedef struct CFE_EVS_ShortEventTlm CFE_EVS_ShortEventTlm_t

11.48.3.44 CFE_EVS_WriteAppDataFileCmd_t typedef struct CFE_EVS_WriteAppDataFileCmd CFE_EVS_WriteAppDataFileCmd Write Event Services Application Information to File Command.

11.48.3.45 CFE_EVS_WriteLogDataFileCmd_t typedef struct CFE_EVS_WriteLogDataFileCmd CFE_EVS_WriteLogDataFileCmd Write Event Log to File Command.

11.49 cfe/modules/msg/fsw/inc/ccsds_hdr.h File Reference

#include "common_types.h"

Data Structures

```
    struct CCSDS_PrimaryHeader
    CCSDS packet primary header.
```

struct CCSDS_ExtendedHeader

CCSDS packet extended header.

Typedefs

- typedef struct CCSDS_PrimaryHeader CCSDS_PrimaryHeader_t
 CCSDS packet primary header.
- typedef struct CCSDS_ExtendedHeader CCSDS_ExtendedHeader_t
 CCSDS packet extended header.

11.49.1 Detailed Description

Define CCSDS packet header types

- · Avoid direct access for portability, use APIs
- · Used to construct message structures

11.49.2 Typedef Documentation

11.49.2.1 CCSDS_ExtendedHeader_t typedef struct CCSDS_ExtendedHeader CCSDS_ExtendedHeader_t CCSDS packet extended header.

11.49.2.2 CCSDS_PrimaryHeader_t typedef struct CCSDS_PrimaryHeader_CCSDS_PrimaryHeader_t CCSDS packet primary header.

11.50 cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h File Reference

```
#include "cfe_resourceid_basevalue.h"
```

Enumerations

```
    enum {
        CFE_RESOURCEID_ES_TASKID_BASE_OFFSET = OS_OBJECT_TYPE_OS_TASK, CFE_RESOURCEID_ES_APPID_BASE_OS_OBJECT_TYPE_USER + 1, CFE_RESOURCEID_ES_LIBID_BASE_OFFSET = OS_OBJECT_TYPE_
        USER + 2, CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 3,
        CFE_RESOURCEID_ES_POOLID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 4, CFE_RESOURCEID_ES_CDSBLOCKID_
        = OS_OBJECT_TYPE_USER + 5, CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OFFSET = OS_O←
        BJECT_TYPE_USER + 6, CFE_RESOURCEID_CONFIGID_BASE_OFFSET = OS_OBJECT_TYPE_USER + 7
    }
    enum {
            CFE_ES_TASKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_TASKID_BASE_O←
```

CFE_ES_TASKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_TASKID_BASE_O← FFSET), CFE_ES_APPID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_APPID_BA⇔ SE_OFFSET), CFE_ES_LIBID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_LIBID↔ BASE_OFFSET), CFE_ES_COUNTID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_E⇔ S_COUNTID_BASE_OFFSET),

CFE_ES_POOLID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_POOLID_BASE_O ← FFSET), CFE_ES_CDSBLOCKID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOURCEID_ES_CD ← SBLOCKID_BASE_OFFSET), CFE_SB_PIPEID_BASE = CFE_RESOURCEID_MAKE_BASE(CFE_RESOUR ← CEID_SB_PIPEID_RESOURCE_BASE_OFFSET), CFE_CONFIGID_BASE = CFE_RESOURCEID_MAKE_B ← ASE(CFE_RESOURCEID_CONFIGID_BASE_OFFSET) }

11.50.1 Detailed Description

Contains CFE internal prototypes and definitions related to resource management and related CFE resource IDs. A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

11.51 cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h File Reference

```
#include "cfe_resourceid_typedef.h"
#include "osapi-idmap.h"
```

Macros

- #define CFE RESOURCEID SHIFT OS OBJECT TYPE SHIFT
- #define CFE_RESOURCEID_MAX OS_OBJECT_INDEX_MASK

A macro to generate a CFE resource ID base value from an offset.

11.51.1 Detailed Description

An implementation of CFE resource ID base values/limits that will be compatible with OSAL IDs. This is intended as a transitional tool to provide runtime value uniqueness, particularly when the "simple" (compatible) resource ID implementation is used. In this mode, compiler type checking is disabled, and so OSAL IDs can be silently interchanged with CFE IDs.

However, by ensuring uniqueness in the runtime values, any ID handling errors may at least be detectable at runtime. This still works fine with the "strict" resource ID option, but is less important as the compiler type checking should prevent this type of error before the code even runs.

The downside to this implementation is that it has a dependency on the OSAL ID structure.

11.51.2 Macro Definition Documentation

```
11.51.2.1 CFE_RESOURCEID_MAKE_BASE #define CFE_RESOURCEID_MAKE_BASE(

offset ) (CFE_RESOURCEID_MARK | ((offset) << CFE_RESOURCEID_SHIFT))
```

A macro to generate a CFE resource ID base value from an offset.

Each CFE ID range is effectively an extension of OSAL ID ranges by starting at OS_OBJECT_TYPE_USER. Definition at line 73 of file cfe resourceid basevalue.h.

11.51.2.2 CFE_RESOURCEID_MAX #define CFE_RESOURCEID_MAX OS_OBJECT_INDEX_MASK Definition at line 65 of file cfe_resourceid_basevalue.h.

11.51.2.3 CFE_RESOURCEID_SHIFT #define CFE_RESOURCEID_SHIFT OS_OBJECT_TYPE_SHIFT Definition at line 64 of file cfe resourceid basevalue.h.

11.52 cfe/modules/sb/fsw/inc/cfe_sb_events.h File Reference

Macros

SB event IDs

```
• #define CFE SB INIT EID 1
```

SB Initialization Event ID.

#define CFE SB CR PIPE BAD ARG EID 2

SB Create Pipe API Bad Argument Event ID.

#define CFE SB MAX PIPES MET EID 3

SB Create Pipe API Max Pipes Exceeded Event ID.

#define CFE_SB_CR_PIPE_ERR_EID 4

SB Create Pipe API Queue Create Failure Event ID.

#define CFE_SB_PIPE_ADDED_EID 5

SB Create Pipe API Success Event ID.

#define CFE SB SUB ARG ERR EID 6

SB Subscribe API Bad Argument Event ID.

• #define CFE SB DUP SUBSCRIP EID 7

SB Subscribe API Duplicate Msgld Subscription Event ID.

#define CFE_SB_MAX_MSGS_MET_EID 8

SB Subscribe API Max Subscriptions Exceeded Event ID.

#define CFE SB MAX DESTS MET EID 9

SB Subscribe API Max Destinations Exceeded Event ID.

#define CFE_SB_SUBSCRIPTION_RCVD_EID 10

SB Subscribe API Success Event ID.

• #define CFE SB UNSUB ARG ERR EID 11

SB Unsubscribe API Bad Argument Event ID.

#define CFE_SB_UNSUB_NO_SUBS_EID 12

SB Unsubscribe API No Msgld Subscription Event ID.

#define CFE SB SEND BAD ARG EID 13

SB Transmit API Bad Argument Event ID.

#define CFE_SB_SEND_NO_SUBS_EID 14

SB Transmit API No Msgld Subscribers Event ID.

• #define CFE SB MSG TOO BIG EID 15

SB Transmit API Message Size Limit Exceeded Event ID.

• #define CFE_SB_GET_BUF_ERR_EID 16

SB Transmit API Buffer Request Failure Event ID.

#define CFE_SB_MSGID_LIM_ERR_EID 17

SB Transmit API Msgld Pipe Limit Exceeded Event ID.

#define CFE_SB_RCV_BAD_ARG_EID 18

SB Receive Buffer API Bad Argument Event ID.

#define CFE SB BAD PIPEID EID 19

SB Receive Buffer API Invalid Pipe Event ID.

• #define CFE SB DEST BLK ERR EID 20

SB Subscribe API Get Destination Block Failure Event ID.

#define CFE SB SEND INV MSGID EID 21

SB Transmit API Invalid Msgld Event ID.

#define CFE_SB_SUBSCRIPTION_RPT_EID 22

SB Subscription Report Sent Event ID.

#define CFE_SB_HASHCOLLISION_EID 23

SB Subscribe API Message Table Hash Collision Event ID.

#define CFE SB Q FULL ERR EID 25

SB Transmit API Pipe Overflow Event ID.

#define CFE_SB_Q_WR_ERR_EID 26

SB Transmit API Queue Write Failure Event ID.

```
    #define CFE_SB_Q_RD_ERR_EID 27

     SB Transmit API Queue Read Failure Event ID.

    #define CFE SB CMD0 RCVD EID 28

     SB No-op Command Success Event ID.

    #define CFE_SB_CMD1_RCVD_EID 29

     SB Reset Counters Command Success Event ID.

    #define CFE_SB_SND_STATS_EID 32

     SB Send Statistics Command Success Event ID.

    #define CFE SB ENBL RTE1 EID 33

     SB Enable Route Command Invalid Msgld/PipeID Pair Event ID.

    #define CFE_SB_ENBL_RTE2_EID 34

     SB Enable Route Command Success Event ID.

    #define CFE_SB_ENBL_RTE3_EID 35

     SB Enable Route Command Invalid Msqld or Pipe Event ID.

    #define CFE SB DSBL RTE1 EID 36

     SB Disable Route Command Invalid Msgld/Pipeld Pair Event ID.

    #define CFE SB DSBL RTE2 EID 37

     SB Disable Route Command Success Event ID.

    #define CFE_SB_DSBL_RTE3_EID 38

     SB Disable Route Command Invalid Msgld or Pipe Event ID.

    #define CFE SB SND RTG EID 39

     SB File Write Success Event ID.

    #define CFE SB SND RTG ERR1 EID 40

     SB File Write Create File Failure Event ID.
• #define CFE SB BAD CMD CODE EID 42
     SB Invalid Command Code Received Event ID.
• #define CFE SB BAD MSGID EID 43
     SB Invalid Message ID Received Event ID.

    #define CFE SB FULL SUB PKT EID 44

     SB Send Previous Subscriptions Command Full Packet Sent Event ID.

    #define CFE_SB_PART_SUB_PKT_EID 45

     SB Send Previous Subscriptions Command Partial Packet Sent Event ID.

    #define CFE_SB_DEL_PIPE_ERR1_EID 46

     SB Pipe Delete API Bad Argument Event ID.

    #define CFE SB PIPE DELETED EID 47

     SB Pipe Delete API Success Event ID.

    #define CFE_SB_SUBSCRIPTION_REMOVED_EID 48

     SB Unsubscribe API Success Event ID.

    #define CFE SB FILEWRITE ERR EID 49

     SB File Write Failed Event ID.
• #define CFE_SB_SUB_INV_PIPE_EID 50
     SB Subscribe API Invalid Pipe Event ID.

    #define CFE_SB_SUB_INV_CALLER_EID 51

     SB Subscribe API Not Owner Event ID.

    #define CFE SB UNSUB INV PIPE EID 52

     SB Unsubscribe API Invalid Pipe Event ID.

    #define CFE SB UNSUB INV CALLER EID 53

     SB Unsubscribe API Not Owner Event ID.

    #define CFE SB DEL PIPE ERR2 EID 54

     SB Delete Pipe API Not Owner Event ID.

    #define CFE SB SETPIPEOPTS ID ERR EID 55

     SB Set Pipe Opts API Invalid Pipe Event ID.

    #define CFE SB SETPIPEOPTS OWNER ERR EID 56

     SB Set Pipe Opts API Not Owner Event ID.

    #define CFE_SB_SETPIPEOPTS_EID 57
```

SB Set Pipe Opts API Success Event ID.

• #define CFE_SB_GETPIPEOPTS_ID_ERR_EID 58

SB Get Pipe Opts API Invalid Pipe Event ID.

#define CFE SB GETPIPEOPTS PTR ERR EID 59

SB Get Pipe Opts API Invalid Pointer Event ID.

#define CFE SB GETPIPEOPTS EID 60

SB Get Pipe Opts API Success Event ID.

#define CFE_SB_GETPIPENAME_EID 62

SB Get Pipe Name API Success Event ID.

#define CFE SB GETPIPENAME NULL PTR EID 63

SB Get Pipe Name API Invalid Pointer Event ID.

#define CFE_SB_GETPIPENAME_ID_ERR_EID 64

SB Get Pipe Name API Invalid Pipe or Resource Event ID.

• #define CFE_SB_GETPIPEIDBYNAME_EID 65

SB Get Pipe ID By Name API Success Event ID.

#define CFE SB GETPIPEIDBYNAME NULL ERR EID 66

SB Get Pipe ID By Name API Invalid Pointer Event ID.

#define CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID 67

SB Get Pipe ID By Name API Name Not Found Or ID Not Matched Event ID.

• #define CFE_SB_LEN_ERR_EID 68

SB Invalid Command Length Event ID.

• #define CFE_SB_CR_PIPE_NAME_TAKEN_EID 69

SB Create Pipe API Name Taken Event ID.

#define CFE_SB_CR_PIPE_NO_FREE_EID 70

SB Create Pipe API Queues Exhausted Event ID.

11.52.1 Detailed Description

cFE Software Bus Services Event IDs

11.52.2 Macro Definition Documentation

11.52.2.1 CFE_SB_BAD_CMD_CODE_EID #define CFE_SB_BAD_CMD_CODE_EID 42

SB Invalid Command Code Received Event ID.

Type: ERROR

Cause:

Invalid command code for message ID CFE_SB_CMD_MID or CFE_SB_SUB_RPT_CTRL_MID received on the SB message pipe. OVERLOADED

Definition at line 461 of file cfe sb events.h.

11.52.2.2 CFE_SB_BAD_MSGID_EID #define CFE_SB_BAD_MSGID_EID 43

SB Invalid Message ID Received Event ID.

Type: ERROR

Cause: Invalid message ID received on the SB message pipe. Definition at line 472 of file cfe_sb_events.h. 11.52.2.3 CFE_SB_BAD_PIPEID_EID #define CFE_SB_BAD_PIPEID_EID 19 SB Receive Buffer API Invalid Pipe Event ID. Type: ERROR Cause: CFE_SB_ReceiveBuffer API failure due to an invalid Pipe ID. Definition at line 244 of file cfe_sb_events.h. 11.52.2.4 CFE_SB_CMD0_RCVD_EID #define CFE_SB_CMD0_RCVD_EID 28 SB No-op Command Success Event ID. Type: INFORMATION Cause: SB NO-OP Command success. Definition at line 335 of file cfe_sb_events.h. 11.52.2.5 CFE_SB_CMD1_RCVD_EID #define CFE_SB_CMD1_RCVD_EID 29 SB Reset Counters Command Success Event ID. Type: DEBUG Cause: SB Reset Counters Command success.

Definition at line 346 of file cfe_sb_events.h.

11.52.2.6 CFE_SB_CR_PIPE_BAD_ARG_EID #define CFE_SB_CR_PIPE_BAD_ARG_EID 2 SB Create Pipe API Bad Argument Event ID.

Type: ERROR

Type: ERROR

Cause: CFE_SB_CreatePipe API failure due to a bad input argument. Definition at line 53 of file cfe_sb_events.h. 11.52.2.7 CFE_SB_CR_PIPE_ERR_EID #define CFE_SB_CR_PIPE_ERR_EID 4 SB Create Pipe API Queue Create Failure Event ID. Type: ERROR Cause: CFE_SB_CreatePipe API failure creating the queue. Definition at line 75 of file cfe_sb_events.h. 11.52.2.8 CFE_SB_CR_PIPE_NAME_TAKEN_EID #define CFE_SB_CR_PIPE_NAME_TAKEN_EID 69 SB Create Pipe API Name Taken Event ID. Type: ERROR Cause: CFE_SB_CreatePipe API failure due to pipe name taken. Definition at line 750 of file cfe_sb_events.h. 11.52.2.9 CFE_SB_CR_PIPE_NO_FREE_EID #define CFE_SB_CR_PIPE_NO_FREE_EID 70 SB Create Pipe API Queues Exhausted Event ID. Type: ERROR Cause: CFE_SB_CreatePipe API failure due to no free queues. Definition at line 761 of file cfe_sb_events.h. 11.52.2.10 CFE_SB_DEL_PIPE_ERR1_EID #define CFE_SB_DEL_PIPE_ERR1_EID 46 SB Pipe Delete API Bad Argument Event ID.

Generated by Doxygen

Cause:

An SB Delete Pipe API failed due to an invalid input argument. Definition at line 507 of file cfe_sb_events.h.

11.52.2.11 CFE_SB_DEL_PIPE_ERR2_EID #define CFE_SB_DEL_PIPE_ERR2_EID 54 SB Delete Pipe API Not Owner Event ID.

Type: ERROR

Cause:

An SB Delete Pipe API failed due to not being the pipe owner. Definition at line 595 of file cfe_sb_events.h.

11.52.2.12 CFE_SB_DEST_BLK_ERR_EID #define CFE_SB_DEST_BLK_ERR_EID 20 SB Subscribe API Get Destination Block Failure Event ID.

Type: ERROR

Cause:

An SB Subscribe API call failed to get a destination block. Definition at line 255 of file cfe_sb_events.h.

11.52.2.13 CFE_SB_DSBL_RTE1_EID #define CFE_SB_DSBL_RTE1_EID 36 SB Disable Route Command Invalid Msgld/Pipeld Pair Event ID.

Type: ERROR

Cause:

SB Disable Route Command failure due to the Message ID not being subscribed to the pipe. Definition at line 404 of file cfe_sb_events.h.

11.52.2.14 CFE_SB_DSBL_RTE2_EID #define CFE_SB_DSBL_RTE2_EID 37 SB Disable Route Command Success Event ID.

Type: DEBUG

Cause: SB Disable Route Command success. Definition at line 415 of file cfe_sb_events.h. 11.52.2.15 CFE_SB_DSBL_RTE3_EID #define CFE_SB_DSBL_RTE3_EID 38 SB Disable Route Command Invalid Msgld or Pipe Event ID. Type: ERROR Cause: SB Disable Route Command failure due to an invalid Msgld or Pipe. Definition at line 427 of file cfe_sb_events.h. 11.52.2.16 CFE_SB_DUP_SUBSCRIP_EID #define CFE_SB_DUP_SUBSCRIP_EID 7 SB Subscribe API Duplicate Msgld Subscription Event ID. Type: INFORMATION Cause: An SB Subscribe API was called with a Message ID that was already subscribed on the pipe on the pipe. Definition at line 109 of file cfe_sb_events.h. 11.52.2.17 CFE_SB_ENBL_RTE1_EID #define CFE_SB_ENBL_RTE1_EID 33 SB Enable Route Command Invalid Msgld/PipeID Pair Event ID. Type: ERROR Cause: SB Enable Route Command failure due to the Message ID not being subscribed to the pipe. Definition at line 369 of file cfe_sb_events.h. 11.52.2.18 CFE_SB_ENBL_RTE2_EID #define CFE_SB_ENBL_RTE2_EID 34

SB Enable Route Command Success Event ID.

Type: DEBUG

Generated by Doxygen

Cause: SB Enable Route Command success. Definition at line 380 of file cfe_sb_events.h. 11.52.2.19 CFE_SB_ENBL_RTE3_EID #define CFE_SB_ENBL_RTE3_EID 35 SB Enable Route Command Invalid Msgld or Pipe Event ID. Type: ERROR Cause: SB Enable Route Command failure due to an invalid Msgld or Pipe. Definition at line 392 of file cfe_sb_events.h. 11.52.2.20 CFE_SB_FILEWRITE_ERR_EID #define CFE_SB_FILEWRITE_ERR_EID 49 SB File Write Failed Event ID. Type: ERROR Cause: An SB file write failure encountered when writing to the file. Definition at line 540 of file cfe_sb_events.h. 11.52.2.21 CFE_SB_FULL_SUB_PKT_EID #define CFE_SB_FULL_SUB_PKT_EID 44 SB Send Previous Subscriptions Command Full Packet Sent Event ID. Type: DEBUG Cause:

SB Send Previous Subscriptions Command processing sent a full subscription packet. Definition at line 484 of file cfe_sb_events.h.

11.52.2.22 CFE_SB_GET_BUF_ERR_EID #define CFE_SB_GET_BUF_ERR_EID 16 SB Transmit API Buffer Request Failure Event ID.

Type: ERROR

Cause:
An SB Transmit API call buffer request failed. Definition at line 210 of file cfe_sb_events.h.
11.52.2.23 CFE_SB_GETPIPEIDBYNAME_EID #define CFE_SB_GETPIPEIDBYNAME_EID 65 SB Get Pipe ID By Name API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_GetPipeIdByName success. Definition at line 705 of file cfe_sb_events.h.
11.52.2.24 CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID #define CFE_SB_GETPIPEIDBYNAME_NAME_ERR_E ← ID 67 SB Get Pipe ID By Name API Name Not Found Or ID Not Matched Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeIdByName failure due to name not found or ID mismatch. OVERLOADED Definition at line 727 of file cfe_sb_events.h.
11.52.2.25 CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID #define CFE_SB_GETPIPEIDBYNAME_NULL_ERR_E ← ID 66 SB Get Pipe ID By Name API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeIdByName failure due to invalid pointer. Definition at line 716 of file cfe_sb_events.h.

11.52.2.26 CFE_SB_GETPIPENAME_EID #define CFE_SB_GETPIPENAME_EID 62 SB Get Pipe Name API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_GetPipeName success. Definition at line 672 of file cfe_sb_events.h.
11.52.2.27 CFE_SB_GETPIPENAME_ID_ERR_EID #define CFE_SB_GETPIPENAME_ID_ERR_EID 64 SB Get Pipe Name API Invalid Pipe or Resource Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeName failure due to invalid pipe ID or failure in retrieving resource name. OVERLOADED Definition at line 694 of file cfe_sb_events.h.
11.52.2.28 CFE_SB_GETPIPENAME_NULL_PTR_EID #define CFE_SB_GETPIPENAME_NULL_PTR_EID 63 SB Get Pipe Name API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeName failure due to invalid pointer. Definition at line 683 of file cfe_sb_events.h.
11.52.2.29 CFE_SB_GETPIPEOPTS_EID #define CFE_SB_GETPIPEOPTS_EID 60 SB Get Pipe Opts API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_GetPipeOpts success. Definition at line 661 of file cfe_sb_events.h.

11.52.2.30 CFE_SB_GETPIPEOPTS_ID_ERR_EID #define CFE_SB_GETPIPEOPTS_ID_ERR_EID 58 SB Get Pipe Opts API Invalid Pipe Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeOpts failure due to invalid pipe ID.
Definition at line 639 of file cfe_sb_events.h.
11.52.2.31 CFE_SB_GETPIPEOPTS_PTR_ERR_EID #define CFE_SB_GETPIPEOPTS_PTR_ERR_EID 59
SB Get Pipe Opts API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeOpts failure due to invalid pointer. Definition at line 650 of file cfe_sb_events.h.
11.52.2.32 CFE_SB_HASHCOLLISION_EID #define CFE_SB_HASHCOLLISION_EID 23
SB Subscribe API Message Table Hash Collision Event ID.
Type: DEBUG
Cause:
As OR Cube with A Discussion and a support to the basis of this is a subject to the sufficient of the support to the support t
An SB Subscribe API call caused a message table hash collision, which will impact message transmission performance. This can be resolved by deconflicting Msgld values or increasing CFE_PLATFORM_SB_MAX_MSG_IDS.
Definition at line 290 of file cfe_sb_events.h.
11 FO O 22 CEE CD INIT FID. WAS COME OF THE PER COME
11.52.2.33 CFE_SB_INIT_EID #define CFE_SB_INIT_EID 1 SB Initialization Event ID.
Type: INFORMATION
Cause:
Software Bus Services Task initialization complete. Definition at line 42 of file cfe_sb_events.h.

11.52.2.34 CFE_SB_LEN_ERR_EID #define CFE_SB_LEN_ERR_EID 68 SB Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_SB_CMD_MID or CFE_SB_SUB_RPT_CTRL_MID received on the SB message pipe.
Definition at line 739 of file cfe_sb_events.h.
11.52.2.35 CFE_SB_MAX_DESTS_MET_EID #define CFE_SB_MAX_DESTS_MET_EID 9 SB Subscribe API Max Destinations Exceeded Event ID.
Type: ERROR
Cause:
ouuse.
An SB Subscribe API was called with a message id that already has the maximum allowed number of destinations.
Definition at line 133 of file cfe_sb_events.h.
11.52.2.36 CFE_SB_MAX_MSGS_MET_EID #define CFE_SB_MAX_MSGS_MET_EID 8 SB Subscribe API Max Subscriptions Exceeded Event ID.
Type: ERROR
Cause:
An SB Subscribe API was called on a pipe that already has the maximum allowed number of subscriptions.
Definition at line 121 of file cfe_sb_events.h.
11.52.2.37 CFE_SB_MAX_PIPES_MET_EID #define CFE_SB_MAX_PIPES_MET_EID 3 SB Create Pipe API Max Pipes Exceeded Event ID.
Type: ERROR
Cause:

CFE_SB_CreatePipe API failure to do maximum number of pipes being exceeded.

Generated by Doxygen

Definition at line 64 of file cfe_sb_events.h.

11.52.2.38 CFE_SB_MSG_TOO_BIG_EID #define CFE_SB_MSG_TOO_BIG_EID 15 SB Transmit API Message Size Limit Exceeded Event ID.
Type: ERROR
Cause:
An SB Transmit API was called with a message that is too big. Definition at line 199 of file cfe_sb_events.h.
11.52.2.39 CFE_SB_MSGID_LIM_ERR_EID #define CFE_SB_MSGID_LIM_ERR_EID 17 SB Transmit API Msgld Pipe Limit Exceeded Event ID.
Type: ERROR
Cause:
An SB Transmit API call failed to deliver the Msgld to a pipe due to the limit for the number of messages with that Msgld for that pipe being exceeded. Definition at line 222 of file cfe_sb_events.h.
11.52.2.40 CFE_SB_PART_SUB_PKT_EID #define CFE_SB_PART_SUB_PKT_EID 45 SB Send Previous Subscriptions Command Partial Packet Sent Event ID. Type: DEBUG
Cause:
SB Send Previous Subscriptions Command processing sent a partial subscription packet. Definition at line 496 of file cfe_sb_events.h.
11.52.2.41 CFE_SB_PIPE_ADDED_EID #define CFE_SB_PIPE_ADDED_EID 5 SB Create Pipe API Success Event ID. Type: DEBUG
Cause:
CFE_SB_CreatePipe API successfully completed. Definition at line 86 of file cfe_sb_events.h.

11.52.2.42 CFE_SB_PIPE_DELETED_EID #define CFE_SB_PIPE_DELETED_EID 47 SB Pipe Delete API Success Event ID.
Type: DEBUG
Cause:
An SB Delete Pipe API successfully completed. Definition at line 518 of file cfe_sb_events.h.
11.52.2.43 CFE_SB_Q_FULL_ERR_EID #define CFE_SB_Q_FULL_ERR_EID 25 SB Transmit API Pipe Overflow Event ID.
Type: ERROR
Cause:
An SB Transmit API call failed to deliver the Message ID to a pipe due to the pipe queue being full. Definition at line 302 of file cfe_sb_events.h.
11.52.2.44 CFE_SB_Q_RD_ERR_EID #define CFE_SB_Q_RD_ERR_EID 27 SB Transmit API Queue Read Failure Event ID. Type: ERROR
Cause:
An SB Transmit API called failed due to a pipe queue read failure. Definition at line 324 of file cfe_sb_events.h.
11.52.2.45 CFE_SB_Q_WR_ERR_EID #define CFE_SB_Q_WR_ERR_EID 26 SB Transmit API Queue Write Failure Event ID.
Type: ERROR
Cause:
An SB Transmit API call failed due to a pipe queue write failure.

Definition at line 313 of file cfe_sb_events.h.

11.52.2.46 CFE_SB_RCV_BAD_ARG_EID #define CFE_SB_RCV_BAD_ARG_EID 18 SB Receive Buffer API Bad Argument Event ID.
Type: ERROR
Cause:
CFE_SB_ReceiveBuffer API failure due to a bad input argument. Definition at line 233 of file cfe_sb_events.h.
11.52.2.47 CFE_SB_SEND_BAD_ARG_EID #define CFE_SB_SEND_BAD_ARG_EID 13 SB Transmit API Bad Argument Event ID.
Type: ERROR
Cause:
A OD T
An SB Transmit API failed due to an invalid input argument. Definition at line 177 of file cfe_sb_events.h.
11.52.2.48 CFE_SB_SEND_INV_MSGID_EID #define CFE_SB_SEND_INV_MSGID_EID 21 SB Transmit API Invalid Msgld Event ID.
Type: ERROR
Cause:
An SB Transmit API was called with an invalid message ID. Definition at line 266 of file cfe_sb_events.h.
11.52.2.49 CFE_SB_SEND_NO_SUBS_EID #define CFE_SB_SEND_NO_SUBS_EID 14 SB Transmit API No Msgld Subscribers Event ID.
Type: INFORMATION
Cause:
A OD T
An SB Transmit API was called with a Message ID with no subscriptions. Definition at line 188 of file cfe. sh. events h.

11.52.2.50 CFE_SB_SETPIPEOPTS_EID #define CFE_SB_SETPIPEOPTS_EID 57 SB Set Pipe Opts API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_SetPipeOpts success. Definition at line 628 of file cfe_sb_events.h.
11.52.2.51 CFE_SB_SETPIPEOPTS_ID_ERR_EID #define CFE_SB_SETPIPEOPTS_ID_ERR_EID 55 SB Set Pipe Opts API Invalid Pipe Event ID.
Type: ERROR
Cause:
CFE_SB_SetPipeOpts API failure due to an invalid pipe ID Definition at line 606 of file cfe_sb_events.h.
11.52.2.52 CFE_SB_SETPIPEOPTS_OWNER_ERR_EID #define CFE_SB_SETPIPEOPTS_OWNER_ERR_EID 56 SB Set Pipe Opts API Not Owner Event ID.
Type: ERROR
Cause:
CFE_SB_SetPipeOpts API failure due to not being the pipe owner. Definition at line 617 of file cfe_sb_events.h.
11.52.2.53 CFE_SB_SND_RTG_EID #define CFE_SB_SND_RTG_EID 39 SB File Write Success Event ID.
Type: DEBUG
Cause:
An SB file write successfully completed. OVERLOADED Definition at line 438 of file cfe_sb_events.h.

11.52.2.54 CFE_SB_SND_RTG_ERR1_EID #define CFE_SB_SND_RTG_ERR1_EID 40 SB File Write Create File Failure Event ID.
Type: ERROR
Cause:
An SB file write failure due to file creation error. OVERLOADED Definition at line 449 of file cfe_sb_events.h.
11.52.2.55 CFE_SB_SND_STATS_EID #define CFE_SB_SND_STATS_EID 32 SB Send Statistics Command Success Event ID.
Type: DEBUG
Cause:
SB Send Statistics Command success.
Definition at line 357 of file cfe_sb_events.h.
11.52.2.56 CFE_SB_SUB_ARG_ERR_EID #define CFE_SB_SUB_ARG_ERR_EID 6
SB Subscribe API Bad Argument Event ID. Type: ERROR
Type. Ennon
Cause:
Cause.
An SB Subscribe API failed due to an invalid input argument.
Definition at line 97 of file cfe_sb_events.h.
11.52.2.57 CFE_SB_SUB_INV_CALLER_EID #define CFE_SB_SUB_INV_CALLER_EID 51
SB Subscribe API Not Owner Event ID.
Type: ERROR
Cause:
An SB Subscribe API failed due to not being the pipe owner.

Definition at line 562 of file cfe_sb_events.h.

11.52.2.58 CFE_SB_SUB_INV_PIPE_EID #define CFE_SB_SUB_INV_PIPE_EID 50 SB Subscribe API Invalid Pipe Event ID.
Type: ERROR
Cause:
An SB Subscribe API failed due to an invalid pipe ID. Definition at line 551 of file cfe_sb_events.h.
11.52.2.59 CFE_SB_SUBSCRIPTION_RCVD_EID #define CFE_SB_SUBSCRIPTION_RCVD_EID 10 SB Subscribe API Success Event ID.
Type: DEBUG
Cause:
An SB Subscribe API completed successfully. Definition at line 144 of file cfe_sb_events.h.
11.52.2.60 CFE_SB_SUBSCRIPTION_REMOVED_EID #define CFE_SB_SUBSCRIPTION_REMOVED_EID 48 SB Unsubscribe API Success Event ID.
Type: DEBUG
Cause:
An SB Unsubscribe API successfully completed. Definition at line 529 of file cfe_sb_events.h.
11.52.2.61 CFE_SB_SUBSCRIPTION_RPT_EID #define CFE_SB_SUBSCRIPTION_RPT_EID 22 SB Subscription Report Sent Event ID.
Type: DEBUG
Cause:
SB Subscription Report sent in response to a successful subscription. Definition at line 277 of file cfe_sb_events.h.

11.52.2.62 CFE_SB_UNSUB_ARG_ERR_EID #define CFE_SB_UNSUB_ARG_ERR_EID 11 SB Unsubscribe API Bad Argument Event ID.
Type: ERROR
Cause:
An SB Unsubscribe API failed due to an invalid input argument. Definition at line 155 of file cfe_sb_events.h.
11.52.2.63 CFE_SB_UNSUB_INV_CALLER_EID #define CFE_SB_UNSUB_INV_CALLER_EID 53 SB Unsubscribe API Not Owner Event ID.
Type: ERROR
Cause:
An SB Unsubscribe API failed due to not being the pipe owner. Definition at line 584 of file cfe_sb_events.h.
11.52.2.64 CFE_SB_UNSUB_INV_PIPE_EID #define CFE_SB_UNSUB_INV_PIPE_EID 52 SB Unsubscribe API Invalid Pipe Event ID.
Type: ERROR
Cause:
An SB Unsubscribe API failed due to an invalid pipe ID. Definition at line 573 of file cfe_sb_events.h.
11.52.2.65 CFE_SB_UNSUB_NO_SUBS_EID #define CFE_SB_UNSUB_NO_SUBS_EID 12 SB Unsubscribe API No Msgld Subscription Event ID.
Type: INFORMATION
Cause:
An SB Unsubscribe API was called with a Message ID that wasn't subscribed on the pipe

Definition at line 166 of file cfe_sb_events.h.

11.53 cfe/modules/sb/fsw/inc/cfe_sb_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_sb_extern_typedefs.h"
#include "cfe_es_extern_typedefs.h"
```

Data Structures

struct CFE_SB_WriteFileInfoCmd_Payload

Write File Info Command Payload.

struct CFE_SB_WriteFileInfoCmd

Write File Info Command.

• struct CFE_SB_RouteCmd_Payload

Enable/Disable Route Command Payload.

struct CFE SB RouteCmd

Enable/Disable Route Command.

- struct CFE_SB_HousekeepingTlm_Payload
- struct CFE_SB_HousekeepingTlm
- struct CFE_SB_PipeDepthStats

SB Pipe Depth Statistics.

struct CFE_SB_PipeInfoEntry

SB Pipe Information File Entry.

- struct CFE SB StatsTlm Payload
- struct CFE_SB_StatsTIm
- struct CFE_SB_RoutingFileEntry

SB Routing File Entry.

struct CFE SB MsgMapFileEntry

SB Map File Entry.

- struct CFE SB SingleSubscriptionTlm Payload
- struct CFE_SB_SingleSubscriptionTlm
- struct CFE_SB_SubEntries

SB Previous Subscriptions Entry.

- struct CFE_SB_AllSubscriptionsTlm_Payload
- struct CFE_SB_AllSubscriptionsTlm

Macros

- #define CFE SB NOOP CC 0
- #define CFE_SB_RESET_COUNTERS_CC 1
- #define CFE SB SEND SB STATS CC 2
- #define CFE SB WRITE ROUTING INFO CC 3
- #define CFE_SB_ENABLE_ROUTE_CC 4
- #define CFE_SB_DISABLE_ROUTE_CC 5
- #define CFE_SB_WRITE_PIPE_INFO_CC 7
- #define CFE SB WRITE MAP INFO CC 8
- #define CFE_SB_ENABLE_SUB_REPORTING_CC 9
- #define CFE_SB_DISABLE_SUB_REPORTING_CC 10
- #define CFE_SB_SEND_PREV_SUBS_CC 11

Typedefs

```
    typedef CFE MSG CommandHeader t CFE SB NoopCmd t

• typedef CFE MSG CommandHeader t CFE SB ResetCountersCmd t

    typedef CFE MSG CommandHeader t CFE SB EnableSubReportingCmd t

    typedef CFE MSG CommandHeader t CFE SB DisableSubReportingCmd t

    typedef CFE MSG CommandHeader t CFE SB SendSbStatsCmd t

• typedef CFE MSG CommandHeader t CFE SB SendPrevSubsCmd t

    typedef CFE MSG CommandHeader t CFE SB SendHkCmd t

    typedef struct CFE SB WriteFileInfoCmd Payload CFE SB WriteFileInfoCmd Payload t

     Write File Info Command Pavload.

    typedef struct CFE_SB_WriteFileInfoCmd CFE_SB_WriteFileInfoCmd_t

     Write File Info Command.
• typedef CFE SB WriteFileInfoCmd t CFE SB WriteRoutingInfoCmd t

    typedef CFE SB WriteFileInfoCmd t CFE SB WritePipeInfoCmd t

    typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WriteMapInfoCmd_t

    typedef struct CFE_SB_RouteCmd_Payload CFE_SB_RouteCmd_Payload_t

     Enable/Disable Route Command Payload.

    typedef struct CFE_SB_RouteCmd CFE_SB_RouteCmd_t

     Enable/Disable Route Command.

    typedef CFE SB RouteCmd t CFE SB EnableRouteCmd t

    typedef CFE SB RouteCmd t CFE SB DisableRouteCmd t

• typedef struct CFE SB HousekeepingTlm Payload CFE SB HousekeepingTlm Payload t
• typedef struct CFE SB HousekeepingTlm CFE SB HousekeepingTlm t
• typedef struct CFE SB PipeDepthStats CFE SB PipeDepthStats t
     SB Pipe Depth Statistics.
• typedef struct CFE_SB_PipeInfoEntry CFE_SB_PipeInfoEntry_t
     SB Pipe Information File Entry.
• typedef struct CFE SB StatsTlm Payload CFE SB StatsTlm Payload t

    typedef struct CFE_SB_StatsTIm CFE_SB_StatsTIm_t

• typedef struct CFE_SB_RoutingFileEntry CFE_SB_RoutingFileEntry_t
     SB Routing File Entry.

    typedef struct CFE SB MsgMapFileEntry CFE SB MsgMapFileEntry t

     SB Map File Entry.

    typedef struct CFE_SB_SingleSubscriptionTlm_Payload CFE_SB_SingleSubscriptionTlm_Payload_t

• typedef struct CFE_SB_SingleSubscriptionTlm CFE_SB_SingleSubscriptionTlm_t
• typedef struct CFE SB SubEntries CFE SB SubEntries t
     SB Previous Subscriptions Entry.
```

11.53.1 Detailed Description

Purpose: This header file contains structure definitions for all SB command and telemetry packets Author: R.McGraw/SSI

• typedef struct CFE_SB_AllSubscriptionsTlm CFE_SB_AllSubscriptionsTlm_t

typedef struct CFE_SB_AllSubscriptionsTlm_Payload CFE_SB_AllSubscriptionsTlm_Payload_t

11.53.2 Macro Definition Documentation

11.53.2.1 CFE_SB_DISABLE_ROUTE_CC #define CFE_SB_DISABLE_ROUTE_CC 5

Name Disable Software Bus Route

Description

This command will disable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parameters in the command. All destinations are enabled by default.

Command Mnemonic(s) \$sc_\$cpu_SB_DisRoute

Command Structure

CFE SB DisableRouteCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- View routing information CFE_SB_WRITE_ROUTING_INFO_CC to verify enable/disable state change
- The CFE SB DSBL RTE2 EID debug event message will be generated
- · Destination will stop receiving messages

Error Conditions

This command may fail for the following reason(s):

- the Msgld or Pipeld parameters do not pass validation
- · the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_DSBL_RTE1_EID or CFE_SB_DSBL_RTE3_EID

Criticality

This command is not intended to be used in nominal conditions. It is possible to get into a state where a destination cannot be re-enabled without resetting the processor. For instance, sending this command with CFE_SB_CMD_MID and the SB_Cmd_Pipe would inhibit any ground commanding to the software bus until the processor was reset. There are similar problems that may occur when using this command.

Definition at line 281 of file cfe sb msg.h.

11.53.2.2 CFE_SB_DISABLE_SUB_REPORTING_CC #define CFE_SB_DISABLE_SUB_REPORTING_CC 10

Name Disable Subscription Reporting Command

Description

This command will disable subscription reporting and is intended to be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is needed by SBN if offboard routing is required.

Command Mnemonic(s) \$sc_\$cpu_SB_DisSubRptg

Command Structure

CFE_SB_DisableSubReportingCmd_t

Command Verification

Successful execution of this command will result in the suppression of packets (with the CFE_SB_ONESUB_TLM_MID Msgld) for each subscription received by SB through the subscription APIs.

Error Conditions

None

Criticality

None

See also

CFE_SB_SingleSubscriptionTlm_t, CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_SEND_PREV_SUBS_CC

Definition at line 438 of file cfe_sb_msg.h.

11.53.2.3 CFE SB ENABLE ROUTE CC #define CFE_SB_ENABLE_ROUTE_CC 4

Name Enable Software Bus Route

Description

This command will enable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parameters in the command. All destinations are enabled by default. This command is needed only after a CFE_SB_DISABLE_ROUTE_CC command is used.

Command Mnemonic(s) \$sc \$cpu SB EnaRoute

Command Structure

CFE SB EnableRouteCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu SB CMDPC command execution counter will increment
- View routing information CFE SB WRITE ROUTING INFO CC to verify enable/disable state change
- The CFE_SB_ENBL_RTE2_EID debug event message will be generated
- · Destination will begin receiving messages

Error Conditions

This command may fail for the following reason(s):

- the Msgld or Pipeld parameters do not pass validation
- · the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_ENBL_RTE1_EID or CFE SB ENBL RTE3 EID

Criticality

This command is not inherently dangerous.

Definition at line 240 of file cfe sb msg.h.

11.53.2.4 CFE SB ENABLE SUB REPORTING CC #define CFE_SB_ENABLE_SUB_REPORTING_CC 9

Name Enable Subscription Reporting Command

Description

This command will enable subscription reporting and is intended to be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is needed by SBN if offboard routing is required.

Command Mnemonic(s) \$sc_\$cpu_SB_EnaSubRptg

Command Structure

CFE_SB_EnableSubReportingCmd_t

Command Verification

Successful execution of this command will result in the sending of a packet (with the CFE_SB_ONESUB_TLM_MID Msgld) for each subscription received by SB through the subscription APIs.

Error Conditions

None

Criticality

None

See also

CFE_SB_SingleSubscriptionTlm_t, CFE_SB_DISABLE_SUB_REPORTING_CC, CFE_SB_SEND_PREV_SUBS_CC

Definition at line 405 of file cfe sb msg.h.

11.53.2.5 CFE_SB_NOOP_CC #define CFE_SB_NOOP_CC 0

Name Software Bus No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Software Bus task.

Command Mnemonic(s) \$sc_\$cpu_SB_NOOP

Command Structure

```
CFE_SB_NoopCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu SB CMDPC command execution counter will increment
- The CFE_SB_CMD0_RCVD_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 76 of file cfe_sb_msg.h.

```
11.53.2.6 CFE_SB_RESET_COUNTERS_CC #define CFE_SB_RESET_COUNTERS_CC 1
```

Name Software Bus Reset Counters

Description

This command resets the following counters within the Software Bus housekeeping telemetry:

- Command Execution Counter (\$sc_\$cpu_SB_CMDPC)
- Command Error Counter (\$sc_\$cpu_SB_CMDEC)
- No Subscribers Counter (\$sc_\$cpu_SB_NoSubEC)
- Duplicate Subscriptions Counter (\$sc_\$cpu_SB_DupSubCnt)
- Msg Send Error Counter (\$sc_\$cpu_SB_MsgSndEC)
- Msg Receive Error Counter (\$sc_\$cpu_SB_MsgRecEC)
- Internal Error Counter (\$sc_\$cpu_SB_InternalEC)
- Create Pipe Error Counter (\$sc_\$cpu_SB_NewPipeEC)
- Subscribe Error Counter (\$sc \$cpu SB SubscrEC)
- Pipe Overflow Error Counter (\$sc_\$cpu_SB_PipeOvrEC)
- Msg Limit Error Counter (\$sc_\$cpu_SB_MsgLimEC)

Command Mnemonic(s) \$sc_\$cpu_SB_ResetCtrs

Command Structure

CFE SB ResetCountersCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will be reset to 0
- · All other counters listed in description will be reset to 0
- The CFE_SB_CMD1_RCVD_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 123 of file cfe_sb_msg.h.

```
11.53.2.7 CFE SB SEND PREV SUBS CC #define CFE_SB_SEND_PREV_SUBS_CC 11
```

Name Send Previous Subscriptions Command

This command generates a series of packets that contain information

regarding all subscriptions previously received by SB. This command is intended to be used only by the CFS SBN(Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When this command is received the software bus will generate and send a series of packets containing information about all subscription previously received.

Command Mnemonic(s) \$sc \$cpu SB SendPrevSubs

Command Structure

```
CFE_SB_SendPrevSubsCmd_t
```

Command Verification

Successful execution of this command will result in a series of packets (with the CFE_SB_ALLSUBS_TLM_MID Msgld) being sent on the software bus.

Error Conditions

None

Criticality

None

See also

CFE_SB_AllSubscriptionsTIm_t, CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_DISABLE_SUB_REPORTING_CC Definition at line 470 of file cfe_sb_msg.h.

11.53.2.8 CFE_SB_SEND_SB_STATS_CC #define CFE_SB_SEND_SB_STATS_CC 2

Name Send Software Bus Statistics

Description

This command will cause the SB task to send a statistics packet containing current utilization figures and high water marks which may be useful for checking the margin of the SB platform configuration settings.

Command Mnemonic(s) \$sc_\$cpu_SB_DumpStats

Command Structure

CFE SB SendSbStatsCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- Receipt of statistics packet with Msgld CFE_SB_STATS_TLM_MID
- The CFE_SB_SND_STATS_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the debug event is sent and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. It will create and send a message on the software bus. If performed repeatedly, it is possible that receiver pipes may overflow.

See also

Definition at line 157 of file cfe_sb_msg.h.

11.53.2.9 CFE SB WRITE MAP INFO CC #define CFE_SB_WRITE_MAP_INFO_CC 8

Name Write Map Info to a File

This command will create a file containing the software bus message

map information. The message map is a lookup table (an array of uint16s)that allows fast access to the correct routing table element during a software bus send operation. This is diagnostic information that may be needed due to the dynamic nature of the cFE software bus. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME.

Command Mnemonic(s) \$sc_\$cpu_SB_WriteMap2File

Command Structure

CFE_SB_WriteMapInfoCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME configuration parameter) will be updated with the latest information.
- The CFE SB SND RTG EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 372 of file cfe_sb_msg.h.

```
11.53.2.10 CFE SB WRITE PIPE INFO CC #define CFE_SB_WRITE_PIPE_INFO_CC 7
```

Name Write Pipe Info to a File

Description

This command will create a file containing the software bus pipe information. The pipe information contains information about every pipe that has been created through the CFE_SB_CreatePipe API. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME.

Command Mnemonic(s) \$sc_\$cpu_SB_WritePipe2File

Command Structure

CFE SB WritePipeInfoCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME configuration parameter) will be updated with the latest information.
- The CFE_SB_SND_RTG_EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

- A previous request to write a software bus information file has not yet completed
- · The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 326 of file cfe sb msg.h.

```
11.53.2.11 CFE_SB_WRITE_ROUTING_INFO_CC #define CFE_SB_WRITE_ROUTING_INFO_CC 3
```

Name Write Software Bus Routing Info to a File

Description

This command will create a file containing the software bus routing information. The routing information contains information about every subscription that has been received through the SB subscription APIs. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE PLATFORM SB DEFAULT ROUTING FILENAME.

Command Mnemonic(s) \$sc \$cpu SB WriteRouting2File

Command Structure

```
CFE_SB_WriteRoutingInfoCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME configuration parameter) will be updated with the latest information.
- The CFE SB SND RTG EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- · The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 202 of file cfe_sb_msg.h.

11.53.3 Typedef Documentation

11.53.3.1 CFE_SB_AllSubscriptionsTlm_Payload_t typedef struct CFE_SB_AllSubscriptionsTlm_Payload CFE_SB_AllSubscriptionsTlm_Payload_t

Name SB Previous Subscriptions Packet

This structure defines the pkt(s) sent by SB that contains a list of all current subscriptions. This pkt is generated on cmd and intended to be used primarily by the Software Bus Networking Application (SBN). Typically, when the cmd is received there are more subscriptions than can fit in one pkt. The complete list of subscriptions is sent via a series of segmented pkts.

11.53.3.2 CFE_SB_AllSubscriptionsTlm_t typedef struct CFE_SB_AllSubscriptionsTlm CFE_SB_AllSubscriptionsTlm_t

11.53.3.3 CFE_SB_DisableRouteCmd_t typedef CFE_SB_RouteCmd_t CFE_SB_DisableRouteCmd_t Definition at line 545 of file cfe sb msg.h.

11.53.3.4 CFE_SB_DisableSubReportingCmd_t typedef CFE_MSG_CommandHeader_t CFE_SB_DisableSubReportingCmd_t Definition at line 486 of file cfe_sb_msg.h.

11.53.3.5 CFE_SB_EnableRouteCmd_t typedef CFE_SB_RouteCmd_t CFE_SB_EnableRouteCmd_t Definition at line 544 of file cfe_sb_msg.h.

11.53.3.6 CFE_SB_EnableSubReportingCmd_t typedef CFE_MSG_CommandHeader_t CFE_SB_EnableSubReportingCmd_t Definition at line 485 of file cfe sb msg.h.

11.53.3.7 CFE_SB_HousekeepingTlm_Payload_t typedef struct CFE_SB_HousekeepingTlm_Payload CFE_SB_HousekeepingTlm

Name Software Bus task housekeeping Packet

11.53.3.8 CFE_SB_HousekeepingTlm_t typedef struct CFE_SB_HousekeepingTlm CFE_SB_HousekeepingTlm_t

11.53.3.9 CFE_SB_MsgMapFileEntry_t typedef struct CFE_SB_MsgMapFileEntry_CFE_SB_MsgMapFileEntry_t SB Map File Entry.

Structure of one element of the map information in response to CFE_SB_WRITE_MAP_INFO_CC

11.53.3.10 CFE_SB_NoopCmd_t typedef CFE_MSG_CommandHeader_t CFE_SB_NoopCmd_t Definition at line 483 of file cfe sb msg.h.

11.53.3.11 CFE_SB_PipeDepthStats_t typedef struct CFE_SB_PipeDepthStats CFE_SB_PipeDepthStats_t SB Pipe Depth Statistics.

Used in SB Statistics Telemetry Packet CFE SB StatsTlm t

11.53.3.12 CFE_SB_PipeInfoEntry_t typedef struct CFE_SB_PipeInfoEntry_CFE_SB_PipeInfoEntry_t SB Pipe Information File Entry.

This statistics structure is output as part of the CFE SB "Send Pipe Info" command (CFE_SB_SEND_PIPE_INFO_CC). Previous versions of CFE simply wrote the internal CFE_SB_PipeD_t object to the file, but this also contains information such as pointers which are not relevant outside the running CFE process.

By defining the pipe info structure separately, it also provides some independence, such that the internal CFE_SB_

PipeD t definition can evolve without changing the binary format of the information file.

11.53.3.13 CFE_SB_ResetCountersCmd_t typedef CFE_MSG_CommandHeader_t CFE_SB_ResetCountersCmd_t Definition at line 484 of file cfe sb msg.h.

11.53.3.14 CFE_SB_RouteCmd_Payload_t typedef struct CFE_SB_RouteCmd_Payload CFE_SB_RouteCmd_Payload_t Enable/Disable Route Command Payload.

This structure contains a definition used by two SB commands, 'Enable Route' CFE_SB_ENABLE_ROUTE_CC and 'Disable Route' CFE_SB_DISABLE_ROUTE_CC. A route is the destination pipe for a particular message and is therefore defined as a Msgld and Pipeld combination.

11.53.3.15 CFE_SB_RouteCmd_t typedef struct CFE_SB_RouteCmd_t Enable/Disable Route Command.

11.53.3.16 CFE_SB_RoutingFileEntry_t typedef struct CFE_SB_RoutingFileEntry CFE_SB_RoutingFileEntry_t SB Routing File Entry.

Structure of one element of the routing information in response to CFE_SB_WRITE_ROUTING_INFO_CC

11.53.3.17 CFE_SB_SendHkCmd_t typedef CFE_MSG_CommandHeader_t CFE_SB_SendHkCmd_t Definition at line 489 of file cfe sb msg.h.

11.53.3.18 CFE_SB_SendPrevSubsCmd_t typedef CFE_MSG_CommandHeader_t CFE_SB_SendPrevSubsCmd_t Definition at line 488 of file cfe sb msg.h.

11.53.3.19 CFE_SB_SendSbStatsCmd_t typedef CFE_MSG_CommandHeader_t CFE_SB_SendSbStatsCmd_t Definition at line 487 of file cfe sb msg.h.

11.53.3.20 CFE_SB_SingleSubscriptionTlm_Payload_t typedef struct CFE_SB_SingleSubscriptionTlm_Payload_CFE_SB_SingleSubscriptionTlm_Payload_t

Name SB Subscription Report Packet

This structure defines the pkt sent by SB when a subscription or a request to unsubscribe is received while subscription reporting is enabled. By default subscription reporting is disabled. This feature is intended to be used primarily by Software Bus Networking Application (SBN)

See also

CFE SB ENABLE SUB REPORTING CC, CFE SB DISABLE SUB REPORTING CC

11.53.3.21 CFE_SB_SingleSubscriptionTlm_t typedef struct CFE_SB_SingleSubscriptionTlm CFE_SB_SingleSubscriptionT

11.53.3.22 CFE_SB_StatsTIm_Payload_t typedef struct CFE_SB_StatsTlm_Payload CFE_SB_StatsTlm_Payload_t

Name SB Statistics Telemetry Packet

SB Statistics packet sent in response to CFE SB SEND SB STATS CC

11.53.3.23 CFE_SB_StatsTlm_t typedef struct CFE_SB_StatsTlm_CFE_SB_StatsTlm_t

11.53.3.24 CFE_SB_SubEntries_t typedef struct CFE_SB_SubEntries CFE_SB_SubEntries_t

SB Previous Subscriptions Entry.

This structure defines an entry used in the CFE_SB_PrevSubsPkt_t Intended to be used primarily by Software Bus Networking Application (SBN)

Used in structure definition CFE SB AllSubscriptionsTlm t

11.53.3.25 CFE_SB_WriteFileInfoCmd_Payload_t typedef struct CFE_SB_WriteFileInfoCmd_Payload CFE_SB_WriteFileInfo Write File Info Command Payload.

This structure contains a generic definition used by SB commands that write to a file

11.53.3.26 CFE_SB_WriteFileInfoCmd_t typedef struct CFE_SB_WriteFileInfoCmd CFE_SB_WriteFileInfoCmd_t Write File Info Command.

11.53.3.27 CFE_SB_WriteMapInfoCmd_t typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WriteMapInfoCmd_t Definition at line 515 of file cfe sb msg.h.

11.53.3.28 CFE_SB_WritePipeInfoCmd_t typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WritePipeInfoCmd_t Definition at line 514 of file cfe sb msg.h.

11.53.3.29 CFE SB WriteRoutingInfoCmd t typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WriteRoutingInfoCmd_t Definition at line 513 of file cfe sb msg.h.

cfe/modules/tbl/fsw/inc/cfe tbl events.h File Reference

Macros

TBL event IDs

```
• #define CFE TBL INIT INF EID 1
     TB Initialization Event ID.

    #define CFE TBL NOOP INF EID 10

     TBL No-op Command Success Event ID.

    #define CFE TBL RESET INF EID 11

     TBL Reset Counters Command Success Event ID.

    #define CFE TBL FILE LOADED INF EID 12

     TBL Load Table Command Success Event ID.

    #define CFE TBL OVERWRITE DUMP INF EID 13

     TBL Write Table To Existing File Success Event ID.

    #define CFE TBL WRITE DUMP INF EID 14

     TBL Write Table To New File Success Event ID.

    #define CFE TBL OVERWRITE REG DUMP INF EID 15

     TBL Write Table Registry To Existing File Success Event ID.
• #define CFE_TBL_VAL_REQ_MADE_INF_EID 16
     TBL Validate Table Request Success Event ID.

    #define CFE TBL LOAD PEND REQ INF EID 17

     TBL Load Table Pending Notification Success Event ID.

    #define CFE TBL TLM REG CMD INF EID 18

     TBL Telemeter Table Registry Entry Command Success Event ID.

    #define CFE TBL LOAD ABORT INF EID 21

     TBL Abort Table Load Success Event ID.
• #define CFE_TBL_WRITE_REG_DUMP_INF_EID 22
     TBL Write Table Registry To New File Success Event ID.
• #define CFE_TBL_ASSUMED_VALID_INF_EID 23
     TBL Validate Table Valid Due To No Validation Function Event ID.

    #define CFE TBL LOAD SUCCESS INF EID 35

     TBL Load Table API Success Event ID.

    #define CFE_TBL_VALIDATION_INF_EID 36

     TBL Validate Table Success Event ID.

    #define CFE TBL UPDATE SUCCESS INF EID 37

     TBL Update Table Success Event ID.

    #define CFE TBL CDS DELETED INFO EID 38

     TBL Delete Table CDS Command Success Event ID.

    #define CFE TBL MID ERR EID 50

     TBL Invalid Message ID Received Event ID.

    #define CFE TBL CC1 ERR EID 51

     TBL Invalid Command Code Received Event ID.
```

 #define CFE TBL LEN ERR EID 52 TBL Invalid Command Length Event ID. #define CFE_TBL_FILE_ACCESS_ERR_EID 53 TBL Load Table File Open Failure Event ID.

```
    #define CFE_TBL_FILE_STD_HDR_ERR_EID 54

     TBL Load Table File Read Standard Header Failure Event ID.

    #define CFE TBL FILE TBL HDR ERR EID 55

     TBL Load Table File Read Table Header Failure Event ID.

    #define CFE_TBL_FAIL_HK_SEND_ERR_EID 56

     TBL Send Housekeeping Command Transmit Failure Event ID.

    #define CFE_TBL_NO_SUCH_TABLE_ERR_EID 57

     TBL Table Name Not Found Event ID.

    #define CFE TBL FILE TYPE ERR EID 58

     TBL Load Table Invalid File Content ID Event ID.

    #define CFE_TBL_FILE_SUBTYPE_ERR_EID 59

     TBL Load Table Invalid File Subtype Event ID.

    #define CFE_TBL_NO_WORK_BUFFERS_ERR_EID 60

     TBL Load Or Dump Table No Working Buffers Available Event ID.

    #define CFE TBL INTERNAL ERROR ERR EID 61

     TBL Load Table Command Get Working Buffer Internal Failure Event ID.

    #define CFE TBL CREATING DUMP FILE ERR EID 62

     TBL Write File Creation Failure Event ID.

    #define CFE_TBL_WRITE_CFE_HDR_ERR_EID 63

     TBL Write Standard File Header Failure Event ID.

    #define CFE TBL WRITE TBL HDR ERR EID 64

     TBL Write Table File Header Failure Event ID.

    #define CFE TBL WRITE TBL IMG ERR EID 65

     TBL Write Table File Data Failure Event ID.

    #define CFE TBL NO INACTIVE BUFFER ERR EID 66

     TBL Validate Or Write Table Command No Inactive Buffer Event ID.

    #define CFE TBL TOO MANY VALIDATIONS ERR EID 67

     TBL Validate Table Command Result Storage Exceeded Event ID.

    #define CFE TBL WRITE TBL REG ERR EID 68

     TBL Write Table Registry File Data Failure Event ID.

    #define CFE_TBL_LOAD_ABORT_ERR_EID 69

     TBL Abort Table Load No Load Started Event ID.

    #define CFE TBL ACTIVATE ERR EID 70

     TBL Activate Table Command No Inactive Buffer Event ID.

    #define CFE TBL FILE INCOMPLETE ERR EID 71

     TBL Load Table Incomplete Load Event ID.

    #define CFE TBL LOAD EXCEEDS SIZE ERR EID 72

     TBL Load Table File Exceeds Table Size Event ID.

    #define CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID 73

     TBL Load Table File Zero Length Event ID.

    #define CFE TBL PARTIAL LOAD ERR EID 74

     TBL Load Table Uninitialized Partial Load Event ID.

    #define CFE_TBL_FILE_TOO_BIG_ERR_EID 75

     TBL Load Table File Excess Data Event ID.

    #define CFE TBL TOO MANY DUMPS ERR EID 76

     TBL Write Table Command Dump Only Control Blocks Exceeded Event ID.

    #define CFE_TBL_DUMP_PENDING_ERR_EID 77

     TBL Write Table Command Already In Progress Event ID.

    #define CFE TBL ACTIVATE DUMP ONLY ERR EID 78

     TBL Activate Table Command For Dump Only Table Event ID.

    #define CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID 79

     TBL Load Table For Dump Only Table Event ID.

    #define CFE TBL ILLEGAL BUFF PARAM ERR EID 80

     TBL Validate Or Write Table Command Invalid Buffer Event ID.

    #define CFE TBL UNVALIDATED ERR EID 81
```

```
    #define CFE TBL IN REGISTRY ERR EID 82

     TBL Delete Table CDS Command For Registered Table Event ID.

    #define CFE TBL NOT CRITICAL TBL ERR EID 83

     TBL Delete Table CDS Command Invalid CDS Type Event ID.

    #define CFE_TBL_NOT_IN_CRIT_REG_ERR_EID 84

     TBL Delete Table CDS Command Not In Critical Table Registry Event ID.

    #define CFE TBL CDS NOT FOUND ERR EID 85

     TBL Delete Table CDS Command Not In CDS Registry Event ID.

    #define CFE_TBL_CDS_DELETE_ERR_EID 86

     TBL Delete Table CDS Command Internal Error Event ID.

    #define CFE TBL CDS OWNER ACTIVE ERR EID 87

     TBL Delete Table CDS Command App Active Event ID.

    #define CFE TBL LOADING PENDING ERR EID 88

     TBL Load Table Command Load Pending Event ID.

    #define CFE TBL FAIL NOTIFY SEND ERR EID 89

     TBL Send Notification Transmit Failed Event ID.

    #define CFE TBL REGISTER ERR EID 90

     TBL Register Table Failed Event ID.
• #define CFE TBL SHARE ERR EID 91
     TBL Share Table Failed Event ID.

    #define CFE TBL UNREGISTER ERR EID 92

     TBL Unregister Table Failed Event ID.

    #define CFE TBL LOAD VAL ERR EID 93

     TBL Validation Function Invalid Return Code Event ID.

    #define CFE TBL LOAD TYPE ERR EID 94

     TBL Load Table API Invalid Source Type Event ID.

    #define CFE_TBL_UPDATE_ERR_EID 95

     TBL Update Table Failed Event ID.

    #define CFE TBL VALIDATION ERR EID 96

     TBL Validate Table Validation Failed Event ID.

    #define CFE_TBL_SPACECRAFT_ID_ERR_EID 97

     TBL Read Header Invalid Spacecraft ID Event ID.
• #define CFE_TBL_PROCESSOR_ID_ERR_EID 98
     TBL Read Header Invalid Processor ID Event ID.

    #define CFE TBL LOAD IN PROGRESS ERR EID 100

     TBL Load Table API Load Already In Progress Event ID.

    #define CFE TBL LOAD FILENAME LONG ERR EID 101

     TBL Load Table Filename Too Long Event ID.

    #define CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID 102

     TBL Load Table Name Mismatch Event ID.

    #define CFE TBL HANDLE ACCESS ERR EID 103

     TBL Load Table API Access Violation Event ID.
```

TBL Activate Table Command Inactive Image Not Validated Event ID.

11.54.1 Detailed Description

cFE Table Services Event IDs

11.54.2 Macro Definition Documentation

11.54.2.1 CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID #define CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID 78 TBL Activate Table Command For Dump Only Table Event ID.
Type: ERROR
Cause:
TBL Activate Table Command failure due to table being dump only. Definition at line 556 of file cfe_tbl_events.h.
11.54.2.2 CFE_TBL_ACTIVATE_ERR_EID #define CFE_TBL_ACTIVATE_ERR_EID 70 TBL Activate Table Command No Inactive Buffer Event ID.
Type: ERROR
Cause:
TBL Activate Table Command failure due to no associated inactive buffer. Definition at line 462 of file cfe_tbl_events.h.
11.54.2.3 CFE_TBL_ASSUMED_VALID_INF_EID #define CFE_TBL_ASSUMED_VALID_INF_EID 23 TBL Validate Table Valid Due To No Validation Function Event ID. Type: INFORMATION
Cause:
TBL Validate Table Command marking table as valid due to no validation function being registered. Definition at line 180 of file cfe_tbl_events.h.
11.54.2.4 CFE_TBL_CC1_ERR_EID #define CFE_TBL_CC1_ERR_EID 51 TBL Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_TBL_CMD_MID received on the TBL message pipe. Definition at line 246 of file cfe_tbl_events.h.

11.54.2.5 CFE_TBL_CDS_DELETE_ERR_EID #define CFE_TBL_CDS_DELETE_ERR_EID 86 TBL Delete Table CDS Command Internal Error Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to an internal error. See the system log for more information. Definition at line 652 of file cfe_tbl_events.h.
11.54.2.6 CFE_TBL_CDS_DELETED_INFO_EID #define CFE_TBL_CDS_DELETED_INFO_EID 38 TBL Delete Table CDS Command Success Event ID. Type: INFORMATION
Cause:
TBL Delete Table CDS Command success. Definition at line 224 of file cfe_tbl_events.h.
11.54.2.7 CFE_TBL_CDS_NOT_FOUND_ERR_EID #define CFE_TBL_CDS_NOT_FOUND_ERR_EID 85 TBL Delete Table CDS Command Not In CDS Registry Event ID. Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table name not found in the CDS registry. Definition at line 640 of file cfe_tbl_events.h.
11.54.2.8 CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID #define CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID 87 TBL Delete Table CDS Command App Active Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the owning application being active. Definition at line 664 of file cfe_tbl_events.h.

11.54.2.9 CFE_TBL_CREATING_DUMP_FILE_ERR_EID #define CFE_TBL_CREATING_DUMP_FILE_ERR_EID 62 TBL Write File Creation Failure Event ID.
Type: ERROR
Cause:
TBL Write Table or Table Registry File failed to create file. OVERLOADED
Definition at line 369 of file cfe_tbl_events.h.
11.54.2.10 CFE_TBL_DUMP_PENDING_ERR_EID #define CFE_TBL_DUMP_PENDING_ERR_EID 77
TBL Write Table Command Already In Progress Event ID.
Type: ERROR
Cause:
TBL Write Table Command failure due to a dump already in progress for the same table.
Definition at line 544 of file cfe_tbl_events.h.
11.54.2.11 CFE_TBL_FAIL_HK_SEND_ERR_EID #define CFE_TBL_FAIL_HK_SEND_ERR_EID 56
TBL Send Housekeeping Command Transmit Failure Event ID.
Type: ERROR
Cause:
TBL Send Housekeeping Command failure transmitting the housekeeping message.
Definition at line 302 of file cfe_tbl_events.h.
11.54.2.12 CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID #define CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID 89
TBL Send Notification Transmit Failed Event ID.
Type: ERROR
Cause:
TBL send notification transmit message failure.
Definition at line 686 of file cfe_tbl_events.h.

11.54.2.13 CFE_TBL_FILE_ACCESS_ERR_EID #define CFE_TBL_FILE_ACCESS_ERR_EID 53 TBL Load Table File Open Failure Event ID.
Type: ERROR
Cause:
Load Table failure opening the file. OVERLOADED
Definition at line 268 of file cfe_tbl_events.h.
44 54 0 44 OFF TRUE INCOMPLETE FRR FIR
11.54.2.14 CFE_TBL_FILE_INCOMPLETE_ERR_EID #define CFE_TBL_FILE_INCOMPLETE_ERR_EID 71 TBL Load Table Incomplete Load Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to inability to read the size of data specified in the table header from file. OVERLOADED Definition at line 474 of file cfe_tbl_events.h.
11.54.2.15 CFE_TBL_FILE_LOADED_INF_EID #define CFE_TBL_FILE_LOADED_INF_EID 12 TBL Load Table Command Success Event ID.
Type: INFORMATION
Cause:
TBL Load Table Command successfully loaded the new table data to the working buffer. Definition at line 76 of file cfe_tbl_events.h.
11.54.2.16 CFE_TBL_FILE_STD_HDR_ERR_EID #define CFE_TBL_FILE_STD_HDR_ERR_EID 54 TBL Load Table File Read Standard Header Failure Event ID.
Type: ERROR
Cause:
Load Table failure reading the file standard header. Definition at line 279 of file cfe_tbl_events.h.

11.54.2.17 CFE_TBL_FILE_SUBTYPE_ERR_EID #define CFE_TBL_FILE_SUBTYPE_ERR_EID 59 TBL Load Table Invalid File Subtype Event ID.
Type: ERROR
Cause:
TBL Load Table Failure due to invalid file subtype. Definition at line 335 of file cfe_tbl_events.h.
11.54.2.18 CFE_TBL_FILE_TBL_HDR_ERR_EID #define CFE_TBL_FILE_TBL_HDR_ERR_EID 55 TBL Load Table File Read Table Header Failure Event ID.
Type: ERROR
Cause:
Load Table failure reading the file table header. Definition at line 290 of file cfe_tbl_events.h.
11.54.2.19 CFE_TBL_FILE_TOO_BIG_ERR_EID #define CFE_TBL_FILE_TOO_BIG_ERR_EID 75 TBL Load Table File Excess Data Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to the file header specified size of data being smaller than the actual data contained in the file. OVERLOADED Definition at line 520 of file cfe_tbl_events.h.
11.54.2.20 CFE_TBL_FILE_TYPE_ERR_EID #define CFE_TBL_FILE_TYPE_ERR_EID 58 TBL Load Table Invalid File Content ID Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to invalid file content ID. Definition at line 324 of file cfe_tbl_events.h.

11.54.2.21 CFE_TBL_HANDLE_ACCESS_ERR_EID #define CFE_TBL_HANDLE_ACCESS_ERR_EID 103 TBL Load Table API Access Violation Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API failure due to the application not owning the table. Definition at line 829 of file cfe_tbl_events.h.
11.54.2.22 CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID #define CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID 80 TBL Validate Or Write Table Command Invalid Buffer Event ID. Type: ERROR
Cause:
TBL Validate Table Command or TBL Write Table Command failure due to an invalid buffer selection. OVERLOADED Definition at line 580 of file cfe_tbl_events.h.
11.54.2.23 CFE_TBL_IN_REGISTRY_ERR_EID #define CFE_TBL_IN_REGISTRY_ERR_EID 82 TBL Delete Table CDS Command For Registered Table Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table being currently registered. Definition at line 604 of file cfe_tbl_events.h.
11.54.2.24 CFE_TBL_INIT_INF_EID #define CFE_TBL_INIT_INF_EID 1 TB Initialization Event ID.
Type: INFORMATION
Cause:
Table Services Task initialization complete. Definition at line 42 of file cfe_tbl_events.h.

11.54.2.25 CFE_TBL_INTERNAL_ERROR_ERR_EID #define CFE_TBL_INTERNAL_ERROR_ERR_EID 61 TBL Load Table Command Get Working Buffer Internal Failure Event ID.
Type: ERROR
Cause:
TBL Load Table Command failure due to internal get working buffer error. Definition at line 358 of file cfe_tbl_events.h.
11.54.2.26 CFE_TBL_LEN_ERR_EID #define CFE_TBL_LEN_ERR_EID 52 TBL Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the message ID and command code received on the TBL message pipe. Definition at line 257 of file cfe_tbl_events.h.
11.54.2.27 CFE_TBL_LOAD_ABORT_ERR_EID #define CFE_TBL_LOAD_ABORT_ERR_EID 69 TBL Abort Table Load No Load Started Event ID. Type: ERROR
Cause:
TBL Abort Table Load Command failure due to no load in progress. Definition at line 450 of file cfe_tbl_events.h.
11.54.2.28 CFE_TBL_LOAD_ABORT_INF_EID #define CFE_TBL_LOAD_ABORT_INF_EID 21 TBL Abort Table Load Success Event ID.
Type: INFORMATION
Cause:
TBL Abort Table Load Command success.

Definition at line 157 of file cfe_tbl_events.h.

11.54.2.29 CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID #define CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID 72 TBL Load Table File Exceeds Table Size Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to the file header specified offset and/or size of data exceeding the table size. OVERLOADED Definition at line 486 of file cfe_tbl_events.h.
11.54.2.30 CFE_TBL_LOAD_FILENAME_LONG_ERR_EID #define CFE_TBL_LOAD_FILENAME_LONG_ERR_E↔
TBL Load Table Filename Too Long Event ID.
Type: ERROR
Cause:
Load table filename too long. Definition at line 807 of file cfe_tbl_events.h.
11.54.2.31 CFE_TBL_LOAD_IN_PROGRESS_ERR_EID #define CFE_TBL_LOAD_IN_PROGRESS_ERR_EID 100 TBL Load Table API Load Already In Progress Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API failure due to load already in progress. Definition at line 796 of file cfe_tbl_events.h.
11.54.2.32 CFE_TBL_LOAD_PEND_REQ_INF_EID #define CFE_TBL_LOAD_PEND_REQ_INF_EID 17 TBL Load Table Pending Notification Success Event ID.
Type: DEBUG
Cause:
TBL load table pending notification successfully sent. Definition at line 134 of file cfe_tbl_events.h.

11.54.2.33 CFE_TBL_LOAD_SUCCESS_INF_EID #define CFE_TBL_LOAD_SUCCESS_INF_EID 35 TBL Load Table API Success Event ID.
Type: DEBUG (the first time) and INFORMATION (normally)
Cause:
CFE_TBL_Load API success for dump only or normal table. OVERLOADED Definition at line 191 of file cfe_tbl_events.h.
11.54.2.34 CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID #define CFE_TBL_LOAD_TBLNAME_MISMATCH_E4 RR_EID 102 TBL Load Table Name Mismatch Event ID. Type: ERROR
Cause:
Load table name in the table file header does not match the specified table name. Definition at line 818 of file cfe_tbl_events.h.
11.54.2.35 CFE_TBL_LOAD_TYPE_ERR_EID #define CFE_TBL_LOAD_TYPE_ERR_EID 94 TBL Load Table API Invalid Source Type Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API valid due to invalid source type. Definition at line 741 of file cfe_tbl_events.h.
11.54.2.36 CFE_TBL_LOAD_VAL_ERR_EID #define CFE_TBL_LOAD_VAL_ERR_EID 93 TBL Validation Function Invalid Return Code Event ID. Type: ERROR
Cause:
Invalid table validation function return code. Definition at line 730 of file cfe, tbl. events h

11.54.2.37 CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID #define CFE_TBL_LOADING_A_DUMP_ONLY_ERR_E ← ID 79
TBL Load Table For Dump Only Table Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to table being dump only. OVERLOADED Definition at line 567 of file cfe_tbl_events.h.
11.54.2.38 CFE_TBL_LOADING_PENDING_ERR_EID #define CFE_TBL_LOADING_PENDING_ERR_EID 88 TBL Load Table Command Load Pending Event ID.
Type: ERROR
Cause:
TBL Load Table Command failed due to a load already pending. Definition at line 675 of file cfe_tbl_events.h.
11.54.2.39 CFE_TBL_MID_ERR_EID #define CFE_TBL_MID_ERR_EID 50 TBL Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the TBL message pipe. Definition at line 235 of file cfe_tbl_events.h.
11.54.2.40 CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID #define CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID 66 TBL Validate Or Write Table Command No Inactive Buffer Event ID. Type: ERROR
Cause:
TBL Validate Table Command or TBL Write Table Command failure due to requesting non-existent inactive buffer. O VERLOADED Definition at line 415 of file cfe_tbl_events.h.

11.54.2.41 CFE_TBL_NO_SUCH_TABLE_ERR_EID #define CFE_TBL_NO_SUCH_TABLE_ERR_EID 57 TBL Table Name Not Found Event ID.
Type: ERROR
Cause:
TBL command handler unable to find table name. OVERLOADED Definition at line 313 of file cfe_tbl_events.h.
11.54.2.42 CFE_TBL_NO_WORK_BUFFERS_ERR_EID #define CFE_TBL_NO_WORK_BUFFERS_ERR_EID 60 TBL Load Or Dump Table No Working Buffers Available Event ID.
Type: ERROR
Cause:
TBL Load or Dump failure due to no working buffers available or internal error. OVERLOADED Definition at line 346 of file cfe_tbl_events.h.
11.54.2.43 CFE_TBL_NOOP_INF_EID #define CFE_TBL_NOOP_INF_EID 10 TBL No-op Command Success Event ID.
Type: INFORMATION
Cause:
NO-OP TBL No-op Command success. Definition at line 53 of file cfe_tbl_events.h.
11.54.2.44 CFE_TBL_NOT_CRITICAL_TBL_ERR_EID #define CFE_TBL_NOT_CRITICAL_TBL_ERR_EID 83 TBL Delete Table CDS Command Invalid CDS Type Event ID.
Type: ERROR
Cause:
TRI Delete Table CDS Command, failure due to CDS being in the table registry but not registered as a table within

Generated by Doxygen

Definition at line 616 of file cfe_tbl_events.h.

11.54.2.45 CFE_TBL_NOT_IN_CRIT_REG_ERR_EID #define CFE_TBL_NOT_IN_CRIT_REG_ERR_EID 84 TBL Delete Table CDS Command Not In Critical Table Registry Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table not being in the critical table registry. Definition at line 628 of file cfe_tbl_events.h.
11.54.2.46 CFE_TBL_OVERWRITE_DUMP_INF_EID #define CFE_TBL_OVERWRITE_DUMP_INF_EID 13
TBL Write Table To Existing File Success Event ID.
Type: INFORMATION
Cause:
TBL write table to an existing file success. Definition at line 87 of file cfe_tbl_events.h.
11.54.2.47 CFE_TBL_OVERWRITE_REG_DUMP_INF_EID #define CFE_TBL_OVERWRITE_REG_DUMP_INF_EID 15 TBL Write Table Registry To Existing File Success Event ID.
Type: DEBUG
Course
Cause:
TBL Write Table Registry to an existing file completed successfully.
Definition at line 109 of file cfe_tbl_events.h.
11.54.2.48 CFE_TBL_PARTIAL_LOAD_ERR_EID #define CFE_TBL_PARTIAL_LOAD_ERR_EID 74 TBL Load Table Uninitialized Partial Load Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to attempting a partial load to an uninitialized table. OVERLOADED
Definition at line 508 of file cfe_tbl_events.h.

11.54.2.49 CFE_TBL_PROCESSOR_ID_ERR_EID #define CFE_TBL_PROCESSOR_ID_ERR_EID 98 TBL Read Header Invalid Processor ID Event ID.
Type: ERROR
Cause:
Invalid processor ID in table file header.
Definition at line 785 of file cfe_tbl_events.h.
11.54.2.50 CFE_TBL_REGISTER_ERR_EID #define CFE_TBL_REGISTER_ERR_EID 90 TBL Register Table Failed Event ID.
Type: ERROR
Cause:
TBL table registration failure. See system log for more information.
Definition at line 697 of file cfe_tbl_events.h.
44.54.0.54 OFF TRI DECET INF FIR 11.50 OFF TRI DECEMBER 14.50 OFF TR
11.54.2.51 CFE_TBL_RESET_INF_EID #define CFE_TBL_RESET_INF_EID 11 TBL Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
TBL Reset Counters Command success.
Definition at line 64 of file cfe_tbl_events.h.
11.54.2.52 CFE_TBL_SHARE_ERR_EID #define CFE_TBL_SHARE_ERR_EID 91
TBL Share Table Failed Event ID.
Type: ERROR
Cause:
Cause.
TBL share table failure. See system log for more information

Definition at line 708 of file cfe_tbl_events.h.

11.54.2.53 CFE_TBL_SPACECRAFT_ID_ERR_EID #define CFE_TBL_SPACECRAFT_ID_ERR_EID 97 TBL Read Header Invalid Spacecraft ID Event ID.
Type: ERROR
Cause:
Invalid spacecraft ID in table file header. Definition at line 774 of file cfe_tbl_events.h.
11.54.2.54 CFE_TBL_TLM_REG_CMD_INF_EID #define CFE_TBL_TLM_REG_CMD_INF_EID 18 TBL Telemeter Table Registry Entry Command Success Event ID. Type: DEBUG
Cause:
TBL Telemeter Table Registry Entry command successfully set the table registry index to telemeter in the next house-keeping packet. Definition at line 146 of file cfe_tbl_events.h.
11.54.2.55 CFE_TBL_TOO_MANY_DUMPS_ERR_EID #define CFE_TBL_TOO_MANY_DUMPS_ERR_EID 76 TBL Write Table Command Dump Only Control Blocks Exceeded Event ID.
Type: ERROR
Cause:
TBL Write Table Command failure due to exceeding the allocated number of control blocks available to write a dump only table. Definition at line 532 of file cfe_tbl_events.h.
11.54.2.56 CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID #define CFE_TBL_TOO_MANY_VALIDATIONS_ERR_← EID 67 TBL Validate Table Command Result Storage Exceeded Event ID.
Type: ERROR
Cause:
TBL Validate Table Command failure due to exceeding result storage. Definition at line 427 of file cfe_tbl_events.h.

11.54.2.57 CFE_TBL_UNREGISTER_ERR_EID #define CFE_TBL_UNREGISTER_ERR_EID 92 TBL Unregister Table Failed Event ID.
Type: ERROR
Cause:
TBL unregister table failure. See system log for more information. Definition at line 719 of file cfe_tbl_events.h.
11.54.2.58 CFE_TBL_UNVALIDATED_ERR_EID #define CFE_TBL_UNVALIDATED_ERR_EID 81 TBL Activate Table Command Inactive Image Not Validated Event ID.
Type: ERROR
Cause:
TBL Activate Table Command failure due to the inactive image not being validated. Definition at line 592 of file cfe_tbl_events.h.
11.54.2.59 CFE_TBL_UPDATE_ERR_EID #define CFE_TBL_UPDATE_ERR_EID 95 TBL Update Table Failed Event ID.
Type: ERROR
Cause:
TBL update table failure due to an internal error. OVERLOADED Definition at line 752 of file cfe_tbl_events.h.
11.54.2.60 CFE_TBL_UPDATE_SUCCESS_INF_EID #define CFE_TBL_UPDATE_SUCCESS_INF_EID 37 TBL Update Table Success Event ID.
Type: INFORMATION
Cause:
Table update successfully completed. Definition at line 213 of file cfe_tbl_events.h.
Zomman at mio 210 of the olo_to_overhead.

11.54.2.61 CFE_TBL_VAL_REQ_MADE_INF_EID #define CFE_TBL_VAL_REQ_MADE_INF_EID 16 TBL Validate Table Request Success Event ID.
Type: DEBUG
Cause:
TBL Validate Table Command success. Note this event signifies the request to validate the table has been successfully submitted. Completion will generate a CFE_TBL_VALIDATION_INF_EID or CFE_TBL_VALIDATION_ERR_EID even
messages. Definition at line 123 of file cfe_tbl_events.h.
11.54.2.62 CFE_TBL_VALIDATION_ERR_EID #define CFE_TBL_VALIDATION_ERR_EID 96
TBL Validate Table Validation Failed Event ID. Type: ERROR
Cause:
TBL validate table function indicates validation failed. OVERLOADED
Definition at line 763 of file cfe_tbl_events.h.
11.54.2.63 CFE_TBL_VALIDATION_INF_EID #define CFE_TBL_VALIDATION_INF_EID 36
TBL Validate Table Success Event ID. Type: INFORMATION
Type: Int Offination
Cause:
Table active or inactive image successfully validated by the registered validation function. OVERLOADED
Definition at line 202 of file cfe_tbl_events.h.
11.54.2.64 CFE_TBL_WRITE_CFE_HDR_ERR_EID #define CFE_TBL_WRITE_CFE_HDR_ERR_EID 63
TBL Write Standard File Header Failure Event ID.
Type: ERROR
Cause:
Cause.
TBL Write Table or Table Registry File failure writing the standard file header. OVERLOADED
Definition at line 380 of file cfe_tbl_events.h.

11.54.2.65 CFE_TBL_WRITE_DUMP_INF_EID #define CFE_TBL_WRITE_DUMP_INF_EID 14 TBL Write Table To New File Success Event ID.
Type: INFORMATION
Cause:
Cause.
TBL write table to a new file success.
Definition at line 98 of file cfe_tbl_events.h.
11.54.2.66 CFE_TBL_WRITE_REG_DUMP_INF_EID #define CFE_TBL_WRITE_REG_DUMP_INF_EID 22 TBL Write Table Registry To New File Success Event ID.
Type: DEBUG
Cause:
TBL Write Table Registry to a new file completed successfully.
Definition at line 168 of file cfe_tbl_events.h.
11.54.2.67 CFE_TBL_WRITE_TBL_HDR_ERR_EID #define CFE_TBL_WRITE_TBL_HDR_ERR_EID 64 TBL Write Table File Header Failure Event ID.
Type: ERROR
Cause:
TBL Write Table failure writing the table image file header.
Definition at line 391 of file cfe_tbl_events.h.
11.54.2.68 CFE_TBL_WRITE_TBL_IMG_ERR_EID #define CFE_TBL_WRITE_TBL_IMG_ERR_EID 65
TBL Write Table File Data Failure Event ID.
Type: ERROR
Cause:
TBL Write Table failure writing the table data. Definition at line 402 of file cfe, the events h

11.54.2.69 CFE_TBL_WRITE_TBL_REG_ERR_EID #define CFE_TBL_WRITE_TBL_REG_ERR_EID 68 TBL Write Table Registry File Data Failure Event ID.

Type: ERROR

Cause:

TB Write Table Registry failure writing file data. Definition at line 438 of file cfe_tbl_events.h.

11.54.2.70 CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID #define CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID 73 TBL Load Table File Zero Length Event ID.

Type: ERROR

Cause:

TBL Load Table failure due to the file header specified size of data being zero. Definition at line 497 of file cfe_tbl_events.h.

11.55 cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_time_extern_typedefs.h"
```

Data Structures

• struct CFE_TBL_NoArgsCmd

Generic "no arguments" command.

• struct CFE_TBL_LoadCmd_Payload

Load Table Command Payload.

• struct CFE_TBL_LoadCmd

Load Table Command.

• struct CFE_TBL_DumpCmd_Payload

Dump Table Command Payload.

- struct CFE_TBL_DumpCmd
- struct CFE_TBL_ValidateCmd_Payload

Validate Table Command Payload.

struct CFE_TBL_ValidateCmd

Validate Table Command.

struct CFE_TBL_ActivateCmd_Payload

Activate Table Command Payload.

```
    struct CFE_TBL_ActivateCmd
```

Activate Table Command.

struct CFE TBL DumpRegistryCmd Payload

Dump Registry Command Payload.

struct CFE TBL DumpRegistryCmd

Dump Registry Command.

struct CFE TBL SendRegistryCmd Payload

Send Table Registry Command Payload.

struct CFE TBL SendRegistryCmd

Send Table Registry Command.

· struct CFE TBL DelCDSCmd Payload

Delete Critical Table CDS Command Payload.

struct CFE TBL DeleteCDSCmd

Delete Critical Table CDS Command.

struct CFE_TBL_AbortLoadCmd_Payload

Abort Load Command Payload.

struct CFE_TBL_AbortLoadCmd

Abort Load Command.

struct CFE TBL NotifyCmd Payload

Table Management Notification Command Payload.

- struct CFE_TBL_NotifyCmd
- struct CFE_TBL_HousekeepingTlm_Payload
- struct CFE_TBL_HousekeepingTlm
- struct CFE_TBL_TblRegPacket_Payload
- struct CFE_TBL_TableRegistryTIm

Macros

Table Services Command Codes

- #define CFE TBL NOOP CC 0
- #define CFE TBL RESET COUNTERS CC 1
- #define CFE_TBL_LOAD_CC 2
- #define CFE_TBL_DUMP_CC 3
- #define CFE_TBL_VALIDATE_CC 4
- #define CFE TBL ACTIVATE CC 5
- #define CFE_TBL_DUMP_REGISTRY_CC 6
- #define CFE_TBL_SEND_REGISTRY_CC 7
- #define CFE_TBL_DELETE_CDS_CC 8
- #define CFE_TBL_ABORT_LOAD_CC 9

Typedefs

• typedef struct CFE_TBL_NoArgsCmd CFE_TBL_NoArgsCmd_t

Generic "no arguments" command.

- typedef CFE_TBL_NoArgsCmd_t CFE_TBL_NoopCmd_t
- typedef CFE_TBL_NoArgsCmd_t CFE_TBL_ResetCountersCmd_t
- typedef CFE_TBL_NoArgsCmd_t CFE_TBL_SendHkCmd_t
- typedef struct CFE_TBL_LoadCmd_Payload CFE_TBL_LoadCmd_Payload_t

Load Table Command Payload.

typedef struct CFE TBL LoadCmd CFE TBL LoadCmd t

Load Table Command.

typedef struct CFE TBL DumpCmd Payload CFE TBL DumpCmd Payload t

Dump Table Command Payload.

- typedef struct CFE_TBL_DumpCmd CFE_TBL_DumpCmd_t
- typedef struct CFE_TBL_ValidateCmd_Payload CFE_TBL_ValidateCmd_Payload_t

Validate Table Command Payload.

typedef struct CFE_TBL_ValidateCmd CFE_TBL_ValidateCmd_t

Validate Table Command.

typedef struct CFE_TBL_ActivateCmd_Payload CFE_TBL_ActivateCmd_Payload_t

Activate Table Command Payload.

typedef struct CFE TBL ActivateCmd CFE TBL ActivateCmd t

Activate Table Command.

typedef struct CFE_TBL_DumpRegistryCmd_Payload CFE_TBL_DumpRegistryCmd_Payload_t
 Dump Registry Command Payload.

typedef struct CFE_TBL_DumpRegistryCmd CFE_TBL_DumpRegistryCmd_t

Dump Registry Command.

typedef struct CFE_TBL_SendRegistryCmd_Payload CFE_TBL_SendRegistryCmd_Payload_t
 Send Table Registry Command Payload.

• typedef struct CFE_TBL_SendRegistryCmd CFE_TBL_SendRegistryCmd_t

Send Table Registry Command.

• typedef struct CFE TBL DelCDSCmd Payload CFE TBL DelCDSCmd Payload t

Delete Critical Table CDS Command Payload.

• typedef struct CFE_TBL_DeleteCDSCmd CFE_TBL_DeleteCDSCmd_t

Delete Critical Table CDS Command.

• typedef struct CFE_TBL_AbortLoadCmd_Payload CFE_TBL_AbortLoadCmd_Payload_t

Abort Load Command Payload.

typedef struct CFE_TBL_AbortLoadCmd CFE_TBL_AbortLoadCmd_t

Abort Load Command.

typedef struct CFE_TBL_NotifyCmd_Payload CFE_TBL_NotifyCmd_Payload_t

Table Management Notification Command Payload.

- typedef struct CFE TBL NotifyCmd CFE TBL NotifyCmd t
- typedef struct CFE_TBL_HousekeepingTIm_Payload CFE_TBL_HousekeepingTIm_Payload_t
- typedef struct CFE_TBL_HousekeepingTlm CFE_TBL_HousekeepingTlm_t
- typedef struct CFE_TBL_TblRegPacket_Payload CFE_TBL_TblRegPacket_Payload_t
- typedef struct CFE_TBL_TableRegistryTlm CFE_TBL_TableRegistryTlm_t

11.55.1 Detailed Description

Purpose: cFE Table Services (TBL) SB message definitions header file

Author: D.Kobe/Hammers

Notes:

11.55.2 Macro Definition Documentation

11.55.2.1 CFE_TBL_ABORT_LOAD_CC #define CFE_TBL_ABORT_LOAD_CC 9

Name Abort Table Load

Description

This command will cause Table Services to discard the contents of a table buffer that was previously loaded with the data in a file as specified by a Table Load command. For single buffered tables, the allocated shared working buffer is freed and becomes available for other Table Load commands.

Command Mnemonic(s) \$sc_\$cpu_TBL_LOADABORT

Command Structure

CFE TBL AbortLoadCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE TBL LOAD ABORT INF EID informational event message is generated
- If the load was aborted for a single buffered table, the \$sc_\$cpu_TBL_NumFreeShrBuf telemetry
 point should increment

Error Conditions

This command may fail for the following reason(s):

- · The specified table name was not found in the table registry.
- · The specified table did not have a load in progress to be aborted.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Error specific event message

Criticality

This command will cause the loss of data put into an inactive table buffer.

See also

CFE_TBL_LOAD_CC, CFE_TBL_DUMP_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ACTIVATE_CC

Definition at line 473 of file cfe_tbl_msg.h.

11.55.2.2 CFE_TBL_ACTIVATE_CC #define CFE_TBL_ACTIVATE_CC 5

Name Activate Table

Description

This command will cause Table Services to notify a table's owner that an update is pending. The owning application will then update the contents of the active table buffer with the contents of the associated inactive table buffer at a time of their convenience.

Command Mnemonic(s) \$sc \$cpu TBL ACTIVATE

Command Structure

CFE_TBL_ActivateCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_UPDATE_SUCCESS_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · The specified table name was not found in the table registry.
- The table was registered as a "dump only" type and thus cannot be activated
- · The table buffer has not been validated.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Command specific error event message are issued for all error cases

Criticality

This command will cause the contents of the specified table to be updated with the contents in the inactive table buffer.

See also

```
CFE_TBL_LOAD_CC, CFE_TBL_DUMP_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 311 of file cfe_tbl_msg.h.

```
11.55.2.3 CFE_TBL_DELETE_CDS_CC #define CFE_TBL_DELETE_CDS_CC 8
```

Name Delete Critical Table from Critical Data Store

Description

This command will delete the Critical Data Store (CDS) associated with the specified Critical Table. Note that any table still present in the Table Registry is unable to be deleted from the Critical Data Store. All Applications that are accessing the critical table must release and unregister their access before the CDS can be deleted.

Command Mnemonic(s) \$sc_\$cpu_TBL_DeleteCDS

Command Structure

CFE TBL DeleteCDSCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE TBL CDS DELETED INFO EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- The specified table name was not found in the critical data store registry
- The specified table name WAS found in the table registry (all registrations/sharing of the table must be unregistered before the table's CDS can be deleted)
- · The table's owning application is still active

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Error specific event message

Criticality

This command will cause the loss of the specified table's contents before the owning Application was terminated.

See also

```
CFE ES DUMP CDS REGISTRY CC, CFE ES DELETE CDS CC
```

Definition at line 434 of file cfe_tbl_msg.h.

```
11.55.2.4 CFE_TBL_DUMP_CC #define CFE_TBL_DUMP_CC 3
```

Name Dump Table

Description

This command will cause the Table Services to put the contents of the specified table buffer into the command specified file.

Command Mnemonic(s) \$sc_\$cpu_TBL_DUMP

Command Structure

```
CFE_TBL_DumpCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TBL CMDPC command execution counter will increment
- Either the CFE_TBL_OVERWRITE_DUMP_INF_EID OR the CFE_TBL_WRITE_DUMP_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A single buffered table's inactive buffer was requested to be dumped and no such buffer is currently allocated.
- Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.
- · The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE_TBL_LOAD_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 214 of file cfe_tbl_msg.h.

11.55.2.5 CFE_TBL_DUMP_REGISTRY_CC #define CFE_TBL_DUMP_REGISTRY_CC 6

Name Dump Table Registry

Description

This command will cause Table Services to write some of the contents of the Table Registry to the command specified file. This allows the operator to see the current state and configuration of all tables that have been registered with the cFE.

Command Mnemonic(s) \$sc_\$cpu_TBL_WriteReg2File

Command Structure

CFE TBL DumpRegistryCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The generation of either CFE_TBL_OVERWRITE_REG_DUMP_INF_EID or CFE_TBL_WRITE_REG_DUMP_INF_EID
 debug event messages
- The specified file should appear (or be updated) at the specified location in the file system

Error Conditions

This command may fail for the following reason(s):

- · A table registry dump is already in progress, not yet completed
- The specified DumpFilename could not be parsed
- Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · An Error specific event message

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE_TBL_SEND_REGISTRY_CC
```

Definition at line 355 of file cfe tbl msg.h.

```
11.55.2.6 CFE TBL LOAD CC #define CFE_TBL_LOAD_CC 2
```

Name Load Table

Description

This command loads the contents of the specified file into an inactive buffer for the table specified within the file.

Command Mnemonic(s) \$sc \$cpu TBL Load

Command Structure

```
CFE_TBL_LoadCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_FILE_LOADED_INF_EID informational event message will be generated

Error Conditions

This command can fail for the following reasons:

- Table name found in table image file's table header is not found in table registry (ie The table associated with the table image in the file has not been registered by an application).
- The table image file has an invalid or incorrect size. The size of the image file must match the size field within in the header, and must also match the expected size of the table indicated in the registry.

- No working buffers are available for the load. This would indicate that too many single-buffered table loads are in progress at the same time.
- · An attempt is being made to load an uninitialized table with a file containing only a partial table image.
- The table image file was unable to be opened. Either the file does not exist at the specified location, the filename is in error, or the file system has been corrupted.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Command specific error event messages are issued for all error cases

Criticality

This command is not inherently dangerous. It is performing the first step of loading a table and can be aborted (using the Abort Table Load command described below) without affecting the contents of the active table image.

See also

```
CFE TBL DUMP CC, CFE TBL VALIDATE CC, CFE TBL ACTIVATE CC, CFE TBL ABORT LOAD CC
```

Definition at line 171 of file cfe tbl msg.h.

```
11.55.2.7 CFE TBL NOOP CC #define CFE_TBL_NOOP_CC 0
```

Name Table No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Table Services task.

Command Mnemonic(s) \$sc_\$cpu_TBL_NOOP

Command Structure

```
CFE TBL NoopCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TBL CMDPC command execution counter will increment
- The CFE_TBL_NOOP_INF_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 80 of file cfe tbl msg.h.

11.55.2.8 CFE_TBL_RESET_COUNTERS_CC #define CFE_TBL_RESET_COUNTERS_CC 1

Name Table Reset Counters

Description

This command resets the following counters within the Table Services housekeeping telemetry:

- · Command Execution Counter (\$sc \$cpu TBL CMDPC)
- Command Error Counter (\$sc \$cpu TBL CMDEC)
- Successful Table Validations Counter (\$sc_\$cpu_TBL_ValSuccessCtr)
- Failed Table Validations Counter (\$sc \$cpu TBL ValFailedCtr)
- Number of Table Validations Requested (\$sc_\$cpu_TBL_ValReqCtr)
- Number of completed table validations (\$sc_\$cpu_TBL_ValCompltdCtr)

Command Mnemonic(s) \$sc_\$cpu_TBL_ResetCtrs

Command Structure

```
CFE TBL ResetCountersCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will be reset to 0
- The CFE_TBL_RESET_INF_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 121 of file cfe_tbl_msg.h.

```
11.55.2.9 CFE TBL SEND REGISTRY CC #define CFE_TBL_SEND_REGISTRY_CC 7
```

Name Telemeter One Table Registry Entry

Description

This command will cause Table Services to telemeter the contents of the Table Registry for the command specified table.

Command Mnemonic(s) \$sc_\$cpu_TBL_TLMReg

Command Structure

```
CFE_TBL_SendRegistryCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- Receipt of a Table Registry Info Packet (see CFE_TBL_TableRegistryTIm_t)
- The CFE_TBL_TLM_REG_CMD_INF_EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Error specific event message

Criticality

This command is not inherently dangerous. It will generate additional telemetry.

See also

```
CFE_TBL_DUMP_REGISTRY_CC
```

Definition at line 390 of file cfe tbl msg.h.

```
11.55.2.10 CFE_TBL_VALIDATE_CC #define CFE_TBL_VALIDATE_CC 4
```

Name Validate Table

Description

This command will cause Table Services to calculate the Data Integrity Value for the specified table and to notify the owning application that the table's validation function should be executed. The results of both the Data Integrity Value computation and the validation function are reported in Table Services Housekeeping Telemetry.

Command Mnemonic(s) \$sc_\$cpu_TBL_VALIDATE

Command Structure

CFE TBL ValidateCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- \$sc_\$cpu_TBL_ValReqCtr table validation request counter will increment
- \$sc \$cpu TBL LastValCRC calculated data integrity value will be updated
- The CFE_TBL_VAL_REQ_MADE_INF_EID debug event message (indicating the application is being notified of a validation request)

If the specified table has an associated validation function, then the following telemetry will also change:

- Either \$sc_\$cpu_TBL_ValSuccessCtr OR \$sc_\$cpu_TBL_ValFailedCtr will increment
- \$sc_\$cpu_TBL_ValCompltdCtr table validations performed counter will increment
- \$sc_\$cpu_TBl_LastValS table validation function return status will update
- The CFE_TBL_VALIDATION_INF_EID informational event message (indicating the validation function return status) will be generated

Error Conditions

This command may fail for the following reason(s):

- A single buffered table's inactive buffer was requested to be validated and no such buffer is currently allocated.
- Too many validations have been requested simultaneously. The operator must wait for one or more applications to perform their table validation functions before trying again.
- · The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Command specific error event message are issued for all error cases

Criticality

The success or failure of a table validation does not have any immediate impact on table contents. The results are sent to the operator in telemetry and the operator must determine whether the results are acceptable and send a command to activate the validated table image.

See also

CFE TBL LOAD CC, CFE TBL DUMP CC, CFE TBL ACTIVATE CC, CFE TBL ABORT LOAD CC

Definition at line 271 of file cfe tbl msg.h.

11.55.3 Typedef Documentation

11.55.3.1 CFE_TBL_AbortLoadCmd_Payload_t typedef struct CFE_TBL_AbortLoadCmd_Payload CFE_TBL_AbortLoadCmd_Payload.

Abort Load Command Payload.

For command details, see CFE TBL ABORT LOAD CC

11.55.3.2 CFE_TBL_AbortLoadCmd_t typedef struct CFE_TBL_AbortLoadCmd CFE_TBL_AbortLoadCmd_t Abort Load Command.

11.55.3.3 CFE_TBL_ActivateCmd_Payload_t typedef struct CFE_TBL_ActivateCmd_Payload CFE_TBL_ActivateCmd_Payload_ Activate Table Command Payload.

For command details, see CFE TBL ACTIVATE CC

11.55.3.4 CFE_TBL_ActivateCmd_t typedef struct CFE_TBL_ActivateCmd CFE_TBL_ActivateCmd_t Activate Table Command.

11.55.3.5 CFE_TBL_DelCDSCmd_Payload_t typedef struct CFE_TBL_DelCDSCmd_Payload CFE_TBL_DelCDSCmd_Payload_t Delete Critical Table CDS Command Payload.

For command details, see CFE_TBL_DELETE_CDS_CC

11.55.3.6 CFE_TBL_DeleteCDSCmd_t typedef struct CFE_TBL_DeleteCDSCmd CFE_TBL_DeleteCDSCmd_t Delete Critical Table CDS Command.

11.55.3.7 CFE_TBL_DumpCmd_Payload_t typedef struct CFE_TBL_DumpCmd_Payload CFE_TBL_DumpCmd_Payload_t Dump Table Command Payload.

For command details, see CFE_TBL_DUMP_CC

11.55.3.9 CFE_TBL_DumpRegistryCmd_Payload_t typedef struct CFE_TBL_DumpRegistryCmd_Payload_t

CFE_TBL_DumpRegistryCmd_Payload_t

DumpRegistryCmd_Payload_t

Dump Registry Command Payload.

For command details, see CFE_TBL_DUMP_REGISTRY_CC

11.55.3.10 CFE_TBL_DumpRegistryCmd_t typedef struct CFE_TBL_DumpRegistryCmd CFE_TBL_DumpRegistryCmd_t Dump Registry Command.

11.55.3.11 CFE_TBL_HousekeepingTlm_Payload_t typedef struct CFE_TBL_HousekeepingTlm_Payload_t CFE_TBL_HousekeepingTlm_Payload_t

Name Table Services Housekeeping Packet

11.55.3.12 CFE_TBL_HousekeepingTlm_t typedef struct CFE_TBL_HousekeepingTlm CFE_TBL_HousekeepingTlm_t

11.55.3.13 CFE_TBL_LoadCmd_Payload_t typedef struct CFE_TBL_LoadCmd_Payload CFE_TBL_LoadCmd_Payload_t Load Table Command Payload.

For command details, see CFE_TBL_LOAD_CC

11.55.3.14 CFE_TBL_LoadCmd_t typedef struct CFE_TBL_LoadCmd CFE_TBL_LoadCmd_t Load Table Command.

11.55.3.15 CFE_TBL_NoArgsCmd_t typedef struct CFE_TBL_NoArgsCmd CFE_TBL_NoArgsCmd_t Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE TBL NOOP CC)
- 3. The Reset Counters Command (For details, see CFE TBL RESET COUNTERS CC)

11.55.3.16 CFE_TBL_NoopCmd_t typedef CFE_TBL_NoArgsCmd_t CFE_TBL_NoopCmd_t Definition at line 500 of file cfe tbl msg.h.

11.55.3.17 CFE_TBL_NotifyCmd_Payload_t typedef struct CFE_TBL_NotifyCmd_Payload CFE_TBL_NotifyCmd_Payload_t Table Management Notification Command Payload.

Description

Whenever an application that owns a table calls the CFE_TBL_NotifyByMessage API following the table registration, Table services will generate the following command message with the application specified message ID, command code and parameter whenever the table requires management (e.g. - loads and validations).

11.55.3.18 CFE_TBL_NotifyCmd_t typedef struct CFE_TBL_NotifyCmd_t /brief Table Management Notification Command

11.55.3.19 CFE_TBL_ResetCountersCmd_t typedef CFE_TBL_NoArgsCmd_t CFE_TBL_ResetCountersCmd_t Definition at line 501 of file cfe_tbl_msg.h.

 $\textbf{11.55.3.21} \quad \textbf{CFE_TBL_SendRegistryCmd_Payload_t} \quad \texttt{typedef struct CFE_TBL_SendRegistryCmd_Payload_t} \\ \textbf{CFE_TBL_SendRegistryCmd_Payload_t}$

Send Table Registry Command Payload.

For command details, see CFE TBL SEND REGISTRY CC

11.55.3.22 CFE_TBL_SendRegistryCmd_t typedef struct CFE_TBL_SendRegistryCmd CFE_TBL_SendRegistryCmd_t Send Table Registry Command.

11.55.3.23 CFE TBL TableRegistryTlm t typedef struct CFE_TBL_TableRegistryTlm CFE_TBL_TableRegistryTlm_t

```
11.55.3.24 CFE_TBL_TblRegPacket_Payload_t typedef struct CFE_TBL_TblRegPacket_Payload CFE_TBL_TblRegPacket_Payload
Name Table Registry Info Packet
11.55.3.25 CFE_TBL_ValidateCmd_Payload_t typedef struct CFE_TBL_ValidateCmd_Payload CFE_TBL_ValidateCmd_Payload
Validate Table Command Payload.
For command details, see CFE TBL VALIDATE CC
11.55.3.26 CFE TBL ValidateCmd t typedef struct CFE_TBL_ValidateCmd t typedef struct CFE_TBL_ValidateCmd t
Validate Table Command.
        cfe/modules/time/fsw/inc/cfe time events.h File Reference
Macros
   TIME event IDs

    #define CFE TIME INIT EID 1

            TIME Initialization Event ID.

    #define CFE_TIME_NOOP_EID 4

            TIME No-op Command Success Event ID.

    #define CFE TIME RESET EID 5

            TIME Reset Counters Command Success Event ID.

    #define CFE TIME DIAG EID 6

            TIME Request Diagnostics Command Success Event ID.
      • #define CFE TIME STATE EID 7
            TIME Set Time State Command Success Event ID.

    #define CFE TIME SOURCE EID 8

            TIME Set Time Source Command Success Event ID.

    #define CFE TIME SIGNAL EID 9

            TIME Set Tone Source Command Success Event ID.

    #define CFE TIME DELAY EID 11

            TIME Add or Subtract Delay Command Success Event ID.

    #define CFE TIME TIME EID 12

            TIME Set Time Command Success Event ID.

    #define CFE TIME MET EID 13

            TIME Set Mission Elapsed Time Command Success Event ID.
      • #define CFE TIME STCF EID 14
            TIME Set Spacecraft Time Correlation Factor Command Success Event ID.

    #define CFE TIME DELTA EID 15

            TIME Add or Subtract Single STCF Adjustment Command Success Event ID.

    #define CFE TIME 1HZ EID 16

            TIME Add or Subtract STCF Adjustment Each Second Command Success Event ID.

    #define CFE TIME LEAPS EID 17

            TIME Set Leap Seconds Command Success Event ID.

    #define CFE TIME FLY ON EID 20

            TIME Entered FLYWHEEL Mode Event ID.

    #define CFE TIME FLY OFF EID 21

            TIME Exited FLYWHEEL Mode Event ID.

    #define CFE_TIME_ID_ERR_EID 26

            TIME Invalid Message ID Received Event ID.
```

#define CFE_TIME_CC_ERR_EID 27

TIME Invalid Command Code Received Event ID.

```
    #define CFE_TIME_STATE_ERR_EID 30

     TIME Set Clock State Command Invalid State Event ID.

    #define CFE_TIME_SOURCE_ERR_EID 31

     TIME Set Clock Source Command Invalid Source Event ID.

    #define CFE TIME SIGNAL ERR EID 32

      TIME Set Clock Tone Source Command Invalid Source Event ID.

    #define CFE_TIME_DELAY_ERR_EID 33

     TIME Add or Subtract Tone Delay Command Invalid Time Value Event ID.

    #define CFE TIME TIME ERR EID 34

     TIME Set Spacecraft Time Command Invalid Time Value Event ID.
• #define CFE TIME MET ERR EID 35
     TIME Set Mission Elapsed Time Command Invalid Time Value Event ID.

    #define CFE TIME STCF ERR EID 36

     TIME Set Spacecraft Time Correlation Factor Command Invalid Time Value Event ID.

    #define CFE TIME DELTA ERR EID 37

     TIME Add or Subtract Single STCF Adjustment Command Invalid Time Value Event ID.

    #define CFE TIME SOURCE CFG EID 40

     TIME Set Clock Source Command Incompatible Mode Event ID.

    #define CFE TIME SIGNAL CFG EID 41

     TIME Set Clock Signal Command Incompatible Mode Event ID.
• #define CFE TIME DELAY CFG EID 42
     TIME Add or Subtract Tone Delay Command Incompatible Mode Event ID.
• #define CFE TIME TIME CFG EID 43
      TIME Set Spacecraft Time Command Incompatible Mode Event ID.
• #define CFE TIME MET CFG EID 44
     TIME Set Mission Elapsed Time Command Incompatible Mode Event ID.

    #define CFE TIME STCF CFG EID 45

      TIME Set Spacecraft Time Correlation Factor Command Incompatible Mode Event ID.

    #define CFE TIME LEAPS CFG EID 46

     TIME Set Leap Seconds Command Incompatible Mode Event ID.

    #define CFE TIME DELTA CFG EID 47

     TIME Add or Subtract Single STCF Adjustment Command Incompatible Mode Event ID.

    #define CFE TIME 1HZ CFG EID 48
```

TIME Add or Subtract STCF Adjustment Each Second Command Incompatible Mode Event ID.

11.56.1 Detailed Description

cFE Time Services Event IDs

11.56.2 Macro Definition Documentation

#define CFE_TIME_LEN_ERR_EID 49
 TIME Invalid Command Length Event ID.

```
11.56.2.1 CFE_TIME_1HZ_CFG_EID #define CFE_TIME_1HZ_CFG_EID 48
```

TIME Add or Subtract STCF Adjustment Each Second Command Incompatible Mode Event ID.

Type: ERROR

Cause:

TIME Add STCF Adjustment Each Second Command OR TIME Subtract STCF Adjustment Each Second Command failure due to being in an incompatible mode.

Definition at line 438 of file cfe time events.h.

11.56.2.2 CFE_TIME_1HZ_EID #define CFE_TIME_1HZ_EID 16 TIME Add or Subtract STCF Adjustment Each Second Command Success Event ID.
Type: INFORMATION
Cause:
TIME Add STCF Adjustment Each Second Command OR TIME Subtract STCF Adjustment Each Second Command
success. Definition at line 177 of file cfe_time_events.h.
Definition at time 177 of the die_time_events.ri.
11.56.2.3 CFE_TIME_CC_ERR_EID #define CFE_TIME_CC_ERR_EID 27 TIME Invalid Command Code Received Event ID.
Type: ERROR
Type. Ention
Cause:
Invalid command code for message ID CFE_TIME_CMD_MID received on the TIME message pipe.
Definition at line 232 of file cfe_time_events.h.
11.56.2.4 CFE_TIME_DELAY_CFG_EID #define CFE_TIME_DELAY_CFG_EID 42
TIME Add or Subtract Tone Delay Command Incompatible Mode Event ID.
Type: ERROR
Cause:
Cause.
TIME Add Tone Delay Command OR TIME Subtract Tone Delay Command failure due to being in an incompatible mode.
Definition at line 364 of file cfe_time_events.h.
11.56.2.5 CFE_TIME_DELAY_EID #define CFE_TIME_DELAY_EID 11
TIME Add or Subtract Delay Command Success Event ID.
Type: INFORMATION
Cause:
TIME Add Time Delay Command OR a Subtract Time Delay Command success. Definition at line 120 of file cfe_time_events.h.
Bonnation at the TEO of the dio_utrio_events.ft.

11.56.2.6 CFE_TIME_DELAY_ERR_EID #define CFE_TIME_DELAY_ERR_EID 33 TIME Add or Subtract Tone Delay Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Add Tone Delay Command OR TIME Subtract Tone Delay Command failure due to an invalid time value. Definition at line 278 of file cfe_time_events.h.
11.56.2.7 CFE_TIME_DELTA_CFG_EID #define CFE_TIME_DELTA_CFG_EID 47 TIME Add or Subtract Single STCF Adjustment Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command failure due to being in an incompatible mode. Definition at line 425 of file cfe_time_events.h.
11.56.2.8 CFE_TIME_DELTA_EID #define CFE_TIME_DELTA_EID 15 TIME Add or Subtract Single STCF Adjustment Command Success Event ID. Type: INFORMATION
Cause:
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command success. Definition at line 165 of file cfe_time_events.h.
11.56.2.9 CFE_TIME_DELTA_ERR_EID #define CFE_TIME_DELTA_ERR_EID 37 TIME Add or Subtract Single STCF Adjustment Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command failure due to an invalid time value.

Definition at line 327 of file cfe_time_events.h.

11.56.2.10 CFE_TIME_DIAG_EID #define CFE_TIME_DIAG_EID 6 TIME Request Diagnostics Command Success Event ID.
Type: DEBUG
Cause:
TIME Request Diagnostics Command success. Definition at line 75 of file cfe_time_events.h.
11.56.2.11 CFE_TIME_FLY_OFF_EID #define CFE_TIME_FLY_OFF_EID 21 TIME Exited FLYWHEEL Mode Event ID.
Type: INFORMATION
Cause:
TIME Exited FLYWHEEL Mode.
Definition at line 210 of file cfe_time_events.h.
11.56.2.12 CFE_TIME_FLY_ON_EID #define CFE_TIME_FLY_ON_EID 20 TIME Entered FLYWHEEL Mode Event ID.
Type: INFORMATION
Cause:
TIME Entered FLYWHEEL Mode. Definition at line 199 of file cfe_time_events.h.
11.56.2.13 CFE_TIME_ID_ERR_EID #define CFE_TIME_ID_ERR_EID 26 TIME Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the TIME message pipe. Definition at line 221 of file cfe_time_events.h.

11.56.2.14 CFE_TIME_INIT_EID #define CFE_TIME_INIT_EID 1 TIME Initialization Event ID.
Type: INFORMATION
Cause:
Time Services Task Initialization complete. Definition at line 42 of file cfe_time_events.h.
11.56.2.15 CFE_TIME_LEAPS_CFG_EID #define CFE_TIME_LEAPS_CFG_EID 46 TIME Set Leap Seconds Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Leap Seconds Command failure due to being in an incompatible mode. Definition at line 412 of file cfe_time_events.h.
11.56.2.16 CFE_TIME_LEAPS_EID #define CFE_TIME_LEAPS_EID 17 TIME Set Leap Seconds Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Leap Seconds Command success. Definition at line 188 of file cfe_time_events.h.
11.56.2.17 CFE_TIME_LEN_ERR_EID #define CFE_TIME_LEN_ERR_EID 49 TIME Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_TIME_CMD_MID received on the TIME message pipe.

Definition at line 450 of file cfe_time_events.h.

11.56.2.18 CFE_TIME_MET_CFG_EID #define CFE_TIME_MET_CFG_EID 44 TIME Set Mission Elapsed Time Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Mission Elapsed Time Command failure due to being in an incompatible mode. Definition at line 388 of file cfe_time_events.h.
11.56.2.19 CFE_TIME_MET_EID #define CFE_TIME_MET_EID 13 TIME Set Mission Elapsed Time Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Mission Elapsed Time Command success. Definition at line 142 of file cfe_time_events.h.
11.56.2.20 CFE_TIME_MET_ERR_EID #define CFE_TIME_MET_ERR_EID 35 TIME Set Mission Elapsed Time Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Set Mission Elapsed Time Command failure due to an invalid time value. Definition at line 302 of file cfe_time_events.h.
11.56.2.21 CFE_TIME_NOOP_EID #define CFE_TIME_NOOP_EID 4 TIME No-op Command Success Event ID.
Type: INFORMATION
Cause:
TIME NO-OP Command success.

Definition at line 53 of file cfe_time_events.h.

11.56.2.22 CFE_TIME_RESET_EID #define CFE_TIME_RESET_EID 5 TIME Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
TIME Reset Counters Command success. Definition at line 64 of file cfe_time_events.h.
11.56.2.23 CFE_TIME_SIGNAL_CFG_EID #define CFE_TIME_SIGNAL_CFG_EID 41 TIME Set Clock Signal Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Clock Signal Command failure due to being in an incompatible mode. Definition at line 351 of file cfe_time_events.h.
11.56.2.24 CFE_TIME_SIGNAL_EID #define CFE_TIME_SIGNAL_EID 9 TIME Set Tone Source Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Clock Tone Source Command success. Definition at line 108 of file cfe_time_events.h.
11.56.2.25 CFE_TIME_SIGNAL_ERR_EID #define CFE_TIME_SIGNAL_ERR_EID 32 TIME Set Clock Tone Source Command Invalid Source Event ID.
Type: ERROR
Cause:
Set Clock Tone Source Command failed due to invalid source requested.

Definition at line 265 of file cfe_time_events.h.

11.56.2.26 CFE_TIME_SOURCE_CFG_EID #define CFE_TIME_SOURCE_CFG_EID 40 TIME Set Clock Source Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Clock Source Command failure due to being in an incompatible mode. Definition at line 339 of file cfe_time_events.h.
11.56.2.27 CFE_TIME_SOURCE_EID #define CFE_TIME_SOURCE_EID 8 TIME Set Time Source Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Time Source Command success. Definition at line 97 of file cfe_time_events.h.
11.56.2.28 CFE_TIME_SOURCE_ERR_EID #define CFE_TIME_SOURCE_ERR_EID 31 TIME Set Clock Source Command Invalid Source Event ID. Type: ERROR
Cause:
TIME Set Clock Source Command failed due to invalid source requested. Definition at line 254 of file cfe_time_events.h.
11.56.2.29 CFE_TIME_STATE_EID #define CFE_TIME_STATE_EID 7 TIME Set Time State Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Time State Command, success

Definition at line 86 of file cfe_time_events.h.

11.56.2.30 CFE_TIME_STATE_ERR_EID #define CFE_TIME_STATE_ERR_EID 30 TIME Set Clock State Command Invalid State Event ID.
Type: ERROR
Cause:
TIME Set Clock State Command failed due to invalid state requested. Definition at line 243 of file cfe_time_events.h.
11.56.2.31 CFE_TIME_STCF_CFG_EID #define CFE_TIME_STCF_CFG_EID 45 TIME Set Spacecraft Time Correlation Factor Command Incompatible Mode Event ID. Type: ERROR
Type. Entron
Cause:
TIME Set Spacecraft Time Correlation Factor Command failure due to being in an incompatible mode. Definition at line 400 of file cfe_time_events.h.
11.56.2.32 CFE_TIME_STCF_EID #define CFE_TIME_STCF_EID 14 TIME Set Spacecraft Time Correlation Factor Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Spacecraft Time Correlation Factor Command success. Definition at line 153 of file cfe_time_events.h.
11.56.2.33 CFE_TIME_STCF_ERR_EID #define CFE_TIME_STCF_ERR_EID 36 TIME Set Spacecraft Time Correlation Factor Command Invalid Time Value Event ID.
Type: ERROR
Cause:

TIME Set Spacecraft Time Correlation Factor Command failure due to an invalid time value.

Generated by Doxygen

Definition at line 314 of file cfe_time_events.h.

```
11.56.2.34 CFE_TIME_TIME_CFG_EID #define CFE_TIME_TIME_CFG_EID 43 TIME Set Spacecraft Time Command Incompatible Mode Event ID.
```

Type: ERROR

Cause:

TIME Set Spacecraft Time Command failure due to being in an incompatible mode. Definition at line 376 of file cfe_time_events.h.

```
11.56.2.35 CFE_TIME_TIME_EID #define CFE_TIME_TIME_EID 12 TIME Set Time Command Success Event ID.
```

Type: INFORMATION

Cause:

TIME Set Time Command success.

Definition at line 131 of file cfe_time_events.h.

11.56.2.36 CFE_TIME_TIME_ERR_EID #define CFE_TIME_TIME_ERR_EID 34 TIME Set Spacecraft Time Command Invalid Time Value Event ID.

Type: ERROR

Cause:

TIME Set Spacecraft Time Command failure due to an invalid time value. Definition at line 290 of file cfe_time_events.h.

11.57 cfe/modules/time/fsw/inc/cfe_time_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_time_extern_typedefs.h"
```

Data Structures

• struct CFE_TIME_NoArgsCmd

Generic no argument command.

struct CFE_TIME_LeapsCmd_Payload

Set leap seconds command payload.

struct CFE_TIME_SetLeapSecondsCmd

Set leap seconds command.

struct CFE TIME StateCmd Payload

Set clock state command payload.

struct CFE TIME SetStateCmd

Set clock state command.

struct CFE TIME SourceCmd Payload

Set time data source command payload.

struct CFE TIME SetSourceCmd

Set time data source command.

struct CFE TIME SignalCmd Payload

Set tone signal source command payload.

struct CFE TIME SetSignalCmd

Set tone signal source command.

struct CFE TIME TimeCmd Payload

Generic seconds, microseconds command payload.

struct CFE TIME TimeCmd

Generic seconds, microseconds argument command.

• struct CFE_TIME_OneHzAdjustmentCmd_Payload

Generic seconds, subseconds command payload.

struct CFE_TIME_OneHzAdjustmentCmd

Generic seconds, subseconds adjustment command.

struct CFE_TIME_ToneDataCmd_Payload

Time at tone data command payload.

• struct CFE TIME ToneDataCmd

Time at tone data command.

- struct CFE_TIME_HousekeepingTlm_Payload
- struct CFE TIME HousekeepingTlm
- struct CFE TIME DiagnosticTlm Payload
- struct CFE_TIME_DiagnosticTIm

Macros

• #define CFE TIME FLAG CLKSET 0x8000

The spacecraft time has been set.

#define CFE TIME FLAG FLYING 0x4000

This instance of Time Services is flywheeling.

• #define CFE TIME FLAG SRCINT 0x2000

The clock source is set to "internal".

#define CFE TIME FLAG SIGPRI 0x1000

The clock signal is set to "primary".

#define CFE TIME FLAG SRVFLY 0x0800

The Time Server is in flywheel mode.

#define CFE TIME FLAG CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

#define CFE TIME FLAG ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

#define CFE TIME FLAG ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

#define CFE TIME FLAG ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

#define CFE TIME FLAG SERVER 0x0040

This instance of Time Services is a Time Server.

#define CFE TIME FLAG GDTONE 0x0020

The tone received is good compared to the last tone received.

#define CFE TIME FLAG REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

#define CFE TIME FLAG UNUSED 0x000F

Reserved flags - should be zero.

Time Services Command Codes

- #define CFE_TIME_NOOP_CC 0 /* no-op command */
- #define CFE_TIME_RESET_COUNTERS_CC_1 /* reset counters */
- #define CFE_TIME_SEND_DIAGNOSTIC_TLM_CC 2 /* request diagnostic hk telemetry */
- #define CFE TIME SET SOURCE CC 3 /* set clock source (int vs ext) */
- #define CFE TIME SET STATE CC 4 /* set clock state */
- #define CFE TIME ADD DELAY CC 5 /* add tone delay value */
- #define CFE TIME SUB DELAY CC 6 /* sub tone delay value */
- #define CFE TIME SET TIME CC 7 /* set time */
- #define CFE TIME SET MET CC 8 /* set MET */
- #define CFE_TIME_SET_STCF_CC 9 /* set STCF */
- #define CFE_TIME_SET_LEAP_SECONDS_CC 10 /* set Leap Seconds */
- #define CFE_TIME_ADD_ADJUST_CC 11 /* add one time STCF adjustment */
- #define CFE_TIME_SUB_ADJUST_CC 12 /* subtract one time STCF adjustment */
- #define CFE_TIME_ADD_1HZ_ADJUSTMENT_CC 13 /* add 1Hz STCF adjustment */
- #define CFE_TIME_SUB_1HZ_ADJUSTMENT_CC 14 /* subtract 1Hz STCF adjustment */
- #define CFE_TIME_SET_SIGNAL_CC 15 /* set clock signal (pri vs red) */

Typedefs

- typedef struct CFE TIME NoArgsCmd CFE TIME NoArgsCmd t
 - Generic no argument command.
- typedef CFE TIME NoArgsCmd t CFE TIME NoopCmd t
- typedef CFE_TIME_NoArgsCmd_t CFE_TIME_ResetCountersCmd_t
- typedef CFE_TIME_NoArgsCmd_t CFE_TIME_SendDiagnosticCmd_t
- typedef CFE TIME NoArgsCmd t CFE TIME 1HzCmd t
- typedef CFE TIME NoArgsCmd t CFE TIME ToneSignalCmd t
- typedef CFE TIME NoArgsCmd t CFE TIME FakeToneCmd t
- typedef CFE TIME NoArgsCmd t CFE TIME SendHkCmd t
- typedef struct CFE_TIME_LeapsCmd_Payload CFE_TIME_LeapsCmd_Payload_t

Set leap seconds command payload.

typedef struct CFE_TIME_SetLeapSecondsCmd CFE_TIME_SetLeapSecondsCmd_t

Set leap seconds command.

• typedef struct CFE TIME StateCmd Payload CFE TIME StateCmd Payload t

Set clock state command payload.

typedef struct CFE_TIME_SetStateCmd CFE_TIME_SetStateCmd_t

Set clock state command.

typedef struct CFE_TIME_SourceCmd_Payload CFE_TIME_SourceCmd_Payload_t

Set time data source command payload.

```
    typedef struct CFE_TIME_SetSourceCmd CFE_TIME_SetSourceCmd_t

         Set time data source command.

    typedef struct CFE TIME SignalCmd Payload CFE TIME SignalCmd Payload t

         Set tone signal source command payload.

    typedef struct CFE_TIME_SetSignalCmd CFE_TIME_SetSignalCmd_t

         Set tone signal source command.

    typedef struct CFE_TIME_TimeCmd_Payload CFE_TIME_TimeCmd_Payload_t

         Generic seconds, microseconds command payload.

    typedef struct CFE TIME TimeCmd CFE TIME TimeCmd t

         Generic seconds, microseconds argument command.

    typedef CFE TIME TimeCmd t CFE TIME AddDelayCmd t

    typedef CFE TIME TimeCmd t CFE TIME SubDelayCmd t

    typedef CFE_TIME_TimeCmd_t CFE_TIME_SetMETCmd_t

    typedef CFE TIME TimeCmd t CFE TIME SetSTCFCmd t

    typedef CFE TIME TimeCmd t CFE TIME AddAdjustCmd t

    typedef CFE_TIME_TimeCmd_t CFE_TIME_SubAdjustCmd_t

    typedef CFE TIME TimeCmd t CFE TIME SetTimeCmd t

    typedef struct CFE_TIME_OneHzAdjustmentCmd_Payload CFE_TIME_OneHzAdjustmentCmd_Payload_t

         Generic seconds, subseconds command payload.

    typedef struct CFE TIME OneHzAdjustmentCmd CFE TIME OneHzAdjustmentCmd t

         Generic seconds, subseconds adjustment command.
   • typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Add1HZAdjustmentCmd_t
   • typedef CFE TIME OneHzAdjustmentCmd t CFE TIME Sub1HZAdjustmentCmd t

    typedef struct CFE_TIME_ToneDataCmd_Payload CFE_TIME_ToneDataCmd_Payload_t

         Time at tone data command payload.

    typedef struct CFE_TIME_ToneDataCmd CFE_TIME_ToneDataCmd_t

         Time at tone data command.

    typedef struct CFE TIME HousekeepingTlm Payload CFE TIME HousekeepingTlm Payload t

    typedef struct CFE_TIME_HousekeepingTIm CFE_TIME_HousekeepingTIm_t

    typedef struct CFE TIME DiagnosticTlm Payload CFE TIME DiagnosticTlm Payload t

    typedef struct CFE_TIME_DiagnosticTlm CFE_TIME_DiagnosticTlm_t

11.57.1 Detailed Description
Purpose: cFE Time Services (TIME) SB message definitions header file
Author: S.Walling/Microtel
Notes:
11.57.2 Macro Definition Documentation
```

```
11.57.2.1 CFE_TIME_ADD_1HZ_ADJUSTMENT_CC #define CFE_TIME_ADD_1HZ_ADJUSTMENT_CC 13 /* add
1Hz STCF adjustment */
```

Name Add Delta to Spacecraft Time Correlation Factor each 1Hz

Description

This command has been updated to take actual sub-seconds ($1/2^3$ 2 seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by adding the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc_\$cpu_TIME_Add1HzSTCF

Command Structure

CFE TIME Add1HZAdjustmentCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_1HZ_EID informational event message will be generated

Error Conditions

Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event message will be issued (CFE TIME 1HZ CFG EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE TIME ADD ADJUST CC, CFE TIME SUB ADJUST CC, CFE TIME SUB 1HZ ADJUSTMENT CC

Definition at line 612 of file cfe time msg.h.

11.57.2.2 CFE_TIME_ADD_ADJUST_CC #define CFE_TIME_ADD_ADJUST_CC 11 /* add one time STCF adjustment */

Name Add Delta to Spacecraft Time Correlation Factor

Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by adding the specified value. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_AddSTCFAdj

Command Structure

CFE_TIME_AddAdjustCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_DELTA_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELTA_ERR_EID or CFE_TIME_DELTA_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC

Definition at line 532 of file cfe time msg.h.

11.57.2.3 CFE_TIME_ADD_DELAY_CC #define CFE_TIME_ADD_DELAY_CC 5 /* add tone delay value */

Name Add Time to Tone Time Delay

Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (added) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Command Mnemonic(s) \$sc \$cpu TIME AddClockLat

Command Structure

CFE_TIME_AddDelayCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc_\$cpu_TIME_DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE_TIME_DELAY_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- Platform receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELAY_CFG_EID or CFE_TIME_DELAY_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE TIME SUB DELAY CC

Definition at line 301 of file cfe time msg.h.

11.57.2.4 CFE_TIME_NOOP_CC #define CFE_TIME_NOOP_CC 0 /* no-op command */

Name Time No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Time Services task.

Command Mnemonic(s) \$sc_\$cpu_TIME_NOOP

Command Structure

```
CFE TIME NoopCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- The CFE_TIME_NOOP_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 77 of file cfe_time_msg.h.

```
11.57.2.5 CFE_TIME_RESET_COUNTERS_CC #define CFE_TIME_RESET_COUNTERS_CC 1 /* reset counters */
```

Name Time Reset Counters

Description

This command resets the following counters within the Time Services Housekeeping Telemetry:

- Command Execution Counter (\$sc_\$cpu_TIME_CMDPC)
- Command Error Counter (\$sc_\$cpu_TIME_CMDEC) This command also resets the following counters within the Time Services Diagnostic Telemetry :
- Tone Signal Detected Software Bus Message Counter (\$sc_\$cpu_TIME_DTSDetCNT)
- Time at the Tone Data Software Bus Message Counter (\$sc_\$cpu_TIME_DTatTCNT)
- Tone Signal/Data Verify Counter (\$sc \$cpu TIME DVerifyCNT)
- Tone Signal/Data Error Counter (\$sc \$cpu TIME DVerifyER)

- Tone Signal Interrupt Counter (\$sc_\$cpu_TIME_DTsISRCNT)
- Tone Signal Interrupt Error Counter (\$sc_\$cpu_TIME_DTsISRERR)
- Tone Signal Task Counter (\$sc_\$cpu_TIME_DTsTaskCNT)
- Local 1 Hz Interrupt Counter (\$sc_\$cpu_TIME_D1HzISRCNT)
- Local 1 Hz Task Counter (\$sc \$cpu TIME D1HzTaskCNT)
- Reference Time Version Counter (\$sc \$cpu TIME DVersionCNT)

Command Mnemonic(s) \$sc_\$cpu_TIME_ResetCtrs

Command Structure

```
CFE TIME ResetCountersCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will reset to 0
- \$sc_\$cpu_TIME_CMDEC command error counter will reset to 0
- The CFE_TIME_RESET_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is reset unconditionally.

Criticality

None

See also

Definition at line 122 of file cfe time msg.h.

```
11.57.2.6 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC #define CFE_TIME_SEND_DIAGNOSTIC_TLM_CC 2 /* request diagnostic hk telemetry */
```

Name Request TIME Diagnostic Telemetry

Description

This command requests that the Time Service generate a message containing various data values not included in the normal Time Service housekeeping message. The command requests only a single copy of the diagnostic message. Refer to CFE_TIME_DiagnosticTIm_t for a description of the Time Service diagnostic message contents.

Command Mnemonic(s) \$sc \$cpu TIME RequestDiag

Command Structure

CFE_TIME_SendDiagnosticCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- Sequence Counter for CFE_TIME_DiagnosticTIm_t will increment
- The CFE_TIME_DIAG_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event and telemetry is sent (although one or both may be filtered by EVS and TO) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 156 of file cfe_time_msg.h.

```
11.57.2.7 CFE_TIME_SET_LEAP_SECONDS_CC #define CFE_TIME_SET_LEAP_SECONDS_CC 10 /* set Leap Seconds */
```

Name Set Leap Seconds

Description

This command sets the spacecraft Leap Seconds to the specified value. Leap Seconds may be positive or negative, and there is no limit to the value except, of course, the limit imposed by the 16 bit signed integer data type. The new Leap Seconds value takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockLeap

Command Structure

```
CFE TIME SetLeapSecondsCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_LeapSecs Housekeeping Telemetry point indicating new Leap seconds value
- The CFE_TIME_LEAPS_EID informational event message will be generated

Error Conditions

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_LEAPS_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE TIME SET TIME CC, CFE TIME SET MET CC, CFE TIME SET STCF CC
```

Definition at line 496 of file cfe_time_msg.h.

```
11.57.2.8 CFE_TIME_SET_MET_CC #define CFE_TIME_SET_MET_CC 8 /* set MET */
```

Name Set Mission Elapsed Time

Description

This command sets the Mission Elapsed Timer (MET) to the specified value.

Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to.

Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt.

The new MET takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockMET

Command Structure

```
CFE_TIME_SetMETCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- $\bullet \ \$ \texttt{sc} _ \$ \texttt{cpu} _ \texttt{TIME} _ \texttt{CMDPC} \ \textbf{-} \ \text{command execution counter will increment}$
- \$sc_\$cpu_TIME_METSecs Housekeeping Telemetry point indicating new MET seconds value
- \$sc_\$cpu_TIME_METSubsecs Housekeeping Telemetry point indicating new MET subseconds value
- The CFE_TIME_MET_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE TIME MET CFG EID or CFE TIME MET ERR EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE TIME SET TIME CC, CFE TIME SET STCF CC, CFE TIME SET LEAP SECONDS CC

Definition at line 424 of file cfe_time_msg.h.

11.57.2.9 CFE_TIME_SET_SIGNAL_CC #define CFE_TIME_SET_SIGNAL_CC 15 /* set clock signal (pri vs red) */

Name Set Tone Signal Source

Description

This command selects the Time Service tone signal source. Although the list of potential tone signal sources is mission specific, a common choice is the selection of primary or redundant tone signal. The selection may be available to both the Time Server and Time Clients, depending on hardware configuration.

Notes:

• This command is only valid when the CFE_PLATFORM_TIME_CFG_SIGNAL configuration parameter in the cfe platform cfg.h file has been set to true.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetSignal

Command Structure

CFE_TIME_SetSignalCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DSignal Diagnostic Telemetry point will indicate the command specified value
- The CFE_TIME_SIGNAL_EID informational event message will be generated

Error Conditions

- Invalid Signal selection (a value other than CFE_TIME_ToneSignalSelect_PRIMARY or CFE_TIME_ToneSignalSelect_REDUN was specified)
- · Multiple Tone Signal Sources not available on this platform

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC Command Error counter will increment
- Error specific event message (either CFE_TIME_SIGNAL_CFG_EID or CFE_TIME_SIGNAL_ERR_EID)

Criticality

Although tone signal source selection is important, this command is not critical

See also

CFE TIME SET STATE CC, CFE TIME SET SOURCE CC

Definition at line 702 of file cfe time msg.h.

11.57.2.10 CFE_TIME_SET_SOURCE_CC #define CFE_TIME_SET_SOURCE_CC 3 /* set clock source (int vs ext) */

Name Set Time Source

Description

This command selects the Time Service clock source. Although the list of potential clock sources is mission specific and defined via configuration parameters, this command provides a common method for switching between the local processor clock and an external source for time data.

When commanded to accept external time data (GPS, MET, spacecraft time, etc.), the Time Server will enable input via an API function specific to the configuration definitions for the particular source. When commanded to use internal time data, the Time Server will ignore the external data. However, the Time Server will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Notes:

- Operating in FLYWHEEL mode is not considered a choice related to clock source, but rather an element of the clock state. See below for a description of the CFE_TIME_SET_STATE_CC command.
- This command is only valid when the CFE_PLATFORM_TIME_CFG_SOURCE configuration parameter in the cfe_platform_cfg.h file has been set to true.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetSource

Command Structure

CFE_TIME_SetSourceCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DSource Diagnostic Telemetry point will indicate the command specified value
- The CFE_TIME_SOURCE_EID informational event message will be generated

Error Conditions

- Invalid Source selection (a value other than CFE_TIME_SourceSelect_INTERNAL or CFE_TIME_SourceSelect_EXTERNAL was specified)
- · Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC Command Error counter will increment
- Error specific event message (either CFE TIME SOURCE CFG EID or CFE TIME SOURCE ERR EID)

Criticality

Although clock source selection is important, this command is not critical.

See also

```
CFE_TIME_SET_STATE_CC, CFE_TIME_SET_SIGNAL_CC
```

Definition at line 206 of file cfe time msg.h.

11.57.2.11 CFE_TIME_SET_STATE_CC #define CFE_TIME_SET_STATE_CC 4 /* set clock state */

Name Set Time State

Description

This command indirectly affects the Time Service on-board determination of clock state. Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set, and whether Time Service is operating in FLYWHEEL mode.

This command may be used to notify the Time Server that spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems.

Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of F← LYWHEEL mode is mainly for debug purposes although in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL.

Note also that setting the clock state to VALID or INVALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

Command Mnemonic(s) \$sc \$cpu TIME SetState

Command Structure

CFE_TIME_SetStateCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_StateF1g, \$sc_\$cpu_TIME_FlagSet, \$sc_\$cpu_TIME_FlagFly, \$sc_\$cpu_TIME_←
 FlagSrc, \$sc_\$cpu_TIME_FlagPri, \$sc_\$cpu_TIME_FlagSfly, \$sc_\$cpu_TIME_FlagCfly, \$sc_\$cpu_TIME
 FlagAdjd, \$sc_\$cpu_TIME_Flag1Hzd, \$sc_\$cpu_TIME_FlagClat, \$sc_\$cpu_TIME_FlagSorC, \$sc_\$cpu←
 TIME_FlagNIU Housekeeping Telemetry point "may" indicate the command specified value (see above)
- The CFE_TIME_STATE_EID informational event message will be generated

Error Conditions

- Invalid State selection (a value other than CFE_TIME_ClockState_INVALID, CFE_TIME_ClockState_VALID or CFE_TIME_ClockState_FLYWHEEL was specified)
- · Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC Command Error counter will increment
- Error specific event message (CFE TIME STATE ERR EID)

Criticality

Setting Time Service into FLYWHEEL mode is not particularly hazardous, as the result may be that the calculation of spacecraft time is done using a less than optimal timer. However, inappropriately setting the clock state to $V \leftarrow$ ALID (indicating that spacecraft time is accurate) may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_SOURCE_CC, CFE_TIME_SET_SIGNAL_CC
```

Definition at line 263 of file cfe time msg.h.

```
11.57.2.12 CFE_TIME_SET_STCF_CC #define CFE_TIME_SET_STCF_CC 9 /* set STCF */
```

Name Set Spacecraft Time Correlation Factor

Description

This command sets the Spacecraft Time Correlation Factor (STCF) to the specified value. This command differs from the previously described SET CLOCK in the nature of the command argument. This command sets the STCF value directly, rather than extracting the STCF from a value representing the total of MET, STCF and optionally, Leap Seconds. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockSTCF

Command Structure

```
CFE TIME SetSTCFCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_STCF_EID informational event message will be generated

Error Conditions

- · An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_STCF_CFG_EID or CFE_TIME_STCF_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE TIME SET TIME CC, CFE TIME SET MET CC, CFE TIME SET LEAP SECONDS CC
```

Definition at line 461 of file cfe time msg.h.

11.57.2.13 CFE_TIME_SET_TIME_CC #define CFE_TIME_SET_TIME_CC 7 /* set time */

Name Set Spacecraft Time

Description

This command sets the spacecraft clock to a new value, regardless of the current setting (time jam). The new time value represents the desired offset from the mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI

- STCF = (new time) (current MET)
- (current time) = (current MET) + STCF

If Time Service is configured to compute current time as UTC

- STCF = ((new time) (current MET)) + (Leap Seconds)
- (current time) = ((current MET) + STCF) (Leap Seconds)

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClock

Command Structure

CFE_TIME_SetTimeCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating newly calculated STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating newly calculated STCF subseconds value
- The CFE_TIME_TIME_EID informational event message will be generated

Error Conditions

- · An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE TIME TIME CFG EID or CFE TIME TIME ERR EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_SET_MET_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_SET_LEAP_SECONDS_CC

Definition at line 384 of file cfe time msg.h.

```
11.57.2.14 CFE_TIME_SUB_1HZ_ADJUSTMENT_CC #define CFE_TIME_SUB_1HZ_ADJUSTMENT_CC 14 /* subtract 1Hz STCF adjustment */
```

Name Subtract Delta from Spacecraft Time Correlation Factor each 1Hz

Description

This command has been updated to take actual sub-seconds (1/2³² seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by subtracting the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc_\$cpu_TIME_Sub1HzSTCF

Command Structure

```
CFE_TIME_Sub1HZAdjustmentCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry: Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_1HZ_EID informational event message will be generated

Error Conditions

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event message will be issued (CFE_TIME_1HZ_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_ADD_1HZ_ADJUSTMENT_CC

Definition at line 660 of file cfe_time_msg.h.
```

11.57.2.15 CFE_TIME_SUB_ADJUST_CC #define CFE_TIME_SUB_ADJUST_CC 12 /* subtract one time STCF adjustment */

Name Subtract Delta from Spacecraft Time Correlation Factor

Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by subtracting the specified value. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SubSTCFAdj

Command Structure

CFE TIME SubAdjustCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME DELTA EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE TIME DELTA ERR EID or CFE TIME DELTA CFG EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC

Definition at line 566 of file cfe_time_msg.h.

11.57.2.16 CFE TIME SUB DELAY CC #define CFE_TIME_SUB_DELAY_CC 6 /* sub tone delay value */

Name Subtract Time from Tone Time Delay

Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (subtracted) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Note that it is unimaginable that the seconds value will ever be anything but zero.

Command Mnemonic(s) \$sc \$cpu TIME SubClockLat

Command Structure

```
CFE_TIME_SubDelayCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc_\$cpu_TIME_DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE_TIME_DELAY_EID informational event message will be generated

Error Conditions

- · An invalid number of microseconds was specified (must be less than 1 million)
- Platform receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- $\bullet \ \$sc_\$cpu_\texttt{TIME}_\texttt{CMDEC} \ \ \texttt{command error counter will increment}$
- Error specific event messages will be issued (CFE_TIME_DELAY_CFG_EID or CFE_TIME_DELAY_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_ADD_DELAY_CC
```

Definition at line 339 of file cfe_time_msg.h.

11.57.3 Typedef Documentation

11.57.3.1 CFE_TIME_1HzCmd_t typedef CFE_TIME_NoArgsCmd_t CFE_TIME_1HzCmd_t Definition at line 742 of file cfe time msg.h.

11.57.3.2 CFE_TIME_Add1HZAdjustmentCmd_t typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Add1HZAdjustmentCmd_t Definition at line 877 of file cfe time msg.h.

11.57.3.3 CFE_TIME_AddAdjustCmd_t typedef CFE_TIME_TimeCmd_t CFE_TIME_AddAdjustCmd_t Definition at line 850 of file cfe time msg.h.

11.57.3.4 CFE_TIME_AddDelayCmd_t typedef CFE_TIME_TimeCmd_t CFE_TIME_AddDelayCmd_t Definition at line 846 of file cfe time msg.h.

11.57.3.5 CFE TIME DiagnosticTlm Payload t typedef struct CFE_TIME_DiagnosticTlm_Payload CFE_TIME_DiagnosticTlm

Name Time Services Diagnostics Packet

11.57.3.6 CFE_TIME_DiagnosticTlm_t typedef struct CFE_TIME_DiagnosticTlm CFE_TIME_DiagnosticTlm_t

11.57.3.7 CFE_TIME_FakeToneCmd_t typedef CFE_TIME_NoArgsCmd_t CFE_TIME_FakeToneCmd_t Definition at line 744 of file cfe time msg.h.

 $\textbf{11.57.3.8} \quad \textbf{CFE_TIME_HousekeepingTlm_Payload_t} \quad \texttt{typedef struct CFE_TIME_HousekeepingTlm_Payload_t} \\ \quad \texttt{CFE_TIME_HousekeepingTlm_Payload_t}$

Name Time Services Housekeeping Packet

11.57.3.9 CFE TIME HousekeepingTlm t typedef struct CFE_TIME_HousekeepingTlm CFE_TIME_HousekeepingTlm_t

11.57.3.10 CFE_TIME_LeapsCmd_Payload_t typedef struct CFE_TIME_LeapsCmd_Payload CFE_TIME_LeapsCmd_Payload_t Set leap seconds command payload.

11.57.3.11 CFE_TIME_NoArgsCmd_t typedef struct CFE_TIME_NoArgsCmd_CFE_TIME_NoArgsCmd_t Generic no argument command.

11.57.3.12 **CFE_TIME_NoopCmd_t** typedef CFE_TIME_NoArgsCmd_t CFE_TIME_NoopCmd_t Definition at line 739 of file cfe_time_msg.h.

11.57.3.13 CFE_TIME_OneHzAdjustmentCmd_Payload_t typedef struct CFE_TIME_OneHzAdjustmentCmd_Payload CFE_TIME_OneHzAdjustmentCmd_Payload_t

Generic seconds, subseconds command payload.

- 11.57.3.14 CFE_TIME_OneHzAdjustmentCmd_t typedef struct CFE_TIME_OneHzAdjustmentCmd CFE_TIME_OneHzAdjustmentCmd
 Generic seconds, subseconds adjustment command.
- 11.57.3.15 CFE_TIME_ResetCountersCmd_t typedef CFE_TIME_NoArgsCmd_t CFE_TIME_ResetCountersCmd_t Definition at line 740 of file cfe_time_msg.h.
- 11.57.3.16 CFE_TIME_SendDiagnosticCmd_t typedef CFE_TIME_NoArgsCmd_t CFE_TIME_SendDiagnosticCmd_t Definition at line 741 of file cfe time msg.h.
- 11.57.3.17 CFE_TIME_SendHkCmd_t typedef CFE_TIME_NoArgsCmd_t CFE_TIME_SendHkCmd_t Definition at line 745 of file cfe time msg.h.
- 11.57.3.18 CFE_TIME_SetLeapSecondsCmd_t typedef struct CFE_TIME_SetLeapSecondsCmd CFE_TIME_SetLeapSecondsCmd_t Set leap seconds command.
- 11.57.3.19 CFE_TIME_SetMETCmd_t typedef CFE_TIME_TimeCmd_t CFE_TIME_SetMETCmd_t Definition at line 848 of file cfe_time_msg.h.
- 11.57.3.20 CFE_TIME_SetSignalCmd_t typedef struct CFE_TIME_SetSignalCmd CFE_TIME_SetSignalCmd_t Set tone signal source command.
- 11.57.3.21 CFE_TIME_SetSourceCmd_t typedef struct CFE_TIME_SetSourceCmd_t Set time data source command.
- 11.57.3.22 CFE_TIME_SetStateCmd_t typedef struct CFE_TIME_SetStateCmd_CFE_TIME_SetStateCmd_t Set clock state command.
- 11.57.3.23 CFE_TIME_SetSTCFCmd_t typedef CFE_TIME_TimeCmd_t CFE_TIME_SetSTCFCmd_t Definition at line 849 of file cfe time msg.h.
- 11.57.3.24 CFE_TIME_SetTimeCmd_t typedef CFE_TIME_TimeCmd_t CFE_TIME_SetTimeCmd_t Definition at line 852 of file cfe_time_msg.h.
- 11.57.3.25 CFE_TIME_SignalCmd_Payload_t typedef struct CFE_TIME_SignalCmd_Payload CFE_TIME_SignalCmd_Payload_t Set tone signal source command payload.
- 11.57.3.26 CFE_TIME_SourceCmd_Payload_t typedef struct CFE_TIME_SourceCmd_Payload CFE_TIME_SourceCmd_Payload_t Set time data source command payload.

11.57.3.27 CFE_TIME_StateCmd_Payload_t typedef struct CFE_TIME_StateCmd_Payload CFE_TIME_StateCmd_Payload_t Set clock state command payload.

11.57.3.28 CFE_TIME_Sub1HZAdjustmentCmd_t typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Sub1HZAdjustmentCmd_ Definition at line 878 of file cfe_time_msg.h.

11.57.3.29 CFE_TIME_SubAdjustCmd_t typedef CFE_TIME_TimeCmd_t CFE_TIME_SubAdjustCmd_t Definition at line 851 of file cfe_time_msg.h.

11.57.3.30 CFE_TIME_SubDelayCmd_t typedef CFE_TIME_TimeCmd_t CFE_TIME_SubDelayCmd_t Definition at line 847 of file cfe time msg.h.

11.57.3.31 CFE_TIME_TimeCmd_Payload_t typedef struct CFE_TIME_TimeCmd_Payload CFE_TIME_TimeCmd_Payload_t Generic seconds, microseconds command payload.

11.57.3.32 CFE_TIME_TimeCmd_t typedef struct CFE_TIME_TimeCmd_CFE_TIME_TimeCmd_t Generic seconds, microseconds argument command.

11.57.3.33 CFE_TIME_ToneDataCmd_Payload_t typedef struct CFE_TIME_ToneDataCmd_Payload CFE_TIME_ToneDataCmd_Payload.

Time at tone data command payload.

11.57.3.34 CFE_TIME_ToneDataCmd_t typedef struct CFE_TIME_ToneDataCmd_t Time at tone data command.

11.57.3.35 CFE_TIME_ToneSignalCmd_t typedef CFE_TIME_NoArgsCmd_t CFE_TIME_ToneSignalCmd_t Definition at line 743 of file cfe time msg.h.

- 11.58 osal/docs/src/osal_frontpage.dox File Reference
- 11.59 osal/docs/src/osal fs.dox File Reference
- 11.60 osal/docs/src/osal timer.dox File Reference
- 11.61 osal/src/os/inc/common types.h File Reference

```
#include <stdint.h>
#include <stddef.h>
#include <stdbool.h>
```

Macros

- #define CompileTimeAssert(Condition, Message) typedef char Message[(Condition) ? 1 : -1]
- #define _EXTENSION_
- #define OS USED

- #define OS_PRINTF(n, m)
- #define OSAL SIZE C(X) ((size t)(X))
- #define OSAL BLOCKCOUNT C(X) ((osal blockcount t)(X))
- #define OSAL INDEX C(X) ((osal index t)(X))
- #define OSAL OBJTYPE C(X) ((osal objtype t)(X))
- #define OSAL_STATUS_C(X) ((osal_status_t)(X))

Typedefs

- typedef int8 t int8
- typedef int16 t int16
- typedef int32_t int32
- typedef int64 t int64
- typedef uint8 t uint8
- typedef uint16 t uint16
- typedef uint32 t uint32
- typedef uint64_t uint64
- typedef intptr t intptr
- typedef uintptr t cpuaddr
- typedef size_t cpusize
- · typedef ptrdiff_t cpudiff
- typedef uint32 osal id t
- · typedef size t osal blockcount t
- typedef uint32 osal index t
- typedef uint32 osal_objtype_t
- typedef int32 osal_status_t
- typedef void(* OS_ArgCallback_t) (osal_id_t object_id, void *arg)

General purpose OSAL callback function.

Functions

- CompileTimeAssert (sizeof(uint8)==1, TypeUint8WrongSize)
- CompileTimeAssert (sizeof(uint16)==2, TypeUint16WrongSize)
- CompileTimeAssert (sizeof(uint32)==4, TypeUint32WrongSize)
- CompileTimeAssert (sizeof(uint64)==8, TypeUint64WrongSize)
- CompileTimeAssert (sizeof(int8)==1, Typeint8WrongSize)
- CompileTimeAssert (sizeof(int16)==2, Typeint16WrongSize)
- CompileTimeAssert (sizeof(int32)==4, Typeint32WrongSize)
- CompileTimeAssert (sizeof(int64)==8, Typeint64WrongSize)
- CompileTimeAssert (sizeof(cpuaddr) >=sizeof(void *), TypePtrWrongSize)

11.61.1 Detailed Description

Purpose: Unit specification for common types.

Design Notes: Assumes make file has defined processor family

11.61.2 Macro Definition Documentation

11.61.2.1 **EXTENSION** #define _EXTENSION_

Definition at line 65 of file common types.h.

11.61.2.2 CompileTimeAssert #define CompileTimeAssert(Condition, Message) typedef char Message[(Condition) ? 1 : -1]Definition at line 48 of file common types.h. 11.61.2.3 OS_PRINTF #define OS_PRINTF(n, m) Definition at line 67 of file common types.h. 11.61.2.4 OS_USED #define OS_USED Definition at line 66 of file common types.h. 11.61.2.5 OSAL_BLOCKCOUNT_C #define OSAL_BLOCKCOUNT_C(X) ((osal_blockcount_t)(X)) Definition at line 172 of file common_types.h. 11.61.2.6 OSAL INDEX C #define OSAL_INDEX_C(X) ((osal_index_t)(X)) Definition at line 173 of file common types.h. 11.61.2.7 OSAL_OBJTYPE_C #define OSAL_OBJTYPE_C(X) ((osal_objtype_t)(X)) Definition at line 174 of file common_types.h. 11.61.2.8 OSAL_SIZE_C #define OSAL_SIZE_C(X) ((size_t)(X)) Definition at line 171 of file common_types.h. 11.61.2.9 OSAL STATUS C #define OSAL_STATUS_C(X) ((osal_status_t)(X)) Definition at line 175 of file common_types.h.

11.61.3 Typedef Documentation

11.61.3.1 cpuaddr typedef uintptr_t cpuaddr Definition at line 88 of file common_types.h.

11.61.3.2 cpudiff typedef ptrdiff_t cpudiff Definition at line 90 of file common_types.h.

11.61.3.3 cpusize typedef size_t cpusize

Definition at line 89 of file common types.h.

11.61.3.4 int16 typedef int16_t int16

Definition at line 80 of file common_types.h.

11.61.3.5 int32 typedef int32_t int32

Definition at line 81 of file common types.h.

11.61.3.6 int64 typedef int64_t int64

Definition at line 82 of file common_types.h.

11.61.3.7 int8 typedef int8_t int8

Definition at line 79 of file common_types.h.

11.61.3.8 intptr typedef intptr_t intptr

Definition at line 87 of file common types.h.

11.61.3.9 OS_ArgCallback_t typedef void(* OS_ArgCallback_t) (osal_id_t object_id, void *arg)

General purpose OSAL callback function.

This may be used by multiple APIS

Definition at line 143 of file common types.h.

11.61.3.10 osal_blockcount_t typedef size_t osal_blockcount_t

A type used to represent a number of blocks or buffers

This is used with file system and queue implementations.

Definition at line 116 of file common_types.h.

11.61.3.11 osal_id_t typedef uint32 osal_id_t

A type to be used for OSAL resource identifiers. This typedef is backward compatible with the IDs from older versions of OSAL

Definition at line 108 of file common types.h.

11.61.3.12 osal_index_t typedef uint32 osal_index_t

A type used to represent an index into a table structure

This is used when referring directly to a table index as opposed to an object ID. It is primarily intended for internal use, but is also output from public APIs such as OS_ObjectIdToArrayIndex().

Definition at line 126 of file common types.h.

```
11.61.3.13 osal_objtype_t typedef uint32 osal_objtype_t
A type used to represent the runtime type or category of an OSAL object
Definition at line 131 of file common types.h.
11.61.3.14 osal_status_t typedef int32 osal_status_t
The preferred type to represent OSAL status codes defined in osapi-error.h
Definition at line 136 of file common_types.h.
11.61.3.15 uint16 typedef uint16_t uint16
Definition at line 84 of file common_types.h.
11.61.3.16 uint32 typedef uint32_t uint32
Definition at line 85 of file common types.h.
\textbf{11.61.3.17} \quad \textbf{uint64} \quad \texttt{typedef uint64\_t uint64}
Definition at line 86 of file common types.h.
11.61.3.18 uint8 typedef uint8_t uint8
Definition at line 83 of file common_types.h.
11.61.4 Function Documentation
11.61.4.1 CompileTimeAssert() [1/9] CompileTimeAssert (
              sizeof(cpuaddr) >=sizeof(void *) ,
              TypePtrWrongSize )
11.61.4.2 CompileTimeAssert() [2/9] CompileTimeAssert (
              sizeof(int16) = =2,
              Typeint16WrongSize )
11.61.4.3 CompileTimeAssert() [3/9] CompileTimeAssert (
              sizeof(int32) = =4,
              Typeint32WrongSize )
```

11.61.4.4 CompileTimeAssert() [4/9] CompileTimeAssert (

sizeof(int64) = =8,
Typeint64WrongSize)

```
11.61.4.5 CompileTimeAssert() [5/9] CompileTimeAssert (
            sizeof(int8) = =1,
            Typeint8WrongSize )
11.61.4.6 CompileTimeAssert() [6/9] CompileTimeAssert (
            sizeof(uint16) = =2,
            TypeUint16WrongSize )
11.61.4.7 CompileTimeAssert() [7/9] CompileTimeAssert (
            sizeof(uint32) = =4,
            TypeUint32WrongSize )
11.61.4.8 CompileTimeAssert() [8/9] CompileTimeAssert (
            sizeof(uint64) = =8,
            TypeUint64WrongSize )
11.61.4.9 CompileTimeAssert() [9/9] CompileTimeAssert (
            sizeof(uint8) = =1,
            TypeUint8WrongSize )
11.62 osal/src/os/inc/osapi-binsem.h File Reference
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• struct OS_bin_sem_prop_t

OSAL binary semaphore properties.

Macros

• #define OS_SEM_FULL 1

Semaphore full state.

• #define OS_SEM_EMPTY 0

Semaphore empty state.

Functions

- int32 OS_BinSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options) Creates a binary semaphore.
- int32 OS_BinSemFlush (osal_id_t sem_id)

Unblock all tasks pending on the specified semaphore.

int32 OS_BinSemGive (osal_id_t sem_id)

Increment the semaphore value.

• int32 OS_BinSemTake (osal_id_t sem_id)

Decrement the semaphore value.

int32 OS_BinSemTimedWait (osal_id_t sem_id, uint32 msecs)

Decrement the semaphore value with a timeout.

• int32 OS_BinSemDelete (osal_id_t sem_id)

Deletes the specified Binary Semaphore.

int32 OS_BinSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

int32 OS_BinSemGetInfo (osal_id_t sem_id, OS_bin_sem_prop_t *bin_prop)

Fill a property object buffer with details regarding the resource.

11.62.1 Detailed Description

Declarations and prototypes for binary semaphores

11.63 osal/src/os/inc/osapi-bsp.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

- void OS_BSP_SetResourceTypeConfig (uint32 ResourceType, uint32 ConfigOptionValue)
- uint32 OS_BSP_GetResourceTypeConfig (uint32 ResourceType)
- uint32 OS_BSP_GetArgC (void)
- char *const * OS_BSP_GetArgV (void)
- void OS_BSP_SetExitCode (int32 code)

11.63.1 Detailed Description

Declarations and prototypes for OSAL BSP

11.64 osal/src/os/inc/osapi-clock.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_time_t

OSAL time interval structure.

Enumerations

enum { OS_TIME_TICK_RESOLUTION_NS = 100, OS_TIME_TICKS_PER_SECOND = 1000000000 / OS_TI

 ME_TICK_RESOLUTION_NS, OS_TIME_TICKS_PER_MSEC = 1000000 / OS_TIME_TICK_RESOLUTION_
 NS, OS_TIME_TICKS_PER_USEC = 1000 / OS_TIME_TICK_RESOLUTION_NS }

Multipliers/divisors to convert ticks into standardized units.

Functions

```
    int32 OS GetLocalTime (OS time t *time struct)
```

Get the local time.

int32 OS_SetLocalTime (const OS_time_t *time_struct)

Set the local time.

static int64 OS TimeGetTotalSeconds (OS time t tm)

Get interval from an OS time t object normalized to whole number of seconds.

static OS_time_t OS_TimeFromTotalSeconds (int64 tm)

Get an OS_time_t interval object from an integer number of seconds.

static int64 OS_TimeGetTotalMilliseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to millisecond units.

static OS_time_t OS_TimeFromTotalMilliseconds (int64 tm)

Get an OS_time_t interval object from a integer number of milliseconds.

static int64 OS_TimeGetTotalMicroseconds (OS_time_t tm)

Get interval from an OS_time_t object normalized to microsecond units.

static OS_time_t OS_TimeFromTotalMicroseconds (int64 tm)

Get an OS_time_t interval object from a integer number of microseconds.

static int64 OS TimeGetTotalNanoseconds (OS time t tm)

Get interval from an OS_time_t object normalized to nanosecond units.

static OS time t OS TimeFromTotalNanoseconds (int64 tm)

Get an OS_time_t interval object from a integer number of nanoseconds.

static int64 OS TimeGetFractionalPart (OS time t tm)

Get subseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetSubsecondsPart (OS_time_t tm)

Get 32-bit normalized subseconds (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetMillisecondsPart (OS_time_t tm)

Get milliseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS TimeGetMicrosecondsPart (OS time t tm)

Get microseconds portion (fractional part only) from an OS_time_t object.

static uint32 OS_TimeGetNanosecondsPart (OS_time_t tm)

Get nanoseconds portion (fractional part only) from an OS_time_t object.

static OS_time_t OS_TimeAssembleFromNanoseconds (int64 seconds, uint32 nanoseconds)

Assemble/Convert a number of seconds + nanoseconds into an OS_time_t interval.

static OS_time_t OS_TimeAssembleFromMicroseconds (int64 seconds, uint32 microseconds)

Assemble/Convert a number of seconds + microseconds into an OS_time_t interval.

static OS_time_t OS_TimeAssembleFromMilliseconds (int64 seconds, uint32 milliseconds)

Assemble/Convert a number of seconds + milliseconds into an OS_time_t interval.

static OS time t OS TimeAssembleFromSubseconds (int64 seconds, uint32 subseconds)

Assemble/Convert a number of seconds + subseconds into an OS_time_t interval.

static OS time t OS TimeAdd (OS time t time1, OS time t time2)

Computes the sum of two time intervals.

static OS time t OS TimeSubtract (OS time t time1, OS time t time2)

Computes the difference between two time intervals.

11.64.1 Detailed Description

Declarations and prototypes for osapi-clock module

11.64.2 Enumeration Type Documentation

11.64.2.1 anonymous enum anonymous enum

Multipliers/divisors to convert ticks into standardized units.

Various fixed conversion factor constants used by the conversion routines

A 100ns tick time allows max intervals of about +/- 14000 years in a 64-bit signed integer value.

Note

Applications should not directly use these values, but rather use conversion routines below to obtain standardized units (seconds/microseconds/etc).

Enumerator

OS_TIME_TICK_RESOLUTION_NS	
OS_TIME_TICKS_PER_SECOND	
OS_TIME_TICKS_PER_MSEC	
OS_TIME_TICKS_PER_USEC	

Definition at line 61 of file osapi-clock.h.

11.65 osal/src/os/inc/osapi-common.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Typedefs

• typedef int32(* OS_EventHandler_t) (OS_Event_t event, osal_id_t object_id, void *data)

A callback routine for event handling.

Enumerations

enum OS_Event_t {
 OS_EVENT_RESERVED = 0, OS_EVENT_RESOURCE_ALLOCATED, OS_EVENT_RESOURCE_CREATED,
 OS_EVENT_RESOURCE_DELETED,
 OS_EVENT_TASK_STARTUP, OS_EVENT_MAX }

A set of events that can be used with BSP event callback routines.

Functions

void OS Application Startup (void)

Application startup.

void OS_Application_Run (void)

Application run.

int32 OS_API_Init (void)

Initialization of API.

void OS_API_Teardown (void)

Teardown/de-initialization of OSAL API.

• void OS_ldleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS_DeleteAllObjects (void)

delete all resources created in OSAL.

void OS_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS_ApplicationExit (int32 Status)

Exit/Abort the application.

• int32 OS_RegisterEventHandler (OS_EventHandler_t handler)

Callback routine registration.

11.65.1 Detailed Description

Declarations and prototypes for general OSAL functions that are not part of a subsystem

11.65.2 Typedef Documentation

11.65.2.1 OS_EventHandler_t typedef int32(* OS_EventHandler_t) (OS_Event_t event, osal_id_t object← _id, void *data)

A callback routine for event handling.

Parameters

in	event	The event that occurred
in	object⊷	The associated object_id, or 0 if not associated with an object
	_id	
in,out	data	An abstract data/context object associated with the event, or NULL.

Returns

status Execution status, see OSAL Return Code Defines.

Definition at line 98 of file osapi-common.h.

11.65.3 Enumeration Type Documentation

$11.65.3.1 \quad OS_Event_t \quad \texttt{enum OS_Event_t}$

A set of events that can be used with BSP event callback routines.

Enumerator

OS_EVENT_RESERVED	no-op/reserved event id value
OS_EVENT_RESOURCE_ALLOCATED	resource/id has been newly allocated but not yet created.
	This event is invoked from WITHIN the locked region, in the context of
	the task which is allocating the resource.
	If the handler returns non-success, the error will be returned to the
	caller and the creation process is aborted.

Enumerator

OS_EVENT_RESOURCE_CREATED	resource/id has been fully created/finalized. Invoked outside locked region, in the context of the task which created the resource. Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.
OS_EVENT_RESOURCE_DELETED	resource/id has been deleted. Invoked outside locked region, in the context of the task which deleted the resource. Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.
OS_EVENT_TASK_STARTUP	New task is starting. Invoked outside locked region, in the context of the task which is currently starting, before the entry point is called. Data object is not used, passed as NULL. If the handler returns non-success, task startup is aborted and the entry point is not called.
OS_EVENT_MAX	placeholder for end of enum, not used

Definition at line 34 of file osapi-common.h.

11.66 osal/src/os/inc/osapi-condvar.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
#include "osapi-clock.h"
```

Data Structures

struct OS_condvar_prop_t

OSAL condition variable properties.

Functions

• int32 OS_CondVarCreate (osal_id_t *var_id, const char *var_name, uint32 options)

Creates a condition variable resource.

int32 OS_CondVarLock (osal_id_t var_id)

Locks/Acquires the underlying mutex associated with a condition variable.

int32 OS_CondVarUnlock (osal_id_t var_id)

Unlocks/Releases the underlying mutex associated with a condition variable.

int32 OS_CondVarSignal (osal_id_t var_id)

Signals the condition variable resource referenced by var_id.

int32 OS_CondVarBroadcast (osal_id_t var_id)

Broadcasts the condition variable resource referenced by var_id.

int32 OS CondVarWait (osal id t var id)

Waits on the condition variable object referenced by var_id.

int32 OS_CondVarTimedWait (osal_id_t var_id, const OS_time_t *abs_wakeup_time)

Time-limited wait on the condition variable object referenced by var_id.

int32 OS CondVarDelete (osal id t var id)

Deletes the specified condition variable.

• int32 OS_CondVarGetIdByName (osal_id_t *var_id, const char *var_name)

Find an existing condition variable ID by name.

int32 OS_CondVarGetInfo (osal_id_t var_id, OS_condvar_prop_t *condvar_prop)

Fill a property object buffer with details regarding the resource.

11.66.1 Detailed Description

Declarations and prototypes for condition variables

11.67 osal/src/os/inc/osapi-constants.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Macros

- #define OS PEND (-1)
- #define OS CHECK (0)
- #define OS_OBJECT_ID_UNDEFINED ((osal_id_t) {0})

Initializer for the osal_id_t type which will not match any valid value.

· #define OS OBJECT CREATOR ANY OS OBJECT ID UNDEFINED

Constant that may be passed to OS_ForEachObject()/OS_ForEachObjectOfType() to match any creator (i.e. get all objects)

#define OS_MAX_LOCAL_PATH_LEN (OS_MAX_PATH_LEN + OS_FS_PHYS_NAME_LEN)

Maximum length of a local/native path name string.

11.67.1 Detailed Description

General constants for OSAL that are shared across subsystems

11.67.2 Macro Definition Documentation

```
11.67.2.1 OS_CHECK #define OS_CHECK (0)
```

Definition at line 35 of file osapi-constants.h.

11.67.2.2 OS_MAX_LOCAL_PATH_LEN #define OS_MAX_LOCAL_PATH_LEN (OS_MAX_PATH_LEN + OS_FS_PHYS_NAME_LEN)

Maximum length of a local/native path name string.

This is a concatenation of the OSAL virtual path with the system mount point or device name Definition at line 54 of file osapi-constants.h.

```
11.67.2.3 OS_OBJECT_CREATOR_ANY #define OS_OBJECT_CREATOR_ANY OS_OBJECT_ID_UNDEFINED
```

Constant that may be passed to OS_ForEachObject()/OS_ForEachObjectOfType() to match any creator (i.e. get all objects)

Definition at line 46 of file osapi-constants.h.

11.67.2.4 OS_OBJECT_ID_UNDEFINED #define OS_OBJECT_ID_UNDEFINED ((osal_id_t) {0}) Initializer for the osal_id_t type which will not match any valid value. Definition at line 40 of file osapi-constants.h.

```
11.67.2.5 OS_PEND #define OS_PEND (-1)
```

Definition at line 34 of file osapi-constants.h.

11.68 osal/src/os/inc/osapi-countsem.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS count sem prop t

OSAL counting semaphore properties.

Functions

- int32 OS_CountSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)
 - Creates a counting semaphore.

int32 OS_CountSemGive (osal_id_t sem_id)

Increment the semaphore value.

int32 OS_CountSemTake (osal_id_t sem_id)

Decrement the semaphore value.

• int32 OS_CountSemTimedWait (osal_id_t sem_id, uint32 msecs)

Decrement the semaphore value with timeout.

• int32 OS CountSemDelete (osal id t sem id)

Deletes the specified counting Semaphore.

• int32 OS_CountSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

• int32 OS_CountSemGetInfo (osal_id_t sem_id, OS_count_sem_prop_t *count_prop)

Fill a property object buffer with details regarding the resource.

11.68.1 Detailed Description

Declarations and prototypes for counting semaphores

11.69 osal/src/os/inc/osapi-dir.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

· struct os dirent t

Directory entry.

Macros

• #define OS_DIRENTRY_NAME(x) ((x).FileName)

Access filename part of the dirent structure.

Functions

• int32 OS_DirectoryOpen (osal_id_t *dir_id, const char *path)

Opens a directory.

int32 OS_DirectoryClose (osal_id_t dir_id)

Closes an open directory.

int32 OS_DirectoryRewind (osal_id_t dir_id)

Rewinds an open directory.

int32 OS_DirectoryRead (osal_id_t dir_id, os_dirent_t *dirent)

Reads the next name in the directory.

int32 OS mkdir (const char *path, uint32 access)

Makes a new directory.

int32 OS_rmdir (const char *path)

Removes a directory from the file system.

11.69.1 Detailed Description

Declarations and prototypes for directories

11.69.2 Macro Definition Documentation

Access filename part of the dirent structure.

Definition at line 38 of file osapi-dir.h.

11.70 osal/src/os/inc/osapi-error.h File Reference

```
#include "common_types.h"
```

Macros

• #define OS_ERROR_NAME_LENGTH 35

Error string name length.

• #define OS_STATUS_STRING_LENGTH 12

Status converted to string length limit.

• #define OS_SUCCESS (0)

Successful execution.

• #define OS ERROR (-1)

Failed execution.

#define OS_INVALID_POINTER (-2)

Invalid pointer.

#define OS ERROR ADDRESS MISALIGNED (-3)

```
Address misalignment.

    #define OS_ERROR_TIMEOUT (-4)

     Error timeout.

    #define OS INVALID INT NUM (-5)

     Invalid Interrupt number.

    #define OS_SEM_FAILURE (-6)

     Semaphore failure.

    #define OS_SEM_TIMEOUT (-7)

     Semaphore timeout.
• #define OS_QUEUE_EMPTY (-8)
     Queue empty.
• #define OS_QUEUE_FULL (-9)
     Queue full.

    #define OS_QUEUE_TIMEOUT (-10)

     Queue timeout.
• #define OS_QUEUE_INVALID_SIZE (-11)
     Queue invalid size.

    #define OS_QUEUE_ID_ERROR (-12)

     Queue ID error.

    #define OS_ERR_NAME_TOO_LONG (-13)

     name length including null terminator greater than OS_MAX_API_NAME

    #define OS_ERR_NO_FREE_IDS (-14)

     No free IDs.
• #define OS_ERR_NAME_TAKEN (-15)
     Name taken.

    #define OS ERR INVALID ID (-16)

     Invalid ID.

    #define OS_ERR_NAME_NOT_FOUND (-17)

     Name not found.

    #define OS ERR SEM NOT FULL (-18)

     Semaphore not full.

    #define OS ERR INVALID PRIORITY (-19)

     Invalid priority.

    #define OS_INVALID_SEM_VALUE (-20)

     Invalid semaphore value.

    #define OS_ERR_FILE (-27)

     File error.

    #define OS_ERR_NOT_IMPLEMENTED (-28)

     Not implemented.

    #define OS_TIMER_ERR_INVALID_ARGS (-29)

     Timer invalid arguments.

    #define OS_TIMER_ERR_TIMER_ID (-30)

     Timer ID error.

    #define OS_TIMER_ERR_UNAVAILABLE (-31)

     Timer unavailable.
• #define OS_TIMER_ERR_INTERNAL (-32)
```

Timer internal error.

```
    #define OS_ERR_OBJECT_IN_USE (-33)

         Object in use.

    #define OS ERR BAD ADDRESS (-34)

         Bad address.

    #define OS ERR INCORRECT OBJ STATE (-35)

         Incorrect object state.
    • #define OS ERR INCORRECT OBJ TYPE (-36)
         Incorrect object type.

    #define OS ERR STREAM DISCONNECTED (-37)

         Stream disconnected.

    #define OS ERR OPERATION NOT SUPPORTED (-38)

         Requested operation not support on supplied object(s)

    #define OS ERR INVALID SIZE (-40)

         Invalid Size.

    #define OS_ERR_OUTPUT_TOO_LARGE (-41)

         Size of output exceeds limit

    #define OS ERR INVALID ARGUMENT (-42)

         Invalid argument value (other than ID or size)

    #define OS_FS_ERR_PATH_TOO_LONG (-103)

         FS path too long.
    • #define OS_FS_ERR_NAME_TOO_LONG (-104)
         FS name too long.
    • #define OS_FS_ERR_DRIVE_NOT_CREATED (-106)
         FS drive not created.

    #define OS_FS_ERR_DEVICE_NOT_FREE (-107)

         FS device not free.

    #define OS_FS_ERR_PATH_INVALID (-108)

         FS path invalid.
Typedefs

    typedef char os_err_name_t[OS_ERROR_NAME_LENGTH]

         For the OS_GetErrorName() function, to ensure everyone is making an array of the same length.

    typedef char os_status_string_t[OS_STATUS_STRING_LENGTH]

         For the OS_StatusToString() function, to ensure everyone is making an array of the same length.

    static long OS StatusToInteger (osal status t Status)

         Convert a status code to a native "long" type.
```

Functions

int32 OS_GetErrorName (int32 error_num, os_err_name_t *err_name)

Convert an error number to a string.

char * OS StatusToString (osal status t status, os status string t *status string)

Convert status to a string.

11.70.1 Detailed Description

OSAL error code definitions

11.70.2 Macro Definition Documentation

11.70.2.1 OS_ERROR_NAME_LENGTH #define OS_ERROR_NAME_LENGTH 35

Error string name length.

The sizes of strings in OSAL functions are built with this limit in mind. Always check the uses of os_err_name_t when changing this value.

Definition at line 35 of file osapi-error.h.

11.70.2.2 OS_STATUS_STRING_LENGTH #define OS_STATUS_STRING_LENGTH 12

Status converted to string length limit.

Used for sizing os_status_string_t intended for use in printing osal_status_t values Sized to fit LONG_MIN including NULL termination

Definition at line 55 of file osapi-error.h.

11.70.3 Typedef Documentation

```
11.70.3.1 os_err_name_t typedef char os_err_name_t[OS_ERROR_NAME_LENGTH]
```

For the OS_GetErrorName() function, to ensure everyone is making an array of the same length.

Implementation note for developers:

The sizes of strings in OSAL functions are built with this OS_ERROR_NAME_LENGTH limit in mind. Always check the uses of os_err_name_t when changing this value.

Definition at line 47 of file osapi-error.h.

```
11.70.3.2 os_status_string_t typedef char os_status_string_t[OS_STATUS_STRING_LENGTH]
```

For the OS_StatusToString() function, to ensure everyone is making an array of the same length.

Definition at line 61 of file osapi-error.h.

11.71 osal/src/os/inc/osapi-file.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
#include "osapi-clock.h"
```

Data Structures

struct OS_file_prop_t

OSAL file properties.

· struct os fstat t

File system status.

Macros

- #define OS READ ONLY 0
- #define OS WRITE ONLY 1
- #define OS_READ_WRITE 2
- #define OS SEEK SET 0

- #define OS_SEEK_CUR 1
- #define OS SEEK END 2
- #define OS_FILESTAT_MODE(x) ((x).FileModeBits)

Access file stat mode bits.

• #define OS FILESTAT ISDIR(x) ((x).FileModeBits & OS FILESTAT MODE DIR)

File stat is directory logical.

• #define OS FILESTAT EXEC(x) ((x).FileModeBits & OS FILESTAT MODE EXEC)

File stat is executable logical.

• #define OS FILESTAT WRITE(x) ((x).FileModeBits & OS FILESTAT MODE WRITE)

File stat is write enabled logical.

#define OS FILESTAT READ(x) ((x).FileModeBits & OS FILESTAT MODE READ)

File stat is read enabled logical.

• #define OS_FILESTAT_SIZE(x) ((x).FileSize)

Access file stat size field.

#define OS_FILESTAT_TIME(x) (OS_TimeGetTotalSeconds((x).FileTime))

Access file stat time field as a whole number of seconds.

Enumerations

enum { OS_FILESTAT_MODE_EXEC = 0x00001, OS_FILESTAT_MODE_WRITE = 0x00002, OS_FILESTAT_MODE_READ = 0x00004, OS_FILESTAT_MODE_DIR = 0x10000 }

File stat mode bits.

enum OS_file_flag_t { OS_FILE_FLAG_NONE = 0x00, OS_FILE_FLAG_CREATE = 0x01, OS_FILE_FLAG_TRUNCATE = 0x02 }

Flags that can be used with opening of a file (bitmask)

Functions

int32 OS_OpenCreate (osal_id_t *filedes, const char *path, int32 flags, int32 access_mode)

Open or create a file.

int32 OS_close (osal_id_t filedes)

Closes an open file handle.

int32 OS_read (osal_id_t filedes, void *buffer, size_t nbytes)

Read from a file handle.

int32 OS_write (osal_id_t filedes, const void *buffer, size_t nbytes)

Write to a file handle.

int32 OS_TimedRead (osal_id_t filedes, void *buffer, size_t nbytes, int32 timeout)

File/Stream input read with a timeout.

• int32 OS TimedWrite (osal id t filedes, const void *buffer, size t nbytes, int32 timeout)

File/Stream output write with a timeout.

int32 OS_chmod (const char *path, uint32 access_mode)

Changes the permissions of a file.

• int32 OS_stat (const char *path, os_fstat_t *filestats)

Obtain information about a file or directory.

int32 OS Iseek (osal id t filedes, int32 offset, uint32 whence)

Seeks to the specified position of an open file.

int32 OS remove (const char *path)

Removes a file from the file system.

int32 OS rename (const char *old filename, const char *new filename)

Renames a file.

• int32 OS_cp (const char *src, const char *dest)

Copies a single file from src to dest.

int32 OS_mv (const char *src, const char *dest)

Move a single file from src to dest.

int32 OS FDGetInfo (osal id t filedes, OS file prop t *fd prop)

Obtain information about an open file.

int32 OS_FileOpenCheck (const char *Filename)

Checks to see if a file is open.

• int32 OS_CloseAllFiles (void)

Close all open files.

int32 OS CloseFileByName (const char *Filename)

Close a file by filename.

11.71.1 Detailed Description

Declarations and prototypes for file objects

11.71.2 Macro Definition Documentation

```
11.71.2.1 OS_FILESTAT_EXEC #define OS_FILESTAT_EXEC(
```

x) ((x).FileModeBits & OS_FILESTAT_MODE_EXEC)

File stat is executable logical.

Definition at line 92 of file osapi-file.h.

```
11.71.2.2 OS_FILESTAT_ISDIR #define OS_FILESTAT_ISDIR(
```

```
x ) ((x).FileModeBits & OS_FILESTAT_MODE_DIR)
```

File stat is directory logical.

Definition at line 90 of file osapi-file.h.

11.71.2.3 OS_FILESTAT_MODE #define OS_FILESTAT_MODE(

```
x ) ((x).FileModeBits)
```

Access file stat mode bits.

Definition at line 88 of file osapi-file.h.

11.71.2.4 OS_FILESTAT_READ #define OS_FILESTAT_READ(

```
x ) ((x).FileModeBits & OS_FILESTAT_MODE_READ)
```

File stat is read enabled logical.

Definition at line 96 of file osapi-file.h.

11.71.2.5 OS_FILESTAT_SIZE #define OS_FILESTAT_SIZE(

```
x ) ((x).FileSize)
```

Access file stat size field.

Definition at line 98 of file osapi-file.h.

```
11.71.2.6 OS_FILESTAT_TIME #define OS_FILESTAT_TIME(
```

Access file stat time field as a whole number of seconds.

x) (OS_TimeGetTotalSeconds((x).FileTime))

Definition at line 100 of file osapi-file.h.

File stat is write enabled logical.

Definition at line 94 of file osapi-file.h.

11.71.3 Enumeration Type Documentation

11.71.3.1 anonymous enum anonymous enum

File stat mode bits.

We must also define replacements for the stat structure's mode bits. This is currently just a small subset since the OSAL just presents a very simplified view of the filesystem to the upper layers. And since not all OS'es are POSIX, the more POSIX-specific bits are not relevant anyway.

Enumerator

OS_FILESTAT_MODE_EXEC	
OS_FILESTAT_MODE_WRITE	
OS_FILESTAT_MODE_READ	
OS_FILESTAT_MODE_DIR	

Definition at line 79 of file osapi-file.h.

$\textbf{11.71.3.2} \quad \textbf{OS_file_flag_t} \quad \texttt{enum OS_file_flag_t}$

Flags that can be used with opening of a file (bitmask)

Enumerator

OS_FILE_FLAG_NONE	
OS_FILE_FLAG_CREATE	
OS FILE FLAG TRUNCATE	

Definition at line 105 of file osapi-file.h.

11.72 osal/src/os/inc/osapi-filesys.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct os_fsinfo_t

OSAL file system info.

· struct OS_statvfs_t

Macros

- #define OS_CHK_ONLY 0
- #define OS_REPAIR 1

Functions

• int32 OS FileSysAddFixedMap (osal id t *filesys id, const char *phys path, const char *virt path)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

 int32 OS_mkfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Makes a file system on the target.

• int32 OS mount (const char *devname, const char *mountpoint)

Mounts a file system.

int32 OS_initfs (char *address, const char *devname, const char *volname, size_t blocksize, osal_blockcount_t numblocks)

Initializes an existing file system.

int32 OS_rmfs (const char *devname)

Removes a file system.

int32 OS_unmount (const char *mountpoint)

Unmounts a mounted file system.

int32 OS_FileSysStatVolume (const char *name, OS_statvfs_t *statbuf)

Obtains information about size and free space in a volume.

int32 OS_chkfs (const char *name, bool repair)

Checks the health of a file system and repairs it if necessary.

int32 OS_FS_GetPhysDriveName (char *PhysDriveName, const char *MountPoint)

Obtains the physical drive name associated with a mount point.

• int32 OS_TranslatePath (const char *VirtualPath, char *LocalPath)

Translates an OSAL Virtual file system path to a host Local path.

int32 OS_GetFsInfo (os_fsinfo_t *filesys_info)

Returns information about the file system.

11.72.1 Detailed Description

Declarations and prototypes for file systems

11.72.2 Macro Definition Documentation

```
11.72.2.1 OS_CHK_ONLY #define OS_CHK_ONLY 0
```

Unused, API takes bool

Definition at line 31 of file osapi-filesys.h.

11.72.2.2 OS_REPAIR #define OS_REPAIR 1

Unused, API takes bool

Definition at line 32 of file osapi-filesys.h.

11.73 osal/src/os/inc/osapi-heap.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_heap_prop_t
 OSAL heap properties.

Functions

• int32 OS_HeapGetInfo (OS_heap_prop_t *heap_prop)

Return current info on the heap.

11.73.1 Detailed Description

Declarations and prototypes for heap functions

11.74 osal/src/os/inc/osapi-idmap.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Macros

- #define OS OBJECT INDEX MASK 0xFFFF
 - Object index mask.
- #define OS_OBJECT_TYPE_SHIFT 16

Object type shift.

- #define OS_OBJECT_TYPE_UNDEFINED 0x00
 - Object type undefined.
- #define OS_OBJECT_TYPE_OS_TASK 0x01

Object task type.

#define OS_OBJECT_TYPE_OS_QUEUE 0x02

Object queue type.

• #define OS_OBJECT_TYPE_OS_COUNTSEM 0x03

Object counting semaphore type.

• #define OS_OBJECT_TYPE_OS_BINSEM 0x04

Object binary semaphore type.

#define OS_OBJECT_TYPE_OS_MUTEX 0x05

Object mutex type.

#define OS_OBJECT_TYPE_OS_STREAM 0x06

Object stream type.

• #define OS OBJECT TYPE OS DIR 0x07

Object directory type.

#define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

Object timebase type.

#define OS OBJECT TYPE OS TIMECB 0x09

Object timer callback type.

#define OS_OBJECT_TYPE_OS_MODULE 0x0A

Object module type.

#define OS_OBJECT_TYPE_OS_FILESYS 0x0B

Object file system type.

#define OS_OBJECT_TYPE_OS_CONSOLE 0x0C

Object console type.

#define OS_OBJECT_TYPE_OS_CONDVAR 0x0D

Object condition variable type.

#define OS_OBJECT_TYPE_USER 0x10

Object user type.

Functions

static unsigned long OS_ObjectIdToInteger (osal_id_t object_id)

Obtain an integer value corresponding to an object ID.

static osal_id_t OS_ObjectIdFromInteger (unsigned long value)

Obtain an osal ID corresponding to an integer value.

static bool OS_ObjectIdEqual (osal_id_t object_id1, osal_id_t object_id2)

Check two OSAL object ID values for equality.

static bool OS_ObjectIdDefined (osal_id_t object_id)

Check if an object ID is defined.

• int32 OS_GetResourceName (osal_id_t object_id, char *buffer, size_t buffer_size)

Obtain the name of an object given an arbitrary object ID.

osal_objtype_t OS_IdentifyObject (osal_id_t object_id)

Obtain the type of an object given an arbitrary object ID.

• int32 OS_ConvertToArrayIndex (osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

int32 OS_ObjectIdToArrayIndex (osal_objtype_t idtype, osal_id_t object_id, osal_index_t *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

void OS_ForEachObject (osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for all valid object IDs

void OS_ForEachObjectOfType (osal_objtype_t objtype, osal_id_t creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for valid object IDs of a specific type

11.74.1 Detailed Description

Declarations and prototypes for object IDs

11.74.2 Macro Definition Documentation

11.74.2.1 OS_OBJECT_INDEX_MASK #define OS_OBJECT_INDEX_MASK OxfFFF

Object index mask.

Definition at line 32 of file osapi-idmap.h.

11.74.2.2 OS_OBJECT_TYPE_SHIFT #define OS_OBJECT_TYPE_SHIFT 16

Object type shift.

Definition at line 33 of file osapi-idmap.h.

11.75 osal/src/os/inc/osapi-macros.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include "osconfig.h"
#include "common_types.h"
#include "osapi-printf.h"
```

Macros

- #define BUGREPORT(...) OS_printf(__VA_ARGS__)
- #define BUGCHECK(cond, errcode)

Basic Bug-Checking macro.

• #define ARGCHECK(cond, errcode)

Generic argument checking macro for non-critical values.

• #define LENGTHCHECK(str, len, errcode) ARGCHECK(memchr(str, "\0', len), errcode)

String length limit check macro.

• #define BUGCHECK_VOID(cond) BUGCHECK(cond,)

Bug-Check macro for void functions.

11.75.1 Detailed Description

Macro definitions that are used across all OSAL subsystems

11.75.2 Macro Definition Documentation

Generic argument checking macro for non-critical values.

This macro checks a conditional that is expected to be true, and return a value if it evaluates false.

ARGCHECK can be used to check for out of range or other invalid argument conditions which may (validly) occur at runtime and do not necessarily indicate bugs in the application.

These argument checks are NOT considered fatal errors. The application continues to run normally. This does not report the error on the console.

As such, ARGCHECK actions are always compiled in - not selectable at compile-time.

See also

BUGCHECK for checking critical values that indicate bugs

Definition at line 131 of file osapi-macros.h.

Basic Bug-Checking macro.

return errcode:

This macro checks a conditional, and if it is FALSE, then it generates a report - which may in turn contain additional actions

BUGCHECK should only be used for conditions which are critical and must always be true. If such a condition is ever false then it indicates a bug in the application which must be resolved. It may or may not be possible to continue operation if a bugcheck fails.

See also

ARGCHECK for checking non-critical values

Definition at line 105 of file osapi-macros.h.

```
11.75.2.3 BUGCHECK_VOID #define BUGCHECK_VOID(

cond ) BUGCHECK(cond, )
```

Bug-Check macro for void functions.

The basic BUGCHECK macro returns a value, which needs to be empty for functions that do not have a return value. In this case the second argument (errcode) is intentionally left blank.

Definition at line 155 of file osapi-macros.h.

```
11.75.2.4 BUGREPORT #define BUGREPORT(
... ) OS_printf(__VA_ARGS__)
```

Definition at line 88 of file osapi-macros.h.

```
11.75.2.5 LENGTHCHECK #define LENGTHCHECK(

str,

len,

errcode) ARGCHECK(memchr(str, '\0', len), errcode)
```

String length limit check macro.

This macro is a specialized version of ARGCHECK that confirms a string will fit into a buffer of the specified length, and return an error code if it will not.

Note

this uses ARGCHECK, thus treating a string too long as a normal runtime (i.e. non-bug) error condition with a typical error return to the caller.

Definition at line 146 of file osapi-macros.h.

11.76 osal/src/os/inc/osapi-module.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

· struct OS module address t

OSAL module address properties.

struct OS_module_prop_t

OSAL module properties.

struct OS_static_symbol_record_t

Associates a single symbol name with a memory address.

Macros

• #define OS MODULE FLAG GLOBAL SYMBOLS 0x00

Requests OS_ModuleLoad() to add the symbols to the global symbol table.

#define OS_MODULE_FLAG_LOCAL_SYMBOLS 0x01

Requests OS_ModuleLoad() to keep the symbols local/private to this module.

Functions

int32 OS_SymbolLookup (cpuaddr *symbol_address, const char *symbol_name)

Find the Address of a Symbol.

• int32 OS_ModuleSymbolLookup (osal_id_t module_id, cpuaddr *symbol_address, const char *symbol_name)

Find the Address of a Symbol within a module.

int32 OS SymbolTableDump (const char *filename, size t size limit)

Dumps the system symbol table to a file.

• int32 OS_ModuleLoad (osal_id_t *module_id, const char *module_name, const char *filename, uint32 flags)

Loads an object file.

• int32 OS ModuleUnload (osal id t module id)

Unloads the module file.

• int32 OS ModuleInfo (osal id t module id, OS module prop t *module info)

Obtain information about a module.

11.76.1 Detailed Description

Declarations and prototypes for module subsystem

11.76.2 Macro Definition Documentation

11.76.2.1 OS_MODULE_FLAG_GLOBAL_SYMBOLS #define OS_MODULE_FLAG_GLOBAL_SYMBOLS 0x00 Requests OS ModuleLoad() to add the symbols to the global symbol table.

When supplied as the "flags" argument to OS_ModuleLoad(), this indicates that the symbols in the loaded module should be added to the global symbol table. This will make symbols in this library available for use when resolving symbols in future module loads.

This is the default mode of operation for OS ModuleLoad().

Note

On some operating systems, use of this option may make it difficult to unload the module in the future, if the symbols are in use by other entities.

Definition at line 49 of file osapi-module.h.

11.76.2.2 OS_MODULE_FLAG_LOCAL_SYMBOLS #define OS_MODULE_FLAG_LOCAL_SYMBOLS 0x01

Requests OS_ModuleLoad() to keep the symbols local/private to this module.

When supplied as the "flags" argument to OS_ModuleLoad(), this indicates that the symbols in the loaded module should NOT be added to the global symbol table. This means the symbols in the loaded library will not be available for use by other modules.

Use this option is recommended for cases where no other entities will need to reference symbols within this module. This helps ensure that the module can be more safely unloaded in the future, by preventing other modules from binding to it. It also helps reduce the likelihood of symbol name conflicts among modules.

Note

To look up symbols within a module loaded with this flag, use OS_SymbolLookupInModule() instead of OS_SymbolLookup(). Also note that references obtained using this method are not tracked by the OS; the application must ensure that all references obtained in this manner have been cleaned up/released before unloading the module.

Definition at line 71 of file osapi-module.h.

11.77 osal/src/os/inc/osapi-mutex.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_mut_sem_prop_t
 OSAL mutex properties.

Functions

• int32 OS_MutSemCreate (osal_id_t *sem_id, const char *sem_name, uint32 options)

Creates a mutex semaphore.

int32 OS_MutSemGive (osal_id_t sem_id)

Releases the mutex object referenced by sem_id.

• int32 OS_MutSemTake (osal_id_t sem_id)

Acquire the mutex object referenced by sem_id.

int32 OS MutSemDelete (osal id t sem id)

Deletes the specified Mutex Semaphore.

int32 OS_MutSemGetIdByName (osal_id_t *sem_id, const char *sem_name)

Find an existing mutex ID by name.

int32 OS_MutSemGetInfo (osal_id_t sem_id, OS_mut_sem_prop_t *mut_prop)

Fill a property object buffer with details regarding the resource.

11.77.1 Detailed Description

Declarations and prototypes for mutexes

11.78 osal/src/os/inc/osapi-network.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

• int32 OS NetworkGetID (void)

Gets the network ID of the local machine.

int32 OS_NetworkGetHostName (char *host_name, size_t name_len)

Gets the local machine network host name.

11.78.1 Detailed Description

Declarations and prototypes for network subsystem

11.79 osal/src/os/inc/osapi-printf.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

• void OS_printf (const char *string,...) OS_PRINTF(1

Abstraction for the system printf() call.

void void OS_printf_disable (void)

This function disables the output from OS_printf.

void OS_printf_enable (void)

This function enables the output from OS_printf.

11.79.1 Detailed Description

Declarations and prototypes for printf/console output

11.80 osal/src/os/inc/osapi-queue.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_queue_prop_t

OSAL queue properties.

Functions

int32 OS_QueueCreate (osal_id_t *queue_id, const char *queue_name, osal_blockcount_t queue_depth, size
 —t data_size, uint32 flags)

Create a message queue.

int32 OS_QueueDelete (osal_id_t queue_id)

Deletes the specified message queue.

• int32 OS QueueGet (osal id t queue id, void *data, size t size, size t *size copied, int32 timeout)

Receive a message on a message queue.

• int32 OS_QueuePut (osal_id_t queue_id, const void *data, size_t size, uint32 flags)

Put a message on a message queue.

• int32 OS_QueueGetIdByName (osal_id_t *queue_id, const char *queue_name)

Find an existing queue ID by name.

int32 OS_QueueGetInfo (osal_id_t queue_id, OS_queue_prop_t *queue_prop)

Fill a property object buffer with details regarding the resource.

11.80.1 Detailed Description

Declarations and prototypes for queue subsystem

11.81 osal/src/os/inc/osapi-select.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS FdSet

An abstract structure capable of holding several OSAL IDs.

Enumerations

enum OS_StreamState_t {
 OS_STREAM_STATE_BOUND = 0x01, OS_STREAM_STATE_CONNECTED = 0x02, OS_STREAM_STATE_READABLE
 = 0x04, OS_STREAM_STATE_WRITABLE = 0x08,
 OS_STREAM_STATE_LISTENING = 0x10 }

For the OS_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

Functions

int32 OS_SelectMultiple (OS_FdSet *ReadSet, OS_FdSet *WriteSet, int32 msecs)

Wait for events across multiple file handles.

int32 OS_SelectSingle (osal_id_t objid, uint32 *StateFlags, int32 msecs)

Wait for events on a single file handle.

• int32 OS_SelectFdZero (OS_FdSet *Set)

Clear a FdSet structure.

int32 OS_SelectFdAdd (OS_FdSet *Set, osal_id_t objid)

Add an ID to an FdSet structure.

• int32 OS SelectFdClear (OS FdSet *Set, osal id t objid)

Clear an ID from an FdSet structure.

bool OS_SelectFdlsSet (const OS_FdSet *Set, osal_id_t objid)

Check if an FdSet structure contains a given ID.

11.81.1 Detailed Description

Declarations and prototypes for select abstraction

11.81.2 Enumeration Type Documentation

11.81.2.1 OS_StreamState_t enum OS_StreamState_t

For the OS_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

See also

```
OS_SelectSingle()
```

Enumerator

OS_STREAM_STATE_BOUND	whether the stream is bound
OS_STREAM_STATE_CONNECTED	whether the stream is connected
OS_STREAM_STATE_READABLE	whether the stream is readable
OS_STREAM_STATE_WRITABLE	whether the stream is writable
OS_STREAM_STATE_LISTENING	whether the stream is listening

Definition at line 55 of file osapi-select.h.

11.82 osal/src/os/inc/osapi-shell.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Functions

• int32 OS_ShellOutputToFile (const char *Cmd, osal_id_t filedes)

Executes the command and sends output to a file.

11.82.1 Detailed Description

Declarations and prototypes for shell abstraction

11.83 osal/src/os/inc/osapi-sockets.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• union OS_SockAddrData_t

Storage buffer for generic network address.

struct OS_SockAddr_t

Encapsulates a generic network address.

struct OS_socket_prop_t

Encapsulates socket properties.

Macros

#define OS SOCKADDR MAX LEN 28

Enumerations

 enum OS_SocketDomain_I { OS_SocketDomain_INVALID, OS_SocketDomain_INET, OS_SocketDomain_INET6, OS_SocketDomain_MAX }

Socket domain.

 enum OS_SocketType_t { OS_SocketType_INVALID, OS_SocketType_DATAGRAM, OS_SocketType_STREAM, OS_SocketType_MAX }

Socket type.

Shutdown Mode.

 $\bullet \ \, \text{enum OS_SocketShutdownMode_t } \\ \{ \ \, \text{OS_SocketShutdownMode_NONE} = 0, \ \, \text{OS_SocketShutdownMode_SHUT_READ} \\ = 1, \ \, \text{OS_SocketShutdownMode_SHUT_WRITE} = 2, \ \, \text{OS_SocketShutdownMode_SHUT_READWRITE} = 3 \\ \} \\$

Functions

int32 OS_SocketAddrInit (OS_SockAddr_t *Addr, OS_SocketDomain_t Domain)

Initialize a socket address structure to hold an address of the given family.

int32 OS_SocketAddrToString (char *buffer, size_t buflen, const OS_SockAddr_t *Addr)

Get a string representation of a network host address.

• int32 OS_SocketAddrFromString (OS_SockAddr_t *Addr, const char *string)

Set a network host address from a string representation.

int32 OS SocketAddrGetPort (uint16 *PortNum, const OS SockAddr t *Addr)

Get the port number of a network address.

int32 OS SocketAddrSetPort (OS SockAddr t *Addr, uint16 PortNum)

Set the port number of a network address.

• int32 OS_SocketOpen (osal_id_t *sock_id, OS_SocketDomain_t Domain, OS_SocketType_t Type)

Opens a socket.

• int32 OS_SocketBind (osal_id_t sock_id, const OS_SockAddr_t *Addr)

Binds a socket to a given local address and enter listening (server) mode.

int32 OS_SocketListen (osal_id_t sock_id)

Places the specified socket into a listening state.

int32 OS SocketBindAddress (osal id t sock id, const OS SockAddr t *Addr)

Binds a socket to a given local address.

int32 OS SocketConnect (osal id t sock id, const OS SockAddr t *Addr, int32 timeout)

Connects a socket to a given remote address.

• int32 OS_SocketShutdown (osal_id_t sock_id, OS_SocketShutdownMode_t Mode)

Implement graceful shutdown of a stream socket.

• int32 OS_SocketAccept (osal_id_t sock_id, osal_id_t *connsock_id, OS_SockAddr_t *Addr, int32 timeout)

Waits for and accept the next incoming connection on the given socket.

int32 OS_SocketRecvFrom (osal_id_t sock_id, void *buffer, size_t buflen, OS_SockAddr_t *RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

int32 OS_SocketSendTo (osal_id_t sock_id, const void *buffer, size_t buflen, const OS_SockAddr_t *Remote ← Addr)

Sends data to a message-oriented (datagram) socket.

int32 OS_SocketGetIdByName (osal_id_t *sock_id, const char *sock_name)

Gets an OSAL ID from a given name.

int32 OS_SocketGetInfo (osal_id_t sock_id, OS_socket_prop_t *sock_prop)

Gets information about an OSAL Socket ID.

11.83.1 Detailed Description

Declarations and prototypes for sockets abstraction

11.83.2 Macro Definition Documentation

11.83.2.1 OS_SOCKADDR_MAX_LEN #define OS_SOCKADDR_MAX_LEN 28 Definition at line 45 of file osapi-sockets.h.

11.83.3 Enumeration Type Documentation

11.83.3.1 OS_SocketDomain_t enum OS_SocketDomain_t Socket domain.

Enumerator

OS_SocketDomain_INVALID	Invalid.
OS_SocketDomain_INET	IPv4 address family, most commonly used)
OS_SocketDomain_INET6	IPv6 address family, depends on OS/network stack support.
OS_SocketDomain_MAX	Maximum.

Definition at line 60 of file osapi-sockets.h.

Enumerator

OS_SocketShutdownMode_NONE	Reserved value, no effect.
OS_SocketShutdownMode_SHUT_READ	Disable future reading.
OS_SocketShutdownMode_SHUT_WRITE	Disable future writing.
OS_SocketShutdownMode_SHUT_READWRITE	Disable future reading or writing.

Definition at line 79 of file osapi-sockets.h.

11.83.3.3 OS_SocketType_t enum OS_SocketType_t Socket type.

Enumerator

OS_SocketType_INVALID	Invalid.
OS_SocketType_DATAGRAM	A connectionless, message-oriented socket.
OS_SocketType_STREAM	A stream-oriented socket with the concept of a connection.
OS_SocketType_MAX	Maximum.

Definition at line 69 of file osapi-sockets.h.

11.84 osal/src/os/inc/osapi-task.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

struct OS_task_prop_t
 OSAL task properties.

Macros

• #define OS_MAX_TASK_PRIORITY 255

Upper limit for OSAL task priorities.

#define OS FP ENABLED 1

Floating point enabled state for a task.

- #define OSAL PRIORITY C(X) ((osal priority t) {X})
- #define OSAL_STACKPTR_C(X) ((osal_stackptr_t) {X})
- #define OSAL TASK STACK ALLOCATE OSAL STACKPTR C(NULL)

Typedefs

typedef uint8_t osal_priority_t

Type to be used for OSAL task priorities.

• typedef void * osal_stackptr_t

Type to be used for OSAL stack pointer.

typedef void osal_task

For task entry point.

Functions

typedef osal_task ((*osal_task_entry)(void))

For task entry point.

int32 OS_TaskCreate (osal_id_t *task_id, const char *task_name, osal_task_entry function_pointer, osal_stackptr_t stack_pointer, size_t stack_size, osal_priority_t priority, uint32 flags)

Creates a task and starts running it.

• int32 OS_TaskDelete (osal_id_t task_id)

Deletes the specified Task.

void OS_TaskExit (void)

Exits the calling task.

int32 OS_TaskInstallDeleteHandler (osal_task_entry function_pointer)

Installs a handler for when the task is deleted.

• int32 OS_TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

int32 OS_TaskSetPriority (osal_id_t task_id, osal_priority_t new_priority)

Sets the given task to a new priority.

osal id t OS TaskGetId (void)

Obtain the task id of the calling task.

• int32 OS_TaskGetIdByName (osal_id_t *task_id, const char *task_name)

Find an existing task ID by name.

int32 OS_TaskGetInfo (osal_id_t task_id, OS_task_prop_t *task_prop)

Fill a property object buffer with details regarding the resource.

• int32 OS TaskFindIdBySystemData (osal id t *task id, const void *sysdata, size t sysdata size)

Reverse-lookup the OSAL task ID from an operating system ID.

11.84.1 Detailed Description

Declarations and prototypes for task abstraction

11.84.2 Macro Definition Documentation

```
11.84.2.1 OS FP ENABLED #define OS_FP_ENABLED 1
```

Floating point enabled state for a task.

Definition at line 35 of file osapi-task.h.

```
11.84.2.2 OS_MAX_TASK_PRIORITY #define OS_MAX_TASK_PRIORITY 255
```

Upper limit for OSAL task priorities.

Definition at line 32 of file osapi-task.h.

```
11.84.2.3 OSAL_PRIORITY_C #define OSAL_PRIORITY_C(
```

```
X ) ((osal_priority_t) {X})
```

Definition at line 46 of file osapi-task.h.

```
11.84.2.4 OSAL_STACKPTR_C #define OSAL_STACKPTR_C(
```

```
X ) ((osal_stackptr_t) {X})
```

Definition at line 53 of file osapi-task.h.

11.84.2.5 OSAL_TASK_STACK_ALLOCATE #define OSAL_TASK_STACK_ALLOCATE OSAL_STACKPTR_C (NULL)

Definition at line 54 of file osapi-task.h.

11.84.3 Typedef Documentation

11.84.3.1 osal_priority_t typedef uint8_t osal_priority_t

Type to be used for OSAL task priorities.

OSAL priorities are in reverse order, and range from 0 (highest; will preempt all other tasks) to 255 (lowest; will not preempt any other task).

Definition at line 44 of file osapi-task.h.

11.84.3.2 osal_stackptr_t typedef void* osal_stackptr_t

Type to be used for OSAL stack pointer.

Definition at line 51 of file osapi-task.h.

11.84.3.3 osal_task typedef void osal_task

For task entry point.

Definition at line 68 of file osapi-task.h.

11.84.4 Function Documentation

For task entry point.

11.85 osal/src/os/inc/osapi-timebase.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

· struct OS timebase prop t

Time base properties.

Typedefs

• typedef uint32(* OS_TimerSync_t) (osal_id_t timer_id)

Timer sync.

Functions

Create an abstract Time Base resource.

int32 OS_TimeBaseSet (osal_id_t timebase_id, uint32 start_time, uint32 interval_time)

Sets the tick period for simulated time base objects.

int32 OS_TimeBaseDelete (osal_id_t timebase_id)

Deletes a time base object.

int32 OS TimeBaseGetIdByName (osal id t*timebase id, const char *timebase name)

Find the ID of an existing time base resource.

int32 OS TimeBaseGetInfo (osal id t timebase id, OS timebase prop t *timebase prop)

Obtain information about a timebase resource.

• int32 OS TimeBaseGetFreeRun (osal id t timebase id, uint32 *freerun val)

Read the value of the timebase free run counter.

11.85.1 Detailed Description

Declarations and prototypes for timebase abstraction

11.85.2 Typedef Documentation

```
11.85.2.1 OS_TimerSync_t typedef uint32(* OS_TimerSync_t) (osal_id_t timer_id) Timer sync.
```

Definition at line 34 of file osapi-timebase.h.

11.86 osal/src/os/inc/osapi-timer.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

Data Structures

• struct OS_timer_prop_t

Timer properties.

Typedefs

typedef void(* OS_TimerCallback_t) (osal_id_t timer_id)

Timer callback.

Functions

int32 OS_TimerCreate (osal_id_t *timer_id, const char *timer_name, uint32 *clock_accuracy, OS_TimerCallback_t callback_ptr)

Create a timer object.

• int32 OS_TimerAdd (osal_id_t *timer_id, const char *timer_name, osal_id_t timebase_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

Add a timer object based on an existing TimeBase resource.

int32 OS_TimerSet (osal_id_t timer_id, uint32 start_time, uint32 interval_time)

Configures a periodic or one shot timer.

int32 OS_TimerDelete (osal_id_t timer_id)

Deletes a timer resource.

• int32 OS_TimerGetIdByName (osal_id_t *timer_id, const char *timer_name)

Locate an existing timer resource by name.

int32 OS_TimerGetInfo (osal_id_t timer_id, OS_timer_prop_t *timer_prop)

Gets information about an existing timer.

11.86.1 Detailed Description

Declarations and prototypes for timer abstraction (app callbacks)

11.86.2 Typedef Documentation

```
11.86.2.1 OS_TimerCallback_t typedef void(* OS_TimerCallback_t) (osal_id_t timer_id) Timer callback.
```

Definition at line 34 of file osapi-timer.h.

11.87 osal/src/os/inc/osapi-version.h File Reference

```
#include "common_types.h"
```

Macros

- #define OS BUILD NUMBER 62
- #define OS BUILD BASELINE "equuleus-rc1"
- #define OS_BUILD_DEV_CYCLE "equuleus-rc2"

Development: Release name for current development cycle.

• #define OS_BUILD_CODENAME "Equuleus"

: Development: Code name for the current build

#define OS_MAJOR_VERSION 5

Major version number.

• #define OS MINOR VERSION 0

Minor version number.

• #define OS REVISION 0

Revision version number. Value of 99 indicates a development version.

#define OS_LAST_OFFICIAL "v5.0.0"

Last official release.

#define OS MISSION REV 0xFF

Mission revision.

• #define OS_STR_HELPER(x) #x

Helper function to concatenate strings from integer.

#define OS_STR(x) OS_STR_HELPER(x)

Helper function to concatenate strings from integer.

• #define OS_VERSION OS_BUILD_BASELINE "+dev" OS_STR(OS_BUILD_NUMBER)

Development Build Version Number.

 #define OSAL_API_VERSION ((OS_MAJOR_VERSION * 10000) + (OS_MINOR_VERSION * 1000) + OS_REVISION)

Combines the revision components into a single value.

• #define OS_CFG_MAX_VERSION_STR_LEN 256

Max Version String length.

Functions

- const char * OS_GetVersionString (void)
- const char * OS_GetVersionCodeName (void)
- void OS_GetVersionNumber (uint8 VersionNumbers[4])

Obtain the OSAL numeric version number.

uint32 OS_GetBuildNumber (void)

Obtain the OSAL library numeric build number.

11.87.1 Detailed Description

Provide version identifiers for Operating System Abstraction Layer

Note

OSAL follows the same version semantics as cFS, which in turn is based on the Semantic Versioning 2.0 Specification. For more information, see the documentation provided with cFE.

11.87.2 Macro Definition Documentation

11.87.2.1 OS BUILD BASELINE #define OS_BUILD_BASELINE "equuleus-rc1"

Definition at line 38 of file osapi-version.h.

11.87.2.2 OS_BUILD_CODENAME #define OS_BUILD_CODENAME "Equuleus"

: Development: Code name for the current build

Definition at line 40 of file osapi-version.h.

11.87.2.3 OS_BUILD_DEV_CYCLE #define OS_BUILD_DEV_CYCLE "equuleus-rc2"

Development: Release name for current development cycle.

Definition at line 39 of file osapi-version.h.

11.87.2.4 OS_BUILD_NUMBER #define OS_BUILD_NUMBER 62

Definition at line 37 of file osapi-version.h.

11.87.2.5 OS_CFG_MAX_VERSION_STR_LEN #define OS_CFG_MAX_VERSION_STR_LEN 256

Max Version String length.

Maximum length that an OSAL version string can be.

Definition at line 154 of file osapi-version.h.

11.87.2.6 OS_LAST_OFFICIAL #define OS_LAST_OFFICIAL "v5.0.0"

Last official release.

Definition at line 52 of file osapi-version.h.

11.87.2.7 OS_MAJOR_VERSION #define OS_MAJOR_VERSION 5

Major version number.

Definition at line 45 of file osapi-version.h.

11.87.2.8 OS_MINOR_VERSION #define OS_MINOR_VERSION 0

Minor version number.

Definition at line 46 of file osapi-version.h.

11.87.2.9 OS MISSION REV #define OS_MISSION_REV 0xFF

Mission revision.

Reserved for mission use to denote patches/customizations as needed. Values 1-254 are reserved for mission use to denote patches/customizations as needed. NOTE: Reserving 0 and 0xFF for cFS open-source development use (pending resolution of nasa/cFS#440)

Definition at line 61 of file osapi-version.h.

11.87.2.10 OS_REVISION #define OS_REVISION 0

Revision version number. Value of 99 indicates a development version.

Definition at line 47 of file osapi-version.h.

Helper function to concatenate strings from integer.

Definition at line 67 of file osapi-version.h.

```
11.87.2.12 OS_STR_HELPER #define OS_STR_HELPER(
    x ) #x
```

Helper function to concatenate strings from integer.

Definition at line 66 of file osapi-version.h.

```
11.87.2.13 OS_VERSION #define OS_VERSION OS_BUILD_BASELINE "+dev" OS_STR(OS_BUILD_NUMBER)
```

Development Build Version Number.

Baseline git tag + Number of commits since baseline.

Definition at line 72 of file osapi-version.h.

```
11.87.2.14 OSAL_API_VERSION #define OSAL_API_VERSION ((OS_MAJOR_VERSION * 10000) + (OS_MINOR_VERSION * 100) + OS_REVISION)
```

Combines the revision components into a single value.

Applications can check against this number

e.g. "#if OSAL_API_VERSION >= 40100" would check if some feature added in OSAL 4.1 is present.

Definition at line 79 of file osapi-version.h.

11.87.3 Function Documentation

```
11.87.3.1 OS_GetBuildNumber() uint32 OS_GetBuildNumber (
```

Obtain the OSAL library numeric build number.

The build number is a monotonically increasing number that (coarsely) reflects the number of commits/changes that have been merged since the epoch release. During development cycles this number should increase after each subsequent merge/modification.

Like other version information, this is a fixed number assigned at compile time.

Returns

The OSAL library build number

11.87.3.2 OS_GetVersionCodeName() const char* OS_GetVersionCodeName (void)

Gets the OSAL version code name

All NASA CFE/CFS components (including CFE framework, OSAL and PSP) that work together will share the same code name.

Returns

OSAL code name. This is a fixed value string and is never NULL.

11.87.3.3 OS_GetVersionNumber() void OS_GetVersionNumber (uint8 VersionNumbers[4])

Obtain the OSAL numeric version number.

This retrieves the numeric OSAL version identifier as an array of 4 uint8 values.

The array of numeric values is in order of precedence: [0] = Major Number [1] = Minor Number [2] = Revision Number [3] = Mission Revision

The "Mission Revision" (last output) also indicates whether this is an official release, a patched release, or a development version. 0 indicates an official release 1-254 local patch level (reserved for mission use) 255 indicates a development build

Parameters

out <i>Ve</i>	ersionNumbers	A fixed-size array to be filled with the version numbers	
	out Ve	out <i>VersionNumbers</i>	out VersionNumbers A fixed-size array to be filled with the version numbers

11.87.3.4 OS_GetVersionString() const char* OS_GetVersionString (

Gets the OSAL version/baseline ID as a string

This returns the content of the OS_VERSION macro defined above, and is specifically just the baseline and development build ID (if applicable), without any extra info.

Returns

Basic version identifier. This is a fixed value string and is never NULL.

11.88 osal/src/os/inc/osapi.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <stdarg.h>
#include "common_types.h"
#include "osapi-version.h"
#include "osconfig.h"
#include "osapi-binsem.h"
#include "osapi-clock.h"
#include "osapi-common.h"
#include "osapi-condvar.h"
#include "osapi-constants.h"
#include "osapi-countsem.h"
#include "osapi-dir.h"
#include "osapi-error.h"
#include "osapi-file.h"
#include "osapi-filesys.h"
#include "osapi-heap.h"
#include "osapi-macros.h"
#include "osapi-idmap.h"
#include "osapi-module.h"
#include "osapi-mutex.h"
```

```
#include "osapi-network.h"
#include "osapi-printf.h"
#include "osapi-queue.h"
#include "osapi-select.h"
#include "osapi-shell.h"
#include "osapi-sockets.h"
#include "osapi-task.h"
#include "osapi-timebase.h"
#include "osapi-timer.h"
#include "osapi-bsp.h"
```

11.88.1 Detailed Description

Purpose: Contains functions prototype definitions and variables declarations for the OS Abstraction Layer, Core OS module

11.89 psp/fsw/inc/cfe_psp.h File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_psp_error.h"
```

Macros

- #define CFE PSP PANIC STARTUP 1
- #define CFE_PSP_PANIC_VOLATILE_DISK 2
- #define CFE_PSP_PANIC_MEMORY_ALLOC 3
- #define CFE PSP PANIC NONVOL DISK 4
- #define CFE PSP PANIC STARTUP SEM 5
- #define CFE PSP PANIC CORE APP 6
- #define CFE PSP PANIC GENERAL FAILURE 7
- #define BUFF_SIZE 256
- #define SIZE BYTE 1
- #define SIZE HALF 2
- #define SIZE_WORD 3
- #define CFE PSP MEM RAM 1
- #define CFE_PSP_MEM_EEPROM 2
- #define CFE_PSP_MEM_ANY 3
- #define CFE_PSP_MEM_INVALID 4
- #define CFE_PSP_MEM_ATTR_WRITE 0x01
- #define CFE_PSP_MEM_ATTR_READ 0x02
- #define CFE PSP MEM ATTR READWRITE 0x03
- #define CFE PSP MEM SIZE BYTE 0x01
- #define CFE_PSP_MEM_SIZE_WORD 0x02
- #define CFE_PSP_MEM_SIZE_DWORD 0x04
- #define CFE_PSP_SOFT_TIMEBASE_NAME "cFS-Master"

The name of the software/RTOS timebase for general system timers.

Reset Types

#define CFE PSP RST TYPE PROCESSOR 1

- #define CFE_PSP_RST_TYPE_POWERON 2
- #define CFE_PSP_RST_TYPE_MAX 3

Reset Sub-Types

• #define CFE PSP RST SUBTYPE POWER CYCLE 1

Reset caused by power having been removed and restored.

• #define CFE PSP RST SUBTYPE PUSH BUTTON 2

Reset caused by reset button on the board.

• #define CFE PSP RST SUBTYPE HW SPECIAL COMMAND 3

Reset was caused by a reset line having been stimulated by a hardware special command.

#define CFE_PSP_RST_SUBTYPE_HW_WATCHDOG 4

Reset was caused by a watchdog timer expiring.

#define CFE_PSP_RST_SUBTYPE_RESET_COMMAND 5

Reset was caused by cFE ES processing a Reset Command.

#define CFE PSP RST SUBTYPE EXCEPTION 6

Reset was caused by a Processor Exception.

#define CFE PSP RST SUBTYPE UNDEFINED RESET 7

Reset was caused in an unknown manner.

• #define CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET 8

Reset was caused by a JTAG or BDM connection.

#define CFE PSP RST SUBTYPE BANKSWITCH RESET 9

Reset reverted to a cFE POWERON due to a boot bank switch.

#define CFE PSP RST SUBTYPE MAX 10

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Functions

void CFE_PSP_Main (void)

PSP Entry Point to initialize the OSAL and start up the cFE.

void CFE_PSP_GetTime (OS_time_t *LocalTime)

Sample/Read a monotonic platform clock with normalization.

void CFE_PSP_Restart (uint32 resetType)

Entry point back to the BSP to restart the processor.

uint32 CFE_PSP_GetRestartType (uint32 *restartSubType)

Returns the last reset type.

• void CFE_PSP_FlushCaches (uint32 type, void *address, uint32 size)

This is a BSP-specific cache flush routine.

uint32 CFE_PSP_GetProcessorId (void)

Returns the CPU ID as defined by the specific board and BSP.

uint32 CFE PSP GetSpacecraftId (void)

Returns the Spacecraft ID (if any)

const char * CFE PSP GetProcessorName (void)

Returns the processor name.

uint32 CFE_PSP_Get_Timer_Tick (void)

Returns the underlying OS timer tick value.

- uint32 CFE_PSP_GetTimerTicksPerSecond (void)
- uint32 CFE PSP GetTimerLow32Rollover (void)
- void CFE PSP Get Timebase (uint32 *Tbu, uint32 *Tbl)

Sample/Read a monotonic platform clock without normalization.

• uint32 CFE_PSP_Get_Dec (void)

CFE_PSP_Get_Dec.

int32 CFE_PSP_GetCDSSize (uint32 *SizeOfCDS)

Fetches the size of the OS Critical Data Store area.

int32 CFE PSP WriteToCDS (const void *PtrToDataToWrite, uint32 CDSOffset, uint32 NumBytes)

Writes to the CDS Block.

int32 CFE_PSP_ReadFromCDS (void *PtrToDataToRead, uint32 CDSOffset, uint32 NumBytes)

Reads from the CDS Block.

• int32 CFE_PSP_GetResetArea (cpuaddr *PtrToResetArea, uint32 *SizeOfResetArea)

Returns the location and size of the ES Reset information area.

int32 CFE PSP GetUserReservedArea (cpuaddr *PtrToUserArea, uint32 *SizeOfUserArea)

Returns the location and size of the memory used for the cFE user-reserved area.

int32 CFE PSP GetVolatileDiskMem (cpuaddr *PtrToVolDisk, uint32 *SizeOfVolDisk)

Returns the location and size of the memory used for the cFE volatile disk.

int32 CFE PSP GetKernelTextSegmentInfo (cpuaddr *PtrToKernelSegment, uint32 *SizeOfKernelSegment)

Returns the location and size of the kernel memory.

int32 CFE PSP GetCFETextSegmentInfo (cpuaddr *PtrToCFESegment, uint32 *SizeOfCFESegment)

Returns the location and size of the kernel memory.

void CFE PSP WatchdogInit (void)

Configures the watchdog timer.

void CFE_PSP_WatchdogEnable (void)

Enables the watchdog timer.

· void CFE PSP WatchdogDisable (void)

Disables the watchdog timer.

void CFE_PSP_WatchdogService (void)

Services the watchdog timer according to the value set in WatchDogSet.

uint32 CFE PSP WatchdogGet (void)

Gets the watchdog time in milliseconds.

void CFE_PSP_WatchdogSet (uint32 WatchdogValue)

Sets the watchdog time in milliseconds.

void CFE_PSP_Panic (int32 ErrorCode)

Aborts the cFE startup.

• int32 CFE_PSP_InitSSR (uint32 bus, uint32 device, char *DeviceName)

Initializes the Solid State recorder memory for a particular platform.

int32 CFE_PSP_Decompress (char *srcFileName, char *dstFileName)

Uncompresses the source file to the file specified in the destination file name.

void CFE_PSP_AttachExceptions (void)

Sets up the exception environment for the chosen platform.

void CFE_PSP_SetDefaultExceptionEnvironment (void)

Defines the CPU and FPU exceptions that are enabled for each cFE Task/App.

uint32 CFE_PSP_Exception_GetCount (void)

Returns the unread exception count.

• int32 CFE_PSP_Exception_GetSummary (uint32 *ContextLogId, osal_id_t *TaskId, char *ReasonBuf, uint32 ReasonSize)

Retrieves a summary of an exception log entry.

int32 CFE_PSP_Exception_CopyContext (uint32 ContextLogId, void *ContextBuf, uint32 ContextSize)

Retrieves exception log entry context information.

• int32 CFE PSP PortRead8 (cpuaddr PortAddress, uint8 *ByteValue)

Read one byte of memory.

int32 CFE_PSP_PortWrite8 (cpuaddr PortAddress, uint8 ByteValue)

Write one byte of memory.

int32 CFE PSP PortRead16 (cpuaddr PortAddress, uint16 *uint16Value)

Read 2 bytes of memory.

int32 CFE PSP PortWrite16 (cpuaddr PortAddress, uint16 uint16Value)

Write 2 bytes of memory.

• int32 CFE PSP PortRead32 (cpuaddr PortAddress, uint32 *uint32 Value)

Read 4 bytes of memory.

int32 CFE PSP PortWrite32 (cpuaddr PortAddress, uint32 uint32 Value)

Write 4 bytes of memory.

int32 CFE PSP MemRead8 (cpuaddr MemoryAddress, uint8 *ByteValue)

Read one byte of memory.

int32 CFE PSP MemWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)

Write one byte of memory.

int32 CFE PSP MemRead16 (cpuaddr MemoryAddress, uint16 *uint16Value)

Read 2 bytes of memory.

• int32 CFE PSP MemWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)

Write 2 bytes of memory.

int32 CFE PSP MemRead32 (cpuaddr MemoryAddress, uint32 *uint32Value)

Read 4 bytes of memory.

• int32 CFE_PSP_MemWrite32 (cpuaddr MemoryAddress, uint32 uint32 Value)

Write 4 bytes of memory.

int32 CFE_PSP_MemCpy (void *dest, const void *src, uint32 n)

Copy 'n' bytes from 'src' to 'dest'.

int32 CFE_PSP_MemSet (void *dest, uint8 value, uint32 n)

Copy 'n' bytes of value 'value' to 'dest'.

int32 CFE_PSP_MemValidateRange (cpuaddr Address, size_t Size, uint32 MemoryType)

Validates the memory range and type using the global CFE_PSP_MemoryTable.

uint32 CFE PSP MemRanges (void)

Returns the number of memory ranges in the CFE_PSP_MemoryTable.

int32 CFE_PSP_MemRangeSet (uint32 RangeNum, uint32 MemoryType, cpuaddr StartAddr, size_t Size, size_t WordSize, uint32 Attributes)

Populates one of the records in the CFE_PSP_MemoryTable.

 int32 CFE_PSP_MemRangeGet (uint32 RangeNum, uint32 *MemoryType, cpuaddr *StartAddr, size_t *Size, size_t *WordSize, uint32 *Attributes)

Retrieves one of the records in the CFE_PSP_MemoryTable.

int32 CFE_PSP_EepromWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)

Write one byte (ByteValue) to EEPROM address MemoryAddress.

int32 CFE_PSP_EepromWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)

Write two bytes (uint16Value) to EEPROM address MemoryAddress.

int32 CFE PSP EepromWrite32 (cpuaddr MemoryAddress, uint32 uint32Value)

Write four bytes (uint32Value) to EEPROM address MemoryAddress.

int32 CFE PSP EepromWriteEnable (uint32 Bank)

Enable the EEPROM for write operation.

• int32 CFE_PSP_EepromWriteDisable (uint32 Bank)

Disable the EEPROM from write operation.

int32 CFE PSP EepromPowerUp (uint32 Bank)

Power up the EEPROM.

int32 CFE PSP EepromPowerDown (uint32 Bank)

Power down the EEPROM.

const char * CFE_PSP_GetVersionString (void)

Obtain the PSP version/baseline identifier string.

const char * CFE PSP GetVersionCodeName (void)

Obtain the version code name.

void CFE_PSP_GetVersionNumber (uint8 VersionNumbers[4])

Retrieves the numeric PSP version identifier as an array of uint8 values.

uint32 CFE PSP GetBuildNumber (void)

Obtain the PSP library numeric build number.

11.89.1 Macro Definition Documentation

11.89.1.1 BUFF SIZE #define BUFF_SIZE 256

Definition at line 62 of file cfe_psp.h.

11.89.1.2 CFE_PSP_MEM_ANY #define CFE_PSP_MEM_ANY 3

Definition at line 72 of file cfe_psp.h.

11.89.1.3 CFE_PSP_MEM_ATTR_READ #define CFE_PSP_MEM_ATTR_READ 0x02

Definition at line 79 of file cfe_psp.h.

11.89.1.4 CFE_PSP_MEM_ATTR_READWRITE #define CFE_PSP_MEM_ATTR_READWRITE 0x03

Definition at line 80 of file cfe psp.h.

11.89.1.5 CFE_PSP_MEM_ATTR_WRITE #define CFE_PSP_MEM_ATTR_WRITE 0x01

Definition at line 78 of file cfe_psp.h.

11.89.1.6 CFE_PSP_MEM_EEPROM #define CFE_PSP_MEM_EEPROM 2

Definition at line 71 of file cfe_psp.h.

11.89.1.7 CFE_PSP_MEM_INVALID #define CFE_PSP_MEM_INVALID 4

Definition at line 73 of file cfe_psp.h.

11.89.1.8 CFE_PSP_MEM_RAM #define CFE_PSP_MEM_RAM 1

Definition at line 70 of file cfe_psp.h.

11.89.1.9 CFE PSP MEM SIZE BYTE #define CFE_PSP_MEM_SIZE_BYTE 0x01

Definition at line 85 of file cfe_psp.h.

11.89.1.10 CFE_PSP_MEM_SIZE_DWORD #define CFE_PSP_MEM_SIZE_DWORD 0x04 Definition at line 87 of file cfe psp.h.

11.89.1.11 CFE_PSP_MEM_SIZE_WORD #define CFE_PSP_MEM_SIZE_WORD 0x02 Definition at line 86 of file cfe psp.h.

11.89.1.12 CFE_PSP_PANIC_CORE_APP #define CFE_PSP_PANIC_CORE_APP 6 Definition at line 56 of file cfe_psp.h.

11.89.1.13 CFE_PSP_PANIC_GENERAL_FAILURE #define CFE_PSP_PANIC_GENERAL_FAILURE 7 Definition at line 57 of file cfe_psp.h.

11.89.1.14 CFE_PSP_PANIC_MEMORY_ALLOC #define CFE_PSP_PANIC_MEMORY_ALLOC 3 Definition at line 53 of file cfe_psp.h.

11.89.1.15 CFE_PSP_PANIC_NONVOL_DISK #define CFE_PSP_PANIC_NONVOL_DISK 4 Definition at line 54 of file cfe_psp.h.

11.89.1.16 CFE_PSP_PANIC_STARTUP #define CFE_PSP_PANIC_STARTUP 1 Definition at line 51 of file cfe psp.h.

11.89.1.17 CFE_PSP_PANIC_STARTUP_SEM #define CFE_PSP_PANIC_STARTUP_SEM 5 Definition at line 55 of file cfe_psp.h.

11.89.1.18 CFE_PSP_PANIC_VOLATILE_DISK #define CFE_PSP_PANIC_VOLATILE_DISK 2 Definition at line 52 of file cfe_psp.h.

11.89.1.19 CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET #define CFE_PSP_RST_SUBTYPE_BANKSWITCH_←
RESET 9

Reset reverted to a cFE POWERON due to a boot bank switch. Definition at line 122 of file cfe_psp.h.

11.89.1.20 CFE_PSP_RST_SUBTYPE_EXCEPTION #define CFE_PSP_RST_SUBTYPE_EXCEPTION 6 Reset was caused by a Processor Exception.

Definition at line 116 of file cfe_psp.h.

11.89.1.21 CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND #define CFE_PSP_RST_SUBTYPE_HW_SPECI↔ AL_COMMAND 3

Reset was caused by a reset line having been stimulated by a hardware special command. Definition at line 110 of file cfe psp.h.

11.89.1.22 CFE_PSP_RST_SUBTYPE_HW_WATCHDOG #define CFE_PSP_RST_SUBTYPE_HW_WATCHDOG 4 Reset was caused by a watchdog timer expiring.

Definition at line 112 of file cfe psp.h.

11.89.1.23 CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET #define CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET 8 Reset was caused by a JTAG or BDM connection.

Definition at line 120 of file cfe psp.h.

11.89.1.24 CFE_PSP_RST_SUBTYPE_MAX #define CFE_PSP_RST_SUBTYPE_MAX 10

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 124 of file cfe_psp.h.

11.89.1.25 CFE_PSP_RST_SUBTYPE_POWER_CYCLE #define CFE_PSP_RST_SUBTYPE_POWER_CYCLE 1

Reset caused by power having been removed and restored.

Definition at line 106 of file cfe_psp.h.

11.89.1.26 CFE_PSP_RST_SUBTYPE_PUSH_BUTTON #define CFE_PSP_RST_SUBTYPE_PUSH_BUTTON 2

Reset caused by reset button on the board.

Definition at line 108 of file cfe_psp.h.

11.89.1.27 CFE PSP RST SUBTYPE RESET COMMAND #define CFE_PSP_RST_SUBTYPE_RESET_COMMAND 5

Reset was caused by cFE ES processing a Reset Command.

Definition at line 114 of file cfe psp.h.

11.89.1.28 CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET #define CFE_PSP_RST_SUBTYPE_UNDEFINED_RES←

ет 7

Reset was caused in an unknown manner.

Definition at line 118 of file cfe psp.h.

11.89.1.29 CFE_PSP_RST_TYPE_MAX #define CFE_PSP_RST_TYPE_MAX 3

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 96 of file cfe_psp.h.

11.89.1.30 CFE_PSP_RST_TYPE_POWERON #define CFE_PSP_RST_TYPE_POWERON 2

All memory has been cleared

Definition at line 95 of file cfe_psp.h.

11.89.1.31 CFE_PSP_RST_TYPE_PROCESSOR #define CFE_PSP_RST_TYPE_PROCESSOR 1

Volatile disk, CDS and User Reserved memory may be valid

Definition at line 94 of file cfe psp.h.

11.89.1.32 CFE_PSP_SOFT_TIMEBASE_NAME #define CFE_PSP_SOFT_TIMEBASE_NAME "cFS-Master"

The name of the software/RTOS timebase for general system timers.

This name may be referred to by CFE TIME and/or SCH when setting up its own timers.

Definition at line 132 of file cfe psp.h.

11.89.1.33 SIZE BYTE #define SIZE_BYTE 1

Definition at line 63 of file cfe_psp.h.

11.89.1.34 SIZE_HALF #define SIZE_HALF 2

Definition at line 64 of file cfe psp.h.

11.89.1.35 SIZE WORD #define SIZE_WORD 3

Definition at line 65 of file cfe psp.h.

11.89.2 Function Documentation

11.89.2.1 CFE_PSP_AttachExceptions() void CFE_PSP_AttachExceptions (

Sets up the exception environment for the chosen platform.

On a board, this can be configured to look at a debug flag or switch in order to keep the standard OS exception handlers, rather than restarting the system.

Uncompresses the source file to the file specified in the destination file name.

Note

The Decompress uses the "gzip" algorithm. Files can be compressed using the "gzip" program available on almost all host platforms.

Parameters

srcFileName	Source file to decompress
dstFileName	Destination file name

11.89.2.3 CFE_PSP_EepromPowerDown() int32 CFE_PSP_EepromPowerDown (

uint32 Bank)

Power down the EEPROM.

Parameters

in Bank The bank of EEPROM to power dow

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.89.2.4 CFE_PSP_EepromPowerUp() int32 CFE_PSP_EepromPowerUp (

uint32 Bank)

Power up the EEPROM.

Parameters

in Bank The bank of EEPROM to power u

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.89.2.5 CFE_PSP_EepromWrite16() int32 CFE_PSP_EepromWrite16 (cpuaddr MemoryAddress,

Write two bytes (uint16Value) to EEPROM address MemoryAddress.

Parameters

	out	MemoryAddress	Memory address to write to
Ī	in	uint16Value	Value to write to memory

uint16 uint16Value)

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_TIMEOUT	write operation did not go through after a specific timeout.
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.89.2.6 CFE_PSP_EepromWrite32() int32 CFE_PSP_EepromWrite32 (cpuaddr MemoryAddress,

uint32 uint32Value)

Write four bytes (uint32Value) to EEPROM address MemoryAddress.

Parameters

out	MemoryAddress	Memory address to write to

Parameters

in	uint32Value	Value to write to memory
----	-------------	--------------------------

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_TIMEOUT	write operation did not go through after a specific timeout.
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write one byte (ByteValue) to EEPROM address MemoryAddress.

Parameters

	out	MemoryAddress	Memory address to write to
ſ	in	ByteValue	Value to write to memory

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_TIMEOUT	write operation did not go through after a specific timeout.
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.89.2.8 CFE_PSP_EepromWriteDisable() int32 CFE_PSP_EepromWriteDisable (uint32 Bank)

Disable the EEPROM from write operation.

Parameters

in	Bank	The bank of EEPROM to disable

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

$\textbf{11.89.2.9} \quad \textbf{CFE_PSP_EepromWriteEnable()} \quad \texttt{int32} \quad \texttt{CFE_PSP_EepromWriteEnable} \quad \textbf{(}$

uint32 Bank)

Enable the EEPROM for write operation.

Parameters

in Bank The bank of EEPROM to enal
--

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

11.89.2.10 CFE_PSP_Exception_CopyContext() int32 CFE_PSP_Exception_CopyContext (

uint32 ContextLogId,
void * ContextBuf,
uint32 ContextSize)

Retrieves exception log entry context information.

Parameters

in	Context← LogId	ID of the exception log entry to copy
out	ContextBuf	Pointer to the buffer where the context information is to be copied to
in	ContextSize	Maximum size of context information data to copy

Returns

Size of the copied data

Return values

CFE_PSP_NO_EXCEPTION_DATA	if data has expired from the memory log
---------------------------	---

11.89.2.11 CFE_PSP_Exception_GetCount() uint32 CFE_PSP_Exception_GetCount (void)

Returns the unread exception count.

Returns

The unread exception count

$\textbf{11.89.2.12} \quad \textbf{CFE_PSP_Exception_GetSummary()} \quad \texttt{int32} \quad \texttt{CFE_PSP_Exception_GetSummary} \quad \textbf{(}$

```
uint32 * ContextLogId,
osal_id_t * TaskId,
```

```
char * ReasonBuf,
uint32 ReasonSize )
```

Retrieves a summary of an exception log entry.

Note

This function returns CFE_PSP_SUCCESS to indicate that an entry was popped from the queue. This doesn't necessarily mean that the output fields have valid data, but it does mean they are initialized to something.

Parameters

in	Context⊷ LogId	ID of the exception log entry to get a summary for
in,out	Taskld	Pointer to the TaskID buffer
out	ReasonBuf	Pointer to the buffer that will store the exception summary string
in	ReasonSize	Maximum size of the summary string to retrieve

Return values

CFE_PSP_SUCCESS	on success (see note above)
CFE_PSP_NO_EXCEPTION_DATA	if no context available for reading

This is a BSP-specific cache flush routine.

Provides a common interface to flush the processor caches. This routine is in the BSP because it is sometimes implemented in hardware and sometimes taken care of by the RTOS.

Parameters

in	type	
in	address	
in	size	

Sample/Read a monotonic platform clock without normalization.

Provides a common interface to system timebase. This routine is in the BSP because it is sometimes implemented in hardware and sometimes taken care of by the RTOS.

This is defined as a free-running, monotonically-increasing tick counter. The epoch is not defined, but typically is the system boot time, and the value increases indefinitely as the system runs. The tick period/rate is also not defined. Rollover events - where the range of representable values is exceeded - are theoretically possible, but would take many years of continuous uptime to occur (typically hundreds of years, if not thousands). System designers should ensure that the actual tick rate and resulting timebase range is sufficiently large to ensure that rollover is not a concern.

Note

This is a "raw" value from the underlying platform with minimal/no conversions or normalization applied. Neither the epoch nor the resolution of this tick counter is specified, and it may vary from platform to platform. Use the CFE_PSP_GetTime() function to sample the timebase and also convert the units into a normalized/more consistent form.

See also

```
CFE_PSP_GetTime()
```

Parameters

out	Tbu	Buffer to hold the upper 32 bits of a 64-bit tick counter
out	Tbl	Buffer to hold the lower 32 bits of a 64-bit tick counter

```
11.89.2.16 CFE_PSP_Get_Timer_Tick() uint32 CFE_PSP_Get_Timer_Tick ( void )
```

Returns the underlying OS timer tick value.

It is used for the performance monitoring software

```
11.89.2.17 CFE_PSP_GetBuildNumber() uint32 CFE_PSP_GetBuildNumber ( void )
```

Obtain the PSP library numeric build number.

The build number is a monotonically increasing number that (coarsely) reflects the number of commits/changes that have been merged since the epoch release. During development cycles this number should increase after each subsequent merge/modification.

Like other version information, this is a fixed number assigned at compile time.

Returns

The OSAL library build number

```
11.89.2.18 CFE_PSP_GetCDSSize() int32 CFE_PSP_GetCDSSize ( uint32 * SizeOfCDS )
```

Fetches the size of the OS Critical Data Store area.

Parameters

out	SizeOfCDS	Pointer to the variable that will store the size of the CDS

Returns

0 (OS SUCCESS or CFE PSP SUCCESS) on success, -1 (OS ERROR or CFE PSP ERROR) on error

Returns the location and size of the kernel memory.

This function returns the start and end address of the CFE text segment. It may not be implemented on all architectures.

Parameters

out	PtrToCFESegment	Pointer to the variable that will store the location of the cFE text segment
out	SizeOfCFESegment	Pointer to the variable that will store the size of the cFE text segment

Returns

0 (OS SUCCESS or CFE PSP SUCCESS) on success, -1 (OS ERROR or CFE PSP ERROR) on error

Returns the location and size of the kernel memory.

This function returns the start and end address of the kernel text segment. It may not be implemented on all architectures.

Parameters

	out	PtrToKernelSegment	Pointer to the variable that will store the location of the kernel text segment
Ī	out	SizeOfKernelSegment	Pointer to the variable that will store the size of the kernel text segment

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error or CFE_PSP_ERROR NOT IMPLEMENTED if not implemented

```
11.89.2.21 CFE_PSP_GetProcessorId() uint32 CFE_PSP_GetProcessorId ( void )
```

Returns the CPU ID as defined by the specific board and BSP.

Returns

The processor ID

```
11.89.2.22 CFE_PSP_GetProcessorName() const char* CFE_PSP_GetProcessorName ( void )
```

Returns the processor name.

Returns

The processor name

Returns the location and size of the ES Reset information area.

This area is preserved during a processor reset and is used to store the ER Log, System Log and reset-related variables

Parameters

0	out	PtrToResetArea	Pointer to the variable that will store the location of the reset area
0	ut	SizeOfResetArea	Pointer to the variable that will store the reset area size

Returns

0 (OS SUCCESS or CFE PSP SUCCESS) on success, -1 (OS ERROR or CFE PSP ERROR) on error

```
11.89.2.24 CFE_PSP_GetRestartType() uint32 CFE_PSP_GetRestartType ( uint32 * restartSubType )
```

Returns the last reset type.

Note

If a pointer to a valid memory space is passed in, it returns the reset sub-type in that memory. Right now the reset types are application-specific. For the cFE they are defined in the cfe_es.h file.

Parameters

restartSubType

```
11.89.2.25 CFE_PSP_GetSpacecraftId() uint32 CFE_PSP_GetSpacecraftId ( void )
```

Returns the Spacecraft ID (if any)

Returns

The Spacecraft ID

```
11.89.2.26 CFE_PSP_GetTime() void CFE_PSP_GetTime (
OS_time_t * LocalTime )
```

Sample/Read a monotonic platform clock with normalization.

Outputs an OS_time_t value indicating the time elapsed since an epoch. The epoch is not defined, but typically represents the system boot time. The value increases continuously over time and cannot be reset by software.

This is similar to the CFE_PSP_Get_Timebase(), but additionally it normalizes the output value to an OS_time_t, thereby providing consistent units to the calling application. Any OSAL-provided routine that accepts OS_time_t inputs may be used to convert this value into other standardized time units.

Note

This should refer to the same time domain as CFE_PSP_Get_Timebase(), the primary difference being the format and units of the output value.

See also

```
CFE_PSP_Get_Timebase()
```

Parameters

	out <i>LocalTin</i>	Value of PSP tick counter as OS_time_t
--	---------------------	--

11.89.2.27 CFE_PSP_GetTimerLow32Rollover() uint32 CFE_PSP_GetTimerLow32Rollover (void)

Provides the number that the least significant 32 bits of the 64-bit time stamp returned by CFE_PSP_Get_Timebase rolls over. If the lower 32 bits rolls at 1 second, then the CFE_PSP_TIMER_LOW32_ROLLOVER will be 1000000. If the lower 32 bits rolls at its maximum value (2^3 2) then CFE_PSP_TIMER_LOW32_ROLLOVER will be 0.

Returns

The number that the least significant 32 bits of the 64-bit time stamp returned by CFE_PSP_Get_Timebase rolls over.

```
11.89.2.28 CFE_PSP_GetTimerTicksPerSecond() uint32 CFE_PSP_GetTimerTicksPerSecond ( void )
```

Provides the resolution of the least significant 32 bits of the 64-bit time stamp returned by CFE_PSP_Get_Timebase in timer ticks per second. The timer resolution for accuracy should not be any slower than 1000000 ticks per second or 1 us (microsecond) per tick

Returns

The number of timer ticks per second of the time stamp returned by CFE_PSP_Get_Timebase

Returns the location and size of the memory used for the cFE user-reserved area.

Parameters

out	PtrToUserArea	Pointer to the variable that will store the location of the user-reserved area
out	SizeOfUserArea	Pointer to the variable that will store the size of the user-reserved area

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error

```
11.89.2.30 CFE_PSP_GetVersionCodeName() const char* CFE_PSP_GetVersionCodeName ( void )
```

Obtain the version code name.

This retrieves the PSP code name. This is a compatibility indicator for the overall NASA cFS ecosystem. All modular components which are intended to interoperate should report the same code name.

Returns

Code name. This is a fixed string and cannot be NULL.

Retrieves the numeric PSP version identifier as an array of uint8 values.

The array of numeric values is in order of precedence: [0] = Major Number [1] = Minor Number [2] = Revision Number [3] = Mission Revision

The "Mission Revision" (last output) also indicates whether this is an official release, a patched release, or a development version. 0 indicates an official release 1-254 local patch level (reserved for mission use) 255 indicates a development build

Parameters

out	VersionNumbers	A fixed-size array to be filled with the version numbers
-----	----------------	--

11.89.2.32 CFE_PSP_GetVersionString() const char* CFE_PSP_GetVersionString (

Obtain the PSP version/baseline identifier string.

This retrieves the PSP version identifier string without extra info

Returns

Version string. This is a fixed string and cannot be NULL.

Returns the location and size of the memory used for the cFE volatile disk.

Parameters

out	PtrToVolDisk	Pointer to the variable that will store the location of the cFE volatile disk
out	SizeOfVolDisk	Pointer to the variable that will store the size of the cFE volatile disk

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error

```
11.89.2.34 CFE_PSP_InitSSR() int32 CFE_PSP_InitSSR ( uint32 bus,
```

```
uint32 device,
char * DeviceName )
```

Initializes the Solid State recorder memory for a particular platform.

Note

For the MCP750, this simply initializes the Hard Disk device.

Parameters

in	bus	
in	device	
in	DeviceName	

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR	on error

```
11.89.2.35 CFE_PSP_Main() void CFE_PSP_Main (
void )
```

PSP Entry Point to initialize the OSAL and start up the cFE.

This is the entry point that the real-time OS calls to start our software. This routine will do any BSP/OS-specific setup, then call the entry point of the flight software (i.e. the cFE main entry point).

Note

The flight software (i.e. cFE) should not call this routine.

Copy 'n' bytes from 'src' to 'dest'.

Copies 'n' bytes from memory address pointed to by 'src' to memory address pointed to by 'dest'.

Note

For now we are using the standard C library call 'memcpy' but if we find we need to make it more efficient then we'll implement it in assembly.

Parameters

out	dest	Pointer to the destination address to copy to
in	src	Pointer to the address to copy from
in	n	Number of bytes to copy

Returns

Always returns CFE_PSP_SUCCESS

Retrieves one of the records in the CFE_PSP_MemoryTable.

Note

Because the table is fixed size, the entries are accessed by using the integer index.

Parameters

in	RangeNum	A 32-bit integer (starting with 0) specifying the MemoryTable entry.
out	MemoryType	A pointer to the 32-bit integer where the Memory Type is stored. Any defined
		CFE_PSP_MEM_* enumeration can be specified
out	StartAddr	Pointer to the 32-bit integer where the 32-bit starting address of the memory range is
		stored.
out	Size	A pointer to the 32-bit integer where the 32-bit size of the memory range is stored.
out	WordSize	A pointer to the 32-bit integer where the minimum addressable size of the range:
		(CFE_PSP_MEM_SIZE_BYTE, CFE_PSP_MEM_SIZE_WORD,
		CFE_PSP_MEM_SIZE_DWORD)
out	Attributes	The attributes of the Memory Range: (CFE_PSP_MEM_ATTR_WRITE,
		CFE_PSP_MEM_ATTR_READ, CFE_PSP_MEM_ATTR_READWRITE)

Return values

CFE_PSP_SUCCESS	Memory range returned successfully.
CFE_PSP_INVALID_POINTER	Parameter error
CFE_PSP_INVALID_MEM_RANGE	The index into the table is invalid

```
11.89.2.38 CFE_PSP_MemRanges() uint32 CFE_PSP_MemRanges ( void )
```

Returns the number of memory ranges in the CFE_PSP_MemoryTable.

Returns

Positive integer number of entries in the memory range table

```
11.89.2.39 CFE_PSP_MemRangeSet() int32 CFE_PSP_MemRangeSet ( uint32 RangeNum,
```

```
uint32 MemoryType,
cpuaddr StartAddr,
size_t Size,
size_t WordSize,
uint32 Attributes )
```

Populates one of the records in the CFE_PSP_MemoryTable.

Note

Because the table is fixed size, the entries are set by using the integer index. No validation is done with the address or size.

Parameters

in	RangeNum	A 32-bit integer (starting with 0) specifying the MemoryTable entry.
in	MemoryType	The memory type to validate, including but not limited to: CFE_PSP_MEM_RAM, CFE_PSP_MEM_EEPROM, or CFE_PSP_MEM_ANY Any defined CFE_PSP_MEM_* enumeration can be specified
in	StartAddr	A 32-bit starting address of the memory range
in	Size	A 32-bit size of the memory range (Address + Size = End Address)
in	WordSize	The minimum addressable size of the range: (CFE_PSP_MEM_SIZE_BYTE, CFE_PSP_MEM_SIZE_WORD, CFE_PSP_MEM_SIZE_DWORD)
in	Attributes	The attributes of the Memory Range: (CFE_PSP_MEM_ATTR_WRITE, CFE_PSP_MEM_ATTR_READWRITE)

Return values

CFE_PSP_SUCCESS	Memory range set successfully.
CFE_PSP_INVALID_MEM_RANGE	The index into the table is invalid
FE_PSP_INVALID_MEM_ADDR	Starting address is not valid
CFE_PSP_INVALID_MEM_TYPE	Memory type associated with the range does not match the passed-in
	type.
CFE_PSP_INVALID_MEM_WORDSIZE	The WordSize parameter is not one of the predefined types.
CFE_PSP_INVALID_MEM_ATTR	The Attributes parameter is not one of the predefined types.
OP_INVALID_MEM_SIZE	The Memory range associated with the address is not large enough to
	contain Address + Size.

Parameters

in	MemoryAddress	Address to be read
out	uint16Value	The address content will be copied to the location pointed to by this argument

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Read 4 bytes of memory.

Parameters

in	MemoryAddress	Address to be read	1
out	uint32Value	The address content will be copied to the location pointed to by this argument]

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Read one byte of memory.

Parameters

ſ	in	MemoryAddress	Address to be read
	out	ByteValue	The address content will be copied to the location pointed to by this argument

Returns

Always returns CFE_PSP_SUCCESS (if implemented)

Return values

```
CFE_PSP_ERROR_NOT_IMPLEMENTED | if not implemented
```

```
11.89.2.43 CFE_PSP_MemSet() int32 CFE_PSP_MemSet (
    void * dest,
    uint8 value,
```

```
uint32 n)
```

Copy 'n' bytes of value 'value' to 'dest'.

Copies 'n' number of bytes of value 'value' to memory address pointed to by 'dest'.

Note

For now we are using the standard C library call 'memset' but if we find we need to make it more efficient then we'll implement it in assembly.

Parameters

out	dest	Pointer to the destination address to copy to
in	value	Value to set
in	n	Number of bytes to copy

Returns

Always returns CFE_PSP_SUCCESS

Validates the memory range and type using the global CFE_PSP_MemoryTable.

Parameters

in	Address	A 32-bit starting address of the memory range
in	Size	A 32-bit size of the memory range (Address + Size = End Address)
in	Memory Type	The memory type to validate, including but not limited to: CFE_PSP_MEM_RAM, CFE_PSP_MEM_EEPROM, or CFE_PSP_MEM_ANY Any defined CFE_PSP_MEM_* enumeration can be specified

Return values

CFE_PSP_SUCCESS	Memory range and type information is valid and can be used.	
CFE_PSP_INVALID_MEM_ADDR	Starting address is not valid	
CFE_PSP_INVALID_MEM_TYPE	Memory type associated with the range does not match the passed-in type.	
CFE_PSP_INVALID_MEM_RANGE	The Memory range associated with the address is not large enough to	
	contain Address + Size.	

Write 2 bytes of memory.

Parameters

ſ	out	MemoryAddress	Address to be written to
Ī	in	uint16Value	The content pointed to by this argument will be copied to the address

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write 4 bytes of memory.

Parameters

out	MemoryAddress	Address to be written to
in	uint32Value	The content pointed to by this argument will be copied to the address

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write one byte of memory.

Parameters

out	MemoryAddress	Address to be written to
in	ByteValue	The content pointed to by this argument will be copied to the address

Returns

Always returns CFE_PSP_SUCCESS (if implemented)

Return values

CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

```
11.89.2.48 CFE_PSP_Panic() void CFE_PSP_Panic ( int32 ErrorCode )
```

Aborts the cFE startup.

Provides a common interface to abort the cFE startup process and return back to the OS.

Note

This is called by the cFE Core startup code when it needs to abort the cFE startup. This should not be called by applications.

Parameters

Read 2 bytes of memory.

Parameters

in	PortAddress	Address to be read
out	uint16Value	The address content will be copied to the location pointed to by this argument

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Read 4 bytes of memory.

Parameters

in	PortAddress	Address to be read
out	uint32Value	The address content will be copied to the location pointed to by this argument

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.

Return values

CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented
-------------------------------	--------------------

Read one byte of memory.

Parameters

in	PortAddress	Address to be read
ou	<i>ByteValue</i>	The address content will be copied to the location pointed to by this argument

Returns

Always returns CFE_PSP_SUCCESS (if implemented)

Return values

CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented
-------------------------------	--------------------

Write 2 bytes of memory.

Parameters

out	PortAddress	Address to be written to
in	uint16Value	the content pointed to by this argument will be copied to the address

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write 4 bytes of memory.

Parameters

out	PortAddress	Address to be written to
in	uint32Value	The content pointed to by this argument will be copied to the address

Return values

CFE_PSP_SUCCESS	on success
CFE_PSP_ERROR_ADDRESS_MISALIGNED	if the address is not aligned to a 16-bit addressing scheme.
CFE_PSP_ERROR_NOT_IMPLEMENTED	if not implemented

Write one byte of memory.

Parameters

out	PortAddress	Address to be written to
in	ByteValue	The content pointed to by this argument will be copied to the address

Returns

Always returns CFE_PSP_SUCCESS (if implemented)

Return values

```
CFE_PSP_ERROR_NOT_IMPLEMENTED | if not implemented
```

Reads from the CDS Block.

Parameters

out	PtrToDataToRead	Pointer to the location that will store the data to be read from the CDS
in	CDSOffset	CDS offset
in	NumBytes	Number of bytes to read

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error

Entry point back to the BSP to restart the processor.

The flight software calls this routine to restart the processor.

Parameters

in <i>resetType</i>	Type of reset
---------------------	---------------

11.89.2.57 CFE_PSP_SetDefaultExceptionEnvironment() void CFE_PSP_SetDefaultExceptionEnvironment (void)

Defines the CPU and FPU exceptions that are enabled for each cFE Task/App.

This function sets a default exception environment that can be used

Note

The exception environment is local to each task. Therefore, this must be Called for each task that wants to do floating point and catch exceptions.

```
11.89.2.58 CFE_PSP_WatchdogDisable() void CFE_PSP_WatchdogDisable ( void )
```

Disables the watchdog timer.

```
\textbf{11.89.2.59} \quad \textbf{CFE\_PSP\_WatchdogEnable()} \quad \texttt{void} \; \texttt{CFE\_PSP\_WatchdogEnable} \; \; \textbf{(}
```

void)

Enables the watchdog timer.

```
\textbf{11.89.2.60} \quad \textbf{CFE\_PSP\_WatchdogGet()} \quad \textbf{uint32} \quad \textbf{CFE\_PSP\_WatchdogGet} \quad \textbf{(}
```

void)

Gets the watchdog time in milliseconds.

Returns

The current watchdog value

```
11.89.2.61 CFE_PSP_WatchdogInit() void CFE_PSP_WatchdogInit (
```

void)

Configures the watchdog timer.

To set up the timer resolution and/or other settings custom to this platform.

```
11.89.2.62 CFE_PSP_WatchdogService() void CFE_PSP_WatchdogService ( void )
```

Services the watchdog timer according to the value set in WatchDogSet.

Load the watchdog timer with a count that corresponds to the millisecond time given in the parameter.

Note

Currently an ExpireTime value of zero will result in the minimum reset time of 4.5 seconds. All other ExpireTime values will result in a reset time of 5.5 seconds.

```
11.89.2.63 CFE_PSP_WatchdogSet() void CFE_PSP_WatchdogSet (
```

uint32 WatchdogValue)

Sets the watchdog time in milliseconds.

Parameters

	in	WatchdogValue	New watchdog value to set
--	----	---------------	---------------------------

Writes to the CDS Block.

Parameters

in	PtrToDataToWrite	Pointer to the data that will be written to the CDS
in	CDSOffset	CDS offset
in	NumBytes	Number of bytes to write

Returns

0 (OS_SUCCESS or CFE_PSP_SUCCESS) on success, -1 (OS_ERROR or CFE_PSP_ERROR) on error

11.90 psp/fsw/inc/cfe_psp_error.h File Reference

```
cFE PSP Error header
```

```
#include "common_types.h"
```

Macros

• #define CFE_PSP_STATUS_C(X) ((CFE_PSP_Status_t)(X))

PSP Status macro for literal.

• #define CFE_PSP_STATUS_STRING_LENGTH 12

PSP Status converted to string length limit.

- #define CFE_PSP_SUCCESS (CFE_PSP_STATUS_C(0))
- #define CFE_PSP_ERROR (CFE_PSP_STATUS_C(-1))
- #define CFE_PSP_INVALID_POINTER (CFE_PSP_STATUS_C(-2))
- #define CFE PSP ERROR ADDRESS MISALIGNED (CFE PSP STATUS C(-3))
- #define CFE_PSP_ERROR_TIMEOUT (CFE_PSP_STATUS_C(-4))
- #define CFE_PSP_INVALID_INT_NUM (CFE_PSP_STATUS_C(-5))
- #define CFE_PSP_INVALID_MEM_ADDR (CFE_PSP_STATUS_C(-21))
- #define CFE_PSP_INVALID_MEM_TYPE (CFE_PSP_STATUS_C(-22))

- #define CFE_PSP_INVALID_MEM_RANGE (CFE_PSP_STATUS_C(-23))
- #define CFE_PSP_INVALID_MEM_WORDSIZE (CFE_PSP_STATUS_C(-24))
- #define CFE_PSP_INVALID_MEM_SIZE (CFE_PSP_STATUS_C(-25))
- #define CFE_PSP_INVALID_MEM_ATTR (CFE_PSP_STATUS_C(-26))
- #define CFE_PSP_ERROR_NOT_IMPLEMENTED (CFE_PSP_STATUS_C(-27))
- #define CFE_PSP_INVALID_MODULE_NAME (CFE_PSP_STATUS_C(-28))
- #define CFE_PSP_INVALID_MODULE_ID (CFE_PSP_STATUS_C(-29))
- #define CFE_PSP_NO_EXCEPTION_DATA (CFE_PSP_STATUS_C(-30))

Typedefs

typedef int32 CFE_PSP_Status_t

PSP Status type for readability and potentially type safety.

typedef char CFE_PSP_StatusString_t[CFE_PSP_STATUS_STRING_LENGTH]

For the CFE_PSP_StatusToString() function, to ensure everyone is making an array of the same length.

Functions

• char * CFE_PSP_StatusToString (CFE_PSP_Status_t status, CFE_PSP_StatusString_t *status_string)

Convert status to a string.

11.90.1 Detailed Description

cFE PSP Error header

11.90.2 Macro Definition Documentation

11.90.2.1 CFE_PSP_ERROR #define CFE_PSP_ERROR (CFE_PSP_STATUS_C(-1)) Definition at line 66 of file cfe_psp_error.h.

11.90.2.2 CFE_PSP_ERROR_ADDRESS_MISALIGNED #define CFE_PSP_ERROR_ADDRESS_MISALIGNED (CFE_PSP_STATUS_C(-3))
Definition at line 68 of file cfe_psp_error.h.

11.90.2.3 CFE_PSP_ERROR_NOT_IMPLEMENTED #define CFE_PSP_ERROR_NOT_IMPLEMENTED (CFE_PSP_STATUS_C(-27)) Definition at line 77 of file cfe_psp_error.h.

11.90.2.4 CFE_PSP_ERROR_TIMEOUT #define CFE_PSP_ERROR_TIMEOUT (CFE_PSP_STATUS_C(-4)) Definition at line 69 of file cfe_psp_error.h.

11.90.2.5 CFE_PSP_INVALID_INT_NUM #define CFE_PSP_INVALID_INT_NUM (CFE_PSP_STATUS_C(-5)) Definition at line 70 of file cfe_psp_error.h.

11.90.2.6 CFE_PSP_INVALID_MEM_ADDR #define CFE_PSP_INVALID_MEM_ADDR (CFE_PSP_STATUS_C(-21)) Definition at line 71 of file cfe_psp_error.h.

```
11.90.2.7 CFE_PSP_INVALID_MEM_ATTR #define CFE_PSP_INVALID_MEM_ATTR (CFE_PSP_STATUS_C(-26)) Definition at line 76 of file cfe_psp_error.h.
```

11.90.2.9 CFE_PSP_INVALID_MEM_SIZE #define CFE_PSP_INVALID_MEM_SIZE (CFE_PSP_STATUS_C(-25)) Definition at line 75 of file cfe_psp_error.h.

11.90.2.10 CFE_PSP_INVALID_MEM_TYPE #define CFE_PSP_INVALID_MEM_TYPE (CFE_PSP_STATUS_C(-22)) Definition at line 72 of file cfe_psp_error.h.

11.90.2.11 CFE_PSP_INVALID_MEM_WORDSIZE #define CFE_PSP_INVALID_MEM_WORDSIZE (CFE_PSP_STATUS_C (-24)) Definition at line 74 of file cfe_psp_error.h.

11.90.2.12 CFE_PSP_INVALID_MODULE_ID #define CFE_PSP_INVALID_MODULE_ID (CFE_PSP_STATUS_C (-29)) Definition at line 79 of file cfe psp error.h.

11.90.2.13 CFE_PSP_INVALID_MODULE_NAME #define CFE_PSP_INVALID_MODULE_NAME (CFE_PSP_STATUS_C(-28)) Definition at line 78 of file cfe_psp_error.h.

11.90.2.14 CFE_PSP_INVALID_POINTER #define CFE_PSP_INVALID_POINTER (CFE_PSP_STATUS_C (-2)) Definition at line 67 of file cfe_psp_error.h.

11.90.2.15 CFE_PSP_NO_EXCEPTION_DATA #define CFE_PSP_NO_EXCEPTION_DATA (CFE_PSP_STATUS_C (-30)) Definition at line 80 of file cfe_psp_error.h.

PSP Status macro for literal.

Definition at line 36 of file cfe psp error.h.

11.90.2.17 CFE_PSP_STATUS_STRING_LENGTH #define CFE_PSP_STATUS_STRING_LENGTH 12

PSP Status converted to string length limit.

Used for sizing CFE_PSP_StatusString_t intended for use in printing CFE_PSP_Status_t values Sized for Id (LONG ← _MIN) including NULL

Definition at line 44 of file cfe_psp_error.h.

11.90.3 Typedef Documentation

11.90.3.1 CFE_PSP_Status_t typedef int32 CFE_PSP_Status_t

PSP Status type for readability and potentially type safety.

Definition at line 31 of file cfe_psp_error.h.

11.90.3.2 CFE_PSP_StatusString_t typedef char CFE_PSP_StatusString_t[CFE_PSP_STATUS_STRING_LENGTH] For the CFE_PSP_StatusToString() function, to ensure everyone is making an array of the same length.

Definition at line 50 of file cfe_psp_error.h.

11.90.4 Function Documentation

Convert status to a string.

Parameters

in	status	Status value to convert
out	status_string	Buffer to store status converted to string

Returns

Passed in string pointer

Index

EXTENSION	CFE_FS_Header, 474
common_types.h, 896	AppMessageSentCounter
	CFE_EVS_AppTImData, 458
accuracy	AppMessageSquelchedCounter
OS_timebase_prop_t, 556	CFE EVS AppTImData, 458
OS_timer_prop_t, 556	AppName
ActiveBuffer	CFE_ES_TaskInfo, 451
CFE_TBL_HousekeepingTlm_Payload, 506	CFE_EVS_AppNameBitMaskCmd_Payload, 453
ActiveBufferAddr	CFE_EVS_AppNameCmd_Payload, 454
CFE_TBL_TblRegPacket_Payload, 516	CFE_EVS_AppNameEventIDCmd_Payload, 456
ActiveTableFlag	CFE_EVS_AppNameEventIDMaskCmd_Payload
•	457
CFE_TBL_DumpCmd_Payload, 501	
CFE_TBL_ValidateCmd_Payload, 520	CFE_EVS_PacketID, 467
ActualLength	CFE_SB_PipeInfoEntry, 485
OS_SockAddr_t, 551	CFE_SB_RoutingFileEntry, 488
addr	ARGCHECK
OS_module_prop_t, 549	osapi-macros.h, 918
AddrData	AtToneDelay
OS_SockAddr_t, 551	CFE_TIME_DiagnosticTlm_Payload, 523
Address	AtToneLatch
OS_static_symbol_record_t, 553	CFE_TIME_DiagnosticTlm_Payload, 523
AddressesAreValid	AtToneLeapSeconds
CFE_ES_AppInfo, 415	CFE TIME DiagnosticTlm Payload, 523
AlignPtr	CFE TIME ToneDataCmd Payload, 541
OS_SockAddrData_t, 551	AtToneMET
AlignU32	CFE_TIME_DiagnosticTlm_Payload, 523
OS_SockAddrData_t, 552	CFE_TIME_ToneDataCmd_Payload, 541
AppData	AtToneState
CFE_EVS_HousekeepingTlm_Payload, 462	CFE_TIME_ToneDataCmd_Payload, 541
AppDataFilename	AtToneSTCF
CFE_EVS_AppDataCmd_Payload, 452	CFE_TIME_DiagnosticTIm_Payload, 523
AppEnableStatus	CFE_TIME_ToneDataCmd_Payload, 542
CFE_EVS_AppTImData, 458	
AppEntryPoint	BitMask
CFE_ES_StartAppCmd_Payload, 447	CFE_EVS_AppNameBitMaskCmd_Payload, 453
AppFileName	CFE_EVS_BitMaskCmd_Payload, 460
CFE_ES_AppReloadCmd_Payload, 419	block_size
CFE_ES_StartAppCmd_Payload, 447	OS_statvfs_t, 554
AppID	blocks_free
CFE_EVS_AppTImData, 458	OS_statvfs_t, 554
Appld	BlockSize
CFE_ES_TaskInfo, 451	CFE_ES_BlockStats, 420
CFE SB PipeInfoEntry, 485	BlockStats
AppInfo	CFE_ES_MemPoolStats, 434
CFE_ES_OneAppTlm_Payload, 437	BootSource
,	CFE_ES_HousekeepingTlm_Payload, 428
Application CEE ES Application Poyload 410	
CFE_ES_AppNameCmd_Payload, 419	bss_address
CFE_ES_AppReloadCmd_Payload, 420	OS_module_address_t, 548
CFE_ES_SendMemPoolStatsCmd_Payload, 442	bss_size
CFE_ES_StartAppCmd_Payload, 447	OS_module_address_t, 548
ApplicationID	BSSAddress

CEE ES Appleto 415	CFE_ES_DeleteChildTask, 157
CFE_ES_AppInfo, 415 BSSSize	CFE ES ExitChildTask, 158
CFE_ES_AppInfo, 415	CFE ES GetTaskIDByName, 158
BUFF_SIZE	CFE_ES_GetTaskName, 159
cfe psp.h, 939	cFE Clock State Flag Defines, 287
Buffer	CFE TIME FLAG ADD1HZ, 287
OS_SockAddrData_t, 552	CFE TIME FLAG ADDADJ, 287
BUGCHECK	CFE TIME FLAG ADDTCL, 287
osapi-macros.h, 918	CFE_TIME_FLAG_CLKSET, 287
BUGCHECK_VOID	CFE TIME FLAG CMDFLY, 288
osapi-macros.h, 919	CFE TIME FLAG FLYING, 288
BUGREPORT	CFE_TIME_FLAG_GDTONE, 288
osapi-macros.h, 919	CFE_TIME_FLAG_REFERR, 288
build/osal_public_api/inc/osconfig.h, 557	CFE_TIME_FLAG_SERVER, 288
ByteAlign4	CFE TIME FLAG SIGPRI, 288
CFE_TBL_TblRegPacket_Payload, 516	CFE_TIME_FLAG_SRCINT, 288
ByteAlignPad1	CFE_TIME_FLAG_SRVFLY, 288
CFE_TBL_HousekeepingTlm_Payload, 506	CFE_TIME_FLAG_UNUSED, 288
ByteAlignSpare	cFE Critical Data Store APIs, 163
CFE_ES_CDSRegDumpRec, 421	CFE_ES_CopyToCDS, 163
of E_Eo_obortegbamprico, 421	CFE_ES_GetCDSBlockIDByName, 164
CCSDS_ExtendedHeader, 413	CFE ES GetCDSBlockName, 164
Subsystem, 413	CFE_ES_RegisterCDS, 165
SystemId, 413	CFE_ES_RestoreFromCDS, 166
CCSDS_ExtendedHeader_t	cFE Entry/Exit APIs, 138
ccsds_hdr.h, 796	CFE_ES_Main, 138
ccsds_hdr.h	CFE_ES_ResetCFE, 138
CCSDS_ExtendedHeader_t, 796	cFE External Time Source APIs, 277
CCSDS_PrimaryHeader_t, 796	CFE_TIME_ExternalGPS, 277
CCSDS_PrimaryHeader, 413	CFE_TIME_ExternalMET, 278
Length, 414	CFE_TIME_ExternalTime, 278
Sequence, 414	CFE_TIME_ExternalTone, 279
Streamld, 414	CFE_TIME_RegisterSynchCallback, 279
CCSDS_PrimaryHeader_t	CFE_TIME_UnregisterSynchCallback, 280
ccsds_hdr.h, 796	cFE File Header Management APIs, 191
CdsName	CFE FS InitHeader, 191
CFE_ES_DeleteCDSCmd_Payload, 423	CFE_FS_ReadHeader, 191
cFE Access Table Content APIs, 256	CFE_FS_SetTimestamp, 192
CFE_TBL_GetAddress, 256	CFE FS WriteHeader, 193
CFE_TBL_GetAddresses, 257	cFE File Utility APIs, 195
CFE TBL ReleaseAddress, 258	CFE_FS_BackgroundFileDumpIsPending, 195
CFE_TBL_ReleaseAddresses, 259	CFE FS BackgroundFileDumpRequest, 196
cFE Application Behavior APIs, 143	CFE FS ExtractFilenameFromPath, 196
CFE_ES_ExitApp, 143	CFE_FS_GetDefaultExtension, 197
CFE_ES_IncrementTaskCounter, 144	CFE_FS_GetDefaultMountPoint, 197
CFE_ES_RunLoop, 144	CFE FS ParseInputFileName, 197
CFE ES WaitForStartupSync, 145	CFE_FS_ParseInputFileNameEx, 198
CFE ES WaitForSystemState, 145	cFE Generic Counter APIs, 177
cFE Application Control APIs, 140	CFE_ES_DeleteGenCounter, 177
CFE_ES_DeleteApp, 140	CFE_ES_GetGenCount, 178
CFE_ES_ReloadApp, 140	CFE_ES_GetGenCounterIDByName, 178
CFE_ES_RestartApp, 141	CFE_ES_GetGenCounterName, 179
cFE Child Task APIs, 156	CFE_ES_IncrementGenCounter, 180
CFE_ES_CreateChildTask, 156	CFE_ES_RegisterGenCounter, 180

CFE_ES_SetGenCount, 181	cFE Message Extended Header APIs, 210
cFE Generic Message APIs, 200	CFE_MSG_GetEDSVersion, 210
CFE_MSG_Init, 200	CFE_MSG_GetEndian, 211
cFE Get Current Time APIs, 266	CFE_MSG_GetPlaybackFlag, 211
CFE_TIME_GetMET, 266	CFE_MSG_GetSubsystem, 212
CFE_TIME_GetMETseconds, 266	CFE_MSG_GetSystem, 212
CFE_TIME_GetMETsubsecs, 267	CFE_MSG_SetEDSVersion, 213
CFE_TIME_GetTAI, 267	CFE_MSG_SetEndian, 213
CFE_TIME_GetTime, 268	CFE_MSG_SetPlaybackFlag, 214
CFE_TIME_GetUTC, 268	CFE_MSG_SetSubsystem, 214
cFE Get Table Information APIs, 261	CFE_MSG_SetSystem, 215
CFE_TBL_GetInfo, 261	cFE Message ID APIs, 242
CFE_TBL_GetStatus, 262	CFE_SB_IsValidMsgId, 242
CFE_TBL_NotifyByMessage, 262	CFE_SB_Msgld_Equal, 242
cFE Get Time Information APIs, 269	CFE_SB_MsgldToValue, 243
CFE_TIME_GetClockInfo, 269	CFE_SB_ValueToMsgld, 243
CFE_TIME_GetClockState, 269	cFE Message Id APIs, 221
CFE_TIME_GetLeapSeconds, 270	CFE_MSG_GetMsgld, 221
CFE_TIME_GetSTCF, 270	CFE_MSG_GetTypeFromMsgld, 221
cFE Information APIs, 147	CFE_MSG_SetMsgld, 222
CFE_ES_GetAppID, 147	cFE Message Primary Header APIs, 201
CFE_ES_GetAppIDByName, 148	CFE_MSG_GetApId, 201
CFE_ES_GetAppInfo, 148	CFE_MSG_GetHasSecondaryHeader, 202
CFE_ES_GetAppName, 149	CFE_MSG_GetHeaderVersion, 202
CFE_ES_GetLibIDByName, 150	CFE_MSG_GetNextSequenceCount, 203
CFE_ES_GetLibInfo, 150	CFE_MSG_GetSegmentationFlag, 203
CFE_ES_GetLibName, 151	CFE_MSG_GetSequenceCount, 204
CFE_ES_GetModuleInfo, 152	CFE_MSG_GetSize, 204
CFE_ES_GetResetType, 153	CFE_MSG_GetType, 205
CFE_ES_GetTaskID, 153	CFE_MSG_SetApId, 205
CFE_ES_GetTaskInfo, 154	CFE_MSG_SetHasSecondaryHeader, 206
cFE Manage Table Content APIs, 250	CFE_MSG_SetHeaderVersion, 206
CFE_TBL_DumpToBuffer, 250	CFE_MSG_SetSegmentationFlag, 207
CFE_TBL_Load, 251	CFE_MSG_SetSequenceCount, 207
CFE_TBL_Manage, 252	CFE_MSG_SetSize, 208
CFE_TBL_Modified, 253	CFE_MSG_SetType, 208
CFE_TBL_Update, 253	cFE Message Secondary Header APIs, 216
CFE_TBL_Validate, 254	CFE_MSG_GenerateChecksum, 216
cFE Memory Manager APIs, 168	CFE_MSG_GetFcnCode, 217
CFE_ES_GetMemPoolStats, 168	CFE_MSG_GetMsgTime, 217
CFE_ES_GetPoolBuf, 169	CFE_MSG_SetFcnCode, 218
CFE_ES_GetPoolBufInfo, 169	CFE_MSG_SetMsgTime, 218
CFE ES PoolCreate, 170	CFE MSG ValidateChecksum, 219
CFE ES PoolCreateEx, 171	cFE Message Subscription Control APIs, 228
CFE_ES_PoolCreateNoSem, 172	CFE_SB_Subscribe, 228
CFE_ES_PoolDelete, 173	CFE_SB_SubscribeEx, 229
CFE_ES_PutPoolBuf, 174	CFE SB SubscribeLocal, 230
cFE Message Characteristics APIs, 238	CFE SB Unsubscribe, 230
CFE SB GetUserData, 238	CFE_SB_UnsubscribeLocal, 231
CFE_SB_GetUserDataLength, 238	cFE Miscellaneous APIs, 160
CFE_SB_MessageStringGet, 239	CFE_ES_BackgroundWakeup, 160
CFE_SB_MessageStringSet, 240	CFE ES CalculateCRC, 160
CFE_SB_SetUserDataLength, 241	CFE ES ProcessAsyncEvent, 161
CFE_SB_TimeStampMsg, 241	CFE_ES_WriteToSysLog, 161
or E_ob_rimeotampivisy, 241	OFE_ES_vviile103ySE0g, 101

cFE Miscellaneous Time APIs, 282	CFE_ES_APP_CLEANUP_ERR, 118
CFE_TIME_Local1HzISR, 282	CFE_ES_BAD_ARGUMENT, 118
CFE_TIME_Print, 282	CFE_ES_BIN_SEM_DELETE_ERR, 118
cFE Performance Monitor APIs, 175	CFE_ES_BUFFER_NOT_IN_POOL, 118
CFE_ES_PerfLogAdd, 176	CFE_ES_CDS_ACCESS_ERROR, 118
CFE_ES_PerfLogEntry, 175	CFE_ES_CDS_ALREADY_EXISTS, 119
CFE_ES_PerfLogExit, 175	CFE_ES_CDS_BLOCK_CRC_ERR, 119
cFE Pipe Management APIs, 223	CFE_ES_CDS_INSUFFICIENT_MEMORY, 119
CFE_SB_CreatePipe, 223	CFE_ES_CDS_INVALID, 119
CFE_SB_DeletePipe, 224	CFE ES CDS INVALID NAME, 119
CFE_SB_GetPipeIdByName, 224	CFE_ES_CDS_INVALID_SIZE, 119
CFE_SB_GetPipeName, 225	CFE_ES_CDS_OWNER_ACTIVE_ERR, 119
CFE_SB_GetPipeOpts, 226	CFE_ES_CDS_WRONG_TYPE_ERR, 119
CFE_SB_Pipeld_ToIndex, 226	CFE_ES_COUNT_SEM_DELETE_ERR, 120
CFE_SB_SetPipeOpts, 227	CFE_ES_ERR_APP_CREATE, 120
cFE Registration APIs, 183, 245	CFE_ES_ERR_APP_REGISTER, 120
CFE EVS Register, 183	CFE ES ERR CHILD TASK CREATE, 120
— — - -	CFE ES ERR CHILD TASK DELETE, 120
CFE_TBL_Register, 245	
CFE_TBL_Share, 247	CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK,
CFE_TBL_Unregister, 248	120
cFE Reset Event Filter APIs, 189	CFE_ES_ERR_CHILD_TASK_REGISTER, 120
CFE_EVS_ResetAllFilters, 189	CFE_ES_ERR_DUPLICATE_NAME, 120
CFE_EVS_ResetFilter, 189	CFE_ES_ERR_LOAD_LIB, 121
cFE Resource ID APIs, 135	CFE_ES_ERR_MEM_BLOCK_SIZE, 121
CFE_ES_AppID_ToIndex, 135	CFE_ES_ERR_NAME_NOT_FOUND, 121
CFE_ES_CounterID_ToIndex, 135	CFE_ES_ERR_RESOURCEID_NOT_VALID, 121
CFE_ES_LibID_ToIndex, 136	CFE_ES_ERR_SYS_LOG_FULL, 121
CFE_ES_TaskID_ToIndex, 137	CFE_ES_ERR_SYS_LOG_TRUNCATED, 121
cFE Resource ID base values, 285	CFE_ES_FILE_CLOSE_ERR, 121
CFE_CONFIGID_BASE, 286	CFE_ES_FILE_IO_ERR, 121
CFE_ES_APPID_BASE, 285	CFE_ES_LIB_ALREADY_LOADED, 122
CFE_ES_CDSBLOCKID_BASE, 286	CFE_ES_MUT_SEM_DELETE_ERR, 122
CFE_ES_COUNTID_BASE, 285	CFE_ES_NO_RESOURCE_IDS_AVAILABLE, 122
CFE ES LIBID BASE, 285	CFE ES NOT IMPLEMENTED, 122
CFE_ES_POOLID_BASE, 286	CFE_ES_OPERATION_TIMED_OUT, 122
CFE_ES_TASKID_BASE, 285	CFE_ES_POOL_BLOCK_INVALID, 122
CFE_RESOURCEID_CONFIGID_BASE_OFFSET,	CFE_ES_QUEUE_DELETE_ERR, 122
285	CFE_ES_RST_ACCESS_ERR, 122
CFE_RESOURCEID_ES_APPID_BASE_OFFSET,	CFE ES TASK DELETE ERR, 122
285	CFE ES TIMER DELETE ERR, 123
CFE_RESOURCEID_ES_CDSBLOCKID_BASE_OFFSET,	
	CFE_EVS_APP_ILLEGAL_APP_ID, 123
285	CFE_EVS_APP_NOT_REGISTERED, 123
CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET,	
285	CFE_EVS_APP_SQUELCHED, 123
CFE_RESOURCEID_ES_LIBID_BASE_OFFSET,	CFE_EVS_EVT_NOT_REGISTERED, 123
285	CFE_EVS_FILE_WRITE_ERROR, 123
CFE_RESOURCEID_ES_POOLID_BASE_OFFSET,	CFE_EVS_INVALID_PARAMETER, 123
285	CFE_EVS_NOT_IMPLEMENTED, 124
CFE_RESOURCEID_ES_TASKID_BASE_OFFSET,	CFE_EVS_RESET_AREA_POINTER, 124
285	CFE_EVS_UNKNOWN_FILTER, 124
CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OF	
285	CFE_FS_FNAME_TOO_LONG, 124
CFE_SB_PIPEID_BASE, 286	CFE_FS_INVALID_PATH, 124
cFE Return Code Defines, 113	CFE_FS_NOT_IMPLEMENTED, 124

CFE_SB_BAD_ARGUMENT, 124	CFE_TBL_INFO_NO_UPDATE_PENDING, 131
CFE_SB_BUF_ALOC_ERR, 124	CFE_TBL_INFO_NO_VALIDATION_PENDING, 132
CFE_SB_BUFFER_INVALID, 125	CFE TBL INFO RECOVERED TBL, 132
CFE_SB_INTERNAL_ERR, 125	CFE_TBL_INFO_TABLE_LOCKED, 132
CFE_SB_MAX_DESTS_MET, 125	CFE_TBL_INFO_UPDATE_PENDING, 132
CFE SB MAX MSGS MET, 125	CFE TBL INFO UPDATED, 132
CFE_SB_MAX_PIPES_MET, 125	CFE_TBL_INFO_VALIDATION_PENDING, 132
CFE_SB_MSG_TOO_BIG, 125	CFE_TBL_MESSAGE_ERROR, 132
CFE_SB_NO_MESSAGE, 125	CFE_TBL_NOT_IMPLEMENTED, 132
CFE SB NOT IMPLEMENTED, 126	CFE TBL WARN DUPLICATE, 133
CFE_SB_PIPE_CR_ERR, 126	CFE TBL WARN NOT CRITICAL, 133
CFE_SB_PIPE_RD_ERR, 126	CFE_TBL_WARN_PARTIAL_LOAD, 133
CFE_SB_TIME_OUT, 126	CFE_TBL_WARN_SHORT_FILE, 133
CFE_SB_WRONG_MSG_TYPE, 126	CFE_TIME_BAD_ARGUMENT, 133
CFE_STATUS_BAD_COMMAND_CODE, 126	CFE_TIME_CALLBACK_NOT_REGISTERED, 133
CFE_STATUS_EXTERNAL_RESOURCE_FAIL, 126	CFE_TIME_INTERNAL_ONLY, 133
CFE_STATUS_NO_COUNTER_INCREMENT, 127	CFE_TIME_NOT_IMPLEMENTED, 134
CFE_STATUS_NOT_IMPLEMENTED, 127	CFE_TIME_OUT_OF_RANGE, 134
CFE_STATUS_REQUEST_ALREADY_PENDING,	CFE_TIME_TOO_MANY_SYNCH_CALLBACKS,
127	134
CFE_STATUS_UNKNOWN_MSG_ID, 127	cFE SB Pipe options, 244
CFE_STATUS_WRONG_MSG_LENGTH, 127	CFE_SB_PIPEOPTS_IGNOREMINE, 244
CFE_SUCCESS, 127	cFE Send Event APIs, 185
CFE_TBL_BAD_ARGUMENT, 127	CFE_EVS_SendEvent, 185
CFE_TBL_ERR_ACCESS, 128	CFE_EVS_SendEventWithAppID, 186
CFE_TBL_ERR_BAD_CONTENT_ID, 128	CFE_EVS_SendTimedEvent, 187
CFE_TBL_ERR_BAD_PROCESSOR_ID, 128	cFE Send/Receive Message APIs, 233
CFE_TBL_ERR_BAD_SPACECRAFT_ID, 128	CFE_SB_ReceiveBuffer, 233
CFE_TBL_ERR_BAD_SUBTYPE_ID, 128	CFE_SB_TransmitMsg, 234
CFE_TBL_ERR_DUMP_ONLY, 128	cFE Table Type Defines, 264
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 128	CFE_TBL_OPT_BUFFER_MSK, 264
CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 128	CFE_TBL_OPT_CRITICAL, 264
CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 129	CFE_TBL_OPT_CRITICAL_MSK, 264
CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 129	CFE_TBL_OPT_DBL_BUFFER, 264
CFE_TBL_ERR_FILE_TOO_LARGE, 129	CFE_TBL_OPT_DEFAULT, 265
CFE_TBL_ERR_FILENAME_TOO_LONG, 129	CFE_TBL_OPT_DUMP_ONLY, 265
CFE_TBL_ERR_HANDLES_FULL, 129	CFE_TBL_OPT_LD_DMP_MSK, 265
CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 129	CFE_TBL_OPT_LOAD_DUMP, 265
CFE TBL ERR INVALID HANDLE, 129	CFE TBL OPT NOT CRITICAL, 265
CFE_TBL_ERR_INVALID_NAME, 129	CFE_TBL_OPT_NOT_USR_DEF, 265
CFE_TBL_ERR_INVALID_OPTIONS, 130	CFE_TBL_OPT_SNGL_BUFFER, 265
CFE_TBL_ERR_INVALID_SIZE, 130	CFE_TBL_OPT_USR_DEF_ADDR, 265
CFE TBL ERR LOAD IN PROGRESS, 130	CFE_TBL_OPT_USR_DEF_MSK, 265
CFE_TBL_ERR_LOAD_INCOMPLETE, 130	cFE Time Arithmetic APIs, 272
CFE_TBL_ERR_NEVER_LOADED, 130	CFE_TIME_Add, 272
CFE TBL ERR NO ACCESS, 130	CFE_TIME_Compare, 272
CFE_TBL_ERR_NO_BUFFER_AVAIL, 130	CFE_TIME_Subtract, 273
CFE_TBL_ERR_NO_STD_HEADER, 131	cFE Time Conversion APIs, 275
CFE_TBL_ERR_NO_TBL_HEADER, 131	CFE_TIME_MET2SCTime, 275
	CFE_TIME_Micro2SubSecs, 275
CFE_TBL_ERR_PARTIAL_LOAD, 131	
CFE_TBL_ERR_REGISTRY_FULL, 131	CFE_TIME_Sub2MicroSecs, 276
CFE_TBL_ERR_SHORT_FILE, 131	CFE Zero Copy APIs, 235
CFE_TBL_ERR_UNREGISTERED, 131	CFE_SB_AllocateMessageBuffer, 235
CFF TBI INFO DUMP PENDING, 131	CFE_SB_ReleaseMessageBuffer, 235

CEE SR TransmitBuffor 226	ofo/modulos/mod/fow/ing/goods, hdr.h. 705
CFE_SB_TransmitBuffer, 236 cfe/docs/src/cfe_api.dox, 628	cfe/modules/msg/fsw/inc/ccsds_hdr.h, 795 cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h,
cfe/docs/src/cfe_es.dox, 628	796
cfe/docs/src/cfe_evs.dox, 628	cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h,
cfe/docs/src/cfe_frontpage.dox, 628	797
cfe/docs/src/cfe_glossary.dox, 628	cfe/modules/sb/fsw/inc/cfe sb events.h, 798
cfe/docs/src/cfe_sb.dox, 628	cfe/modules/sb/fsw/inc/cfe_sb_msg.h, 817
cfe/docs/src/cfe_tbl.dox, 628	cfe/modules/tbl/fsw/inc/cfe_tbl_events.h, 830
cfe/docs/src/cfe_time.dox, 628	cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h, 850
cfe/docs/src/cfe_xref.dox, 628	cfe/modules/time/fsw/inc/cfe_time_events.h, 864
cfe/docs/src/cfs_versions.dox, 628	cfe/modules/time/fsw/inc/cfe_time_msg.h, 874
cfe/modules/core_api/fsw/inc/cfe.h, 628	CFE_BIT
cfe/modules/core_api/fsw/inc/cfe_config.h, 628	cfe_sb.h, 684
cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h,	CFE_BUILD_BASELINE
631	cfe_version.h, 704
cfe/modules/core_api/fsw/inc/cfe_endian.h, 632	CFE_BUILD_NUMBER
cfe/modules/core_api/fsw/inc/cfe_error.h, 633	cfe_version.h, 704
cfe/modules/core_api/fsw/inc/cfe_es.h, 641	CFE_CLR
cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h, 645	cfe_sb.h, 684
cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h,	cfe_config.h
649	CFE_Config_GetIdByName, 629
cfe/modules/core_api/fsw/inc/cfe_evs.h, 657	CFE_Config_GetName, 629
cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h, 659	CFE_Config_GetObjPointer, 630
cfe/modules/core_api/fsw/inc/cfe_evs_extern_typedefs.h,	CFE_Config_GetString, 630
661	CFE_Config_GetValue, 630
cfe/modules/core_api/fsw/inc/cfe_fs.h, 664	CFE_Config_IterateAll, 631
cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h, 665	cfe_config_api_typedefs.h
cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h,	CFE_Config_Callback_t, 632
667	CFE_CONFIGID_C, 632
cfe/modules/core_api/fsw/inc/cfe_msg.h, 670	CFE_Configld_t, 632
cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h,	CFE_CONFIGID_UNDEFINED, 632
672	CFE_Config_Callback_t
cfe/modules/core_api/fsw/inc/cfe_resourceid.h, 676	cfe_config_api_typedefs.h, 632
cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.l	
681	cfe_config.h, 629
cfe/modules/core_api/fsw/inc/cfe_sb.h, 682	CFE_Config_GetName
cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h, 684	
cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h,	CFE_Config_GetObjPointer
688	cfe_config.h, 630
cfe/modules/core_api/fsw/inc/cfe_tbl.h, 690	CFE_Config_GetString
cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h, 691	cfe_config.h, 630
cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h,	CFE_Config_GetValue
693	cfe_config.h, 630
cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h, 694	CFE_Config_IterateAll
cfe/modules/core_api/fsw/inc/cfe_time.h, 696	cfe_config.h, 631
cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h, 697	CFE_CONFIGID_BASE cFE Resource ID base values, 286
cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h,	CFE_CONFIGID_C
699	cfe_config_api_typedefs.h, 632
cfe/modules/core_api/fsw/inc/cfe_version.h, 704	CFE_Configld_t
cfe/modules/es/fsw/inc/cfe_es_events.h, 706	cfe_config_api_typedefs.h, 632
cfe/modules/es/fsw/inc/cfe_es_msg.h, 731	CFE_CONFIGID_UNDEFINED
cfe/modules/evs/fsw/inc/cfe_evs_events.h, 759	cfe_config_api_typedefs.h, 632
cfe/modules/evs/fsw/inc/cfe_evs_msg.h, 770	cfe_endian.h

CFE_MAKE_BIG16, 632 CFE_MAKE_BIG32, 632	CFE_ES_TASKID_C, 648 CFE_ES_TASKID_UNDEFINED, 648
cfe_error.h	CFE_ES_USE_MUTEX, 648
CFE_ES_StatusToString, 641	CFE_ES_APP_CLEANUP_ERR
-	
CFE_EVENTS_SERVICE, 639	cFE Return Code Defines, 118
CFE_EXECUTIVE_SERVICE, 639	CFE_ES_APP_RESTART
CFE_FILE_SERVICE, 639	cfe_es_api_typedefs.h, 646
CFE_GENERIC_SERVICE, 639	CFE_ES_APP_TLM_MID
CFE_SERVICE_BITMASK, 639	cpu1_msgids.h, 565
CFE_SEVERITY_BITMASK, 639	CFE_ES_APPID_BASE
CFE_SEVERITY_ERROR, 639	cFE Resource ID base values, 285
CFE_SEVERITY_INFO, 640	CFE_ES_APPID_C
CFE_SEVERITY_SUCCESS, 640	cfe_es_api_typedefs.h, 646
CFE_SOFTWARE_BUS_SERVICE, 640	CFE_ES_AppId_t
CFE_STATUS_C, 640	cfe_es_extern_typedefs.h, 652
CFE_STATUS_STRING_LENGTH, 640	CFE_ES_AppID_ToIndex
CFE_Status_t, 640	cFE Resource ID APIs, 135
CFE_StatusString_t, 640	CFE_ES_APPID_UNDEFINED
CFE_TABLE_SERVICE, 640	cfe_es_api_typedefs.h, 646
CFE TIME SERVICE, 640	CFE_ES_AppInfo, 414
cfe_es.h	AddressesAreValid, 415
CFE ES DBIT, 644	BSSAddress, 415
CFE_ES_DTEST, 644	BSSSize, 415
CFE_ES_TEST_LONG_MASK, 644	CodeAddress, 415
OS PRINTF, 644	CodeSize, 416
CFE_ES_ALL_APPS_EID	DataAddress, 416
cfe_es_events.h, 709	DataSize, 416
cfe_es_api_typedefs.h	EntryPoint, 416
CFE_ES_APP_RESTART, 646	ExceptionAction, 416
CFE_ES_APPID_C, 646	ExecutionCounter, 416
CFE_ES_APPID_UNDEFINED, 646	FileName, 416
CFE_ES_CDS_BAD_HANDLE, 646	MainTaskId, 417
CFE_ES_CDSHANDLE_C, 646	MainTaskName, 417
CFE_ES_ChildTaskMainFuncPtr_t, 648	Name, 417
CFE_ES_COUNTERID_C, 647	NumOfChildTasks, 417
CFE_ES_COUNTERID_UNDEFINED, 647	Priority, 417
CFE_ES_CrcType_CRC_16, 649	Resourceld, 417
CFE_ES_CrcType_CRC_32, 649	StackSize, 417
CFE_ES_CrcType_CRC_8, 649	StartAddress, 418
CFE_ES_CrcType_Enum, 649	Type, 418
CFE_ES_CrcType_Enum_t, 648	CFE_ES_AppInfo_t
CFE_ES_LIBID_C, 647	cfe_es_extern_typedefs.h, 652
CFE_ES_LIBID_UNDEFINED, 647	CFE_ES_AppNameCmd, 418
CFE_ES_LibraryEntryFuncPtr_t, 648	CommandHeader, 418
CFE_ES_MEMHANDLE_C, 647	Payload, 418
CFE_ES_MEMHANDLE_UNDEFINED, 647	CFE_ES_AppNameCmd_Payload, 419
CFE ES MEMPOOLBUF C, 647	Application, 419
CFE_ES_MemPoolBuf_t, 648	CFE ES AppNameCmd Payload t
CFE_ES_NO_MUTEX, 647	cfe_es_msg.h, 754
CFE_ES_PoolAlign_t, 649	CFE_ES_AppNameCmd_t
CFE_ES_StackPointer_t, 649	cfe_es_msg.h, 754
CFE_ES_STATIC_POOL_TYPE, 647	CFE_ES_AppReloadCmd_Payload, 419
CFE_ES_TASK_STACK_ALLOCATE, 648	AppFileName, 419
CFE_ES_TaskEntryFuncPtr_t, 649	Application, 420
,,	[1] ,

CFE_ES_AppReloadCmd_Payload_t	CFE_ES_CDS_ALREADY_EXISTS
cfe_es_msg.h, 755	cFE Return Code Defines, 119
CFE_ES_AppState	CFE_ES_CDS_BAD_HANDLE
cfe_es_extern_typedefs.h, 655	cfe_es_api_typedefs.h, 646
CFE_ES_AppState_EARLY_INIT	CFE_ES_CDS_BLOCK_CRC_ERR
cfe_es_extern_typedefs.h, 655	cFE Return Code Defines, 119
CFE_ES_AppState_Enum_t	CFE_ES_CDS_DELETE_ERR_EID
cfe_es_extern_typedefs.h, 652	cfe_es_events.h, 710
CFE_ES_AppState_LATE_INIT	CFE_ES_CDS_DELETE_TBL_ERR_EID
cfe_es_extern_typedefs.h, 655	cfe_es_events.h, 710
CFE_ES_AppState_MAX	CFE_ES_CDS_DELETED_INFO_EID
cfe_es_extern_typedefs.h, 656	cfe_es_events.h, 710
CFE_ES_AppState_RUNNING	CFE_ES_CDS_DUMP_ERR_EID
cfe_es_extern_typedefs.h, 656	cfe_es_events.h, 711
CFE_ES_AppState_STOPPED	CFE_ES_CDS_INSUFFICIENT_MEMORY
cfe_es_extern_typedefs.h, 656	cFE Return Code Defines, 119
CFE_ES_AppState_UNDEFINED	CFE_ES_CDS_INVALID
cfe_es_extern_typedefs.h, 655	cFE Return Code Defines, 119
CFE_ES_AppState_WAITING	CFE_ES_CDS_INVALID_NAME
cfe_es_extern_typedefs.h, 656	cFE Return Code Defines, 119
CFE ES AppType	CFE_ES_CDS_INVALID_SIZE
cfe_es_extern_typedefs.h, 656	cFE Return Code Defines, 119
CFE_ES_AppType_CORE	CFE_ES_CDS_NAME_ERR_EID
cfe_es_extern_typedefs.h, 656	cfe_es_events.h, 711
CFE_ES_AppType_Enum_t	CFE_ES_CDS_OWNER_ACTIVE_EID
cfe_es_extern_typedefs.h, 652	cfe_es_events.h, 711
CFE_ES_AppType_EXTERNAL	CFE_ES_CDS_OWNER_ACTIVE_ERR
cfe_es_extern_typedefs.h, 656	cFE Return Code Defines, 119
CFE_ES_AppType_LIBRARY	CFE_ES_CDS_REG_DUMP_INF_EID
cfe_es_extern_typedefs.h, 656	cfe_es_events.h, 711
CFE_ES_BackgroundWakeup	CFE_ES_CDS_REGISTER_ERR_EID
cFE Miscellaneous APIs, 160	cfe_es_events.h, 712
CFE_ES_BAD_ARGUMENT	CFE ES CDS WRONG TYPE ERR
cFE Return Code Defines, 118	cFE Return Code Defines, 119
CFE_ES_BIN_SEM_DELETE_ERR	CFE_ES_CDSBLOCKID_BASE
cFE Return Code Defines, 118	cFE Resource ID base values, 286
CFE_ES_BlockStats, 420	CFE_ES_CDSHANDLE_C
BlockSize, 420	cfe_es_api_typedefs.h, 646
NumCreated, 420	CFE_ES_CDSHandle_t
NumFree, 420	cfe_es_extern_typedefs.h, 653
CFE ES BlockStats t	CFE_ES_CDSRegDumpRec, 421
cfe_es_extern_typedefs.h, 652	ByteAlignSpare, 421
CFE_ES_BOOT_ERR_EID	Handle, 421
cfe_es_events.h, 709	Name, 421
CFE_ES_BUFFER_NOT_IN_POOL	Size, 421
cFE Return Code Defines, 118	Table, 421
CFE_ES_BUILD_INF_EID	CFE_ES_CDSRegDumpRec_t
cfe_es_events.h, 709	cfe_es_extern_typedefs.h, 653
CFE ES CalculateCRC	CFE_ES_ChildTaskMainFuncPtr_t
cFE Miscellaneous APIs, 160	cfe_es_api_typedefs.h, 648
CFE_ES_CC1_ERR_EID	CFE_ES_CLEAR_ER_LOG_CC
cfe_es_events.h, 710	cfe_es_msg.h, 734
CFE_ES_CDS_ACCESS_ERROR	CFE_ES_CLEAR_SYSLOG_CC
cFE Return Code Defines, 118	cfe es msg.h, 735

CFE_ES_ClearERLogCmd_t	cfe_es.h, 644
cfe_es_msg.h, 755	CFE_ES_DUMP_CDS_REGISTRY_CC
CFE_ES_ClearSysLogCmd_t	cfe_es_msg.h, 736
cfe_es_msg.h, 755	CFE_ES_DumpCDSRegistryCmd, 423
CFE_ES_CMD_MID	CommandHeader, 423
cpu1_msgids.h, 565	Payload, 423
CFE_ES_CopyToCDS	CFE_ES_DumpCDSRegistryCmd_Payload, 423
cFE Critical Data Store APIs, 163	DumpFilename, 424
CFE_ES_COUNT_SEM_DELETE_ERR	CFE_ES_DumpCDSRegistryCmd_Payload_t
cFE Return Code Defines, 120	cfe_es_msg.h, 755
CFE_ES_COUNTERID_C	CFE_ES_DumpCDSRegistryCmd_t
cfe_es_api_typedefs.h, 647	cfe es msg.h, 755
CFE_ES_CounterId_t	CFE_ES_ERLOG1_INF_EID
cfe_es_extern_typedefs.h, 653	cfe_es_events.h, 712
CFE_ES_CounterID_ToIndex	CFE_ES_ERLOG2_EID
cFE Resource ID APIs, 135	cfe_es_events.h, 712
CFE_ES_COUNTERID_UNDEFINED	CFE_ES_ERLOG2_ERR_EID
cfe_es_api_typedefs.h, 647	cfe_es_events.h, 713
CFE_ES_COUNTID_BASE	CFE_ES_ERLOG_PENDING_ERR_EID
cFE Resource ID base values, 285	cfe_es_events.h, 713
CFE_ES_CrcType_CRC_16	CFE_ES_ERR_APP_CREATE
cfe_es_api_typedefs.h, 649	cFE Return Code Defines, 120
CFE_ES_CrcType_CRC_32	CFE_ES_ERR_APP_REGISTER
cfe_es_api_typedefs.h, 649	cFE Return Code Defines, 120
CFE_ES_CrcType_CRC_8	CFE_ES_ERR_CHILD_TASK_CREATE
cfe_es_api_typedefs.h, 649	cFE Return Code Defines, 120
CFE_ES_CrcType_Enum	CFE_ES_ERR_CHILD_TASK_DELETE
cfe_es_api_typedefs.h, 649	cFE Return Code Defines, 120
CFE_ES_CrcType_Enum_t	CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK
cfe_es_api_typedefs.h, 648	cFE Return Code Defines, 120
CFE_ES_CreateChildTask	CFE_ES_ERR_CHILD_TASK_REGISTER
cFE Child Task APIs, 156	cFE Return Code Defines, 120
CFE_ES_CREATING_CDS_DUMP_ERR_EID	CFE_ES_ERR_DUPLICATE_NAME
cfe_es_events.h, 712	cFE Return Code Defines, 120
CFE ES DBIT	CFE_ES_ERR_LOAD_LIB
cfe_es.h, 644	cFE Return Code Defines, 121
CFE_ES_DELETE_CDS_CC	CFE_ES_ERR_MEM_BLOCK_SIZE
cfe es msg.h, 736	cFE Return Code Defines, 121
CFE ES DeleteApp	CFE_ES_ERR_NAME_NOT_FOUND
cFE Application Control APIs, 140	cFE Return Code Defines, 121
CFE_ES_DeleteCDSCmd, 422	CFE ES ERR RESOURCEID NOT VALID
CommandHeader, 422	cFE Return Code Defines, 121
Payload, 422	CFE_ES_ERR_SYS_LOG_FULL
CFE_ES_DeleteCDSCmd_Payload, 422	cFE Return Code Defines, 121
CdsName, 423	CFE_ES_ERR_SYS_LOG_TRUNCATED
CFE ES DeleteCDSCmd Payload t	cFE Return Code Defines, 121
cfe_es_msg.h, 755	CFE_ES_ERR_SYSLOGMODE_EID
CFE ES DeleteCDSCmd t	cfe_es_events.h, 713
cfe_es_msg.h, 755	CFE_ES_ERREXIT_APP_ERR_EID
CFE_ES_DeleteChildTask	cfe_es_events.h, 713
cFE Child Task APIs, 157	
	CFE_ES_ERREXIT_APP_INF_EID
CFE_ES_DeleteGenCounter cFE Generic Counter APIs, 177	

CFE_ES_BOOT_ERR_EID, 709	CFE_ES_RESTART_APP_ERR1_EID, 723
CFE_ES_BUILD_INF_EID, 709	CFE_ES_RESTART_APP_ERR2_EID, 723
CFE_ES_CC1_ERR_EID, 710	CFE_ES_RESTART_APP_ERR3_EID, 723
CFE_ES_CDS_DELETE_ERR_EID, 710	CFE_ES_RESTART_APP_ERR4_EID, 723
CFE_ES_CDS_DELETE_TBL_ERR_EID, 710	CFE_ES_RESTART_APP_INF_EID, 724
CFE_ES_CDS_DELETED_INFO_EID, 710	CFE_ES_SET_MAX_PR_COUNT_EID, 724
CFE_ES_CDS_DUMP_ERR_EID, 711	CFE_ES_START_ERR_EID, 724
CFE_ES_CDS_NAME_ERR_EID, 711	CFE_ES_START_EXC_ACTION_ERR_EID, 724
CFE_ES_CDS_OWNER_ACTIVE_EID, 711	CFE_ES_START_INF_EID, 725
CFE_ES_CDS_REG_DUMP_INF_EID, 711	CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID
CFE_ES_CDS_REGISTER_ERR_EID, 712	725
CFE_ES_CREATING_CDS_DUMP_ERR_EID, 712	CFE_ES_START_INVALID_FILENAME_ERR_EID,
CFE_ES_ERLOG1_INF_EID, 712	725
CFE_ES_ERLOG2_EID, 712	CFE_ES_START_NULL_APP_NAME_ERR_EID,
CFE_ES_ERLOG2_ERR_EID, 713	725
CFE_ES_ERLOG_PENDING_ERR_EID, 713	CFE_ES_START_PRIORITY_ERR_EID, 726
CFE_ES_ERR_SYSLOGMODE_EID, 713	CFE ES STOP DBG EID, 726
CFE_ES_ERREXIT_APP_ERR_EID, 713	CFE_ES_STOP_ERR1_EID, 726
CFE_ES_ERREXIT_APP_INF_EID, 714	CFE_ES_STOP_ERR2_EID, 726
CFE_ES_EXIT_APP_ERR_EID, 714	CFE_ES_STOP_ERR3_EID, 727
CFE_ES_EXIT_APP_INF_EID, 714	CFE_ES_STOP_INF_EID, 727
CFE_ES_FILEWRITE_ERR_EID, 714	CFE_ES_SYSLOG1_INF_EID, 727
CFE_ES_INIT_INF_EID, 715	CFE ES SYSLOG2 EID, 727
CFE_ES_INITSTATS_INF_EID, 715	CFE_ES_SYSLOG2_ERR_EID, 728
CFE_ES_INVALID_POOL_HANDLE_ERR_EID, 715	CFE_ES_SYSLOGMODE_EID, 728
CFE_ES_LEN_ERR_EID, 715	CFE_ES_TASKINFO_EID, 728
CFE_ES_MID_ERR_EID, 716	CFE_ES_TASKINFO_OSCREATE_ERR_EID, 728
CFE_ES_NOOP_INF_EID, 716	CFE_ES_TASKINFO_WR_ERR_EID, 729
CFE_ES_ONE_APP_EID, 716	CFE_ES_TASKINFO_WRHDR_ERR_EID, 729
CFE_ES_ONE_APPID_ERR_EID, 716	CFE_ES_TASKWR_ERR_EID, 729
CFE_ES_ONE_ERR_EID, 717	CFE_ES_TLM_POOL_STATS_INFO_EID, 729
CFE_ES_OSCREATE_ERR_EID, 717	CFE_ES_VERSION_INF_EID, 730
CFE_ES_PCR_ERR1_EID, 717	CFE_ES_WRHDR_ERR_EID, 730
CFE_ES_PCR_ERR2_EID, 717	CFE_ES_WRITE_CFE_HDR_ERR_EID, 730
CFE_ES_PERF_DATAWRITTEN_EID, 718	CFE ES ExceptionAction
CFE_ES_PERF_FILTMSKCMD_EID, 718	cfe_es_extern_typedefs.h, 656
CFE_ES_PERF_FILTMSKERR_EID, 718	CFE ES ExceptionAction Enum t
CFE_ES_PERF_LOG_ERR_EID, 718	cfe_es_extern_typedefs.h, 653 CFE_ES_ExceptionAction_PROC_RESTART
CFE_ES_PERF_STARTCMD_EID, 719	·
CFE_ES_PERF_STARTCMD_ERR_EID, 719	cfe_es_extern_typedefs.h, 656 CFE ES ExceptionAction RESTART APP
CFE_ES_PERF_STARTCMD_TRIG_ERR_EID, 719	
CFE_ES_PERF_STOPCMD_EID, 719	cfe_es_extern_typedefs.h, 656
CFE_ES_PERF_STOPCMD_ERR2_EID, 720	CFE_ES_EXIT_APP_ERR_EID
CFE_ES_PERF_TRIGMSKCMD_EID, 720	cfe_es_events.h, 714
CFE_ES_PERF_TRIGMSKERR_EID, 720	CFE_ES_EXIT_APP_INF_EID
CFE_ES_RELOAD_APP_DBG_EID, 720	cfe_es_events.h, 714
CFE_ES_RELOAD_APP_ERR1_EID, 721	CFE_ES_ExitApp
CFE_ES_RELOAD_APP_ERR2_EID, 721	cFE Application Behavior APIs, 143
CFE_ES_RELOAD_APP_ERR3_EID, 721	CFE_ES_ExitChildTask
CFE_ES_RELOAD_APP_ERR4_EID, 721	cFE Child Task APIs, 158
CFE_ES_RELOAD_APP_INF_EID, 722	cfe_es_extern_typedefs.h
CFE_ES_RESET_INF_EID, 722	CFE_ES_Appld_t, 652
CFE_ES_RESET_PR_COUNT_EID, 722	CFE_ES_AppInfo_t, 652
CFE ES RESTART APP DBG EID, 722	CFE ES AppState, 655

CFE_ES_AppState_EARLY_INIT, 655	CFE_ES_SystemState_CORE_STARTUP, 657
CFE_ES_AppState_Enum_t, 652	CFE_ES_SystemState_EARLY_INIT, 657
CFE_ES_AppState_LATE_INIT, 655	CFE_ES_SystemState_Enum_t, 654
CFE_ES_AppState_MAX, 656	CFE_ES_SystemState_MAX, 657
CFE_ES_AppState_RUNNING, 656	CFE_ES_SystemState_OPERATIONAL, 657
CFE ES AppState STOPPED, 656	CFE_ES_SystemState_SHUTDOWN, 657
CFE_ES_AppState_UNDEFINED, 655	CFE_ES_SystemState_UNDEFINED, 657
CFE_ES_AppState_WAITING, 656	CFE_ES_TaskId_t, 655
	CFE_ES_TaskInfo_t, 655
CFE_ES_AppType, 656	
CFE_ES_AppType_CORE, 656	CFE_ES_TaskPriority_Atom_t, 655
CFE_ES_AppType_Enum_t, 652	CFE_ES_FILE_CLOSE_ERR
CFE_ES_AppType_EXTERNAL, 656	cFE Return Code Defines, 121
CFE_ES_AppType_LIBRARY, 656	CFE_ES_FILE_IO_ERR
CFE_ES_BlockStats_t, 652	cFE Return Code Defines, 121
CFE_ES_CDSHandle_t, 653	CFE_ES_FileNameCmd, 424
CFE_ES_CDSRegDumpRec_t, 653	CommandHeader, 424
CFE_ES_CounterId_t, 653	Payload, 424
CFE_ES_ExceptionAction, 656	CFE_ES_FileNameCmd_Payload, 424
CFE_ES_ExceptionAction_Enum_t, 653	FileName, 425
CFE_ES_ExceptionAction_PROC_RESTART, 656	CFE_ES_FileNameCmd_Payload_t
CFE_ES_ExceptionAction_RESTART_APP, 656	cfe_es_msg.h, 755
CFE_ES_LibId_t, 653	CFE_ES_FileNameCmd_t
CFE_ES_LogEntryType, 656	cfe_es_msg.h, 755
CFE_ES_LogEntryType_APPLICATION, 656	CFE_ES_FILEWRITE_ERR_EID
CFE_ES_LogEntryType_CORE, 656	cfe_es_events.h, 714
CFE_ES_LogEntryType_Enum_t, 653	CFE_ES_GetAppID
CFE_ES_LogMode, 656	cFE Information APIs, 147
CFE_ES_LogMode_DISCARD, 656	CFE_ES_GetAppIDByName
CFE_ES_LogMode_Enum_t, 653	cFE Information APIs, 148
CFE_ES_LogMode_OVERWRITE, 656	CFE_ES_GetAppInfo
CFE_ES_MEMADDRESS_C, 652	cFE Information APIs, 148
CFE_ES_MemAddress_t, 654	CFE_ES_GetAppName
	cFE Information APIs, 149
CFE_ES_MemHandle_t, 654	
CFE_ES_MEMOFFSET_C, 652	CFE_ES_GetCDSBlockIDByName
CFE_ES_MemOffset_t, 654	cFE Critical Data Store APIs, 164
CFE_ES_MemPoolStats_t, 654	CFE_ES_GetCDSBlockName
CFE_ES_RunStatus, 657	cFE Critical Data Store APIs, 164
CFE_ES_RunStatus_APP_ERROR, 657	CFE_ES_GetGenCount
CFE_ES_RunStatus_APP_EXIT, 657	cFE Generic Counter APIs, 178
CFE_ES_RunStatus_APP_RUN, 657	CFE_ES_GetGenCounterIDByName
CFE_ES_RunStatus_CORE_APP_INIT_ERROR,	cFE Generic Counter APIs, 178
657	CFE_ES_GetGenCounterName
CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROF	R, cFE Generic Counter APIs, 179
657	CFE_ES_GetLibIDByName
CFE_ES_RunStatus_Enum_t, 654	cFE Information APIs, 150
CFE_ES_RunStatus_MAX, 657	CFE_ES_GetLibInfo
CFE_ES_RunStatus_SYS_DELETE, 657	cFE Information APIs, 150
CFE_ES_RunStatus_SYS_EXCEPTION, 657	CFE ES GetLibName
CFE_ES_RunStatus_SYS_RELOAD, 657	cFE Information APIs, 151
CFE_ES_RunStatus_SYS_RESTART, 657	CFE_ES_GetMemPoolStats
CFE_ES_RunStatus_UNDEFINED, 657	cFE Memory Manager APIs, 168
CFE_ES_SystemState, 657	CFE_ES_GetModuleInfo
CFE_ES_SystemState_APPS_INIT, 657	cFE Information APIs, 152
CFE ES SystemState CORE READY, 657	CFE ES GetPoolBuf
OIL LO OYSIGNOIRIE OUTIL TILADT, US/	

cFE Memory Manager APIs, 169	RegisteredTasks, 432
CFE_ES_GetPoolBufInfo	ResetSubtype, 433
cFE Memory Manager APIs, 169	ResetType, 433
CFE_ES_GetResetType	SysLogBytesUsed, 433
cFE Information APIs, 153	SysLogEntries, 433
CFE ES GetTaskID	SysLogMode, 433
cFE Information APIs, 153	SysLogSize, 433
CFE_ES_GetTaskIDByName	CFE_ES_HousekeepingTlm_Payload_t
cFE Child Task APIs, 158	cfe_es_msg.h, 755
CFE_ES_GetTaskInfo	CFE_ES_HousekeepingTlm_t
cFE Information APIs, 154	cfe_es_msg.h, 755
CFE ES GetTaskName	CFE ES IncrementGenCounter
cFE Child Task APIs, 159	cFE Generic Counter APIs, 180
CFE_ES_HK_TLM_MID	CFE_ES_IncrementTaskCounter
cpu1_msgids.h, 565	cFE Application Behavior APIs, 144
CFE_ES_HousekeepingTlm, 425	CFE_ES_INIT_INF_EID
Payload, 425	cfe_es_events.h, 715
TelemetryHeader, 425	CFE_ES_INITSTATS_INF_EID
CFE_ES_HousekeepingTlm_Payload, 426	cfe_es_events.h, 715
BootSource, 428	CFE ES INVALID POOL HANDLE ERR EID
CFECoreChecksum, 428	cfe es events.h, 715
	CFE_ES_LEN_ERR_EID
CFEMajorVersion, 428	
CFEMinorVersion, 428	cfe_es_events.h, 715
CFE Pavision A00	CFE_ES_LIB_ALREADY_LOADED
CFERevision, 428	cFE Return Code Defines, 122
CommandCounter, 428	CFE_ES_LIBID_BASE
CommandErrorCounter, 428	cFE Resource ID base values, 285
ERLogEntries, 429	CFE_ES_LIBID_C
ERLogIndex, 429	cfe_es_api_typedefs.h, 647
HeapBlocksFree, 429	CFE_ES_LibId_t
HeapBytesFree, 429	cfe_es_extern_typedefs.h, 653
HeapMaxBlockSize, 429	CFE_ES_LibID_ToIndex
MaxProcessorResets, 429	cFE Resource ID APIs, 136
OSALMajorVersion, 429	CFE_ES_LIBID_UNDEFINED
OSALMinorVersion, 430	cfe_es_api_typedefs.h, 647
OSALMissionRevision, 430	CFE_ES_LibraryEntryFuncPtr_t
OSALRevision, 430	cfe_es_api_typedefs.h, 648
PerfDataCount, 430	CFE_ES_LogEntryType
PerfDataEnd, 430	cfe_es_extern_typedefs.h, 656
PerfDataStart, 430	CFE_ES_LogEntryType_APPLICATION
PerfDataToWrite, 430	cfe_es_extern_typedefs.h, 656
PerfFilterMask, 431	CFE_ES_LogEntryType_CORE
PerfMode, 431	cfe_es_extern_typedefs.h, 656
PerfState, 431	CFE_ES_LogEntryType_Enum_t
PerfTriggerCount, 431	cfe_es_extern_typedefs.h, 653
PerfTriggerMask, 431	CFE_ES_LogMode
ProcessorResets, 431	cfe_es_extern_typedefs.h, 656
PSPMajorVersion, 431	CFE_ES_LogMode_DISCARD
PSPMinorVersion, 432	cfe_es_extern_typedefs.h, 656
PSPMissionRevision, 432	CFE_ES_LogMode_Enum_t
PSPRevision, 432	cfe_es_extern_typedefs.h, 653
RegisteredCoreApps, 432	CFE_ES_LogMode_OVERWRITE
RegisteredExternalApps, 432	cfe_es_extern_typedefs.h, 656
RegisteredLibs, 432	CFE ES Main

cFE Entry/Exit APIs, 138	CFE_ES_MemStatsTlm_t, 755
CFE_ES_MEMADDRESS_C	CFE_ES_NoArgsCmd_t, 756
cfe_es_extern_typedefs.h, 652	CFE_ES_NOOP_CC, 737
CFE_ES_MemAddress_t	CFE_ES_NoopCmd_t, 756
cfe_es_extern_typedefs.h, 654	CFE_ES_OneAppTlm_Payload_t, 756
CFE_ES_MEMHANDLE_C	CFE_ES_OneAppTlm_t, 756
cfe_es_api_typedefs.h, 647	CFE_ES_OVER_WRITE_SYSLOG_CC, 738
CFE_ES_MemHandle_t	CFE_ES_OverWriteSysLogCmd_Payload_t, 756
cfe_es_extern_typedefs.h, 654	CFE_ES_OverWriteSysLogCmd_t, 756
CFE_ES_MEMHANDLE_UNDEFINED	CFE_ES_PoolStatsTIm_Payload_t, 756
cfe_es_api_typedefs.h, 647	CFE_ES_QUERY_ALL_CC, 739
CFE_ES_MEMOFFSET_C	CFE_ES_QUERY_ALL_TASKS_CC, 740
cfe_es_extern_typedefs.h, 652	CFE_ES_QUERY_ONE_CC, 740
CFE_ES_MemOffset_t	CFE_ES_QueryAllCmd_t, 756
cfe_es_extern_typedefs.h, 654	CFE_ES_QueryAllTasksCmd_t, 756
CFE_ES_MEMPOOLBUF_C	CFE_ES_QueryOneCmd_t, 756
cfe_es_api_typedefs.h, 647	CFE_ES_RELOAD_APP_CC, 741
CFE_ES_MemPoolBuf_t	CFE_ES_ReloadAppCmd_t, 756
cfe_es_api_typedefs.h, 648	CFE_ES_RESET_COUNTERS_CC, 742
CFE_ES_MemPoolStats, 434	CFE_ES_RESET_PR_COUNT_CC, 743
BlockStats, 434	CFE_ES_ResetCountersCmd_t, 757
CheckErrCtr, 434	CFE_ES_ResetPRCountCmd_t, 757
NumBlocksRequested, 434	CFE_ES_RESTART_APP_CC, 743
NumFreeBytes, 434	CFE_ES_RESTART_CC, 744
PoolSize, 435	CFE_ES_RestartAppCmd_t, 757
CFE_ES_MemPoolStats_t	CFE_ES_RestartCmd_Payload_t, 757
cfe_es_extern_typedefs.h, 654	CFE_ES_RestartCmd_t, 757
CFE_ES_MEMSTATS_TLM_MID	CFE_ES_SEND_MEM_POOL_STATS_CC, 745
cpu1_msgids.h, 565	CFE_ES_SendHkCmd_t, 757
CFE_ES_MemStatsTlm, 435	CFE_ES_SendMemPoolStatsCmd_Payload_t, 757
Payload, 435	CFE_ES_SendMemPoolStatsCmd_t, 757
TelemetryHeader, 435	CFE_ES_SET_MAX_PR_COUNT_CC, 746
CFE_ES_MemStatsTIm_t	CFE_ES_SET_PERF_FILTER_MASK_CC, 747
cfe_es_msg.h, 755	CFE_ES_SET_PERF_TRIGGER_MASK_CC, 748
CFE_ES_MID_ERR_EID	CFE_ES_SetMaxPRCountCmd_Payload_t, 757
cfe_es_events.h, 716	CFE_ES_SetMaxPRCountCmd_t, 757
cfe_es_msg.h	CFE_ES_SetPerfFilterMaskCmd_Payload_t, 757
CFE_ES_AppNameCmd_Payload_t, 754	CFE_ES_SetPerfFilterMaskCmd_t, 757
CFE_ES_AppNameCmd_t, 754	CFE_ES_SetPerfTriggerMaskCmd_t, 758
CFE_ES_AppReloadCmd_Payload_t, 755	CFE_ES_SetPerfTrigMaskCmd_Payload_t, 758
CFE_ES_CLEAR_ER_LOG_CC, 734	CFE_ES_START_APP_CC, 748
CFE_ES_CLEAR_SYSLOG_CC, 735	CFE_ES_START_PERF_DATA_CC, 749
CFE_ES_ClearERLogCmd_t, 755	CFE_ES_StartAppCmd_Payload_t, 758
CFE_ES_ClearSysLogCmd_t, 755	CFE_ES_StartAppCmd_t, 758
CFE_ES_DELETE_CDS_CC, 736	CFE_ES_StartPerfCmd_Payload_t, 758
CFE_ES_DeleteCDSCmd_Payload_t, 755	CFE_ES_StartPerfDataCmd_t, 758
CFE_ES_DeleteCDSCmd_t, 755	CFE_ES_STOP_APP_CC, 750
CFE_ES_DUMP_CDS_REGISTRY_CC, 736	CFE_ES_STOP_PERF_DATA_CC, 751
CFE_ES_DumpCDSRegistryCmd_Payload_t, 755	CFE_ES_StopAppCmd_t, 758
CFE_ES_DumpCDSRegistryCmd_t, 755	CFE_ES_StopPerfCmd_Payload_t, 758
CFE_ES_FileNameCmd_Payload_t, 755	CFE_ES_StopPerfDataCmd_t, 758
CFE_ES_FileNameCmd_t, 755	CFE_ES_WRITE_ER_LOG_CC, 752
CFE_ES_HousekeepingTlm_Payload_t, 755	CFE_ES_WRITE_SYSLOG_CC, 753
CFE_ES_HousekeepingTlm_t, 755	CFE_ES_WriteERLogCmd_t, 758

CFE_ES_WriteSysLogCmd_t, 758	cfe_es_events.h, 718
CFE_ES_MUT_SEM_DELETE_ERR	CFE_ES_PERF_FILTMSKCMD_EID
cFE Return Code Defines, 122	cfe_es_events.h, 718
CFE_ES_NO_MUTEX	CFE_ES_PERF_FILTMSKERR_EID
cfe_es_api_typedefs.h, 647	cfe_es_events.h, 718
CFE_ES_NO_RESOURCE_IDS_AVAILABLE	CFE_ES_PERF_LOG_ERR_EID
cFE Return Code Defines, 122	cfe_es_events.h, 718
CFE_ES_NoArgsCmd, 435	CFE_ES_PERF_STARTCMD_EID
CommandHeader, 436	cfe_es_events.h, 719
CFE_ES_NoArgsCmd_t	CFE_ES_PERF_STARTCMD_ERR_EID
cfe_es_msg.h, 756	cfe_es_events.h, 719
CFE_ES_NOOP_CC	CFE_ES_PERF_STARTCMD_TRIG_ERR_EID
cfe_es_msg.h, 737	cfe_es_events.h, 719
CFE_ES_NOOP_INF_EID	CFE_ES_PERF_STOPCMD_EID
cfe_es_events.h, 716	cfe_es_events.h, 719
CFE_ES_NoopCmd_t	CFE_ES_PERF_STOPCMD_ERR2_EID
cfe_es_msg.h, 756	cfe_es_events.h, 720
CFE_ES_NOT_IMPLEMENTED	CFE_ES_PERF_TRIGMSKCMD_EID
cFE Return Code Defines, 122	cfe_es_events.h, 720
CFE_ES_ONE_APP_EID	CFE_ES_PERF_TRIGMSKERR_EID
cfe_es_events.h, 716	cfe_es_events.h, 720
CFE_ES_ONE_APPID_ERR_EID	CFE_ES_PerfLogAdd
cfe_es_events.h, 716	cFE Performance Monitor APIs, 176
CFE_ES_ONE_ERR_EID	CFE_ES_PerfLogEntry
cfe_es_events.h, 717	cFE Performance Monitor APIs, 175
CFE_ES_OneAppTlm, 436	CFE_ES_PerfLogExit
Payload, 436	cFE Performance Monitor APIs, 175
TelemetryHeader, 436	CFE_ES_POOL_BLOCK_INVALID
CFE_ES_OneAppTIm_Payload, 437	cFE Return Code Defines, 122
AppInfo, 437	CFE_ES_PoolAlign, 438
CFE_ES_OneAppTIm_Payload_t	LongDouble, 439
cfe_es_msg.h, 756	LongInt, 439
CFE_ES_OneAppTIm_t	Ptr, 439
cfe_es_msg.h, 756	CFE_ES_PoolAlign_t
CFE_ES_OPERATION_TIMED_OUT	cfe_es_api_typedefs.h, 649
cFE Return Code Defines, 122	CFE_ES_PoolCreate
CFE_ES_OSCREATE_ERR_EID	cFE Memory Manager APIs, 170
cfe_es_events.h, 717	CFE_ES_PoolCreateEx
CFE_ES_OVER_WRITE_SYSLOG_CC	cFE Memory Manager APIs, 171
cfe_es_msg.h, 738	CFE_ES_PoolCreateNoSem
CFE_ES_OverWriteSysLogCmd, 437	cFE Memory Manager APIs, 172
CommandHeader, 437	CFE_ES_PoolDelete
Payload, 438	cFE Memory Manager APIs, 173
CFE_ES_OverWriteSysLogCmd_Payload, 438	CFE_ES_POOLID_BASE
Mode, 438	cFE Resource ID base values, 286
CFE_ES_OverWriteSysLogCmd_Payload_t	CFE_ES_PoolStatsTlm_Payload, 439
cfe_es_msg.h, 756	PoolHandle, 439
CFE_ES_OverWriteSysLogCmd_t	PoolStats, 439
cfe_es_msg.h, 756	CFE_ES_PoolStatsTIm_Payload_t
CFE_ES_PCR_ERR1_EID	cfe_es_msg.h, 756
cfe_es_events.h, 717	CFE_ES_ProcessAsyncEvent
CFE_ES_PCR_ERR2_EID	cFE Miscellaneous APIs, 161
cfe_es_events.h, 717	CFE_ES_PutPoolBuf
CFE ES PERF DATAWRITTEN EID	cFE Memory Manager APIs, 174

CFE_ES_QUERY_ALL_CC	cfe_es_msg.h, 743
cfe_es_msg.h, 739	CFE_ES_RESTART_APP_DBG_EID
CFE_ES_QUERY_ALL_TASKS_CC	cfe_es_events.h, 722
cfe_es_msg.h, 740	CFE_ES_RESTART_APP_ERR1_EID
CFE_ES_QUERY_ONE_CC	cfe_es_events.h, 723
cfe_es_msg.h, 740	CFE_ES_RESTART_APP_ERR2_EID
CFE_ES_QueryAllCmd_t	cfe_es_events.h, 723
cfe_es_msg.h, 756	CFE_ES_RESTART_APP_ERR3_EID
CFE_ES_QueryAllTasksCmd_t	cfe_es_events.h, 723
cfe_es_msg.h, 756	CFE_ES_RESTART_APP_ERR4_EID
CFE_ES_QueryOneCmd_t	cfe_es_events.h, 723
cfe_es_msg.h, 756	CFE_ES_RESTART_APP_INF_EID
CFE_ES_QUEUE_DELETE_ERR	cfe_es_events.h, 724
cFE Return Code Defines, 122	CFE_ES_RESTART_CC
CFE_ES_RegisterCDS	cfe_es_msg.h, 744
cFE Critical Data Store APIs, 165	CFE_ES_RestartApp
CFE_ES_RegisterGenCounter	cFE Application Control APIs, 141
cFE Generic Counter APIs, 180	CFE_ES_RestartAppCmd_t
CFE_ES_RELOAD_APP_CC	cfe_es_msg.h, 757
cfe_es_msg.h, 741	CFE_ES_RestartCmd, 440
CFE_ES_RELOAD_APP_DBG_EID	CommandHeader, 441
cfe_es_events.h, 720	Payload, 441
CFE_ES_RELOAD_APP_ERR1_EID	CFE_ES_RestartCmd_Payload, 441
cfe_es_events.h, 721	RestartType, 441
CFE_ES_RELOAD_APP_ERR2_EID	CFE_ES_RestartCmd_Payload_t
cfe_es_events.h, 721	cfe_es_msg.h, 757
CFE_ES_RELOAD_APP_ERR3_EID	CFE_ES_RestartCmd_t
cfe_es_events.h, 721	cfe_es_msg.h, 757
CFE_ES_RELOAD_APP_ERR4_EID	CFE_ES_RestoreFromCDS
cfe_es_events.h, 721	cFE Critical Data Store APIs, 166
CFE_ES_RELOAD_APP_INF_EID	CFE_ES_RST_ACCESS_ERR
cfe_es_events.h, 722	cFE Return Code Defines, 122
CFE_ES_ReloadApp	CFE_ES_RunLoop
cFE Application Control APIs, 140	cFE Application Behavior APIs, 144
CFE_ES_ReloadAppCmd, 440	CFE_ES_RunStatus
CommandHeader, 440	cfe_es_extern_typedefs.h, 657
Payload, 440	CFE_ES_RunStatus_APP_ERROR
CFE_ES_ReloadAppCmd_t	cfe_es_extern_typedefs.h, 657
cfe_es_msg.h, 756	CFE_ES_RunStatus_APP_EXIT
CFE_ES_RESET_COUNTERS_CC	cfe_es_extern_typedefs.h, 657
cfe_es_msg.h, 742	CFE_ES_RunStatus_APP_RUN
CFE_ES_RESET_INF_EID	cfe_es_extern_typedefs.h, 657
cfe_es_events.h, 722	CFE_ES_RunStatus_CORE_APP_INIT_ERROR
CFE_ES_RESET_PR_COUNT_CC	cfe_es_extern_typedefs.h, 657
cfe_es_msg.h, 743	CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR
CFE_ES_RESET_PR_COUNT_EID	cfe_es_extern_typedefs.h, 657
cfe_es_events.h, 722	CFE_ES_RunStatus_Enum_t
CFE_ES_ResetCFE	cfe_es_extern_typedefs.h, 654
cFE Entry/Exit APIs, 138	CFE_ES_RunStatus_MAX
CFE_ES_ResetCountersCmd_t	cfe_es_extern_typedefs.h, 657
cfe_es_msg.h, 757	CFE_ES_RunStatus_SYS_DELETE
CFE_ES_ResetPRCountCmd_t	cfe_es_extern_typedefs.h, 657
cfe_es_msg.h, 757	CFE_ES_RunStatus_SYS_EXCEPTION
CFE ES RESTART APP CC	cfe es extern typedefs.h, 657

CFE_ES_RunStatus_SYS_RELOAD	CFE_ES_SetPerfTriggerMaskCmd_t
cfe_es_extern_typedefs.h, 657	cfe_es_msg.h, 758
CFE ES RunStatus SYS RESTART	CFE_ES_SetPerfTrigMaskCmd_Payload, 446
cfe_es_extern_typedefs.h, 657	TriggerMask, 446
CFE_ES_RunStatus_UNDEFINED	TriggerMaskNum, 446
cfe es extern typedefs.h, 657	CFE_ES_SetPerfTrigMaskCmd_Payload_t
CFE_ES_SEND_HK_MID	cfe_es_msg.h, 758
cpu1_msgids.h, 565	CFE_ES_StackPointer_t
CFE_ES_SEND_MEM_POOL_STATS_CC	cfe_es_api_typedefs.h, 649
cfe_es_msg.h, 745	CFE_ES_START_APP_CC
CFE_ES_SendHkCmd_t	cfe_es_msg.h, 748
cfe es msg.h, 757	CFE_ES_START_ERR_EID
• ·	
CFE_ES_SendMemPoolStatsCmd, 441	cfe_es_events.h, 724
CommandHeader, 442	CFE_ES_START_EXC_ACTION_ERR_EID
Payload, 442	cfe_es_events.h, 724
CFE_ES_SendMemPoolStatsCmd_Payload, 442	CFE_ES_START_INF_EID
Application, 442	cfe_es_events.h, 725
PoolHandle, 442	CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID
CFE_ES_SendMemPoolStatsCmd_Payload_t	cfe_es_events.h, 725
cfe_es_msg.h, 757	CFE_ES_START_INVALID_FILENAME_ERR_EID
CFE_ES_SendMemPoolStatsCmd_t	cfe_es_events.h, 725
cfe_es_msg.h, 757	CFE_ES_START_NULL_APP_NAME_ERR_EID
CFE_ES_SET_MAX_PR_COUNT_CC	cfe_es_events.h, 725
cfe_es_msg.h, 746	CFE_ES_START_PERF_DATA_CC
CFE_ES_SET_MAX_PR_COUNT_EID	cfe_es_msg.h, 749
cfe_es_events.h, 724	CFE_ES_START_PRIORITY_ERR_EID
CFE_ES_SET_PERF_FILTER_MASK_CC	cfe_es_events.h, 726
cfe_es_msg.h, 747	CFE_ES_StartApp, 446
CFE_ES_SET_PERF_TRIGGER_MASK_CC	CommandHeader, 446
cfe_es_msg.h, 748	Payload, 447
CFE_ES_SetGenCount	CFE_ES_StartAppCmd_Payload, 447
cFE Generic Counter APIs, 181	AppEntryPoint, 447
CFE_ES_SetMaxPRCountCmd, 443	AppFileName, 447
CommandHeader, 443	Application, 447
Payload, 443	ExceptionAction, 448
CFE_ES_SetMaxPRCountCmd_Payload, 443	Priority, 448
MaxPRCount, 444	StackSize, 448
CFE_ES_SetMaxPRCountCmd_Payload_t	CFE_ES_StartAppCmd_Payload_t
cfe_es_msg.h, 757	cfe_es_msg.h, 758
CFE_ES_SetMaxPRCountCmd_t	CFE ES StartAppCmd t
cfe_es_msg.h, 757	cfe_es_msg.h, 758
CFE_ES_SetPerfFilterMaskCmd, 444	CFE_ES_StartPerfCmd_Payload, 448
CommandHeader, 444	TriggerMode, 448
Payload, 444	CFE_ES_StartPerfCmd_Payload_t
CFE_ES_SetPerfFilterMaskCmd_Payload, 444	cfe_es_msg.h, 758
FilterMask, 445	CFE_ES_StartPerfDataCmd, 448
FilterMaskNum, 445	CommandHeader, 449
CFE_ES_SetPerfFilterMaskCmd_Payload_t	Payload, 449
cfe_es_msg.h, 757	CFE_ES_StartPerfDataCmd_t
CFE_ES_SetPerfFilterMaskCmd_t	cfe_es_msg.h, 758
cfe_es_msg.h, 757	CFE_ES_STATIC_POOL_TYPE
CFE_ES_SetPerfTriggerMaskCmd, 445	cfe_es_api_typedefs.h, 647
CommandHeader, 445	CFE_ES_StatusToString
Payload, 445	cfe error.h. 641

CFE ES STOP APP CC	cFE Return Code Defines, 122
cfe_es_msg.h, 750	CFE ES TASK STACK ALLOCATE
CFE_ES_STOP_DBG_EID	cfe_es_api_typedefs.h, 648
cfe_es_events.h, 726	CFE_ES_TaskEntryFuncPtr_t
CFE ES STOP ERR1 EID	cfe_es_api_typedefs.h, 649
cfe_es_events.h, 726	CFE_ES_TASKID_BASE
CFE_ES_STOP_ERR2_EID	
	cFE Resource ID base values, 285
cfe_es_events.h, 726	CFE_ES_TASKID_C
CFE_ES_STOP_ERR3_EID	cfe_es_api_typedefs.h, 648
cfe_es_events.h, 727	CFE_ES_TaskId_t
CFE_ES_STOP_INF_EID	cfe_es_extern_typedefs.h, 655
cfe_es_events.h, 727	CFE_ES_TaskID_ToIndex
CFE_ES_STOP_PERF_DATA_CC	cFE Resource ID APIs, 137
cfe_es_msg.h, 751	CFE_ES_TASKID_UNDEFINED
CFE_ES_StopAppCmd_t	cfe_es_api_typedefs.h, 648
cfe_es_msg.h, 758	CFE_ES_TaskInfo, 450
CFE_ES_StopPerfCmd_Payload, 449	Appld, 451
DataFileName, 449	AppName, 451
CFE_ES_StopPerfCmd_Payload_t	ExecutionCounter, 451
cfe_es_msg.h, 758	Priority, 451
CFE_ES_StopPerfDataCmd, 450	Spare, 451
CommandHeader, 450	StackSize, 451
Payload, 450	Taskld, 451
CFE_ES_StopPerfDataCmd_t	TaskName, 451
cfe_es_msg.h, 758	CFE_ES_TASKINFO_EID
CFE_ES_SYSLOG1_INF_EID	cfe_es_events.h, 728
cfe_es_events.h, 727	CFE_ES_TASKINFO_OSCREATE_ERR_EID
CFE_ES_SYSLOG2_EID	cfe_es_events.h, 728
cfe_es_events.h, 727	CFE_ES_TaskInfo_t
CFE_ES_SYSLOG2_ERR_EID	cfe_es_extern_typedefs.h, 655
cfe_es_events.h, 728	CFE_ES_TASKINFO_WR_ERR_EID
CFE_ES_SYSLOGMODE_EID	cfe_es_events.h, 729
cfe_es_events.h, 728	CFE_ES_TASKINFO_WRHDR_ERR_EID
CFE_ES_SystemState	cfe_es_events.h, 729
cfe_es_extern_typedefs.h, 657	CFE_ES_TaskPriority_Atom_t
CFE_ES_SystemState_APPS_INIT	cfe_es_extern_typedefs.h, 655
cfe_es_extern_typedefs.h, 657	CFE_ES_TASKWR_ERR_EID
CFE_ES_SystemState_CORE_READY	cfe_es_events.h, 729
cfe_es_extern_typedefs.h, 657	CFE_ES_TEST_LONG_MASK
CFE ES SystemState CORE STARTUP	cfe_es.h, 644
cfe_es_extern_typedefs.h, 657	CFE_ES_TIMER_DELETE_ERR
CFE_ES_SystemState_EARLY_INIT	cFE Return Code Defines, 123
cfe_es_extern_typedefs.h, 657	CFE ES TLM POOL STATS INFO EID
CFE ES SystemState Enum t	cfe_es_events.h, 729
,	
cfe_es_extern_typedefs.h, 654	CFE_ES_USE_MUTEX
CFE_ES_SystemState_MAX	cfe_es_api_typedefs.h, 648
cfe_es_extern_typedefs.h, 657	CFE_ES_VERSION_INF_EID
CFE_ES_SystemState_OPERATIONAL	cfe_es_events.h, 730
cfe_es_extern_typedefs.h, 657	CFE_ES_WaitForStartupSync
CFE_ES_SystemState_SHUTDOWN	cFE Application Behavior APIs, 145
cfe_es_extern_typedefs.h, 657	CFE_ES_WaitForSystemState
CFE_ES_SystemState_UNDEFINED	cFE Application Behavior APIs, 145
cfe_es_extern_typedefs.h, 657	CFE_ES_WRHDR_ERR_EID
CFE_ES_TASK_DELETE_ERR	cfe_es_events.h, 730

CFE_ES_WRITE_CFE_HDR_ERR_EID cfe es events.h, 730	CFE_EVS_AppNameBitMaskCmd_Payload, 453 AppName, 453
CFE_ES_WRITE_ER_LOG_CC	BitMask, 453
cfe_es_msg.h, 752	Spare, 453
CFE_ES_WRITE_SYSLOG_CC	CFE_EVS_AppNameBitMaskCmd_Payload_t
cfe_es_msg.h, 753	cfe_evs_msg.h, 792
CFE_ES_WriteERLogCmd_t	CFE_EVS_AppNameBitMaskCmd_t
cfe_es_msg.h, 758	cfe_evs_msg.h, 792
CFE_ES_WriteSysLogCmd_t	CFE_EVS_AppNameCmd, 454
cfe_es_msg.h, 758	CommandHeader, 454
CFE_ES_WriteToSysLog	Payload, 454
cFE Miscellaneous APIs, 161	CFE_EVS_AppNameCmd_Payload, 454
CFE_EVENTS_SERVICE	AppName, 454
cfe_error.h, 639	CFE_EVS_AppNameCmd_Payload_t
cfe_evs.h	cfe_evs_msg.h, 792
CFE_EVS_Send, 658	CFE_EVS_AppNameCmd_t
CFE_EVS_SendCrit, 658	cfe_evs_msg.h, 792
CFE_EVS_SendDbg, 658	CFE_EVS_AppNameEventIDCmd, 455
CFE_EVS_SendErr, 659	CommandHeader, 455
CFE_EVS_SendInfo, 659	Payload, 455
CFE_EVS_ADD_EVENT_FILTER_CC	CFE_EVS_AppNameEventIDCmd_Payload, 455
cfe_evs_msg.h, 774	AppName, 456
CFE_EVS_AddEventFilterCmd_t	EventID, 456
cfe evs msg.h, 792	CFE EVS AppNameEventIDCmd Payload t
CFE_EVS_ADDFILTER_EID	cfe_evs_msg.h, 792
cfe_evs_events.h, 760	CFE_EVS_AppNameEventIDCmd_t
cfe_evs_api_typedefs.h	cfe_evs_msg.h, 792
CFE_EVS_BinFilter_t, 661	CFE_EVS_AppNameEventIDMaskCmd, 456
CFE_EVS_EVERY_FOURTH_ONE, 660	CommandHeader, 456
CFE_EVS_EVERY_OTHER_ONE, 660	Payload, 456
CFE_EVS_EVERY_OTHER_TWO, 660	CFE_EVS_AppNameEventIDMaskCmd_Payload, 457
CFE_EVS_FIRST_16_STOP, 660	AppName, 457
CFE_EVS_FIRST_32_STOP, 660	EventID, 457
CFE_EVS_FIRST_4_STOP, 660	Mask, 457
CFE_EVS_FIRST_64_STOP, 660	CFE_EVS_AppNameEventIDMaskCmd_Payload_t
CFE_EVS_FIRST_8_STOP, 660	cfe_evs_msg.h, 792
CFE_EVS_FIRST_ONE_STOP, 661	CFE_EVS_AppNameEventIDMaskCmd_t
CFE_EVS_FIRST_TWO_STOP, 661	
CFE_EVS_NO_FILTER, 661	cfe_evs_msg.h, 793 CFE_EVS_AppTlmData, 457
CFE_EVS_APP_FILTER_OVERLOAD	AppEnableStatus, 458
cFE Return Code Defines, 123	ApplD, 458
CFE_EVS_APP_ILLEGAL_APP_ID	• •
	AppMessageSentCounter, 458
cFE Return Code Defines, 123 CFE EVS APP NOT REGISTERED	AppMessageSquelchedCounter, 458 CFE EVS AppTImData t
cFE Return Code Defines, 123	cfe_evs_msg.h, 793
CFE_EVS_APP_SQUELCHED	CFE_EVS_BinFilter, 458
cFE Return Code Defines, 123	EventID, 459
CFE_EVS_AppDataCmd_Payload, 452	Mask, 459
AppDataFilename, 452	CFE_EVS_BinFilter_t
CFE_EVS_AppDataCmd_Payload_t	cfe_evs_api_typedefs.h, 661
cfe_evs_msg.h, 792	CFE_EVS_BitMaskCmd, 459
CFE_EVS_AppNameBitMaskCmd, 452	CommandHeader, 459
CommandHeader, 452	Payload, 459
Payload, 453	CFE_EVS_BitMaskCmd_Payload, 460

BitMask, 460	CFE_EVS_ENABLE_EVENT_TYPE_CC
Spare, 460	cfe_evs_msg.h, 781
CFE_EVS_BitMaskCmd_Payload_t	CFE_EVS_ENABLE_PORTS_CC
cfe_evs_msg.h, 793	cfe_evs_msg.h, 782
CFE_EVS_BitMaskCmd_t	CFE_EVS_EnableAppEventsCmd_t
cfe_evs_msg.h, 793	cfe_evs_msg.h, 793
CFE_EVS_CLEAR_LOG_CC	CFE_EVS_EnableAppEventTypeCmd_t
cfe_evs_msg.h, 774	cfe_evs_msg.h, 793
CFE_EVS_ClearLogCmd_t	CFE EVS EnableEventTypeCmd t
cfe_evs_msg.h, 793	cfe_evs_msg.h, 794
CFE_EVS_CMD_MID	CFE EVS EnablePortsCmd t
cpu1_msgids.h, 565	cfe_evs_msg.h, 794
CFE_EVS_CRITICAL_BIT	CFE_EVS_ENAEVTTYPE_EID
cfe_evs_msg.h, 775	cfe_evs_events.h, 762
CFE_EVS_DEBUG_BIT	CFE EVS ENAPORT EID
cfe_evs_msg.h, 775	cfe_evs_events.h, 762
CFE EVS DELETE EVENT FILTER CC	CFE_EVS_ERR_APPNOREGS_EID
cfe_evs_msg.h, 775	cfe_evs_events.h, 763
CFE EVS DeleteEventFilterCmd t	CFE_EVS_ERR_CC_EID
cfe evs msg.h, 793	cfe_evs_events.h, 763
CFE_EVS_DELFILTER_EID	CFE_EVS_ERR_CRDATFILE_EID
cfe_evs_events.h, 760	cfe evs events.h, 763
CFE_EVS_DISABLE_APP_EVENT_TYPE_CC	CFE_EVS_ERR_CRLOGFILE_EID
cfe_evs_msg.h, 776	cfe_evs_events.h, 763
CFE_EVS_DISABLE_APP_EVENTS_CC	CFE_EVS_ERR_EVTIDNOREGS_EID
cfe_evs_msg.h, 777	cfe_evs_events.h, 764
CFE_EVS_DISABLE_EVENT_TYPE_CC	CFE_EVS_ERR_ILLAPPIDRANGE_EID
cfe_evs_msg.h, 778	cfe_evs_events.h, 764
CFE_EVS_DISABLE_PORTS_CC	CFE_EVS_ERR_ILLEGALFMTMOD_EID
cfe_evs_msg.h, 779	cfe_evs_events.h, 764
CFE_EVS_DisableAppEventsCmd_t	CFE_EVS_ERR_INVALID_BITMASK_EID
cfe_evs_msg.h, 793	cfe_evs_events.h, 764
CFE_EVS_DisableAppEventTypeCmd_t	CFE_EVS_ERR_LOGMODE_EID
cfe_evs_msg.h, 793	cfe_evs_events.h, 765
CFE_EVS_DisableEventTypeCmd_t	CFE_EVS_ERR_MAXREGSFILTER_EID
cfe_evs_msg.h, 793	cfe_evs_events.h, 765
CFE_EVS_DisablePortsCmd_t	CFE_EVS_ERR_MSGID_EID
cfe_evs_msg.h, 793	cfe_evs_events.h, 765
CFE_EVS_DISAPPENTTYPE_EID	CFE_EVS_ERR_NOAPPIDFOUND_EID
cfe_evs_events.h, 761	cfe_evs_events.h, 765
CFE_EVS_DISAPPEVT_EID	CFE_EVS_ERR_UNREGISTERED_EVS_APP
cfe_evs_events.h, 761	cfe_evs_events.h, 766
CFE_EVS_DISEVTTYPE_EID	CFE_EVS_ERR_WRDATFILE_EID
cfe_evs_events.h, 761	cfe_evs_events.h, 766
CFE_EVS_DISPORT_EID	CFE_EVS_ERR_WRLOGFILE_EID
cfe_evs_events.h, 761	cfe_evs_events.h, 766
CFE_EVS_ENAAPPEVT_EID	CFE_EVS_ERROR_BIT
cfe_evs_events.h, 762	cfe_evs_msg.h, 783
CFE_EVS_ENAAPPEVTTYPE_EID	CFE_EVS_EventFilter
cfe_evs_events.h, 762	cfe_evs_extern_typedefs.h, 663
CFE_EVS_ENABLE_APP_EVENT_TYPE_CC	CFE_EVS_EventFilter_BINARY
cfe_evs_msg.h, 780	cfe_evs_extern_typedefs.h, 663
CFE_EVS_ENABLE_APP_EVENTS_CC	CFE_EVS_EventFilter_Enum_t
cfe_evs_msg.h, 780	cfe_evs_extern_typedefs.h, 662

CFE_EVS_EventOutput	cfe_evs_extern_typedefs.h, 663
cfe_evs_extern_typedefs.h, 663	CFE_EVS_EventType_CRITICAL
CFE_EVS_EventOutput_Enum_t	cfe_evs_extern_typedefs.h, 663
cfe_evs_extern_typedefs.h, 662	CFE_EVS_EventType_DEBUG
CFE_EVS_EventOutput_PORT1	cfe_evs_extern_typedefs.h, 663
cfe_evs_extern_typedefs.h, 663	CFE_EVS_EventType_Enum_t
CFE_EVS_EventOutput_PORT2	cfe_evs_extern_typedefs.h, 662
cfe_evs_extern_typedefs.h, 663	CFE_EVS_EventType_ERROR
CFE_EVS_EventOutput_PORT3	cfe_evs_extern_typedefs.h, 663
cfe_evs_extern_typedefs.h, 663	CFE_EVS_EventType_INFORMATION
CFE_EVS_EventOutput_PORT4	cfe_evs_extern_typedefs.h, 663
cfe_evs_extern_typedefs.h, 663	CFE_EVS_EVERY_FOURTH_ONE
cfe_evs_events.h	cfe_evs_api_typedefs.h, 660
CFE_EVS_ADDFILTER_EID, 760	CFE_EVS_EVERY_OTHER_ONE
CFE_EVS_DELFILTER_EID, 760	cfe_evs_api_typedefs.h, 660
CFE_EVS_DISAPPENTTYPE_EID, 761	CFE_EVS_EVERY_OTHER_TWO
CFE_EVS_DISAPPEVT_EID, 761	cfe_evs_api_typedefs.h, 660
CFE_EVS_DISEVTTYPE_EID, 761	CFE_EVS_EVT_FILTERED_EID
CFE_EVS_DISPORT_EID, 761	cfe_evs_events.h, 766
CFE EVS ENAAPPEVT EID, 762	CFE_EVS_EVT_NOT_REGISTERED
CFE_EVS_ENAAPPEVTTYPE_EID, 762	cFE Return Code Defines, 123
CFE_EVS_ENAEVTTYPE_EID, 762	cfe_evs_extern_typedefs.h
CFE EVS ENAPORT EID, 762	CFE_EVS_EventFilter, 663
CFE EVS ERR APPNOREGS EID, 763	CFE_EVS_EventFilter_BINARY, 663
CFE EVS ERR CC EID, 763	CFE_EVS_EventFilter_Enum_t, 662
CFE_EVS_ERR_CRDATFILE_EID, 763	CFE_EVS_EventOutput, 663
CFE_EVS_ERR_CRLOGFILE_EID, 763	CFE_EVS_EventOutput_Enum_t, 662
CFE_EVS_ERR_EVTIDNOREGS_EID, 764	CFE_EVS_EventOutput_PORT1, 663
CFE EVS ERR ILLAPPIDRANGE EID, 764	CFE_EVS_EventOutput_PORT2, 663
CFE EVS ERR ILLEGALFMTMOD EID, 764	CFE_EVS_EventOutput_PORT3, 663
CFE_EVS_ERR_INVALID_BITMASK_EID, 764	CFE_EVS_EventOutput_PORT4, 663
CFE_EVS_ERR_LOGMODE_EID, 765	CFE_EVS_EventType, 663
CFE_EVS_ERR_MAXREGSFILTER_EID, 765	CFE_EVS_EventType_CRITICAL, 663
CFE EVS ERR MSGID EID, 765	CFE_EVS_EventType_DEBUG, 663
CFE_EVS_ERR_NOAPPIDFOUND_EID, 765	CFE_EVS_EventType_Enum_t, 662
CFE_EVS_ERR_UNREGISTERED_EVS_APP, 766	CFE_EVS_EventType_ERROR, 663
CFE_EVS_ERR_WRDATFILE_EID, 766	CFE_EVS_EventType_INFORMATION, 663
CFE EVS ERR WRLOGFILE EID, 766	CFE_EVS_LogMode, 663
CFE_EVS_EVT_FILTERED_EID, 766	CFE EVS LogMode DISCARD, 664
CFE EVS FILTER MAX EID, 767	CFE EVS LogMode Enum t, 662
CFE_EVS_LEN_ERR_EID, 767	CFE_EVS_LogMode_OVERWRITE, 664
CFE_EVS_LOGMODE_EID, 767	CFE_EVS_MsgFormat, 664
CFE_EVS_NOOP_EID, 767	CFE EVS MsgFormat Enum t, 662
CFE EVS RSTALLFILTER EID, 768	CFE_EVS_MsgFormat_LONG, 664
CFE_EVS_RSTCNT_EID, 768	CFE_EVS_MsgFormat_SHORT, 664
CFE_EVS_RSTEVTCNT_EID, 768	CFE_EVS_FILE_WRITE_ERROR
CFE EVS RSTFILTER EID, 768	cFE Return Code Defines, 123
CFE EVS SETEVTFMTMOD EID, 769	CFE_EVS_FILTER_MAX_EID
CFE_EVS_SETFILTERMSK_EID, 769	cfe_evs_events.h, 767
CFE_EVS_SQUELCHED_ERR_EID, 769	CFE_EVS_FIRST_16_STOP
CFE_EVS_STARTUP_EID, 769	cfe_evs_api_typedefs.h, 660
CFE EVS WRDAT EID, 770	CFE_EVS_FIRST_32_STOP
CFE_EVS_WRLOG_EID, 770	cfe_evs_api_typedefs.h, 660
CFE_EVS_WALOG_EID, 770 CFE_EVS_EventType	CFE_EVS_FIRST_4_STOP
OI E_EVO_EVEILIYPE	01 L_L 10_1 11 10 1_ 1 _0 101

cfe_evs_api_typedefs.h, 660	CFE_EVS_LONG_EVENT_MSG_MID
CFE_EVS_FIRST_64_STOP	cpu1_msgids.h, 565
cfe_evs_api_typedefs.h, 660	CFE_EVS_LongEventTlm, 464
CFE_EVS_FIRST_8_STOP	Payload, 465
cfe_evs_api_typedefs.h, 660	TelemetryHeader, 465
CFE_EVS_FIRST_ONE_STOP	CFE_EVS_LongEventTlm_Payload, 465
cfe_evs_api_typedefs.h, 661	Message, 465
CFE_EVS_FIRST_TWO_STOP	PacketID, 465
cfe_evs_api_typedefs.h, 661	Spare1, 466
CFE_EVS_HK_TLM_MID	Spare2, 466
cpu1_msgids.h, 565	CFE_EVS_LongEventTlm_Payload_t
CFE_EVS_HousekeepingTlm, 460	cfe_evs_msg.h, 794
Payload, 460	CFE_EVS_LongEventTlm_t
TelemetryHeader, 461	cfe_evs_msg.h, 794
CFE_EVS_HousekeepingTlm_Payload, 461	cfe_evs_msg.h
AppData, 462	CFE_EVS_ADD_EVENT_FILTER_CC, 774
CommandCounter, 462	CFE_EVS_AddEventFilterCmd_t, 792
CommandErrorCounter, 462	CFE_EVS_AppDataCmd_Payload_t, 792
LogEnabled, 462	CFE_EVS_AppNameBitMaskCmd_Payload_t, 792
LogFullFlag, 462	CFE_EVS_AppNameBitMaskCmd_t, 792
LogMode, 462	CFE_EVS_AppNameCmd_Payload_t, 792
LogOverflowCounter, 462	CFE_EVS_AppNameCmd_t, 792
MessageFormatMode, 463	CFE_EVS_AppNameEventIDCmd_Payload_t, 792
MessageSendCounter, 463	CFE_EVS_AppNameEventIDCmd_t, 792
MessageTruncCounter, 463	CFE_EVS_AppNameEventIDMaskCmd_Payload_t,
OutputPort, 463	792
Spare1, 463	CFE_EVS_AppNameEventIDMaskCmd_t, 793
Spare2, 463	CFE_EVS_AppTImData_t, 793
Spare3, 463	CFE_EVS_BitMaskCmd_Payload_t, 793
UnregisteredAppCounter, 464	CFE_EVS_BitMaskCmd_t, 793
CFE_EVS_HousekeepingTlm_Payload_t	CFE_EVS_CLEAR_LOG_CC, 774
cfe_evs_msg.h, 794	CFE_EVS_ClearLogCmd_t, 793
CFE_EVS_HousekeepingTlm_t	CFE_EVS_CRITICAL_BIT, 775
cfe_evs_msg.h, 794	CFE_EVS_DEBUG_BIT, 775
CFE_EVS_INFORMATION_BIT	CFE_EVS_DELETE_EVENT_FILTER_CC, 775
cfe_evs_msg.h, 783	CFE_EVS_DeleteEventFilterCmd_t, 793
CFE_EVS_INVALID_PARAMETER	CFE_EVS_DISABLE_APP_EVENT_TYPE_CC, 776
cFE Return Code Defines, 123	CFE_EVS_DISABLE_APP_EVENTS_CC, 777
CFE_EVS_LEN_ERR_EID	CFE_EVS_DISABLE_EVENT_TYPE_CC, 778
cfe_evs_events.h, 767	CFE_EVS_DISABLE_PORTS_CC, 779
CFE_EVS_LogFileCmd_Payload, 464	CFE_EVS_DisableAppEventsCmd_t, 793
LogFilename, 464	CFE_EVS_DisableAppEventTypeCmd_t, 793
CFE_EVS_LogFileCmd_Payload_t	CFE_EVS_DisableEventTypeCmd_t, 793
cfe_evs_msg.h, 794	CFE_EVS_DisablePortsCmd_t, 793
CFE_EVS_LogMode	CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, 780
cfe_evs_extern_typedefs.h, 663	CFE_EVS_ENABLE_APP_EVENTS_CC, 780
CFE_EVS_LogMode_DISCARD	CFE_EVS_ENABLE_EVENT_TYPE_CC, 781
cfe_evs_extern_typedefs.h, 664	CFE_EVS_ENABLE_PORTS_CC, 782
CFE_EVS_LOGMODE_EID	CFE_EVS_EnableAppEventsCmd_t, 793
cfe_evs_events.h, 767	CFE_EVS_EnableAppEventTypeCmd_t, 793
CFE_EVS_LogMode_Enum_t	CFE_EVS_EnableEventTypeCmd_t, 794
cfe_evs_extern_typedefs.h, 662	CFE_EVS_EnablePortsCmd_t, 794
CFE_EVS_LogMode_OVERWRITE	CFE_EVS_ERROR_BIT, 783
cfe_evs_extern_typedefs.h, 664	CFE_EVS_HousekeepingTlm_Payload_t, 794

CFE_EVS_HousekeepingTlm_t, 794	CFE_EVS_NoopCmd_t
CFE_EVS_INFORMATION_BIT, 783	cfe_evs_msg.h, 794
CFE EVS LogFileCmd Payload t, 794	CFE EVS NOT IMPLEMENTED
CFE_EVS_LongEventTlm_Payload_t, 794	cFE Return Code Defines, 124
CFE EVS LongEventTlm t, 794	CFE_EVS_PacketID, 466
CFE EVS NoArgsCmd t, 794	AppName, 467
CFE_EVS_NOOP_CC, 783	EventID, 467
CFE_EVS_NoopCmd_t, 794	EventType, 467
CFE_EVS_PacketID_t, 794	ProcessorID, 467
CFE_EVS_PORT1_BIT, 784	SpacecraftID, 467
	•
CFE_EVS_PORT2_BIT, 784	CFE_EVS_PacketID_t
CFE_EVS_PORT3_BIT, 784	cfe_evs_msg.h, 794
CFE_EVS_PORT4_BIT, 784	CFE_EVS_PORT1_BIT
CFE_EVS_RESET_ALL_FILTERS_CC, 784	cfe_evs_msg.h, 784
CFE_EVS_RESET_APP_COUNTER_CC, 785	CFE_EVS_PORT2_BIT
CFE_EVS_RESET_COUNTERS_CC, 786	cfe_evs_msg.h, 784
CFE_EVS_RESET_FILTER_CC, 786	CFE_EVS_PORT3_BIT
CFE_EVS_ResetAllFiltersCmd_t, 794	cfe_evs_msg.h, 784
CFE_EVS_ResetAppCounterCmd_t, 794	CFE_EVS_PORT4_BIT
CFE_EVS_ResetCountersCmd_t, 794	cfe_evs_msg.h, 784
CFE_EVS_ResetFilterCmd_t, 795	CFE_EVS_Register
CFE_EVS_SendHkCmd_t, 795	cFE Registration APIs, 183
CFE_EVS_SET_EVENT_FORMAT_MODE_CC, 787	CFE_EVS_RESET_ALL_FILTERS_CC
CFE_EVS_SET_FILTER_CC, 788	cfe_evs_msg.h, 784
CFE_EVS_SET_LOG_MODE_CC, 789	CFE_EVS_RESET_APP_COUNTER_CC
CFE_EVS_SetEventFormatMode_Payload_t, 795	cfe_evs_msg.h, 785
CFE_EVS_SetEventFormatModeCmd_t, 795	CFE_EVS_RESET_AREA_POINTER
CFE_EVS_SetFilterCmd_t, 795	cFE Return Code Defines, 124
CFE_EVS_SetLogMode_Payload_t, 795	CFE_EVS_RESET_COUNTERS_CC
CFE_EVS_SetLogModeCmd_t, 795	cfe_evs_msg.h, 786
CFE_EVS_ShortEventTlm_Payload_t, 795	CFE_EVS_RESET_FILTER_CC
CFE_EVS_ShortEventTIm_t, 795	cfe_evs_msg.h, 786
CFE EVS WRITE APP DATA FILE CC, 790	CFE EVS ResetAllFilters
CFE_EVS_WRITE_LOG_DATA_FILE_CC, 791	cFE Reset Event Filter APIs, 189
CFE EVS WriteAppDataFileCmd t, 795	CFE_EVS_ResetAllFiltersCmd_t
CFE EVS WriteLogDataFileCmd t, 795	cfe_evs_msg.h, 794
CFE_EVS_MsgFormat	CFE_EVS_ResetAppCounterCmd_t
cfe_evs_extern_typedefs.h, 664	cfe_evs_msg.h, 794
CFE_EVS_MsgFormat_Enum_t	CFE_EVS_ResetCountersCmd_t
cfe_evs_extern_typedefs.h, 662	cfe evs msg.h, 794
CFE_EVS_MsgFormat_LONG	CFE_EVS_ResetFilter
cfe_evs_extern_typedefs.h, 664	cFE Reset Event Filter APIs, 189
CFE_EVS_MsgFormat_SHORT	CFE_EVS_ResetFilterCmd_t
cfe_evs_extern_typedefs.h, 664	cfe_evs_msg.h, 795
CFE_EVS_NO_FILTER	CFE_EVS_RSTALLFILTER_EID
cfe_evs_api_typedefs.h, 661	cfe_evs_events.h, 768
CFE_EVS_NoArgsCmd, 466	CFE_EVS_RSTCNT_EID
CommandHeader, 466	cfe_evs_events.h, 768
CFE_EVS_NoArgsCmd_t	CFE_EVS_RSTEVTCNT_EID
cfe_evs_msg.h, 794	cfe_evs_events.h, 768
CFE_EVS_NOOP_CC	CFE_EVS_RSTFILTER_EID
cfe_evs_msg.h, 783	cfe_evs_events.h, 768
CFE_EVS_NOOP_EID	CFE_EVS_Send
cfe evs events.h. 767	cfe evs.h. 658

CFE_EVS_SEND_HK_MID	TelemetryHeader, 471
cpu1_msgids.h, 566	CFE_EVS_ShortEventTlm_Payload, 471
CFE_EVS_SendCrit	PacketID, 471
cfe_evs.h, 658	CFE_EVS_ShortEventTlm_Payload_t
CFE_EVS_SendDbg	cfe_evs_msg.h, 795
cfe_evs.h, 658	CFE_EVS_ShortEventTlm_t
CFE_EVS_SendErr	cfe_evs_msg.h, 795
cfe_evs.h, 659	CFE_EVS_SQUELCHED_ERR_EID
CFE_EVS_SendEvent	cfe_evs_events.h, 769
cFE Send Event APIs, 185	CFE_EVS_STARTUP_EID
CFE_EVS_SendEventWithAppID	cfe_evs_events.h, 769
cFE Send Event APIs, 186	CFE_EVS_UNKNOWN_FILTER
CFE_EVS_SendHkCmd_t	cFE Return Code Defines, 124
cfe_evs_msg.h, 795	CFE_EVS_WRDAT_EID
CFE_EVS_SendInfo	cfe_evs_events.h, 770
cfe_evs.h, 659	CFE_EVS_WRITE_APP_DATA_FILE_CC
CFE_EVS_SendTimedEvent	cfe_evs_msg.h, 790
cFE Send Event APIs, 187	CFE_EVS_WRITE_LOG_DATA_FILE_CC
CFE_EVS_SET_EVENT_FORMAT_MODE_CC	cfe_evs_msg.h, 791
cfe_evs_msg.h, 787	CFE_EVS_WriteAppDataFileCmd, 471
CFE_EVS_SET_FILTER_CC	CommandHeader, 472
cfe_evs_msg.h, 788	Payload, 472
CFE_EVS_SET_LOG_MODE_CC	CFE_EVS_WriteAppDataFileCmd_t
cfe_evs_msg.h, 789	cfe_evs_msg.h, 795
CFE_EVS_SetEventFormatCode_Payload, 468	CFE_EVS_WriteLogDataFileCmd, 472
MsgFormat, 468	CommandHeader, 472
Spare, 468	Payload, 472
CFE_EVS_SetEventFormatMode_Payload_t	CFE_EVS_WriteLogDataFileCmd_t
cfe_evs_msg.h, 795	cfe_evs_msg.h, 795
CFE_EVS_SetEventFormatModeCmd, 468	CFE_EVS_WRLOG_EID
CommandHeader, 469	cfe_evs_events.h, 770
Payload, 469	CFE_EXECUTIVE_SERVICE
CFE_EVS_SetEventFormatModeCmd_t	cfe_error.h, 639
cfe_evs_msg.h, 795	CFE_FILE_SERVICE
CFE_EVS_SETEVTFMTMOD_EID	cfe_error.h, 639
cfe_evs_events.h, 769	cfe_fs_api_typedefs.h
CFE_EVS_SetFilterCmd_t	CFE_FS_FileCategory_BINARY_DATA_DUMP, 667
cfe_evs_msg.h, 795	CFE_FS_FileCategory_DYNAMIC_MODULE, 667
CFE_EVS_SETFILTERMSK_EID	CFE_FS_FileCategory_MAX, 667
cfe_evs_events.h, 769	CFE_FS_FileCategory_SCRIPT, 667
CFE_EVS_SetLogMode_Payload, 469	CFE_FS_FileCategory_t, 667
LogMode, 469	CFE_FS_FileCategory_TEMP, 667
Spare, 469	CFE_FS_FileCategory_TEXT_LOG, 667
CFE_EVS_SetLogMode_Payload_t	CFE_FS_FileCategory_UNKNOWN, 667
cfe_evs_msg.h, 795	CFE_FS_FileWriteEvent_COMPLETE, 667
CFE_EVS_SetLogModeCmd, 470	CFE_FS_FileWriteEvent_CREATE_ERROR, 667
CommandHeader, 470	CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR
Payload, 470	667
CFE_EVS_SetLogModeCmd_t	CFE_FS_FileWriteEvent_MAX, 667
cfe_evs_msg.h, 795	CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR
CFE_EVS_SHORT_EVENT_MSG_MID	667
cpu1_msgids.h, 566	CFE_FS_FileWriteEvent_t, 667
CFE_EVS_ShortEventTlm, 470	CFE_FS_FileWriteEvent_UNDEFINED, 667
Payload, 470	CFE_FS_FileWriteGetData_t, 665

CFE_FS_FileWriteMetaData_t, 666	cfe_fs_api_typedefs.h, 667
CFE_FS_FileWriteOnEvent_t, 666	CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR
CFE_FS_BackgroundFileDumpIsPending	cfe_fs_api_typedefs.h, 667
cFE File Utility APIs, 195	CFE_FS_FileWriteEvent_t
CFE_FS_BackgroundFileDumpRequest	cfe_fs_api_typedefs.h, 667
cFE File Utility APIs, 196	CFE_FS_FileWriteEvent_UNDEFINED
CFE_FS_BAD_ARGUMENT	cfe_fs_api_typedefs.h, 667
cFE Return Code Defines, 124	CFE_FS_FileWriteGetData_t
cfe_fs_extern_typedefs.h	cfe_fs_api_typedefs.h, 665
CFE_FS_FILE_CONTENT_ID, 668	CFE_FS_FileWriteMetaData, 472
CFE_FS_HDR_DESC_MAX_LEN, 668	Description, 473
CFE_FS_Header_t, 668	FileName, 473
CFE_FS_SubType, 669	FileSubType, 473
CFE_FS_SubType_Enum_t, 668	GetData, 473
CFE_FS_SubType_ES_CDS_REG, 669	IsPending, 473
CFE_FS_SubType_ES_ERLOG, 669	OnEvent, 473
CFE_FS_SubType_ES_PERFDATA, 669	CFE_FS_FileWriteMetaData_t
CFE_FS_SubType_ES_QUERYALL, 669	cfe_fs_api_typedefs.h, 666
CFE_FS_SubType_ES_QUERYALLTASKS, 669	CFE_FS_FileWriteOnEvent_t
CFE_FS_SubType_ES_SYSLOG, 669	cfe_fs_api_typedefs.h, 666
CFE FS SubType EVS APPDATA, 669	CFE_FS_FNAME_TOO_LONG
CFE FS SubType EVS EVENTLOG, 669	cFE Return Code Defines, 124
CFE FS SubType SB MAPDATA, 669	CFE_FS_GetDefaultExtension
CFE FS SubType SB PIPEDATA, 669	cFE File Utility APIs, 197
CFE_FS_SubType_SB_ROUTEDATA, 669	CFE_FS_GetDefaultMountPoint
CFE_FS_SubType_TBL_IMG, 669	cFE File Utility APIs, 197
CFE_FS_SubType_TBL_REG, 669	CFE_FS_HDR_DESC_MAX_LEN
CFE_FS_ExtractFilenameFromPath	cfe_fs_extern_typedefs.h, 668
cFE File Utility APIs, 196	CFE_FS_Header, 474
CFE_FS_FILE_CONTENT_ID	ApplicationID, 474
cfe_fs_extern_typedefs.h, 668	ContentType, 474
CFE_FS_FileCategory_BINARY_DATA_DUMP	Description, 474
cfe_fs_api_typedefs.h, 667	Length, 474
CFE_FS_FileCategory_DYNAMIC_MODULE	ProcessorID, 475
cfe_fs_api_typedefs.h, 667	SpacecraftID, 475
CFE_FS_FileCategory_MAX	SubType, 475
cfe_fs_api_typedefs.h, 667	TimeSeconds, 475
CFE_FS_FileCategory_SCRIPT	TimeSubSeconds, 475
cfe_fs_api_typedefs.h, 667	CFE_FS_Header_t
CFE_FS_FileCategory_t	cfe_fs_extern_typedefs.h, 668
cfe_fs_api_typedefs.h, 667	CFE_FS_InitHeader
CFE_FS_FileCategory_TEMP	cFE File Header Management APIs, 191
cfe_fs_api_typedefs.h, 667	CFE FS INVALID PATH
CFE_FS_FileCategory_TEXT_LOG	cFE Return Code Defines, 124
cfe_fs_api_typedefs.h, 667	CFE FS NOT IMPLEMENTED
CFE_FS_FileCategory_UNKNOWN	cFE Return Code Defines, 124
cfe_fs_api_typedefs.h, 667	CFE FS ParseInputFileName
CFE FS FileWriteEvent COMPLETE	cFE File Utility APIs, 197
cfe_fs_api_typedefs.h, 667	CFE_FS_ParseInputFileNameEx
CFE_FS_FileWriteEvent_CREATE_ERROR	cFE File Utility APIs, 198
cfe_fs_api_typedefs.h, 667	CFE_FS_ReadHeader
CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR	cFE File Header Management APIs, 191
cfe_fs_api_typedefs.h, 667	CFE_FS_SetTimestamp
CFF FS FileWriteEvent MAX	cFE File Header Management APIs. 192

CFE_FS_SubType	CFE_MISSION_ES_CRC_8
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 615
CFE_FS_SubType_Enum_t	CFE_MISSION_ES_DEFAULT_CRC
cfe_fs_extern_typedefs.h, 668	sample_mission_cfg.h, 615
CFE_FS_SubType_ES_CDS_REG	CFE_MISSION_ES_HK_TLM_MSG
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 615
CFE_FS_SubType_ES_ERLOG	CFE_MISSION_ES_MAIN_PERF_ID
cfe_fs_extern_typedefs.h, 669	sample_perfids.h, 626
CFE_FS_SubType_ES_PERFDATA	CFE_MISSION_ES_MAX_APPLICATIONS
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 615
CFE_FS_SubType_ES_QUERYALL	CFE_MISSION_ES_MEMSTATS_TLM_MSG
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 615
CFE_FS_SubType_ES_QUERYALLTASKS	CFE_MISSION_ES_PERF_EXIT_BIT
cfe_fs_extern_typedefs.h, 669	sample_perfids.h, 626
CFE_FS_SubType_ES_SYSLOG	CFE_MISSION_ES_PERF_MAX_IDS
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 616
	CFE MISSION ES POOL MAX BUCKETS
CFE_FS_SubType_EVS_APPDATA	
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 616
CFE_FS_SubType_EVS_EVENTLOG	CFE_MISSION_ES_SEND_HK_MSG
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 616
CFE_FS_SubType_SB_MAPDATA	CFE_MISSION_EVS_CMD_MSG
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 616
CFE_FS_SubType_SB_PIPEDATA	CFE_MISSION_EVS_HK_TLM_MSG
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 616
CFE_FS_SubType_SB_ROUTEDATA	CFE_MISSION_EVS_LONG_EVENT_MSG_MSG
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 617
CFE_FS_SubType_TBL_IMG	CFE_MISSION_EVS_MAIN_PERF_ID
cfe_fs_extern_typedefs.h, 669	sample_perfids.h, 626
CFE_FS_SubType_TBL_REG	CFE_MISSION_EVS_MAX_MESSAGE_LENGTH
cfe_fs_extern_typedefs.h, 669	sample_mission_cfg.h, 617
CFE_FS_WriteHeader	CFE_MISSION_EVS_SEND_HK_MSG
cFE File Header Management APIs, 193	sample_mission_cfg.h, 617
CFE_GENERIC_SERVICE	CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG
cfe_error.h, 639	sample_mission_cfg.h, 617
CFE_MAJOR_VERSION	CFE_MISSION_MAX_API_LEN
cfe_version.h, 705	sample_mission_cfg.h, 617
CFE_MAKE_BIG16	CFE_MISSION_MAX_FILE_LEN
cfe endian.h, 632	sample mission cfg.h, 617
CFE_MAKE_BIG32	CFE MISSION MAX PATH LEN
cfe_endian.h, 632	sample_mission_cfg.h, 618
CFE_MINOR_VERSION	oampio_imbolon_olg.n, o to
	CEE MISSION REV
cfe version h 705	CFE_MISSION_REV
cfe_version.h, 705	cfe_version.h, 705
CFE_MISSION_ES_APP_TLM_MSG	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_CMD_MSG
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN sample_mission_cfg.h, 614	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_CMD_MSG sample_mission_cfg.h, 618
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_CMD_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_HK_TLM_MSG
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH sample_mission_cfg.h, 614	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_CMD_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_HK_TLM_MSG sample_mission_cfg.h, 619
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH sample_mission_cfg.h, 614 CFE_MISSION_ES_CMD_MSG	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_CMD_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_HK_TLM_MSG sample_mission_cfg.h, 619 CFE_MISSION_SB_MAIN_PERF_ID
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH sample_mission_cfg.h, 614 CFE_MISSION_ES_CMD_MSG sample_mission_cfg.h, 614	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_CMD_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_HK_TLM_MSG sample_mission_cfg.h, 619 CFE_MISSION_SB_MAIN_PERF_ID sample_perfids.h, 626
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH sample_mission_cfg.h, 614 CFE_MISSION_ES_CMD_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CRC_16	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_CMD_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_HK_TLM_MSG sample_mission_cfg.h, 619 CFE_MISSION_SB_MAIN_PERF_ID sample_perfids.h, 626 CFE_MISSION_SB_MAX_PIPES
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH sample_mission_cfg.h, 614 CFE_MISSION_ES_CMD_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CRC_16 sample_mission_cfg.h, 614	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_CMD_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_HK_TLM_MSG sample_mission_cfg.h, 619 CFE_MISSION_SB_MAIN_PERF_ID sample_perfids.h, 626 CFE_MISSION_SB_MAX_PIPES sample_mission_cfg.h, 619
CFE_MISSION_ES_APP_TLM_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN sample_mission_cfg.h, 614 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH sample_mission_cfg.h, 614 CFE_MISSION_ES_CMD_MSG sample_mission_cfg.h, 614 CFE_MISSION_ES_CRC_16	cfe_version.h, 705 CFE_MISSION_SB_ALLSUBS_TLM_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_CMD_MSG sample_mission_cfg.h, 618 CFE_MISSION_SB_HK_TLM_MSG sample_mission_cfg.h, 619 CFE_MISSION_SB_MAIN_PERF_ID sample_perfids.h, 626 CFE_MISSION_SB_MAX_PIPES

CFE_MISSION_TIME_DEF_MET_SUBS CFE_MISSION_SB_MSG_LIM_PERF_ID sample perfids.h, 627 sample mission cfa.h. 623 CFE MISSION SB ONESUB TLM MSG CFE MISSION TIME DEF STCF SECS sample mission cfg.h, 619 sample mission cfg.h, 623 CFE_MISSION_SB_PIPE_OFLOW_PERF ID CFE_MISSION_TIME_DEF_STCF_SUBS sample perfids.h, 627 sample mission cfg.h, 623 CFE MISSION SB SEND HK MSG CFE MISSION TIME DIAG TLM MSG sample mission cfg.h, 623 sample mission cfg.h, 619 CFE MISSION SB STATS TLM MSG CFE MISSION TIME EPOCH DAY sample mission cfg.h, 623 sample mission cfg.h, 619 CFE_MISSION_SB_SUB_RPT_CTRL_MSG CFE_MISSION_TIME_EPOCH_HOUR sample mission cfg.h, 624 sample mission cfg.h, 619 CFE_MISSION_TBL_CMD_MSG CFE MISSION TIME EPOCH MICROS sample mission cfg.h, 620 sample mission cfg.h, 624 CFE MISSION TBL HK TLM MSG CFE MISSION TIME EPOCH MINUTE sample mission cfg.h, 620 sample mission cfg.h, 624 CFE MISSION TBL MAIN PERF ID CFE MISSION TIME EPOCH SECOND sample perfids.h, 627 sample mission cfg.h, 624 CFE MISSION TBL MAX FULL NAME LEN CFE MISSION TIME EPOCH YEAR sample_mission_cfg.h, 620 sample_mission_cfg.h, 624 CFE MISSION TBL MAX NAME LENGTH CFE MISSION TIME FS FACTOR sample mission cfg.h, 620 sample mission cfg.h, 624 CFE_MISSION_TBL_REG_TLM_MSG CFE MISSION TIME HK TLM MSG sample mission cfg.h, 620 sample mission cfg.h, 625 CFE_MISSION_TBL_SEND_HK_MSG CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID sample mission cfg.h, 620 sample perfids.h, 627 CFE MISSION TEST CMD MSG CFE MISSION TIME LOCAL1HZTASK PERF ID sample mission cfg.h, 621 sample perfids.h, 627 CFE MISSION TEST HK TLM MSG CFE MISSION TIME MAIN PERF ID sample mission cfg.h, 621 sample perfids.h, 627 CFE_MISSION_TIME_1HZ_CMD_MSG CFE_MISSION_TIME_MAX_ELAPSED sample mission cfg.h, 621 sample mission cfg.h, 625 CFE MISSION TIME AT TONE WAS CFE MISSION TIME MIN ELAPSED sample mission cfg.h, 621 sample mission cfg.h, 625 CFE MISSION TIME AT TONE WILL BE CFE MISSION TIME SEND CMD MSG sample mission cfg.h, 625 sample mission cfg.h, 621 CFE MISSION TIME SEND HK MSG CFE MISSION TIME CFG DEFAULT TAI sample mission cfg.h, 621 sample mission cfg.h, 625 CFE_MISSION_TIME_CFG_DEFAULT_UTC CFE_MISSION_TIME_SENDMET_PERF_ID sample mission cfg.h, 622 sample perfids.h, 627 CFE_MISSION_TIME_CFG_FAKE_TONE CFE_MISSION_TIME_TONE1HZISR_PERF_ID sample mission cfg.h, 622 sample perfids.h, 627 CFE MISSION TIME CMD MSG CFE MISSION TIME TONE1HZTASK PERF ID sample mission cfg.h, 622 sample perfids.h, 627 CFE MISSION TIME TONE CMD MSG CFE MISSION TIME DATA CMD MSG sample_mission_cfg.h, 622 sample_mission_cfg.h, 625 CFE MISSION TIME DEF DELAY SECS cfe_msg_api_typedefs.h sample mission cfg.h, 622 CFE MSG ApId t, 673 CFE MISSION TIME DEF DELAY SUBS CFE MSG BAD ARGUMENT, 673 sample mission cfg.h, 623 CFE MSG Checksum t, 673 CFE_MISSION_TIME_DEF_LEAPS CFE_MSG_CommandHeader_t, 674 sample mission cfg.h, 623 CFE MSG EDSVersion t, 674 CFE MISSION TIME DEF MET SECS CFE MSG Endian, 675 sample mission cfg.h, 623 CFE MSG Endian Big, 675

CFE_MSG_Endian_Invalid, 675	CFE_MSG_GetApId
CFE_MSG_Endian_Little, 675	cFE Message Primary Header APIs, 201
CFE_MSG_Endian_t, 674	CFE_MSG_GetEDSVersion
CFE_MSG_FcnCode_t, 674	cFE Message Extended Header APIs, 210
CFE_MSG_HeaderVersion_t, 674	CFE_MSG_GetEndian
CFE_MSG_Message_t, 674	cFE Message Extended Header APIs, 211
CFE_MSG_NOT_IMPLEMENTED, 673	CFE_MSG_GetFcnCode
CFE_MSG_PlaybackFlag, 675	cFE Message Secondary Header APIs, 217
CFE_MSG_PlaybackFlag_t, 674	CFE_MSG_GetHasSecondaryHeader
CFE_MSG_PlayFlag_Invalid, 675	cFE Message Primary Header APIs, 202
CFE_MSG_PlayFlag_Original, 675	CFE_MSG_GetHeaderVersion
CFE_MSG_PlayFlag_Playback, 675	cFE Message Primary Header APIs, 202
CFE_MSG_SegFlag_Continue, 676	CFE_MSG_GetMsgld
CFE_MSG_SegFlag_First, 676	cFE Message Id APIs, 221
CFE_MSG_SegFlag_Invalid, 675	CFE_MSG_GetMsgTime
CFE_MSG_SegFlag_Last, 676	cFE Message Secondary Header APIs, 217
CFE_MSG_SegFlag_Unsegmented, 676	CFE_MSG_GetNextSequenceCount
CFE_MSG_SegmentationFlag, 675	cFE Message Primary Header APIs, 203
CFE_MSG_SegmentationFlag_t, 674	CFE_MSG_GetPlaybackFlag
CFE_MSG_SequenceCount_t, 674	cFE Message Extended Header APIs, 211
CFE_MSG_Size_t, 674	CFE_MSG_GetSegmentationFlag
CFE_MSG_Subsystem_t, 674	cFE Message Primary Header APIs, 203
CFE_MSG_System_t, 675	CFE_MSG_GetSequenceCount
CFE_MSG_TelemetryHeader_t, 675	cFE Message Primary Header APIs, 204
CFE_MSG_Type, 676	CFE_MSG_GetSize
CFE_MSG_Type_Cmd, 676	cFE Message Primary Header APIs, 204
CFE_MSG_Type_Invalid, 676	CFE_MSG_GetSubsystem
CFE_MSG_Type_t, 675	cFE Message Extended Header APIs, 212
CFE_MSG_Type_Tlm, 676	CFE_MSG_GetSystem
CFE_MSG_WRONG_MSG_TYPE, 673	cFE Message Extended Header APIs, 212
CFE_MSG_ApId_t	CFE_MSG_GetType
cfe_msg_api_typedefs.h, 673	cFE Message Primary Header APIs, 205
CFE_MSG_BAD_ARGUMENT	CFE_MSG_GetTypeFromMsgld
cfe_msg_api_typedefs.h, 673	cFE Message Id APIs, 221
CFE_MSG_Checksum_t	CFE_MSG_HeaderVersion_t
cfe_msg_api_typedefs.h, 673	cfe_msg_api_typedefs.h, 674
CFE_MSG_CommandHeader_t	CFE MSG Init
cfe_msg_api_typedefs.h, 674	cFE Generic Message APIs, 200
CFE_MSG_EDSVersion_t	CFE_MSG_Message_t
cfe_msg_api_typedefs.h, 674	cfe_msg_api_typedefs.h, 674
CFE_MSG_Endian	CFE_MSG_NOT_IMPLEMENTED
cfe_msg_api_typedefs.h, 675	cfe_msg_api_typedefs.h, 673
CFE_MSG_Endian_Big	CFE MSG PlaybackFlag
cfe_msg_api_typedefs.h, 675	cfe_msg_api_typedefs.h, 675
CFE_MSG_Endian_Invalid	CFE_MSG_PlaybackFlag_t
cfe_msg_api_typedefs.h, 675	cfe_msg_api_typedefs.h, 674
CFE_MSG_Endian_Little	CFE_MSG_PlayFlag_Invalid
cfe_msg_api_typedefs.h, 675	cfe_msg_api_typedefs.h, 675
CFE_MSG_Endian_t	CFE_MSG_PlayFlag_Original
cfe_msg_api_typedefs.h, 674	cfe_msg_api_typedefs.h, 675
CFE_MSG_FcnCode_t	CFE_MSG_PlayFlag_Playback
cfe_msg_api_typedefs.h, 674	cfe_msg_api_typedefs.h, 675
CFE_MSG_GenerateChecksum	CFE_MSG_SegFlag_Continue
cFE Message Secondary Header APIs, 216	cfe_msg_api_typedefs.h, 676

CFE_MSG_SegFlag_First	CFE_MSG_Type_Cmd
cfe_msg_api_typedefs.h, 676	cfe_msg_api_typedefs.h, 676
CFE_MSG_SegFlag_Invalid	CFE_MSG_Type_Invalid
cfe_msg_api_typedefs.h, 675	cfe_msg_api_typedefs.h, 676
CFE_MSG_SegFlag_Last	CFE_MSG_Type_t
cfe_msg_api_typedefs.h, 676	cfe_msg_api_typedefs.h, 675
CFE_MSG_SegFlag_Unsegmented	CFE_MSG_Type_TIm
cfe_msg_api_typedefs.h, 676	cfe_msg_api_typedefs.h, 676
CFE_MSG_SegmentationFlag	CFE_MSG_ValidateChecksum
cfe_msg_api_typedefs.h, 675	cFE Message Secondary Header APIs, 219
CFE MSG SegmentationFlag t	CFE_MSG_WRONG_MSG_TYPE
cfe_msg_api_typedefs.h, 674	cfe_msg_api_typedefs.h, 673
CFE_MSG_SequenceCount_t	CFE_PLATFORM_CMD_MID_BASE
cfe_msg_api_typedefs.h, 674	cpu1_msgids.h, 566
CFE_MSG_SetApId	CFE_PLATFORM_CMD_MID_BASE_GLOB
cFE Message Primary Header APIs, 205	cpu1_msgids.h, 566
CFE_MSG_SetEDSVersion	CFE_PLATFORM_CORE_MAX_STARTUP_MSEC
cFE Message Extended Header APIs, 213	cpu1_platform_cfg.h, 572
CFE_MSG_SetEndian	CFE_PLATFORM_ENDIAN
cFE Message Extended Header APIs, 213	cpu1_platform_cfg.h, 573
CFE_MSG_SetFcnCode	CFE_PLATFORM_ES_APP_KILL_TIMEOUT
cFE Message Secondary Header APIs, 218	cpu1_platform_cfg.h, 573
CFE_MSG_SetHasSecondaryHeader	CFE_PLATFORM_ES_APP_SCAN_RATE
cFE Message Primary Header APIs, 206	cpu1 platform cfg.h, 573
CFE_MSG_SetHeaderVersion	CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE
cFE Message Primary Header APIs, 206	cpu1_platform_cfg.h, 574
CFE_MSG_SetMsgld	CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES
cFE Message Id APIs, 222	cpu1_platform_cfg.h, 574
CFE_MSG_SetMsgTime	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01
cFE Message Secondary Header APIs, 218	cpu1_platform_cfg.h, 574
CFE_MSG_SetPlaybackFlag	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02
cFE Message Extended Header APIs, 214	cpu1_platform_cfg.h, 574
CFE_MSG_SetSegmentationFlag	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03
cFE Message Primary Header APIs, 207	cpu1_platform_cfg.h, 575
CFE_MSG_SetSequenceCount	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04
cFE Message Primary Header APIs, 207	cpu1_platform_cfg.h, 575
CFE_MSG_SetSize	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05
cFE Message Primary Header APIs, 208	cpu1 platform cfg.h, 575
CFE_MSG_SetSubsystem	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06
cFE Message Extended Header APIs, 214	cpu1 platform cfg.h, 575
CFE_MSG_SetSystem	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07
cFE Message Extended Header APIs, 215	cpu1_platform_cfg.h, 575
CFE MSG SetType	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08
cFE Message Primary Header APIs, 208	cpu1 platform cfg.h, 575
CFE_MSG_Size_t	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09
cfe_msg_api_typedefs.h, 674	cpu1_platform_cfg.h, 575
CFE_MSG_Subsystem_t	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10
cfe_msg_api_typedefs.h, 674	cpu1_platform_cfg.h, 575
CFE_MSG_System_t	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11
cfe_msg_api_typedefs.h, 675	cpu1_platform_cfg.h, 575
CFE_MSG_TelemetryHeader_t	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12
cfe_msg_api_typedefs.h, 675	cpu1_platform_cfg.h, 575
CFE_MSG_Type	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13
cfe msg api typedefs.h, 676	cpu1 platform cfg.h, 576
ord inag api typodolari, 070	opa i pianoriii org.n, 070

CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07
cpu1_platform_cfg.h, 576	cpu1_platform_cfg.h, 582
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08
cpu1_platform_cfg.h, 576	cpu1_platform_cfg.h, 582
CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09
cpu1_platform_cfg.h, 576	cpu1_platform_cfg.h, 582
CFE_PLATFORM_ES_CDS_SIZE	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10
cpu1_platform_cfg.h, 576	cpu1_platform_cfg.h, 582
CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11
cpu1_platform_cfg.h, 576	cpu1_platform_cfg.h, 583
${\sf CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE}$	
cpu1_platform_cfg.h, 577	cpu1_platform_cfg.h, 583
CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13
cpu1_platform_cfg.h, 577	cpu1_platform_cfg.h, 583
CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAM	ECFE_PLATFORM_ES_MEM_BLOCK_SIZE_14
cpu1_platform_cfg.h, 577	cpu1_platform_cfg.h, 583
CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15
cpu1_platform_cfg.h, 577	cpu1_platform_cfg.h, 583
CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE	CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16
cpu1_platform_cfg.h, 578	cpu1_platform_cfg.h, 583
CFE_PLATFORM_ES_DEFAULT_STACK_SIZE	CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN
cpu1_platform_cfg.h, 578	cpu1_platform_cfg.h, 583
CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE	CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING
cpu1_platform_cfg.h, 578	cpu1_platform_cfg.h, 583
CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE	CFE_PLATFORM_ES_NONVOL_STARTUP_FILE
cpu1_platform_cfg.h, 579	cpu1_platform_cfg.h, 584
CFE_PLATFORM_ES_ER_LOG_ENTRIES	CFE_PLATFORM_ES_OBJECT_TABLE_SIZE
cpu1_platform_cfg.h, 579	cpu1_platform_cfg.h, 584
CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE	CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY
cpu1_platform_cfg.h, 579	cpu1_platform_cfg.h, 584
CFE_PLATFORM_ES_MAX_APPLICATIONS	CFE_PLATFORM_ES_PERF_CHILD_PRIORITY
cpu1_platform_cfg.h, 580	cpu1_platform_cfg.h, 584
CFE_PLATFORM_ES_MAX_BLOCK_SIZE	CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE
cpu1_platform_cfg.h, 580	cpu1_platform_cfg.h, 585
CFE_PLATFORM_ES_MAX_GEN_COUNTERS	CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE
cpu1_platform_cfg.h, 580	cpu1_platform_cfg.h, 585
CFE_PLATFORM_ES_MAX_LIBRARIES	CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS
cpu1_platform_cfg.h, 580	cpu1_platform_cfg.h, 585
CFE_PLATFORM_ES_MAX_MEMORY_POOLS	CFE_PLATFORM_ES_PERF_FILTMASK_ALL
cpu1_platform_cfg.h, 581	cpu1_platform_cfg.h, 586
CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS	CFE_PLATFORM_ES_PERF_FILTMASK_INIT
cpu1_platform_cfg.h, 581	cpu1_platform_cfg.h, 586
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01	CFE PLATFORM ES PERF FILTMASK NONE
cpu1_platform_cfg.h, 581	cpu1_platform_cfg.h, 586
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02	CFE_PLATFORM_ES_PERF_TRIGMASK_ALL
cpu1_platform_cfg.h, 582	cpu1_platform_cfg.h, 586
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03	CFE PLATFORM ES PERF TRIGMASK INIT
cpu1_platform_cfg.h, 582	cpu1_platform_cfg.h, 586
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04	CFE_PLATFORM_ES_PERF_TRIGMASK_NONE
cpu1_platform_cfg.h, 582	cpu1_platform_cfg.h, 587
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05	CFE_PLATFORM_ES_POOL_MAX_BUCKETS
cpu1_platform_cfg.h, 582	cpu1_platform_cfg.h, 587
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06	CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING
cpu1 platform cfg.h, 582	cpu1 platform cfg.h, 587

CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS	${\sf CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME}$
cpu1_platform_cfg.h, 587	cpu1_platform_cfg.h, 596
CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED	OCFE_PLATFORM_SB_FILTER_MASK1
cpu1_platform_cfg.h, 588	cpu1_platform_cfg.h, 597
CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE	CFE_PLATFORM_SB_FILTER_MASK2
cpu1_platform_cfg.h, 588	cpu1_platform_cfg.h, 597
CFE_PLATFORM_ES_RESET_AREA_SIZE	CFE_PLATFORM_SB_FILTER_MASK3
cpu1_platform_cfg.h, 589	cpu1_platform_cfg.h, 597
CFE_PLATFORM_ES_START_TASK_PRIORITY	CFE_PLATFORM_SB_FILTER_MASK4
cpu1_platform_cfg.h, 589	cpu1_platform_cfg.h, 597
CFE_PLATFORM_ES_START_TASK_STACK_SIZE	CFE_PLATFORM_SB_FILTER_MASK5
cpu1_platform_cfg.h, 589	cpu1_platform_cfg.h, 597
CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSE	
cpu1_platform_cfg.h, 590	cpu1_platform_cfg.h, 597
CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC	CFE_PLATFORM_SB_FILTER_MASK7
cpu1_platform_cfg.h, 590	cpu1_platform_cfg.h, 597
CFE_PLATFORM_ES_SYSTEM_LOG_SIZE	CFE_PLATFORM_SB_FILTER_MASK8
cpu1_platform_cfg.h, 590	cpu1_platform_cfg.h, 597
CFE_PLATFORM_ES_USER_RESERVED_SIZE	CFE_PLATFORM_SB_FILTERED_EVENT1
cpu1_platform_cfg.h, 591	cpu1_platform_cfg.h, 597
CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE	CFE_PLATFORM_SB_FILTERED_EVENT2
cpu1_platform_cfg.h, 591	cpu1_platform_cfg.h, 598
CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC	CFE_PLATFORM_SB_FILTERED_EVENT3
cpu1_platform_cfg.h, 591	cpu1_platform_cfg.h, 598
CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE	CFE_PLATFORM_SB_FILTERED_EVENT4
cpu1_platform_cfg.h, 592	cpu1_platform_cfg.h, 598
CFE_PLATFORM_EVS_DEFAULT_LOG_FILE	CFE_PLATFORM_SB_FILTERED_EVENT5
cpu1_platform_cfg.h, 592	cpu1_platform_cfg.h, 598
CFE_PLATFORM_EVS_DEFAULT_LOG_MODE	CFE_PLATFORM_SB_FILTERED_EVENT6
cpu1_platform_cfg.h, 592	cpu1_platform_cfg.h, 598
CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE	
cpu1_platform_cfg.h, 593	cpu1_platform_cfg.h, 598
CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG	CFE_PLATFORM_SB_FILTERED_EVENT8
cpu1_platform_cfg.h, 593	cpu1_platform_cfg.h, 598
CFE_PLATFORM_EVS_LOG_MAX	CFE_PLATFORM_SB_HIGHEST_VALID_MSGID
cpu1_platform_cfg.h, 593	cpu1_platform_cfg.h, 598
CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST	
	CFE_PLATFORM_SB_MAX_BLOCK_SIZE
cpu1_platform_cfg.h, 594	cpu1_platform_cfg.h, 599
CFE_PLATFORM_EVS_MAX_EVENT_FILTERS	CFE_PLATFORM_SB_MAX_DEST_PER_PKT
cpu1_platform_cfg.h, 594	cpu1_platform_cfg.h, 599
CFE_PLATFORM_EVS_PORT_DEFAULT	CFE_PLATFORM_SB_MAX_MSG_IDS
cpu1_platform_cfg.h, 594	cpu1_platform_cfg.h, 599
CFE_PLATFORM_EVS_START_TASK_PRIORITY	CFE_PLATFORM_SB_MAX_PIPES
cpu1_platform_cfg.h, 594	cpu1_platform_cfg.h, 600
CFE_PLATFORM_EVS_START_TASK_STACK_SIZE	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01
cpu1_platform_cfg.h, 595	cpu1_platform_cfg.h, 600
CFE_PLATFORM_SB_BUF_MEMORY_BYTES	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02
cpu1_platform_cfg.h, 595	cpu1_platform_cfg.h, 600
CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03
cpu1_platform_cfg.h, 595	cpu1_platform_cfg.h, 600
CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04
cpu1_platform_cfg.h, 596	cpu1_platform_cfg.h, 600
CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05
cpu1_platform_cfg.h, 596	cpu1_platform_cfg.h, 600

CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06	CFE_PLATFORM_TBL_VALID_PRID_3
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 606
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07	CFE_PLATFORM_TBL_VALID_PRID_4
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 606
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08	CFE_PLATFORM_TBL_VALID_PRID_COUNT
cpu1 platform cfg.h, 601	cpu1_platform_cfg.h, 606
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09	CFE_PLATFORM_TBL_VALID_SCID_1
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 607
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10	CFE_PLATFORM_TBL_VALID_SCID_2
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 607
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11	CFE_PLATFORM_TBL_VALID_SCID_COUNT
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 607
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12	CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 607
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13	CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 608
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14	CFE_PLATFORM_TIME_CFG_CLIENT
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 608
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15	CFE_PLATFORM_TIME_CFG_LATCH_FLY
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 608
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16	CFE_PLATFORM_TIME_CFG_SERVER
cpu1_platform_cfg.h, 601	cpu1_platform_cfg.h, 608
CFE_PLATFORM_SB_START_TASK_PRIORITY	CFE_PLATFORM_TIME_CFG_SIGNAL
cpu1_platform_cfg.h, 602	cpu1_platform_cfg.h, 608
CFE_PLATFORM_SB_START_TASK_STACK_SIZE	CFE_PLATFORM_TIME_CFG_SOURCE
cpu1_platform_cfg.h, 602	cpu1_platform_cfg.h, 609
CFE_PLATFORM_TBL_BUF_MEMORY_BYTES	CFE_PLATFORM_TIME_CFG_SRC_GPS
cpu1_platform_cfg.h, 602	cpu1_platform_cfg.h, 609
CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE	CFE_PLATFORM_TIME_CFG_SRC_MET
cpu1_platform_cfg.h, 602	cpu1_platform_cfg.h, 609
CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES	CFE_PLATFORM_TIME_CFG_SRC_TIME
cpu1_platform_cfg.h, 603	cpu1_platform_cfg.h, 609
CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE	CFE_PLATFORM_TIME_CFG_START_FLY
cpu1_platform_cfg.h, 603	cpu1_platform_cfg.h, 610
CFE_PLATFORM_TBL_MAX_NUM_HANDLES	CFE_PLATFORM_TIME_CFG_TONE_LIMIT
cpu1_platform_cfg.h, 603	cpu1_platform_cfg.h, 610
CFE_PLATFORM_TBL_MAX_NUM_TABLES	CFE_PLATFORM_TIME_CFG_VIRTUAL
cpu1_platform_cfg.h, 604	cpu1_platform_cfg.h, 610
CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS	CFE_PLATFORM_TIME_MAX_DELTA_SECS
cpu1_platform_cfg.h, 604	cpu1_platform_cfg.h, 610
CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS	CFE_PLATFORM_TIME_MAX_DELTA_SUBS
cpu1_platform_cfg.h, 604	cpu1_platform_cfg.h, 611
CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE	CFE_PLATFORM_TIME_MAX_LOCAL_SECS
cpu1_platform_cfg.h, 605	cpu1_platform_cfg.h, 611
CFE_PLATFORM_TBL_START_TASK_PRIORITY	CFE_PLATFORM_TIME_MAX_LOCAL_SUBS
cpu1_platform_cfg.h, 605	cpu1 platform cfg.h, 611
CFE_PLATFORM_TBL_START_TASK_STACK_SIZE	CFE_PLATFORM_TIME_START_TASK_PRIORITY
cpu1 platform cfg.h, 605	cpu1_platform_cfg.h, 611
CFE_PLATFORM_TBL_U32FROM4CHARS	CFE_PLATFORM_TIME_START_TASK_STACK_SIZE
cpu1_platform_cfg.h, 606	cpu1_platform_cfg.h, 611
CFE_PLATFORM_TBL_VALID_PRID_1	CFE_PLATFORM_TIME_TONE_TASK_PRIORITY
cpu1_platform_cfg.h, 606	cpu1_platform_cfg.h, 612
CFE_PLATFORM_TBL_VALID_PRID_2	CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE
cpu1_platform_cfg.h, 606	cpu1_platform_cfg.h, 612
opu i_piatioiiii_cig.ii, 000	opu i_piatioi iii_oig.ii, 012

CFE_PLATFORM_TLM_MID_BASE	CFE_PSP_MemRead32, 955
cpu1_msgids.h, 566	CFE_PSP_MemRead8, 955
cfe_psp.h	CFE_PSP_MemSet, 955
BUFF_SIZE, 939	CFE_PSP_MemValidateRange, 956
CFE_PSP_AttachExceptions, 942	CFE_PSP_MemWrite16, 956
CFE_PSP_Decompress, 942	CFE_PSP_MemWrite32, 957
CFE_PSP_EepromPowerDown, 942	CFE_PSP_MemWrite8, 957
CFE_PSP_EepromPowerUp, 943	CFE_PSP_Panic, 958
CFE_PSP_EepromWrite16, 943	CFE_PSP_PANIC_CORE_APP, 940
CFE_PSP_EepromWrite32, 943	CFE_PSP_PANIC_GENERAL_FAILURE, 940
CFE_PSP_EepromWrite8, 944	CFE_PSP_PANIC_MEMORY_ALLOC, 940
CFE_PSP_EepromWriteDisable, 944	CFE_PSP_PANIC_NONVOL_DISK, 940
CFE_PSP_EepromWriteEnable, 944	CFE PSP PANIC STARTUP, 940
CFE_PSP_Exception_CopyContext, 945	CFE_PSP_PANIC_STARTUP_SEM, 940
CFE_PSP_Exception_GetCount, 945	CFE_PSP_PANIC_VOLATILE_DISK, 940
CFE_PSP_Exception_GetSummary, 945	CFE_PSP_PortRead16, 958
CFE_PSP_FlushCaches, 946	CFE_PSP_PortRead32, 958
CFE_PSP_Get_Dec, 946	CFE PSP PortRead8, 959
CFE_PSP_Get_Timebase, 946	CFE_PSP_PortWrite16, 959
CFE PSP Get Timer Tick, 947	CFE_PSP_PortWrite32, 959
CFE_PSP_GetBuildNumber, 947	CFE PSP PortWrite8, 960
CFE_PSP_GetCDSSize, 947	CFE PSP ReadFromCDS, 960
CFE_PSP_GetCFETextSegmentInfo, 948	CFE_PSP_Restart, 960
CFE_PSP_GetKernelTextSegmentInfo, 948	CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET,
CFE_PSP_GetProcessorId, 948	940
CFE_PSP_GetProcessorName, 948	CFE_PSP_RST_SUBTYPE_EXCEPTION, 940
CFE_PSP_GetResetArea, 949	CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND
CFE_PSP_GetRestartType, 949	940
CFE_PSP_GetSpacecraftId, 949	CFE_PSP_RST_SUBTYPE_HW_WATCHDOG, 940
CFE PSP GetTime, 949	CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET,
CFE_PSP_GetTimerLow32Rollover, 950	941
CFE_PSP_GetTimerTicksPerSecond, 950	CFE_PSP_RST_SUBTYPE_MAX, 941
CFE_PSP_GetUserReservedArea, 950	CFE_PSP_RST_SUBTYPE_POWER_CYCLE, 941
CFE PSP GetVersionCodeName, 950	CFE PSP RST SUBTYPE PUSH BUTTON, 941
CFE_PSP_GetVersionNumber, 951	CFE PSP RST SUBTYPE RESET COMMAND,
CFE PSP GetVersionString, 951	941
CFE_PSP_GetVolatileDiskMem, 951	CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET,
CFE PSP InitSSR, 951	941
CFE_PSP_Main, 952	CFE_PSP_RST_TYPE_MAX, 941
CFE PSP MEM ANY, 939	CFE PSP RST TYPE POWERON, 941
CFE_PSP_MEM_ATTR_READ, 939	CFE_PSP_RST_TYPE_PROCESSOR, 941
CFE PSP MEM ATTR READWRITE, 939	CFE PSP SetDefaultExceptionEnvironment, 961
CFE_PSP_MEM_ATTR_WRITE, 939	CFE PSP SOFT TIMEBASE NAME, 941
CFE_PSP_MEM_EEPROM, 939	CFE_PSP_WatchdogDisable, 961
CFE_PSP_MEM_INVALID, 939	CFE_PSP_WatchdogEnable, 961
CFE_PSP_MEM_RAM, 939	CFE_PSP_WatchdogGet, 961
CFE_PSP_MEM_SIZE_BYTE, 939	CFE_PSP_WatchdogInit, 961
CFE_PSP_MEM_SIZE_DWORD, 939	CFE_PSP_WatchdogService, 961
CFE_PSP_MEM_SIZE_WORD, 940	CFE_PSP_WatchdogSet, 962
CFE_PSP_MemCpy, 952	CFE_PSP_WriteToCDS, 962
CFE_PSP_MemRangeGet, 953	SIZE_BYTE, 942
CFE_PSP_MemRanges, 953	SIZE_HALF, 942
CFE_PSP_MemRangeSet, 953	SIZE_WORD, 942
CFE_PSP_MemRead16, 954	CFE_PSP_AttachExceptions
or E_r or _mornificatio, out	o. L_i oi _/ ttaoii_xooptions

cfe_psp.h, 942	cfe_psp.h, 946
CFE_PSP_Decompress	CFE_PSP_Get_Dec
cfe_psp.h, 942	cfe_psp.h, 946
CFE_PSP_EepromPowerDown	CFE_PSP_Get_Timebase
cfe_psp.h, 942	cfe_psp.h, 946
CFE_PSP_EepromPowerUp	CFE_PSP_Get_Timer_Tick
cfe_psp.h, 943	cfe_psp.h, 947
CFE_PSP_EepromWrite16	CFE_PSP_GetBuildNumber
cfe_psp.h, 943	cfe_psp.h, 947
CFE_PSP_EepromWrite32	CFE_PSP_GetCDSSize
cfe_psp.h, 943	cfe_psp.h, 947
CFE_PSP_EepromWrite8	CFE_PSP_GetCFETextSegmentInfo
cfe_psp.h, 944	cfe_psp.h, 948
CFE_PSP_EepromWriteDisable	CFE_PSP_GetKernelTextSegmentInfo
cfe_psp.h, 944	cfe_psp.h, 948
CFE_PSP_EepromWriteEnable	CFE_PSP_GetProcessorId
cfe_psp.h, 944	cfe_psp.h, 948
CFE_PSP_ERROR	CFE_PSP_GetProcessorName
cfe_psp_error.h, 963	cfe_psp.h, 948
cfe_psp_error.h	CFE_PSP_GetResetArea
CFE_PSP_ERROR, 963	cfe psp.h, 949
CFE PSP ERROR ADDRESS MISALIGNED, 963	CFE_PSP_GetRestartType
CFE_PSP_ERROR_NOT_IMPLEMENTED, 963	cfe_psp.h, 949
CFE PSP ERROR TIMEOUT, 963	CFE_PSP_GetSpacecraftId
CFE_PSP_INVALID_INT_NUM, 963	cfe_psp.h, 949
CFE_PSP_INVALID_MEM_ADDR, 963	CFE_PSP_GetTime
CFE_PSP_INVALID_MEM_ATTR, 963	cfe_psp.h, 949
CFE_PSP_INVALID_MEM_RANGE, 964	CFE_PSP_GetTimerLow32Rollover
CFE PSP INVALID MEM SIZE, 964	cfe_psp.h, 950
CFE PSP INVALID MEM TYPE, 964	CFE_PSP_GetTimerTicksPerSecond
CFE_PSP_INVALID_MEM_WORDSIZE, 964	cfe_psp.h, 950
CFE_PSP_INVALID_MODULE_ID, 964	CFE_PSP_GetUserReservedArea
CFE_PSP_INVALID_MODULE_NAME, 964	cfe_psp.h, 950
CFE PSP INVALID POINTER, 964	CFE_PSP_GetVersionCodeName
CFE_PSP_NO_EXCEPTION_DATA, 964	cfe psp.h, 950
CFE_PSP_STATUS_C, 964	CFE_PSP_GetVersionNumber
CFE_PSP_STATUS_STRING_LENGTH, 964	cfe_psp.h, 951
CFE PSP Status t, 965	CFE_PSP_GetVersionString
CFE_PSP_StatusString_t, 965	cfe_psp.h, 951
CFE_PSP_StatusToString, 965	CFE PSP GetVolatileDiskMem
CFE_PSP_SUCCESS, 964	cfe_psp.h, 951
CFE_PSP_ERROR_ADDRESS_MISALIGNED	CFE_PSP_InitSSR
cfe_psp_error.h, 963	cfe_psp.h, 951
CFE_PSP_ERROR_NOT_IMPLEMENTED	CFE_PSP_INVALID_INT_NUM
cfe_psp_error.h, 963	cfe_psp_error.h, 963
CFE PSP ERROR TIMEOUT	CFE_PSP_INVALID_MEM_ADDR
cfe_psp_error.h, 963 CFE PSP Exception CopyContext	cfe_psp_error.h, 963
	CFE_PSP_INVALID_MEM_ATTR
cfe_psp.h, 945	cfe_psp_error.h, 963
CFE_PSP_Exception_GetCount	CFE_PSP_INVALID_MEM_RANGE
cfe_psp.h, 945	cfe_psp_error.h, 964
CFE_PSP_Exception_GetSummary	CFE_PSP_INVALID_MEM_SIZE
cfe_psp.h, 945	cfe_psp_error.h, 964
CFE_PSP_FlushCaches	CFE_PSP_INVALID_MEM_TYPE

cfe_psp_error.h, 964	cfe_psp.h, 957
CFE_PSP_INVALID_MEM_WORDSIZE	CFE_PSP_NO_EXCEPTION_DATA
cfe_psp_error.h, 964	cfe_psp_error.h, 964
CFE_PSP_INVALID_MODULE_ID	CFE_PSP_Panic
cfe_psp_error.h, 964	cfe_psp.h, 958
CFE_PSP_INVALID_MODULE_NAME	CFE_PSP_PANIC_CORE_APP
cfe_psp_error.h, 964	cfe_psp.h, 940
CFE_PSP_INVALID_POINTER	CFE_PSP_PANIC_GENERAL_FAILURE
cfe_psp_error.h, 964	cfe_psp.h, 940
CFE_PSP_Main	CFE_PSP_PANIC_MEMORY_ALLOC
cfe_psp.h, 952	cfe_psp.h, 940
CFE_PSP_MEM_ANY	CFE_PSP_PANIC_NONVOL_DISK
cfe_psp.h, 939	cfe_psp.h, 940
CFE_PSP_MEM_ATTR_READ	CFE_PSP_PANIC_STARTUP
cfe_psp.h, 939	cfe_psp.h, 940
CFE_PSP_MEM_ATTR_READWRITE	CFE_PSP_PANIC_STARTUP_SEM
cfe_psp.h, 939	cfe_psp.h, 940
CFE_PSP_MEM_ATTR_WRITE	CFE_PSP_PANIC_VOLATILE_DISK
cfe_psp.h, 939	cfe_psp.h, 940
CFE_PSP_MEM_EEPROM	CFE_PSP_PortRead16
cfe_psp.h, 939	cfe_psp.h, 958
CFE_PSP_MEM_INVALID	CFE_PSP_PortRead32
cfe_psp.h, 939	cfe_psp.h, 958
CFE_PSP_MEM_RAM	CFE_PSP_PortRead8
cfe_psp.h, 939	cfe_psp.h, 959
CFE_PSP_MEM_SIZE_BYTE	CFE_PSP_PortWrite16
cfe_psp.h, 939	cfe_psp.h, 959
CFE_PSP_MEM_SIZE_DWORD	CFE_PSP_PortWrite32
cfe_psp.h, 939	cfe_psp.h, 959
CFE_PSP_MEM_SIZE_WORD	CFE_PSP_PortWrite8
cfe_psp.h, 940	cfe_psp.h, 960
CFE_PSP_MemCpy	CFE_PSP_ReadFromCDS
cfe_psp.h, 952	cfe_psp.h, 960
CFE_PSP_MemRangeGet	CFE_PSP_Restart
cfe_psp.h, 953	cfe_psp.h, 960
CFE_PSP_MemRanges	CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET
cfe_psp.h, 953	cfe_psp.h, 940
CFE_PSP_MemRangeSet	CFE_PSP_RST_SUBTYPE_EXCEPTION
cfe_psp.h, 953	cfe_psp.h, 940
CFE_PSP_MemRead16	CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND
cfe_psp.h, 954	cfe_psp.h, 940
CFE_PSP_MemRead32	CFE_PSP_RST_SUBTYPE_HW_WATCHDOG
cfe_psp.h, 955	cfe_psp.h, 940
CFE_PSP_MemRead8	CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET
cfe_psp.h, 955	cfe_psp.h, 941
CFE_PSP_MemSet	CFE_PSP_RST_SUBTYPE_MAX
cfe_psp.h, 955	cfe_psp.h, 941
CFE_PSP_MemValidateRange	CFE_PSP_RST_SUBTYPE_POWER_CYCLE
cfe_psp.h, 956	cfe_psp.h, 941
CFE_PSP_MemWrite16	CFE_PSP_RST_SUBTYPE_PUSH_BUTTON
cfe_psp.h, 956	cfe_psp.h, 941
CFE_PSP_MemWrite32	CFE_PSP_RST_SUBTYPE_RESET_COMMAND
cfe_psp.h, 957	cfe_psp.h, 941
CFE_PSP_MemWrite8	CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET

cfe_psp.h, 941	CFE_RESOURCEID_MAX, 797
CFE_PSP_RST_TYPE_MAX	CFE_RESOURCEID_SHIFT, 797
cfe_psp.h, 941	CFE_RESOURCEID_CONFIGID_BASE_OFFSET
CFE_PSP_RST_TYPE_POWERON	cFE Resource ID base values, 285
cfe_psp.h, 941	CFE_ResourceId_Equal
CFE_PSP_RST_TYPE_PROCESSOR	cfe_resourceid.h, 678
cfe_psp.h, 941	CFE_RESOURCEID_ES_APPID_BASE_OFFSET
CFE_PSP_SetDefaultExceptionEnvironment	cFE Resource ID base values, 285
cfe_psp.h, 961	CFE_RESOURCEID_ES_CDSBLOCKID_BASE_OFFSET
CFE_PSP_SOFT_TIMEBASE_NAME	cFE Resource ID base values, 285
cfe_psp.h, 941	CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET
CFE_PSP_STATUS_C	cFE Resource ID base values, 285
cfe_psp_error.h, 964	CFE_RESOURCEID_ES_LIBID_BASE_OFFSET
CFE_PSP_STATUS_STRING_LENGTH	cFE Resource ID base values, 285
cfe_psp_error.h, 964	CFE_RESOURCEID_ES_POOLID_BASE_OFFSET
CFE_PSP_Status_t	cFE Resource ID base values, 285
cfe_psp_error.h, 965	CFE_RESOURCEID_ES_TASKID_BASE_OFFSET
CFE_PSP_StatusString_t	cFE Resource ID base values, 285
cfe_psp_error.h, 965	CFE_ResourceId_FindNext
CFE_PSP_StatusToString	cfe_resourceid.h, 678
cfe_psp_error.h, 965	CFE_ResourceId_FromInteger
CFE_PSP_SUCCESS	cfe_resourceid.h, 679
cfe_psp_error.h, 964	CFE_ResourceId_GetBase
CFE_PSP_WatchdogDisable	cfe_resourceid.h, 679
cfe_psp.h, 961	CFE_ResourceId_GetSerial
CFE_PSP_WatchdogEnable	cfe_resourceid.h, 679
cfe_psp.h, 961	CFE_ResourceId_IsDefined
CFE_PSP_WatchdogGet	cfe_resourceid.h, 680
cfe_psp.h, 961	CFE_RESOURCEID_MAKE_BASE
CFE_PSP_WatchdogInit	cfe_resourceid_basevalue.h, 797
cfe_psp.h, 961	CFE_RESOURCEID_MAX
CFE_PSP_WatchdogService	cfe_resourceid_basevalue.h, 797
cfe_psp.h, 961	CFE_RESOURCEID_RESERVED
CFE PSP WatchdogSet	cfe_resourceid_api_typedefs.h, 682
cfe_psp.h, 962	CFE RESOURCEID SB PIPEID RESOURCE BASE OFFSET
CFE_PSP_WriteToCDS	cFE Resource ID base values, 285
cfe_psp.h, 962	CFE_RESOURCEID_SHIFT
cfe_resourceid.h	cfe_resourceid_basevalue.h, 797
CFE_ResourceId_Equal, 678	CFE_RESOURCEID_TEST_DEFINED
CFE_ResourceId_FindNext, 678	cfe_resourceid.h, 677
CFE_ResourceId_FromInteger, 679	CFE_RESOURCEID_TEST_EQUAL
CFE_ResourceId_GetBase, 679	cfe_resourceid.h, 677
CFE_ResourceId_GetSerial, 679	CFE_RESOURCEID_TO_ULONG
CFE_ResourceId_IsDefined, 680	cfe_resourceid.h, 677
CFE_RESOURCEID_TEST_DEFINED, 677	CFE_ResourceId_ToIndex
CFE_RESOURCEID_TEST_EQUAL, 677	cfe_resourceid.h, 680
CFE_RESOURCEID_TO_ULONG, 677	CFE_ResourceId_ToInteger
CFE_ResourceId_ToIndex, 680	cfe_resourceid.h, 681
CFE_ResourceId_ToInteger, 681	CFE_RESOURCEID_UNDEFINED
cfe_resourceid_api_typedefs.h	cfe_resourceid_api_typedefs.h, 682
CFE_RESOURCEID_RESERVED, 682	CFE_REVISION
CFE_RESOURCEID_UNDEFINED, 682	cfe_version.h, 705
cfe_resourceid_basevalue.h	cfe_sb.h
CFE_RESOURCEID_MAKE_BASE, 797	CFE_BIT, 684

CFE_CLR, 684	cfe_sb_events.h, 801
CFE_SET, 684	CFE_SB_CR_PIPE_ERR_EID
CFE_TST, 684	cfe_sb_events.h, 802
CFE_SB_AllocateMessageBuffer	CFE_SB_CR_PIPE_NAME_TAKEN_EID
cFE Zero Copy APIs, 235	cfe_sb_events.h, 802
CFE_SB_ALLSUBS_TLM_MID	CFE_SB_CR_PIPE_NO_FREE_EID
cpu1_msgids.h, 566	cfe_sb_events.h, 802
CFE_SB_AllSubscriptionsTlm, 475	CFE_SB_CreatePipe
Payload, 475	cFE Pipe Management APIs, 223
TelemetryHeader, 476	CFE SB DEFAULT QOS
CFE_SB_AllSubscriptionsTlm_Payload, 476	cfe_sb_api_typedefs.h, 685
Entries, 476	CFE_SB_DEL_PIPE_ERR1_EID
Entry, 476	cfe_sb_events.h, 802
PktSegment, 476	CFE_SB_DEL_PIPE_ERR2_EID
TotalSegments, 477	cfe_sb_events.h, 803
CFE_SB_AllSubscriptionsTlm_Payload_t	CFE_SB_DeletePipe
cfe sb msg.h, 827	cFE Pipe Management APIs, 224
CFE_SB_AllSubscriptionsTlm_t	CFE_SB_DEST_BLK_ERR_EID
cfe sb msg.h, 827	cfe_sb_events.h, 803
cfe_sb_api_typedefs.h	CFE_SB_DISABLE_ROUTE_CC
CFE_SB_Buffer_t, 687	
CFE_SB_DEFAULT_QOS, 685	CFE_SB_DISABLE_SUB_REPORTING_CC
CFE_SB_INVALID_MSG_ID, 686	
CFE SB INVALID PIPE, 686	CFE_SB_DisableRouteCmd_t
CFE_SB_MSGID_C, 686	
CFE_SB_MSGID_RESERVED, 686	CFE_SB_DisableSubReportingCmd_t
CFE_SB_MSGID_UNWRAP_VALUE, 686	cfe_sb_msg.h, 827
CFE_SB_MSGID_WRAP_VALUE, 687	CFE_SB_DSBL_RTE1_EID
CFE_SB_PEND_FOREVER, 687	cfe_sb_events.h, 803
CFE_SB_PIPEID_C, 687	CFE_SB_DSBL_RTE2_EID
CFE_SB_POLL, 687	cfe_sb_events.h, 803
CFE_SB_SUBSCRIPTION, 687	CFE_SB_DSBL_RTE3_EID
CFE_SB_UNSUBSCRIPTION, 687	cfe_sb_events.h, 804
CFE_SB_BAD_ARGUMENT	CFE_SB_DUP_SUBSCRIP_EID
cFE Return Code Defines, 124	cfe_sb_events.h, 804
CFE_SB_BAD_CMD_CODE_EID	CFE_SB_ENABLE_ROUTE_CC
cfe_sb_events.h, 800	cfe_sb_msg.h, 820
CFE_SB_BAD_MSGID_EID	CFE_SB_ENABLE_SUB_REPORTING_CC
cfe_sb_events.h, 800	cfe_sb_msg.h, 821
CFE_SB_BAD_PIPEID_EID	CFE_SB_EnableRouteCmd_t
cfe_sb_events.h, 801	cfe_sb_msg.h, 827
CFE_SB_BUF_ALOC_ERR	CFE_SB_EnableSubReportingCmd_t
cFE Return Code Defines, 124	cfe_sb_msg.h, 827
CFE_SB_BUFFER_INVALID	CFE_SB_ENBL_RTE1_EID
cFE Return Code Defines, 125	cfe_sb_events.h, 804
CFE_SB_Buffer_t	CFE_SB_ENBL_RTE2_EID
cfe_sb_api_typedefs.h, 687	cfe_sb_events.h, 804
CFE_SB_CMD0_RCVD_EID	CFE_SB_ENBL_RTE3_EID
cfe_sb_events.h, 801	cfe_sb_events.h, 805
CFE_SB_CMD1_RCVD_EID	cfe_sb_events.h
cfe_sb_events.h, 801	CFE_SB_BAD_CMD_CODE_EID, 800
CFE_SB_CMD_MID	CFE_SB_BAD_MSGID_EID, 800
cpu1_msgids.h, 566	CFE_SB_BAD_PIPEID_EID, 801
CFE SB CR PIPE BAD ARG EID	CFE SB CMD0 RCVD EID, 801

CFE SB CMD1 RCVD EID, 801	CFE_SB_SUB_INV_CALLER_EID, 814
CFE SB CR PIPE BAD ARG EID, 801	CFE_SB_SUB_INV_PIPE_EID, 814
CFE_SB_CR_PIPE_ERR_EID, 802	CFE SB SUBSCRIPTION RCVD EID, 815
CFE_SB_CR_PIPE_NAME_TAKEN_EID, 802	CFE_SB_SUBSCRIPTION_REMOVED_EID, 815
CFE_SB_CR_PIPE_NO_FREE_EID, 802	CFE SB SUBSCRIPTION RPT EID, 815
CFE_SB_DEL_PIPE_ERR1_EID, 802	CFE_SB_UNSUB_ARG_ERR_EID, 815
CFE_SB_DEL_PIPE_ERR2_EID, 803	CFE_SB_UNSUB_INV_CALLER_EID, 816
CFE_SB_DEST_BLK_ERR_EID, 803	CFE_SB_UNSUB_INV_PIPE_EID, 816
CFE_SB_DSBL_RTE1_EID, 803	CFE_SB_UNSUB_NO_SUBS_EID, 816
CFE_SB_DSBL_RTE2_EID, 803	cfe_sb_extern_typedefs.h
CFE_SB_DSBL_RTE3_EID, 804	
	CFE_SB_Msgld_Atom_t, 689
CFE_SB_DUP_SUBSCRIP_EID, 804	CFE_SB_Pipeld_t, 689
CFE_SB_ENBL_RTE1_EID, 804	CFE_SB_QosPriority, 689
CFE_SB_ENBL_RTE2_EID, 804	CFE_SB_QosPriority_Enum_t, 689
CFE_SB_ENBL_RTE3_EID, 805	CFE_SB_QosPriority_HIGH, 689
CFE_SB_FILEWRITE_ERR_EID, 805	CFE_SB_QosPriority_LOW, 689
CFE_SB_FULL_SUB_PKT_EID, 805	CFE_SB_QosReliability, 689
CFE_SB_GET_BUF_ERR_EID, 805	CFE_SB_QosReliability_Enum_t, 689
CFE_SB_GETPIPEIDBYNAME_EID, 806	CFE_SB_QosReliability_HIGH, 690
CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID,	CFE_SB_QosReliability_LOW, 690
806	CFE_SB_RouteId_Atom_t, 689
CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID,	CFE_SB_SUB_ENTRIES_PER_PKT, 688
806	CFE_SB_FILEWRITE_ERR_EID
CFE_SB_GETPIPENAME_EID, 806	cfe_sb_events.h, 805
CFE_SB_GETPIPENAME_ID_ERR_EID, 807	CFE_SB_FULL_SUB_PKT_EID
CFE_SB_GETPIPENAME_NULL_PTR_EID, 807	cfe_sb_events.h, 805
CFE_SB_GETPIPEOPTS_EID, 807	CFE_SB_GET_BUF_ERR_EID
CFE_SB_GETPIPEOPTS_ID_ERR_EID, 807	cfe_sb_events.h, 805
CFE_SB_GETPIPEOPTS_PTR_ERR_EID, 808	CFE_SB_GetPipeIdByName
CFE_SB_HASHCOLLISION_EID, 808	cFE Pipe Management APIs, 224
CFE_SB_INIT_EID, 808	CFE_SB_GETPIPEIDBYNAME_EID
CFE_SB_LEN_ERR_EID, 808	cfe_sb_events.h, 806
CFE_SB_MAX_DESTS_MET_EID, 809	CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID
CFE_SB_MAX_MSGS_MET_EID, 809	cfe_sb_events.h, 806
CFE_SB_MAX_PIPES_MET_EID, 809	CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID
CFE_SB_MSG_TOO_BIG_EID, 809	cfe_sb_events.h, 806
CFE_SB_MSGID_LIM_ERR_EID, 810	CFE_SB_GetPipeName
CFE_SB_PART_SUB_PKT_EID, 810	cFE Pipe Management APIs, 225
CFE_SB_PIPE_ADDED_EID, 810	CFE_SB_GETPIPENAME_EID
CFE_SB_PIPE_DELETED_EID, 810	cfe_sb_events.h, 806
CFE_SB_Q_FULL_ERR_EID, 811	CFE_SB_GETPIPENAME_ID_ERR_EID
CFE SB Q RD ERR EID, 811	cfe_sb_events.h, 807
CFE_SB_Q_WR_ERR_EID, 811	CFE SB GETPIPENAME NULL PTR EID
CFE_SB_RCV_BAD_ARG_EID, 811	cfe_sb_events.h, 807
CFE_SB_SEND_BAD_ARG_EID, 812	CFE_SB_GetPipeOpts
CFE SB SEND INV MSGID EID, 812	cFE Pipe Management APIs, 226
CFE SB SEND NO SUBS EID, 812	CFE SB GETPIPEOPTS EID
CFE_SB_SETPIPEOPTS_EID, 812	cfe_sb_events.h, 807
CFE_SB_SETPIPEOPTS_ID_ERR_EID, 813	CFE_SB_GETPIPEOPTS_ID_ERR_EID
CFE_SB_SETPIPEOPTS_OWNER_ERR_EID, 813	cfe_sb_events.h, 807
CFE_SB_SND_RTG_EID, 813	CFE_SB_GETPIPEOPTS_PTR_ERR_EID
CFE_SB_SND_RTG_ERR1_EID, 813	cfe_sb_events.h, 808
CFE_SB_SND_STATS_EID, 814	CFE_SB_GetUserData
CFE SB SUB ARG ERR EID, 814	cFE Message Characteristics APIs, 238

CFE_SB_GetUserDataLength	cfe_sb_events.h, 809
cFE Message Characteristics APIs, 238	CFE_SB_MessageStringGet
CFE_SB_HASHCOLLISION_EID	cFE Message Characteristics APIs, 239
cfe_sb_events.h, 808	CFE_SB_MessageStringSet
CFE_SB_HK_TLM_MID	cFE Message Characteristics APIs, 240
cpu1_msgids.h, 566	CFE_SB_Msg, 481
CFE_SB_HousekeepingTlm, 477	LongDouble, 481
Payload, 477	LongInt, 481
TelemetryHeader, 477	Msg, 481
CFE_SB_HousekeepingTlm_Payload, 477	cfe_sb_msg.h
CommandCounter, 478	CFE_SB_AllSubscriptionsTlm_Payload_t, 827
CommandErrorCounter, 478	CFE_SB_AllSubscriptionsTlm_t, 827
CreatePipeErrorCounter, 479	CFE_SB_DISABLE_ROUTE_CC, 818
DuplicateSubscriptionsCounter, 479	CFE_SB_DISABLE_SUB_REPORTING_CC, 819
GetPipeIdByNameErrorCounter, 479	CFE SB DisableRouteCmd t, 827
InternalErrorCounter, 479	CFE_SB_DisableSubReportingCmd_t, 827
MemInUse, 479	CFE_SB_ENABLE_ROUTE_CC, 820
MemPoolHandle, 479	CFE_SB_ENABLE_SUB_REPORTING_CC, 821
MsgLimitErrorCounter, 479	CFE_SB_EnableRouteCmd_t, 827
MsgReceiveErrorCounter, 480	CFE_SB_EnableSubReportingCmd_t, 827
MsgSendErrorCounter, 480	CFE_SB_HousekeepingTlm_Payload_t, 827
NoSubscribersCounter, 480	CFE_SB_HousekeepingTlm_t, 828
PipeOptsErrorCounter, 480	CFE_SB_MsgMapFileEntry_t, 828
PipeOverflowErrorCounter, 480	CFE_SB_NOOP_CC, 821
Spare2Align, 480	CFE_SB_NoopCmd_t, 828
SubscribeErrorCounter, 480	CFE_SB_PipeDepthStats_t, 828
UnmarkedMem, 481	CFE_SB_PipeInfoEntry_t, 828
CFE_SB_HousekeepingTlm_Payload_t	CFE_SB_RESET_COUNTERS_CC, 822
cfe_sb_msg.h, 827	CFE_SB_ResetCountersCmd_t, 828
CFE_SB_HousekeepingTlm_t	CFE_SB_RouteCmd_Payload_t, 828
cfe_sb_msg.h, 828	CFE_SB_RouteCmd_t, 828
CFE_SB_INIT_EID	CFE_SB_RoutingFileEntry_t, 828
cfe_sb_events.h, 808	CFE_SB_SEND_PREV_SUBS_CC, 823
CFE_SB_INTERNAL_ERR	CFE SB SEND SB STATS CC, 823
cFE Return Code Defines, 125	CFE_SB_SendHkCmd_t, 828
CFE_SB_INVALID_MSG_ID	CFE_SB_SendPrevSubsCmd_t, 828
cfe_sb_api_typedefs.h, 686	CFE_SB_SendSbStatsCmd_t, 829
CFE SB INVALID PIPE	CFE SB SingleSubscriptionTlm Payload t, 829
cfe sb api typedefs.h, 686	CFE_SB_SingleSubscriptionTlm_t, 829
CFE_SB_IsValidMsgId	CFE_SB_StatsTIm_Payload_t, 829
cFE Message ID APIs, 242	CFE SB StatsTlm t, 829
CFE SB LEN ERR EID	CFE_SB_SubEntries_t, 829
cfe sb events.h, 808	CFE SB WRITE MAP INFO CC, 824
CFE_SB_MAX_DESTS_MET	CFE_SB_WRITE_PIPE_INFO_CC, 825
cFE Return Code Defines, 125	CFE_SB_WRITE_ROUTING_INFO_CC, 826
CFE_SB_MAX_DESTS_MET_EID	CFE_SB_WriteFileInfoCmd_Payload_t, 829
cfe sb events.h, 809	CFE_SB_WriteFileInfoCmd_t, 829
CFE SB MAX MSGS MET	CFE_SB_WriteMapInfoCmd_t, 829
cFE Return Code Defines, 125	CFE_SB_WritePipeInfoCmd_t, 829
	CFE_SB_WriteRoutingInfoCmd_t, 830
CFE_SB_MAX_MSGS_MET_EID	— — — — — —
cfe_sb_events.h, 809	CFE_SB_MSG_TOO_BIG
CFE_SB_MAX_PIPES_MET	cFE Return Code Defines, 125
cFE Return Code Defines, 125	CFE_SB_MSG_TOO_BIG_EID
CFE SB MAX PIPES MET EID	cfe sb events.h, 809

CFE_SB_Msgld_Atom_t	cFE Resource ID base values, 286
cfe_sb_extern_typedefs.h, 689	CFE_SB_PIPEID_C
CFE_SB_MSGID_C	cfe_sb_api_typedefs.h, 687
cfe_sb_api_typedefs.h, 686	CFE_SB_PipeId_t
CFE_SB_Msgld_Equal	cfe_sb_extern_typedefs.h, 689
cFE Message ID APIs, 242	CFE_SB_PipeId_ToIndex
CFE_SB_MSGID_LIM_ERR_EID	cFE Pipe Management APIs, 226
cfe_sb_events.h, 810	CFE_SB_PipeInfoEntry, 484
CFE_SB_MSGID_RESERVED	Appld, 485
cfe_sb_api_typedefs.h, 686	AppName, 485
CFE_SB_Msgld_t, 482	CurrentQueueDepth, 485
Value, 482	MaxQueueDepth, 485
CFE_SB_MSGID_UNWRAP_VALUE	Opts, 485
cfe_sb_api_typedefs.h, 686	PeakQueueDepth, 485
CFE_SB_MSGID_WRAP_VALUE	Pipeld, 485
cfe_sb_api_typedefs.h, 687	PipeName, 485
CFE_SB_MsgldToValue	SendErrors, 485
cFE Message ID APIs, 243	Spare, 485
CFE_SB_MsgMapFileEntry, 482	CFE_SB_PipeInfoEntry_t
Index, 482	cfe_sb_msg.h, 828
Msgld, 483	CFE_SB_PIPEOPTS_IGNOREMINE
CFE_SB_MsgMapFileEntry_t	cFE SB Pipe options, 244
cfe_sb_msg.h, 828	CFE_SB_POLL
CFE_SB_NO_MESSAGE	cfe_sb_api_typedefs.h, 687
cFE Return Code Defines, 125	CFE_SB_Q_FULL_ERR_EID
CFE_SB_NOOP_CC	cfe_sb_events.h, 811
cfe_sb_msg.h, 821	CFE_SB_Q_RD_ERR_EID
CFE_SB_NoopCmd_t	cfe_sb_events.h, 811
cfe_sb_msg.h, 828	CFE_SB_Q_WR_ERR_EID
CFE_SB_NOT_IMPLEMENTED	cfe_sb_events.h, 811
cFE Return Code Defines, 126	CFE_SB_Qos_t, 486
CFE_SB_ONESUB_TLM_MID	Priority, 486
cpu1_msgids.h, 567	Reliability, 486
CFE_SB_PART_SUB_PKT_EID	CFE_SB_QosPriority
cfe_sb_events.h, 810	cfe_sb_extern_typedefs.h, 689
CFE_SB_PEND_FOREVER	CFE_SB_QosPriority_Enum_t
cfe_sb_api_typedefs.h, 687	cfe_sb_extern_typedefs.h, 689
CFE_SB_PIPE_ADDED_EID	CFE_SB_QosPriority_HIGH
cfe_sb_events.h, 810	cfe_sb_extern_typedefs.h, 689
CFE_SB_PIPE_CR_ERR	CFE_SB_QosPriority_LOW
cFE Return Code Defines, 126	cfe_sb_extern_typedefs.h, 689
CFE_SB_PIPE_DELETED_EID	CFE_SB_QosReliability
cfe_sb_events.h, 810	cfe_sb_extern_typedefs.h, 689
CFE_SB_PIPE_RD_ERR	CFE_SB_QosReliability_Enum_t
cFE Return Code Defines, 126	cfe_sb_extern_typedefs.h, 689
CFE_SB_PipeDepthStats, 483	CFE_SB_QosReliability_HIGH
CurrentQueueDepth, 483	cfe_sb_extern_typedefs.h, 690
MaxQueueDepth, 483	CFE_SB_QosReliability_LOW
PeakQueueDepth, 483	cfe_sb_extern_typedefs.h, 690
Pipeld, 484	CFE_SB_RCV_BAD_ARG_EID
Spare, 484	cfe_sb_events.h, 811
CFE_SB_PipeDepthStats_t	CFE_SB_ReceiveBuffer
cfe_sb_msg.h, 828	cFE Send/Receive Message APIs, 233
CFE SB PIPEID BASE	CFE SB ReleaseMessageBuffer

cFE Zero Copy APIs, 235 CFE_SB_RESET_COUNTERS_CC	cFE Message Characteristics APIs, 241 CFE_SB_SingleSubscriptionTlm, 489
cfe sb msg.h, 822	Payload, 489
CFE_SB_ResetCountersCmd_t	TelemetryHeader, 489
cfe sb msg.h, 828	CFE_SB_SingleSubscriptionTlm_Payload, 490
CFE SB RouteCmd, 486	Msgld, 490
CommandHeader, 487	Pipe, 490
Payload, 487	Qos, 490
CFE_SB_RouteCmd_Payload, 487	SubType, 490
Msgld, 487	CFE_SB_SingleSubscriptionTlm_Payload_t
Pipe, 487	cfe_sb_msg.h, 829
Spare, 488	CFE_SB_SingleSubscriptionTlm_t
CFE_SB_RouteCmd_Payload_t	cfe_sb_msg.h, 829
cfe_sb_msg.h, 828	CFE_SB_SND_RTG_EID
CFE_SB_RouteCmd_t	cfe_sb_events.h, 813
cfe_sb_msg.h, 828	CFE_SB_SND_RTG_ERR1_EID
CFE_SB_RouteId_Atom_t	cfe_sb_events.h, 813
cfe_sb_extern_typedefs.h, 689	CFE_SB_SND_STATS_EID
CFE_SB_RoutingFileEntry, 488	cfe_sb_events.h, 814
AppName, 488	CFE_SB_STATS_TLM_MID
MsgCnt, 488	cpu1_msgids.h, 567
Msgld, 488	CFE_SB_StatsTlm, 491
Pipeld, 489	Payload, 491
PipeName, 489	TelemetryHeader, 491
State, 489	CFE_SB_StatsTlm_Payload, 491
CFE_SB_RoutingFileEntry_t	MaxMemAllowed, 492
cfe_sb_msg.h, 828	MaxMsgldsAllowed, 492
CFE_SB_SEND_BAD_ARG_EID	MaxPipeDepthAllowed, 492
cfe_sb_events.h, 812	MaxPipesAllowed, 492
CFE_SB_SEND_HK_MID	MaxSubscriptionsAllowed, 493
cpu1_msgids.h, 567	MemInUse, 493
CFE_SB_SEND_INV_MSGID_EID	MsgldsInUse, 493
cfe_sb_events.h, 812	PeakMemInUse, 493
CFE_SB_SEND_NO_SUBS_EID	PeakMsgldsInUse, 493
cfe_sb_events.h, 812	PeakPipesInUse, 493
CFE_SB_SEND_PREV_SUBS_CC	PeakSBBuffersInUse, 493
cfe_sb_msg.h, 823	PeakSubscriptionsInUse, 494
CFE_SB_SEND_SB_STATS_CC	PipeDepthStats, 494
cfe_sb_msg.h, 823	PipesInUse, 494
CFE_SB_SendHkCmd_t	SBBuffersInUse, 494
cfe_sb_msg.h, 828	SubscriptionsInUse, 494
CFE_SB_SendPrevSubsCmd_t	CFE_SB_StatsTlm_Payload_t
cfe_sb_msg.h, 828	cfe_sb_msg.h, 829
CFE_SB_SendSbStatsCmd_t	CFE_SB_StatsTlm_t
cfe_sb_msg.h, 829	cfe sb msg.h, 829
CFE SB SetPipeOpts	CFE_SB_SUB_ARG_ERR_EID
cFE Pipe Management APIs, 227	cfe sb events.h, 814
CFE_SB_SETPIPEOPTS_EID	CFE_SB_SUB_ENTRIES_PER_PKT
cfe_sb_events.h, 812	cfe_sb_extern_typedefs.h, 688
CFE_SB_SETPIPEOPTS_ID_ERR_EID	CFE_SB_SUB_INV_CALLER_EID
cfe_sb_events.h, 813	cfe_sb_events.h, 814
CFE_SB_SETPIPEOPTS_OWNER_ERR_EID	CFE_SB_SUB_INV_PIPE_EID
cfe_sb_events.h, 813	cfe_sb_events.h, 814
CFE SB SetUserDataLength	CFE SB SUB RPT CTRL MID

cpu1_msgids.h, 567	CFE_SB_WriteFileInfoCmd_Payload, 496
CFE_SB_SubEntries, 494	Filename, 496
Msgld, 495	CFE_SB_WriteFileInfoCmd_Payload_t
Pipe, 495	cfe_sb_msg.h, 829
Qos, 495	CFE_SB_WriteFileInfoCmd_t
CFE_SB_SubEntries_t	cfe_sb_msg.h, 829
cfe_sb_msg.h, 829	CFE_SB_WriteMapInfoCmd_t
CFE_SB_Subscribe	cfe_sb_msg.h, 829
cFE Message Subscription Control APIs, 228	CFE_SB_WritePipeInfoCmd_t
CFE_SB_SubscribeEx	cfe_sb_msg.h, 829
cFE Message Subscription Control APIs, 229	CFE_SB_WriteRoutingInfoCmd_t
CFE_SB_SubscribeLocal	cfe_sb_msg.h, 830
cFE Message Subscription Control APIs, 230	CFE_SB_WRONG_MSG_TYPE
CFE_SB_SUBSCRIPTION	cFE Return Code Defines, 126
cfe_sb_api_typedefs.h, 687	CFE SERVICE BITMASK
CFE_SB_SUBSCRIPTION_RCVD_EID	cfe_error.h, 639
cfe_sb_events.h, 815	CFE_SET
CFE_SB_SUBSCRIPTION_REMOVED_EID	 cfe_sb.h, 684
cfe_sb_events.h, 815	CFE_SEVERITY_BITMASK
CFE_SB_SUBSCRIPTION_RPT_EID	cfe_error.h, 639
cfe_sb_events.h, 815	CFE_SEVERITY_ERROR
CFE_SB_TIME_OUT	cfe error.h, 639
cFE Return Code Defines, 126	CFE_SEVERITY_INFO
CFE_SB_TimeStampMsg	cfe_error.h, 640
cFE Message Characteristics APIs, 241	CFE_SEVERITY_SUCCESS
CFE_SB_TransmitBuffer	cfe_error.h, 640
cFE Zero Copy APIs, 236	CFE_SOFTWARE_BUS_SERVICE
CFE_SB_TransmitMsg	cfe_error.h, 640
cFE Send/Receive Message APIs, 234	CFE SRC VERSION
CFE_SB_UNSUB_ARG_ERR_EID	cfe_version.h, 705
cfe_sb_events.h, 815	CFE_STATUS_BAD_COMMAND_CODE
CFE_SB_UNSUB_INV_CALLER_EID	cFE Return Code Defines, 126
cfe_sb_events.h, 816	CFE_STATUS_C
CFE_SB_UNSUB_INV_PIPE_EID	cfe_error.h, 640
cfe_sb_events.h, 816	CFE_STATUS_EXTERNAL_RESOURCE_FAIL
CFE_SB_UNSUB_NO_SUBS_EID	cFE Return Code Defines, 126
cfe_sb_events.h, 816	CFE_STATUS_NO_COUNTER_INCREMENT
CFE_SB_Unsubscribe	cFE Return Code Defines, 127
cFE Message Subscription Control APIs, 230	CFE_STATUS_NOT_IMPLEMENTED
CFE SB UnsubscribeLocal	cFE Return Code Defines, 127
cFE Message Subscription Control APIs, 231	CFE STATUS REQUEST ALREADY PENDING
CFE SB UNSUBSCRIPTION	cFE Return Code Defines, 127
cfe_sb_api_typedefs.h, 687	CFE_STATUS_STRING_LENGTH
CFE SB ValueToMsgld	cfe error.h, 640
cFE Message ID APIs, 243	CFE_Status_t
CFE_SB_WRITE_MAP_INFO_CC	cfe_error.h, 640
cfe_sb_msg.h, 824	CFE_STATUS_UNKNOWN_MSG_ID
CFE_SB_WRITE_PIPE_INFO_CC	cFE Return Code Defines, 127
cfe_sb_msg.h, 825	CFE_STATUS_WRONG_MSG_LENGTH
CFE_SB_WRITE_ROUTING_INFO_CC	cFE Return Code Defines, 127
cfe_sb_msg.h, 826	CFE_StatusString_t
CFE_SB_WriteFileInfoCmd, 495	cfe_error.h, 640
CommandHeader, 496	CFE_STR
Payload, 496	cfe_version.h, 705

CFE_STR_HELPER	CFE TBL BufferSelect INACTIVE
cfe_version.h, 705	cfe_tbl_extern_typedefs.h, 694
CFE SUCCESS	CFE_TBL_CallbackFuncPtr_t
cFE Return Code Defines, 127	cfe_tbl_api_typedefs.h, 692
CFE TABLE SERVICE	CFE_TBL_CC1_ERR_EID
cfe error.h, 640	cfe tbl events.h, 833
CFE_TBL_ABORT_LOAD_CC	CFE_TBL_CDS_DELETE_ERR_EID
cfe_tbl_msg.h, 852	cfe_tbl_events.h, 833
CFE_TBL_AbortLoadCmd, 496	CFE_TBL_CDS_DELETED_INFO_EID
CommandHeader, 497	cfe_tbl_events.h, 834
Payload, 497	CFE TBL CDS NOT FOUND ERR EID
CFE_TBL_AbortLoadCmd_Payload, 497	cfe_tbl_events.h, 834
TableName, 497	CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID
CFE_TBL_AbortLoadCmd_Payload_t	cfe_tbl_events.h, 834
cfe_tbl_msg.h, 861	CFE_TBL_CMD_MID
CFE_TBL_AbortLoadCmd_t	cpu1_msgids.h, 567
cfe_tbl_msg.h, 861	CFE_TBL_CREATING_DUMP_FILE_ERR_EID
CFE_TBL_ACTIVATE_CC	cfe_tbl_events.h, 834
cfe_tbl_msg.h, 853	CFE TBL DelCDSCmd Payload, 499
CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID	TableName, 499
cfe_tbl_events.h, 832	CFE_TBL_DelCDSCmd_Payload_t
CFE_TBL_ACTIVATE_ERR_EID	cfe_tbl_msg.h, 862
cfe_tbl_events.h, 833	CFE_TBL_DELETE_CDS_CC
CFE TBL ActivateCmd, 497	
	cfe_tbl_msg.h, 854
CommandHeader, 498	CFE_TBL_DeleteCDSCmd, 499
Payload, 498	CommandHeader, 499
CFE_TBL_ActivateCmd_Payload, 498	Payload, 499
TableName, 498	CFE_TBL_DeleteCDSCmd_t
CFE_TBL_ActivateCmd_Payload_t	cfe_tbl_msg.h, 862
cfe_tbl_msg.h, 862	CFE_TBL_DUMP_CC
CFE_TBL_ActivateCmd_t	cfe_tbl_msg.h, 855
cfe_tbl_msg.h, 862	CFE_TBL_DUMP_PENDING_ERR_EID
cfe_tbl_api_typedefs.h	cfe_tbl_events.h, 835
CFE_TBL_BAD_TABLE_HANDLE, 692	CFE_TBL_DUMP_REGISTRY_CC
CFE_TBL_CallbackFuncPtr_t, 692	cfe_tbl_msg.h, 856
CFE_TBL_Handle_t, 693	CFE_TBL_DumpCmd, 500
CFE_TBL_Info_t, 693	CommandHeader, 500
CFE_TBL_MAX_FULL_NAME_LEN, 692	Payload, 500
CFE_TBL_SRC_ADDRESS, 693	CFE_TBL_DumpCmd_Payload, 500
CFE_TBL_SRC_FILE, 693	ActiveTableFlag, 501
CFE_TBL_SrcEnum, 693	DumpFilename, 501
CFE_TBL_SrcEnum_t, 693	TableName, 501
CFE_TBL_ASSUMED_VALID_INF_EID	CFE_TBL_DumpCmd_Payload_t
cfe_tbl_events.h, 833	cfe_tbl_msg.h, 862
CFE_TBL_BAD_ARGUMENT	CFE_TBL_DumpCmd_t
cFE Return Code Defines, 127	cfe_tbl_msg.h, 862
CFE_TBL_BAD_TABLE_HANDLE	CFE_TBL_DumpRegistryCmd, 501
cfe_tbl_api_typedefs.h, 692	CommandHeader, 501
CFE_TBL_BufferSelect	Payload, 502
cfe_tbl_extern_typedefs.h, 694	CFE_TBL_DumpRegistryCmd_Payload, 502
CFE_TBL_BufferSelect_ACTIVE	DumpFilename, 502
cfe_tbl_extern_typedefs.h, 694	CFE_TBL_DumpRegistryCmd_Payload_t
CFE_TBL_BufferSelect_Enum_t	cfe_tbl_msg.h, 862
cfe_tbl_extern_typedefs.h, 694	CFE_TBL_DumpRegistryCmd_t

ofo the mag h 960	oFF Potura Codo Pofinco, 121
cfe_tbl_msg.h, 862	cFE Return Code Defines, 131
CFE_TBL_DumpToBuffer	CFE_TBL_ERR_REGISTRY_FULL
cFE Manage Table Content APIs, 250	cFE Return Code Defines, 131
CFE_TBL_ERR_ACCESS	CFE_TBL_ERR_SHORT_FILE
cFE Return Code Defines, 128	cFE Return Code Defines, 131
CFE_TBL_ERR_BAD_CONTENT_ID	CFE_TBL_ERR_UNREGISTERED
cFE Return Code Defines, 128	cFE Return Code Defines, 131
CFE_TBL_ERR_BAD_PROCESSOR_ID	cfe_tbl_events.h
cFE Return Code Defines, 128	CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID, 832
CFE_TBL_ERR_BAD_SPACECRAFT_ID	CFE_TBL_ACTIVATE_ERR_EID, 833
cFE Return Code Defines, 128	CFE_TBL_ASSUMED_VALID_INF_EID, 833
CFE_TBL_ERR_BAD_SUBTYPE_ID	CFE_TBL_CC1_ERR_EID, 833
cFE Return Code Defines, 128	CFE_TBL_CDS_DELETE_ERR_EID, 833
CFE_TBL_ERR_DUMP_ONLY	CFE_TBL_CDS_DELETED_INFO_EID, 834
cFE Return Code Defines, 128	CFE_TBL_CDS_NOT_FOUND_ERR_EID, 834
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE	CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID, 834
cFE Return Code Defines, 128	CFE_TBL_CREATING_DUMP_FILE_ERR_EID, 834
CFE_TBL_ERR_DUPLICATE_NOT_OWNED	CFE_TBL_DUMP_PENDING_ERR_EID, 835
cFE Return Code Defines, 128	CFE_TBL_FAIL_HK_SEND_ERR_EID, 835
CFE_TBL_ERR_FILE_FOR_WRONG_TABLE	CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID, 835
cFE Return Code Defines, 129	CFE_TBL_FILE_ACCESS_ERR_EID, 835
CFE_TBL_ERR_FILE_SIZE_INCONSISTENT	CFE_TBL_FILE_INCOMPLETE_ERR_EID, 836
cFE Return Code Defines, 129	CFE_TBL_FILE_LOADED_INF_EID, 836
CFE_TBL_ERR_FILE_TOO_LARGE	CFE_TBL_FILE_STD_HDR_ERR_EID, 836
cFE Return Code Defines, 129	CFE_TBL_FILE_SUBTYPE_ERR_EID, 836
CFE_TBL_ERR_FILENAME_TOO_LONG	CFE_TBL_FILE_TBL_HDR_ERR_EID, 837
cFE Return Code Defines, 129	CFE_TBL_FILE_TOO_BIG_ERR_EID, 837
CFE_TBL_ERR_HANDLES_FULL	CFE_TBL_FILE_TYPE_ERR_EID, 837
cFE Return Code Defines, 129	CFE_TBL_HANDLE_ACCESS_ERR_EID, 837
CFE_TBL_ERR_ILLEGAL_SRC_TYPE	CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID, 838
cFE Return Code Defines, 129	CFE_TBL_IN_REGISTRY_ERR_EID, 838
CFE_TBL_ERR_INVALID_HANDLE	CFE_TBL_INIT_INF_EID, 838
cFE Return Code Defines, 129	CFE_TBL_INTERNAL_ERROR_ERR_EID, 838
CFE TBL ERR INVALID NAME	CFE_TBL_LEN_ERR_EID, 839
cFE Return Code Defines, 129	CFE_TBL_LOAD_ABORT_ERR_EID, 839
CFE_TBL_ERR_INVALID_OPTIONS	CFE_TBL_LOAD_ABORT_INF_EID, 839
cFE Return Code Defines, 130	CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID, 839
CFE_TBL_ERR_INVALID_SIZE	CFE_TBL_LOAD_FILENAME_LONG_ERR_EID,
cFE Return Code Defines, 130	840
CFE_TBL_ERR_LOAD_IN_PROGRESS	CFE_TBL_LOAD_IN_PROGRESS_ERR_EID, 840
cFE Return Code Defines, 130	CFE_TBL_LOAD_PEND_REQ_INF_EID, 840
CFE_TBL_ERR_LOAD_INCOMPLETE	CFE TBL LOAD SUCCESS INF EID, 840
cFE Return Code Defines, 130	CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID.
CFE_TBL_ERR_NEVER_LOADED	841
cFE Return Code Defines, 130	CFE TBL LOAD TYPE ERR EID, 841
CFE_TBL_ERR_NO_ACCESS	CFE_TBL_LOAD_VAL_ERR_EID, 841
cFE Return Code Defines, 130	CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID,
CFE_TBL_ERR_NO_BUFFER_AVAIL	841
cFE Return Code Defines, 130	CFE_TBL_LOADING_PENDING_ERR_EID, 842
CFE_TBL_ERR_NO_STD_HEADER	CFE_TBL_MID_ERR_EID, 842
cFE Return Code Defines, 131	CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID, 842
CFE_TBL_ERR_NO_TBL_HEADER	CFE_TBL_NO_SUCH_TABLE_ERR_EID, 842
cFE Return Code Defines, 131	CFE_TBL_NO_WORK_BUFFERS_ERR_EID, 843
CFE_TBL_ERR_PARTIAL_LOAD	CFE_TBL_NOOP_INF_EID, 843

CFE_TBL_NOT_CRITICAL_TBL_ERR_EID, 843	CFE TBL FILE SUBTYPE ERR EID
CFE_TBL_NOT_IN_CRIT_REG_ERR_EID, 843	cfe tbl events.h, 836
CFE_TBL_OVERWRITE_DUMP_INF_EID, 844	CFE TBL FILE TBL HDR ERR EID
CFE_TBL_OVERWRITE_REG_DUMP_INF_EID,	cfe_tbl_events.h, 837
844	CFE_TBL_FILE_TOO_BIG_ERR_EID
CFE_TBL_PARTIAL_LOAD_ERR_EID, 844	cfe_tbl_events.h, 837
CFE_TBL_PROCESSOR_ID_ERR_EID, 844	CFE_TBL_FILE_TYPE_ERR_EID
CFE TBL REGISTER ERR EID, 845	cfe_tbl_events.h, 837
CFE TBL RESET INF EID, 845	CFE_TBL_FILEDEF
CFE_TBL_SHARE_ERR_EID, 845	cfe_tbl_filedef.h, 695
CFE_TBL_SPACECRAFT_ID_ERR_EID, 845	CFE_TBL_FileDef, 503
CFE_TBL_TLM_REG_CMD_INF_EID, 846	Description, 504
CFE_TBL_TOO_MANY_DUMPS_ERR_EID, 846	ObjectName, 504
CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID,	ObjectSize, 504
846	TableName, 504
CFE_TBL_UNREGISTER_ERR_EID, 846	TgtFilename, 504
CFE_TBL_UNVALIDATED_ERR_EID, 847	cfe_tbl_filedef.h
CFE_TBL_UPDATE_ERR_EID, 847	CFE_TBL_FILEDEF, 695
CFE_TBL_UPDATE_SUCCESS_INF_EID, 847	CFE_TBL_FileDef_t, 695
CFE_TBL_VAL_REQ_MADE_INF_EID, 847	CFE_TBL_FileDef_t
CFE_TBL_VALIDATION_ERR_EID, 848	cfe_tbl_filedef.h, 695
CFE_TBL_VALIDATION_INF_EID, 848	CFE_TBL_GetAddress
CFE_TBL_WRITE_CFE_HDR_ERR_EID, 848	cFE Access Table Content APIs, 256
CFE_TBL_WRITE_DUMP_INF_EID, 848	CFE TBL GetAddresses
CFE_TBL_WRITE_REG_DUMP_INF_EID, 849	cFE Access Table Content APIs, 257
CFE_TBL_WRITE_TBL_HDR_ERR_EID, 849	CFE_TBL_GetInfo
CFE_TBL_WRITE_TBL_IMG_ERR_EID, 849	cFE Get Table Information APIs, 261
CFE_TBL_WRITE_TBL_REG_ERR_EID, 849	CFE_TBL_GetStatus
CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID, 850	cFE Get Table Information APIs, 262
cfe_tbl_extern_typedefs.h	CFE_TBL_HANDLE_ACCESS_ERR_EID
CFE_TBL_BufferSelect, 694	cfe_tbl_events.h, 837
CFE_TBL_BufferSelect_ACTIVE, 694	CFE_TBL_Handle_t
CFE_TBL_BufferSelect_Enum_t, 694	cfe_tbl_api_typedefs.h, 693
CFE_TBL_BufferSelect_INACTIVE, 694	CFE TBL HK TLM MID
CFE_TBL_File_Hdr_t, 694	cpu1_msgids.h, 567
CFE_TBL_FAIL_HK_SEND_ERR_EID	CFE_TBL_HousekeepingTlm, 504
cfe_tbl_events.h, 835	Payload, 504
CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID	TelemetryHeader, 504
cfe_tbl_events.h, 835	CFE_TBL_HousekeepingTlm_Payload, 505
CFE_TBL_FILE_ACCESS_ERR_EID	ActiveBuffer, 506
cfe_tbl_events.h, 835	ByteAlignPad1, 506
CFE_TBL_File_Hdr, 502	CommandCounter, 506
NumBytes, 503	CommandErrorCounter, 506
Offset, 503	FailedValCounter, 506
Reserved, 503	LastFileDumped, 506
TableName, 503	LastFileLoaded, 507
CFE_TBL_File_Hdr_t	LastTableLoaded, 507
cfe_tbl_extern_typedefs.h, 694	LastUpdatedTable, 507
CFE_TBL_FILE_INCOMPLETE_ERR_EID	LastUpdateTime, 507
cfe_tbl_events.h, 836	LastValCrc, 507
CFE_TBL_FILE_LOADED_INF_EID	LastValStatus, 507
cfe_tbl_events.h, 836	LastValTableName, 507
CFE_TBL_FILE_STD_HDR_ERR_EID	MemPoolHandle, 508
	NumFreeSharedBufs, 508

NumLoadPending, 508	CFE_TBL_LOAD_ABORT_INF_EID
NumTables, 508	cfe_tbl_events.h, 839
NumValRequests, 508	CFE TBL LOAD CC
SuccessValCounter, 508	cfe_tbl_msg.h, 857
ValidationCounter, 508	CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID
CFE_TBL_HousekeepingTlm_Payload_t	cfe_tbl_events.h, 839
cfe_tbl_msg.h, 862	CFE_TBL_LOAD_FILENAME_LONG_ERR_EID
-	
CFE_TBL_HousekeepingTlm_t	cfe_tbl_events.h, 840
cfe_tbl_msg.h, 862	CFE_TBL_LOAD_IN_PROGRESS_ERR_EID
CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID	cfe_tbl_events.h, 840
cfe_tbl_events.h, 838	CFE_TBL_LOAD_PEND_REQ_INF_EID
CFE_TBL_IN_REGISTRY_ERR_EID	cfe_tbl_events.h, 840
cfe_tbl_events.h, 838	CFE_TBL_LOAD_SUCCESS_INF_EID
CFE_TBL_Info, 509	cfe_tbl_events.h, 840
Crc, 509	CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID
Critical, 510	cfe_tbl_events.h, 841
DoubleBuffered, 510	CFE_TBL_LOAD_TYPE_ERR_EID
DumpOnly, 510	cfe_tbl_events.h, 841
FileCreateTimeSecs, 510	CFE_TBL_LOAD_VAL_ERR_EID
FileCreateTimeSubSecs, 510	cfe_tbl_events.h, 841
LastFileLoaded, 510	CFE_TBL_LoadCmd, 511
NumUsers, 510	CommandHeader, 511
Size, 510	Payload, 511
TableLoadedOnce, 510	CFE_TBL_LoadCmd_Payload, 511
TimeOfLastUpdate, 510	LoadFilename, 512
UserDefAddr, 511	CFE_TBL_LoadCmd_Payload_t
CFE_TBL_INFO_DUMP_PENDING	cfe_tbl_msg.h, 862
cFE Return Code Defines, 131	CFE_TBL_LoadCmd_t
CFE TBL INFO NO UPDATE PENDING	cfe_tbl_msg.h, 862
cFE Return Code Defines, 131	CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID
CFE_TBL_INFO_NO_VALIDATION_PENDING	cfe_tbl_events.h, 841
cFE Return Code Defines, 132	CFE_TBL_LOADING_PENDING_ERR_EID
CFE_TBL_INFO_RECOVERED_TBL	cfe tbl events.h, 842
cFE Return Code Defines, 132	CFE_TBL_Manage
CFE_TBL_Info_t	cFE Manage Table Content APIs, 252
cfe_tbl_api_typedefs.h, 693	CFE_TBL_MAX_FULL_NAME_LEN
CFE_TBL_INFO_TABLE_LOCKED	
	cfe_tbl_api_typedefs.h, 692
cFE Return Code Defines, 132	CFE_TBL_MESSAGE_ERROR
CFE_TBL_INFO_UPDATE_PENDING	cFE Return Code Defines, 132
cFE Return Code Defines, 132	CFE_TBL_MID_ERR_EID
CFE_TBL_INFO_UPDATED	cfe_tbl_events.h, 842
cFE Return Code Defines, 132	CFE_TBL_Modified
CFE_TBL_INFO_VALIDATION_PENDING	cFE Manage Table Content APIs, 253
cFE Return Code Defines, 132	cfe_tbl_msg.h
CFE_TBL_INIT_INF_EID	CFE_TBL_ABORT_LOAD_CC, 852
cfe_tbl_events.h, 838	CFE_TBL_AbortLoadCmd_Payload_t, 861
CFE_TBL_INTERNAL_ERROR_ERR_EID	CFE_TBL_AbortLoadCmd_t, 861
cfe_tbl_events.h, 838	CFE_TBL_ACTIVATE_CC, 853
CFE_TBL_LEN_ERR_EID	CFE_TBL_ActivateCmd_Payload_t, 862
cfe_tbl_events.h, 839	CFE_TBL_ActivateCmd_t, 862
CFE_TBL_Load	CFE_TBL_DelCDSCmd_Payload_t, 862
cFE Manage Table Content APIs, 251	CFE_TBL_DELETE_CDS_CC, 854
CFE_TBL_LOAD_ABORT_ERR_EID	CFE_TBL_DeleteCDSCmd_t, 862
cfe_tbl_events.h, 839	CFE_TBL_DUMP_CC, 855

CFE_TBL_DUMP_REGISTRY_CC, 856	Parameter, 513
CFE_TBL_DumpCmd_Payload_t, 862	CFE_TBL_NotifyCmd_Payload_t
CFE_TBL_DumpCmd_t, 862	cfe_tbl_msg.h, 863
CFE_TBL_DumpRegistryCmd_Payload_t, 862	CFE_TBL_NotifyCmd_t
CFE_TBL_DumpRegistryCmd_t, 862	cfe_tbl_msg.h, 863
CFE_TBL_HousekeepingTlm_Payload_t, 862	CFE TBL OPT BUFFER MSK
CFE_TBL_HousekeepingTlm_t, 862	cFE Table Type Defines, 264
CFE_TBL_LOAD_CC, 857	CFE_TBL_OPT_CRITICAL
CFE_TBL_LoadCmd_Payload_t, 862	cFE Table Type Defines, 264
CFE_TBL_LoadCmd_t, 862	CFE_TBL_OPT_CRITICAL_MSK
CFE_TBL_NoArgsCmd_t, 863	cFE Table Type Defines, 264
CFE_TBL_NOOP_CC, 858	CFE_TBL_OPT_DBL_BUFFER
CFE_TBL_NoopCmd_t, 863	cFE Table Type Defines, 264
CFE_TBL_NotifyCmd_Payload_t, 863	CFE_TBL_OPT_DEFAULT
CFE_TBL_NotifyCmd_t, 863	cFE Table Type Defines, 265
CFE_TBL_RESET_COUNTERS_CC, 858	CFE_TBL_OPT_DUMP_ONLY
CFE_TBL_ResetCountersCmd_t, 863	cFE Table Type Defines, 265
CFE_TBL_SEND_REGISTRY_CC, 859	CFE_TBL_OPT_LD_DMP_MSK
CFE_TBL_SendHkCmd_t, 863	cFE Table Type Defines, 265
CFE_TBL_SendRegistryCmd_Payload_t, 863	CFE_TBL_OPT_LOAD_DUMP
CFE_TBL_SendRegistryCmd_t, 863	cFE Table Type Defines, 265
CFE_TBL_TableRegistryTlm_t, 863	CFE_TBL_OPT_NOT_CRITICAL
CFE_TBL_TblRegPacket_Payload_t, 863	cFE Table Type Defines, 265
CFE_TBL_VALIDATE_CC, 860	CFE TBL OPT NOT USR DEF
CFE_TBL_ValidateCmd_Payload_t, 864	cFE Table Type Defines, 265
CFE_TBL_ValidateCmd_t, 864	CFE_TBL_OPT_SNGL_BUFFER
CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID	cFE Table Type Defines, 265
	CFE_TBL_OPT_USR_DEF_ADDR
cfe_tbl_events.h, 842	
CFE_TBL_NO_SUCH_TABLE_ERR_EID	cFE Table Type Defines, 265
cfe_tbl_events.h, 842	CFE_TBL_OPT_USR_DEF_MSK
CFE_TBL_NO_WORK_BUFFERS_ERR_EID	cFE Table Type Defines, 265
cfe_tbl_events.h, 843	CFE_TBL_OVERWRITE_DUMP_INF_EID
CFE_TBL_NoArgsCmd, 512	cfe_tbl_events.h, 844
CommandHeader, 512	CFE_TBL_OVERWRITE_REG_DUMP_INF_EID
CFE_TBL_NoArgsCmd_t	cfe_tbl_events.h, 844
cfe_tbl_msg.h, 863	CFE_TBL_PARTIAL_LOAD_ERR_EID
CFE_TBL_NOOP_CC	cfe_tbl_events.h, 844
cfe_tbl_msg.h, 858	CFE_TBL_PROCESSOR_ID_ERR_EID
CFE_TBL_NOOP_INF_EID	cfe_tbl_events.h, 844
cfe_tbl_events.h, 843	CFE_TBL_REG_TLM_MID
CFE_TBL_NoopCmd_t	cpu1_msgids.h, 567
cfe_tbl_msg.h, 863	CFE_TBL_Register
CFE_TBL_NOT_CRITICAL_TBL_ERR_EID	cFE Registration APIs, 245
cfe_tbl_events.h, 843	CFE TBL REGISTER ERR EID
CFE_TBL_NOT_IMPLEMENTED	cfe_tbl_events.h, 845
cFE Return Code Defines, 132	
	CFE_TBL_ReleaseAddress
CFE_TBL_NOT_IN_CRIT_REG_ERR_EID	cFE Access Table Content APIs, 258
cfe_tbl_events.h, 843	CFE_TBL_ReleaseAddresses
CFE_TBL_NotifyByMessage	cFE Access Table Content APIs, 259
cFE Get Table Information APIs, 262	CFE_TBL_RESET_COUNTERS_CC
CFE_TBL_NotifyCmd, 512	cfe_tbl_msg.h, 858
CommandHeader, 513	CFE_TBL_RESET_INF_EID
Payload, 513	cfe_tbl_events.h, 845
CFF TBL NotifyCmd Payload, 513	CFF_TBI_ResetCountersCmd_t

cfe_tbl_msg.h, 863	cfe_tbl_msg.h, 863
CFE_TBL_SEND_HK_MID	CFE_TBL_TLM_REG_CMD_INF_EID
cpu1_msgids.h, 567	cfe_tbl_events.h, 846
CFE_TBL_SEND_REGISTRY_CC	CFE_TBL_TOO_MANY_DUMPS_ERR_EID
cfe_tbl_msg.h, 859	cfe_tbl_events.h, 846
CFE_TBL_SendHkCmd_t	CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID
cfe_tbl_msg.h, 863	cfe_tbl_events.h, 846
CFE_TBL_SendRegistryCmd, 514	CFE_TBL_Unregister
CommandHeader, 514	cFE Registration APIs, 248
Payload, 514	CFE_TBL_UNREGISTER_ERR_EID
CFE_TBL_SendRegistryCmd_Payload, 514	cfe_tbl_events.h, 846
TableName, 515	CFE_TBL_UNVALIDATED_ERR_EID
CFE_TBL_SendRegistryCmd_Payload_t	cfe_tbl_events.h, 847
cfe_tbl_msg.h, 863	CFE_TBL_Update
CFE_TBL_SendRegistryCmd_t	cFE Manage Table Content APIs, 253
cfe_tbl_msg.h, 863	CFE_TBL_UPDATE_ERR_EID
CFE_TBL_Share	cfe_tbl_events.h, 847
cFE Registration APIs, 247	CFE_TBL_UPDATE_SUCCESS_INF_EID
CFE_TBL_SHARE_ERR_EID	cfe_tbl_events.h, 847
cfe_tbl_events.h, 845	CFE_TBL_VAL_REQ_MADE_INF_EID
CFE_TBL_SPACECRAFT_ID_ERR_EID	cfe_tbl_events.h, 847
cfe_tbl_events.h, 845	CFE_TBL_Validate
CFE_TBL_SRC_ADDRESS	cFE Manage Table Content APIs, 254
cfe_tbl_api_typedefs.h, 693	CFE_TBL_VALIDATE_CC
CFE_TBL_SRC_FILE	cfe_tbl_msg.h, 860
cfe_tbl_api_typedefs.h, 693	CFE_TBL_ValidateCmd, 519
CFE_TBL_SrcEnum	CommandHeader, 519
cfe_tbl_api_typedefs.h, 693	Payload, 519
CFE_TBL_SrcEnum_t	CFE_TBL_ValidateCmd_Payload, 519
cfe_tbl_api_typedefs.h, 693	ActiveTableFlag, 520
CFE_TBL_TableRegistryTlm, 515	TableName, 520
Payload, 515	CFE_TBL_ValidateCmd_Payload_t
TelemetryHeader, 515	cfe_tbl_msg.h, 864
CFE_TBL_TableRegistryTlm_t	CFE_TBL_ValidateCmd_t
cfe tbl msg.h, 863	cfe_tbl_msg.h, 864
CFE_TBL_TblRegPacket_Payload, 515	CFE_TBL_VALIDATION_ERR_EID
ActiveBufferAddr, 516	cfe_tbl_events.h, 848
ByteAlign4, 516	CFE_TBL_VALIDATION_INF_EID
Crc, 517	cfe_tbl_events.h, 848
Critical, 517	CFE_TBL_WARN_DUPLICATE
DoubleBuffered, 517	cFE Return Code Defines, 133
DumpOnly, 517	CFE TBL WARN NOT CRITICAL
FileCreateTimeSecs, 517	cFE Return Code Defines, 133
FileCreateTimeSubSecs, 517	CFE TBL WARN PARTIAL LOAD
InactiveBufferAddr, 517	cFE Return Code Defines, 133
LastFileLoaded, 518	CFE_TBL_WARN_SHORT_FILE
LoadPending, 518	cFE Return Code Defines, 133
Name, 518	CFE TBL WRITE CFE HDR ERR EID
OwnerAppName, 518	cfe_tbl_events.h, 848
Size, 518	CFE_TBL_WRITE_DUMP_INF_EID
TableLoadedOnce, 518	cfe_tbl_events.h, 848
TimeOfLastUpdate, 518	CFE_TBL_WRITE_REG_DUMP_INF_EID
ValidationFuncPtr, 519	
CFE TBL TblRegPacket Payload t	cfe_tbl_events.h, 849 CFE TBL WRITE TBL HDR ERR EID
OIL IDE IDINEGRACIAL FAYIDAU L	OFE IDE WAILE IDE HUM EMM EID

cfe_tbl_events.h, 849	CFE_TIME_SynchCallbackPtr_t, 698
CFE_TBL_WRITE_TBL_IMG_ERR_EID	CFE_TIME_BAD_ARGUMENT
cfe_tbl_events.h, 849	cFE Return Code Defines, 133
CFE_TBL_WRITE_TBL_REG_ERR_EID	CFE_TIME_CALLBACK_NOT_REGISTERED
cfe_tbl_events.h, 849	cFE Return Code Defines, 133
CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID	CFE_TIME_CC_ERR_EID
cfe_tbl_events.h, 850	cfe_time_events.h, 866
CFE_TEST_CMD_MID	CFE_TIME_ClockState
cpu1_msgids.h, 567	cfe_time_extern_typedefs.h, 702
CFE_TEST_HK_TLM_MID	CFE_TIME_ClockState_Enum_t
cpu1_msgids.h, 567	cfe_time_extern_typedefs.h, 700
cfe_time.h	CFE_TIME_ClockState_FLYWHEEL
CFE_TIME_Copy, 697	cfe_time_extern_typedefs.h, 702
CFE_TIME_1HZ_CFG_EID	CFE_TIME_ClockState_INVALID
cfe_time_events.h, 865	cfe_time_extern_typedefs.h, 702
CFE_TIME_1HZ_CMD_MID	CFE_TIME_ClockState_VALID
cpu1_msgids.h, 568	cfe_time_extern_typedefs.h, 702
CFE_TIME_1HZ_EID	CFE_TIME_CMD_MID
cfe_time_events.h, 865	cpu1_msgids.h, 568
CFE_TIME_1HzCmd_t	CFE_TIME_Compare
cfe_time_msg.h, 892	cFE Time Arithmetic APIs, 272
CFE_TIME_A_GT_B	cfe_time_api_typedefs.h, 698
cfe_time_api_typedefs.h, 699	CFE_TIME_Compare_t
CFE_TIME_A_LT_B	cfe_time_api_typedefs.h, 698
cfe_time_api_typedefs.h, 699	CFE_TIME_Copy
CFE_TIME_Add	cfe_time.h, 697
cFE Time Arithmetic APIs, 272	CFE_TIME_DATA_CMD_MID
CFE_TIME_Add1HZAdjustmentCmd_t	cpu1_msgids.h, 568
cfe_time_msg.h, 892	CFE_TIME_DELAY_CFG_EID
CFE_TIME_ADD_1HZ_ADJUSTMENT_CC	cfe_time_events.h, 866
cfe_time_msg.h, 877	CFE_TIME_DELAY_EID
CFE_TIME_ADD_ADJUST_CC	cfe_time_events.h, 866
cfe_time_msg.h, 878	CFE_TIME_DELAY_ERR_EID
CFE_TIME_ADD_DELAY_CC	cfe_time_events.h, 866
cfe_time_msg.h, 879	CFE_TIME_DELTA_CFG_EID
CFE_TIME_AddAdjustCmd_t	cfe time events.h, 867
cfe_time_msg.h, 893	CFE_TIME_DELTA_EID
CFE_TIME_AddDelayCmd_t	cfe time events.h, 867
cfe_time_msg.h, 893	CFE_TIME_DELTA_ERR_EID
CFE_TIME_AdjustDirection	cfe_time_events.h, 867
cfe_time_extern_typedefs.h, 702	CFE_TIME_DIAG_EID
CFE_TIME_AdjustDirection_ADD	cfe_time_events.h, 867
cfe time extern typedefs.h, 702	CFE_TIME_DIAG_TLM_MID
CFE_TIME_AdjustDirection_Enum_t	cpu1_msgids.h, 568
cfe_time_extern_typedefs.h, 700	CFE_TIME_DiagnosticTlm, 520
CFE TIME AdjustDirection SUBTRACT	Payload, 520
cfe_time_extern_typedefs.h, 702	TelemetryHeader, 520
cfe time api typedefs.h	CFE TIME DiagnosticTlm Payload, 521
CFE_TIME_A_GT_B, 699	AtToneDelay, 523
CFE_TIME_A_LT_B, 699	AtToneLatch, 523
CFE_TIME_Compare, 698	AtToneLeapSeconds, 523
CFE_TIME_Compare_t, 698	AtToneMET, 523
CFE_TIME_EQUAL, 699	AtToneSTCF, 523
CFE TIME PRINTED STRING SIZE 698	ClockFlyState, 523

ClockSetState, 523	CFE_TIME_FLY_ON_EID, 868
ClockSignal, 524	CFE_TIME_ID_ERR_EID, 868
ClockSource, 524	CFE_TIME_INIT_EID, 868
ClockStateAPI, 524	CFE_TIME_LEAPS_CFG_EID, 869
ClockStateFlags, 524	CFE_TIME_LEAPS_EID, 869
CurrentLatch, 524	CFE_TIME_LEN_ERR_EID, 869
CurrentMET, 524	CFE_TIME_MET_CFG_EID, 869
CurrentTAI, 524	CFE_TIME_MET_EID, 870
CurrentUTC, 525	CFE_TIME_MET_ERR_EID, 870
DataStoreStatus, 525	CFE_TIME_NOOP_EID, 870
DelayDirection, 525	CFE_TIME_RESET_EID, 870
Forced2Fly, 525	CFE_TIME_SIGNAL_CFG_EID, 871
LocalIntCounter, 525	CFE_TIME_SIGNAL_EID, 871
LocalTaskCounter, 525	CFE_TIME_SIGNAL_ERR_EID, 871
MaxElapsed, 525	CFE_TIME_SOURCE_CFG_EID, 871
MaxLocalClock, 526	CFE_TIME_SOURCE_EID, 872
MinElapsed, 526	CFE_TIME_SOURCE_ERR_EID, 872
OneHzAdjust, 526	CFE_TIME_STATE_EID, 872
OneHzDirection, 526	CFE_TIME_STATE_ERR_EID, 872
OneTimeAdjust, 526	CFE_TIME_STCF_CFG_EID, 873
OneTimeDirection, 526	CFE_TIME_STCF_EID, 873
ServerFlyState, 526	CFE_TIME_STCF_ERR_EID, 873
TimeSinceTone, 527	CFE_TIME_TIME_CFG_EID, 873
ToneDataCounter, 527	CFE TIME TIME EID, 874
ToneDataLatch, 527	CFE TIME TIME ERR EID, 874
ToneIntCounter, 527	cfe_time_extern_typedefs.h
ToneIntErrorCounter, 527	CFE_TIME_AdjustDirection, 702
ToneMatchCounter, 527	CFE_TIME_AdjustDirection_ADD, 702
ToneMatchErrorCounter, 527	CFE_TIME_AdjustDirection_Enum_t, 700
ToneOverLimit, 528	CFE_TIME_AdjustDirection_SUBTRACT, 702
ToneSignalCounter, 528	CFE_TIME_ClockState, 702
ToneSignalLatch, 528	CFE_TIME_ClockState_Enum_t, 700
ToneTaskCounter, 528	CFE_TIME_ClockState_FLYWHEEL, 702
ToneUnderLimit, 528	CFE_TIME_ClockState_INVALID, 702
VersionCounter, 528	
	CFE_TIME_ClockState_VALID, 702
VirtualMET, 528	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702
VirtualMET, 528 CFE_TIME_DiagnosticTlm_Payload_t	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703
VirtualMET, 528 CFE_TIME_DiagnosticTlm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTlm_t	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTIm_t cfe_time_msg.h, 893	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTIm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTIm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701
VirtualMET, 528 CFE_TIME_DiagnosticTlm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTlm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699 cfe_time_events.h	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703
VirtualMET, 528 CFE_TIME_DiagnosticTlm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTlm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699 cfe_time_events.h CFE_TIME_1HZ_CFG_EID, 865	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_GDTONE, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTIm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699 cfe_time_events.h CFE_TIME_1HZ_CFG_EID, 865 CFE_TIME_1HZ_EID, 865	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_GDTONE, 703 CFE_TIME_FlagBit_SERVER, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_GDTONE, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SIGPRI, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTIm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699 cfe_time_events.h CFE_TIME_1HZ_CFG_EID, 865 CFE_TIME_1HZ_EID, 865 CFE_TIME_CC_ERR_EID, 866 CFE_TIME_DELAY_CFG_EID, 866	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_GDTONE, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SRCINT, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTIm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699 cfe_time_events.h CFE_TIME_1HZ_CFG_EID, 865 CFE_TIME_1HZ_EID, 865 CFE_TIME_CC_ERR_EID, 866 CFE_TIME_DELAY_CFG_EID, 866 CFE_TIME_DELAY_CFG_EID, 866	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_GDTONE, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SRVFLY, 703
VirtualMET, 528 CFE_TIME_DiagnosticTlm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTlm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699 cfe_time_events.h CFE_TIME_1HZ_CFG_EID, 865 CFE_TIME_1HZ_EID, 865 CFE_TIME_CC_ERR_EID, 866 CFE_TIME_DELAY_CFG_EID, 866 CFE_TIME_DELAY_ERR_EID, 866	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_GDTONE, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SRCINT, 703 CFE_TIME_FlagBit_SRCINT, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlagBit_SRVFLY, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTIm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699 cfe_time_events.h CFE_TIME_1HZ_CFG_EID, 865 CFE_TIME_1HZ_EID, 865 CFE_TIME_CC_ERR_EID, 866 CFE_TIME_DELAY_CFG_EID, 866 CFE_TIME_DELAY_EID, 866 CFE_TIME_DELAY_EID, 866 CFE_TIME_DELAY_ERR_EID, 866 CFE_TIME_DELAY_ERR_EID, 866 CFE_TIME_DELAY_ERR_EID, 866	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_GDTONE, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SRCINT, 703 CFE_TIME_FlagBit_SRCINT, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlywheelState_Enum_t, 701
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTIm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699 cfe_time_events.h CFE_TIME_1HZ_CFG_EID, 865 CFE_TIME_1HZ_EID, 865 CFE_TIME_CC_ERR_EID, 866 CFE_TIME_DELAY_CFG_EID, 866 CFE_TIME_DELAY_ERR_EID, 866 CFE_TIME_DELAY_ERR_EID, 866 CFE_TIME_DELAY_ERR_EID, 866 CFE_TIME_DELTA_CFG_EID, 867 CFE_TIME_DELTA_CFG_EID, 867	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SRCINT, 703 CFE_TIME_FlagBit_SRCINT, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlywheelState, 703 CFE_TIME_FlywheelState_Enum_t, 701 CFE_TIME_FlywheelState_IS_FLY, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_GDTONE, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SRCINT, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlywheelState, 703 CFE_TIME_FlywheelState_Enum_t, 701 CFE_TIME_FlywheelState_IS_FLY, 703 CFE_TIME_FlywheelState_NO_FLY, 703
VirtualMET, 528 CFE_TIME_DiagnosticTIm_Payload_t cfe_time_msg.h, 893 CFE_TIME_DiagnosticTIm_t cfe_time_msg.h, 893 CFE_TIME_EQUAL cfe_time_api_typedefs.h, 699 cfe_time_events.h CFE_TIME_1HZ_CFG_EID, 865 CFE_TIME_1HZ_EID, 865 CFE_TIME_CC_ERR_EID, 866 CFE_TIME_DELAY_CFG_EID, 866 CFE_TIME_DELAY_ERR_EID, 866 CFE_TIME_DELAY_ERR_EID, 866 CFE_TIME_DELAY_ERR_EID, 866 CFE_TIME_DELTA_CFG_EID, 867 CFE_TIME_DELTA_CFG_EID, 867	CFE_TIME_ClockState_VALID, 702 CFE_TIME_FlagBit, 702 CFE_TIME_FlagBit_ADD1HZ, 703 CFE_TIME_FlagBit_ADDADJ, 703 CFE_TIME_FlagBit_ADDTCL, 703 CFE_TIME_FlagBit_CLKSET, 703 CFE_TIME_FlagBit_CMDFLY, 703 CFE_TIME_FlagBit_Enum_t, 701 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_FLYING, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SERVER, 703 CFE_TIME_FlagBit_SIGPRI, 703 CFE_TIME_FlagBit_SRCINT, 703 CFE_TIME_FlagBit_SRCINT, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlagBit_SRVFLY, 703 CFE_TIME_FlywheelState, 703 CFE_TIME_FlywheelState_Enum_t, 701 CFE_TIME_FlywheelState_IS_FLY, 703

CFE_TIME_SetState_NOT_SET, 703	cfe_time_extern_typedefs.h, 703
CFE_TIME_SetState_WAS_SET, 703	CFE_TIME_FlagBit_CLKSET
CFE_TIME_SourceSelect, 703	cfe_time_extern_typedefs.h, 703
CFE_TIME_SourceSelect_Enum_t, 701	CFE_TIME_FlagBit_CMDFLY
CFE_TIME_SourceSelect_EXTERNAL, 703	cfe_time_extern_typedefs.h, 703
CFE_TIME_SourceSelect_INTERNAL, 703	CFE_TIME_FlagBit_Enum_t
CFE_TIME_SysTime_t, 701	cfe_time_extern_typedefs.h, 701
CFE_TIME_ToneSignalSelect, 704	CFE_TIME_FlagBit_FLYING
CFE_TIME_ToneSignalSelect_Enum_t, 702	cfe_time_extern_typedefs.h, 703
CFE_TIME_ToneSignalSelect_PRIMARY, 704	CFE_TIME_FlagBit_GDTONE
CFE_TIME_ToneSignalSelect_REDUNDANT, 704	cfe_time_extern_typedefs.h, 703
CFE_TIME_ExternalGPS	CFE_TIME_FlagBit_SERVER
cFE External Time Source APIs, 277	cfe_time_extern_typedefs.h, 703
CFE_TIME_ExternalMET	CFE_TIME_FlagBit_SIGPRI
cFE External Time Source APIs, 278	cfe_time_extern_typedefs.h, 703
CFE_TIME_ExternalTime	CFE_TIME_FlagBit_SRCINT
cFE External Time Source APIs, 278	cfe_time_extern_typedefs.h, 703
CFE_TIME_ExternalTone	CFE_TIME_FlagBit_SRVFLY
cFE External Time Source APIs, 279	cfe_time_extern_typedefs.h, 703
CFE_TIME_FakeToneCmd_t	CFE_TIME_FLY_OFF_EID
cfe_time_msg.h, 893	cfe_time_events.h, 868
CFE_TIME_FLAG_ADD1HZ	CFE_TIME_FLY_ON_EID
cFE Clock State Flag Defines, 287	cfe_time_events.h, 868
CFE_TIME_FLAG_ADDADJ	CFE_TIME_FlywheelState
cFE Clock State Flag Defines, 287	cfe_time_extern_typedefs.h, 703
CFE_TIME_FLAG_ADDTCL	CFE_TIME_FlywheelState_Enum_t
cFE Clock State Flag Defines, 287	cfe_time_extern_typedefs.h, 701
CFE_TIME_FLAG_CLKSET	CFE_TIME_FlywheelState_IS_FLY
cFE Clock State Flag Defines, 287	cfe_time_extern_typedefs.h, 703
CFE_TIME_FLAG_CMDFLY	CFE_TIME_FlywheelState_NO_FLY
cFE Clock State Flag Defines, 288	cfe_time_extern_typedefs.h, 703
CFE_TIME_FLAG_FLYING	CFE_TIME_GetClockInfo
cFE Clock State Flag Defines, 288	cFE Get Time Information APIs, 269
CFE_TIME_FLAG_GDTONE	CFE_TIME_GetClockState
cFE Clock State Flag Defines, 288	cFE Get Time Information APIs, 269
CFE_TIME_FLAG_REFERR	CFE_TIME_GetLeapSeconds
cFE Clock State Flag Defines, 288	cFE Get Time Information APIs, 270
CFE_TIME_FLAG_SERVER	CFE_TIME_GetMET
cFE Clock State Flag Defines, 288	cFE Get Current Time APIs, 266
CFE_TIME_FLAG_SIGPRI	CFE_TIME_GetMETseconds
cFE Clock State Flag Defines, 288	cFE Get Current Time APIs, 266
CFE_TIME_FLAG_SRCINT	CFE_TIME_GetMETsubsecs
cFE Clock State Flag Defines, 288	cFE Get Current Time APIs, 267
CFE_TIME_FLAG_SRVFLY	CFE_TIME_GetSTCF
cFE Clock State Flag Defines, 288	cFE Get Time Information APIs, 270
CFE_TIME_FLAG_UNUSED	CFE_TIME_GetTAI
cFE Clock State Flag Defines, 288	cFE Get Current Time APIs, 267
CFE_TIME_FlagBit	CFE_TIME_GetTime
cfe_time_extern_typedefs.h, 702	cFE Get Current Time APIs, 268
CFE_TIME_FlagBit_ADD1HZ	CFE_TIME_GetUTC
cfe_time_extern_typedefs.h, 703	cFE Get Current Time APIs, 268
CFE_TIME_FlagBit_ADDADJ	CFE_TIME_HK_TLM_MID
cfe_time_extern_typedefs.h, 703	cpu1_msgids.h, 568
CFE TIME FlagBit ADDTCL	CFE TIME HousekeepingTlm, 529

B 1 1 500	0== ==== + + + + + + + + + + + + + + + +
Payload, 529	CFE_TIME_AddAdjustCmd_t, 893
TelemetryHeader, 529	CFE_TIME_AddDelayCmd_t, 893
CFE_TIME_HousekeepingTlm_Payload, 529	CFE_TIME_DiagnosticTlm_Payload_t, 893
ClockStateAPI, 530	CFE_TIME_DiagnosticTIm_t, 893
ClockStateFlags, 530	CFE_TIME_FakeToneCmd_t, 893
CommandCounter, 530	CFE_TIME_HousekeepingTlm_Payload_t, 893
CommandErrorCounter, 531	CFE_TIME_HousekeepingTlm_t, 893
LeapSeconds, 531	CFE_TIME_LeapsCmd_Payload_t, 893
Seconds1HzAdj, 531	CFE_TIME_NoArgsCmd_t, 893
SecondsDelay, 531	CFE_TIME_NOOP_CC, 880
SecondsMET, 531	CFE_TIME_NoopCmd_t, 893
SecondsSTCF, 531	CFE_TIME_OneHzAdjustmentCmd_Payload_t, 893
Subsecs1HzAdj, 531	CFE_TIME_OneHzAdjustmentCmd_t, 893
SubsecsDelay, 532	CFE_TIME_RESET_COUNTERS_CC, 881
SubsecsMET, 532	CFE_TIME_ResetCountersCmd_t, 894
SubsecsSTCF, 532	CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 882
CFE_TIME_HousekeepingTlm_Payload_t	CFE_TIME_SendDiagnosticCmd_t, 894
cfe_time_msg.h, 893	CFE_TIME_SendHkCmd_t, 894
CFE_TIME_HousekeepingTlm_t	CFE_TIME_SET_LEAP_SECONDS_CC, 883
cfe_time_msg.h, 893	CFE_TIME_SET_MET_CC, 884
CFE_TIME_ID_ERR_EID	CFE_TIME_SET_SIGNAL_CC, 885
cfe_time_events.h, 868	CFE_TIME_SET_SOURCE_CC, 885
CFE_TIME_INIT_EID	CFE_TIME_SET_STATE_CC, 886
cfe_time_events.h, 868	CFE_TIME_SET_STCF_CC, 888
CFE_TIME_INTERNAL_ONLY	CFE_TIME_SET_TIME_CC, 888
cFE Return Code Defines, 133	CFE_TIME_SetLeapSecondsCmd_t, 894
CFE_TIME_LEAPS_CFG_EID	CFE_TIME_SetMETCmd_t, 894
cfe_time_events.h, 869	CFE_TIME_SetSignalCmd_t, 894
CFE_TIME_LEAPS_EID	CFE TIME SetSourceCmd t, 894
cfe_time_events.h, 869	CFE_TIME_SetStateCmd_t, 894
CFE_TIME_LeapsCmd_Payload, 532	CFE_TIME_SetSTCFCmd_t, 894
LeapSeconds, 532	CFE_TIME_SetTimeCmd_t, 894
CFE_TIME_LeapsCmd_Payload_t	CFE_TIME_SignalCmd_Payload_t, 894
cfe_time_msg.h, 893	CFE_TIME_SourceCmd_Payload_t, 894
CFE_TIME_LEN_ERR_EID	CFE_TIME_StateCmd_Payload_t, 894
cfe_time_events.h, 869	CFE_TIME_Sub1HZAdjustmentCmd_t, 895
CFE_TIME_Local1HzISR	CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, 889
cFE Miscellaneous Time APIs, 282	CFE_TIME_SUB_ADJUST_CC, 890
CFE_TIME_MET2SCTime	CFE_TIME_SUB_DELAY_CC, 891
cFE Time Conversion APIs, 275	CFE_TIME_SubAdjustCmd_t, 895
CFE_TIME_MET_CFG_EID	CFE_TIME_SubDelayCmd_t, 895
cfe_time_events.h, 869	CFE_TIME_TimeCmd_Payload_t, 895
CFE_TIME_MET_EID	CFE_TIME_TimeCmd_t, 895
cfe_time_events.h, 870	CFE_TIME_ToneDataCmd_Payload_t, 895
CFE_TIME_MET_ERR_EID	CFE TIME_ToneDataCmd_t, 895
cfe_time_events.h, 870	CFE_TIME_ToneSignalCmd_t, 895
CFE TIME Micro2SubSecs	CFE_TIME_NoArgsCmd, 533
cFE Time Conversion APIs, 275	CommandHeader, 533
cfe_time_msg.h	CFE_TIME_NoArgsCmd_t cfe_time_msg.h, 893
CFE_TIME_1HzCmd_t, 892	CFE_TIME_NOOP_CC
CFE_TIME_Add1HZAdjustmentCmd_t, 892	
CFE_TIME_ADD_AD_UST_CC_879	cfe_time_msg.h, 880
CFE_TIME_ADD_ADJUST_CC, 878	CFE_TIME_NOOP_EID
CFE_TIME_ADD_DELAY_CC, 879	cfe_time_events.h, 870

CFE_TIME_NoopCmd_t	CFE_TIME_SetLeapSecondsCmd, 534
cfe_time_msg.h, 893	CommandHeader, 535
CFE TIME NOT IMPLEMENTED	Payload, 535
cFE Return Code Defines, 134	CFE_TIME_SetLeapSecondsCmd_t
CFE TIME OneHzAdjustmentCmd, 533	cfe_time_msg.h, 894
CommandHeader, 533	CFE_TIME_SetMETCmd_t
Payload, 533	cfe_time_msg.h, 894
CFE_TIME_OneHzAdjustmentCmd_Payload, 534	CFE_TIME_SetSignalCmd, 535
Seconds, 534	CommandHeader, 535
Subseconds, 534	Payload, 535
CFE_TIME_OneHzAdjustmentCmd_Payload_t	CFE_TIME_SetSignalCmd_t
cfe time msg.h, 893	cfe time msg.h, 894
CFE_TIME_OneHzAdjustmentCmd_t	CFE_TIME_SetSourceCmd, 535
cfe_time_msg.h, 893	CommandHeader, 536
CFE_TIME_OUT_OF_RANGE	Payload, 536
cFE Return Code Defines, 134	CFE_TIME_SetSourceCmd_t
CFE TIME Print	cfe_time_msg.h, 894
cFE Miscellaneous Time APIs, 282	CFE TIME SetState
CFE_TIME_PRINTED_STRING_SIZE	cfe_time_extern_typedefs.h, 703
cfe_time_api_typedefs.h, 698	CFE_TIME_SetState_Enum_t
CFE TIME RegisterSynchCallback	
cFE External Time Source APIs, 279	cfe_time_extern_typedefs.h, 701 CFE_TIME_SetState_NOT_SET
CFE_TIME_RESET_COUNTERS_CC	cfe_time_extern_typedefs.h, 703
cfe_time_msg.h, 881	CFE_TIME_SetState_WAS_SET
CFE_TIME_RESET_EID	cfe_time_extern_typedefs.h, 703
cfe_time_events.h, 870	CFE_TIME_SetStateCmd, 536
CFE_TIME_ResetCountersCmd_t	CommandHeader, 536
cfe_time_msg.h, 894	Payload, 536
CFE_TIME_SEND_CMD_MID	CFE_TIME_SetStateCmd_t
cpu1_msgids.h, 568	cfe_time_msg.h, 894
CFE_TIME_SEND_DIAGNOSTIC_TLM_CC	CFE_TIME_SetSTCFCmd_t
cfe_time_msg.h, 882	cfe_time_msg.h, 894
CFE_TIME_SEND_HK_MID	CFE_TIME_SetTimeCmd_t
cpu1_msgids.h, 568	cfe_time_msg.h, 894
CFE_TIME_SendDiagnosticCmd_t	CFE_TIME_SIGNAL_CFG_EID
cfe_time_msg.h, 894	cfe_time_events.h, 871
CFE_TIME_SendHkCmd_t	CFE_TIME_SIGNAL_EID
cfe_time_msg.h, 894	cfe_time_events.h, 871
CFE_TIME_SERVICE	CFE_TIME_SIGNAL_ERR_EID
cfe_error.h, 640	cfe_time_events.h, 871
CFE_TIME_SET_LEAP_SECONDS_CC	CFE_TIME_SignalCmd_Payload, 537
cfe_time_msg.h, 883	ToneSource, 537
CFE_TIME_SET_MET_CC	CFE_TIME_SignalCmd_Payload_t
cfe_time_msg.h, 884	cfe_time_msg.h, 894
CFE_TIME_SET_SIGNAL_CC	CFE_TIME_SOURCE_CFG_EID
cfe_time_msg.h, 885	cfe_time_events.h, 871
CFE_TIME_SET_SOURCE_CC	CFE_TIME_SOURCE_EID
cfe_time_msg.h, 885	cfe_time_events.h, 872
CFE_TIME_SET_STATE_CC	CFE_TIME_SOURCE_ERR_EID
cfe_time_msg.h, 886	cfe_time_events.h, 872
CFE_TIME_SET_STCF_CC	CFE_TIME_SourceCmd_Payload, 537
cfe_time_msg.h, 888	TimeSource, 538
CFE_TIME_SET_TIME_CC	CFE_TIME_SourceCmd_Payload_t
cfe time msg.h, 888	cfe time msg.h, 894

CFE_TIME_SourceSelect	CFE_TIME_TimeCmd_Payload, 540
cfe_time_extern_typedefs.h, 703	MicroSeconds, 540
CFE TIME SourceSelect Enum t	Seconds, 540
cfe_time_extern_typedefs.h, 701	CFE_TIME_TimeCmd_Payload_t
CFE_TIME_SourceSelect_EXTERNAL	cfe_time_msg.h, 895
cfe time extern typedefs.h, 703	CFE_TIME_TimeCmd_t
CFE_TIME_SourceSelect_INTERNAL	cfe_time_msg.h, 895
cfe_time_extern_typedefs.h, 703	CFE_TIME_TONE_CMD_MID
CFE_TIME_STATE_EID	cpu1_msgids.h, 568
cfe time events.h, 872	CFE TIME ToneDataCmd, 540
CFE_TIME_STATE_ERR_EID	CommandHeader, 541
cfe_time_events.h, 872	Payload, 541
CFE_TIME_StateCmd_Payload, 538	CFE_TIME_ToneDataCmd_Payload, 541
ClockState, 538	AtToneLeapSeconds, 541
CFE_TIME_StateCmd_Payload_t	AtToneMET, 541
cfe_time_msg.h, 894	AtToneState, 541
CFE_TIME_STCF_CFG_EID	AtToneSTCF, 542
cfe_time_events.h, 873	CFE_TIME_ToneDataCmd_Payload_t
CFE_TIME_STCF_EID	cfe_time_msg.h, 895
cfe time events.h, 873	CFE TIME ToneDataCmd t
CFE_TIME_STCF_ERR_EID	cfe_time_msg.h, 895
	-
cfe_time_events.h, 873 CFE TIME Sub1HZAdjustmentCmd t	CFE_TIME_ToneSignalCmd_t cfe time msg.h, 895
· · · -	
cfe_time_msg.h, 895	CFE_TIME_ToneSignalSelect
CFE_TIME_Sub2MicroSecs	cfe_time_extern_typedefs.h, 704
cFE Time Conversion APIs, 276	CFE_TIME_ToneSignalSelect_Enum_t
CFE_TIME_SUB_1HZ_ADJUSTMENT_CC	cfe_time_extern_typedefs.h, 702
cfe_time_msg.h, 889	CFE_TIME_ToneSignalSelect_PRIMARY
CFE_TIME_SUB_ADJUST_CC	cfe_time_extern_typedefs.h, 704
cfe_time_msg.h, 890	CFE_TIME_ToneSignalSelect_REDUNDANT
CFE_TIME_SUB_DELAY_CC	cfe_time_extern_typedefs.h, 704
cfe_time_msg.h, 891	CFE_TIME_TOO_MANY_SYNCH_CALLBACKS
CFE_TIME_SubAdjustCmd_t	cFE Return Code Defines, 134
cfe_time_msg.h, 895	CFE_TIME_UnregisterSynchCallback
CFE_TIME_SubDelayCmd_t	cFE External Time Source APIs, 280
cfe_time_msg.h, 895	CFE_TST
CFE_TIME_Subtract	cfe_sb.h, 684
cFE Time Arithmetic APIs, 273	cfe_version.h
CFE_TIME_SynchCallbackPtr_t	CFE_BUILD_BASELINE, 704
cfe_time_api_typedefs.h, 698	CFE_BUILD_NUMBER, 704
CFE_TIME_SysTime, 538	CFE_MAJOR_VERSION, 705
Seconds, 539	CFE_MINOR_VERSION, 705
Subseconds, 539	CFE_MISSION_REV, 705
CFE_TIME_SysTime_t	CFE_REVISION, 705
cfe_time_extern_typedefs.h, 701	CFE_SRC_VERSION, 705
CFE_TIME_TIME_CFG_EID	CFE_STR, 705
cfe_time_events.h, 873	CFE_STR_HELPER, 705
CFE_TIME_TIME_EID	CFE_VERSION_STRING, 705
cfe_time_events.h, 874	CFE_VERSION_STRING
CFE_TIME_TIME_ERR_EID	cfe_version.h, 705
cfe_time_events.h, 874	CFECoreChecksum
CFE_TIME_TimeCmd, 539	CFE_ES_HousekeepingTlm_Payload, 428
CommandHeader, 539	CFEMajorVersion
Payload, 539	CFF FS HousekeepingTlm Payload, 428

CFEMinorVersion	CFE_ES_SetMaxPRCountCmd, 443
CFE_ES_HousekeepingTlm_Payload, 428	CFE_ES_SetPerfFilterMaskCmd, 444
CFEMissionRevision	CFE_ES_SetPerfTriggerMaskCmd, 445
CFE_ES_HousekeepingTlm_Payload, 428	CFE_ES_StartApp, 446
CFERevision	CFE_ES_StartPerfDataCmd, 449
CFE_ES_HousekeepingTlm_Payload, 428	CFE ES StopPerfDataCmd, 450
CheckErrCtr	CFE_EVS_AppNameBitMaskCmd, 452
CFE_ES_MemPoolStats, 434	CFE_EVS_AppNameCmd, 454
ClockFlyState	CFE_EVS_AppNameEventIDCmd, 455
CFE_TIME_DiagnosticTlm_Payload, 523	CFE_EVS_AppNameEventIDMaskCmd, 456
ClockSetState	CFE EVS BitMaskCmd, 459
CFE_TIME_DiagnosticTIm_Payload, 523	CFE_EVS_NoArgsCmd, 466
ClockSignal	CFE_EVS_SetEventFormatModeCmd, 469
CFE_TIME_DiagnosticTlm_Payload, 524	CFE_EVS_SetLogModeCmd, 470
ClockSource	CFE EVS WriteAppDataFileCmd, 472
CFE_TIME_DiagnosticTIm_Payload, 524	CFE_EVS_WriteLogDataFileCmd, 472
ClockState	CFE SB RouteCmd, 487
CFE_TIME_StateCmd_Payload, 538	CFE SB WriteFileInfoCmd, 496
ClockStateAPI	CFE TBL AbortLoadCmd, 497
CFE_TIME_DiagnosticTIm_Payload, 524	CFE TBL ActivateCmd, 498
CFE TIME HousekeepingTlm Payload, 530	CFE_TBL_DeleteCDSCmd, 499
ClockStateFlags	CFE_TBL_DumpCmd, 500
CFE_TIME_DiagnosticTIm_Payload, 524	CFE_TBL_DumpRegistryCmd, 501
CFE_TIME_HousekeepingTlm_Payload, 530	CFE TBL LoadCmd, 511
code_address	CFE_TBL_NoArgsCmd, 512
OS_module_address_t, 548	CFE_TBL_NotifyCmd, 513
code_size	CFE_TBL_SendRegistryCmd, 514
OS_module_address_t, 548	CFE_TBL_ValidateCmd, 519
CodeAddress	CFE TIME NoArgsCmd, 533
	CFE_TIME_NOArgsCritd, 533 CFE_TIME_OneHzAdjustmentCmd, 533
CFE_ES_AppInfo, 415 CodeSize	CFE_TIME_SetLeapSecondsCmd, 535
CFE_ES_AppInfo, 416	CFE_TIME_SetSignalCmd, 535
CommandCounter	CFE TIME SetSourceCmd, 536
CFE_ES_HousekeepingTlm_Payload, 428	CFE_TIME_SetStateCmd, 536
CFE_EVS_HousekeepingTlm_Payload, 462	CFE_TIME_TimeCmd, 539
CFE SB HousekeepingTlm Payload, 478	CFE TIME_TimeOnid, 339 CFE TIME ToneDataCmd, 541
CFE_TBL_HousekeepingTIm_Payload, 506	common_types.h
CFE_TIME_HousekeepingTlm_Payload, 530	_EXTENSION_, 896
CommandErrorCounter	CompileTimeAssert, 896, 899, 900
CFE_ES_HousekeepingTlm_Payload, 428	cpuaddr, 897
CFE_EVS_HousekeepingTlm_Payload, 462	cpudiff, 897
CFE_SB_HousekeepingTlm_Payload, 478	cpudin, 697 cpusize, 897
CFE_TBL_HousekeepingTIm_Payload, 506	
CFE_TIME_HousekeepingTlm_Payload, 531	int16, 898 int32, 898
CommandHeader	
CFE_ES_AppNameCmd, 418	int64, 898 int8, 898
CFE ES DeleteCDSCmd, 422	intptr, 898
CFE_ES_DumpCDSRegistryCmd, 423	OS_ArgCallback_t, 898
CFE_ES_FileNameCmd, 424 CFE_ES_NoArgsCmd, 436	OS_PRINTF, 897 OS_USED, 897
CFE_ES_NOAIgsCffid, 436 CFE_ES_OverWriteSysLogCmd, 437	OS_USED, 897 OSAL_BLOCKCOUNT_C, 897
CFE_ES_OVERWITIESYSLOGOTHIA, 437 CFE_ES_ReloadAppCmd, 440	osal_blockcount_t, 898
CFE_ES_RestartCmd, 441	osal_id_t, 898
CFE_ES_RestartCrid, 441 CFE_ES_SendMemPoolStatsCmd, 442	OSAL_INDEX_C, 897
Oi L_LO_Octivitettii oolotatsottiu, 442	OGAL_INDLA_O, 09/

osal_index_t, 898	CFE_PLATFORM_ES_APP_SCAN_RATE, 573
OSAL_OBJTYPE_C, 897	CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE,
osal_objtype_t, 898	574
OSAL_SIZE_C, 897	CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES,
OSAL_STATUS_C, 897	574
osal_status_t, 899	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01,
uint16, 899	574
uint32, 899	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02,
uint64, 899	574
uint8, 899	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03,
CompileTimeAssert	575
common_types.h, 896, 899, 900	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04,
ContentType	575
CFE_FS_Header, 474	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05,
cpu1_msgids.h, 563	575
CFE_ES_APP_TLM_MID, 565	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06,
CFE_ES_CMD_MID, 565	575
CFE_ES_HK_TLM_MID, 565	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07,
CFE ES MEMSTATS TLM MID, 565	575
CFE ES SEND HK MID, 565	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08,
CFE_EVS_CMD_MID, 565	575
CFE_EVS_HK_TLM_MID, 565	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09,
CFE_EVS_LONG_EVENT_MSG_MID, 565	575
CFE_EVS_SEND_HK_MID, 566	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10,
CFE_EVS_SHORT_EVENT_MSG_MID, 566	575
CFE_PLATFORM_CMD_MID_BASE, 566	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11,
CFE_PLATFORM_CMD_MID_BASE_GLOB, 566	575
CFE_PLATFORM_TLM_MID_BASE, 566	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12,
CFE_SB_ALLSUBS_TLM_MID, 566	575
CFE_SB_CMD_MID, 566	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13,
CFE_SB_HK_TLM_MID, 566	576
CFE_SB_ONESUB_TLM_MID, 567	
CFE SB SEND HK MID, 567	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14, 576
	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15,
CFE_SB_STATS_TLM_MID, 567	576
CFE_SB_SUB_RPT_CTRL_MID, 567	
CFE_TBL_CMD_MID, 567	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16,
CFE_TBL_HK_TLM_MID, 567	576
CFE_TBL_REG_TLM_MID, 567	CFE_PLATFORM_ES_CDS_SIZE, 576
CFE_TBL_SEND_HK_MID, 567	CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE,
CFE_TEST_CMD_MID, 567	576
CFE_TEST_HK_TLM_MID, 567	CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE,
CFE_TIME_1HZ_CMD_MID, 568	577
CFE_TIME_CMD_MID, 568	CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE,
CFE_TIME_DATA_CMD_MID, 568	577
CFE_TIME_DIAG_TLM_MID, 568	CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME
CFE_TIME_HK_TLM_MID, 568	577
CFE_TIME_SEND_CMD_MID, 568	CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE,
CFE_TIME_SEND_HK_MID, 568	577
CFE_TIME_TONE_CMD_MID, 568	CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE,
cpu1_platform_cfg.h, 568	578
CFE_PLATFORM_CORE_MAX_STARTUP_MSEC,	CFE_PLATFORM_ES_DEFAULT_STACK_SIZE, 578
572	CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE,
CFE_PLATFORM_ENDIAN, 573	578
CFE PLATFORM ES APP KILL TIMEOUT, 573	CFE PLATFORM ES DEFAULT TASK LOG FILE,

579	CFE_PLATFORM_ES_POOL_MAX_BUCKETS, 587
CFE_PLATFORM_ES_ER_LOG_ENTRIES, 579	CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING,
CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE,	587
579	CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS,
CFE_PLATFORM_ES_MAX_APPLICATIONS, 580	587
CFE_PLATFORM_ES_MAX_BLOCK_SIZE, 580	CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED,
CFE_PLATFORM_ES_MAX_GEN_COUNTERS,	588
580	CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE,
CFE_PLATFORM_ES_MAX_LIBRARIES, 580	588
CFE_PLATFORM_ES_MAX_MEMORY_POOLS,	CFE_PLATFORM_ES_RESET_AREA_SIZE, 589
581	CFE_PLATFORM_ES_START_TASK_PRIORITY,
CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS,	589
581	CFE_PLATFORM_ES_START_TASK_STACK_SIZE,
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01, 581	589
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 582	CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC,
CFE PLATFORM ES MEM BLOCK SIZE 03, 582	590
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04, 582	CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC,
CFE PLATFORM ES MEM BLOCK SIZE 05, 582	590
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 582	CFE PLATFORM ES SYSTEM LOG SIZE, 590
CFE PLATFORM ES MEM BLOCK SIZE 07, 582	CFE PLATFORM ES USER RESERVED SIZE,
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 582	591
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09, 582	CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE,
CFE PLATFORM ES MEM BLOCK SIZE 10, 582	591
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 583	CFE_PLATFORM_EVS_APP_EVENTS_PER_SEC,
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11, 583	591
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 583	CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE,
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 583	592
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14, 583	CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 592
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16, 583	CFE_PLATFORM_EVS_DEFAULT_LOG_MODE,
CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN,	592
	CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE,
583	
CFE_PLATFORM_ES_NONVOL_DISK_MOUNT_STRING,	CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG,
583	593
CFE_PLATFORM_ES_NONVOL_STARTUP_FILE,	
584	CFE_PLATFORM_EVS_LOG_MAX, 593
CFE_PLATFORM_ES_OBJECT_TABLE_SIZE, 584	CFE_PLATFORM_EVS_MAX_APP_EVENT_BURST,
CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY,	594
584	CFE_PLATFORM_EVS_MAX_EVENT_FILTERS,
CFE_PLATFORM_ES_PERF_CHILD_PRIORITY,	594
584	CFE_PLATFORM_EVS_PORT_DEFAULT, 594
CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE,	CFE_PLATFORM_EVS_START_TASK_PRIORITY,
585	594
CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE,	CFE_PLATFORM_EVS_START_TASK_STACK_SIZE,
585	595
CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS,	CFE_PLATFORM_SB_BUF_MEMORY_BYTES, 595
585	CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME,
CFE_PLATFORM_ES_PERF_FILTMASK_ALL, 586	595
CFE_PLATFORM_ES_PERF_FILTMASK_INIT, 586	CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT, 596
CFE_PLATFORM_ES_PERF_FILTMASK_NONE,	CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME,
586	596
CFE_PLATFORM_ES_PERF_TRIGMASK_ALL, 586	CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME,
CFE_PLATFORM_ES_PERF_TRIGMASK_INIT, 586	596
CFE_PLATFORM_ES_PERF_TRIGMASK_NONE,	CFE_PLATFORM_SB_FILTER_MASK1, 597
587	CFE_PLATFORM_SB_FILTER_MASK2, 597

CFE_PLATFORM_SB_FILTER_MASK3, 597	CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE,
CFE_PLATFORM_SB_FILTER_MASK4, 597	605
CFE_PLATFORM_SB_FILTER_MASK5, 597	CFE_PLATFORM_TBL_START_TASK_PRIORITY,
CFE_PLATFORM_SB_FILTER_MASK6, 597	605
CFE_PLATFORM_SB_FILTER_MASK7, 597	CFE_PLATFORM_TBL_START_TASK_STACK_SIZE,
CFE_PLATFORM_SB_FILTER_MASK8, 597	605
CFE_PLATFORM_SB_FILTERED_EVENT1, 597	CFE_PLATFORM_TBL_U32FROM4CHARS, 606
CFE_PLATFORM_SB_FILTERED_EVENT2, 598	CFE_PLATFORM_TBL_VALID_PRID_1, 606
CFE_PLATFORM_SB_FILTERED_EVENT3, 598	CFE_PLATFORM_TBL_VALID_PRID_2, 606
CFE_PLATFORM_SB_FILTERED_EVENT4, 598	CFE_PLATFORM_TBL_VALID_PRID_3, 606
CFE_PLATFORM_SB_FILTERED_EVENT5, 598	CFE_PLATFORM_TBL_VALID_PRID_4, 606
CFE_PLATFORM_SB_FILTERED_EVENT6, 598	CFE_PLATFORM_TBL_VALID_PRID_COUNT, 606
CFE_PLATFORM_SB_FILTERED_EVENT7, 598	CFE_PLATFORM_TBL_VALID_SCID_1, 607
CFE_PLATFORM_SB_FILTERED_EVENT8, 598	CFE_PLATFORM_TBL_VALID_SCID_2, 607
CFE_PLATFORM_SB_HIGHEST_VALID_MSGID,	CFE_PLATFORM_TBL_VALID_SCID_COUNT, 607
598	CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY,
CFE_PLATFORM_SB_MAX_BLOCK_SIZE, 599	607
CFE_PLATFORM_SB_MAX_DEST_PER_PKT, 599	CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE,
CFE_PLATFORM_SB_MAX_MSG_IDS, 599	608
CFE_PLATFORM_SB_MAX_PIPES, 600	CFE PLATFORM TIME CFG CLIENT, 608
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01, 600	CFE_PLATFORM_TIME_CFG_LATCH_FLY, 608
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02, 600	CFE_PLATFORM_TIME_CFG_SERVER, 608
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03, 600	CFE_PLATFORM_TIME_CFG_SIGNAL, 608
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04, 600	CFE_PLATFORM_TIME_CFG_SOURCE, 609
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05, 600	CFE_PLATFORM_TIME_CFG_SRC_GPS, 609
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06, 601	CFE_PLATFORM_TIME_CFG_SRC_MET, 609
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07, 601	CFE_PLATFORM_TIME_CFG_SRC_TIME, 609
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08, 601	CFE_PLATFORM_TIME_CFG_START_FLY, 610
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09, 601	CFE PLATFORM TIME CFG TONE LIMIT, 610
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10, 601	CFE_PLATFORM_TIME_CFG_VIRTUAL, 610
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11, 601	CFE_PLATFORM_TIME_MAX_DELTA_SECS, 610
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12, 601	CFE_PLATFORM_TIME_MAX_DELTA_SUBS, 611
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13, 601	CFE PLATFORM TIME MAX LOCAL SECS, 611
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13, 601 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14, 601	CFE_PLATFORM_TIME_MAX_LOCAL_SUBS, 611
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15, 601	CFE_PLATFORM_TIME_START_TASK_PRIORITY,
	611
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16, 601	CFE_PLATFORM_TIME_START_TASK_STACK_SIZE,
CFE_PLATFORM_SB_START_TASK_PRIORITY,	611
602	
CFE_PLATFORM_SB_START_TASK_STACK_SIZE,	CFE_PLATFORM_TIME_TONE_TASK_PRIORITY, 612
602	
CFE_PLATFORM_TBL_BUF_MEMORY_BYTES,	CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE,
602	612
CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE	
602	common_types.h, 897
CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES,	cpudiff
603	common_types.h, 897
CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE,	cpusize
603	common_types.h, 897
CFE_PLATFORM_TBL_MAX_NUM_HANDLES, 603	Crc CFE TRI I-f- 500
CFE_PLATFORM_TBL_MAX_NUM_TABLES, 604	CFE_TBL_Info, 509
CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS,	CFE_TBL_TblRegPacket_Payload, 517
604	CreatePipeErrorCounter
CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOAD	
604	creator

OS_bin_sem_prop_t, 542	Entries
OS_condvar_prop_t, 543	CFE_SB_AllSubscriptionsTlm_Payload, 476
OS_count_sem_prop_t, 543	Entry
OS_mut_sem_prop_t, 550	CFE_SB_AllSubscriptionsTIm_Payload, 476
OS_queue_prop_t, 550	entry_point
OS_socket_prop_t, 552	OS_module_prop_t, 549
OS_task_prop_t, 554	EntryPoint
OS_timebase_prop_t, 556	CFE_ES_AppInfo, 416
OS_timer_prop_t, 557	ERLogEntries
Critical	CFE_ES_HousekeepingTlm_Payload, 429
CFE_TBL_Info, 510	ERLogIndex
CFE_TBL_TblRegPacket_Payload, 517	CFE_ES_HousekeepingTlm_Payload, 429
CurrentLatch	EventID
CFE_TIME_DiagnosticTIm_Payload, 524	CFE_EVS_AppNameEventIDCmd_Payload, 456
CurrentMET	CFE_EVS_AppNameEventIDMaskCmd_Payload,
CFE_TIME_DiagnosticTlm_Payload, 524	457
CurrentQueueDepth	CFE_EVS_BinFilter, 459
CFE_SB_PipeDepthStats, 483	CFE_EVS_PacketID, 467
CFE_SB_PipeInfoEntry, 485	EventType
CurrentTAI	CFE_EVS_PacketID, 467
CFE TIME DiagnosticTlm Payload, 524	ExceptionAction
CurrentUTC	CFE ES AppInfo, 416
CFE TIME DiagnosticTlm Payload, 525	CFE_ES_StartAppCmd_Payload, 448
, ,	ExecutionCounter
data_address	CFE_ES_AppInfo, 416
OS_module_address_t, 548	CFE_ES_TaskInfo, 451
data_size	
OS_module_address_t, 548	FailedValCounter
DataAddress	CFE_TBL_HousekeepingTlm_Payload, 506
CFE_ES_AppInfo, 416	FileCreateTimeSecs
DataFileName	CFE_TBL_Info, 510
CFE ES StopPerfCmd Payload, 449	
CFE_ES_StopPerfCmd_Payload, 449 DataSize	CFE_TBL_TblRegPacket_Payload, 517
DataSize	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs
	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510
DataSize CFE_ES_AppInfo, 416 DataStoreStatus	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered CFE_TBL_Info, 510	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename CFE_SB_WriteFileInfoCmd_Payload, 496
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename CFE_SB_WriteFileInfoCmd_Payload, 496 filename
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 DumpFilename	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename CFE_SB_WriteFileInfoCmd_Payload, 496
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 DumpFilename CFE_ES_DumpCDSRegistryCmd_Payload, 424	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename CFE_SB_WriteFileInfoCmd_Payload, 496 filename OS_module_prop_t, 549 FileSize
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered CFE_TBL_Info, 510 CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 DumpFilename CFE_ES_DumpCDSRegistryCmd_Payload, 424 CFE_TBL_DumpCmd_Payload, 501	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename CFE_SB_WriteFileInfoCmd_Payload, 496 filename OS_module_prop_t, 549 FileSize os_fstat_t, 546
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered CFE_TBL_Info, 510 CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 DumpFilename CFE_ES_DumpCDSRegistryCmd_Payload, 424 CFE_TBL_DumpCmd_Payload, 501 CFE_TBL_DumpRegistryCmd_Payload, 502	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename CFE_SB_WriteFileInfoCmd_Payload, 496 filename OS_module_prop_t, 549 FileSize os_fstat_t, 546 FileSubType
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 DumpFilename CFE_ES_DumpCDSRegistryCmd_Payload, 424 CFE_TBL_DumpCmd_Payload, 501 CFE_TBL_DumpRegistryCmd_Payload, 502 DumpOnly	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename CFE_SB_WriteFileInfoCmd_Payload, 496 filename OS_module_prop_t, 549 FileSize os_fstat_t, 546
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 DumpFilename CFE_ES_DumpCDSRegistryCmd_Payload, 424 CFE_TBL_DumpCmd_Payload, 501 CFE_TBL_DumpRegistryCmd_Payload, 502 DumpOnly CFE_TBL_Info, 510	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename CFE_SB_WriteFileInfoCmd_Payload, 496 filename OS_module_prop_t, 549 FileSize os_fstat_t, 546 FileSubType CFE_FS_FileWriteMetaData, 473 FileTime
DataSize CFE_ES_AppInfo, 416 DataStoreStatus CFE_TIME_DiagnosticTIm_Payload, 525 DelayDirection CFE_TIME_DiagnosticTIm_Payload, 525 Description CFE_FS_FileWriteMetaData, 473 CFE_FS_Header, 474 CFE_TBL_FileDef, 504 DoubleBuffered CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 DumpFilename CFE_ES_DumpCDSRegistryCmd_Payload, 424 CFE_TBL_DumpCmd_Payload, 501 CFE_TBL_DumpRegistryCmd_Payload, 502 DumpOnly	CFE_TBL_TblRegPacket_Payload, 517 FileCreateTimeSubSecs CFE_TBL_Info, 510 CFE_TBL_TblRegPacket_Payload, 517 FileModeBits os_fstat_t, 546 FileName CFE_ES_AppInfo, 416 CFE_ES_FileNameCmd_Payload, 425 CFE_FS_FileWriteMetaData, 473 os_dirent_t, 544 Filename CFE_SB_WriteFileInfoCmd_Payload, 496 filename OS_module_prop_t, 549 FileSize os_fstat_t, 546 FileSubType CFE_FS_FileWriteMetaData, 473

FilterMaskNum CFE_ES_SetPerfFilterMaskCmd_Payload, 445	largest_free_block
	OS_heap_prop_t, 547
flags	LastFileDumped
OS_module_address_t, 548	CFE_TBL_HousekeepingTlm_Payload, 506
Forced2Fly	LastFileLoaded
CFE_TIME_DiagnosticTIm_Payload, 525	CFE_TBL_HousekeepingTlm_Payload, 507
free_blocks	CFE_TBL_Info, 510
OS_heap_prop_t, 547	CFE_TBL_TblRegPacket_Payload, 518
free_bytes	LastTableLoaded
OS_heap_prop_t, 547	CFE TBL HousekeepingTlm Payload, 507
FreeFds	LastUpdatedTable
os_fsinfo_t, 546	CFE TBL HousekeepingTlm Payload, 507
freerun_time	LastUpdateTime
OS_timebase_prop_t, 556	CFE_TBL_HousekeepingTlm_Payload, 507
FreeVolumes	
os_fsinfo_t, 546	LastValCrc
	CFE_TBL_HousekeepingTlm_Payload, 507
GetData	LastValStatus
CFE_FS_FileWriteMetaData, 473	CFE_TBL_HousekeepingTlm_Payload, 507
GetPipeIdByNameErrorCounter	LastValTableName
CFE SB HousekeepingTlm Payload, 479	CFE_TBL_HousekeepingTlm_Payload, 507
or E_ob_nodockcoping rim_r dylodd, 470	LeapSeconds
Handle	CFE_TIME_HousekeepingTlm_Payload, 531
CFE_ES_CDSRegDumpRec, 421	CFE_TIME_LeapsCmd_Payload, 532
HeapBlocksFree	Length
•	
CFE_ES_HousekeepingTlm_Payload, 429	CCSDS_PrimaryHeader, 414
HeapBytesFree	CFE_FS_Header, 474
CFE_ES_HousekeepingTlm_Payload, 429	LENGTHCHECK
HeapMaxBlockSize	osapi-macros.h, 919
CFE_ES_HousekeepingTlm_Payload, 429	LoadFilename
host_module_id	CFE_TBL_LoadCmd_Payload, 512
OS_module_prop_t, 549	LoadPending
	CFE_TBL_TblRegPacket_Payload, 518
InactiveBufferAddr	LocalIntCounter
CFE_TBL_TblRegPacket_Payload, 517	CFE_TIME_DiagnosticTlm_Payload, 525
Index	LocalTaskCounter
CFE_SB_MsgMapFileEntry, 482	CFE_TIME_DiagnosticTlm_Payload, 525
int16	
common_types.h, 898	LogEnabled
int32	CFE_EVS_HousekeepingTlm_Payload, 462
common_types.h, 898	LogFilename
int64	CFE_EVS_LogFileCmd_Payload, 464
common_types.h, 898	LogFullFlag
int8	CFE_EVS_HousekeepingTlm_Payload, 462
common types.h, 898	LogMode
InternalErrorCounter	CFE_EVS_HousekeepingTlm_Payload, 462
	CFE_EVS_SetLogMode_Payload, 469
CFE_SB_HousekeepingTlm_Payload, 479	LogOverflowCounter
interval_time	CFE EVS HousekeepingTlm Payload, 462
OS_timer_prop_t, 557	
intptr	LongDouble
common_types.h, 898	CFE_ES_PoolAlign, 439
IsPending	CFE_SB_Msg, 481
CFE_FS_FileWriteMetaData, 473	LongInt
IsValid	CFE_ES_PoolAlign, 439
OS_file_prop_t, 545	CFE_SB_Msg, 481

MainTaskld	OS_static_symbol_record_t, 553
CFE_ES_AppInfo, 417	Msg
MainTaskName	CFE_SB_Msg, 481
CFE_ES_AppInfo, 417	MsgCnt
Mask	CFE_SB_RoutingFileEntry, 488
CFE_EVS_AppNameEventIDMaskCmd_Payload,	MsgFormat
457	CFE_EVS_SetEventFormatCode_Payload, 468
CFE_EVS_BinFilter, 459	Msgld
MaxElapsed	CFE_SB_MsgMapFileEntry, 483
CFE_TIME_DiagnosticTlm_Payload, 525	CFE_SB_RouteCmd_Payload, 487
MaxFds	CFE_SB_RoutingFileEntry, 488
os_fsinfo_t, 546	CFE_SB_SingleSubscriptionTlm_Payload, 490
MaxLocalClock	CFE_SB_SubEntries, 495
CFE_TIME_DiagnosticTIm_Payload, 526	MsgldsInUse
MaxMemAllowed	CFE_SB_StatsTlm_Payload, 493
CFE_SB_StatsTIm_Payload, 492	MsgLimitErrorCounter
MaxMsgldsAllowed	
	CFE_SB_HousekeepingTlm_Payload, 479
CFE_SB_StatsTIm_Payload, 492	MsgReceiveErrorCounter
MaxPipeDepthAllowed	CFE_SB_HousekeepingTlm_Payload, 480
CFE_SB_StatsTlm_Payload, 492	MsgSendErrorCounter
MaxPipesAllowed	CFE_SB_HousekeepingTlm_Payload, 480
CFE_SB_StatsTlm_Payload, 492	
MaxPRCount	Name
CFE_ES_SetMaxPRCountCmd_Payload, 444	CFE_ES_AppInfo, 417
MaxProcessorResets	CFE_ES_CDSRegDumpRec, 421
CFE_ES_HousekeepingTlm_Payload, 429	CFE_TBL_TblRegPacket_Payload, 518
MaxQueueDepth	OS_static_symbol_record_t, 553
CFE_SB_PipeDepthStats, 483	name
CFE_SB_PipeInfoEntry, 485	OS_bin_sem_prop_t, 542
MaxSubscriptionsAllowed	OS_condvar_prop_t, 543
CFE_SB_StatsTlm_Payload, 493	OS_count_sem_prop_t, 543
MaxVolumes	OS_module_prop_t, 549
os_fsinfo_t, 546	OS_mut_sem_prop_t, 550
MemInUse	OS_queue_prop_t, 550
CFE_SB_HousekeepingTlm_Payload, 479	OS_socket_prop_t, 552
CFE_SB_StatsTlm_Payload, 493	OS_task_prop_t, 554
MemPoolHandle	OS_timebase_prop_t, 556
CFE SB HousekeepingTlm Payload, 479	OS_timer_prop_t, 557
CFE_TBL_HousekeepingTlm_Payload, 508	nominal_interval_time
Message	OS_timebase_prop_t, 556
CFE_EVS_LongEventTlm_Payload, 465	NoSubscribersCounter
MessageFormatMode	CFE_SB_HousekeepingTlm_Payload, 480
CFE_EVS_HousekeepingTlm_Payload, 463	NumBlocksRequested
MessageSendCounter	CFE_ES_MemPoolStats, 434
CFE_EVS_HousekeepingTlm_Payload, 463	NumBytes
MessageTruncCounter	CFE TBL File Hdr, 503
CFE_EVS_HousekeepingTlm_Payload, 463	NumCreated
MicroSeconds	
	CFE_ES_BlockStats, 420
CFE_TIME_TimeCmd_Payload, 540	NumFree
MinElapsed	CFE_ES_BlockStats, 420
CFE_TIME_DiagnosticTlm_Payload, 526	NumFreeBytes
Mode	CFE_ES_MemPoolStats, 434
CFE_ES_OverWriteSysLogCmd_Payload, 438	NumFreeSharedBufs
Module	CFF TBI HousekeepingTlm Payload, 508

N I ID II	00AL B' 0 L ABL 004
NumLoadPending	OSAL Binary Semaphore APIs, 291
CFE_TBL_HousekeepingTlm_Payload, 508	OS_BinSemFlush
NumOfChildTasks	OSAL Binary Semaphore APIs, 291
CFE_ES_AppInfo, 417	OS_BinSemGetIdByName
NumTables	OSAL Binary Semaphore APIs, 292
CFE_TBL_HousekeepingTlm_Payload, 508	OS_BinSemGetInfo
NumUsers	OSAL Binary Semaphore APIs, 292
CFE_TBL_Info, 510	OS BinSemGive
NumValRequests	OSAL Binary Semaphore APIs, 293
CFE_TBL_HousekeepingTlm_Payload, 508	OS_BinSemTake
:::: 3 _ ::, :::	OSAL Binary Semaphore APIs, 293
object_ids	OS_BinSemTimedWait
OS_FdSet, 544	OSAL Binary Semaphore APIs, 294
ObjectName	OS_BSP_GetArgC
-	-
CFE_TBL_FileDef, 504	OSAL BSP low level access APIs, 295
ObjectSize	OS_BSP_GetArgV
CFE_TBL_FileDef, 504	OSAL BSP low level access APIs, 295
Offset	OS_BSP_GetResourceTypeConfig
CFE_TBL_File_Hdr, 503	OSAL BSP low level access APIs, 295
OneHzAdjust	OS_BSP_SetExitCode
CFE_TIME_DiagnosticTIm_Payload, 526	OSAL BSP low level access APIs, 295
OneHzDirection	OS_BSP_SetResourceTypeConfig
CFE_TIME_DiagnosticTIm_Payload, 526	OSAL BSP low level access APIs, 295
OneTimeAdjust	OS_BUFFER_MSG_DEPTH
CFE_TIME_DiagnosticTlm_Payload, 526	osconfig.h, 559
OneTimeDirection	OS_BUFFER_SIZE
CFE_TIME_DiagnosticTlm_Payload, 526	osconfig.h, 559
OnEvent	OS_BUILD_BASELINE
CFE_FS_FileWriteMetaData, 473	osapi-version.h, 932
Opts	OS_BUILD_CODENAME
CFE_SB_PipeInfoEntry, 485	osapi-version.h, 932
OS_ADD_TASK_FLAGS	OS_BUILD_DEV_CYCLE
osconfig.h, 558	osapi-version.h, 932
OS_API_Init	OS BUILD NUMBER
OSAL Core Operation APIs, 307	osapi-version.h, 932
OS API Teardown	OS_CFG_MAX_VERSION_STR_LEN
OSAL Core Operation APIs, 308	osapi-version.h, 932
OS Application Run	OS CHECK
OSAL Core Operation APIs, 308	osapi-constants.h, 906
OS_Application_Startup	OS_CHK_ONLY
OSAL Core Operation APIs, 308	osapi-filesys.h, 915
OS_ApplicationExit	OS chkfs
OSAL Core Operation APIs, 308	OSAL File System Level APIs, 347
OS_ApplicationShutdown	OS_chmod
	OSAL Standard File APIs, 336
OSAL Core Operation APIs, 308	
OS_ArgCallback_t	OS_close
common_types.h, 898	OSAL Standard File APIs, 337
OS_bin_sem_prop_t, 542	OS_CloseAllFiles
creator, 542	OSAL Standard File APIs, 337
name, 542	OS_CloseFileByName
value, 542	OSAL Standard File APIs, 338
OS_BinSemCreate	OS_condvar_prop_t, 542
OSAL Binary Semaphore APIs, 290	creator, 543
OS BinSemDelete	name, <u>543</u>

OS_CondVarBroadcast	OS_DIRENTRY_NAME
OSAL Condition Variable APIs, 310	osapi-dir.h, 908
OS CondVarCreate	OS_ERR_BAD_ADDRESS
OSAL Condition Variable APIs, 311	OSAL Return Code Defines, 327
OS CondVarDelete	OS_ERR_FILE
OSAL Condition Variable APIs, 312	OSAL Return Code Defines, 327
OS_CondVarGetIdByName	OS_ERR_INCORRECT_OBJ_STATE
OSAL Condition Variable APIs, 312	OSAL Return Code Defines, 327
OS_CondVarGetInfo	OS_ERR_INCORRECT_OBJ_TYPE
OSAL Condition Variable APIs, 313	OSAL Return Code Defines, 327
OS CondVarLock	OS_ERR_INVALID_ARGUMENT
OSAL Condition Variable APIs, 313	OSAL Return Code Defines, 327
OSAL Condition Variable ARIa 313	OS_ERR_INVALID_ID
OSAL Condition Variable APIs, 313	OSAL Return Code Defines, 327
OS_CondVarTimedWait	OS_ERR_INVALID_PRIORITY
OSAL Condition Variable APIs, 314	OSAL Return Code Defines, 328
OS_CondVarUnlock	OS_ERR_INVALID_SIZE
OSAL Condition Variable APIs, 314	OSAL Return Code Defines, 328
OS_CondVarWait	OS_ERR_NAME_NOT_FOUND
OSAL Condition Variable APIs, 315	OSAL Return Code Defines, 328
OS_ConvertToArrayIndex	os_err_name_t
OSAL Object ID Utility APIs, 359	osapi-error.h, 911
OS_count_sem_prop_t, 543	OS_ERR_NAME_TAKEN
creator, 543	OSAL Return Code Defines, 328
name, 543	OS_ERR_NAME_TOO_LONG
value, 543	OSAL Return Code Defines, 328
OS_CountSemCreate	OS_ERR_NO_FREE_IDS
OSAL Counting Semaphore APIs, 316	OSAL Return Code Defines, 328
OS_CountSemDelete	OS_ERR_NOT_IMPLEMENTED
OSAL Counting Semaphore APIs, 317	OSAL Return Code Defines, 328
OS_CountSemGetIdByName	OS_ERR_OBJECT_IN_USE
OSAL Counting Semaphore APIs, 317	OSAL Return Code Defines, 328
OS_CountSemGetInfo	OS_ERR_OPERATION_NOT_SUPPORTED
OSAL Counting Semaphore APIs, 318	OSAL Return Code Defines, 328
OS CountSemGive	OS ERR OUTPUT TOO LARGE
OSAL Counting Semaphore APIs, 318	OSAL Return Code Defines, 328
OS CountSemTake	OS_ERR_SEM_NOT_FULL
OSAL Counting Semaphore APIs, 319	OSAL Return Code Defines, 329
OS CountSemTimedWait	OS_ERR_STREAM_DISCONNECTED
OSAL Counting Semaphore APIs, 319	OSAL Return Code Defines, 329
OS_cp	OS ERROR
OSAL Standard File APIs, 338	OSAL Return Code Defines, 329
OS_DeleteAllObjects	OS ERROR ADDRESS MISALIGNED
OSAL Core Operation APIs, 309	OSAL Return Code Defines, 329
OSAL Core Operation AFIS, 309 OS_DirectoryClose	,
	OS_ERROR_NAME_LENGTH
OSAL Directory APIs, 321	osapi-error.h, 911
OS_DirectoryOpen	OS_ERROR_TIMEOUT
OSAL Directory APIs, 321	OSAL Return Code Defines, 329
OS_DirectoryRead	OS_EVENT_MAX
OSAL Directory APIs, 322	osapi-common.h, 905
OS_DirectoryRewind	OS_EVENT_RESERVED
OSAL Directory APIs, 322	osapi-common.h, 904
os_dirent_t, 544	OS_EVENT_RESOURCE_ALLOCATED
FileName, 544	osapi-common.h. 904

OS_EVENT_RESOURCE_CREATED	OS_ForEachObject
osapi-common.h, 905	OSAL Object ID Utility APIs, 360
OS_EVENT_RESOURCE_DELETED	OS_ForEachObjectOfType
osapi-common.h, 905	OSAL Object ID Utility APIs, 360
OS_Event_t	OS_FP_ENABLED
osapi-common.h, 904	osapi-task.h, 928
OS_EVENT_TASK_STARTUP	OS_FS_DEV_NAME_LEN
osapi-common.h, 905	osconfig.h, 559
OS_EventHandler_t	OS_FS_ERR_DEVICE_NOT_FREE
osapi-common.h, 904	OSAL Return Code Defines, 329
OS_FDGetInfo	OS_FS_ERR_DRIVE_NOT_CREATED
OSAL Standard File APIs, 339	OSAL Return Code Defines, 329
OS_FdSet, 544	OS_FS_ERR_NAME_TOO_LONG
object_ids, 544	OSAL Return Code Defines, 329
OS_FILE_FLAG_CREATE	OS_FS_ERR_PATH_INVALID
osapi-file.h, 914	OSAL Return Code Defines, 329
OS_FILE_FLAG_NONE	OS_FS_ERR_PATH_TOO_LONG
osapi-file.h, 914	OSAL Return Code Defines, 329
OS_file_flag_t	OS_FS_GetPhysDriveName
osapi-file.h, 914	OSAL File System Level APIs, 349
OS_FILE_FLAG_TRUNCATE	OS FS PHYS NAME LEN
osapi-file.h, 914	osconfig.h, 559
OS_file_prop_t, 545	OS_FS_VOL_NAME_LEN
IsValid, 545	osconfig.h, 559
Path, 545	os_fsinfo_t, 545
User, 545	FreeFds, 546
OS_FileOpenCheck	FreeVolumes, 546
OSAL Standard File APIs, 339	MaxFds, 546
OS FILESTAT EXEC	MaxVolumes, 546
osapi-file.h, 913	os_fstat_t, 546
OS_FILESTAT_ISDIR	FileModeBits, 546
osapi-file.h, 913	FileSize, 546
OS FILESTAT MODE	FileTime, 547
osapi-file.h, 913	OS GetBuildNumber
OS_FILESTAT_MODE_DIR	osapi-version.h, 933
osapi-file.h, 914	OS GetErrorName
OS FILESTAT MODE EXEC	OSAL Error Info APIs, 332
osapi-file.h, 914	
•	OS_GetFsInfo OSAL File System Level APIs, 350
OS_FILESTAT_MODE_READ osapi-file.h, 914	· · · · · · · · · · · · · · · · · · ·
•	OS_GetLocalTime
OS_FILESTAT_MODE_WRITE	OSAL Real Time Clock APIs, 297
osapi-file.h, 914	OS_GetResourceName
OS_FILESTAT_READ	OSAL Object ID Utility APIs, 360
osapi-file.h, 913	OS_GetVersionCodeName
OS_FILESTAT_SIZE	osapi-version.h, 933
osapi-file.h, 913	OS_GetVersionNumber
OS_FILESTAT_TIME	osapi-version.h, 934
osapi-file.h, 913	OS_GetVersionString
OS_FILESTAT_WRITE	osapi-version.h, 934
osapi-file.h, 914	OS_heap_prop_t, 547
OS_FileSysAddFixedMap	free_blocks, 547
OSAL File System Level APIs, 348	free_bytes, 547
OS_FileSysStatVolume	largest_free_block, 547
OSAL File System Level APIs, 348	OS_HeapGetInfo

	OSAL Heap APIs, 355	osconfig.h, 561
08	•	OS MAX TIMEBASES
03_	IdentifyObject	
00	OSAL Object ID Utility APIs, 361	osconfig.h, 561
05_	IdleLoop	OS_MAX_TIMERS
00	OSAL Core Operation APIs, 309	osconfig.h, 562
OS_	initfs	OS_MINOR_VERSION
	OSAL File System Level APIs, 350	osapi-version.h, 932
OS_	INVALID_INT_NUM	OS_MISSION_REV
00	OSAL Return Code Defines, 330	osapi-version.h, 932
OS_	INVALID_POINTER	OS_mkdir
	OSAL Return Code Defines, 330	OSAL Directory APIs, 323
OS_	INVALID_SEM_VALUE	OS_mkfs
	OSAL Return Code Defines, 330	OSAL File System Level APIs, 351
OS_	LAST_OFFICIAL	OS_module_address_t, 547
	osapi-version.h, 932	bss_address, 548
OS_	lseek	bss_size, 548
	OSAL Standard File APIs, 340	code_address, 548
OS_	MAJOR_VERSION	code_size, 548
	osapi-version.h, 932	data_address, 548
OS_	MAX_API_NAME	data_size, 548
	osconfig.h, 559	flags, 548
OS_	MAX_BIN_SEMAPHORES	valid, 548
	osconfig.h, 559	OS_MODULE_FILE_EXTENSION
OS_	MAX_CMD_LEN	osconfig.h, 562
	osconfig.h, 559	OS_MODULE_FLAG_GLOBAL_SYMBOLS
OS_	MAX_CONDVARS	osapi-module.h, 920
	osconfig.h, 560	OS_MODULE_FLAG_LOCAL_SYMBOLS
OS_	MAX_CONSOLES	osapi-module.h, 920
	osconfig.h, 560	OS_module_prop_t, 549
os	MAX_COUNT_SEMAPHORES	addr, 549
_	osconfig.h, 560	entry_point, 549
os	MAX_FILE_NAME	filename, 549
_	osconfig.h, 560	host_module_id, 549
os	MAX FILE SYSTEMS	name, 549
_	osconfig.h, 560	OS_ModuleInfo
os	MAX_LOCAL_PATH_LEN	OSAL Dynamic Loader and Symbol APIs, 364
	osapi-constants.h, 906	OS_ModuleLoad
OS	MAX_MODULES	OSAL Dynamic Loader and Symbol APIs, 364
00_	osconfig.h, 560	OS ModuleSymbolLookup
OS	MAX_MUTEXES	OSAL Dynamic Loader and Symbol APIs, 365
00_	osconfig.h, 560	OS_ModuleUnload
OS	MAX_NUM_OPEN_DIRS	OSAL Dynamic Loader and Symbol APIs, 366
00_	osconfig.h, 561	OS mount
08	MAX NUM OPEN FILES	OSAL File System Level APIs, 351
03_	osconfig.h, 561	OS_mut_sem_prop_t, 549
08	MAX_PATH_LEN	creator, 550
03_	osconfig.h, 561	
00	•	name, 550
05_	MAX_QUEUES	OS_MutSemCreate
00	osconfig.h, 561	OSAL Mutex APIs, 368
US_	MAX_SYM_LEN	OS_MutSemDelete
00	osconfig.h, 561	OSAL Mutex APIs, 368
OS_	MAX_TASK_PRIORITY	OS_MutSemGetIdByName
00	osapi-task.h, 928	OSAL Mutex APIs, 369
OS_	MAX_TASKS	OS_MutSemGetInfo

OSAL Mutex APIs, 369	OSAL Object ID Utility APIs, 362
OS_MutSemGive	OS_ObjectIdToArrayIndex
OSAL Mutex APIs, 370	OSAL Object ID Utility APIs, 362
OS_MutSemTake	OS_ObjectIdToInteger
OSAL Mutex APIs, 370	OSAL Object ID Utility APIs, 363
OS_mv	OS_OpenCreate
OSAL Standard File APIs, 340	OSAL Standard File APIs, 341
OS_NetworkGetHostName	OS PEND
OSAL Network ID APIs, 372	osapi-constants.h, 907
OS_NetworkGetID	OS PRINTF
OSAL Network ID APIs, 372	_ cfe_es.h, 644
OS_OBJECT_CREATOR_ANY	common_types.h, 897
osapi-constants.h, 906	OS_printf
OS_OBJECT_ID_UNDEFINED	OSAL Printf APIs, 374
osapi-constants.h, 906	OS_PRINTF_CONSOLE_NAME
OS_OBJECT_INDEX_MASK	osconfig.h, 562
osapi-idmap.h, 917	OS_printf_disable
OS_OBJECT_TYPE_OS_BINSEM	OSAL Printf APIs, 374
OSAL Object Type Defines, 356	OS_printf_enable
OS_OBJECT_TYPE_OS_CONDVAR	OSAL Printf APIs, 374
OSAL Object Type Defines, 356	OS QUEUE EMPTY
OS OBJECT TYPE OS CONSOLE	OSAL Return Code Defines, 330
OSAL Object Type Defines, 356	OS QUEUE FULL
OS_OBJECT_TYPE_OS_COUNTSEM	OSAL Return Code Defines, 330
OSAL Object Type Defines, 357	OS_QUEUE_ID_ERROR
OS_OBJECT_TYPE_OS_DIR	OSAL Return Code Defines, 330
OSAL Object Type Defines, 357	OS_QUEUE_INVALID_SIZE
OS_OBJECT_TYPE_OS_FILESYS	OSAL Return Code Defines, 330
OSAL Object Type Defines, 357	OS_QUEUE_MAX_DEPTH
OS_OBJECT_TYPE_OS_MODULE	osconfig.h, 562
OSAL Object Type Defines, 357	OS_queue_prop_t, 550
OS_OBJECT_TYPE_OS_MUTEX	creator, 550
OSAL Object Type Defines, 357	name, 550
OS_OBJECT_TYPE_OS_QUEUE	OS_QUEUE_TIMEOUT
OSAL Object Type Defines, 357	OSAL Return Code Defines, 330
OS OBJECT TYPE OS STREAM	OS_QueueCreate
OSAL Object Type Defines, 357	OSAL Message Queue APIs, 375
OS_OBJECT_TYPE_OS_TASK	OS_QueueDelete
OSAL Object Type Defines, 357	OSAL Message Queue APIs, 376
OS OBJECT TYPE OS TIMEBASE	OS_QueueGet
OSAL Object Type Defines, 357	OSAL Message Queue APIs, 376
OS OBJECT TYPE OS TIMECB	OS_QueueGetIdByName
OSAL Object Type Defines, 357	OSAL Message Queue APIs, 377
OS_OBJECT_TYPE_SHIFT	OS_QueueGetInfo
osapi-idmap.h, 917	OSAL Message Queue APIs, 377
OS OBJECT TYPE UNDEFINED	OS QueuePut
OSAL Object Type Defines, 358	OSAL Message Queue APIs, 378
OS_OBJECT_TYPE_USER	OS read
OSAL Object Type Defines, 358	OSAL Standard File APIs, 342
OS_ObjectIdDefined	OS_READ_ONLY
OSAL Object ID Utility APIs, 361	OSAL File Access Option Defines, 334
OS_ObjectIdEqual	OS_READ_WRITE
OSAL Object ID Utility APIs, 362	OSAL File Access Option Defines, 334
OS_ObjectIdFromInteger	OS_RegisterEventHandler

	OSAL Core Operation APIs, 309	Buffer, 552
OS_	_remove	OS_socket_prop_t, 552
	OSAL Standard File APIs, 342	creator, 552
OS_	_rename	name, <u>552</u>
	OSAL Standard File APIs, 343	OS_SocketAccept
OS_	REPAIR	OSAL Socket Management APIs, 388
	osapi-filesys.h, 915	OS_SocketAddrFromString
OS	_REVISION	OSAL Socket Address APIs, 384
	osapi-version.h, 932	OS_SocketAddrGetPort
OS	_rmdir	OSAL Socket Address APIs, 385
	OSAL Directory APIs, 323	OS_SocketAddrInit
os	rmfs	OSAL Socket Address APIs, 385
	OSAL File System Level APIs, 352	OS_SocketAddrSetPort
os	SEEK_CUR	OSAL Socket Address APIs, 386
	OSAL Reference Point For Seek Offset Defines, 335	OS_SocketAddrToString
os	SEEK END	OSAL Socket Address APIs, 386
	OSAL Reference Point For Seek Offset Defines, 335	OS_SocketBind
os	SEEK_SET	OSAL Socket Management APIs, 389
	OSAL Reference Point For Seek Offset Defines, 335	OS SocketBindAddress
os	SelectFdAdd	OSAL Socket Management APIs, 390
00_	OSAL Select APIs, 379	OS_SocketConnect
os	SelectFdClear	OSAL Socket Management APIs, 390
00_	OSAL Select APIs, 379	OS SocketDomain INET
OS	SelectFdIsSet	osapi-sockets.h, 926
00_	OSAL Select APIs, 380	OS_SocketDomain_INET6
OS	SelectFdZero	osapi-sockets.h, 926
00_	OSAL Select APIs, 380	OS_SocketDomain_INVALID
OS	SelectMultiple	osapi-sockets.h, 926
00_	OSAL Select APIs, 381	OS_SocketDomain_MAX
08	SelectSingle	osapi-sockets.h, 926
O3_	OSAL Select APIs, 382	OS_SocketDomain_t
08	SEM_EMPTY	osapi-sockets.h, 926
U3_	OSAL Semaphore State Defines, 289	OS_SocketGetIdByName
00	SEM FAILURE	OSAL Socket Management APIs, 391
US_	- -	OS_SocketGetInfo
00	OSAL Return Code Defines, 330	
US_	SEM_FULL	OSAL Socket Management APIs, 391
00	OSAL Semaphore State Defines, 289	OSAL Seelest Management ARIs 200
05_	SEM_TIMEOUT	OSAL Socket Management APIs, 392
00	OSAL Return Code Defines, 330	OS_SocketOpen
05_	_SetLocalTime	OSAL Socket Management APIs, 392
00	OSAL Real Time Clock APIs, 297	OS_SocketRecvFrom
05_	SHELL_CMD_INPUT_FILE_NAME	OSAL Socket Management APIs, 393
00	osconfig.h, 562	OS_SocketSendTo
OS_	ShellOutputToFile	OSAL Socket Management APIs, 393
	OSAL Shell APIs, 383	OS_SocketShutdown
OS_	SOCKADDR_MAX_LEN	OSAL Socket Management APIs, 394
	osapi-sockets.h, 926	OS_SocketShutdownMode_NONE
~~	osconfig.h, 562	osapi-sockets.h, 926
OS_	_SockAddr_t, 550	OS_SocketShutdownMode_SHUT_READ
	ActualLength, 551	osapi-sockets.h, 926
	AddrData, 551	OS_SocketShutdownMode_SHUT_READWRITE
US_	SockAddrData_t, 551	osapi-sockets.h, 926
	AlignPtr, 551	OS_SocketShutdownMode_SHUT_WRITE
	AlignU32, 552	osapi-sockets.h, 926

OS_SocketShutdownMode_t	name, 554
osapi-sockets.h, 926	priority, 554
OS_SocketType_DATAGRAM	stack_size, 554
osapi-sockets.h, 926	OS_TaskCreate
OS_SocketType_INVALID	OSAL Task APIs, 396
osapi-sockets.h, 926	OS_TaskDelay
OS_SocketType_MAX	OSAL Task APIs, 397
osapi-sockets.h, 926	OS_TaskDelete
OS_SocketType_STREAM	OSAL Task APIs, 397
osapi-sockets.h, 926	OS_TaskExit
OS_SocketType_t	OSAL Task APIs, 398
osapi-sockets.h, 926	OS_TaskFindIdBySystemData
OS_stat	OSAL Task APIs, 398
OSAL Standard File APIs, 343	OS_TaskGetId
OS_static_symbol_record_t, 553	OSAL Task APIs, 399
Address, 553	OS_TaskGetIdByName
Module, 553	OSAL Task APIs, 399
Name, 553	OS_TaskGetInfo
OS_STATUS_STRING_LENGTH	OSAL Task APIs, 399
osapi-error.h, 911	OS TaskInstallDeleteHandler
os_status_string_t	OSAL Task APIs, 400
osapi-error.h, 911	OS_TaskSetPriority
OS_StatusToInteger	OSAL Task APIs, 400
OSAL Error Info APIs, 332	
•	OS_time_t, 555
OS_StatusToString	ticks, 555
OSAL Error Info APIs, 333	OS_TIME_TICK_RESOLUTION_NS
OS_statvfs_t, 553	osapi-clock.h, 903
block_size, 554	OS_TIME_TICKS_PER_MSEC
blocks_free, 554	osapi-clock.h, 903
total_blocks, 554	OS_TIME_TICKS_PER_SECOND
OS_STR	osapi-clock.h, 903
osapi-version.h, 933	OS_TIME_TICKS_PER_USEC
OS_STR_HELPER	osapi-clock.h, 903
osapi-version.h, 933	OS_TimeAdd
OS_STREAM_STATE_BOUND	OSAL Real Time Clock APIs, 298
osapi-select.h, 924	OS_TimeAssembleFromMicroseconds
OS_STREAM_STATE_CONNECTED	OSAL Real Time Clock APIs, 298
osapi-select.h, 924	OS_TimeAssembleFromMilliseconds
OS_STREAM_STATE_LISTENING	OSAL Real Time Clock APIs, 298
osapi-select.h, 924	OS_TimeAssembleFromNanoseconds
OS_STREAM_STATE_READABLE	OSAL Real Time Clock APIs, 299
osapi-select.h, 924	OS_TimeAssembleFromSubseconds
OS_STREAM_STATE_WRITABLE	OSAL Real Time Clock APIs, 299
osapi-select.h, 924	OS_timebase_prop_t, 555
OS_StreamState_t	accuracy, 556
osapi-select.h, 923	creator, 556
OS_SUCCESS	freerun_time, 556
OSAL Return Code Defines, 331	name, <mark>556</mark>
OS_SymbolLookup	nominal_interval_time, 556
OSAL Dynamic Loader and Symbol APIs, 366	OS_TimeBaseCreate
OS_SymbolTableDump	OSAL Time Base APIs, 402
OSAL Dynamic Loader and Symbol APIs, 367	OS TimeBaseDelete
OS_task_prop_t, 554	OSAL Time Base APIs, 403
creator, 554	OS TimeBaseGetFreeRun

OSAL Time Base APIs, 403	osapi-timer.h, 930
OS TimeBaseGetIdByName	OS TimerCreate
OSAL Time Base APIs, 404	OSAL Timer APIs, 408
OS TimeBaseGetInfo	OS_TimerDelete
OSAL Time Base APIs, 405	OSAL Timer APIs, 409
OS TimeBaseSet	OS_TimerGetIdByName
OSAL Time Base APIs, 405	OSAL Timer APIs, 410
OS_TimedRead	OS_TimerGetInfo
OSAL Standard File APIs, 344	OSAL Timer APIs, 410
OS_TimedWrite	OS_TimerSet
OSAL Standard File APIs, 345	OSAL Timer APIs, 411
OS TimeFromTotalMicroseconds	OS_TimerSync_t
OSAL Real Time Clock APIs, 300	osapi-timebase.h, 930
OS_TimeFromTotalMilliseconds	OS_TimeSubtract
OSAL Real Time Clock APIs, 300	OSAL Real Time Clock APIs, 306
OS TimeFromTotalNanoseconds	OS_TranslatePath
OSAL Real Time Clock APIs, 301	OSAL File System Level APIs, 352
OS_TimeFromTotalSeconds	OS_unmount
OSAL Real Time Clock APIs, 301	OSAL File System Level APIs, 353
OS TimeGetFractionalPart	OS_USED
OSAL Real Time Clock APIs, 301	common_types.h, 897
OS_TimeGetMicrosecondsPart	OS_UTILITYTASK_PRIORITY
OSAL Real Time Clock APIs, 302	osconfig.h, 562
OS TimeGetMillisecondsPart	OS_UTILITYTASK_STACK_SIZE
OSAL Real Time Clock APIs, 302	osconfig.h, 563
OSAL near time clock AFIS, 302 OS_TimeGetNanosecondsPart	OS_VERSION
OSAL Real Time Clock APIs, 303	osapi-version.h, 933
	•
OSAL Paul Time Clark APIn 204	OSAL Standard File ARIa 245
OSAL Real Time Clock APIs, 304	OSAL Standard File APIs, 345
OSAL Real Time Clock ARIa 204	OSAL File Access Option Defines 224
OSAL Real Time Clock APIs, 304	OSAL Pinery Samphers APIa 200
OSAL Pool Time Clock APIn 205	OSAL Binary Semaphore APIs, 290 OS BinSemCreate, 290
OSAL Real Time Clock APIs, 305	-
OS_TimeGetTotalNanoseconds	OS_BinSemDelete, 291
OSAL Real Time Clock APIs, 305	OS_BinSemFlush, 291
OS_TimeGetTotalSeconds	OS_BinSemGetIdByName, 292
OSAL Real Time Clock APIs, 306	OS_BinSemGetInfo, 292
OS_TIMER_ERR_INTERNAL	OS_BinSemGive, 293
OSAL Return Code Defines, 331	OS_BinSemTake, 293
OS_TIMER_ERR_INVALID_ARGS	OS_BinSemTimedWait, 294
OSAL Return Code Defines, 331	OSAL BSP low level access APIs, 295
OS_TIMER_ERR_TIMER_ID	OS_BSP_GetArgC, 295
OSAL Return Code Defines, 331	OS_BSP_GetArgV, 295
OS_TIMER_ERR_UNAVAILABLE	OS_BSP_GetResourceTypeConfig, 295
OSAL Return Code Defines, 331	OS_BSP_SetExitCode, 295
OS_timer_prop_t, 556	OS_BSP_SetResourceTypeConfig, 295
accuracy, 556	OSAL Condition Variable APIs, 310
creator, 557	OS_CondVarBroadcast, 310
interval_time, 557	OS_CondVarCreate, 311
name, 557	OS_CondVarDelete, 312
start_time, 557	OS_CondVarGetIdByName, 312
OS_TimerAdd	OS_CondVarGetInfo, 313
OSAL Timer APIs, 407	OS_CondVarLock, 313
OS_TimerCallback_t	OS_CondVarSignal, 313

00 0 N/ T: N/ : 044	00 1.050
OS_CondVarTimedWait, 314	OS_unmount, 353
OS_CondVarUnlock, 314	OSAL Heap APIs, 355
OS_CondVarWait, 315	OS_HeapGetInfo, 355
OSAL Core Operation APIs, 307	OSAL Message Queue APIs, 375
OS_API_Init, 307	OS_QueueCreate, 375
OS_API_Teardown, 308	OS_QueueDelete, 376
OS_Application_Run, 308	OS_QueueGet, 376
OS_Application_Startup, 308	OS_QueueGetIdByName, 377
OS_ApplicationExit, 308	OS_QueueGetInfo, 377
OS_ApplicationShutdown, 308	OS_QueuePut, 378
OS_DeleteAllObjects, 309	OSAL Mutex APIs, 368
OS_IdleLoop, 309	OS_MutSemCreate, 368
OS_RegisterEventHandler, 309	OS_MutSemDelete, 368
OSAL Counting Semaphore APIs, 316	OS_MutSemGetIdByName, 369
OS_CountSemCreate, 316	OS_MutSemGetInfo, 369
OS_CountSemDelete, 317	OS_MutSemGive, 370
OS_CountSemGetIdByName, 317	OS_MutSemTake, 370
OS_CountSemGetInfo, 318	OSAL Network ID APIs, 372
OS_CountSemGive, 318	OS_NetworkGetHostName, 372
OS CountSemTake, 319	OS NetworkGetID, 372
OS_CountSemTimedWait, 319	OSAL Object ID Utility APIs, 359
OSAL Directory APIs, 321	OS_ConvertToArrayIndex, 359
OS_DirectoryClose, 321	OS_ForEachObject, 360
OS_DirectoryOpen, 321	OS_ForEachObjectOfType, 360
OS_DirectoryRead, 322	OS_GetResourceName, 360
OS_DirectoryRewind, 322	OS_IdentifyObject, 361
OS_mkdir, 323	OS_ObjectIdDefined, 361
OS_rmdir, 323	OS_ObjectIdEqual, 362
OSAL Dynamic Loader and Symbol APIs, 364	OS_ObjectIdFromInteger, 362
OS_ModuleInfo, 364	OS_ObjectIdToArrayIndex, 362
OS_ModuleLoad, 364	OS_ObjectIdToInteger, 363
OS_ModuleSymbolLookup, 365	OSAL Object Type Defines, 356
OS_ModuleUnload, 366	OS_OBJECT_TYPE_OS_BINSEM, 356
OS SymbolLookup, 366	OS_OBJECT_TYPE_OS_CONDVAR, 356
— ·	OS_OBJECT_TYPE_OS_CONSOLE, 356
OS_SymbolTableDump, 367 OSAL Error Info APIs, 332	OS_OBJECT_TYPE_OS_COUNTSEM, 357
OS_GetErrorName, 332	OS_OBJECT_TYPE_OS_DIR, 357
OS_StatusToInteger, 332	OS_OBJECT_TYPE_OS_FILESYS, 357
OS_StatusToString, 333	OS_OBJECT_TYPE_OS_MODULE, 357
OSAL File Access Option Defines, 334	OS_OBJECT_TYPE_OS_MUTEX, 357
OS_READ_ONLY, 334	OS_OBJECT_TYPE_OS_QUEUE, 357
OS_READ_WRITE, 334	OS_OBJECT_TYPE_OS_STREAM, 357
OS_WRITE_ONLY, 334	OS_OBJECT_TYPE_OS_TASK, 357
OSAL File System Level APIs, 347	OS_OBJECT_TYPE_OS_TIMEBASE, 357
OS_chkfs, 347	OS_OBJECT_TYPE_OS_TIMECB, 357
OS_FileSysAddFixedMap, 348	OS_OBJECT_TYPE_UNDEFINED, 358
OS_FileSysStatVolume, 348	OS_OBJECT_TYPE_USER, 358
OS_FS_GetPhysDriveName, 349	OSAL Printf APIs, 374
OS_GetFsInfo, 350	OS_printf, 374
OS_initfs, 350	OS_printf_disable, 374
OS_mkfs, 351	OS_printf_enable, 374
OS_mount, 351	OSAL Real Time Clock APIs, 296
OS_rmfs, 352	OS_GetLocalTime, 297
OS_TranslatePath, 352	OS_SetLocalTime, 297

OS_TimeAdd, 298	OS_QUEUE_FULL, 330
OS_TimeAssembleFromMicroseconds, 298	OS_QUEUE_ID_ERROR, 330
OS_TimeAssembleFromMilliseconds, 298	OS_QUEUE_INVALID_SIZE, 330
OS_TimeAssembleFromNanoseconds, 299	OS_QUEUE_TIMEOUT, 330
OS_TimeAssembleFromSubseconds, 299	OS_SEM_FAILURE, 330
OS_TimeFromTotalMicroseconds, 300	OS_SEM_TIMEOUT, 330
OS_TimeFromTotalMilliseconds, 300	OS_SUCCESS, 331
OS_TimeFromTotalNanoseconds, 301	OS_TIMER_ERR_INTERNAL, 331
OS_TimeFromTotalSeconds, 301	OS TIMER ERR INVALID ARGS, 33
OS TimeGetFractionalPart, 301	OS_TIMER_ERR_TIMER_ID, 331
OS_TimeGetMicrosecondsPart, 302	OS_TIMER_ERR_UNAVAILABLE, 331
OS_TimeGetMillisecondsPart, 302	OSAL Select APIs, 379
OS_TimeGetNanosecondsPart, 303	OS_SelectFdAdd, 379
OS_TimeGetSubsecondsPart, 304	OS_SelectFdClear, 379
OS_TimeGetOubsecondsr art, 504 OS_TimeGetTotalMicroseconds, 304	OS SelectFdIsSet, 380
OS_TimeGetTotalMilliseconds, 305	OS_SelectFdZero, 380
OS_TimeGetTotalManoseconds, 305	OS SelectMultiple, 381
OS TimeGetTotalNanoseconds, 306	-
-	OS_SelectSingle, 382
OSAL Pafarages Print For Souls Offert Politics 2005	OSAL Semaphore State Defines, 289
OSAL Reference Point For Seek Offset Defines, 335	OS_SEM_EMPTY, 289
OS_SEEK_CUR, 335	OS_SEM_FULL, 289
OS_SEEK_END, 335	OSAL Shell APIs, 383
OS_SEEK_SET, 335	OS_ShellOutputToFile, 383
OSAL Return Code Defines, 325	OSAL Socket Address APIs, 384
OS_ERR_BAD_ADDRESS, 327	OS_SocketAddrFromString, 384
OS_ERR_FILE, 327	OS_SocketAddrGetPort, 385
OS_ERR_INCORRECT_OBJ_STATE, 327	OS_SocketAddrInit, 385
OS_ERR_INCORRECT_OBJ_TYPE, 327	OS_SocketAddrSetPort, 386
OS_ERR_INVALID_ARGUMENT, 327	OS_SocketAddrToString, 386
OS_ERR_INVALID_ID, 327	OSAL Socket Management APIs, 388
OS_ERR_INVALID_PRIORITY, 328	OS_SocketAccept, 388
OS_ERR_INVALID_SIZE, 328	OS_SocketBind, 389
OS_ERR_NAME_NOT_FOUND, 328	OS_SocketBindAddress, 390
OS_ERR_NAME_TAKEN, 328	OS_SocketConnect, 390
OS_ERR_NAME_TOO_LONG, 328	OS_SocketGetIdByName, 391
OS_ERR_NO_FREE_IDS, 328	OS_SocketGetInfo, 391
OS_ERR_NOT_IMPLEMENTED, 328	OS_SocketListen, 392
OS_ERR_OBJECT_IN_USE, 328	OS_SocketOpen, 392
OS_ERR_OPERATION_NOT_SUPPORTED, 328	OS_SocketRecvFrom, 393
OS_ERR_OUTPUT_TOO_LARGE, 328	OS_SocketSendTo, 393
OS_ERR_SEM_NOT_FULL, 329	OS_SocketShutdown, 394
OS_ERR_STREAM_DISCONNECTED, 329	OSAL Standard File APIs, 336
OS ERROR, 329	OS_chmod, 336
OS_ERROR_ADDRESS_MISALIGNED, 329	OS_close, 337
OS ERROR TIMEOUT, 329	OS_CloseAllFiles, 337
OS_FS_ERR_DEVICE_NOT_FREE, 329	OS_CloseFileByName, 338
OS_FS_ERR_DRIVE_NOT_CREATED, 329	OS_cp, 338
OS FS ERR NAME TOO LONG, 329	OS FDGetInfo, 339
OS_FS_ERR_PATH_INVALID, 329	OS_FileOpenCheck, 339
OS_FS_ERR_PATH_TOO_LONG, 329	OS_Iseek, 340
OS_INVALID_INT_NUM, 330	OS_mv, 340
OS INVALID POINTER, 330	OS_OpenCreate, 341
OS_INVALID_SEM_VALUE, 330	OS_read, 342
OS_QUEUE_EMPTY, 330	OS_remove, 342
 	= = <u>-</u>

OS rename, 343	osal/src/os/inc/osapi-shell.h, 924
OS stat, 343	osal/src/os/inc/osapi-sockets.h, 924
OS TimedRead, 344	osal/src/os/inc/osapi-task.h, 927
OS_TimedWrite, 345	osal/src/os/inc/osapi-timebase.h, 929
OS_write, 345	osal/src/os/inc/osapi-timedase.ii, 920
OSAL Task APIs, 396	osal/src/os/inc/osapi-version.h, 931
	•
OS_TaskCreate, 396	osal/src/os/inc/osapi.h, 934
OS_TaskDelay, 397	OSAL_API_VERSION
OS_TaskDelete, 397	osapi-version.h, 933
OS_TaskExit, 398	OSAL_BLOCKCOUNT_C
OS_TaskFindIdBySystemData, 398	common_types.h, 897
OS_TaskGetId, 399	osal_blockcount_t
OS_TaskGetIdByName, 399	common_types.h, 898
OS_TaskGetInfo, 399	OSAL_CONFIG_CONSOLE_ASYNC
OS_TaskInstallDeleteHandler, 400	osconfig.h, 563
OS_TaskSetPriority, 400	OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER
OSAL Time Base APIs, 402	osconfig.h, 563
OS_TimeBaseCreate, 402	OSAL_CONFIG_INCLUDE_NETWORK
OS_TimeBaseDelete, 403	osconfig.h, 563
OS TimeBaseGetFreeRun, 403	OSAL_CONFIG_INCLUDE_STATIC_LOADER
OS TimeBaseGetIdByName, 404	osconfig.h, 563
OS_TimeBaseGetInfo, 405	osal_id_t
OS_TimeBaseSet, 405	common_types.h, 898
OSAL Timer APIs, 407	OSAL_INDEX_C
OS_TimerAdd, 407	common_types.h, 897
OS_TimerCreate, 408	osal_index_t
OS_TimerOreate, 408 OS_TimerDelete, 409	
	common_types.h, 898
OS_TimerGetIdByName, 410	OSAL_OBJTYPE_C
OS_TimerGetInfo, 410	common_types.h, 897
OS_TimerSet, 411	osal_objtype_t
osal/docs/src/osal_frontpage.dox, 895	common_types.h, 898
osal/docs/src/osal_fs.dox, 895	OSAL_PRIORITY_C
osal/docs/src/osal_timer.dox, 895	osapi-task.h, 928
osal/src/os/inc/common_types.h, 895	osal_priority_t
osal/src/os/inc/osapi-binsem.h, 900	osapi-task.h, 928
osal/src/os/inc/osapi-bsp.h, 901	OSAL_SIZE_C
osal/src/os/inc/osapi-clock.h, 901	common_types.h, 897
osal/src/os/inc/osapi-common.h, 903	OSAL_STACKPTR_C
osal/src/os/inc/osapi-condvar.h, 905	osapi-task.h, 928
osal/src/os/inc/osapi-constants.h, 906	osal_stackptr_t
osal/src/os/inc/osapi-countsem.h, 907	osapi-task.h, 928
osal/src/os/inc/osapi-dir.h, 907	OSAL_STATUS_C
osal/src/os/inc/osapi-error.h, 908	common types.h, 897
osal/src/os/inc/osapi-file.h, 911	osal status t
osal/src/os/inc/osapi-filesys.h, 914	common_types.h, 899
osal/src/os/inc/osapi-heap.h, 916	osal_task
·	
osal/src/os/inc/osapi-idmap.h, 916	osapi-task.h, 929
osal/src/os/inc/osapi-macros.h, 918	OSAL_TASK_STACK_ALLOCATE
osal/src/os/inc/osapi-module.h, 919	osapi-task.h, 928
osal/src/os/inc/osapi-mutex.h, 921	OSALMajorVersion
osal/src/os/inc/osapi-network.h, 921	CFE_ES_HousekeepingTlm_Payload, 429
osal/src/os/inc/osapi-printf.h, 922	OSALMinorVersion
osal/src/os/inc/osapi-queue.h, 922	CFE_ES_HousekeepingTlm_Payload, 430
neal/erc/ne/inc/neani-coloct h 923	OSAI Mission Revision

CFE_ES_HousekeepingTlm_Payload, 430	BUGCHECK, 918
OSALRevision	BUGCHECK_VOID, 919
CFE_ES_HousekeepingTlm_Payload, 430	BUGREPORT, 919
osapi-clock.h	LENGTHCHECK, 919
OS_TIME_TICK_RESOLUTION_NS, 903	osapi-module.h
OS_TIME_TICKS_PER_MSEC, 903	OS_MODULE_FLAG_GLOBAL_SYMBOLS, 920
OS_TIME_TICKS_PER_SECOND, 903	OS_MODULE_FLAG_LOCAL_SYMBOLS, 920
OS_TIME_TICKS_PER_USEC, 903	osapi-select.h
osapi-common.h	OS_STREAM_STATE_BOUND, 924
OS_EVENT_MAX, 905	OS_STREAM_STATE_CONNECTED, 924
OS_EVENT_RESERVED, 904	OS STREAM STATE LISTENING, 924
OS EVENT RESOURCE ALLOCATED, 904	OS STREAM STATE READABLE, 924
OS_EVENT_RESOURCE_CREATED, 905	OS_STREAM_STATE_WRITABLE, 924
OS_EVENT_RESOURCE_DELETED, 905	OS_StreamState_t, 923
OS_Event_t, 904	osapi-sockets.h
OS_EVENT_TASK_STARTUP, 905	OS_SOCKADDR_MAX_LEN, 926
OS_EventHandler_t, 904	OS_SocketDomain_INET, 926
osapi-constants.h	OS_SocketDomain_INET6, 926
OS CHECK, 906	OS_SocketDomain_INVALID, 926
OS_MAX_LOCAL_PATH_LEN, 906	OS_SocketDomain_MAX, 926
OS_OBJECT_CREATOR_ANY, 906	OS_SocketDomain_t, 926
OS_OBJECT_ID_UNDEFINED, 906	OS SocketShutdownMode NONE, 926
OS_PEND, 907	OS_SocketShutdownMode_SHUT_READ, 926
osapi-dir.h	OS_SocketShutdownMode_SHUT_READWRITE,
OS_DIRENTRY_NAME, 908	926
osapi-error.h	OS_SocketShutdownMode_SHUT_WRITE, 926
•	OS_SocketShutdownMode_t, 926
os_err_name_t, 911	
OS_ERROR_NAME_LENGTH, 911	OS_SocketType_DATAGRAM, 926
OS_STATUS_STRING_LENGTH, 911	OS_SocketType_INVALID, 926
os_status_string_t, 911	OS_SocketType_MAX, 926
osapi-file.h	OS_SocketType_STREAM, 926
OS_FILE_FLAG_CREATE, 914	OS_SocketType_t, 926
OS_FILE_FLAG_NONE, 914	osapi-task.h
OS_file_flag_t, 914	OS_FP_ENABLED, 928
OS_FILE_FLAG_TRUNCATE, 914	OS_MAX_TASK_PRIORITY, 928
OS_FILESTAT_EXEC, 913	OSAL_PRIORITY_C, 928
OS_FILESTAT_ISDIR, 913	osal_priority_t, 928
OS_FILESTAT_MODE, 913	OSAL_STACKPTR_C, 928
OS_FILESTAT_MODE_DIR, 914	osal_stackptr_t, 928
OS_FILESTAT_MODE_EXEC, 914	osal_task, 929
OS_FILESTAT_MODE_READ, 914	OSAL_TASK_STACK_ALLOCATE, 928
OS_FILESTAT_MODE_WRITE, 914	osapi-timebase.h
OS_FILESTAT_READ, 913	OS_TimerSync_t, 930
OS_FILESTAT_SIZE, 913	osapi-timer.h
OS_FILESTAT_TIME, 913	OS_TimerCallback_t, 930
OS_FILESTAT_WRITE, 914	osapi-version.h
osapi-filesys.h	OS_BUILD_BASELINE, 932
OS_CHK_ONLY, 915	OS_BUILD_CODENAME, 932
OS_REPAIR, 915	OS_BUILD_DEV_CYCLE, 932
osapi-idmap.h	OS_BUILD_NUMBER, 932
OS_OBJECT_INDEX_MASK, 917	OS_CFG_MAX_VERSION_STR_LEN, 932
OS_OBJECT_TYPE_SHIFT, 917	OS_GetBuildNumber, 933
osapi-macros.h	OS_GetVersionCodeName, 933
ARGCHECK, 918	OS_GetVersionNumber, 934

OS_GetVersionString, 934	CFE_EVS_ShortEventTlm_Payload, 471
OS_LAST_OFFICIAL, 932	Parameter
OS_MAJOR_VERSION, 932	CFE_TBL_NotifyCmd_Payload, 513
OS_MINOR_VERSION, 932	Path
OS_MISSION_REV, 932	OS_file_prop_t, 545
OS_REVISION, 932	Payload
OS_STR, 933	CFE_ES_AppNameCmd, 418
OS_STR_HELPER, 933	CFE_ES_DeleteCDSCmd, 422
OS_VERSION, 933	CFE_ES_DumpCDSRegistryCmd, 423
OSAL_API_VERSION, 933	CFE_ES_FileNameCmd, 424
osconfig.h	CFE_ES_HousekeepingTlm, 425
OS_ADD_TASK_FLAGS, 558	CFE_ES_MemStatsTlm, 435
OS_BUFFER_MSG_DEPTH, 559	CFE_ES_OneAppTlm, 436
OS_BUFFER_SIZE, 559	CFE_ES_OverWriteSysLogCmd, 438
OS_FS_DEV_NAME_LEN, 559	CFE_ES_ReloadAppCmd, 440
OS_FS_PHYS_NAME_LEN, 559	CFE_ES_RestartCmd, 441
OS_FS_VOL_NAME_LEN, 559	CFE_ES_SendMemPoolStatsCmd, 442
OS_MAX_API_NAME, 559	CFE_ES_SetMaxPRCountCmd, 443
OS_MAX_BIN_SEMAPHORES, 559	CFE_ES_SetPerfFilterMaskCmd, 444
OS_MAX_CMD_LEN, 559	CFE_ES_SetPerfTriggerMaskCmd, 445
OS_MAX_CONDVARS, 560	CFE_ES_StartApp, 447
OS_MAX_CONSOLES, 560	CFE_ES_StartPerfDataCmd, 449
OS_MAX_COUNT_SEMAPHORES, 560	CFE_ES_StopPerfDataCmd, 450
OS_MAX_FILE_NAME, 560	CFE_EVS_AppNameBitMaskCmd, 453
OS_MAX_FILE_SYSTEMS, 560	CFE_EVS_AppNameCmd, 454
OS_MAX_MODULES, 560	CFE_EVS_AppNameEventIDCmd, 455
OS_MAX_MUTEXES, 560	CFE_EVS_AppNameEventIDMaskCmd, 456
OS_MAX_NUM_OPEN_DIRS, 561	CFE_EVS_BitMaskCmd, 459
OS_MAX_NUM_OPEN_FILES, 561	CFE_EVS_HousekeepingTlm, 460
OS_MAX_PATH_LEN, 561	CFE_EVS_LongEventTlm, 465
OS_MAX_QUEUES, 561	CFE_EVS_SetLegModeCmd, 469
OS_MAX_SYM_LEN, 561	CFE_EVS_SetLogModeCmd, 470
OS_MAX_TASKS, 561 OS_MAX_TIMEBASES, 561	CFE_EVS_ShortEventTlm, 470
OS_MAX_TIMEBASES, 561 OS_MAX_TIMERS, 562	CFE_EVS_WriteAppDataFileCmd, 472 CFE_EVS_WriteLogDataFileCmd, 472
OS_MAX_TIMERS, 502 OS_MODULE_FILE_EXTENSION, 562	CFE_SB_AllSubscriptionsTlm, 475
OS PRINTF CONSOLE NAME, 562	CFE_SB_HousekeepingTlm, 477
OS QUEUE MAX DEPTH, 562	CFE_SB_RouteCmd, 487
OS SHELL CMD INPUT FILE NAME, 562	CFE_SB_SingleSubscriptionTlm, 489
OS SOCKADDR MAX LEN, 562	CFE_SB_StatsTlm, 491
OS_UTILITYTASK_PRIORITY, 562	CFE_SB_WriteFileInfoCmd, 496
OS UTILITYTASK_TAICK SIZE, 563	CFE_TBL_AbortLoadCmd, 497
OSAL_CONFIG_CONSOLE_ASYNC, 563	CFE TBL ActivateCmd, 498
OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER,	CFE TBL DeleteCDSCmd, 499
563	CFE_TBL_DumpCmd, 500
OSAL_CONFIG_INCLUDE_NETWORK, 563	CFE_TBL_DumpRegistryCmd, 502
OSAL_CONFIG_INCLUDE_STATIC_LOADER, 563	CFE_TBL_HousekeepingTlm, 504
OutputPort	CFE_TBL_LoadCmd, 511
CFE_EVS_HousekeepingTlm_Payload, 463	CFE_TBL_NotifyCmd, 513
OwnerAppName	CFE_TBL_SendRegistryCmd, 514
CFE_TBL_TblRegPacket_Payload, 518	CFE_TBL_TableRegistryTlm, 515
0	CFE_TBL_ValidateCmd, 519
PacketID	CFE_TIME_DiagnosticTlm, 520
CFE_EVS_LongEventTlm_Payload, 465	CFE_TIME_HousekeepingTlm, 529
· · · ·	,

CFE_TIME_OneHzAdjustmentCmd, 533	CFE_SB_HousekeepingTlm_Payload, 480
CFE_TIME_SetLeapSecondsCmd, 535	PipesInUse
CFE_TIME_SetSignalCmd, 535	CFE_SB_StatsTlm_Payload, 494
CFE_TIME_SetSourceCmd, 536	PktSegment
CFE_TIME_SetStateCmd, 536	CFE_SB_AllSubscriptionsTlm_Payload, 476
CFE_TIME_TimeCmd, 539	PoolHandle
CFE_TIME_ToneDataCmd, 541	CFE_ES_PoolStatsTIm_Payload, 439
PeakMemInUse	CFE_ES_SendMemPoolStatsCmd_Payload, 442
CFE_SB_StatsTIm_Payload, 493	PoolSize
PeakMsgldsInUse	CFE_ES_MemPoolStats, 435
CFE_SB_StatsTIm_Payload, 493	PoolStats
PeakPipesInUse	CFE_ES_PoolStatsTIm_Payload, 439
CFE_SB_StatsTIm_Payload, 493	Priority OFF FO Applete 447
PeakQueueDepth	CFE_ES_AppInfo, 417
CFE_SB_PipeDepthStats, 483	CFE_ES_StartAppCmd_Payload, 448
CFE_SB_PipeInfoEntry, 485	CFE_ES_TaskInfo, 451
PeakSBBuffersInUse	CFE_SB_Qos_t, 486
CFE_SB_StatsTlm_Payload, 493	priority OS_task_prop_t, 554
PeakSubscriptionsInUse	ProcessorID
CFE_SB_StatsTlm_Payload, 494	CFE_EVS_PacketID, 467
PerfDataCount	CFE_FS_Header, 475
CFE_ES_HousekeepingTlm_Payload, 430	ProcessorResets
PerfDataEnd	CFE_ES_HousekeepingTlm_Payload, 431
CFE_ES_HousekeepingTlm_Payload, 430	psp/fsw/inc/cfe_psp.h, 935
PerfDataStart	psp/fsw/inc/cfe_psp_error.h, 962
CFE_ES_HousekeepingTlm_Payload, 430	PSPMajorVersion
PerfDataToWrite	CFE_ES_HousekeepingTlm_Payload, 431
CFE_ES_HousekeepingTlm_Payload, 430	PSPMinorVersion
PerfFilterMask	CFE_ES_HousekeepingTlm_Payload, 432
CFE_ES_HousekeepingTlm_Payload, 431	PSPMissionRevision
PerfMode	CFE_ES_HousekeepingTlm_Payload, 432
CFE_ES_HousekeepingTlm_Payload, 431	PSPRevision
PerfState	CFE_ES_HousekeepingTlm_Payload, 432
CFE_ES_HousekeepingTlm_Payload, 431	Ptr
PerfTriggerCount	CFE ES PoolAlign, 439
CFE_ES_HousekeepingTlm_Payload, 431	,
PerfTriggerMask	Qos
CFE_ES_HousekeepingTlm_Payload, 431	CFE_SB_SingleSubscriptionTlm_Payload, 490
Pipe CEE SR RouteCmd Roulond 487	CFE_SB_SubEntries, 495
CFE_SB_RouteCmd_Payload, 487 CFE_SB_SingleSubscriptionTlm_Payload, 490	B 11 10 4
CFE_SB_SubEntries, 495	RegisteredCoreApps
	CFE_ES_HousekeepingTlm_Payload, 432
PipeDepthStats CEE SP StateTim Poyland 404	RegisteredExternalApps
CFE_SB_StatsTIm_Payload, 494	CFE_ES_HousekeepingTlm_Payload, 432
Pipeld CEE SR BineDepthState 494	RegisteredLibs
CFE_SB_PipeDepthStats, 484	CFE_ES_HousekeepingTlm_Payload, 432
CFE_SB_PipeInfoEntry, 485	RegisteredTasks
CFE_SB_RoutingFileEntry, 489	CFE_ES_HousekeepingTlm_Payload, 432
PipeName CEE SR PipeInfoEntry 495	Reliability
CFE_SB_PipeInfoEntry, 485	CFE_SB_Qos_t, 486
CFE_SB_RoutingFileEntry, 489	Reserved
PipeOptsErrorCounter	CFE_TBL_File_Hdr, 503
CFE_SB_HousekeepingTlm_Payload, 480 PipeOverflowErrorCounter	ResetSubtype
FIDEOVERIONEROLOUTILE	CFE ES HousekeepingTlm Payload, 433

ResetType	CFE_MISSION_TIME_AT_TONE_WAS, 621
CFE_ES_HousekeepingTlm_Payload, 433	CFE_MISSION_TIME_AT_TONE_WILL_BE, 621
Resourceld	CFE_MISSION_TIME_CFG_DEFAULT_TAI, 621
CFE_ES_AppInfo, 417	CFE_MISSION_TIME_CFG_DEFAULT_UTC, 622
RestartType	CFE_MISSION_TIME_CFG_FAKE_TONE, 622
CFE_ES_RestartCmd_Payload, 441	CFE_MISSION_TIME_CMD_MSG, 622
	CFE_MISSION_TIME_DATA_CMD_MSG, 622
sample_mission_cfg.h, 612	CFE_MISSION_TIME_DEF_DELAY_SECS, 622
CFE_MISSION_ES_APP_TLM_MSG, 614	CFE_MISSION_TIME_DEF_DELAY_SUBS, 623
CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN,	CFE_MISSION_TIME_DEF_LEAPS, 623
614	CFE_MISSION_TIME_DEF_MET_SECS, 623
CFE_MISSION_ES_CDS_MAX_NAME_LENGTH,	CFE_MISSION_TIME_DEF_MET_SUBS, 623
614	CFE_MISSION_TIME_DEF_STCF_SECS, 623
CFE_MISSION_ES_CMD_MSG, 614	CFE_MISSION_TIME_DEF_STCF_SUBS, 623
CFE_MISSION_ES_CRC_16, 614	CFE_MISSION_TIME_DIAG_TLM_MSG, 623
CFE_MISSION_ES_CRC_32, 614	CFE_MISSION_TIME_EPOCH_DAY, 623
CFE_MISSION_ES_CRC_8, 615	CFE_MISSION_TIME_EPOCH_HOUR, 624
CFE_MISSION_ES_DEFAULT_CRC, 615	CFE_MISSION_TIME_EPOCH_MICROS, 624
CFE_MISSION_ES_HK_TLM_MSG, 615	CFE_MISSION_TIME_EPOCH_MINUTE, 624
CFE_MISSION_ES_MAX_APPLICATIONS, 615	CFE_MISSION_TIME_EPOCH_SECOND, 624
CFE_MISSION_ES_MEMSTATS_TLM_MSG, 615	CFE_MISSION_TIME_EPOCH_YEAR, 624
CFE_MISSION_ES_PERF_MAX_IDS, 616	CFE_MISSION_TIME_FS_FACTOR, 624
CFE_MISSION_ES_POOL_MAX_BUCKETS, 616	CFE_MISSION_TIME_HK_TLM_MSG, 625
CFE_MISSION_ES_SEND_HK_MSG, 616	CFE_MISSION_TIME_MAX_ELAPSED, 625
CFE_MISSION_EVS_CMD_MSG, 616	CFE_MISSION_TIME_MIN_ELAPSED, 625
CFE_MISSION_EVS_HK_TLM_MSG, 616	CFE_MISSION_TIME_SEND_CMD_MSG, 625
CFE_MISSION_EVS_LONG_EVENT_MSG_MSG,	CFE_MISSION_TIME_SEND_HK_MSG, 625
617	CFE_MISSION_TIME_TONE_CMD_MSG, 625
CFE_MISSION_EVS_MAX_MESSAGE_LENGTH,	sample_perfids.h, 625
617	CFE_MISSION_ES_MAIN_PERF_ID, 626
CFE_MISSION_EVS_SEND_HK_MSG, 617	CFE_MISSION_ES_PERF_EXIT_BIT, 626
CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG,	CFE_MISSION_EVS_MAIN_PERF_ID, 626
617	CFE_MISSION_SB_MAIN_PERF_ID, 626
CFE_MISSION_MAX_API_LEN, 617	CFE_MISSION_SB_MSG_LIM_PERF_ID, 627
CFE_MISSION_MAX_FILE_LEN, 617	CFE_MISSION_SB_PIPE_OFLOW_PERF_ID, 627
CFE_MISSION_MAX_PATH_LEN, 618	CFE_MISSION_TBL_MAIN_PERF_ID, 627
CFE_MISSION_SB_ALLSUBS_TLM_MSG, 618	CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID,
CFE_MISSION_SB_CMD_MSG, 618	627
CFE_MISSION_SB_HK_TLM_MSG, 619	CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID
CFE_MISSION_SB_MAX_PIPES, 619	627
CFE_MISSION_SB_MAX_SB_MSG_SIZE, 619	CFE_MISSION_TIME_MAIN_PERF_ID, 627
CFE_MISSION_SB_ONESUB_TLM_MSG, 619	CFE_MISSION_TIME_SENDMET_PERF_ID, 627
CFE_MISSION_SB_SEND_HK_MSG, 619	CFE_MISSION_TIME_TONE1HZISR_PERF_ID,
CFE_MISSION_SB_STATS_TLM_MSG, 619	627
CFE_MISSION_SB_SUB_RPT_CTRL_MSG, 619	CFE_MISSION_TIME_TONE1HZTASK_PERF_ID,
CFE_MISSION_TBL_CMD_MSG, 620	627
CFE_MISSION_TBL_HK_TLM_MSG, 620	SBBuffersInUse
CFE_MISSION_TBL_MAX_FULL_NAME_LEN, 620	CFE_SB_StatsTlm_Payload, 494
CFE_MISSION_TBL_MAX_NAME_LENGTH, 620	Seconds
CFE_MISSION_TBL_REG_TLM_MSG, 620	CFE_TIME_OneHzAdjustmentCmd_Payload, 534
CFE_MISSION_TBL_SEND_HK_MSG, 620	CFE_TIME_SysTime, 539
CFE_MISSION_TEST_CMD_MSG, 621	CFE_TIME_TimeCmd_Payload, 540
CFE_MISSION_TEST_HK_TLM_MSG, 621	Seconds1HzAdj
CFE MISSION TIME 1HZ CMD MSG, 621	CFE TIME HousekeepingTlm Payload, 531

SecondsDelay	State
CFE_TIME_HousekeepingTlm_Payload, 531	CFE SB RoutingFileEntry, 489
SecondsMET	Streamld
CFE_TIME_HousekeepingTlm_Payload, 531	CCSDS_PrimaryHeader, 414
SecondsSTCF	SubscribeErrorCounter
CFE_TIME_HousekeepingTlm_Payload, 531	CFE_SB_HousekeepingTlm_Payload, 480
SendErrors	SubscriptionsInUse
CFE_SB_PipeInfoEntry, 485	CFE_SB_StatsTlm_Payload, 494
Sequence	Subseconds
CCSDS_PrimaryHeader, 414	CFE_TIME_OneHzAdjustmentCmd_Payload, 534
ServerFlyState	CFE TIME SysTime, 539
CFE_TIME_DiagnosticTlm_Payload, 526	Subsecs1HzAdj
Size	•
	CFE_TIME_HousekeepingTlm_Payload, 531
CFE_ES_CDSRegDumpRec, 421	SubsecsDelay
CFE_TBL_Info, 510	CFE_TIME_HousekeepingTlm_Payload, 532
CFE_TBL_TblRegPacket_Payload, 518	SubsecsMET
SIZE_BYTE	CFE_TIME_HousekeepingTlm_Payload, 532
cfe_psp.h, 942	SubsecsSTCF
SIZE_HALF	CFE_TIME_HousekeepingTlm_Payload, 532
cfe_psp.h, 942	Subsystem
SIZE_WORD	CCSDS_ExtendedHeader, 413
cfe_psp.h, 942	SubType
SpacecraftID	CFE_FS_Header, 475
CFE_EVS_PacketID, 467	CFE_SB_SingleSubscriptionTlm_Payload, 490
CFE_FS_Header, 475	SuccessValCounter
Spare	CFE_TBL_HousekeepingTlm_Payload, 508
CFE_ES_TaskInfo, 451	SysLogBytesUsed
CFE_EVS_AppNameBitMaskCmd_Payload, 453	CFE_ES_HousekeepingTlm_Payload, 433
CFE_EVS_BitMaskCmd_Payload, 460	SysLogEntries
CFE_EVS_SetEventFormatCode_Payload, 468	CFE_ES_HousekeepingTlm_Payload, 433
CFE_EVS_SetLogMode_Payload, 469	SysLogMode
CFE_SB_PipeDepthStats, 484	CFE_ES_HousekeepingTlm_Payload, 433
CFE_SB_PipeInfoEntry, 485	SysLogSize
CFE_SB_RouteCmd_Payload, 488	CFE_ES_HousekeepingTlm_Payload, 433
Spare1	SystemId
CFE_EVS_HousekeepingTlm_Payload, 463	CCSDS_ExtendedHeader, 413
CFE EVS LongEventTlm Payload, 466	
Spare2	Table
CFE EVS HousekeepingTlm Payload, 463	CFE_ES_CDSRegDumpRec, 421
CFE_EVS_LongEventTlm_Payload, 466	TableLoadedOnce
Spare2Align	CFE TBL Info, 510
CFE_SB_HousekeepingTlm_Payload, 480	CFE TBL TblRegPacket Payload, 518
Spare3	TableName
CFE_EVS_HousekeepingTlm_Payload, 463	CFE_TBL_AbortLoadCmd_Payload, 497
stack_size	CFE TBL ActivateCmd Payload, 498
OS_task_prop_t, 554	CFE_TBL_DelCDSCmd_Payload, 499
StackSize	CFE_TBL_DumpCmd_Payload, 501
CFE_ES_AppInfo, 417	CFE TBL File Hdr, 503
	CFE_TBL_FileDef, 504
CFE_ES_StartAppCmd_Payload, 448 CFE ES TaskInfo, 451	CFE_TBL_FileDel, 504 CFE_TBL_SendRegistryCmd_Payload, 515
- -	
start_time	CFE_TBL_ValidateCmd_Payload, 520
OS_timer_prop_t, 557	Taskld
StartAddress CFE FS Applinfo. 418	CFE_ES_TaskInfo, 451 TaskName
VEE EO AUUIIIO. 410	Idaniyalile

CFE_ES_TaskInfo, 451	CFE_TIME_DiagnosticTlm_Payload, 528
TelemetryHeader	total_blocks
CFE_ES_HousekeepingTlm, 425	OS_statvfs_t, 554
CFE_ES_MemStatsTlm, 435	TotalSegments
CFE_ES_OneAppTIm, 436	CFE_SB_AllSubscriptionsTlm_Payload, 477
CFE_EVS_HousekeepingTlm, 461	TriggerMask
CFE_EVS_LongEventTlm, 465	CFE_ES_SetPerfTrigMaskCmd_Payload, 446
CFE_EVS_ShortEventTlm, 471	TriggerMaskNum
CFE_SB_AllSubscriptionsTlm, 476	CFE ES SetPerfTrigMaskCmd Payload, 446
CFE_SB_HousekeepingTlm, 477	TriggerMode
CFE_SB_SingleSubscriptionTlm, 489	CFE_ES_StartPerfCmd_Payload, 448
CFE SB StatsTlm, 491	Type
CFE_TBL_HousekeepingTlm, 504	CFE_ES_AppInfo, 418
CFE_TBL_TableRegistryTlm, 515	or =_=0_, tpp://io,
	uint16
CFE_TIME_DiagnosticTlm, 520	common_types.h, 899
CFE_TIME_HousekeepingTlm, 529	uint32
TgtFilename	common_types.h, 899
CFE_TBL_FileDef, 504	uint64
ticks	common types.h, 899
OS_time_t, 555	uint8
TimeOfLastUpdate	common_types.h, 899
CFE_TBL_Info, 510	UnmarkedMem
CFE_TBL_TblRegPacket_Payload, 518	CFE SB HousekeepingTlm Payload, 481
TimeSeconds	UnregisteredAppCounter
CFE_FS_Header, 475	CFE_EVS_HousekeepingTlm_Payload, 464
TimeSinceTone	User
CFE_TIME_DiagnosticTlm_Payload, 527	
TimeSource	OS_file_prop_t, 545
CFE_TIME_SourceCmd_Payload, 538	UserDefAddr
TimeSubSeconds	CFE_TBL_Info, 511
CFE_FS_Header, 475	valid
ToneDataCounter	OS_module_address_t, 548
CFE_TIME_DiagnosticTlm_Payload, 527	ValidationCounter
ToneDataLatch	CFE_TBL_HousekeepingTlm_Payload, 508
CFE_TIME_DiagnosticTlm_Payload, 527	ValidationFuncPtr
ToneIntCounter	
CFE_TIME_DiagnosticTlm_Payload, 527	CFE_TBL_TblRegPacket_Payload, 519 Value
ToneIntErrorCounter	
CFE_TIME_DiagnosticTlm_Payload, 527	CFE_SB_Msgld_t, 482
ToneMatchCounter	value
CFE_TIME_DiagnosticTlm_Payload, 527	OS_bin_sem_prop_t, 542
ToneMatchErrorCounter	OS_count_sem_prop_t, 543
CFE_TIME_DiagnosticTIm_Payload, 527	VersionCounter
ToneOverLimit	CFE_TIME_DiagnosticTlm_Payload, 528
CFE TIME DiagnosticTlm Payload, 528	VirtualMET
ToneSignalCounter	CFE_TIME_DiagnosticTlm_Payload, 528
3	
CFE_TIME_DiagnosticTlm_Payload, 528	
ToneSignalLatch	
CFE_TIME_DiagnosticTIm_Payload, 528	
ToneSource	
CFE_TIME_SignalCmd_Payload, 537	
ToneTaskCounter	
CFE_TIME_DiagnosticTIm_Payload, 528	
Tonel Inderl imit	