BRIDGE TO BANGLADESH

Functional Requirements Specification (FRS)

Including High-Level Design (HLD) & Low-Level Design (LLD)

Prepared By	Revinr IT Ltd.
Status	Submitted for Formal Approval — Milestone 2
Date	21st April 2026

Document Version Control

Version	Date	Changes Made	Approved By
V1.1	9th April	Inception Report v1.1	
V1.2	15th April	Revised Inception Report v1.2- Changes discussed during the Oxfam meeting on 9th April, with Phase 1 focused exclusively on the website and diaspora members.	
V1.3	21st April	Separate template as per Oxfam's instruction	

Table of Contents

Document Version Control 1
1. Introduction and Document Purpose 3
1.1 Purpose of This Document 3
1.2 Scope 3
1.3 Definitions and Acronyms 3
2. High-Level Design (HLD) 5
2.1 System Architecture Overview 5
2.2 Technology Stack 5
2.3 Microservices and Service Boundaries 7
2.4 Data Flow — Request Lifecycle 8
2.5 Deployment Architecture 8
3. Low-Level Design (LLD) — Database Schema Overview 9
3.1 Database Strategy 9
3.2 Core Database Schemas 9
Identity Service — PostgreSQL 9
User Profile Service — PostgreSQL 10
CMS & Storytelling Service — PostgreSQL + Object Storage 10
3.3 Database Design Principles 10
4. User Roles and Permissions 12
5. Functional Requirements — Module by Module 13
6. Development Sprint Plan — Module Delivery Mapping 42

1. Introduction and Document Purpose

1.1 Purpose of This Document

This Functional Requirements Specification (FRS) defines, in precise and testable terms, what the Bridge to Bangladesh (B2B) digital platform must do. It is the primary technical reference for the development team throughout all build phases and the definitive source for User Acceptance Testing (UAT) criteria.

This document is structured to cover all nine Phase 1 platform modules derived from the Revised Inception Report v1.2, using a standardised requirement format with unique IDs, MoSCoW prioritisation, user stories, and acceptance criteria. All content is derived exclusively from the inception report; no external assumptions have been introduced.

1.2 Scope

This FRS covers the Phase 1 (P1) functional scope of the Bridge to Bangladesh platform, including web and mobile applications. Phase 1 has a single clear objective: to build a vibrant, growing, and engaged community of global Bangladeshi diaspora professionals. P1 is explicitly non-transactional by design — it is not a matching platform, not a fundraising platform, and not a portal for local organisations. Requirements derived from:

- Revised Inception Report v1.2 — Revinr IT Ltd (April 2026, primary source)
- Stakeholder consultations: Oxfam Country Director (19 Feb 2026), SME Rahat Ahmed (24 Feb 2026), Dr Martin Russell (4 March 2026)
- Local NGOs Workshop — Banani, Dhaka (12 March 2026)
- UK Diaspora Consultation — London (May 2025)
- Global survey — 53 respondents from 12 countries, 20+ professional disciplines
- 9th February 2026 Review Session — Country Director strategic feedback shaping v1.2 revisions

1.3 Definitions and Acronyms

Term / Acronym	Definition
FRS	Functional Requirements Specification
HLD	High-Level Design — system architecture, service boundaries, data flow
LLD	Low-Level Design — detailed component, API endpoint, and database schema design
MoSCoW	Must Have / Should Have / Could Have / Won't Have — prioritisation framework
RBAC	Role-Based Access Control
JWT	JSON Web Token — stateless authentication token
GDPR	General Data Protection Regulation (UK GDPR / EU GDPR)
P1	Phase 1 — the delivery scope of this contract
P2	Phase 2 — deferred features; NGO onboarding, matchmaking, donations, campaigns, impact dashboard
CMS	Content Management System

SDG	Sustainable Development Goals
MFA	Multi-Factor Authentication
SSO	Single Sign-On
ICAM	International Campaigns and Advocacy and Media — Oxfam Bangladesh division
PMU	Programme Management Unit — Oxfam Bangladesh project management
UAT	User Acceptance Testing
DDD	Domain-Driven Design
CI/CD	Continuous Integration / Continuous Deployment

2. High-Level Design (HLD)

2.1 System Architecture Overview

The Bridge to Bangladesh platform is architected as a cloud-native, microservices-based system deployed on AWS (primary) or Microsoft Azure (contingency). The architecture adopts a Zero Trust security model — no request is trusted by default; every interaction is authenticated, authorised, and validated. The architecture is organised into six clearly delineated layers:

Layer	Description & Components
1 — User Layer	Three user classes: Diaspora Members (global), Local Stakeholders / NGOs (Bangladesh-based — Phase 2), and Oxfam Administrators / Moderators. Each class has distinct roles and permissions enforced at API Gateway level.
2 — Experience Layer	Web Application: Next.js 14 with Tailwind CSS — server-side rendered, WCAG 2.1 AA compliant, responsive across desktop, tablet, mobile. Mobile Application: Flutter (Dart) — single codebase for iOS and Android, feature parity with web, bandwidth-optimised.
3 — API & Security Layer	Single API Gateway: JWT token validation, RBAC enforcement, rate limiting, request payload validation, audit logging on every request. All web and mobile traffic routes through this gateway. No direct database access from clients. Zero Trust model applied.
4 — Microservices Layer	Phase 1: Identity & Access, User Profile Management, Notification, CMS & Storytelling, Phase 2: Verification & Moderation, Community & Messaging, Discovery & Matchmaking, Donation & Financial, Event management, Analytics & Impact Tracking, Governance & Compliance. (Each service owns its data store.)
5 — External Integrations	SSO providers (LinkedIn, Google — OAuth2), Email/SMS notification service (SendGrid/Twilio or equivalent), Payment gateway (Stripe or PCI-compliant equivalent — Phase 2), Reporting and analytics export tools.
6 — Data Layer	PostgreSQL (relational, ACID-compliant — all transactional and structured data across nine services). MongoDB Atlas (document store — messaging, feed data, activity logs). Redis (in-memory caching — profile lookups, match scores, SDG taxonomy).

2.2 Technology Stack

Layer / Category	Technology	Rationale (from Inception Report)
Frontend — Web	Next.js 14 + Tailwind CSS	SSR for performance and SEO; WCAG 2.1 AA; TypeScript ecosystem; fully responsive
Frontend — Mobile	Flutter / React Native	Single codebase for iOS and Android; bandwidth-optimised; feature parity with web
Backend — API Framework	Node.js (Express) / Python (FastAPI)	Node for event-driven services (messaging, notifications); FastAPI for data-intensive services (analytics, matchmaking)

API Communication — Internal	gRPC + REST	gRPC for high-performance internal service-to-service calls; REST for API Gateway and external integrations
Message Queue	RabbitMQ / BullMQ	RabbitMQ for task queues (notifications, emails); Kafka for high-throughput event streaming (activity logs, analytics)
Database — Relational	PostgreSQL	ACID-compliant; audit trail support; read replica capability; GDPR-ready data management
Database — NoSQL	MongoDB (Atlas)	Flexible document schema for messaging and feed data; high write throughput; horizontal sharding
Caching	Redis	In-memory caching for high-frequency, low-change read operations (profiles, match scores, taxonomy)
Authentication	OAuth2 + JWT	Stateless authentication; supports SSO via LinkedIn and Google; multi-device session; role claims in tokens
Containerisation	Docker	Consistent runtime environment across all deployment stages; each microservice in an isolated container
CI/CD Pipeline	GitHub Actions	Automated build-test-deploy pipeline with health-checked rollouts and rollback capability
Cloud Infrastructure	AWS or Microsoft Azure	Global availability zones; managed database services; enterprise-grade security and compliance certifications
Object Storage	AWS S3 / Azure Blob Storage	Scalable storage for verification documents, media assets, and data exports with secure access controls
Monitoring	Prometheus + Grafana	Real-time metrics collection and visual dashboard rendering; custom alerting on thresholds and error spikes
Logging	ELK Stack (Elasticsearch, Logstash, Kibana)	Centralised log aggregation across all microservices; full-text search across audit logs
Payment Gateway	Stripe or PCI-compliant equivalent	Secure multi-currency processing; Zakat/Sadaqah fund categorisation — Phase 2 activation
Email & SMS Notifications	SendGrid / Twilio or equivalent	Transactional email and SMS delivery with global reach; delivery tracking and bounce management
SSO Integration	LinkedIn OAuth2 / Google OAuth2	Frictionless one-click registration; directly addresses five-minute registration requirement

2.3 Microservices and Service Boundaries

Each microservice owns its own data store. No cross-database joins are permitted. All cross-service data exchange occurs via authenticated API calls only. The eleven services are:

#	Service	Responsibilities	Data Store
1	Identity & Access Service	User registration and login; OAuth2 + JWT issuance; RBAC enforcement; session management; GDPR consent tracking; right to erasure	PostgreSQL
2	User Profile Management Service	Profile creation and updates; skills, interests, and SDG sector tagging; geographic data; profile visibility controls; multi-role support	PostgreSQL
3	Verification & Moderation Service Phase 2	Profile verification pipelines; document submission and review; approval/rejection workflows; trust badge assignment	PostgreSQL
4	Community & Messaging Service Phase 2	Secure direct messaging; community feeds; comments and reactions; content posting; content filtering, reporting, and flagging; admin intervention tools	MongoDB Atlas
5	Discovery & Matchmaking Service Phase 2	Advanced search by sector, location, interest; five-factor weighted recommendation engine; follow/save profiles — Phase 2 primary	PostgreSQL + Redis
6	Campaign & Events Service Phase 2	Campaign landing pages; event scheduling; participation tracking; awareness and advocacy initiatives — Phase 2	PostgreSQL
7	CMS & Storytelling Service	Blog/articles; video and media uploads; impact stories; content categorisation by SDG sector; moderated user-generated and admin-authored content	PostgreSQL + S3/Blob
8	Donation & Financial Service Phase 2	Donation processing; Zakat/Sadaqah tagging; fund allocation; transaction tracking; receipt generation; payment gateway integration.	PostgreSQL
9	Analytics & Impact Tracking Service Phase 2	User engagement metrics; campaign performance; donation trends; geographic analytics; SDG dashboards; exportable reports	PostgreSQL / Data Warehouse-Ready
10	Governance & Compliance Service Phase 2	Admin dashboards; role hierarchy management; audit log access; abuse detection workflows; safeguarding controls; GDPR rights management	PostgreSQL
11	Notification Service	Email, and in-app push notifications; event-driven triggers via message queue; delivery tracking	MongoDB Atlas + Queue

2.4 Data Flow — Request Lifecycle

Every user-initiated action follows a consistent, secured flow through the system. This flow applies universally to web and mobile clients:

- User initiates request via web (Next.js) or mobile (Flutter) client
- Request is routed to the API Gateway — the sole secure entry point to the backend
- Gateway validates JWT token, enforces RBAC, applies rate limits, and logs the request to the immutable audit trail
- Validated request is forwarded to the appropriate microservice based on the endpoint
- Microservice executes business logic and reads/writes to its designated data store
- External integrations (SSO, email/SMS, payment gateway) are called when the action requires them
- Processed response is returned to the client via the Gateway
- All actions — without exception — generate an immutable audit log entry for compliance and governance review

2.5 Deployment Architecture

Environment	Purpose	Access
Development	Internal development and unit testing. Feature branches merged here. Not accessible to Oxfam.	Revinr engineering team only
Staging (Pre-Production)	Pre-production validation, integration testing, and UAT by Oxfam PMU. Mirrors production configuration exactly.	Revinr + Oxfam PMU
Production	Live platform. Only promoted from Staging after UAT sign-off. All deployment via CI/CD pipeline.	All users — public and admin

3. Low-Level Design (LLD) — Database Schema Overview

3.1 Database Strategy

The platform employs a hybrid database architecture combining relational (PostgreSQL) and NoSQL (MongoDB) technologies through a database-per-microservice pattern. This ensures data isolation, GDPR compliance per domain, independent scalability, and appropriate data modelling for each domain's specific requirements.

Database	Application Domains
PostgreSQL (Relational)	Identity and access, user profiles, verification records, matchmaking connections, donations and financial transactions, campaign and CMS content, governance and moderation, analytics and impact metrics. Chosen for ACID compliance, relational integrity, and robust audit trail support.
MongoDB (NoSQL — Atlas)	Real-time messaging, community posts and feeds, comments and reactions, activity logs. Chosen for high write throughput, flexible document schema, and real-time performance characteristics.
Redis (Cache)	Profile lookups, match scores, SDG taxonomy — high-frequency, low-change read operations.

3.2 Core Database Schemas

Each microservice exclusively owns its database namespace. No service may directly access another service's database. All cross-service data exchange occurs exclusively via authenticated API calls.

Identity Service — PostgreSQL

Table	Key Fields	Description
users	id (UUID, PK), email (unique), password_hash (bcrypt), status (active|suspended), created_at, updated_at	Central identity record for all user types
roles	id, name (diaspora|local_user|admin|moderator)	Role definitions
user_roles	user_id (FK), role_id (FK)	Many-to-many: links users to one or more roles
sessions	user_id, refresh_token, expires_at	JWT refresh token and session management
consents	user_id, consent_type (GDPR|marketing), accepted_at, scope, withdrawn_at	GDPR compliance consent audit record — all consent events timestamped

User Profile Service — PostgreSQL

Table	Key Fields	Description
profiles	id (UUID), user_id (FK), profile_type (diaspora|entrepreneur|student|CSO), full_name, country, city, bio, verified_status (Boolean), created_at	Structured profiles powering discovery and (Phase 2) matchmaking
skills	id, name	Skill taxonomy entries for search and matchmaking filters
profile_skills	profile_id (FK), skill_id (FK)	Many-to-many: links profiles to declared skills
organizations	id, name, type (NGO|startup|academic)	Linked organisations

CMS & Storytelling Service — PostgreSQL + Object Storage

Table	Key Fields	Description
content_items	id, author_id, type (article|video|photo_story), title, body, tags[], status (draft|pending|published|archived), published_at, moderation_flag	All CMS content — tags mapped to SDG taxonomy

3.3 Database Design Principles

Principle	Implementation
Data Isolation	Each microservice exclusively owns its database. No cross-database joins. All cross-service data exchange occurs via authenticated API calls only.
GDPR Compliance	Dedicated consents table in Identity Service. Data deletion and portability workflows built at schema level. Right to erasure enforced via cascading delete procedures. Data minimisation: only data essential to platform function is collected.
Financial Audit Trail	Immutable transaction history with payment gateway references. Separate donations and transactions tables for complete audit trail. Restricted_flag on funds table enforces designated giving compliance.
RBAC Enforcement	Role and user_roles tables in Identity Service provide the authority record. Permissions are enforced at the API Gateway level using JWT role claims — not only in the UI layer.
Event-Driven Ready	Architecture supports Apache Kafka integration for real-time event streaming: donation confirmation events, user activity tracking, and notification trigger pipelines can be added without schema changes.
Scalability	PostgreSQL read replicas for high-traffic read-heavy services (profiles, matchmaking). Sharding-ready MongoDB configuration. Redis caching layer for frequent, low-change queries. Horizontal scaling via cloud auto-scaling.

Security	Encryption at rest via AWS RDS and MongoDB Atlas encryption. TLS 1.3 enforced in transit across all service-to-service communication. Sensitive fields masked in logs and API responses. No PII logged in application logs.

4. User Roles and Permissions

Role-Based Access Control (RBAC) is enforced at the API Gateway level using JWT role claims. Permissions are not managed at UI level only. The following roles are defined for Phase 1:

Role	User Type	Key Permissions (Phase 1)
Diaspora Member	Bangladeshi diaspora globally	Register profile, complete four-step profile, browse directory, post to Community Circles, send direct messages to connections, engage with CMS content, register for events, earn gamification points
Oxfam Administrator	Oxfam Bangladesh — ICAM team (senior staff)	Full platform oversight, user management (activate/suspend/deactivate), content moderation, community management, gamification controls, analytics dashboard, governance documentation, GDPR management, diaspora invitation tool
Moderator	Oxfam Bangladesh — designated content moderators	Content and user moderation queue, approve/flag/edit/remove content, restrict or suspend accounts, escalation to admin, manage Community Circles and events
Auditor	Oxfam Bangladesh — compliance/finance	Read-only access to audit logs, compliance reports. No edit permissions.
Local Stakeholder / NGO	Bangladesh-based organisations and professionals	Phase 2 — Deferred. Onboarding begins once diaspora user base reaches active members.

5. Functional Requirements — Module by Module

Requirements below follow the standardised FRS format. Each requirement carries a unique ID for traceability through development, testing, and UAT. MoSCoW priority is assigned per inception report guidance. All requirements are derived exclusively from the Revised Inception Report v1.2.

Module A — User Registration & Account Creation

Secure registration, authentication, GDPR-compliant consent management, and role-based account setup for all user types

Primary Users: All user types — Diaspora, Admin, Moderator, Auditor

Requirement ID	FRS-A-001
Requirement Statement	The system shall allow new users to register via email and password with GDPR-compliant consent captured at the point of registration.
User Story	*As a new diaspora member, I want to register with my email and create a password, so that I can access the platform with a verified account and have my consent preferences recorded from the start.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Registration form captures First Name, Last Name, Email, Phone, and explicit GDPR consent checkbox. • Consent type and timestamp are recorded in the consents table in the Identity Service database. • User receives an email verification link within 60 seconds of registration. • Account is not activated until email is verified. • Self-registration accounts enter a 24-hour admin approval queue before becoming fully active. • Failure states (duplicate email, invalid format) produce clear, specific error messages.
Module	Module A — User Registration & Account Creation
Dependencies	FRS-A-003 (MFA), FRS-A-005 (GDPR consent management)
Source	Inception Report v1.2 Section 3.1 — A.1 Registration and Account Creation; 9th February Review Session

Requirement ID	FRS-A-002
Requirement Statement	The system shall support via LinkedIn and Google as alternative registration and login methods using OAuth 2.0.
User Story	*As a diaspora professional, I want to register or log in using my LinkedIn or Google account, so that I can complete onboarding within the five-minute registration target without creating a separate password.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• SSO via LinkedIn OAuth2 and Google OAuth2 is offered as an option on both the registration and login screens. • On first SSO login, the system creates a platform account with basic data imported from the OAuth provider (name, email). • GDPR consent is captured at first SSO login before the account is activated. • Profile completion is prompted after SSO registration via the staged onboarding tutorial. • SSO and email-registered accounts use the same onboarding experience post-activation. • Account linking: if an SSO email matches an existing email-registered account, the accounts are linked with admin notification.
Module	Module A — User Registration & Account Creation
Dependencies	FRS-A-001 (base registration), FRS-A-003 (MFA), FRS-A-005 (GDPR consent)

Requirement ID	FRS-A-003
Requirement Statement	The system shall enforce Multi-Factor Authentication (MFA) as mandatory for all Admin, Moderator, and Auditor accounts, and offer MFA as an option for Diaspora Member accounts.
User Story	*As an Oxfam admin, I want MFA to be mandatory for all administrative accounts, so that platform governance access is protected against credential compromise.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• MFA is mandatory for Admin, Moderator, and Auditor roles. Login for these roles cannot be completed without MFA verification. • MFA is presented as an opt-in for Diaspora Member accounts during or after registration. • Supported MFA method: authenticator app TOTP (Time-based One-Time Password). Backup codes generated at MFA setup. • Failed MFA attempts (5 consecutive) lock the account and trigger an unlock email to the registered address.

	• MFA setup and all authentication events are logged in the immutable audit trail. • The admin portal requires a separate 2FA-protected login isolated from the general user interface.
Module	Module A — User Registration & Account Creation
Dependencies	FRS-A-001 (registration), FRS-A-002 (SSO)

Requirement ID	**FRS-A-004**
Requirement Statement	The system shall provide granular user consent management controls accessible from within the user's account settings at all times, without requiring Oxfam staff intervention.
User Story	*As a registered user, I want to update my consent preferences, including data sharing and marketing communications, from my account settings, so that I remain in full control of my data at all times.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Consent management page is accessible from account settings without contacting Oxfam. • User can independently: update data sharing preferences; update profile visibility settings; withdraw marketing consent; initiate a right to erasure request. • All consent changes are recorded with a timestamp and scope in the consents table. • Consent withdrawal and erasure requests are routed to the Governance Service GDPR management module. • Data portability: user can request an export of their personal data in JSON or CSV format via a time-limited download link. • No consent-related action requires Oxfam staff intervention at the user level.
Module	Module A — User Registration & Account Creation
Dependencies	FRS-A-001 (registration); cross-cutting with GDPR non-functional requirements

Requirement ID	FRS-A-005
Requirement Statement	The system shall implement a secure password reset workflow via the user's registered email address.
User Story	*As a user who has forgotten my password, I want to receive a password reset link by email, so that I can regain access to my account securely.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Password reset request form accepts a registered email address and returns no indication of whether the email exists (anti-enumeration). • Reset token is sent via email within 60 seconds of request. • Reset link is valid for 30 minutes and is single-use; expired or used tokens are rejected. • New password must meet minimum complexity (8+ characters, 1 uppercase, 1 number, 1 symbol). • All reset requests, successful and failed, are logged in the immutable audit trail. • Reset link button on the Login page routes directly to the password reset request form.
Module	Module A — User Registration & Account Creation
Dependencies	FRS-A-001 (registration)

Module B — Profile Creation & Completion

Four-step structured profile setup, professional and heritage profile fields, visibility controls, and profile completion status

Primary Users: Diaspora Members, Admin

Requirement ID	FRS-B-001
Requirement Statement	The system shall provide a four-step structured profile creation wizard presented to users on first login, capturing identity, interests, capabilities, and availability.
User Story	*As a diaspora member, I want to build my profile through four clearly structured steps after registration, so that the platform understands who I am, what I care about, what I can contribute, and when I am available.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Four-step profile wizard is presented immediately after account activation on first login. • Step 1 — Who You Are: Full Name, Country of Residence, City, Professional Role/Title, Institutional Affiliation. • Step 2 — What You Care About: SDG interest selection (Health, Education, Climate, Innovation, Youth, Gender, Culture & Heritage, etc.). • Step 3 — What You Can Do: structured skills taxonomy allowing declaration of expertise domains (e.g., surgeon, architect, engineer, policy advisor). • Step 4 — Availability and Engagement Preferences: in-person, online, or hybrid; specific availability date windows set in integrated calendar. • All four steps can be saved as draft and completed progressively; the wizard can be resumed on subsequent logins. • Profile completion percentage is calculated and displayed after each step.
Module	Module B — Profile Creation & Completion
Dependencies	FRS-A-001 (registration), FRS-C-001 (gamification — completion score)

Requirement ID	FRS-B-002
Requirement Statement	The system shall support the upload and display of professional credentials and academic profile links on the diaspora member's profile.
User Story	*As a diaspora academic, I want to link my Google Scholar and ORCID profiles to my platform profile, so that my research credentials are visible and verifiable to peers and local organisations.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Profile fields accept links to: LinkedIn profile URL, Google Scholar profile URL, ORCID profile URL, ResearchGate profile URL, institutional affiliation link. • CV upload accepted in PDF format (max 5MB); stored securely in object storage with pre-signed URL access. • Uploaded professional credentials display an IP ownership notice at point of upload: the platform claims no ownership over uploaded content. • Academic profile links are displayed as clickable references on the public/visible portions of the user's profile. • Upload and link activity is logged (not the content) in the activity stream for gamification scoring.
Module	Module B — Profile Creation & Completion
Dependencies	FRS-B-001 (profile wizard), FRS-C-003 (gamification — Academic Contributor badge)

Requirement ID	FRS-B-003
Requirement Statement	The system shall provide user-controlled profile visibility settings allowing diaspora members to define who can view their profile details.
User Story	*As a diaspora member, I want to choose who can see my profile, so that I can control my privacy while still being discoverable by the right people.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Profile visibility options: Public (visible to all, including unauthenticated visitors), Registered Users Only (visible to all logged-in platform members), Connections Only (full details visible only to connected users). • Public view always shows: name, general professional sector, country of residence. • Registered Users view additionally shows: bio, SDG interests, skills, geographic origin district. • Connections Only view additionally shows: contact preferences and availability calendar.

	• Visibility setting is configurable from account settings at any time and takes immediate effect. • Profiles below 50% completion are not listed in the directory regardless of visibility setting.
Module	Module B — Profile Creation & Completion
Dependencies	FRS-B-001 (profile wizard), FRS-A-005 (GDPR consent — data visibility)

Requirement ID	**FRS-B-004**
Requirement Statement	The system shall provide a visual profile completion progress bar and milestone badge system to incentivise full profile completion.
User Story	*As a diaspora member, I want to see my profile completion progress and earn milestone badges as I complete sections, so that I am motivated to build a rich, useful profile.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Visual progress bar displayed prominently on the user dashboard and profile page, showing completion percentage. • Completion percentage calculated across defined fields: basic info, professional details, SDG interests, skills, geographic origin district, profile photo, engagement preferences, and availability calendar. • Staged completion prompts (contextual nudges) shown after each login until profile reaches 100%. • Milestone badges awarded and displayed at 25%, 50%, 75%, and 100% profile completion. • Automated email nudge sent 48 hours post-registration if profile is below 50% complete. • Admin dashboard displays platform-wide average profile completion rate as a health metric. • Users with profiles below 50% completion are not listed in directory results.
Module	Module B — Profile Creation & Completion
Dependencies	FRS-B-001 (profile wizard), FRS-C-001 (gamification engine)

Module C — Profile Completion Status & Gamification Engine

Credit points system, Profile Score, contribution badges, leaderboard, and admin gamification controls
Primary Users: Diaspora Members, Admin

Requirement ID	FRS-C-001
Requirement Statement	The system shall implement a credit points system awarding points to diaspora members for defined meaningful contribution actions on the platform.
User Story	*As a diaspora member, I want to earn credit points for my platform contributions, so that my engagement is recognised and visible to peers without being tied to financial incentives.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Points are awarded automatically upon verification of each defined action. The full point schedule is: • Complete profile (100%): 50 pts | Add profile photo: 10 pts | Link LinkedIn: 15 pts | Link Google Scholar/ORCID/ResearchGate: 25 pts • Write and publish first article: 40 pts | Publish 5 articles (cumulative): +100 pts total | Share diaspora story: 30 pts • List a project related to Bangladesh: 20 pts per project | Log in every week for a month: 25 pts | Log in every day for a week: 15 pts • Participate in a community discussion: 10 pts per post | Invite another diaspora member who joins: 30 pts per referral • Level milestones: 100 pts = Rising Star; 500 pts = Diaspora Champion; 1,000 pts = Platform Ambassador • Points are added to the user's Profile Score immediately upon action verification.
Module	Module C — Gamification Engine
Dependencies	FRS-B-001 (profile), FRS-B-004 (completion status), FRS-D-001 (community posts)

Requirement ID	FRS-C-002
Requirement Statement	The system shall display a visible Profile Score on each user's profile page and maintain a timestamped points history log accessible to the user.
User Story	*As a diaspora member, I want to see my current Contributor Score on my profile and review my full points history, so that I have a transparent, auditable record of my engagement.*

Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Profile Score displayed as a visible metric on the user's profile page (e.g., 'Contributor Score: 85'). • Points history log accessible from the user's profile/dashboard: timestamped record of each action taken and points awarded. • Profile Score influences discovery ranking in Phase 2 matchmaking results. • Score and history are private to the user and to admins; not publicly visible unless the user opts into the leaderboard. • Score cannot be manually edited by any user; admin adjustments are logged in the audit trail.
Module	Module C — Gamification Engine
Dependencies	FRS-C-001 (credit points system)

Requirement ID	**FRS-C-003**
Requirement Statement	The system shall award named contribution badges to diaspora member profiles based on defined achievement thresholds.
User Story	*As a diaspora member, I want to earn and display named contribution badges on my profile, so that my peers can see the specific nature and depth of my engagement with the platform.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Badges are awarded automatically when a defined threshold is reached. Named badges from the inception report include: • Foundation Builder (100% profile completion) | Connected Professional (LinkedIn linked) | Academic Contributor (Google Scholar/ORCID/ResearchGate linked) • Knowledge Sharer (first article published) | Platform Thought Leader (5 articles published) | Story Teller (diaspora story shared) • Active Contributor (project listed) | Consistent Presence (weekly login for a month) | Daily Connector (daily login for a week) • Community Builder (referral joined) | Rising Star (100 pts) | Diaspora Champion (500 pts) | Platform Ambassador (1,000 pts) • Badges are displayed on the member's profile page below the Profile Score. • Badge awards are recorded in the activity log and appear in the points history.
Module	Module C — Gamification Engine
Dependencies	FRS-C-001 (credit points), FRS-C-002 (Profile Score)

Requirement ID	FRS-C-004
Requirement Statement	The system shall provide an optional opt-in community leaderboard showing top contributors by activity category and time period.
User Story	*As a diaspora member, I want to optionally appear on a community leaderboard, so that I can choose to have my ranking visible to peers while retaining the option to keep it private.*
Priority (MoSCoW)	**Could Have**
Acceptance Criteria	• Leaderboard is opt-in only; users are not shown publicly unless they explicitly enable the setting. • Leaderboard can be filtered by: time period (all-time, monthly, weekly), activity category (content, community, referrals). • Users can opt out of public leaderboard visibility at any time while retaining their personal score tracking. • Leaderboard displays: user name, Profile Score, badge count, and primary engagement category. • Leaderboard is accessible to all logged-in diaspora members.
Module	Module C — Gamification Engine
Dependencies	FRS-C-001 (points), FRS-C-002 (Profile Score)

Module D — Community & Social Engagement (Pre-defined circles/groups)

Community Circles, activity feed, user-generated posts, direct messaging, diaspora directory, and events
Primary Users: Diaspora Members, Admin, Moderator

Requirement ID	FRS-D-001
Requirement Statement	The system shall provide thematic Community Circles as the primary social engagement mechanism, organised by SDG sector.
User Story	*As a diaspora member, I want to join a Community Circle aligned to my professional expertise, so that I can engage with peers in relevant structured conversations about Bangladesh's development.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Six initial Community Circles defined in the inception report: Health & Wellbeing; Innovation & Startups; Climate & Agriculture; Youth & Education; Gender & Inclusion; Culture & Heritage. • Diaspora members can join multiple Community Circles simultaneously. • Each circle has a dedicated activity feed showing posts, shared articles, event announcements, and updates from circle members. • Members can leave a Community Circle at any time. • Admins can create, edit, archive, and moderate thematic circles from the admin portal. • A member's circle affiliations are displayed on their public profile.
Module	Module D — Community & Social Engagement
Dependencies	FRS-D-002 (user posts), FRS-F-001 (admin dashboard — circle management)
Source	Inception Report v1.2 Section 3.1 — A.4 Community and Social Engagement; Section 2.1 (a) and (b) Persona Primary Use Cases

Requirement ID	FRS-D-002
Requirement Statement	The system shall allow diaspora members to publish short posts, reflections, and updates to their Community Circles, subject to admin moderation before publication.
User Story	*As a diaspora member, I want to post reflections and updates to my Community Circle, so that I can contribute to peer discussions in a safe, moderated environment.*
Priority (MoSCoW)	**Must Have**

Acceptance Criteria	• Post submission form available within each Community Circle. • Posts enter the admin moderation queue immediately upon submission and are NOT visible to other users until explicitly approved. • Supported content in posts: text (max 2,000 characters), image upload (max 5MB, JPEG/PNG), link preview. • Other members can react (like/support) and comment on approved posts. • Members can report posts; reported posts are surfaced to the moderation queue for review. • Posts earn the author 10 points per approved post (gamification — community discussion action).
Module	Module D — Community & Social Engagement
Dependencies	FRS-D-001 (Community Circles), FRS-F-003 (content moderation queue — Module F)
Source	Inception Report v1.2 Section 3.1 — A.4 Community Engagement; A.3 Gamification points for community discussion

Requirement ID	**FRS-D-003**
Requirement Statement	The system shall provide a browsable, searchable diaspora directory listing registered members with profile information appropriate to their visibility setting.
User Story	*As a diaspora member, I want to browse and search the directory of other registered members by profession, sector, and country, so that I can discover relevant peers to connect or collaborate with.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Directory lists all registered, activated diaspora members with profiles above 50% completion. • Search and filter options: profession/role, SDG sector interest, country of residence, district of origin in Bangladesh. • Visibility levels apply: public summary visible to all authenticated users; full profile visible per the member's visibility setting. • Search response time: under 500ms for standard queries. • Search results are paginated (20 per page). • Unauthenticated visitors cannot access the directory.
Module	Module D — Community & Social Engagement
Dependencies	FRS-B-003 (profile visibility), FRS-B-004 (50% completion threshold)

Source	Inception Report v1.2 Section 3.1 — A.4 Diaspora directory; search and filter directory

Requirement ID	**FRS-D-004**
Requirement Statement	The system shall allow diaspora members to follow other members, receiving activity updates in their feed.
User Story	*As a diaspora member, I want to follow peers whose work interests me, so that I receive updates on their contributions without making a formal connection request.*
Priority (MoSCoW)	**Should Have**
Acceptance Criteria	• Follow button is available on all member profile pages. • Following a member subscribes the follower to that member's public posts and article publications in their community feed. • Followers list is visible on the followed member's profile (count only; individual followers not displayed unless connected). • Member can remove a follower from their followers list at any time. • Push notifications (mobile) sent for new posts from followed members.
Module	Module D — Community & Social Engagement
Dependencies	FRS-D-002 (user posts), FRS-B-003 (profile visibility)
Source	Inception Report v1.2 Section 3.1 — A.4 Follow other users

Module E — Content, Stories & CMS

Browsable stories library, editorial content, author pages, social sharing, and admin-managed publication workflow

Primary Users: Diaspora Members (readers and contributors), Admin, Moderator

Requirement ID	FRS-E-001
Requirement Statement	The system shall provide a browsable library of editorial articles, impact stories, and multimedia narratives accessible as the platform's primary content engagement mechanism.
User Story	*As a diaspora member, I want to browse Oxfam's stories and impact content about Bangladesh's development, so that I can understand the landscape and context before committing to active contribution.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Stories section presents: editorial articles, impact stories, photo stories, and video narratives. • Content is browsable and filterable by: SDG/thematic tag, content type, publication date, author. • Story detail page includes: Author Name, Designation, Location, author photo, bio, full article body, publication date. • 'By This Author' section at the bottom of each story page: 4-column grid of other content by the same author with image thumbnails, headlines, post date and time. • Next Article navigation: arrow button navigating to the next article with preview image and headline. • Social sharing buttons on each story page (Twitter/X, LinkedIn, Facebook, WhatsApp, copy link). • View All button: paginated browsable library for Stories and By This Author sections.
Module	Module E — Content, Stories & CMS
Dependencies	FRS-F-003 (admin content workflow — Module F)
Source	Inception Report v1.2 Section 3.1 — A.5 Content, Stories, and the CMS

Requirement ID	FRS-E-002
Requirement Statement	The system shall support author profile pages displaying all content published by a given author with full metadata.
User Story	*As a diaspora member, I want to visit an author's profile page and see all their published articles, so that I can follow their work and engage with their full body of contribution.*

Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Dedicated author page accessible via a link on any content item published by that author. • Author page displays: author photo, bio, designation, location, all content published by that author with image thumbnails, headlines, post dates, and times. • Content on the author page is sorted by most recent publication date, with pagination. • Author pages are publicly accessible (no login required). • Author pages link to the author's diaspora member profile if they are a registered platform member.
Module	Module E — Content, Stories & CMS
Dependencies	FRS-E-001 (Stories library)

Requirement ID	**FRS-E-003**
Requirement Statement	The system shall allow registered diaspora members to submit articles and stories for admin review and publication.
User Story	*As a diaspora academic, I want to submit a research insight article to the platform, so that I can share my expertise with the diaspora community and contribute to the platform's knowledge base.*
Priority (MoSCoW)	**Should Have**
Acceptance Criteria	• Diaspora members can submit articles via a content submission form with: title, body (rich text), SDG/thematic tags, optional featured image. • Submitted content immediately enters the admin moderation queue with status 'Pending Review'. • The submitter receives a notification confirming receipt and expected review timeline. • Admin can: Approve (publish as authored content, labelled 'Community Contribution'), Request Revisions (with reason), Reject (with reason communicated to author). • Approved diaspora-authored articles award points to the author (gamification — article publication action). • Published diaspora content is clearly labelled as community-authored (not Oxfam editorial).
Module	Module E — Content, Stories & CMS
Dependencies	FRS-E-001 (Stories library), (content moderation queue — Module F)

Module F — Admin User Management & Community Oversight

RBAC admin portal, user account management, invitation tool, community moderation, event management, and platform health metrics

Primary Users: Oxfam Admin, Moderator, Auditor

Requirement ID	FRS-F-001
Requirement Statement	The system shall provide a role-based admin portal, isolated from the general user interface and protected by mandatory two-factor authentication, as the primary Oxfam operational interface.
User Story	*As an Oxfam admin, I want a dedicated, separately authenticated admin portal, so that all platform governance functions are secure, isolated from user activity, and accessible only to authorised Oxfam staff.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Admin portal is accessible only via a separate 2FA-protected login URL, completely isolated from the general user login flow. • Three admin role levels with granular permissions: Super Admin (full access), Moderator (content/community management), Auditor (read-only compliance access). • Role changes for admin accounts require Super Admin action and are logged in the audit trail. • All admin actions — without exception — are logged in the immutable audit trail with: actor, timestamp, action type, target entity, and reason. • Admin portal session timeout: 30 minutes of inactivity automatically terminates the session. • Admin portal is not discoverable from the public-facing website; URL is distributed to authorised staff only.
Module	Module F — Admin User Management & Community Oversight
Dependencies	FRS-A-003 (MFA), FRS-G-002 (audit logging — Module G)
Source	Inception Report v1.2 Section 2.3 Admin Users; Section 4.1.10 Governance and Moderation Architecture

Requirement ID	FRS-F-002
Requirement Statement	The system shall provide a comprehensive user management dashboard allowing admins to view, search, filter, and manage all registered diaspora member accounts.
User Story	*As an Oxfam admin, I want to view and manage all user accounts from a central interface, so that I can maintain platform integrity and act quickly on governance issues.*

Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• User management dashboard displays: full user list with name, role, status (active/suspended/pending), registration date, last activity, registration source (invited/self-registered/SSO). • Search and filter by: role, account status, registration date, geographic location, registration source. • Account actions available: Activate, Suspend (with reason), Deactivate (permanently), Change Role. • All account actions are logged with timestamp, actor, and reason. • Admin can view any user's full profile, activity history, points history, and content submissions. • Diaspora invitation tool: send personalised invitation emails to curated diaspora members from the user management panel.
Module	Module F — Admin User Management & Community Oversight
Dependencies	FRS-F-001 (admin portal), FRS-A-007 (invitation pathway)
Source	Inception Report v1.2 Section 3.1 — C.1 User and Content Management; C.2 Community and Engagement Oversight

Requirement ID	**FRS-F-003**
Requirement Statement	The system shall provide a content moderation queue with structured workflow states, automated flagging, and escalation pathways for all user-submitted platform content.
User Story	*As an Oxfam moderator, I want a single moderation queue showing all pending content with workflow states, so that I can efficiently review, approve, or act on submissions while maintaining platform trust standards.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• All user-submitted content (posts, articles, stories, events) is placed in the moderation queue upon submission and is NOT visible to users until explicitly approved. • Moderation workflow states: Pending Review → Under Review → Approved / Rejected / Escalated. • Automated content flagging: Governance Service surfaces content matching predefined risk keywords for priority review. • Moderator actions per item: Approve (publish); Request Edits (return to submitter with reason); Edit Directly; Remove; Restrict Account (suspend submitter). • Escalation: items can be escalated to Super Admin with a reason note; admin receives notification. • SLA target: items in Pending Review older than 48 hours trigger an automatic notification to the admin. • All moderation actions are logged in the immutable audit trail.

Module	Module F — Admin User Management & Community Oversight
Dependencies	FRS-D-002 (community posts), FRS-E-001 (stories), FRS-E-004 (diaspora-authored content)
Source	Inception Report v1.2 Section 3.1 — C.1 Content Moderation Module; Section 5.6 Safeguarding

Module G — Governance, Compliance & Security

Governance documentation, assumption document, GDPR management, OWASP compliance, third-party audit, and financial sustainability plan

Primary Users: Oxfam Admin, Auditor, Revinr IT Ltd

Requirement ID	FRS-G-001
Requirement Statement	The system shall maintain a comprehensive governance documentation suite including platform constitution, moderation policies, community guidelines, and assumption document, all version-controlled and publicly accessible.
User Story	*As an Oxfam admin, I want to maintain a living governance documentation suite that captures platform decisions and community guidelines, so that all stakeholders have transparent access to the rules and rationale governing the platform.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Governance documentation published on the platform: platform constitution, moderation policies, community guidelines, Political Neutrality Charter. • All documents are version-controlled with change history accessible to admins. • Assumption document: a living record capturing platform decisions, governance evolution, stakeholder feedback, and key learnings in a chronological, readable format — recommended by Mr Shantunu in the 9th February session. • Governance documentation section is accessible from the public-facing platform footer and the admin portal. • The transition readiness framework documenting the pathway from Oxfam-led to multi-stakeholder independent governance is included as a governance document.
Module	Module G — Governance, Compliance & Security
Dependencies	None — foundational governance requirement
Source	Inception Report v1.2 Section 3.1 — C.4 Governance and Compliance; Section 7.5.2 Assumption Document; Mr Shantunu 9th February session

Requirement ID	FRS-G-002
Requirement Statement	The system shall implement comprehensive immutable audit logging across all services, covering all user, financial, admin, and moderation actions.

User Story	*As an Oxfam auditor, I want to access a complete, immutable log of all platform actions, so that I can verify compliance and investigate any governance issues with full traceability.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• All actions — user login/logout, profile updates, admin actions, moderation decisions, content submissions, financial transactions — are logged centrally. • Audit log entries are immutable: no user or admin can delete or edit log entries. • Audit log fields: id, action_type, performed_by (user_id), target_entity, target_id, ip_address, timestamp, outcome. • Logs are indexed and searchable via ELK Stack (Elasticsearch, Logstash, Kibana); filterable by action type, user, date range. • Audit log access requires Auditor or Admin role. • Audit log retention: minimum 7 years for financial action logs; 3 years for all other logs.
Module	Module G — Governance, Compliance & Security
Dependencies	FRS-F-001 (admin portal), all modules
Source	Inception Report v1.2 Section 4.1.4 API and Security Layer; Section 5.1 Security Framework Overview

Requirement ID	**FRS-G-003**
Requirement Statement	The system shall implement full GDPR compliance including data minimisation, consent management, right to erasure, data portability, and IP protection, all enforced at schema and system level.
User Story	*As an Oxfam admin, I want the platform's GDPR obligations to be embedded in the system architecture from day one, so that compliance is structural rather than procedural and cannot be bypassed.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Data minimisation: only data essential to platform functionality is collected and retained; no speculative data collection. • Consent: dedicated consents table in Identity Service records all consent events with type, timestamp, scope, and withdrawal. • Right to erasure: verified deletion request triggers a cascading deletion across Identity, Profile, and related databases; audit logs of financial transactions are pseudonymised after minimum legal retention. • Data portability: user can export personal data in JSON or CSV format via a time-limited download link from account settings.

	• IP protection: content uploaders receive a clear IP ownership notice; the platform claims no ownership over user-uploaded content. • Cookie compliance: properly implemented consent mechanism; no non-essential cookies deployed until consent is given. • GDPR focal point: Revinr IT recommends Oxfam designate a GDPR focal point to formally approve data processing architecture before launch.
Module	Module G — Governance, Compliance & Security
Dependencies	FRS-A-005 (user consent management), FRS-G-002 (audit logging)
Source	Inception Report v1.2 Section 3.2 — Data Privacy and GDPR Compliance; Section 5.3 GDPR Compliance (5.3.1–5.3.7)

Requirement ID	**FRS-G-004**
Requirement Statement	The system shall comply with OWASP Top 10 application security standards throughout development, and undergo an independent third-party cybersecurity audit before the Milestone 3 beta release.
User Story	*As an Oxfam stakeholder, I want an independent security audit completed before any public access is enabled, so that the platform's security posture is externally verified and all critical findings are remediated.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Full OWASP Top 10 compliance enforced throughout development and testing. Mitigations include: RBAC at API Gateway (A01); AES-256 at rest and TLS 1.3 in transit (A02); Prisma ORM/parameterised queries — no raw SQL (A03); MFA mandatory (A07); ELK Stack centralised logging with real-time alerting (A09). • Independent third-party cybersecurity audit conducted immediately prior to Milestone 3 beta release. • Audit scope: penetration testing of all public-facing endpoints; API Gateway security; authentication and session management; data encryption; OWASP Top 10 compliance; code review. • All critical and high findings are documented and remediated before any public access is enabled. • Post-launch scheduled review cadence agreed with Oxfam. • Coding and technical standards compliance: all code compliant with agreed standards embedded from development commencement — non-negotiable per Mr Sariful Islam.
Module	Module G — Governance, Compliance & Security
Dependencies	FRS-G-002 (audit logging), FRS-K-001 (security architecture — Module K)

Source	Inception Report v1.2 Section 5.2 OWASP Compliance; Section 5.5 Cybersecurity Audit; Mr Sariful Islam compliance mandate

Module H — Platform Analytics (Phase 1 Scope)

Registration metrics, profile completion analytics, community engagement metrics, content performance, and exportable reporting

Primary Users: Oxfam Admin, Auditor

Requirement ID	FRS-H-001
Requirement Statement	The system shall provide a real-time admin analytics dashboard showing platform-wide registration, engagement, and content metrics for Oxfam operational reporting.
User Story	*As an Oxfam admin, I want a real-time dashboard showing registrations, profile completions, community engagement, and content performance, so that I can report on platform health and make informed decisions about Phase 2 development.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Analytics dashboard (admin-only) displays: total registered users and growth trend by week/month; registration split by source (organic, invited, SSO/email); geographic distribution (world map visualisation); professional sector breakdown. • Profile completion analytics: platform-wide average completion rate; distribution of completion percentages across all users. • Community engagement metrics: posts published, comments, reactions, and active users by Community Circle and time period. • Content performance: views, shares, social shares, and engagement by article and author. • Gamification analytics: total points awarded; top contributors by score and badge level; most active engagement categories. • Events analytics: registrations per event; attendance confirmation rates. • All metrics updated in near real-time (under 5-minute lag from event to dashboard display).
Module	Module H — Platform Analytics
Dependencies	FRS-D-001 (Community Circles), FRS-E-001 (Stories), FRS-C-001 (Gamification)
Source	Inception Report v1.2 Section 3.1 — C.3 Platform Analytics (Phase 1 Scope); Section 2.3 Admin Portal Analytics

Requirement ID	FRS-H-002
Requirement Statement	The system shall support export of platform metrics in CSV and PDF formats for Oxfam institutional reporting.

User Story	*As an Oxfam programme lead, I want to export a structured platform report in CSV or PDF format, so that I can include platform data in institutional donor reports and leadership briefings.*
Priority (MoSCoW)	**Should Have**
Acceptance Criteria	• Export function available on the analytics dashboard for all displayed metric sets. • Export formats: CSV (raw data for further analysis), PDF (formatted summary report with Oxfam branding). • Exports are timestamped and audit-logged: who exported, what data set, when. • PDF report includes: export timestamp, date range of data, key metric summaries, geographic distribution summary. • Export function requires Admin or Auditor role. • Full SDG impact analytics, donation tracking, and matchmaking performance dashboards are deferred to Phase 2.
Module	Module H — Platform Analytics
Dependencies	FRS-H-001 (analytics dashboard)
Source	Inception Report v1.2 Section 3.1 — C.3 Exportable reports

Module I — Phase 2 Deferred Requirements (Reference Only)

Features explicitly deferred from Phase 1 following the 9th February 2026 strategic review. Retained for Phase 2 planning.
Primary Users: Diaspora Members, Local NGOs/CSOs, Admin — Phase 2

The following requirements are retained from the inception report as valid platform ambitions. They are explicitly out of scope for Phase 1. Deferral is a strategic sequencing decision, not a rejection. These capabilities will be introduced once the platform has achieved the critical mass target of 25,000–40,000 active diaspora members.

Req ID	Deferred Requirement	Rationale for Deferral
FRS-I-001	Oxfam-led verification and approval workflow for diaspora profiles: document submission, review, trust badge assignment	Adds complexity before diaspora community is established; streamlined admin approval used in P1 instead
FRS-I-002	Five-factor weighted matchmaking and discovery engine: match percentage display, sector/geography/availability filtering	Requires both diaspora and NGO user bases to be populated; no value without critical mass
FRS-I-003	Intent-based connection requests with stated purpose (invest/collaborate/mentor/research/volunteer)	Depends on matchmaking engine (FRS-I-002)
FRS-I-004	Mentorship booking module: availability calendar, session scheduling, topic pre-specification	Requires verified profiles and NGO onboarding (FRS-I-002, FRS-I-006)
FRS-I-005	Campaign management: campaign pages, participation tracking, advocacy engagement, digital pledges	Deferred to maintain P1 simplicity; community must be built before campaigns are meaningful
FRS-I-006	Local NGO and CSO onboarding: organisational profile creation, structured templates, document verification, Verified Organisation badge	Onboarding NGOs before diaspora base exists creates a platform with no audience; strategic sequencing decision
FRS-I-007	End-to-end donation and philanthropy flow: cause-based giving, Zakat/Sadaqah categorisation, payment gateway, receipts	P1 is non-transactional by design; trust and community must precede financial transactions
FRS-I-008	Faith-based giving: Zakat/Sadaqah tagging and designation, subject to Oxfam policy approval	Dependent on FRS-I-007 (donation flow)
FRS-I-009	Personal impact dashboard: SDG contribution breakdown, beneficiaries reached, hours contributed, fund usage tracking	Requires donation and matchmaking data (FRS-I-002, FRS-I-007)

FRS-I-010	Geographic impact heat map: visualisation of impact by Bangladesh district	Requires impact dashboard (FRS-I-009)
FRS-I-011	AI-assisted matchmaking refinement: machine learning layer replacing rule-based algorithm once engagement data is collected	Requires sufficient data volume — planned for Phase 3
FRS-I-012	Response-time indicator on NGO profiles	Depends on NGO onboarding (FRS-I-006)
FRS-I-013	Full native mobile application (Flutter) — Phase 2 advanced features	Core mobile app is P1 (web-responsive + Flutter baseline); advanced mobile-only features deferred

Module K — Hosting, Infrastructure & Non-Functional Requirements

Cloud deployment, scalability, security architecture, performance, accessibility, and disaster recovery — maintained from day one

Primary Users: Revinr IT Ltd → Oxfam Bangladesh (post-handover)

Requirement ID	FRS-K-001
Requirement Statement	The system shall be deployed on AWS or Microsoft Azure using a cloud-native, multi-zone, high-availability architecture with automated CI/CD deployment pipelines.
User Story	*As an Oxfam stakeholder, I want the platform to be reliably available to diaspora users across 12+ countries and multiple time zones, so that access is never a barrier to engagement.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Cloud infrastructure deployed on AWS (primary) or Azure (contingency), confirmed with Oxfam prior to M3 development commencement. • Multi-zone deployment with redundant service replicas and automatic failover. No single point of failure in production architecture. • Docker containerisation: all microservices packaged as isolated Docker containers for consistent runtime across development, staging, and production. • GitHub Actions CI/CD pipeline: automated build-test-deploy with Docker image creation, health-checked rollout, and automatic rollback on failure. • Load balancer distributes traffic across service instances with SSL termination. • Uptime SLA: 99.5% with documented disaster recovery and backup protocols. • Automated daily backups with point-in-time recovery for all PostgreSQL databases.
Module	Module K — Hosting, Infrastructure & NFR
Dependencies	None — foundational infrastructure
Source	Inception Report v1.2 Section 4.1.8 Deployment and Infrastructure; Section 3.2 Scalability NFR

Requirement ID	FRS-K-002
Requirement Statement	The system shall meet defined performance targets for page load time, API response time, and concurrent user capacity, scaled for a global diaspora user base.

User Story	*As a diaspora member accessing the platform from a mobile device in North America, I want the platform to load quickly regardless of my connection speed, so that slow performance never discourages my engagement.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Page load time: under 3 seconds on standard 4G mobile connection. • API response time: under 500 milliseconds for standard queries. • The platform must support a minimum of 10,000 concurrent registered users at launch, scaling to 25,000–40,000 active users (P1 critical mass) and 100,000+ within 24 months without architectural re-engineering. • UTC-stored timestamps throughout the system for accurate cross-timezone display for users across 12+ countries. • Content delivery optimised for users in lower-bandwidth environments (Bangladesh connectivity considerations embedded in design). • Redis caching layer reduces database load for high-frequency, low-change reads (profile lookups, match scores, SDG taxonomy).
Module	Module K — Hosting, Infrastructure & NFR
Dependencies	FRS-K-001 (cloud infrastructure)
Source	Inception Report v1.2 Section 3.2 — Performance NFR; Section 4.1.11 Scalability and Future Readiness

Requirement ID	**FRS-K-003**
Requirement Statement	The system shall comply with WCAG 2.1 Level AA accessibility standards throughout the web platform from initial launch.
User Story	*As a diaspora member with a visual impairment, I want the platform to be fully usable with a screen reader and accessible keyboard navigation, so that accessibility is never a barrier to my participation.*
Priority (MoSCoW)	**Must Have**
Acceptance Criteria	• Sufficient colour contrast ratios on all text and interactive elements (minimum 4.5:1 for normal text). • Full keyboard navigation for all platform functions; no mouse-only interactions. • Screen reader compatibility for all meaningful content and interactive elements. • Clear, descriptive alt text on all images, icons, and media. • Captions or transcripts on all video content.

	• Form labels and error messages that are accessible to assistive technologies. • Adjustable font size and contrast settings for users with visual impairments. • Simplified navigation pathways suitable for users with varying levels of digital literacy.
Module	Module K — Hosting, Infrastructure & NFR
Dependencies	None — cross-cutting accessibility standard
Source	Inception Report v1.2 Section 3.2 — Accessibility NFR; Section 5.4 WCAG 2.1 Accessibility

6. Development Sprint Plan — Module Delivery Mapping

Development follows an agile sprint model commencing 16 April 2026 (Milestone 3, following M2 sign-off). All development is against the approved FRS and non-functional requirements. Each sprint delivers a coherent, testable functional increment, with features sequenced to establish the trust infrastructure first and build engagement and community features upon it.

Sprint	Dates	Key Deliverables
Sprint 1	Week 3-4 April 2026	The initial sprint establishes the technical foundation of the platform, including database schema, API setup, user and profile management baseline, authentication with email registration and MFA, the initial diaspora–NGO connection module, and cloud infrastructure setup.
Sprint 2	Week 1-2 May 2026	The second sprint focuses on core user functionality, including discovery, search, and smart matchmaking. It also includes the content and storytelling hub, SDG taxonomy integration across modules, development of the mobile-responsive web frontend, and the start of mobile application development. (iOS and Android).
Sprint 3	Week 3-4 May 2026	This phase introduces communication and engagement features such as secure messaging, campaigns and engagement modules, admin moderation tools including verification and content review, notification services, and the initial impact and SDG reporting dashboard.
Sprint 4	Week 1-3 June 2026	The final sprint prepares the platform for beta release. It includes donation architecture readiness, completion of the mobile application, security hardening, user acceptance testing with Oxfam, and submission of the beta platform.