SFST STAGE 2

SYSTEMS MASTER REPORT

Generated: 16 Apr 2026, 01:08 PM

Master System Status Overview

Click any system name to jump to its deep-dive section.

Industrial System	Status	Key Metric / Observation
Cold Chain (Temp)	ATTENTION	67 Alarms Found
Power Systems (MDB)	NORMAL	670,602 kWh (EMDB-1)
Water Treatment (WTP)	NORMAL	4,913 m3 Treated Water
Wastewater (WWTP)	NORMAL	2 Active Pumps
Downtime	NORMAL	1213 days | 301 Events Year-To-Date
Spiral Blast Freezer	NORMAL	19.3 °C (TEF01)
Boiler Systems	NORMAL	13,292 kg Gas Total
CCTV Monitoring	ATTENTION	6/234 Cameras Offline
Air Compressor	NORMAL	5219.00 m^3 Flow
Kitchen Equipment	NORMAL	4/4 Units Online

1. Temperature Monitoring - Cold Rooms

Temperature data as of 16 Apr 2026, 01:08 PM

Cold Room	Expected (°C)	Set Point (°C)	Latest Temp (°C)	Deviation (°C)	Within Tolerance
TROLLEY STORAGE 2 (LR10)	19.00	19.00	25.00	6.00	NO
PACKING AREA (HR11/5-6)	10.00	10.00	9.30	-0.70	YES
TROLLEY & TREY WASH UP (H	19.00	19.00	20.80	1.80	YES
BLAST CHILLER 1 (HR3)	-12.00	-12.00	-4.75	8.20	NO
BLAST CHILLER 2 (HR4)	-12.00	-12.00	-14.10	-0.20	YES
BLAST CHILLER 3 (HR5)	-12.00	-12.00	-9.15	3.00	NO
HOLDING CHILLER 1 (HR1)	3.00	3.00	3.60	0.60	YES
BLAST CHILLER 4 (HR6)	-12.00	-12.00	-9.05	3.00	NO
BLAST CHILLER 5 (HR7)	-12.00	-12.00	-9.95	2.10	NO
HOLDING CHILLER 2 (HR2)	3.00	3.00	5.00	2.00	NO
HR UTENSIL WASH UP (HR12)	10.00	10.00	8.40	-1.60	YES
HR UTENSIL (HR19)	10.00	10.00	9.90	-0.10	YES
VACUUM PACKING (HR18)	10.00	10.00	11.50	1.50	YES
AIR BLAST FREEZER (HR17)	-30.00	-30.00	-29.80	0.20	YES
HR ROOM (HR10)	10.00	10.00	11.70	1.70	YES
LABEL PAINTING (HR9)	10.00	10.00	9.60	-0.40	YES
UV ENT & PACKING STORE (HF	10.00	10.00	9.80	-0.20	YES
PACKING AREA (HR11/1-2)	9.50	9.50	10.25	1.70	YES
DAILY COLD ROOM UC.1 (HR15	-22.00	-22.00	-21.27	4.00	YES
INCOMING WAREHOUSE (IW17	9.00	9.00	11.60	2.60	NO
GRN. OFFICE (IW23)	25.00	25.00	21.10	-3.90	YES
FROZEN DE-BOX (IW15)	10.00	10.00	9.50	-0.50	YES
ALLERGEN DE-BOX (IW12)	10.00	10.00	10.20	0.20	YES
NON ALLERGEN/CHILLED DE-E	4.00	4.00	3.20	-0.80	YES
INCOMING WAREHOUSE 2 (LR	10.00	10.00	10.90	0.90	YES
ALLERGEN 1 (IW20)	19.00	19.00	26.50	7.50	NO
A/C STORE (IW21)	20.00	20.00	19.80	-0.20	YES
NON-ALLERGEN (IW19/1-2)	19.00	19.00	19.30	0.30	YES
INCOMING WAREHOUSE (IW16	10.00	10.00	12.30	2.30	NO
CHILLED (IW9)	4.00	4.00	4.50	0.50	YES

STAGE 2 INDUSTRIAL SYSTEMS MASTER REPORT

Temperature data as of 16 Apr 2026, 01:08 PM

Cold Room	Expected (°C)	Set Point (°C)	Latest Temp (°C)	Deviation (°C)	Within Tolerance
CHILLED (IW8)	4.00	4.00	5.90	1.90	YES
ANTE ROOM (IW27)	-5.00	-5.00	-4.40	0.80	YES
CHICKEN FREEZER (IW3/1)	-23.00	-23.00	-12.60	27.30	NO
ANTE ROOM (IW28)	-5.00	-5.00	-4.75	0.30	YES
SEAFOOD FREEZER (IW1/1)	-23.00	-23.00	-16.90	6.50	NO
CHICKEN FREEZER (IW2/1)	-23.00	-23.00	-15.93	9.20	NO
FROZEN DE-BOX (IW13/1)	10.00	10.00	17.00	7.00	NO
STAFF ACCESS (UC-IW30/1)	9.33	9.33	24.17	14.90	NO
TROLLEY STORAGE 1 (IW22)	25.00	25.00	26.20	1.20	YES
TROLLEY WASH UP (LR15)	19.00	19.00	28.90	9.90	NO
RICE ROOM (IW26)	20.00	20.00	26.60	6.60	NO
WET DECANTING (IW25)	20.00	20.00	27.30	7.30	NO
WET GRINE (IW24)	18.00	18.00	26.00	8.00	NO
FROZEN DE-BOX (IW14)	4.00	4.00	22.70	18.70	NO
NON ALLERGEN/CHILLED DE-E	4.00	4.00	22.80	18.80	NO
CHICKEN DEFROST 1 (IW4/1)	2.00	2.00	10.80	16.40	YES
CHICKEN DEFROST 2 (IW5/1)	2.00	2.00	2.88	1.00	YES
SEAFOOD DEFROST (IW6/1)	2.00	2.00	2.67	1.50	YES
LR WESTE OUT (LR6)	9.00	9.00	30.30	21.30	NO
STORAGE NON ALLERGEN (LR	19.00	19.00	28.80	9.80	NO
WASHING NON ALLERGEN (LR	19.00	19.00	34.90	15.90	NO
STORAGE ALLERGEN (LR18)	19.00	19.00	30.70	11.70	NO
WASHING ALLERGEN (LR12)	19.00	19.00	27.90	8.90	NO
EQUIPMENT TROLLEY WASH U	19.00	19.00	26.80	7.80	NO
ALLERGEN WEIGH (LR17)	19.00	19.00	24.70	5.70	NO
ALLERGEN CHILLED WEIGH (L	2.00	2.00	2.85	1.00	YES
NON ALLERGEN 2 (LR11)	19.00	19.00	23.10	4.10	NO
STAGING AREA CHILLED (LR1/	2.10	2.10	8.00	6.10	NO
VEG TPREPARATION (LR7/1-2)	9.00	9.00	13.90	4.90	NO
VEG CHILL (LR2/1)	2.00	2.00	3.20	1.50	YES
CHICKEN PREPARATION (LR8/	9.00	9.00	19.10	10.10	NO
CHICKEN CHILL (LR4/1)	2.50	2.50	4.95	3.50	YES

STAGE 2 INDUSTRIAL SYSTEMS MASTER REPORT

Temperature data as of 16 Apr 2026, 01:08 PM

Cold Room	Expected (°C)	Set Point (°C)	Latest Temp (°C)	Deviation (°C)	Within Tolerance
SEAFOOD PREPARATION UC.1	9.00	9.00	24.60	15.60	NO
SEAFOOD CHILL (LR5/1)	2.00	2.00	3.00	1.40	YES
COOKING AREA (LR20/1-2)	28.00	28.00	25.78	9.10	YES
WET WASTE (LR14)	19.00	19.00	27.70	8.70	NO
AMBIENT PACKING STORE (OV	2.80	2.80	2.65	1.30	YES
MANUAL PALLETISING (OW3/1-	8.97	8.97	1.50	0.20	YES
HR UTENSIL WASH UP (HR 16)	-5.00	-5.00	-3.90	2.00	YES
ANTE ROOM 3 (OW6/1)	-23.00	-23.00	-21.20	1.80	YES
FROZEN ROOM 1 (OW1/1)	-23.00	-23.00	-21.12	3.60	YES
ANTE ROOM 4 (OW6/2)	-23.00	-23.00	-20.95	2.10	NO
FROZEN ROOM 2 (OW2/1)	-23.00	-23.00	-12.78	28.00	YES

2. Power Systems (MDB)

This section presents an operational overview of the Main Distribution Board (MDB) and Emergency Main Distribution Board (EMDB) systems. Data reflects the most recent readings captured from the live power monitoring infrastructure.

MDB Energy Distribution (Latest Reading)

MDB Panel	Energy (kWh)	Data Period
MDB-6	449778.00	16 Dec 2025 - 15 Apr 2026 (120d)
MDB-7	676991.00	16 Dec 2025 - 15 Apr 2026 (120d)
MDB-8	742325.00	16 Dec 2025 - 15 Apr 2026 (120d)
MDB-9	508317.00	16 Dec 2025 - 15 Apr 2026 (120d)
MDB-10	229430.00	16 Dec 2025 - 15 Apr 2026 (120d)

Emergency MDB (EMDB-1) Summary

The Emergency Main Distribution Board (EMDB-1) recorded a latest energy consumption of 670602.00 kWh. This value represents the most recent captured reading from the emergency power line.

Generator Runtime and Status

Generator	Runtime (hrs)	Status
GEN-1	10800.0	STANDBY
GEN-2	4.0	STANDBY
GEN-3	6.0	STANDBY
GEN-4	0.0	STANDBY

2.2 MDB Energy & Generator Charts

Energy Distribution by Panel (Latest Reading)



EMDB-1 Consumption Trend



Generator Cumulative Runtime (hrs)



3. Water Treatment Plant (WTP)

Report generated: 16 Apr 2026 13:09

3.1 Water Source Flow Summary

Water Source	Total Accumulation (m³)	Flow Rate (m³/hr)
Deep Well	13,767	0.00
Softwater No. 1	6	0.00
Softwater No. 2	4,129	0.00
RO Water	778	0.00
Fire Water Tank	39,322	0.00

3.2 Pressure & Water Quality Status

Source	Latest Pressure (bar)	Latest Chlorine (mg)	Chlorine Status
RO Water	6.4	--	UNAVAILABLE
Softwater No. 1	5.2	--	UNAVAILABLE
Softwater No. 2	--	--	UNAVAILABLE

3.3 System Pressure Trends (bar)



3.4 Chlorine Monitoring (mg)

No chlorine data available.

3.A RO Water Supply

Report generated: 16 Apr 2026 13:09

Key Performance Indicators

Metric	Value
RO Water Supply Total (m³)	778
Latest Supply Pressure (bar)	6.4
Pressure Data Period	30 Jan 22:30 to 20 Mar 08:00
Latest Chlorine (mg)	--
Average Chlorine (mg)	--
Maximum Chlorine (mg)	--
Minimum Chlorine (mg)	--
Chlorine Data Period	--
System Status	UNAVAILABLE

Supply Pressure Trend (bar)



Residual Chlorine Monitoring (mg)

No chlorine data.

3.B Softwater Supply No. 1

Report generated: 16 Apr 2026 13:09

Key Performance Indicators

Metric	Value
Softwater 1 Supply Total (m³)	6
Latest Supply Pressure (bar)	5.2
Pressure Data Period	30 Jan 22:30 to 20 Mar 08:00
Latest Chlorine (mg)	--
Average Chlorine (mg)	--
Maximum Chlorine (mg)	--
Minimum Chlorine (mg)	--
Chlorine Data Period	--
System Status	UNAVAILABLE

Supply Pressure Trend (bar)



Residual Chlorine Monitoring (mg)

No chlorine data.

3.C Softwater Supply No. 2

Report generated: 16 Apr 2026 13:09

Key Performance Indicators

Metric	Value
Softwater 2 Supply Total (m^3)	4,129
Latest Supply Pressure (bar)	--
Pressure Data Period	No data yet
Latest Chlorine (mg)	--
Average Chlorine (mg)	--
Maximum Chlorine (mg)	--
Minimum Chlorine (mg)	--
Chlorine Data Period	--
System Status	UNAVAILABLE

Supply Pressure Trend (bar)

No pressure data available yet.

Residual Chlorine Monitoring (mg)

No chlorine data available yet.

4. Waste Water Treatment Plant (WWTP)

Operational report for Effluent and Raw Waste Water systems.

Parameter	Latest Reading	Unit
Inflow Waste Water Temp	0.0	deg C
Effluent Pump Total	26,168	m3
Raw Waste Water Pump	32,168	m3
System Status	NORMAL	Status

4.2 Waste Water Temperature Trend

TOTAL ENERGY	ACTIVE PUMPS	RAW WATER TEMP	PUMP EFFICIENCY
424,685 kWh	2	0.0 deg C	18.7 %

Inflow Temperature Trend



4.3 Effluent Flow & Energy Consumption

Effluent Pump Total



WWTP Energy Consumption



5. Spiral Blast Freezer Monitoring

Report generated: 16 Apr 2026 13:09

ACTIVE FREEZERS	SPIRAL 01 AVG RUNTIME	SPIRAL 02 AVG RUNTIME	SPIRAL 03 AVG RUNTIME
3 / 3	1.52	1.80	2.50
System Running Status	Hours	Hours	Hours

Freezer Temperature Performance Trend (TEF01)



Operational Performance Summary

Unit	Temp T/B (°C)	Pressure (kg/cm²)	Freezing Time	Runtime	Status
Spiral 01	19.3 / 17.4	2.34 / 5.20	120 min	1.52 hrs	RUNNING
Spiral 02	21.6 / 19.0	3.16 / 5.77	80 min	1.80 hrs	RUNNING
Spiral 03	19.9 / 17.8	2.43 / 6.15	120 min	2.50 hrs	RUNNING

6. Boiler System Monitoring

Report generated: 16 Apr 2026 13:09

TOTAL GAS CONSUMPTION	TOTAL STEAM OUTPUT	TOTAL ELECTRICAL	BOILER 1 EFFICIENCY	BOILER 2 EFFICIENCY
13,292	68,331	3,764	2.32	12.23
Main Meter (kg)	Combined Path (kg)	Combined Panels (kWh)	Indirect Path Ratio	Direct Path Ratio

Sub-Unit Diagnostic Status

Boiler 01 (Indirect)	STANDBY
Stage 1 (Main)	
Stage 2 (Boost)	
Stage 3 (Aux)	

Boiler 02 (Direct)	STANDBY
Stage 1 (Main)	
Stage 2 (Aux)	

Energy Consumption Analysis

BOILER 1 (PANEL 1 - INDIRECT)

2,833 kWh

BOILER 2 (PANEL 2 - DIRECT)

931 kWh

Detailed Sub-Boiler Runtimes (hr)



Consumption Correlation (Gas vs Steam)


Boiler Gas & Steam Consumption
Gas (kg)
Steam (kg)
13290
13285
13280
13275
72000
71000
70000
69000
68000
67000
66000
65000
8:15:00 PM
9:45:01 PM
11:15:00 PM
12:45:00 AM
2:15:00 AM
3:45:00 AM
5:15:00 AM
6:45:00 AM
8:15:00 AM

7. CCTV Monitoring Status

This section details the online/offline status of the facility surveillance network. Offline durations and counts are calculated based on the latest automated resource logs.

System Overview: 234 Total Cameras | 6 Offline | Offline Rate: 2.6%

Camera Name	Area	Status	Offline Count	Latest Offline
Access AD 01	Admin 1F	Online	5Times	2026-01-18 13:51:21
Access AD 02	Admin 1F	Online	5Times	2026-01-18 13:51:21
Access AD 03	Admin 2F	Online	5Times	2026-01-18 13:51:22
Access OF 02	Admin 2F	Online	5Times	2026-01-18 13:51:21
Access OF 03	Admin 2F	Online	5Times	2026-01-18 13:51:22
C.01	Outdoor	Online	6Times	2026-01-18 13:51:22
C.02	Outdoor	Online	6Times	2026-01-18 13:51:22
C.03	Outdoor	Online	6Times	2026-01-18 13:51:22
C.04	Outdoor	Online	6Times	2026-01-18 13:51:22
C.05	Outdoor	Online	6Times	2026-01-18 13:51:22
C.06	Outdoor	Online	6Times	2026-01-18 13:51:22
C.07	Outdoor	Online	6Times	2026-01-18 13:51:22
C.08	Outdoor	Online	6Times	2026-01-18 13:51:22
C.09	Outdoor	Online	6Times	2026-01-18 13:51:22
C.10	Outdoor	Online	6Times	2026-01-18 13:51:22
C.11	Outdoor	Online	6Times	2026-01-25 14:24:38
C.12	Outdoor	Online	6Times	2026-01-25 14:24:38
C.13	Outdoor	Online	6Times	2026-01-25 14:24:38
C.14	Outdoor	Online	6Times	2026-01-25 14:24:38
C.15	Outdoor	Online	6Times	2026-01-25 14:24:38
C.16	Outdoor	Offline	5Times	2026-02-04 18:11:53
C.AD01	AD 1F	Online	6Times	2026-01-18 13:51:21
C.AD02	AD 1F	Online	6Times	2026-01-18 13:51:21
C.AD03	AD 1F	Online	6Times	2026-01-18 13:51:21
C.AD04	AD 1F	Online	6Times	2026-01-18 13:51:21
C.AD05	AD 1F	Online	6Times	2026-01-18 13:51:21

STAGE 2 INDUSTRIAL SYSTEMS MASTER REPORT

Camera Name	Area	Status	Offline Count	Latest Offline
C.AD06	AD 1F	Online	6Times	2026-01-18 13:51:21
C.AD07	AD 1F	Online	6Times	2026-01-18 13:51:21
C.AD08	AD 1F	Online	6Times	2026-01-18 13:51:21
C.AD09	AD 1F	Online	6Times	2026-01-18 13:51:22
C.AD10	AD 2F	Online	6Times	2026-01-18 13:51:22
C.AD11	AD 2F	Online	6Times	2026-01-18 13:51:22
C.AD12	AD 2F	Online	6Times	2026-01-18 13:51:22
C.AD13	AD 2F	Online	6Times	2026-01-18 13:51:22
C.AD14	AD 2F	Online	6Times	2026-01-18 13:51:22
C.CA 01	CA	Online	6Times	2026-01-18 13:51:22
C.CA 02	CA	Online	6Times	2026-01-18 13:51:22
C.CA 03	CA	Online	6Times	2026-01-18 13:51:22
C.CP01	Carpark	Online	6Times	2026-01-18 13:51:22
C.CP02	Carpark	Online	6Times	2026-01-18 13:51:22
C.CP03	Carpark	Online	6Times	2026-01-18 13:51:22
C.CP04	Carpark	Online	6Times	2026-01-18 13:51:22
C.CP05	Carpark	Online	6Times	2026-01-18 13:51:22
C.CP06	Carpark	Online	6Times	2026-01-18 13:51:22
C.GH01	GuardHouse	Online	6Times	2026-01-18 13:51:22
C.GH02	GuardHouse	Online	6Times	2026-01-18 13:51:22
C.GH05	GuardHouse	Online	7Times	2026-02-10 18:23:58
C.GH06	GuardHouse	Online	7Times	2026-02-10 18:23:58
C.HR01	HR	Online	6Times	2026-01-18 13:51:22
C.HR02	HR	Online	6Times	2026-01-18 13:51:22
C.HR03	HR	Online	6Times	2026-01-18 13:51:22
C.HR04	HR	Online	6Times	2026-01-18 13:51:22
C.HR05	HR	Online	6Times	2026-01-18 13:51:22
C.HR06	HR	Online	6Times	2026-01-18 13:51:22
C.HR07	HR	Online	6Times	2026-01-18 13:51:22
C.HR08	HR	Online	6Times	2026-01-18 13:51:22
C.HR09	HR	Online	6Times	2026-01-18 13:51:22
C.HR10	HR	Online	6Times	2026-01-18 13:51:22

STAGE 2 INDUSTRIAL SYSTEMS MASTER REPORT

Camera Name	Area	Status	Offline Count	Latest Offline
C.HR11	HR	Online	6Times	2026-01-18 13:51:22
C.HR12	HR	Online	6Times	2026-01-18 13:51:22
C.HR13	HR	Online	6Times	2026-01-18 13:51:22
C.HR14	HR	Online	6Times	2026-01-18 13:51:22
C.HR14	HR	Online	6Times	2026-01-18 13:51:22
C.HR15	HR	Online	6Times	2026-01-18 13:51:22
C.HR15	HR	Online	6Times	2026-01-18 13:51:22
C.HR16	HR	Online	6Times	2026-01-18 13:51:22
C.HR16	HR	Offline	5Times	2026-02-04 18:08:50
C.HR17	HR	Online	6Times	2026-01-18 13:51:22
C.HR17	HR	Online	6Times	2026-01-18 13:51:22
C.HR18	HR	Online	6Times	2026-01-18 13:51:22
C.HR19	HR	Online	6Times	2026-01-18 13:51:22
C.HR20	HR	Online	6Times	2026-01-18 13:51:22
C.HR21	HR	Online	6Times	2026-01-18 13:51:22
C.HR22	HR	Online	6Times	2026-01-18 13:51:22
C.HR23	HR	Online	6Times	2026-01-18 13:51:22
C.HR24	HR	Online	6Times	2026-01-18 13:51:22
C.IW 03	Factory Side (Phase 2 CCT	Online	7Times	2026-01-29 11:01:53
C.IW 05	Factory Side (Phase 2 CCT	Online	7Times	2026-01-29 11:01:53
C.IW 08	Factory Side (Phase 2 CCT	Online	6Times	2026-01-18 13:51:22
C.IW 11	Factory Side (Phase 2 CCT	Online	7Times	2026-01-29 11:01:53
C.IW 12	Factory Side (Phase 2 CCT	Online	7Times	2026-01-29 11:01:53
C.IW 13	Factory Side (Phase 2 CCT	Online	6Times	2026-01-18 13:51:22
C.IW 14	Factory Side (Phase 2 CCT	Online	7Times	2026-01-29 11:01:53
C.IW 17	Factory Side (Phase 2 CCT	Online	6Times	2026-01-18 13:51:22
C.IW 21	Factory Side (Phase 2 CCT	Online	8Times	2026-01-30 09:11:04
C.IW 22	Factory Side (Phase 2 CCT	Online	7Times	2026-01-29 11:01:53
C.IW 29	Factory Side (Phase 2 CCT	Online	7Times	2026-01-29 11:01:53
C.IW1 01	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 02	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 04	IW1	Online	7Times	2026-01-29 11:01:53

STAGE 2 INDUSTRIAL SYSTEMS MASTER REPORT

Camera Name	Area	Status	Offline Count	Latest Offline
C.IW1 06	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 07	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 08	IW1	Offline	5Times	2026-02-04 18:14:55
C.IW1 09	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 10	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 13	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 15	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 16	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 17	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 18	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 19	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 20	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 20	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 23	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 24	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 25	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 26	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 27	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 30	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 31	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 32	IW1	Online	7Times	2026-01-29 11:01:53
C.IW1 33	IW1	Online	7Times	2026-01-29 11:01:53
C.IW2 01	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 02	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 03	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 04	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 05	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 06	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 07	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 09	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 10	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 11	IW2	Online	6Times	2026-01-18 13:51:22

STAGE 2 INDUSTRIAL SYSTEMS MASTER REPORT

Camera Name	Area	Status	Offline Count	Latest Offline
C.IW2 12	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 14	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 15	IW2	Online	6Times	2026-01-18 13:51:22
C.IW2 16	IW2	Online	6Times	2026-01-18 13:51:22
C.IWOF 05	IWOF	Online	6Times	2026-01-18 13:51:22
C.IWOF 06	IWOF	Online	6Times	2026-01-18 13:51:22
C.IWOF 1	IWOF	Online	6Times	2026-01-18 13:51:22
C.IWOF 2	IWOF	Online	6Times	2026-01-18 13:51:22
C.IWOF 3	IWOF	Online	6Times	2026-01-18 13:51:22
C.IWOF 4	IWOF	Online	6Times	2026-01-18 13:51:22
C.LR04	LR	Online	6Times	2026-01-18 13:51:22
C.LR05	LR	Online	6Times	2026-01-18 13:51:22
C.LR06	LR	Online	6Times	2026-01-18 13:51:22
C.LR07	LR	Online	6Times	2026-01-18 13:51:22
C.LR08	LR	Online	6Times	2026-01-18 13:51:22
C.LR09	LR	Online	6Times	2026-01-18 13:51:22
C.LR10	LR	Online	6Times	2026-01-18 13:51:22
C.LR11	LR	Online	6Times	2026-01-18 13:51:22
C.LR12	LR	Online	6Times	2026-01-18 13:51:22
C.LR13	LR	Online	6Times	2026-01-18 13:51:22
C.LR14	LR	Online	6Times	2026-01-18 13:51:22
C.LR15	LR	Online	5Times	2026-02-03 16:07:23
C.LR15	LR	Online	5Times	2026-02-03 16:07:23
C.LR16	LR	Online	6Times	2026-01-18 13:51:22
C.LR17	LR	Online	6Times	2026-01-18 13:51:22
C.LR18	LR	Online	6Times	2026-01-18 13:51:22
C.LR19	LR	Online	6Times	2026-01-18 13:51:22
C.LR20	LR	Online	6Times	2026-01-18 13:51:22
C.LR21	LR	Online	6Times	2026-01-18 13:51:22
C.LR22	LR	Online	6Times	2026-01-18 13:51:22
C.LR23	LR	Online	6Times	2026-01-18 13:51:22
C.LR24	LR	Online	6Times	2026-01-18 13:51:22

STAGE 2 INDUSTRIAL SYSTEMS MASTER REPORT

Camera Name	Area	Status	Offline Count	Latest Offline
C.LR25	LR	Online	6Times	2026-01-18 13:51:22
C.LR26	LR	Online	6Times	2026-01-18 13:51:22
C.LR27	LR	Online	6Times	2026-01-18 13:51:22
C.LR28	LR	Online	6Times	2026-01-18 13:51:22
C.LR29	LR	Online	6Times	2026-01-18 13:51:22
C.OW01	OW	Online	6Times	2026-01-18 13:51:22
C.OW02	OW	Online	6Times	2026-01-18 13:51:22
C.OW03	OW	Online	6Times	2026-01-18 13:51:21
C.OW04	OW	Online	6Times	2026-01-18 13:51:21
C.OW05	OW	Online	6Times	2026-01-18 13:51:21
C.OW06	OW	Online	6Times	2026-01-18 13:51:21
C.OW07	OW	Online	6Times	2026-01-18 13:51:21
C.OW08	OW	Online	6Times	2026-01-18 13:51:21
C.OW09	OW	Online	6Times	2026-01-18 13:51:21
C.OW10	OW	Online	6Times	2026-01-18 13:51:21
C.OW11	OW	Online	6Times	2026-01-18 13:51:21
C.OW12	OW	Online	6Times	2026-01-18 13:51:21
C.OW13	OW	Online	6Times	2026-01-18 13:51:21
C.OW14	OW	Online	6Times	2026-01-18 13:51:21
C.OW15	OW	Online	6Times	2026-01-18 13:51:21
C.OW16	OW	Online	6Times	2026-01-18 13:51:21
C.OW17	OW	Online	6Times	2026-01-18 13:51:21
C.OW18	OW	Online	6Times	2026-01-18 13:51:21
C.OW19	OW	Online	6Times	2026-01-18 13:51:21
C.OW20	OW	Online	6Times	2026-01-18 13:51:21
C.UT01	UT	Online	6Times	2026-01-18 13:51:22
C.UT02	UT	Online	6Times	2026-01-18 13:51:22
C.UT03	UT	Online	6Times	2026-01-18 13:51:22
C.UT04	UT	Online	6Times	2026-01-18 13:51:22
C.UT05	UT	Online	6Times	2026-01-18 13:51:22
C.UT06	UT	Online	6Times	2026-01-18 13:51:22
C.UT07	UT	Online	6Times	2026-01-18 13:51:22

STAGE 2 INDUSTRIAL SYSTEMS MASTER REPORT

Camera Name	Area	Status	Offline Count	Latest Offline
C.UT08	UT	Online	6Times	2026-01-18 13:51:22
C.UT09	UT	Online	6Times	2026-01-18 13:51:22
C.UT10	UT	Online	6Times	2026-01-18 13:51:22
C.UT11	UT	Online	6Times	2026-01-18 13:51:22
C.UT12	UT	Online	6Times	2026-01-18 13:51:22
C.UT13	UT	Online	6Times	2026-01-18 13:51:22
C.UT14	UT	Online	6Times	2026-01-18 13:51:22
C.UT15	UT	Online	6Times	2026-01-18 13:51:22
C.UT16	UT	Online	6Times	2026-01-18 13:51:22
C.UT17	UT	Online	6Times	2026-01-18 13:51:22
C.UT18	UT	Online	6Times	2026-01-18 13:51:22
C.UT19	UT	Online	6Times	2026-01-18 13:51:22
C.UT20	UT	Online	6Times	2026-01-18 13:51:22
C.UT21	UT	Online	6Times	2026-01-18 13:51:22
Camera 01	SFST Hik NVR	Online	6Times	2026-02-04 07:50:15
Chill Recieve	SFST Hik NVR	Online	8Times	2026-02-04 07:50:15
Chill Veg	SFST Hik NVR	Online	4Times	2026-02-04 07:50:15
Cold5	SFST Hik NVR	Online	4Times	2026-02-04 07:50:15
Cold7	SFST Hik NVR	Online	4Times	2026-02-04 07:50:15
Emp parking	SFST Hik NVR	Online	7Times	2026-02-04 07:50:15
Entrance Gate	LPR	Online	10Times	2026-02-10 18:23:37
Exit Gate	LPR	Online	9Times	2026-02-10 11:23:37
Frozen Recieve	SFST Hik NVR	Online	6Times	2026-02-09 12:34:34
FX3459879	Access IW(OF)	Online	5Times	2026-01-18 14:51:21
FX3459899	Access IW(OF)	Online	5Times	2026-01-18 14:51:21
FX4479065	Access Factory	Online	5Times	2026-01-18 13:51:21
FX4479074	Access IW(OF)	Online	5Times	2026-01-18 14:51:21
FX4479091	Access Factory	Online	5Times	2026-01-18 13:51:22
FX4479093	Access IW(OF)	Online	5Times	2026-01-18 14:51:22
FX4479107	A	Online	0Times	nan
FZ8972044	Access Factory	Online	5Times	2026-01-18 13:51:21
FZ8972056	Access Factory	Online	5Times	2026-01-18 14:51:21

STAGE 2 INDUSTRIAL SYSTEMS MASTER REPORT

Camera Name	Area	Status	Offline Count	Latest Offline
FZ8972090	Access Factory	Online	5Times	2026-01-18 13:51:21
GRN2	SFST Hik NVR	Online	4Times	2026-02-04 07:50:15
Guardhouse	SFST Hik NVR	Offline	3Times	2026-01-25 15:15:21
High Risk Entry	SFST Hik NVR	Online	8Times	2026-02-04 07:50:15
IPCamera 28	Office Side (Phase 2 CCTV	Offline	5Times	2026-02-04 18:11:53
IPCamera 29	Office Side (Phase 2 CCTV	Offline	5Times	2026-02-04 18:14:54
IPdome 01	SFST Hik NVR	Online	8Times	2026-02-04 07:50:15
IPdome 02	SFST Hik NVR	Online	8Times	2026-01-29 11:01:53
Low Risk in	SFST Hik NVR	Online	8Times	2026-02-04 07:50:15
MDB1-1	SFST Hik NVR	Online	6Times	2026-02-04 07:50:15
MDB1-2	SFST Hik NVR	Online	6Times	2026-02-04 07:50:15
Medium In	SFST Hik NVR	Online	7Times	2026-02-04 07:50:15
Out Gate	SFST Hik NVR	Online	10Times	2026-02-10 18:23:58
Parking	SFST Hik NVR	Online	8Times	2026-02-04 07:50:15
Server Room	Admin 2F	Online	6Times	2026-01-18 13:51:22
Store Recieve	SFST Hik NVR	Online	6Times	2026-02-09 12:34:34

8. Air Compressor

This section provides an operational overview of the compressed air system, including energy consumption, airflow performance, and air quality (dewpoint). Data shown reflects the most recent available measurements.

Metric	Latest Value
Air Flow	5219.00 m³
Energy Consumption	98201.00 kWh
Dewpoint	0.9 °C
Specific Power	18.816 kWh/m³

Air Compressor Performance Trends

Specific Power & Flow Efficiency Trend



Dewpoint Trend (Air Quality)


Compressed Air Dewpoint Trend
Dewpoint (°C)
Dewpoint (°C)
2.5
2.0
1.5
1.0
0.5
0.0
2:45:00 AM
3:30:00 AM
4:15:00 AM
5:00:00 AM
5:45:00 AM
6:30:00 AM
7:15:00 AM
8:00:00 AM

9. Kitchen Equipment

Report generated: 16 Apr 2026 13:09

Status overview of all kitchen equipment units. Data is simulated from live equipment sensors.

9.1 Equipment Status Summary (4/4 Online)

Equipment	Status	Key Metric	Detail
Hobart Sanitizer	ONLINE	71 cycles today	Wash Temp: 64.0 °C
Steambox	ONLINE	57 units today	Chamber: 100.8 °C
X-Ray Inspection	ONLINE	0.73% reject rate	Inspected: 2,890
Checkweigher	ONLINE	97.9% pass rate	Total: 2,247 units

9.2 Hobart Sanitizer

Performance Summary

Metric	Value
Avg Cycle Min	5.7
Cycles Today	75
Detergent Ml	291.0
Tank Level Pct	92.9
Water Usage L	109.7

Latest Readings

Parameter	Value	Target	Status
Wash Temperature	67.2 °C	>= 60 °C	OK
Rinse Temperature	86.0 °C	>= 82 °C	OK
Sanitizer Conc.	278 ppm	200-400 ppm	OK

Unit Diagnostics

Unit	Component	State	Status
UNIT_01	Wash Arm	ACTIVE	OK
UNIT_01	Rinse Pump	ACTIVE	OK
UNIT_01	Dose Pump	ACTIVE	OK
UNIT_01	Door Seal	ACTIVE	OK
UNIT_02	Wash Arm	ACTIVE	OK
UNIT_02	Rinse Pump	ACTIVE	OK
UNIT_02	Dose Pump	ACTIVE	OK
UNIT_02	Door Seal	ACTIVE	OK

Wash & Rinse Temperature Trend



Hourly Cycle Count



9.2 Steambox

Performance Summary

Metric	Value
Avg Cook Min	9.6
Door Opens Today	74
Units Today	43

Latest Readings

Parameter	Value	Target	Status
Avg Chamber Temp	102.8 °C	>= 95 °C	OK
SB-01 Chamber Temp	100.3 °C	>= 95 °C	OK
SB-02 Chamber Temp	98.1 °C	>= 95 °C	OK
SB-03 Chamber Temp	97.6 °C	>= 95 °C	OK
Steam Pressure	2.79 bar	2.0-3.5 bar	OK

Unit Diagnostics

Unit	Component	State	Status
SB01	Heating Element	ACTIVE	OK
SB01	Steam Generator	ACTIVE	OK
SB01	Pressure Valve	FAULT	ACTION REQUIRED
SB01	Door Seal	ACTIVE	OK
SB02	Heating Element	ACTIVE	OK
SB02	Steam Generator	ACTIVE	OK
SB02	Pressure Valve	ACTIVE	OK
SB02	Door Seal	ACTIVE	OK
SB03	Heating Element	FAULT	ACTION REQUIRED
SB03	Steam Generator	ACTIVE	OK
SB03	Pressure Valve	ACTIVE	OK
SB03	Door Seal	ACTIVE	OK

Chamber Temperature Profile



Steam Pressure Trend



Hourly Throughput



9.2 X-Ray Inspection

Performance Summary

Metric	Value
Inspected Today	2291
Reject Rate Pct	1.31
Rejects Today	30
Uptime Pct	97.9

Machine Health

Parameter	Value	Status
Detection Sensitivity	1.2 mm	OK
X-Ray Tube Hours	3,032 / 10,000 hrs (30.3%)	OK
Days Since Calibration	17 days	WARNING
X-Ray Tube	ACTIVE	OK
Conveyor Belt	ACTIVE	OK
Detection Algorithm	ACTIVE	OK
Reject Mechanism	ACTIVE	OK
Shielding	INTACT	OK

Recent Reject Events (8 shown)

Time	Product	Detection Type
08:50 AM	Fish Cake	Foreign Object
06:43 AM	Prawn Dumpling	Bone Fragment
06:36 AM	Fish Cake	Metal Fragment
11:54 AM	Prawn Dumpling	Foreign Object
12:47 PM	Chicken Fillet	Metal Fragment
11:03 AM	Prawn Dumpling	Metal Fragment
06:42 AM	Fish Cake	Foreign Object
09:00 AM	Spring Roll	Bone Fragment

Hourly Throughput & Rejects



Reject Rate Trend



9.2 Checkweigher

Performance Summary

Metric	Value
Avg Weight G	251.5
Over Rejects	11
Pass Rate Pct	98.7
Shift Product	Char Kway Teow
Std Dev G	3.03
Throughput Per Min	5.0
Total Today	2094
Under Rejects	16

Weight Specification

Parameter	Value
Target Weight	250.0 g
Tolerance (±)	5.0 g
Lower Limit (LSL)	245.0 g
Upper Limit (USL)	255.0 g

Machine Status

Unit	Status	Conv. Speed	Items Checked	Last Calibration
CW01	RUNNING	28.5 m/min	1,047	1 days
CW02	RUNNING	34.3 m/min	1,047	13 days !

Recent Weight Log (last 15 items)

Time	Product	Weight (g)	Variance	Result
10:29 AM	Char Kway Teow	252.3 g	+2.3 g	PASS
07:56 AM	Char Kway Teow	253.5 g	+3.5 g	PASS
12:53 PM	Char Kway Teow	252.6 g	+2.6 g	PASS
08:08 AM	Char Kway Teow	249.8 g	-0.2 g	PASS
01:54 PM	Char Kway Teow	247.4 g	-2.6 g	PASS
07:22 AM	Char Kway Teow	249.7 g	-0.3 g	PASS

08:58 AM	Char Kway Teow	247.7 g	-2.3 g	PASS
08:39 AM	Char Kway Teow	248.4 g	-1.6 g	PASS
01:17 PM	Char Kway Teow	253.4 g	+3.4 g	PASS
09:38 AM	Char Kway Teow	250.4 g	+0.4 g	PASS
08:24 AM	Char Kway Teow	253.1 g	+3.1 g	PASS
12:40 PM	Char Kway Teow	251.0 g	+1.0 g	PASS
07:05 AM	Char Kway Teow	244.6 g	-5.4 g	UNDER
07:12 AM	Char Kway Teow	251.7 g	+1.7 g	PASS
07:45 AM	Char Kway Teow	247.7 g	-2.3 g	PASS

Weight Distribution



Pass Rate Trend



10. Downtime & Reliability

Report generated: 16 Apr 2026 13:09

Equipment failure tracking and reliability metrics for today's operational shift. Downtime events, recovery times, MTBF, and overall uptime are summarised below.

10.1 Summary KPIs

Metric	Value
Total Downtime Year-To-Date	1213 days
Downtime This Month	0 min
Downtime Events Year-To-Date	301
Highest Impact System	Building
Total Downtime Today	5h 41m
Total Downtime Events	20
Overall Uptime	97.6%
Avg MTBF (across systems)	14h 22m
Worst Performing System	CCTV C.16 (1h 15m)

10.2 Equipment Downtime Log

Equipment	Events	Total Down	Avg Duration	Avg Recovery	Uptime %	Status
CCTV C.16	6	1h 15m	12 min	5 min	94.8%	CRITICAL
CCTV C.08	3	43 min	14 min	7 min	97.0%	OK
Spiral Blast Freezer	2	1h 15m	37 min	19 min	94.8%	WARNING
Boiler 01	1	25 min	25 min	15 min	98.3%	OK
Boiler 02	0	0 min	0 min	0 min	100.0%	OK
Air Compressor	2	35 min	17 min	11 min	97.6%	OK
MDB Generator	1	10 min	10 min	8 min	99.3%	OK
Wastewater Pump	2	55 min	27 min	15 min	96.2%	OK
Hobart Dishwasher	2	18 min	9 min	4 min	98.8%	OK
X-Ray Inspector	1	5 min	5 min	3 min	99.7%	OK

10.3 System Reliability Scores


System Reliability Scores
90% threshold
X-Ray Inspector
Hobart Dishwasher
Wastewater Pump
MDB Generator
Air Compressor
Boiler 02
Boiler 01
Spiral Blast Freezer
CCTV C.08
CCTV C.16
99.7%
98.8%
96.2%
99.3%
97.6%
100.0%
98.3%
94.8%
97.0%
94.8%
0
20
40
60
80
100
Uptime (%)