Data Handler

Documentation

1. Create Account

POST `https://data-pusher-django.onrender.com/api/accounts/`

Request Body (JSON)

```json
Copy code
{
    "email": "suraj@gmail.com",
    "account_name": "suran tk",
    "website": "https://suraj.com"
}
```

2. Create Destination

POST `https://data-pusher-django.onrender.com/api/destinations/`

Request Headers

- `Content-Type` : `application/json`

Request Body (JSON)

```json
Copy code
{
    "account": 3,
    "url": "https://webhsam.site/xyz",
    "http_method": "POST",
    "headers": {
        "APP_ID": "1234APPID1234",
        "APP_SECRET": "enwdj3bshwer43bjhjs9ereuinkjcnsiurew
```

```
8s",
        "Content-Type": "application/json"
    }
}
```

3. Get Account Destinations

GET `https://data-pusher-django.onrender.com/api/destinations/account_destinations/`

Query Parameters

- `account_id` : `9deede79-a06c-477a-bd0c-6eaafd14ca66`

Example Request URL

```ruby
ruby
Copy code
https://data-pusher-django.onrender.com/api/destinations/account_destinations/?account_id=9deede79-a06c-477a-bd0c-6eaafd14ca66
```

4. Incoming Data

POST `https://data-pusher-django.onrender.com/server/incoming_data`

Request Headers

- `Content-Type` : `application/json`
- `CL-X-TOKEN` : `5c7a5548-fa0c-48b4-975c-0b4d3574fe6b`

Request Body (JSON)

```json
json
Copy code
{
    "user_id": "123",
    "name": "John Doe",
```

```
        "email": "johndoe1@example.com"
}
```