Weight regression

Noah Siegel

05 January, 2023, 16:54

```
suppressPackageStartupMessages({
  library(plyr)
  library(tidyverse)
  library(sjPlot)
  library(lmerTest)
  library(readxl)
  library(xlsx)
  library(kableExtra)
})
```

Weight Z-scores

Residual plot



Model table

	Sum Sq	Mean Sq	NumDF	DenDF	F value	Pr(>F)
Sex	0.07475	0.07475	1	40.63651	1.93655	0.17161
Treatment	0.01679	0.01679	1	40.63651	0.43499	0.51327
age_days	146.37418	146.37418	1	227.07171	3792.35249	0.00000
Sex:Treatment	0.01878	0.01878	1	40.63651	0.48659	0.48942
Sex:age_days	0.01138	0.01138	1	227.07171	0.29476	0.58772
Treatment:age_days	0.62614	0.62614	1	227.07171	16.22235	0.00008
Sex:Treatment:age_days	0.00000	0.00000	1	227.07171	0.00005	0.99436

Session Information

```
## R version 3.6.3 (2020-02-29)
## Platform: x86_64-conda-linux-gnu (64-bit)
## Running under: Ubuntu 18.04.6 LTS
##
## Matrix products: default
## BLAS/LAPACK: /home/nasiegel/miniconda3/envs/mldgut/lib/libopenblasp-r0.3.21.so
##
## locale:
##  [1] LC_CTYPE=en_US.UTF-8          LC_NUMERIC=C
##  [3] LC_TIME=en_US.UTF-8           LC_COLLATE=en_US.UTF-8
##  [5] LC_MONETARY=en_US.UTF-8       LC_MESSAGES=en_US.UTF-8
##  [7] LC_PAPER=en_US.UTF-8          LC_NAME=en_US.UTF-8
##  [9] LC_ADDRESS=en_US.UTF-8        LC_TELEPHONE=en_US.UTF-8
## [11] LC_MEASUREMENT=en_US.UTF-8    LC_IDENTIFICATION=en_US.UTF-8
##
## attached base packages:
## [1] stats     graphics  grDevices utils     datasets  methods   base
##
## other attached packages:
##  [1] kableExtra_1.3.4 xlsx_0.6.5       readxl_1.3.1     lmerTest_3.1-3
##  [5] lme4_1.1-27      Matrix_1.3-3     sjPlot_2.8.8     forcats_0.5.1
##  [9] stringr_1.4.0    dplyr_1.0.6      purrr_0.3.4      readr_1.4.0
## [13] tidyr_1.1.3      tibble_3.1.2     ggplot2_3.3.3    tidyverse_1.3.1
## [17] plyr_1.8.6
##
## loaded via a namespace (and not attached):
##  [1] nlme_3.1-152        fs_1.5.0            lubridate_1.7.10
##  [4] webshot_0.5.2       insight_0.14.0      httr_1.4.2
##  [7] numDeriv_2016.8-1.1 tools_3.6.3         backports_1.2.1
## [10] utf8_1.2.1          R6_2.5.0            sjlabelled_1.1.8
## [13] DBI_1.1.1           colorspace_2.0-1    withr_2.5.0
## [16] tidyselect_1.1.1    emmeans_1.6.0       compiler_3.6.3
## [19] performance_0.7.2   cli_3.5.0           rvest_1.0.0
## [22] xml2_1.3.2          labeling_0.4.2      bayestestR_0.9.0
## [25] scales_1.1.1        mvtnorm_1.1-1       systemfonts_1.0.2
## [28] digest_0.6.27       minqa_1.2.4         rmarkdown_2.19
## [31] svglite_2.0.0       pkgconfig_2.0.3     htmltools_0.5.4
## [34] dbplyr_2.1.1        fastmap_1.1.0       rlang_1.0.6
## [37] rstudioapi_0.13     farver_2.1.0        generics_0.1.0
## [40] jsonlite_1.7.2      magrittr_2.0.1      parameters_0.13.0
```

```
## [43] Rcpp_1.0.9          munsell_0.5.0       fansi_0.4.2
## [46] lifecycle_1.0.0     stringi_1.6.2       yaml_2.2.1
## [49] snakecase_0.11.0    MASS_7.3-54         grid_3.6.3
## [52] sjmisc_2.8.7        crayon_1.4.1        lattice_0.20-44
## [55] ggeffects_1.1.0     haven_2.4.1         splines_3.6.3
## [58] xlsxjars_0.6.1      sjstats_0.18.1      hms_1.1.0
## [61] knitr_1.33          pillar_1.6.1        boot_1.3-28
## [64] estimability_1.3    effectsize_0.4.4-1  reprex_2.0.0
## [67] glue_1.4.2          evaluate_0.14       modelr_0.1.8
## [70] vctrs_0.3.8         nloptr_1.2.2.2      cellranger_1.1.0
## [73] gtable_0.3.0        assertthat_0.2.1    xfun_0.36
## [76] xtable_1.8-4        broom_0.7.6         viridisLite_0.4.0
## [79] rJava_1.0-4         tinytex_0.31        ellipsis_0.3.2
```