

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$= (\tan x)' dx = \frac{1}{\cos^2 x} dx \left. \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$= (\tan x)' dx = \frac{1}{\cos^2 x} dx \left. \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$

8.2.33

$$\int \cos(6x+1) dx = \left[\int \cos X = \sin X + C \right]$$

$$\int f(ax+b) dx = \frac{1}{a} \cdot F(ax+b) + C$$

$$\{ ax+b = 6x+1 \Rightarrow a=6, b=1 \} =$$

$$= \frac{1}{6} \sin(6x+1)$$

8.2.34

$$\int \frac{dx}{\sqrt[3]{(5x-2)^4}} = \int (5x-2)^{-4/3} dx = \left[x^\alpha dx = \frac{x^{\alpha+1}}{\alpha+1} + C \right] =$$

$$\int f(ax+b) dx = \frac{1}{a} F(ax+b) + C$$

$$\{ ax+b = 5x-2 \Rightarrow a=5, b=-2 \}$$

$$= \frac{1}{5} \frac{(5x-2)^{-4/3+1}}{-4/3+1} + C = \frac{1}{5} \frac{(5x-2)^{1/3}}{-1/3} + C = -\frac{3}{5} (5x-2)^{1/3} + C =$$

$$= -\frac{3}{5 \sqrt[3]{5x-2}}$$

8.2.35

$$\int \frac{\sqrt{\tan x}}{\cos^2 x} dx = \left[y = \tan x \Rightarrow dy = d(\tan x) = \right.$$

$$\left. = (\tan x)' dx = \frac{1}{\cos^2 x} dx \right] =$$

$$= \int \sqrt{y} dy = \frac{y^{1/2+1}}{1/2+1} + C = \frac{y^{3/2}}{3/2} + C = \frac{2}{3} \sqrt{y^3} + C =$$

$$= \frac{2}{3} \sqrt{\tan^3 x} + C$$