الشركة الوطنية للفحص والاختبار الفني المحدودة

National Inspection & Technical Testing Co. LTD

LIFTING EQUIPMENT INSPECTION REPORT	Area	Org. Code	Inspection Date	Inspection Time	Previous Sticker No	Issued By
	SUDHIR YARD JEDDAH		**20-Jan. 2022**	**09:15:00**	**2010115**	**BV**
Department/Contractor	Equipment No.	Type		Inspection Result	New Sticker No./ Report No.	
EXPERTISE	**S20AG-088**	**MANLIFT**		**Pass**	**TUV NORD-000759**	
Equipment Location	Model	Manufacturer	Capacity	Equipment Serial No.	Sticker Expiration Date	
SUDHIR YARD Jeddah	**Z-62/40**	**GENIE**	**227 KG**	**Z62D-323**	**19-Jul. 2022**	

Above equipment was inspected by **Fahsstuv nord** accordance with applicable Saudi Aramco GI's, ASME and API standards. Deficiencies that require corrective action listed below. Specific repairs to correct each deficiency should be noted in the corrective action taken column.

No	Notes / Deficiencies	Corrective Action Taken
	Periodic Visual inspection & Functional testing conducted as per Aramco GI 7.030 and ANSI/SAIA A92	**None**
	.5 with satisfactory results. Aux. lowering and anti-entrapment devices tested and found working	
	properly.	

Receiver Name	Badge No.	Telephone No.	Inspector Name	Certificate No.	Telephone No.
Ashraf Basheer	**N/A**	**566572030**	**YASER KAHFAZAN**	**ID-13-0112**	

Receiver Signature

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	1-Nov-17	ELEVATING/LIFTING EQUIPMENNT
PROJECT TITLE: Sudhir Yard	WBS/BI/JO NUMBER:	INSPECTION COMPANY: FAHSS TUV-NORD	

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE		SERIAL NO.	REPORT No.:
S20AG-088	MANLIFT		Z62D-323	
CAPACITY (SWL) 227 KG	MANUFACTURER GENIE		FACILITY / LOCATION SUDHIR YARD Jeddah	TUV NORD-000759
REQUESTED INSPECTION DATE 20-Jan. 2022	RFI No.	TASK COMPLETED DATE 20-Jan. 2022	EQUIPMENT OWNER EXPERTISE	

ITEM No.	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	RE-INSP DATE
1	GENERAL REQUIREMENTS:					
1.1	Equipment documentation is available	ANSI/SAIA A92.5, G.I. 7.030	X			
1.2	Previous inspection reports are checked	ANSI/SAIA A92.5, G.I. 7.030	X			
1.3	Equipment is operated by a qualified operator	ANSI/SAIA A92.5	X			
1.4	Warning notice, cautions or restrictions for safe operation and maintenance are clearly displayed and legible	ANSI/SAIA A92.5	X			
1.5	A sign is posted warning the operator not to rely solely on any automatic device as a substitute for safe operating practice	G.I. 7.030	X			
1.6	Manufacturer name, address, serial number and model are clearly marked or tagged	ANSI/SAIA A92.5	X			
1.7	Safe working load and number of persons are clearly marked on the work platform	ANSI/SAIA A92.5, SAES-B067	X			
1.8	Maximum platform height and reach are clearly marked	ANSI/SAIA A92.5	X			
1.9	Maximum travel height and travel directions are clearly marked	ANSI/SAIA A92.5	X			
1.10	Power rating are provided and marked (for AC and/or DC)	ANSI/SAIA A92.5	X			
1.11	Platform and guardrails electrical insulation data are provided	ANSI/SAIA A92.5	X			
2	INSPECTION POINTS:					
2.1	Platform surfaces are at least 18" (width & length) and are slip-resestant	ANSI/SAIA A92.5	X			
2.2	Platform guardrails are provided and secure	ANSI/SAIA A92.5	X			
2.3	Platform guardrails are 42" height (+/- 3")	ANSI/SAIA A92.5	X			
2.4	Platform toeboard is fitted and at least 4" high	ANSI/SAIA A92.5	X			
2.5	Moving parts are guarded	ANSI/SAIA A92.5	X			
2.6	Access to the platform is provided	ANSI/SAIA A92.5	X			
2.7	Platform access gatelock (or bar) and self-closer function is satisfactory (gate to open inward only)	ANSI/SAIA A92.5	X			
2.8	Electrical cables, wiring and components are undamaged	ANSI/SAIA A92.5	X			
2.9	Safety harness anchorage is fitted in the platform	ANSI/SAIA A92.5	X			
2.10	Battery is secure, guarded and ventilated	ANSI/SAIA A92.5	X			

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	1-Nov-17	ELEVATING/LIFTING EQUIPMENNT
PROJECT TITLE: Sudhir Yard	WBS/BI/JO NUMBER:	INSPECTION COMPANY: FAHSS TUV-NORD	

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT No.:
S20AG-088	MANLIFT	Z62D-323	
CAPACITY (SWL): 227 KG	MANUFACTURER: GENIE	FACILITY / LOCATION: SUDHIR YARD Jeddah	TUV NORD-000759
REQUESTED INSPECTION DATE: 20-Jan. 2022	RFI No.:	TASK COMPLETED DATE: 20-Jan. 2022	EQUIPMENT OWNER: EXPERTISE

ITEM No.	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	RE-INSP DATE
2.11	Outrigger position microswitches and interlocks are fully functional at their contril panel	ANSI/SAIA A92.5			X	
2.12	Air, Hydraulic and fuel systems are not leaking	ANSI/SAIA A92.5	X			
2.13	Emergency stop button is available at ground control station	ANSI/SAIA A92.5	X			
2.14	There are no loose nuts, bolts, missing, worn or damaged parts around the structure	ANSI/SAIA A92.5	X			
2.15	The equipment is free of defective and/or corroded members/joints	ANSI/SAIA A92.5	X			
2.16	Working environment is hazard free and machine ca be safely operated	ANSI/SAIA A92.5	X			
2.17	An hour meter is fitted	ANSI/SAIA A92.5	X			
2.18	A fire extinguisher is fitted (type depends on operating location)	ANSI/SAIA A92.5	X			
2.19	All moving parts are lubricated	ANSI/SAIA A92.5	X			
2.20	All fluid levels for oil, water and hydraulic are adequate	ANSI/SAIA A92.5	X			
2.21	Platform controls operate the machine correctly	ANSI/SAIA A92.5	X			
2.22	Platform controls are clearly marked with direction and mode of operation	ANSI/SAIA A92.5	X			
2.23	Platform controls accessable to the operator	ANSI/SAIA A92.5	X			
2.24	Platform controls return to "off" or "neutral" position when released	ANSI/SAIA A92.5	X			
2.25	Platform controls are protected agains inadvertent operation	ANSI/SAIA A92.5	X			
2.26	Over-ride control for power functions is fitted at ground level control panel	ANSI/SAIA A92.5	X			
2.27	Ground controls return to "off" or "neutral" position when released	ANSI/SAIA A92.5	X			
2.28	Ground controls are clearly marked for direction and mode of operation	ANSI/SAIA A92.5	X			
2.29	Ground controls do not include drive and steering functions	ANSI/SAIA A92.5	X			
2.30	Ground controls are protected agains inadvertent operation	ANSI/SAIA A92.5	X			
2.31	Boom raise/extend is operable from platform and ground control	ANSI/SAIA A92.5	X			
2.32	Boom lower/retract is operable from platform and ground control	ANSI/SAIA A92.5	X			
2.33	Platform rotation is operable from both platform and ground controls	ANSI/SAIA A92.5	X			
2.34	Emergency stop button is operable from both platform and ground controls	ANSI/SAIA A92.5	X			
2.35	Auxiliary/emergency lowering is operable from platform and ground controls	ANSI/SAIA A92.5	X			

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	1-Nov-17	ELEVATING/LIFTING EQUIPMENNT

PROJECT TITLE	WBS/BI/JO NUMBER	INSPECTION COMPANY
Sudhir Yard		FAHSS TUV-NORD

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE	SERIAL NO.	REPORT No.:
S20AG-088	MANLIFT	Z62D-323	
CAPACITY (SWL) 227 KG	MANUFACTURER GENIE	FACILITY / LOCATION SUDHIR YARD Jeddah	TUV NORD-000759
REQUESTED INSPECTION DATE 20-Jan. 2022	RFI No. / TASK COMPLETED DATE 20-Jan. 2022	EQUIPMENT OWNER EXPERTISE	

ITEM No.	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	RE-INSP DATE
2.36	Auxiliary/emergency retracting is operable from platform and ground controls	ANSI/SAIA A92.5	X			
2.37	Auxiliary/emergency rotating is operable from platform and ground controls	ANSI/SAIA A92.5	X			
2.38	Hydraulic/Pneumatic systems are leak-free with platform raised	ANSI/SAIA A92.5	X			
2.39	Telt alarm is operable (5 degrees out of level) (manually depress the edge of the tilt switch to cause alarm condition)	ANSI/SAIA A92.5	X			
2.40	Tilt alarm is not combined with boom raise cut-out (dependent on machine manufacturer)	ANSI/SAIA A92.5	X X			
2.41	Steering is properly working when moving forward and in reverse directions	ANSI/SAIA A92.5	X			
2.42	Brakes are in good working condition and can hold the machine on any slope (parking and moving)	ANSI/SAIA A92.5	X			
2.43	Extendable axles function is satisfactory (where fitted)	ANSI/SAIA A92.5			X	
2.44	Outriggers (stabilizers) extention-retraction operation is satisfactory	ANSI/SAIA A92.5			X	
2.45	Extendable elevating assembly operation is satisfactory (retracted vs. extended)	ANSI/SAIA A92.5			X	
2.46	Elevating assembly operation is satisfactory (elevated vs. lowered)	ANSI/SAIA A92.5	X			
2.47	Wheels and tyres are serviceable and undamaged	ANSI/SAIA A92.5	X			
2.48	Travel alarm is operable	ANSI/SAIA A92.5	X			
2.49	Platform lowering alarm is operable	ANSI/SAIA A92.5	X			
2.50	Auxiliary power source is available (ready to be used in event of primary power loss)	ANSI/SAIA A92.5	X			
2.51	Machine is safely drivable from the platform when raised (fast, slow, forward and reverse modes)	ANSI/SAIA A92.5	X			
2.52	The platform does not descend when in raised position and the power is off	ANSI/SAIA A92.5	X			
2.53	Engine powered machines fuel lines are supported to minimize chafing	ANSI/SAIA A92.5	X			
2.54	Engine powered machines fuel lines are positoned to minimize exposure to engine and exhaust heat	ANSI/SAIA A92.5	X			
2.55	Engine powered machines exhaust system is provided with muffler	ANSI/SAIA A92.5	X			
2.55	Installation of Anti- Entrapment device on work platform	Letter No. CIU-L-019/2016	X			

REMARKS: This check list will be applied for Vehicle Mounted Elevating Work Platform - ANSI/SAIA A92.2.
- Inspected equipment with refrence to ANSI/SAIA A92.5 shall be equipped with Anti- Entrapment device on work platform.

REFERENCE DOCUMENTS:

SAUDI ARAMCO INSPECTION CHECKLIST	SAIC NUMBER	ISSUE DATE	DISCIPLINE
BOOM SUPPORTED ELEVATING WORK PLATFORM	SAIC-U-7013	1-Nov-17	ELEVATING/LIFTING EQUIPMENNT
PROJECT TITLE	WBS/BI/JO NUMBER	INSPECTION COMPANY	

EQUIPMENT ID NUMBER	EQUIPMENT DESCRIPTION/TYPE		SERIAL NO.	REPORT No.:
CAPACITY (SWL)	MANUFACTURER		FACILITY / LOCATION	
REQUESTED INSPECTION DATE	**RFI No.**	**TASK COMPLETED DATE**	**EQUIPMENT OWNER**	

ITEM No.	ACCEPTANCE CRITERIA	REFERENCE	PASS	FAIL	N/A	RE-INSP DATE
1- ANSI/SAIA A92.5 - 2006 Issue: Boom - Supported Elevating Work Platforms						
2- SAES-B067 - 2015 Issue: Safety Identification and Safety Colors						
3- SA GI 7.025 -2016 Issue: Heavy Equipment Operator and Rigger Testing and Certification						
4- SA GI 7.030 - 2013 Issue: Inspection and Testing Requirements for Elevating/Lifting Equipment						

Load Tested By (If Applicable):
Name, Signature, & Date:

,

☒ **Inspected** ☐ **Witnessed by 3rd Party Certified Inspector:**

Name, Signature, Certificate No. & Company:

YASER KAHFAZAN ID-13-0112 Fahss - TUV NORD

User Representative:
Name, Signature, & Date:

Ashraf Basheer 20-Jan. 2022

الشركة الوطنية للفحص والاختبار الفني المحدودة

National Inspection and Technical Testing Company Ltd.

TEL: 013-3407608 / 011-4786214 / 012-6109014 / 014-3251475

No.: TÜV NORD-000759

EQUIP. NO.: S20AG-088

EQUIP. S.N.: Z62D-323

DATE INSPECTED: 20-Jan. 2022

NEXT INSPECTION DATE: 19-Jul. 2022

INSPECTED BY: YASER KAHFAZAN

S.A INSPECTION DEPARTMENT APPROVED CONTRACTOR AGENCIES