

Modul Login dan Register LARAVEL 8

Modified By : CYBORG IT CENTER

Target:

Laravel

Login Register

Login

E-Mail Address

Password

☐ Remember Me

Login

Laravel

Login Register

Register

Name

E-Mail Address

Password

☐ Remember Me

Register

Laravel

Logout

Dashboard

You are Logged In

1. Buka Kembali Project Sebelumnya
2. Tambahkan Routes Web.php

```

use App\Http\Controllers\Auth\AuthController;

/*
|-----
|-----
| Web Routes
|-----
|-----
|
| Here is where you can register web routes for your
| application. These
| routes are loaded by the RouteServiceProvider within
| a group which
| contains the "web" middleware group. Now create
| something great!
|
*/

Route::get('login', [AuthController::class, 'index'])->name('login');
Route::post('post-login', [AuthController::class, 'postLogin'])->name('login.post');
Route::get('registration', [AuthController::class, 'registration'])->name('register');
Route::post('post-registration', [AuthController::class, 'postRegistration'])->name('register.post');
Route::get('dashboard', [AuthController::class, 'dashboard']);
Route::get('logout', [AuthController::class, 'logout'])->name('logout');

```

3. Buat Sebuah Folder Auth di dalam Folder Controller dan Sebuah File Bernama AuthController.php

Isi AuthController.php

```

<?php

namespace App\Http\Controllers\Auth;

use App\Http\Controllers\Controller;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Auth;

```

```

use Session;
use App\Models\User;
use Hash;

class AuthController extends Controller
{
    /**
     * Write code on Method
     *
     * @return response()
     */
    public function index()
    {
        return view('auth.login');
    }

    /**
     * Write code on Method
     *
     * @return response()
     */
    public function registration()
    {
        return view('auth.registration');
    }

    /**
     * Write code on Method
     *
     * @return response()
     */
    public function postLogin(Request $request)
    {
        $request->validate([
            'email' => 'required',
            'password' => 'required',
        ]);

        $credentials = $request->only('email',
'password');
        if (Auth::attempt($credentials)) {
            return redirect()->intended('dashboard')
->withSuccess('You have
Successfully loggedin');
        }
    }
}

```

```

        return redirect("login")->withSuccess('Oppes!
You have entered invalid credentials');
    }

    /**
     * Write code on Method
     *
     * @return response()
     */
    public function postRegistration(Request $request)
    {
        $request->validate([
            'name' => 'required',
            'email' => 'required|email|unique:users',
            'password' => 'required|min:6',
        ]);

        $data = $request->all();
        $check = $this->create($data);

        return redirect("dashboard")->withSuccess('Great! You have Successfully loggedin');
    }

    /**
     * Write code on Method
     *
     * @return response()
     */
    public function dashboard()
    {
        if (Auth::check()) {
            return view('auth.dashboard');
        }

        return redirect("login")->withSuccess('Opps!
You do not have access');
    }

    /**
     * Write code on Method
     *
     * @return response()
     */

```

```

public function create(array $data)
{
    return User::create([
        'name' => $data['name'],
        'email' => $data['email'],
        'password' => Hash::make($data['password'])
    ]);
}

/**
 * Write code on Method
 *
 * @return response()
 */
public function logout() {
    Session::flush();
    Auth::logout();

    return Redirect('login');
}
}

```

4. Buat Sebuah Folder auth di dalam folder view dan tambahkan 3 file berikut

login.blade.php

```

@extends('auth.layout')

@section('content')

<main class="login-form">

    <div class="cotainer">

        <div class="row justify-content-center">

            <div class="col-md-8">

                <div class="card">

                    <div class="card-header">Login</div>

```



```

@if ($errors-
>has('password'))

        <span
class="text-danger">{{ $errors->first('password')
}}</span>

        @endif

    </div>

</div>

<div class="form-group row">

    <div class="col-md-6
offset-md-4">

        <div
class="checkbox">

            <label>

                <input
type="checkbox" name="remember"> Remember Me

            </label>

        </div>

    </div>

</div>

<div class="col-md-6 offset-
md-4">

        <button type="submit"
class="btn btn-primary">

            Login

        </button>

```

```

        </div>

    </form>

</div>

</div>

</div>

</div>

</main>
@endsection

```

registration.blade.php

```

@extends('auth.layout')

@section('content')

<main class="login-form">

    <div class="cotainer">

        <div class="row justify-content-center">

            <div class="col-md-8">

                <div class="card">

                    <div class="card-
header">Register</div>

                    <div class="card-body">

```



```

        <form action="{{
route('register.post') }}" method="POST">

            @csrf

            <div class="form-group row">

                <label for="name"
class="col-md-4 col-form-label text-md-
right">Name</label>

                <div class="col-md-6">

                    <input type="text"
id="name" class="form-control" name="name" required
autofocus>

                    @if ($errors-
>has('name'))

                        <span
class="text-danger">{{ $errors->first('name') }}</span>

                    @endif

                </div>

            </div>

            <div class="form-group row">

                <label
for="email_address" class="col-md-4 col-form-label
text-md-right">E-Mail Address</label>

                <div class="col-md-6">

                    <input type="text"
id="email_address" class="form-control" name="email"
required autofocus>

                    @if ($errors-
>has('email'))

```

```

        <span
class="text-danger">{{ $errors->first('email')
}}</span>

        @endif

    </div>

</div>

<div class="form-group row">

    <label for="password"
class="col-md-4 col-form-label text-md-
right">Password</label>

    <div class="col-md-6">

        <input
type="password" id="password" class="form-control"
name="password" required>

        @if ($errors-
>has('password'))

            <span
class="text-danger">{{ $errors->first('password')
}}</span>

            @endif

        </div>

    </div>

<div class="form-group row">

    <div class="col-md-6
offset-md-4">

        <div
class="checkbox">

```

```

                                <label>
                                    <input
type="checkbox" name="remember"> Remember Me
                                </label>
                            </div>
                        </div>
                    </div>
                </div>

                <div class="col-md-6 offset-
md-4">

                    <button type="submit"
class="btn btn-primary">
                        Register
                    </button>
                </div>
            </form>

        </div>
    </div>
</div>
</div>
</div>
</main>
@endsection

```

dashboard.blade.php

```
@extends('auth.layout')

@section('content')

<div class="container">

    <div class="row justify-content-center">

        <div class="col-md-8">

            <div class="card">

                <div class="card-header">{{
__('Dashboard')}}</div>

                <div class="card-body">

                    @if (session('success'))

                        <div class="alert alert-
success" role="alert">

                            {{ session('success') }}

                        </div>

                    @endif

                    You are Logged In

                </div>

            </div>

        </div>

    </div>

</div>

@endsection
```

layout.blade.php

```
<!DOCTYPE html>

<html>

<head>

    <title>Laravel - ItSolutionStuff.com</title>

    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.
3/css/bootstrap.min.css">

    <style type="text/css">

        @import
url(https://fonts.googleapis.com/css?family=Raleway:300
,400,600);

        body{

            margin: 0;

            font-size: .9rem;

            font-weight: 400;

            line-height: 1.6;

            color: #212529;

            text-align: left;

            background-color: #f5f8fa;

        }

        .navbar-laravel

        {

            box-shadow: 0 2px 4px rgba(0,0,0,.04);
```

```
    }

    .navbar-brand , .nav-link, .my-form, .login-
form
    {

        font-family: Raleway, sans-serif;

    }

    .my-form
    {

        padding-top: 1.5rem;

        padding-bottom: 1.5rem;

    }

    .my-form .row
    {

        margin-left: 0;

        margin-right: 0;

    }

    .login-form
    {

        padding-top: 1.5rem;

        padding-bottom: 1.5rem;

    }

    .login-form .row
    {

        margin-left: 0;
```

```

        margin-right: 0;

    }

</style>

</head>

<body>

<nav class="navbar navbar-expand-lg navbar-light
navbar-laravel">

    <div class="container">

        <a class="navbar-brand" href="#">Laravel</a>

        <button class="navbar-toggler" type="button"
data-toggle="collapse" data-
target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">

            <span class="navbar-toggler-icon"></span>

        </button>

        <div class="collapse navbar-collapse"
id="navbarSupportedContent">

            <ul class="navbar-nav ml-auto">

                @guest

                    <li class="nav-item">

                        <a class="nav-link" href="{{
route('login') }}">Login</a>

                    </li>

                    <li class="nav-item">

```

```

                <a class="nav-link" href="{{
route('register') }}">Register</a>

            </li>

            @else

                <li class="nav-item">

                    <a class="nav-link" href="{{
route('logout') }}">Logout</a>

                </li>

            @endguest

        </ul>

    </div>

</div>

</nav>

@yield('content')

</body>

</html>

```

5. Jalan Laravel : php artisan serve