


Hidden Radiology



HR-CXR-001 | ■■■■■■■■ ■■■■■■■■■■■■ ■■■■■■■ ■■■■■■■ - ■■■■■■■ ■■■■■■■ ■■■■ Gumroad

# 1. ■■■ ■■■ ■■■■ ■■■■■■ ■■■■■■■■

■■■■ ■■■■ ■■■■■ ■■■■ ■■■ ■■■■■■ ■■■■■■■■■■ ■■ ■■■■■■.

■■■■■■■ ■■■■■■ ■■■■■■■■ ■■■■■■ ■■■■■■■■ ■■■■■■■■ ■■■■■■ ■■■■■■■■ ■■■■■■■■.

■■■■ ■■■■ ■■■■■■■■ ■■ ■■■■■ ■■■■■■■ ■■ ■■■■■■■ ■■■■■■■■ ■■■■■■■■.

■■■■■■■: ■■■■ ■■■■ ■■■■■ ■■■■ ■■■■■ ■■■■■■■■.



2. ■■■ ■■■■ ■■■■■■ ■■■■ ■■■■■■

- ■■■■■ ■■■■■■
- ■■■■ ■■■■■■■■ ■ ■■■■■■■■ ■■■■
- ■■ ■■■■■■
- ■■ ■■■■
- ■■■■■■ ■■■■■■
- ■■■■■■ ■■ ■■■■■■■■ ■■■■ (■■■■■■ ■■■■)

3.  - Normal CXR

**□ □ □ □    □ □ □ □ □ □    □ □ □ □ □ □ □ □ □ :**

- [illegible]



# 4. PA vs AP vs Portable AP

PA: **Posteroanterior** projection. **Standard** projection. **Most common** projection. **Used for** chest X-rays. **Advantages** include **less magnification** and **less distortion** compared to AP.

AP: **Anteroposterior** projection. **Used for** chest X-rays. **Advantages** include **less magnification** and **less distortion** compared to PA.

Portable AP: **Anteroposterior** projection. **Used for** chest X-rays. **Advantages** include **less magnification** and **less distortion** compared to PA.

| PA (Posteroanterior)                                                                          | AP / Portable AP                                                                              |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|
| <b>Standard</b> projection                                                                    | <b>Standard</b> / <b>Portable</b> projection                                                  |
| <b>Used for</b> chest X-rays                                                                  | <b>Used for</b> chest X-rays                                                                  |
| <b>Advantages</b> include <b>less magnification</b> and <b>less distortion</b> compared to AP | <b>Advantages</b> include <b>less magnification</b> and <b>less distortion</b> compared to PA |

## 5. Exposure

kVp:  $\text{kVp} \propto \sqrt{\text{mAs}}$ .  $\text{kVp} \propto \sqrt{\text{mAs}}$  =  $\text{kVp} \propto \sqrt{\text{mAs}}$   
 $\text{kVp} \propto \sqrt{\text{mAs}}$ .

mAs:  $\text{mAs} \propto \text{mAs}$ .  $\text{mAs} = \text{mAs}$  noisy.

SID:  $\text{SID} \propto \text{SID}$ .  $\text{SID} \propto \text{SID}$  =  $\text{SID} \propto \text{SID}$ .

Grid:  $\text{Grid} \propto \text{Grid}$ .  $\text{Grid} \propto \text{Grid}$  AP  $\text{Grid} \propto \text{Grid}$ .

## 6. RIPE Quality Assessment - ■■■■■■ ■■■■■■ ■■■■ ■■■■■■■■■

R - Rotation: ■■■■■■ ■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■  
■■■ ■■■■ ■■■■■■.

I - Inspiration: 9-10 ■■■■■■ ■■■■■■ ■■■■ 5-6 ■■■■■■ ■■■■ ■■■■■■. ■■■■ = ■■■■■■  
■■■■■.

P - Projection: PA ■■■ AP■ ■■■ ■■■■■■

E - Exposure: ■■ ■■■■ ■■■■■■ ■■■■ ■■■■■■ ■■ ■■■■■■ ■■■■■■ ■■■■  
■■■■■■■■■



## 7. ■■■■■ ABCDE - ■■ ■■■■ ■■■■

A: Airway - ■■■■■■ ■■■■■■ ■■■■

B: Breathing - ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■

C: Cardiac - ■■■■ ■■■■■■ ■■■■■■ CTR

D: Diaphragm - ■■■■■■ ■■■■■■ ■■■■■■ ■■■■ ■■ ■■■■ ■■■■■■

E: Everything Else - ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■

## 8. ■■■■■■■■■■ ■■■■■■■■■■ - Tubes & Lines

ET Tube: ■■■■■■■■ 3-5 ■■ ■■■■ Carina.

NG Tube: ■■■■ ■■ ■■■■■■■■ ■■■■ ■■■■■■■■ ■■■■■■■■.

Central Line: ■■ SVC ■■■■ ■■ ■■■■■■■■ ■■■■■■■■.

ICD (Chest Tube): ■■■■ ■■■■■■■■ ■■■■■■■■ ■■■■ ■■■■■■■■ ■■■■■■■■ ■■■■■■■■ ■■■■■■■■.

## 9. ■■■■■■■■■■ ■■■■■■■■■■ ■■■■■■■■■■

■■■■■■■ 4 ■■■■■■ ■■■■ ■■■■:


1. Pneumonia
2. Pleural Effusion
3. Pneumothorax
4. Cardiomegaly

## 10. Pneumonia -

■■■■■ ■■■■■■■ ■■■ ■■■ ■■■■■■ ■■■■■■ ■■■■■■■ ■■■■ ■■■■■■■ ■■■ Air  
bronchograms.

■■■■■■: ■■■■ ■■■ ■■■■■■ ■■ ■■■■ ■■ ■■■■ (lobar)■ ■■ ■■■■  
 (bronchopneumonia).

Pearl: ■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■ ■■■ ■■■■ ■■■■■■ ■■■■■■.




## 11. Pleural Effusion - ■■■■■■ ■■■■■■

■■■■■ ■■■■ ■■■ ■■■ ■■■■■■■■ ■■■■■■■■ ■■■■■■■■ ■■ ■■■■■ ■■■■■ ■■  
 ■■■■■ ■■■■■■ Meniscus sign.

**REDACTED SECTION: [REDACTED] [REDACTED], [REDACTED] [REDACTED]; [REDACTED] [REDACTED] [REDACTED]  
[REDACTED].**

Pearl: ■■ ■■■ ■■■■■■■■■■ ■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■ ■■■■■ (layering).



**FIGURE 9.3 • Chest Radiograph (PA): Left Pleural Effusion**

- Blunting of the left costophrenic angle — the sharp angle is lost due to pleural fluid accumulation at the left lung base
- Meniscus sign — curved meniscal opacity along the left lateral chest wall, higher laterally, tapering medially, consistent with free-flowing pleural effusion
- Right lung is clear; right costophrenic angle is sharp and normal for comparison. Cardiac silhouette is normal in size and contour.

PA CHEST RADIOGRAPH • LEFT PLEURAL EFFUSION

## 12. Pneumothorax -

■■■■■ ■■■■ ■■■■ ■■■■ Pleural line ■■ ■■■■ ■■■■■■■■■■ ■■■■■■■■■■ ■■■■■■ ■■■■■  
 ■■■■■■■■.

**Tension:**

Pearl: ■■■■ ■■ ■■■ ■■■■■ ■■■■■■ ■■■■ ■■ ■■■■■ ■■■■■■■■ ■■ ■■■■■■.




### 13. Cardiomegaly - ■■■■■ ■■■■■

■■■■■ ■■■■■■ ■■■■ ■■■■ PA ■■■■■ AP. CTR = ■■■■ ■■■■■■ / ■■■■ ■■■■■■. >50% = ■■■■■.

■■■■■ ■■ ■■■■: ■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■ ■■■■■■.

Pearl: AP ■■■■■■■■ ■■■■■■ ■■■■■■ ■■ ■■■■ ■■■■■■ ■■ ■■■■■■ ■■■■ ■■■■ PA.



## 14. ■■■■■■■■ ■■■■■■■■

- ■■■■■■■■: ■■■■■ ■■■■■■■ ■■■■ ■■ ■■■■■ ■■■■■
- ■■■ ■■■■■■■: ■■■■■ ■■■■ ■■■ ■■■■■■■■
- ■■■ ■■■■■■■: ■■■■■ ■■■■■■■ ■■■■
- ■■■■■ ■■■■■■■: ■■■■ ■■■■■■■ ■■■■

## 15. ■■■■■ ■■■■■ - Clinical Pearls

■■■■ ■■■■■:

1. RIPE ■■■ ■■■■■■ - ■■ ■■■■ ■■■■ ■■■■■ ■■■■ ■■■■
2. ABCDE ■■■■■ ■■■■■■ - ■■■■ ■■■■■ ■■ ■■■■■■
3. ■■■■ ■■■■■■ ■■■■■■ ■■■■■■ - ■■■■ ■■■■■ ■■■■■■
4. ■■■■: ■■■■■■ ■■■■■■ ABCDE ■■■■■■

Hidden Radiology - ■■■■■■ ■■■■■■

[www.hiddenradiology.com](http://www.hiddenradiology.com) | HR-CXR-001