



LOS ANGELES FIRESTORM

Palisades & Eaton Fires — January 2025

Greater Los Angeles | Southern California



CALIFORNIA WILDFIRE INSURED LOSSES



IMPACT SUMMARY

29+	confirmed dead
12 000+	Palisades + Eaton fires
180 000	structures destroyed
37 500	~5 300 Palisades ~7 000 Eaton
\$250 B+	evacuated at peak
100+ mph	mandatory + voluntary evacuation zones
	acres burned (combined)
	Palisades 23 448 Eaton 14 117
	estimated total damages
	insured losses alone: ~\$40 B
	peak Santa Ana gusts
	relative humidity below 10%

VOICES FROM THE FIRE

- “We came back to nothing. Just the chimney was left.”
- Palisades homeowner, Jan 9
- “The hydrants just stopped. We had nothing to fight it with.”
- LAFD firefighter, Palisades

FIRE CHRONOLOGY

- Jan 7 AM ● Palisades Fire ignites; rapid spread
- Jan 7 PM ● Eaton Fire erupts near Altadena
- Jan 8 ● Hurst Fire; 80 000 under evacuation
- Jan 9 ● Palisades fire jumps I-405; 0% contained
- Jan 10 ● Kenneth Fire; death toll surpasses 10
- Jan 12 ● 150 000+ evacuated; 10 000+ structures gone
- Jan 14 ● Winds ease; first containment progress

FIRE	Santa Ana winds (NE – SW) + 8 months without rain + dense WUI vegetation = fire conditions beyond suppression capacity
WATER	Hydrants ran dry in Palisades; DWP pressure collapsed under simultaneous demand; Eaton reservoir offline during critical hours
HOUSE	12 000+ structures lost in America's most expensive metro; median Palisades home \$3.5 M; rebuilding timeline: 3–5 years
INSURE	State Farm cancelled 72 000 CA policies in 2024; FAIR Plan (insurer of last resort) \$6 B+ exposed; coverage gap widens
CLIM.	Drought → record rain → explosive growth → drought → fire: accelerating cycle; 2025 losses exceed all prior CA wildfire years combined

LEGEND	
	Major fire community
	Secondary fire
	City / landmark
	Fire perimeter
	Freeway
	Wind direction