








1. [Login](#)
2. `data_providers/{id}/browse`
3. Work on a folder:
  - a. Register the folder
  - b. Copy from S3\_DP to UserKey\_DP
  - c. DL the folder (will create a tar.gz)
4. Work on a file
  - a. Register the file
  - b. Copy from S3\_DP to UserKey\_DP (WIP) if file is in a subfolder
  - c. DL the file







1. Let the BrainPortal know what is on the DP





[datapviders/{id}/browse](#)

1. Login
2. [data\\_providers/{id}/browse](#)
3. Work on a folder:
  - a. Register the folder
  - b. Copy from S3\_DP to UK\_DP
  - c. DL the folder (will create a tar.gz)
4. Work on a file
  - a. Register the file
  - b. Copy from S3\_DP to UserKey\_DP (WIP) if file is in a subfolder
  - c. DL the file







1. Add an entry in CBRAIN DB for the folder




[datapviders/{dp\\_id}/register](#)

1. Login
2. [data\\_providers/{id}/browse](#)
3. Work on a folder:
  - a. [Register the folder](#)
  - b. Copy from S3\_DP to UserKey\_DP
  - c. DL the folder (will create a tar.gz)
4. Work on a file
  - a. Register the file
  - b. Copy from S3\_DP to UserKey\_DP (WIP) if file is in a subfolder
  - c. DL the file




1. Folder will be cached on the BrainPortal if needed

2. Folder will be copied in the UserKey\_DP







Cache





[userfiles/change\\_provider](#)

1. Login
2. `data_providers/{id}/browse`
3. Work on a folder:
  - a. Register the folder
  - b. [Copy from S3\\_DP to UserKey\\_DP](#)
  - c. DL the folder (will create a tar.gz)
4. Work on a file
  - a. Register the file
  - b. Copy from S3\_DP to UserKey\_DP (WIP) if file is in a subfolder
  - c. DL the file







1. Folder will be cached on the BrainPortal if needed



2. Download the folder as a \*.tar.gz



1. Login
2. data\_providers/{id}/browse
3. Work on a folder:
  - a. Register the folder
  - b. Copy from S3\_DP to UserKey\_DP
  - c. DL the folder (will create a tar.gz)
4. Work on a file:
  - a. Register the file
  - b. Copy from S3\_DP to UserKey\_DP (WIP) if file is in a subfolder
  - c. DL the file









1. Add an entry in CBRAIN DB for the file



[datapviders/{dp\\_id}/register](#)

1. Login
2. [data\\_providers/{id}/browse](#)
3. Work on a folder:
  - a. Register the folder
  - b. Copy from S3\_DP to UserKey\_DP
  - c. DL the folder (will create a tar.gz)
4. Work on a file
  - a. [Register the file](#)
  - b. Copy from S3\_DP to UserKey\_DP (WIP) if file is in a subfolder
  - c. DL the file









1. File will be cached on the BrainPortal if needed

2. File will be copied in the UserKey\_DP

1. Login
2. `data_providers/{id}/browse`
3. Work on a folder:
  - a. Register the folder
  - b. Copy from S3\_DP to UserKey\_DP
  - c. DL the folder (will create a tar.gz)
4. Work on a file
  - a. Register the file
  - b. Copy from S3\_DP to UserKey\_DP (WIP) if file is in a subfolder
  - c. DL the file

`userfiles/change_provider`









1. File will be cached on the BrainPortal if needed

2. Download the file

[userfiles/download](#)








1. Login
2. `data_providers/{id}/browse`
3. Work on a folder:
  - a. Register the folder
  - b. Copy from S3\_DP to UserKey\_DP
  - c. DL the folder (will create a tar.gz)
4. Work on a file
  - a. Register the file
  - b. Copy from S3\_DP to UserKey\_DP (WIP) if file is in a subfolder
  - c. [DL the file](#)





API call TBD

1. Login
2. `data_providers/{id}/browse`
3. Work on a folder:
  - a. Register the folder
  - b. Copy from S3\_DP to UK\_DP
  - c. DL the folder (will create a tar.gz)
4. Work on a file
  - a. Register the file
  - b. Copy from S3\_DP to UK\_DP (WIP) if file is in a subfolder
  - c. DL the file
5. Move without caching on BrainPortal



API call TBD

1. Login
2. `data_providers/{id}/browse`
3. Work on a folder:
  - a. Register the folder
  - b. Copy from S3\_DP to UK\_DP
  - c. DL the folder (will create a tar.gz)
4. Work on a file
  - a. Register the file
  - b. Copy from S3\_DP to UK\_DP (WIP) if file is in a subfolder
  - c. DL the file
5. Move without caching on BrainPortal