


NATALIA ANTELO CUBRÍA

LATENT

ROCK CRYSTAL RING

CONTROL IS USED TO CREATE
WHAT CONTROL WOULD USUALLY PREVENT.



I DIDN'T WANT TO REPAIR THE FRACTURES. I WANTED MORE.

The project began with a raw piece of rock crystal and a simple reversal: instead of treating internal fractures as damage, I wanted them to become an active part of the ring. Not simply accepted, but deliberately intensified.


The final object keeps the evidence of that decision inside the material. Its exterior is cut, faceted and polished; its interior remains visually unstable, crossed by fractures that catch and redirect light.



ROCK CRYSTAL / HAND-FABRICATED

FROM RAW CRYSTAL TO CONTROLLED FRACTURE

- | | | |
|----|----------------------|---|
| 01 | CUT | The ring began as a raw piece of rock crystal. I cut the material myself to establish the initial volume. |
| 02 | SHAPE + DRILL | The body was shaped and the finger opening was made using a vertical drill. |
| 03 | FACET | The exterior was faceted to create controlled planes capable of interacting strongly with light. |
| 04 | FRACTURE | Controlled thermal contrasts were used to introduce internal tension and encourage new fractures. |
| 05 | POLISH | The piece was polished to clarify the exterior surfaces while keeping the internal discontinuities visible. |





03 / MATERIAL AS INTERFACE

THE EVENT HAPPENS INSIDE.

The facets give the outside of the ring a deliberate geometry. The fractures disrupt that order from within. When light enters the crystal, it encounters both polished external planes and internal discontinuities. Reflection and refraction across these different surfaces create shifting highlights and flashes as the piece moves.

The optical effect is therefore not an applied finish. It is a direct consequence of the material transformation.

KNOWING THE MATERIAL WELL ENOUGH TO DIS

My previous engineering training influenced the way I approached the crystal: not as a passive surface, but as a material whose behaviour could inform the design decision. Technical knowledge became a way of working with tension rather than eliminating it.

There is still uncertainty in the result. The intervention is deliberate; the exact internal path of every fracture is not drawn in advance. That gap between intention and material response is what gives each view of the ring its character.



LATENT

ROCK CRYSTAL RING

MATERIAL

Rock crystal

AUTHORSHIP

100% designed and fabricated by Natalia Antelo Cubría.

PROCESS

Cutting · shaping · vertical drilling · faceting ·
controlled thermal contrast · fracturing · polishing

TECHNICAL DATA

Dimensions, weight, year, temperatures and exact
treatment parameters: pending confirmation.



**THE FRACTURE IS NOT
WHAT REMAINS AFTER THE DESIGN.
IT IS PART OF THE DESIGN.**