


Analysis of Family Exomes to Identify Mendelian Disease Genes


Claudia Gonzaga-Jauregui, PhD

Family 001




Phenotype: Scoliosis, clubfoot, skeletal dysplasia

Family 002




Phenotype: Global developmental delay; strabismus, hyperopia, cryptorchidism, epispadias

Family 003




Phenotype: Gross motor delay, global central hypotonia, mild dysmorphic facies, congenital transient torticollis

Family 004




Phenotype: Syndromic global developmental delay, decelerated head growth, ocular dysmotility, visual impairment, speech/language delay, dysmorphic features

Family 005




Phenotype: Proximal weakness, hypotonia, areflexia, hyperextensible joints

Family 006




Phenotype: Cerebellar cortical dysplasia with abnormal foliation; nystagmus; hypotonia; motor delay; joint laxity

Family 007




Phenotype: Microcephaly, microphthalmia, VSD, scoliosis, hypotonia, developmental delay

Family 008




Phenotype: Microcephaly; Cerebellar malformation; Seizures, febrile; Global developmental delay; Vision impairment, central; Hypotonia; Dystonia, generalized; Hyperreflexia; Weak cry

Family 009




Phenotype: Albinism

Family 010



Phenotype: Irritability, Developmental Delay, Low Cerebral Dopamine, Seizures

Family 011



Phenotype: High bile acids, itchiness, hypercholesterolemia