Assignment 1- Part 1 - Report

Natalie Poche

Part 1: Bandit

Level 0:





Got the password from the overthewire.org and used ssh to get into the terminal -p is a terminal flag that is used to specify the port, which was 2220 bandit0 was the given username, and the bandit.labs.overthewire.org was the hostname of the domain I was trying to get into.

Level 1:

```
bandit0@bandit:~$ ls -al
total 24
drwxr-xr-x   2 root    root    4096 Oct 14 09:25 .
drwxr-xr-x 150 root    root    4096 Oct 14 09:29 ..
-rw-r--r--   1 root    root     220 Mar 31  2024 .bash_logout
-rw-r--r--   1 root    root    3851 Oct 14 09:19 .bashrc
-rw-r--r--   1 root    root     807 Mar 31  2024 .profile
-rw-r-----   1 bandit1 bandit0  438 Oct 14 09:25 readme
bandit0@bandit:~$ cat readme
Congratulations on your first steps into the bandit game!!
Please make sure you have read the rules at https://overthewire.org/rules/
If you are following a course, workshop, walkthrough or other educational activity,
please inform the instructor about the rules as well and encourage them to
contribute to the OverTheWire community so we can keep these games free!

The password you are looking for is: ZjLjTmM6FvvyRnrb2rfNWOZOTa6ip5If

bandit0@bandit:~$
```

```
PS C:\Users\Owner\CLionProjects\CIS-4360_Computer-and-Information-Security\Assignment 1\Poche_Natalie\Part_1> ssh -p 2220 bandit1@bandit.labs.overthewire.or
g
                      _                     _ _ _
                     | |__  __ _ ._ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                    This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit1@bandit.labs.overthewire.org's password:

      .----..            .----.          .---.
     /  /  \        ,/  .`|        /. ./|
    /  .    :      ,`   .'  :    .--'.  ' ;
   .  /   ;.  \   ;    ;     /   /__./ \ : |
  .   ;   /  ` ; ;___,/    ,.--'.  '   \ ' ;
  ;   |  ; \ ; | |   :    | /___/ \ |    ' '
  |   :  | ; | ' ;   |.'  ; ;   \ \;      :
  .   |  ' ' ' : `----'  |  |  \   ; `      |
  '   ;  \; /  |     '   :  ;   .   \    .\  ;
   \  \  ',  /     |   |  '    \   \   ' \ |
    ;   :    /      '   :  |     :   '  |--"
     \   \ .'       ;   |.'      \   \ ;
  www. `---` ver     '---' he      '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.
```

Used ls -al to list all the files in the directory, -a is a flag used to list all files, even hidden ones, and -l is used to give a long list of file permissions, owner, group, size, etc. I then used cat to show the contents of the readme file which was the only file in the directory.

Level 2:

```
bandit1@bandit:~$ ls -al
total 24
-rw-r-----   1 bandit2 bandit1   33 Oct 14 09:26 -
drwxr-xr-x   2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 150 root    root    4096 Oct 14 09:29 ..
-rw-r--r--   1 root    root     220 Mar 31  2024 .bash_logout
-rw-r--r--   1 root    root    3851 Oct 14 09:19 .bashrc
-rw-r--r--   1 root    root     807 Mar 31  2024 .profile
bandit1@bandit:~$ cat ./-
263JGJPfgU6LtdEvgfWU1XP5yac29mFx
bandit1@bandit:~$
```

```
PS C:\Users\Owner\CLionProjects\CIS-4360_Computer-and-Information-Security\Assignment 1\Poche_Natalie\Part_1> ssh -p 2220 bandit2@bandit.labs.overthewire.or
g
                         _                     _ _ _
                        | |__   __ _ _ __   __| (_) |_
                        | '_ \ / _` | '_ \ / _` | | __|
                        | |_) | (_| | | | | (_| | | |_
                        |_.__/ \__,_|_| |_|\__,_|_|\__|


                      This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit2@bandit.labs.overthewire.org's password:

     ,----..            ,----,         .---.
    /   /   \       ,/   .`|        /. ./|
   /   .     :     ,`   .'  :    .--'.  ' ;
  .   /   ;.  \  ;    ;     /   /__./ \ : |
 .   ;   /  ` ; .___,/    ,.  .--'.  '   \ ' .
 ;   |  ; \ ; | |    :   | /___/ \ |    ' '
 |   :  | ; | ' ;    |.'; ; ;   \ \;      :
 .   |  ' ' ' : `----'  | | \   ;  `      |
 '   ;  \; /  |      '  : ;  .   \    .\  ;
  \   \  ',  /       |  | '    \   \   ' \ |
   ;   :    /        '  : |     :   '  |--"
    \   \ .'         ;  |.'      \   \ ;
  www. `---` ver     '---' he       '---"ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.
```

Used ls -al to get the file information and used cat ./- to call the – file.

Level 3:

```
bandit2@bandit:~$ ls -al
total 24
drwxr-xr-x   2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 150 root    root    4096 Oct 14 09:29 ..
-rw-r--r--   1 root    root     220 Mar 31  2024 .bash_logout
-rw-r--r--   1 root    root    3851 Oct 14 09:19 .bashrc
-rw-r--r--   1 root    root     807 Mar 31  2024 .profile
-rw-r-----   1 bandit3 bandit2   33 Oct 14 09:26 --spaces in this filename--
bandit2@bandit:~$ cat "./--spaces in this filename--"
MNk8KNH3Usiio41PRUEoDFPqfxLPlSmx
bandit2@bandit:~$
```

```
PS C:\Users\Owner\CLionProjects\CIS-4360_Computer-and-Information-Security\Assignment 1\Poche_Natalie\Part_1> ssh -p 2220 bandit3@bandit.labs.overthewire.or
g
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                    This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit3@bandit.labs.overthewire.org's password:

      ,----..            ,----,         .---.
     /   /   \        ,/   .`|        /. ./|
    /   .     :      ,`   .'  :    .--'.  ' ;
   .   /   ;.  \  ,`   ;    ;   /  /___/ \ : |
  .   ;   /  ` ; ;___,/    ,.--'.  '   \ ' ;
  ;   |  ; \ ; | |    :   | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \ \;      :
  .   |  ' ' ' : `----'  | | \   ; `      |
  '   ;  \; /  |      '  : ;  .   \    .\  ;
   \   \  ',  /       |  | '    \   \   ' \ |
    ;   :    ' /       '  : |     :    '  |--"
     \   \ .'         ;  |.'      \   \ ;
  www. `---` ver      '---' he       '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.
```

Used ls -al to view all files in the directory and their information. Then used cat with quotation marks around to the file because the file had spaces.

Level 4:

```
bandit3@bandit:~$ ls -al
total 24
drwxr-xr-x   3 root root 4096 Oct 14 09:26 .
drwxr-xr-x 150 root root 4096 Oct 14 09:29 ..
-rw-r--r--   1 root root  220 Mar 31  2024 .bash_logout
-rw-r--r--   1 root root 3851 Oct 14 09:19 .bashrc
drwxr-xr-x   2 root root 4096 Oct 14 09:26 inhere
-rw-r--r--   1 root root  807 Mar 31  2024 .profile
bandit3@bandit:~$ cd inhere/
bandit3@bandit:~/inhere$ ls -al
total 12
drwxr-xr-x 2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 3 root    root    4096 Oct 14 09:26 ..
-rw-r----- 1 bandit4 bandit3   33 Oct 14 09:26 ...Hiding-From-You
bandit3@bandit:~/inhere$ cat ...Hiding-From-You
2WmrDFRmJIq3IPxneAaMGhap0pFhF3NJ
bandit3@bandit:~/inhere$
```

```
PS C:\Users\Owner\CLionProjects\CIS-4360_Computer-and-Information-Security\Assignment 1\Poche_Natalie\Part_1> ssh -p 2220 bandit4@bandit.labs.overthewire.or
g
                         _                     _ _ _
                        | |__   __ _ _ __   __| (_) |_
                        | '_ \ / _` | '_ \ / _` | | __|
                        | |_) | (_| | | | | (_| | | |_
                        |_.__/ \__,_|_| |_|\__,_|_|\__|


                      This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit4@bandit.labs.overthewire.org's password:

      ,----..            ,----,          .---.
     /   /   \        ,/   .`|         /. ./|
    /   .     :      ,`   .'  :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ;  .'___,/    ,' .--'.  '   \ ' ;
  ;   |  ; \ ; | |    :    | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \  \;      :
  .   |  ' ' ' : `----'  |  | \   ;  `      |
  '   ;  \; /  |      '   :  ;   .   \    .\  ;
   \  \  ',  /      |   |  '    \   \   ' \ |
    ;   :    /       '   :  |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---"ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.
```

Used ls -al to see the files and their information in the current directory, used cd and ls -al to navigate to the inhere directory as well as see what files were in that directory. Used cat with …Hiding-From-You, because of the hidden file structure that comes with leading dots.

Level 5:

```
bandit4@bandit:~$ ls -al
total 24
drwxr-xr-x   3 root root 4096 Oct 14 09:26 .
drwxr-xr-x 150 root root 4096 Oct 14 09:29 ..
-rw-r--r--   1 root root  220 Mar 31  2024 .bash_logout
-rw-r--r--   1 root root 3851 Oct 14 09:19 .bashrc
drwxr-xr-x   2 root root 4096 Oct 14 09:26 inhere
-rw-r--r--   1 root root  807 Mar 31  2024 .profile
bandit4@bandit:~$ cd inhere/
bandit4@bandit:~/inhere$ ls -al
total 48
drwxr-xr-x 2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 3 root    root    4096 Oct 14 09:26 ..
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file00
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file01
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file02
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file03
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file04
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file05
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file06
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file07
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file08
-rw-r----- 1 bandit5 bandit4   33 Oct 14 09:26 -file09
bandit4@bandit:~/inhere$ file ./-*
./-file00: data
./-file01: data
./-file02: data
./-file03: data
./-file04: data
./-file05: data
./-file06: data
./-file07: ASCII text
./-file08: data
./-file09: data
bandit4@bandit:~/inhere$ cat ./-file07
4oQYVPkxZOOEOO5pTW81FB8j8lxXGUQw
bandit4@bandit:~/inhere$
```

```
PS C:\Users\Owner\CLionProjects\CIS-4360_Computer-and-Information-Security\Assignment 1\Poche_Natalie\Part_1> ssh -p 2220 bandit5@bandit.labs.overthewire.or
g
                         _                     _ _ _
                        | |__   __ _ _ __   __| (_) |_
                        | '_ \ / _` | '_ \ / _` | | __|
                        | |_) | (_| | | | | (_| | | |_
                        |_.__/ \__,_|_| |_|\__,_|_|\__|


                      This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit5@bandit.labs.overthewire.org's password:

      ,----..            ,----,          .---.
     /   /   \        ,/   .`|         /. ./|
    /   .     :      ,`   .'  :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ;  .'___,/    ,  .__.  .   \' .
  ;   |  ; \ ; | |    :    | /___/ \ |    ' '
  |   :  | ; | ' ;    |.';  ; ;   \ \;      :
  .   |  ' ' ' : `----'  |  | \   ;  `      |
  '   ;  \; /  |      '   :  ;   .   \    .\  ;
   \   \  ',  /      |   |  '    \   \   ' \ |
    ;   :    /       '   :  |     :   '  |--"
     \   \ .'        ;   |.'       \   \ ;
  www. `---` ver     '---' he       '---" ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.
```

Used file ./* to view the data types in the different directories where file is used to determine the file type, ./ is to specify that we are looking in the current directory, and * is a wildcard that specifies that we are looking at everything in the directory. Used cat to print out the directory with the file that uses ASCII text, which are characters.

Level 6:

```
bandit5@bandit:~$ ls -al
total 24
drwxr-xr-x   3 root root    4096 Oct 14 09:26 .
drwxr-xr-x 150 root root    4096 Oct 14 09:29 ..
-rw-r--r--   1 root root     220 Mar 31  2024 .bash_logout
-rw-r--r--   1 root root    3851 Oct 14 09:19 .bashrc
drwxr-x---  22 root bandit5 4096 Oct 14 09:26 inhere
-rw-r--r--   1 root root     807 Mar 31  2024 .profile
bandit5@bandit:~$ cd inhere/
bandit5@bandit:~/inhere$ ls -al
total 88
drwxr-x--- 22 root bandit5 4096 Oct 14 09:26 .
drwxr-xr-x  3 root root    4096 Oct 14 09:26 ..
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere00
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere01
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere02
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere03
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere04
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere05
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere06
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere07
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere08
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere09
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere10
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere11
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere12
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere13
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere14
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere15
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere16
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere17
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere18
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 maybehere19
bandit5@bandit:~/inhere$ find . -type f -size 1033c ! -executable
./maybehere07/.file2
bandit5@bandit:~/inhere$ cat ./maybehere07/.file2
HWasnPhtq9AVKe0dmk45nxy20cvUa6EG
```

```
PS C:\Users\Owner\CLionProjects\CIS-4360_Computer-and-Information-Security\Assignment 1\Poche_Natalie\Part_1> ssh -p 2220 bandit6@bandit.labs.overthewire.or
g
                         _                                  _ _ _
                        | |__   __ _ _ __   __| (_) |_
                        | '_ \ / _` | '_ \ / _` | | __|
                        | |_) | (_| | | | | (_| | | |_
                        |_.__/ \__,_|_| |_|\__,_|_|\__|


                      This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit6@bandit.labs.overthewire.org's password:

      ,----..            ,----,          .---.
     /   /   \         ,/   .`|         /. ./|
    /   .     :      ,`   .'  :     .--'.  ' ;
   .   /   ;.  \   ;    ;     /    /__./ \ : |
  .   ;   /  ` ; ,---,/    ,  .--'.  '   \ ' .
  ;   |  ; \ ; | |   :    | /___/ \ |    ' '
  |   :  | ; | ' ;   |.'  ; ;   \  \;      :
  .   |  ' ' ' : `----'  |  | \   ;  `      |
  '   ;  \; /  |      '  :  ;  .   \    .\  ;
   \   \  ',  /      |  |  '    \   \   ' \ |
    ;   :    /       '  :  |     :   '  |--"
     \   \ .'        ;  |.'       \   \ ;
  www. `---` ver     '---' he       '---"ire.org


Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.
```

Used find . -type f -size 1033c ! -executable where find is used to search in the current directories and subfolder, -type f to specify that we are looking for a file not a directory, -size 1033c is to specify that we are looking for a file that is 1033 bytes in size, and ! -executable specifies that we are looking for files without execution permissions. Then used cat to print out the file that matched the criteria.