



VCC = battery voltage
RA1A,B: RA1 resistor array 510R
RA2A,B: RA2 resistor array 15R
VR1 10K x2
EM1-5 1000Ω1000MHz ferrite bead


NatalieTheNerd.com

Sheet: /CGB_Sound/

File: CGB_Sound.kicad_sch

Title: CGB Reverse Engineer

Size: A4	Date:	Rev:
KiCad E.D.A. 9.0.6		Id: 2/7



NatalieTheNerd.com

Sheet: /CGB_Controls/

File: CGB_Controls.kicad_sch

Title: CGB Reverse Engineer


Size: A4

Date:

KiCad E.D.A. 9.0.6

Rev:

Id: 3/7



NOTES:

FB1 600Ω100MHz ferrite bead array
EM9 1000Ω 1000MHz ferrite bead

NatalieTheNerd.com

Sheet: /CGB_Serial/

File: CGB_Serial.kicad_sch

Title: CGB Reverse Engineer

Size: A4


Date:

KiCad E.D.A. 9.0.6

Rev:

Id: 4/7


IR diode circuit



NOTES:

D3 Infrared Emitting Diode
Q3,4 NPN transistor
Q5 photo transistor

photo transistor circuit



NatalieTheNerd.com

Sheet: /CGB_IR/

File: CGB_IR.kicad_sch

Title: CGB Reverse Engineer

Size: A4

Date:


KiCad E.D.A. 9.0.6

Rev:

Id: 5/7

NOTES:

D1 Zener diode
Q1 PNP transistor
U9 HN1L02FU transistor array
U10 UMZ2N dual transistors



NatalieTheNerd.com

Sheet: /CGB_Screen/
File: cgb_screen.kicad_sch

Title: CGB Reverse Engineer


Size: A4

Date:

KiCad E.D.A. 9.0.6

Rev:

Id: 6/7



NOTES:

VCC = battery voltage
 EM10 Common mode filter
 F1,2 fuse 1A 50V
 EM6-8 220Ω@100MHz ferrite bead
 Q2 NPN transistor
 D2 80V 1.2V@100mA

NatalieTheNerd.com

Sheet: /CGB_Power/

File: cgb_power.kicad_sch

Title: CGB Reverse Engineer

Size: A4

Date:

KiCad E.D.A. 9.0.6

Rev:

Id: 7/7