urllib.error.HTTPError

urllib.error.HTTPError: HTTP Error 500: INTERNAL SERVER ERROR

Traceback (most recent call last)

File "/usr/local/lib/python3.7/site-packages/flask/app.py", line *2464*, in __call__

```
    def __call__(self, environ, start_response):
        """The WSGI server calls the Flask application object as
the
        WSGI application. This calls :meth:`wsgi_app` which can
be
        wrapped to applying middleware."""
        return self.wsgi_app(environ, start_response)

    def __repr__(self):
        return "<%s %r>" % (self.__class__.__name__, self.name)
```

File "/usr/local/lib/python3.7/site-packages/flask/app.py", line *2450*, in wsgi_app

```
    response = self.handle_exception(e)
```

File "/usr/local/lib/python3.7/site-packages/flask/app.py", line *1867*, in handle_exception

```
    reraise(exc_type, exc_value, tb)
```

File "/usr/local/lib/python3.7/site-packages/flask/_compat.py", line *39*, in reraise

```
    raise value
```

File "/usr/local/lib/python3.7/site-packages/flask/app.py", line *2447*, in wsgi_app

```
    response = self.full_dispatch_request()
```

File "/usr/local/lib/python3.7/site-packages/flask/app.py", line *1952*, in full_dispatch_request

```
    rv = self.handle_user_exception(e)
```

File "/usr/local/lib/python3.7/site-packages/flask/app.py", line *1821*, in handle_user_exception

```
    reraise(exc_type, exc_value, tb)
```

File "/usr/local/lib/python3.7/site-packages/flask/_compat.py", line *39*, in reraise

```
    raise value
```

File "/usr/local/lib/python3.7/site-packages/flask/app.py", line *1950*, in

```
full_dispatch_request
    rv = self.dispatch_request()
```

File "/usr/local/lib/python3.7/site-packages/flask/app.py", line *1936*, in dispatch_request

```
    return self.view_functions[rule.endpoint](**req.view_args)
```

File "/app/app/front/run_front_server.py", line *54*, in predict_form

```
    response = str(get_prediction(data['posts']))
```

File "/app/app/front/run_front_server.py", line *32*, in get_prediction

```
    response = urllib.request.urlopen(req, jsondataasbytes)
```

File "/usr/local/lib/python3.7/urllib/request.py", line *222*, in urlopen

```
    return opener.open(url, data, timeout)
```

File "/usr/local/lib/python3.7/urllib/request.py", line *531*, in open

```
    response = meth(req, response)
```

File "/usr/local/lib/python3.7/urllib/request.py", line *641*, in http_response

```
    'http', request, response, code, msg, hdrs)
```

File "/usr/local/lib/python3.7/urllib/request.py", line *569*, in error

```
    return self._call_chain(*args)
```

File "/usr/local/lib/python3.7/urllib/request.py", line *503*, in _call_chain

```
    result = func(*args)
```

File "/usr/local/lib/python3.7/urllib/request.py", line *649*, in http_error_default

```
    raise HTTPError(req.full_url, code, msg, hdrs, fp)
```

urllib.error.HTTPError: HTTP Error 500: INTERNAL SERVER ERROR

The debugger caught an exception in your WSGI application. You can now look at the traceback which led to the error.

To switch between the interactive traceback and the plaintext one, you can click on the "Traceback" headline. From the text traceback you can also create a paste of it. For code execution mouse-over the frame you want to debug and click on the console icon on the right side.

You can execute arbitrary Python code in the stack frames and there are some extra helpers available for introspection:

- `dump()` shows all variables in the frame
- `dump(obj)` dumps all that's known about the object

Brought to you by **DON'T PANIC**, your friendly Werkzeug powered traceback interpreter.