TaskmanagerApplication ×

Console ⊙ Actuator

2025-04-17T20:32:45.874+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-2] o.s.security.web.FilterChainProxy   : Securing GET /error
2025-04-17T20:32:45.876+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-2] o.s.s.w.a.AnonymousAuthenticationFilter : Set SecurityContextHolder to anonymous SecurityContext
2025-04-17T20:32:45.905+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-2] o.s.s.w.s.HttpSessionRequestCache   : Saved request http://localhost:8080/error?continue to session
2025-04-17T20:33:44.412+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-3] o.s.security.web.FilterChainProxy   : Securing GET /tasks
Request: GET /tasks
Authorization Header: null
Decoded Auth:
2025-04-17T20:33:44.413+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-3] o.s.s.w.a.AnonymousAuthenticationFilter : Set SecurityContextHolder to anonymous SecurityContext
2025-04-17T20:33:44.414+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-3] o.s.s.w.s.HttpSessionRequestCache   : Saved request http://localhost:8080/tasks?continue to session
2025-04-17T20:33:44.414+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-3] o.s.security.web.FilterChainProxy   : Securing GET /error
2025-04-17T20:33:44.414+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-3] o.s.s.w.a.AnonymousAuthenticationFilter : Set SecurityContextHolder to anonymous SecurityContext
2025-04-17T20:33:44.415+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-3] o.s.s.w.s.HttpSessionRequestCache   : Saved request http://localhost:8080/error?continue to session
2025-04-17T20:35:08.005+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-6] o.s.security.web.FilterChainProxy   : Securing GET /tasks
Request: GET /tasks
Authorization Header: Basic dXNlcjp1c2VycGFzcw==
Decoded Auth: user:userpass
2025-04-17T20:35:08.063+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-6] o.s.s.a.dao.DaoAuthenticationProvider   : Authenticated user
2025-04-17T20:35:08.063+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-6] o.s.s.w.a.www.BasicAuthenticationFilter : Set SecurityContextHolder to UsernamePasswordAuthenticationToken [Principal=org.springframework
.security.core.userdetails.User [Username=user, Password=[PROTECTED], Enabled=true, AccountNonExpired=true, CredentialsNonExpired=true, AccountNonLocked=true, Granted Authorities=[ROLE_USER]],
 Credentials=[PROTECTED], Authenticated=true, Details=WebAuthenticationDetails [RemoteIpAddress=0:0:0:0:0:0:0:1, SessionId=47BDE3A1E4785611D57492E0FD1F580B], Granted Authorities=[ROLE_USER]]
2025-04-17T20:35:08.064+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-6] o.s.security.web.FilterChainProxy   : Secured GET /tasks
2025-04-17T20:35:08.065+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-6] o.s.web.servlet.DispatcherServlet   : GET "/tasks", parameters={}
2025-04-17T20:35:08.066+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-6] s.w.s.m.m.a.RequestMappingHandlerMapping : Mapped to ru.natali.taskmanager.controller.TaskWebController#showTasks(Model)
Hibernate: select t1_0.id,t1_0.created_at,t1_0.description,t1_0.name from task t1_0
2025-04-17T20:35:08.163+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-6] o.s.w.s.v.ContentNegotiatingViewResolver : Selected '*/*' given [*/*]
2025-04-17T20:35:08.337+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-6] o.s.web.servlet.DispatcherServlet   : Completed 200 OK
2025-04-17T20:40:20.910+03:00 DEBUG 17668 --- [Taskmanager] [nio-8080-exec-9] o.s.security.web.FilterChainProxy   : Securing GET /tasks
Request: GET /tasks

Postman по умолчанию интерпретировал ответ как HTML, но мне захотелось JSON.

От admin работает:


```
2025-04-17T20:45:00.824+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-6] o.s.security.web.FilterChainProxy        : Securing GET /tasks
Request: GET /tasks
Authorization Header: Basic YWRtaW46YWRtaW5wYXNz
Decoded Auth: admin:adminpass
2025-04-17T20:45:00.885+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-6] o.s.s.a.dao.DaoAuthenticationProvider    : Authenticated user
2025-04-17T20:45:00.885+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-6] o.s.s.w.a.www.BasicAuthenticationFilter  : Set SecurityContextHolder to UsernamePasswordAuthenticationToken [Principal=org.springframework
.security.core.userdetails.User [Username=admin, Password=[PROTECTED], Enabled=true, AccountNonExpired=true, CredentialsNonExpired=true, AccountNonLocked=true, Granted Authorities=[ROLE_ADMIN]],
 Credentials=[PROTECTED], Authenticated=true, Details=WebAuthenticationDetails [RemoteIpAddress=0:0:0:0:0:0:0:1, SessionId=BAE4A2A2B43EE4911E43FC92234A1424], Granted Authorities=[ROLE_ADMIN]]
2025-04-17T20:45:00.885+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-6] o.s.security.web.FilterChainProxy        : Secured GET /tasks
2025-04-17T20:45:00.885+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-6] o.s.web.servlet.DispatcherServlet        : GET "/tasks", parameters={}
2025-04-17T20:45:00.885+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-6] s.w.s.m.m.a.RequestMappingHandlerMapping : Mapped to ru.natali.taskmanager.controller.TaskWebController#showTasks(Model)
Hibernate: select t1_0.id,t1_0.created_at,t1_0.description,t1_0.name from task t1_0
2025-04-17T20:45:00.889+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-6] o.s.w.s.v.ContentNegotiatingViewResolver : Selected '*/*' given [*/*]
2025-04-17T20:45:00.896+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-6] o.s.web.servlet.DispatcherServlet        : Completed 200 OK
2025-04-17T20:47:19.473+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-9] o.s.security.web.FilterChainProxy        : Securing GET /api/tasks
Request: GET /api/tasks
Authorization Header: Basic YWRtaW46YWRtaW5wYXNz
Decoded Auth: admin:adminpass
2025-04-17T20:47:19.532+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-9] o.s.s.a.dao.DaoAuthenticationProvider    : Authenticated user
2025-04-17T20:47:19.532+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-9] o.s.s.w.a.www.BasicAuthenticationFilter  : Set SecurityContextHolder to UsernamePasswordAuthenticationToken [Principal=org.springframework
.security.core.userdetails.User [Username=admin, Password=[PROTECTED], Enabled=true, AccountNonExpired=true, CredentialsNonExpired=true, AccountNonLocked=true, Granted Authorities=[ROLE_ADMIN]],
 Credentials=[PROTECTED], Authenticated=true, Details=WebAuthenticationDetails [RemoteIpAddress=0:0:0:0:0:0:0:1, SessionId=BAE4A2A2B43EE4911E43FC92234A1424], Granted Authorities=[ROLE_ADMIN]]
2025-04-17T20:47:19.532+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-9] o.s.security.web.FilterChainProxy        : Secured GET /api/tasks
2025-04-17T20:47:19.532+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-9] o.s.web.servlet.DispatcherServlet        : GET "/api/tasks", parameters={}
2025-04-17T20:47:19.533+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-9] s.w.s.m.m.a.RequestMappingHandlerMapping : Mapped to ru.natali.taskmanager.controller.TaskWebController#getTasksAsJson()
```

От viewer работает:

```
2025-04-17T20:47:19.540+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-9] m.m.a.RequestResponseBodyMethodProcessor : Using 'application/json', given [application/json] and supported [application/json]
2025-04-17T20:47:19.544+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-9] m.m.a.RequestResponseBodyMethodProcessor : Writing [[ru.natali.taskmanager.model.Task@5fef34c2, ru.natali.taskmanager.model.Task@6b025f8b,
    ru.natali.tas (truncated)...]
2025-04-17T20:47:19.571+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-9] o.s.web.servlet.DispatcherServlet        : Completed 200 OK
2025-04-17T20:52:38.600+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-1] o.s.security.web.FilterChainProxy         : Securing GET /api/tasks
Request: GET /api/tasks
Authorization Header: Basic dmlld2VyOnZpZXdlcnBhc3M=
Decoded Auth: viewer:viewerpass
2025-04-17T20:52:38.659+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-1] o.s.s.a.dao.DaoAuthenticationProvider     : Authenticated user
2025-04-17T20:52:38.659+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-1] o.s.s.w.a.www.BasicAuthenticationFilter   : Set SecurityContextHolder to UsernamePasswordAuthenticationToken [Principal=org.springframework
 .security.core.userdetails.User [Username=viewer, Password=[PROTECTED], Enabled=true, AccountNonExpired=true, CredentialsNonExpired=true, AccountNonLocked=true, Granted Authorities=[ROLE_VIEWER]],
 Credentials=[PROTECTED], Authenticated=true, Details=WebAuthenticationDetails [RemoteIpAddress=0:0:0:0:0:0:0:1, SessionId=BAE4A2A2B43EE4911E43FC92234A1424], Granted Authorities=[ROLE_VIEWER]]
2025-04-17T20:52:38.659+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-1] o.s.security.web.FilterChainProxy         : Secured GET /api/tasks
2025-04-17T20:52:38.659+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet         : GET "/api/tasks", parameters={}
2025-04-17T20:52:38.660+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-1] s.w.s.m.m.a.RequestMappingHandlerMapping  : Mapped to ru.natali.taskmanager.controller.TaskWebController#getTasksAsJson()
Hibernate: select t1_0.id,t1_0.created_at,t1_0.description,t1_0.name from task t1_0
2025-04-17T20:52:38.662+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-1] m.m.a.RequestResponseBodyMethodProcessor : Using 'application/json', given [application/json] and supported [application/json]
2025-04-17T20:52:38.663+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-1] m.m.a.RequestResponseBodyMethodProcessor : Writing [[ru.natali.taskmanager.model.Task@2683b2a8, ru.natali.taskmanager.model.Task@7846357f,
    ru.natali.tas (truncated)...]
2025-04-17T20:52:38.664+03:00 DEBUG 10696 --- [Taskmanager] [nio-8080-exec-1] o.s.web.servlet.DispatcherServlet         : Completed 200 OK
```