


Страница с логином:



Pizzeria Login

localhost:8080

Pizzeria Login

Pizzeria Management System

Username: admin

Password:

Log In

Don't have an account? [Sign up](#)

В случае успеха переходим на страницу с меню пиццерии: (работает кнопка Выйти – направляет на страницу логина обратно)

1

Меню пиццерии

localhost:8080

Меню пиццерии

Выйти

Наше меню



Маргарита
Классическая пицца с томатным соусом и сыром моцарелла
Время приготовления: 15 мин
450.0 Р



Пепперони
Острая пицца с колбасками пепперони и сыром
Время приготовления: 15 мин
550.0 Р



Гавайская
Пицца с ветчиной и ананасами
Время приготовления: 15 мин
580.0 Р



Четыре сыра
Пицца с сырами моцарелла, пармезан, дор блю и чеддер
Время приготовления: 15 мин
650.0 Р



Грибная
Пицца с шампиньонами и сыром
Время приготовления: 15 мин
520.0 Р



Diablo
Острая пицца с перцем чили
Время приготовления: 15 мин
600.0 Р

Создание нового вида пиццы (его фото Diablo появилось в меню самое последнее):

POST localhost:8080/api/p... x +

POST http://localhost:8080/api/pizzas

Params Headers 1 Auth ● Body ●

```
1 {
2   "name": "Diablo",
3   "description": "Острая пицца с перцем чили",
4   "price": 600,
5   "available": true,
6   "imageUrl": "diablo.jpg",
7   "cookingTimeMin": 15,
8   "category": "Острые",
9   "ingredients": [
10    {
11      "ingredientId": 1,
12      "quantity": 0.2
13    },
14    {
15      "ingredientId": 2,
16      "quantity": 0.15
17    },
18    {
19      "ingredientId": 6,
20      "quantity": 0.2
21    },
22    {
23      "ingredientId": 8,
24      "quantity": 0.15
25    }
26  ]
27 }
```

Request POST Response 201

▶ HTTP/1.1 201 Created (10 headers)

```
1 {
2   "id": 384,
3   "name": "Diablo",
4   "description": "Острая пицца с перцем чили",
5   "price": 600,
6   "available": true,
7   "imageUrl": "diablo.jpg",
8   "cookingTimeMin": 15,
9   "category": "Острые",
10  "ingredients": null
11 }
```

Создание нового заказчика:

POST localhost:8080/api/c... x +

POST http://localhost:8080/api/customers

Params Headers 1 Auth Body

```
1 {
2   "name": "Грибов Иван Иванович",
3   "phone": "+79161277767",
4   "address": "г. Москва, ул. Ленина, д. 70, кв. 15",
5   "email": "grib@example.com"
6 }
7
```

Request POST Response 200

HTTP/1.1 200 OK (10 headers)

```
1 {
2   "id": 156,
3   "name": "Грибов Иван Иванович",
4   "phone": "+79161277767",
5   "address": "г. Москва, ул. Ленина, д. 70, кв. 15",
6   "email": "grib@example.com",
7   "active": null,
8   "registrationDate": null
9 }
```

Новый заказчик появился в таблице:

index.html login.html customers x API requestCustomers.http

4 rows

Tx: Auto DDL

CSV

WHERE ORDER BY

	id	name	phone	address	email	registration_date	active
1	1	Иванов Петр Сергеевич	+79161234567	г. Москва, ул. Ленина, д. 10, кв. 25	ivanov@example.com	2025-06-25 05:31:59.484115 +00:00	true
2	2	Смирнова Анна Владимировна	+79261234567	г. Москва, пр-т Мира, д. 42, кв. 12	smirnova@example.com	2025-06-25 05:31:59.484115 +00:00	true
3	3	Кузнецов Дмитрий Иванович	+79031234567	г. Москва, ул. Пушкина, д. 5	kuznetsov@example.com	2025-06-25 05:31:59.484115 +00:00	true
4	156	Грибов Иван Иванович	+79161277767	г. Москва, ул. Ленина, д. 70, кв. 15	grib@example.com	<null>	<null>

Создание нового заказа:

POST localhost:8080/api/o... x +

POST http://localhost:8080/api/orders

Params Headers 1 Auth Body

```
1 {
2   "customerId": 2,
3   "status": "NEW",
4   "totalPrice": 750.00,
5   "deliveryAddress": "г. Москва, пр-т Мира, д. 42,
  кв. 12",
6   "paymentMethod": "CARD",
7   "paymentStatus": "PENDING",
8   "items": [
9     {
10      "pizzaId": 1,
11      "quantity": 1,
12      "price": 450.00
13    },
14    {
15      "pizzaId": 2,
16      "quantity": 1,
17      "price": 300.00,
18      "specialRequests": "Без лука"
19    }
20  ]
21 }
22
```

Request POST Response 200

HTTP/1.1 200 OK (10 headers)

```
1 {
2   "id": 202,
3   "customerId": 2,
4   "orderDate": "2025-06-28T12:16:13.3090472+03:00",
5   "status": "NEW",
6   "totalPrice": 750,
7   "deliveryAddress": "г. Москва, пр-т Мира, д. 42, кв. 12",
8   "deliveryNotes": null,
9   "paymentMethod": "CARD",
10  "paymentStatus": "PENDING",
11  "items": [
12    {
13      "id": 96,
14      "pizzaId": 1,
15      "quantity": 1,
16      "price": 450,
17      "specialRequests": null
18    },
19    {
20      "id": 97,
21      "pizzaId": 2,
22      "quantity": 1,
23      "price": 300,
24      "specialRequests": "Без лука"
25    }
26  ]
27 }
```

Этот же заказ в IDE: есть запись в БД, KafkaConsumerService вывел сообщение.

Pizzeria

Version control

PizzeriaApplication

index.html

PizzeriaApplication.java

pizzas

API requestPizzas.http

KafkaConsumerService.java

orders

API requestOrders.http

4 rows

Tx: Auto

DDL

CSV

WHERE

ORDER BY

	id	customer_id	order_date	status	total_price	delivery_address	delivery_notes	payment_method	payment_status
1	1	1	2025-06-25 05:31:59.501709 +00:00	DELIVERED	1450	г. Москва, ул. Ленина, д. 10, кв. 25	<null>	CARD	PAID
2	2	2	2025-06-25 05:31:59.501709 +00:00	IN_PROGRESS	1100	г. Москва, пр-т Мира, д. 42, кв. 12	<null>	CASH	PENDING
3	3	3	2025-06-25 05:31:59.501709 +00:00	NEW	650	г. Москва, ул. Пушкина, д. 5	<null>	CARD	PAID
4	202	2	2025-06-28 09:16:13.309047 +00:00	NEW	750	г. Москва, пр-т Мира, д. 42, кв. 12	<null>	CARD	PENDING

PizzeriaApplication

Console

Actuator

```
ssl.keystore.type = JKS
ssl.protocol = TLSv1.3
ssl.provider = null
ssl.secure.random.implementation = null
ssl.trustmanager.algorithm = PKIX
ssl.truststore.certificates = null
ssl.truststore.location = null
ssl.truststore.password = null
ssl.truststore.type = JKS
transaction.timeout.ms = 60000
transactional.id = null
value.serializer = class org.springframework.kafka.support.serializer.JsonSerializer

12:16:13.326 [http-nio-8080-exec-2] INFO  o.a.k.c.t.i.KafkaMetricsCollector - initializing Kafka metrics collector
12:16:13.332 [http-nio-8080-exec-2] INFO  o.a.k.clients.producer.KafkaProducer - [Producer clientId=Pizzeria-producer-1] Instantiated an idempotent producer.
12:16:13.340 [http-nio-8080-exec-2] INFO  o.a.kafka.common.utils.AppInfoParser - Kafka version: 3.9.1
12:16:13.340 [http-nio-8080-exec-2] INFO  o.a.kafka.common.utils.AppInfoParser - Kafka commitId: f745dfdcee2b9851
12:16:13.340 [http-nio-8080-exec-2] INFO  o.a.kafka.common.utils.AppInfoParser - Kafka startTimeMs: 1751102173340
12:16:13.344 [kafka-producer-network-thread | Pizzeria-producer-1] INFO  org.apache.kafka.clients.Metadata - [Producer clientId=Pizzeria-producer-1] Cluster ID: g-DIXY36Sq6TugTEzXW65Q
12:16:13.459 [kafka-producer-network-thread | Pizzeria-producer-1] INFO  o.a.k.c.p.i.TransactionManager - [Producer clientId=Pizzeria-producer-1] ProducerId set to 6000 with epoch 0
12:16:13.485 [org.springframework.kafka.KafkaListenerEndpointContainer#1-0-C-1] INFO  r.n.p.s.kafka.KafkaConsumerService - Received Order Created Event: OrderEvent(orderId=202, customerId=2, customerName=Смирнова Анна Владимировна, status=NEW, eventTime=2025-06-28T09:16:13.317047600Z, totalPrice=750.0)
```

Удаление заказчика:

DEL localhost:8080/api/cu... x +

DELETE http://localhost:8080/api/customers/156 Send

Params Headers 1 Auth Body

1
2

Request DELETE Response 204

HTTP/1.1 204 No Content

Cache-Control	no-cache, no-store, max-age=0, must-revalidate
Connection	close
Date	Sat, 28 Jun 2025 09:39:54 GMT
Expires	0
Pragma	no-cache
X-Content-Type-Options	nosniff
X-Frame-Options	DENY
X-Xss-Protection	0

Обновление существующего заказа:

PUT localhost:8080/api/or... x +

PUT `http://localhost:8080/api/orders/202`

Params Headers 1 Auth ● Body ●

```
1 {
2   "customerId": 1,
3   "status": "NEW",
4   "totalPrice": 1200.00,
5   "deliveryAddress": "г. Москва, ул. 8Марта, д. 3,
6     кв. 5",
7   "paymentMethod": "CASH",
8   "paymentStatus": "PENDING",
9   "items": [
10    {
11      "pizzaId": 1,
12      "quantity": 2,
13      "price": 890.00
14    },
15    {
16      "pizzaId": 1,
17      "quantity": 1,
18      "price": 310.00,
19      "specialRequests": "Без лука"
20    }
21  ]
22 }
```

Request PUT Response 200

▶ HTTP/1.1 200 OK (10 headers)

```
1 {
2   "id": 202,
3   "customerId": 2,
4   "orderDate": null,
5   "status": "NEW",
6   "totalPrice": 1200,
7   "deliveryAddress": "г. Москва, ул. 8Марта, д. 3, кв. 5",
8   "deliveryNotes": null,
9   "paymentMethod": "CASH",
10  "paymentStatus": "PENDING",
11  "items": [
12    {
13      "id": 103,
14      "pizzaId": 1,
15      "quantity": 2,
16      "price": 890,
17      "specialRequests": null
18    },
19    {
20      "id": 104,
21      "pizzaId": 1,
22      "quantity": 1,
23      "price": 310,
24      "specialRequests": "Без лука"
25    }
26  ]
27 }
```


Это же обновление существующего заказа в IDE в базе данных:

WHERE ORDER BY						
	total_price	delivery_address	delivery_notes	payment_method	payment_status	
	1450	г. Москва, ул. Ленина, д. 10, кв. 25	<null>	CARD	PAID	
	1100	г. Москва, пр-т Мира, д. 42, кв. 12	<null>	CASH	PENDING	
	650	г. Москва, ул. Пушкина, д. 5	<null>	CARD	PAID	
	1200	г. Москва, ул. 8Марта, д. 3, кв. 5	<null>	CASH	PENDING	

Статистика JaCoCo:

Pizzeria

Element	Missed Instructions	Cov.	Missed Branches	Cov.	Missed	Cxty	Missed	Lines	Missed	Methods	Missed	Classes
ru.natali.pizzeria.service		47 %		50 %	42	69	86	182	32	55	2	5
ru.natali.pizzeria.controller		20 %		0 %	24	35	56	74	23	34	3	8
ru.natali.pizzeria.mapper		80 %		50 %	66	104	64	305	1	37	1	8
ru.natali.pizzeria.service.impl		51 %		20 %	15	25	21	54	7	15	0	1
ru.natali.pizzeria.exception		60 %		50 %	13	27	27	64	11	24	5	11
ru.natali.pizzeria.service.kafka		7 %		n/a	6	8	27	29	6	8	1	2
ru.natali.pizzeria.model		18 %		0 %	13	14	12	15	8	9	2	3
ru.natali.pizzeria.config		90 %		n/a	3	19	8	57	3	19	2	6
ru.natali.pizzeria		37 %		n/a	1	2	2	3	1	2	0	1
ru.natali.pizzeria.security		100 %		n/a	0	16	0	33	0	16	0	2
Total	1 354 of 3 303	59 %	111 of 198	43 %	183	319	303	816	92	219	16	47

Тесты:

Project ▾ index.html login.html x

Run pizzeria in Pizzeria x

loadUserByUsername_Sho 1 sec 162 ms
loadUserByUsername_ShouldThrr 16 ms
loadUserByUsername_ShouldRetu 3 ms
WebSecurityConfigTest 663 ms
testAuthenticatedUserCanAcce 574 ms
testPublicEndpointsAreAccessibl 89 ms
CustomerServiceTest 120 ms
deleteCustomer_ShouldDeleteC 104 ms
createCustomer_ShouldReturnSav 5 ms
updateCustomer_ShouldNotChang 2 ms
getCustomer_ShouldThrowExcept 2 ms
updateCustomer_ShouldUpdateFi 3 ms
getAllCustomers_ShouldReturnAll 1 ms
findActiveCustomers_ShouldRetur 1 ms
deleteCustomer_ShouldThrowExce 2 ms
getCustomer_ShouldReturnCustomer_Wher
OrderRepositoryTest 293 ms
deleteOrder_ShouldCascadeDel 194 ms
updateOrder_ShouldCorrectlyUpd 21 ms
saveOrder_WithItems_ShouldCorr 13 ms
findByStatus_ShouldReturnCorre 36 ms
findByCustomerId_ShouldReturnO 9 ms
findByOrderDateBetween_Should 13 ms
orderTotalPrice_ShouldBeCalculat 7 ms
PizzaRepositoryTest 284 ms
updateAvailability_ShouldChang 101 ms
searchByNameContainingIgnoreC 57 ms
findByAvailableTrue_ShouldRetur 44 ms
findByName_ShouldReturnPizza() 39 ms
findByPriceLessThan_ShouldRetu 43 ms
OrderMapperTest 7 ms
UserServiceImp1Test 352 ms
deleteUser_ShouldSoftDeleteUs 167 ms
createUser_ShouldSuccessfully 172 ms
createUser_ShouldThrowExceptio 3 ms

Tests passed: 107 of 107 tests - 4 sec 235 ms

```
12:31:15.015 [org.springframework.kafka.KafkaListenerEndpointContainer#0-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Metrics scheduler closed
12:31:15.015 [org.springframework.kafka.KafkaListenerEndpointContainer#0-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Closing reporter org.apache.kafka.common.metrics
.JmxReporter
12:31:15.015 [org.springframework.kafka.KafkaListenerEndpointContainer#0-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Closing reporter org.apache.kafka.common
.telemetry.internals.ClientTelemetryReporter
12:31:15.015 [org.springframework.kafka.KafkaListenerEndpointContainer#0-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Metrics reporters closed
12:31:15.015 [org.springframework.kafka.KafkaListenerEndpointContainer#1-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Metrics scheduler closed
12:31:15.016 [org.springframework.kafka.KafkaListenerEndpointContainer#1-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Closing reporter org.apache.kafka.common.metrics
.JmxReporter
12:31:15.016 [org.springframework.kafka.KafkaListenerEndpointContainer#1-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Closing reporter org.apache.kafka.common
.telemetry.internals.ClientTelemetryReporter
12:31:15.016 [org.springframework.kafka.KafkaListenerEndpointContainer#1-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Metrics reporters closed
12:31:15.017 [org.springframework.kafka.KafkaListenerEndpointContainer#2-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Metrics scheduler closed
12:31:15.017 [org.springframework.kafka.KafkaListenerEndpointContainer#2-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Closing reporter org.apache.kafka.common.metrics
.JmxReporter
12:31:15.017 [org.springframework.kafka.KafkaListenerEndpointContainer#2-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Closing reporter org.apache.kafka.common
.telemetry.internals.ClientTelemetryReporter
12:31:15.017 [org.springframework.kafka.KafkaListenerEndpointContainer#2-0-C-1] INFO o.a.kafka.common.metrics.Metrics - Metrics reporters closed
12:31:15.018 [org.springframework.kafka.KafkaListenerEndpointContainer#1-0-C-1] INFO o.a.kafka.common.utils.AppInfoParser - App info kafka.consumer for
consumer-inventory-group-6 unregistered
12:31:15.018 [org.springframework.kafka.KafkaListenerEndpointContainer#1-0-C-1] INFO o.s.k.l.KafkaMessageListenerContainer - inventory-group: Consumer stopped
12:31:15.018 [org.springframework.kafka.KafkaListenerEndpointContainer#0-0-C-1] INFO o.a.kafka.common.utils.AppInfoParser - App info kafka.consumer for
consumer-notification-group-5 unregistered
12:31:15.018 [org.springframework.kafka.KafkaListenerEndpointContainer#0-0-C-1] INFO o.s.k.l.KafkaMessageListenerContainer - notification-group: Consumer stopped
12:31:15.019 [org.springframework.kafka.KafkaListenerEndpointContainer#2-0-C-1] INFO o.a.kafka.common.utils.AppInfoParser - App info kafka.consumer for
consumer-notification-group-4 unregistered
12:31:15.019 [org.springframework.kafka.KafkaListenerEndpointContainer#2-0-C-1] INFO o.s.k.l.KafkaMessageListenerContainer - notification-group: Consumer stopped
12:31:15.020 [SpringApplicationShutdownHook] INFO o.s.o.j.LocalContainerEntityManagerFactoryBean - Closing JPA EntityManagerFactory for persistence unit 'default'
12:31:15.020 [SpringApplicationShutdownHook] INFO com.zaxxer.hikari.HikariDataSource - HikariPool-3 - Shutdown initiated...
12:31:15.021 [SpringApplicationShutdownHook] INFO com.zaxxer.hikari.HikariDataSource - HikariPool-3 - Shutdown completed.
12:31:15.022 [SpringApplicationShutdownHook] INFO o.s.o.j.LocalContainerEntityManagerFactoryBean - Closing JPA EntityManagerFactory for persistence unit 'default'
```

Process finished with exit code 0