

Все тесты в пакете приложения работают, во всех классах, которые в есть пакете test:

```
✓ medregistry (ru.natali) 820 ms
  ✓ DoctorServiceImplTest 120 ms
    ✓ deleteDoctor_ShouldSoftDeleteDoctor_WhenDoctorExists() 58 ms
    ✓ getAllDoctors_ShouldReturnListOfDoctors() 35 ms
    ✓ createDoctor_ShouldThrowException_WhenDuplicateDoctorExists() 9 ms
    ✓ deleteDoctor_ShouldThrowException_WhenDoctorDoesntExist() 6 ms
    ✓ createDoctor_ShouldReturnSavedDoctor_WhenValidInputProvided() 5 ms
    ✓ updateDoctor_ShouldReturnUpdatedDoctor_WhenValidInputProvided() 3 ms
    ✓ updateDoctor_ShouldThrowException_WhenDoctorDoesntExist() 4 ms
  > MedregistryApplicationTests 3 ms
  ✓ PatientRepositoryTest 137 ms
    ✓ existsByInsuranceNumber_WhenNotExists_ReturnsFalse() 62 ms
    ✓ findByInsuranceNumber_WhenExists_ReturnsPatient() 38 ms
    ✓ save_WithUniqueInsuranceNumber_Success() 7 ms
    ✓ findByInsuranceNumber_WhenNotExists_ReturnsEmpty() 5 ms
    ✓ save_WithDuplicateInsuranceNumber_ThrowsException() 12 ms
    ✓ findAllActive_ReturnsOnlyNonDeletedPatients() 8 ms
    ✓ existsByInsuranceNumber_WhenExists_ReturnsTrue() 5 ms
  ✓ DoctorControllerTest2 162 ms
    ✓ getDoctorById_WhenDoctorExists_ShouldReturnDoctor() 89 ms
    ✓ createDoctor_ShouldReturnCreatedDoctor() 21 ms
    ✓ getDoctorById_WhenDoctorNotExists_ShouldReturnNotFound() 10 ms
    ✓ updateDoctor_WhenDoctorNotExists_ShouldReturnNotFound() 7 ms
    ✓ updateDoctor_ShouldReturnUpdatedDoctor() 5 ms
    ✓ getAllDoctors_ShouldReturnAllDoctors() 8 ms
    ✓ updateDoctor_WhenDoctorExists_ShouldReturnUpdatedDoctor() 6 ms
    ✓ getDoctorById_ShouldReturnDoctor() 5 ms
    ✓ getDoctorById_WhenDoctorNotFound_ShouldReturnNotFound() 6 ms
    ✓ deleteDoctor_ShouldReturnNoContent() 5 ms
  > DoctorRepositoryTest 18 ms
  ✓ DoctorServiceMockTest 165 ms
    ✓ deleteDoctor_ShouldSoftDeleteDoctor_WhenDoctorExists() 109 ms
    ✓ getDoctorById_WithValidId_ShouldReturnDoctor() 17 ms
    ✓ deleteDoctor_ShouldCallSoftDelete() 5 ms
    ✓ updateDoctor_WithInvalidId_ShouldThrowException() 3 ms

✓ Tests passed: 74 of 74 tests - 820 ms

Hibernate: drop table if exists patient cascade
Hibernate: drop table if exists role cascade
Hibernate: drop table if exists user_roles cascade
Hibernate: drop table if exists users cascade
18:51:10.497 [SpringApplicationShutdownHook] INFO com.zaxxer.hikari.HikariDataSource - HikariPool-3 - Shutdown initiated...
18:51:10.497 [SpringApplicationShutdownHook] INFO com.zaxxer.hikari.HikariDataSource - HikariPool-3 - Shutdown completed.
18:51:10.501 [SpringApplicationShutdownHook] INFO o.s.o.j.LocalContainerEntityManagerFactoryBean - Closing JPA EntityManagerFactory
for persistence unit 'default'
Hibernate: drop table if exists doctor cascade
Hibernate: drop table if exists patient cascade
Hibernate: drop table if exists role cascade
Hibernate: drop table if exists user_roles cascade
Hibernate: drop table if exists users cascade
18:51:10.504 [SpringApplicationShutdownHook] INFO o.s.o.j.LocalContainerEntityManagerFactoryBean - Closing JPA EntityManagerFactory
for persistence unit 'default'
Hibernate: drop table if exists doctor cascade
Hibernate: drop table if exists patient cascade
Hibernate: drop table if exists role cascade
Hibernate: drop table if exists user_roles cascade
Hibernate: drop table if exists users cascade
18:51:10.506 [SpringApplicationShutdownHook] INFO com.zaxxer.hikari.HikariDataSource - HikariPool-4 - Shutdown initiated...
18:51:10.506 [SpringApplicationShutdownHook] INFO com.zaxxer.hikari.HikariDataSource - HikariPool-4 - Shutdown completed.
18:51:10.508 [SpringApplicationShutdownHook] INFO o.s.o.j.LocalContainerEntityManagerFactoryBean - Closing JPA EntityManagerFactory
for persistence unit 'default'
Hibernate: drop table if exists doctor cascade
Hibernate: drop table if exists patient cascade
Hibernate: drop table if exists role cascade
Hibernate: drop table if exists user_roles cascade
Hibernate: drop table if exists users cascade
18:51:10.508 [SpringApplicationShutdownHook] INFO com.zaxxer.hikari.HikariDataSource - HikariPool-5 - Shutdown initiated...
18:51:10.509 [SpringApplicationShutdownHook] INFO com.zaxxer.hikari.HikariDataSource - HikariPool-5 - Shutdown completed.

Process finished with exit code 0
```

medregistry

Element	Missed Instructions	Cov.	Missed Branches	Cov.	Missed	Cxty	Missed	Lines	Missed	Methods	Missed	Classes
 ru.natali.medregistry.service.impl		43 %		26 %	31	52	57	104	19	37	1	3
 ru.natali.medregistry.security		5 %		n/a	15	16	30	33	15	16	1	2
 ru.natali.medregistry.controller		76 %		n/a	4	20	10	43	4	20	0	5
 ru.natali.medregistry.model		58 %		n/a	7	18	13	31	7	18	1	3
 ru.natali.medregistry.config		85 %		n/a	2	13	7	39	2	13	1	4
 ru.natali.medregistry		37 %		n/a	1	2	2	3	1	2	0	1
 ru.natali.medregistry.exceptions		100 %		n/a	0	3	0	9	0	3	0	2
Total	520 of 1 112	53 %	22 of 30	26 %	60	124	119	262	48	109	4	20

Вызывается метод первый раз: 267 ms

The screenshot shows an IDE with a project structure on the left, a REST client editor in the center, and a JSON response in the right pane.

Project Structure:

- RoleRepository
- UserRepository
- security
 - UserDetailsImpl
 - UserDetailsServiceImpl

REST Client Editor:

```
1 ### Get all doctors
2 GET http://localhost:8080/api/doctors
3 Accept: application/json
4
```

HTTP Request: GET requestDoctors | Get all doctors Status: 200 (267 ms)

JSON Response:

```
{
  "id": 4,
  "firstName": "Игорь",
  "lastName": "Калинин",
  "specialization": "травматолог"
},
{
  "id": 7,
  "firstName": "Глеб",
  "lastName": "Петров",
  "specialization": "вирусолог"
},
{
  "id": 8,
  "firstName": "Макар",
  "lastName": "Романов",
  "specialization": "диетолог"
},
{
  "id": 10,
  "firstName": "Юрий",
  "lastName": "Юрьев",
  "specialization": "травматолог"
}
]
```

Response file saved.
> [2025-05-02T192649.200.json](#)

Response code: 200; Time: 267ms (267 ms); Content length: 476 bytes (476 B)

Тот же эндпоинт и метод вызывается второй раз, работает кэш: 8 ms

The screenshot shows an IDE with a REST client interface. The top panel displays the project structure with folders like 'RoleRepository', 'UserRepository', 'security', 'UserDetailsImpl', and 'UserDetailsServiceImpl'. The main editor shows a REST client request for 'GET http://localhost:8080/api/doctors' with the header 'Accept: application/json'. The bottom panel shows the response, which is a JSON array of doctor objects. The response status is '200 (8 ms)', and the response code is '200'. The response time '8ms (8 ms)' is circled in red.

```
1  ### Get all doctors
2  GET http://localhost:8080/api/doctors
3  Accept: application/json
4
```

HTTP Request
GET requestDoctors | Get all doctors Status: 200 (8 ms)

docker-default
docker-desktop-linux

```
{
  "id": 4,
  "firstName": "Игорь",
  "lastName": "Калинин",
  "specialization": "травматолог"
},
{
  "id": 7,
  "firstName": "Глеб",
  "lastName": "Петров",
  "specialization": "вирусолог"
},
{
  "id": 8,
  "firstName": "Макар",
  "lastName": "Романов",
  "specialization": "диетолог"
},
{
  "id": 10,
  "firstName": "Юрий",
  "lastName": "Юрьев",
  "specialization": "травматолог"
}
]
```

Response file saved.
> [2025-05-02T192854.200.json](#)

Response code: 200; Time: 8ms (8 ms); Content length: 476 bytes (476 B)

Еще метод: 61 ms

Project ▾

PatientService

UserService

utils

MedregistryApplication

resources

db.changelog

screens

static.css

templates

application.properties

logback.xml

queries.sql

API requestDoctors.http

API requestMetrics.http

API requestPatients.http

API requestSwagger.http

test

target

.gitattributes

.gitignore

HELP.md

mvnw

requestMetrics.http

application.properties

MedregistryApplication.java

WebSecurityConfig.java

doctor

API requestMetrics.http

+ ⌚ 📄 ↵ ▶

Run with: No Environment ▾

19 {

20 "firstName": "Иван",

21 "lastName": "Дляудалёнов",

22 "specialization": "физиолог"

23 }

24

25 ### Delete doctor (replace {id} with actual ID)

26 ▶ DELETE http://localhost:8080/api/doctors/2

27

28 ### Update doctor (replace {id} with actual ID)

29 ▶ PUT http://localhost:8080/api/doctors/10

30 Content-Type: application/json

31

32 {

33 "firstName": "Викентий",

34 "lastName": "Юрьев",

35 "specialization": "травматолог"

36 }

37

38 ### Get doctor by ID (replace {id} with actual ID)

39 ### Update doctor (replace {id} with actual ID)

Services

+ 🔍 📄 ↵ ✕

▾ API HTTP Request

GET requestDoctors | Get all doctors Status: 200 (8 ms)

PUT requestDoctors | Update doctor (replace {id} with actual ID) Status: 200 (61 ms)

docker-default

docker-desktop-linux

▾ Database

hospitaldb@localhost

doctor 743 ms

doctor 743 ms

▶ ⚙️ 📄 ⋮

"id": 10,

"firstName": "Викентий",

"lastName": "Юрьев",

"specialization": "травматолог"

}

Response file saved.

> 2025-05-02T193211.200.json

Response code: 200; Time: 61ms (61 ms); Content length: 82 bytes (82 B)

Cookies are preserved between requests: Disable

Повторный вызов, работает кэш: 20 ms

The screenshot shows an IDE with a project structure on the left, a REST client editor in the center, and a request log at the bottom.

Project Structure:

- PatientService
- UserService
- utils
- MedregistryApplication
- resources
 - db.changelog
 - screens
 - static.css
 - templates
 - application.properties
 - logback.xml
 - queries.sql
 - API requestDoctors.http (selected)
 - API requestMetrics.http
 - API requestPatients.http
 - API requestSwagger.http
- test
- target
- itattributes
- itignore
- ELP.md
- vnw

REST Client Editor:

```
19 {
20   "firstName": "Иван",
21   "lastName": "Дляудалёнов",
22   "specialization": "физиолог"
23 }
24
25 ### Delete doctor (replace {id} with actual ID)
26 DELETE http://localhost:8080/api/doctors/2
27
28 ### Update doctor (replace {id} with actual ID)
29 PUT http://localhost:8080/api/doctors/10
30 Content-Type: application/json
31
32 {
33   "firstName": "Виталий",
34   "lastName": "Юрьев",
35   "specialization": "травматолог"
36 }
37
38 ### Get doctor by ID (replace {id} with actual ID)
39 ### Update doctor (replace {id} with actual ID)
```

Request Log:

- requestDoctors | Get all doctors Status: 200 (8 ms)
- requestDoctors | Update doctor (replace {id} with actual ID) Status: 200 (20 ms)


Response Details:

```
{
  "id": 10,
  "firstName": "Виталий",
  "lastName": "Юрьев",
  "specialization": "травматолог"
}
```

Response file saved.
> [2025-05-02T193328.200.json](#)

Response code: 200; Time: 20ms (20 ms); Content length: 81 bytes (81 B)

<http://localhost:8080/actuator/metrics/cache.size>: есть теги кэшей



```
{
  "name": "cache.size",
  "measurements": [
    {
      "statistic": "VALUE",
      "value": 1
    }
  ],
  "availableTags": [
    {
      "tag": "cache",
      "values": [
        "doctors",
        "patients # ?????????? ????? ??????"
      ]
    }
  ]
}
```

Сгенерировался Javadoc:

SEARCH:

Packages	
Package	Description
ru.natali.medregistry	
ru.natali.medregistry.config	
ru.natali.medregistry.controller	
ru.natali.medregistry.dto	
ru.natali.medregistry.exceptions	
ru.natali.medregistry.model	
ru.natali.medregistry.repository	
ru.natali.medregistry.security	
ru.natali.medregistry.service	
ru.natali.medregistry.service.impl	

DeepSeek - Into the Unknown

ru.natali.medregistry.x

file:///F:/innoprojects/Attestation_4/Attestation_9/Medregistry/src/main/resources/javadoc/ru/natali/medregistry/exceptions/package-summary.html

OVERVIEW PACKAGE CLASS USE TREE INDEX HELP

PAGE: DESCRIPTION | RELATED PACKAGES | CLASSES AND INTERFACES

SE

Package ru.natali.medregistry.exceptions

package ru.natali.medregistry.exceptions

Related Packages

Package	Description
ru.natali.medregistry	

All Classes and Interfaces

Classes

Exceptions

Class	Description
DoctorNotFoundException	Исключение, вызываемое когда врач не найден.
GlobalExceptionHandler	Глобальный обработчик исключений приложения.
GlobalExceptionHandler.ErrorResponse	Класс для представления информации об ошибке.

DeepSeek - Into the UnknownPatientRepository

file:///F:/Innopjects/Attestation_4/Attestation_9/Medregistry/src/main/resources/javadoc/ru/natali/medregistry/repository/PatientRepository.html

Перевести

OVERVIEWPACKAGECLASSUSE TREE INDEX HELP

SUMMARY: NESTED | FIELD | CONSTR | METHODDETAIL: FIELD | CONSTR | METHOD

SEARCH: Search

Package ru.natali.medregistry.repository

Interface PatientRepository

All Superinterfaces:
org.springframework.data.repository.CrudRepository<Patient,Long^{id}>,org.springframework.data.jpa.repository.JpaRepository<Patient,Long^{id}>,org.springframework.data.repository.ListCrudRepository<Patient,Long^{id}>,org.springframework.data.repository.ListPagingAndSortingRepository<Patient,Long^{id}>,org.springframework.data.repository.PagingAndSortingRepository<Patient,Long^{id}>,org.springframework.data.repository.query.QueryByExampleExecutor<Patient>,org.springframework.data.repository.Repository<Patient,Long^{id}>

@Repository
public interface PatientRepository
extends org.springframework.data.jpa.repository.JpaRepository<Patient,Long^{id}>

Method Summary

All MethodsInstance MethodsAbstract Methods

Modifier and Type	Method	Description
boolean	existsByInsuranceNumber(String^{id} insuranceNumber)	
List^{id}<Patient>	findAllActive()	
Optional^{id}<Patient>	findByInsuranceNumber(String^{id} insuranceNumber)	
void	softDelete(Long^{id} id)	

Methods inherited from interface org.springframework.data.repository.CrudRepository
count, delete, deleteAll, deleteAll, deleteAllById, deleteById, existsById, findById, save

Methods inherited from interface org.springframework.data.jpa.repository.JpaRepository
deleteAllByIdInBatch, deleteAllInBatch, deleteAllInBatch, deleteInBatch, findAll, findAll, flush, getById, getOne, getReferenceById, saveAllAndFlush, saveAndFlush

Methods inherited from interface org.springframework.data.repository.ListCrudRepository
findAll, findAllById, saveAll

Methods inherited from interface org.springframework.data.repository.ListPagingAndSortingRepository
findAll

Methods inherited from interface org.springframework.data.repository.PagingAndSortingRepository

4°C

Поиск

21:40

DeepSeek - Into the UnknownDoctorRepository

File:///F:/Innopjects/Attestation_4/Attestation_9/Medregistry/src/main/resources/javadoc/ru/natali/medregistry/repository/DoctorRepository.html

OVERVIEWPACKAGECLASSUSE TREEMETHODSINDEXHELP

SUMMARYNESTEDFIELDCONSTRMETHODDETAILFIELDCONSTRMETHODSEARCH

Package

ru.natali.medregistry.repository

Interface

DoctorRepository

All Superinterfaces:

org.springframework.data.repository.CrudRepository<Doctor,Long>,org.springframework.data.jpa.repository.JpaRepository<Doctor,Long>,org.springframework.data.repository.ListCrudRepository<Doctor,Long>,org.springframework.data.repository.ListPagingAndSortingRepository<Doctor,Long>,org.springframework.data.repository.PagingAndSortingRepository<Doctor,Long>,org.springframework.data.repository.query.QueryByExampleExecutor<Doctor>,org.springframework.data.repository.Repository<Doctor,Long>

@Repository

public interface DoctorRepository

extends org.springframework.data.jpa.repository.JpaRepository<Doctor,Long>

Method Summary

All MethodsInstance MethodsAbstract Methods

Modifier and Type	Method	Description
List<Doctor>	findAllActive()	
void	softDelete(Long id)	

Methods inherited from interface org.springframework.data.repository.CrudRepository

count, delete, deleteAll, deleteAll, deleteAllById, deleteById, existsById, findById, save

Methods inherited from interface org.springframework.data.jpa.repository.JpaRepository

deleteAllByIdInBatch, deleteAllInBatch, deleteAllInBatch, deleteInBatch, findAll, findAll, flush, getById, getOne, getReferenceById, saveAllAndFlush, saveAndFlush

Methods inherited from interface org.springframework.data.repository.ListCrudRepository

findAll, findAllById, saveAll

Methods inherited from interface org.springframework.data.repository.ListPagingAndSortingRepository

findAll

Methods inherited from interface org.springframework.data.repository.PagingAndSortingRepository

findAll

Methods inherited from interface org.springframework.data.repository.query.QueryByExampleExecutor

4°C

06:44:44

Q Docker

21:41

02.05.2025

DoctorService

file:///F:/Innoprospects/Attestation_4/Attestation_9/Medregistry/src/main/resources/javadoc/ru/natali/medregistry/service/DoctorService.html

Перевести

OVERVIEWPACKAGECLASSUSE TREEINDEXHELP

SUMMARY: NESTED | FIELD | CONSTR | METHODDETAIL: FIELD | CONSTR | METHOD

SEARCH

Package ru.natali.medregistry.service

Interface DoctorService

All Known Implementing Classes:
DoctorServiceImpl

public interface DoctorService

Method Summary

All MethodsInstance MethodsAbstract Methods

Modifier and Type	Method	Description
DoctorDTO	convertToDto(Doctor doctor)	
Doctor	convertToEntity(DoctorDTO doctorDTO)	
DoctorDTO	createDoctor(DoctorDTO doctorDTO)	
void	deleteDoctor(Long id)	
List<DoctorDTO>	getAllDoctors()	
DoctorDTO	getDoctorById(Long id)	
DoctorDTO	updateDoctor(Long id, DoctorDTO doctorDTO)	

Method Details

createDoctor

DoctorDTO createDoctor(DoctorDTO doctorDTO)

updateDoctor

DoctorDTO updateDoctor(Long id, DoctorDTO doctorDTO)

deleteDoctor

←⌕↺📄file:///F:/Innopromjects/Attestation_4/Attestation_9/Medregistry/src/main/resources/javadoc/ru/natali/medregistry/service/PatientService.html

OVERVIEWPACKAGECLASSTREEINDEXHELP

SUMMARY: NESTED | FIELD | CONSTR | METHODDETAIL: FIELD | CONSTR | METHOD

Package ru.natali.medregistry.service

Interface PatientService

All Known Implementing Classes:
PatientServiceImpl

public interface PatientService

Method Summary

All MethodsInstance MethodsAbstract Methods

Modifier and Type	Method	Description
PatientDTO	convertToDto(Patient patient)	
Patient	convertToEntity(PatientDTO patientDTO)	
PatientDTO	createPatient(PatientDTO patientDTO)	
void	deletePatient(Long id)	
List<Patient>	getAllPatients()	
PatientDTO	getPatientById(Long id)	
PatientDTO	getPatientByInsuranceNumber(String insuranceNumber)	
PatientDTO	updatePatient(Long id, PatientDTO patientDTO)	

Method Details

createPatient

PatientDTO createPatient(PatientDTO patientDTO)

updatePatient

PatientDTO updatePatient(Long id,
PatientDTO patientDTO)

deletePatient

4°C
Ойгуз

🖥️🔍Поиск🖨️📁📂📄📌📧

The image shows the top portion of the Docker Desktop application window. The title bar is blue and contains the Docker logo, the text "docker desktop", a "PERSONAL" badge, a search bar with a magnifying glass icon and the word "Search", a "Ctrl+K" button, and several icons: a question mark, a bell, a shield, a gear, a grid of dots, and a "Sign in" button. Below the title bar, a dark blue banner displays the text "Sign in to use additional features enabled by your organization." with a magnifying glass icon on the left and a right-pointing arrow on the right.

 Extensions

[Show charts](#)

Only show running containers

☐	Name	Container ID	Image	Port(s)	CPU (%)	Last sta	Actions
☐ > 	<u>medregistry</u>	-	-	-	0.08%	3 minute	  

- Containers
- Images
- Volumes
- Builds
- Docker Hub
- Docker Scout
- Extensions

Images

[Give feedback](#)

View and manage your local and Docker Hub images. [Learn more](#)

Local

Hub repositories

957.71 MB / 3.6 GB in use

2 images

Filters

Search


Last refresh: 19 minutes ago

	Name	Tag	Image ID	Created	Size	Actions
☐	postgres	13	7dad29364728	2 months ago	599.8 MB	
☐	medregistry-medregistr	latest	eca0fd8e78e3	4 minutes ago	772.1 MB	

Работа Docker в приложении:

```
edregistry | 17:18:00.770 [main] INFO liquibase.util - Update summary generated
edregistry | 19:20:58.970 [main] INFO liquibase.util - Run: 2
edregistry | 19:20:58.970 [main] INFO liquibase.util - Previously run: 0
edregistry | 19:20:58.970 [main] INFO liquibase.util - Filtered out: 0
edregistry | 19:20:58.970 [main] INFO liquibase.util - -----
edregistry | 19:20:58.970 [main] INFO liquibase.util - Total change sets: 2
edregistry | 19:20:58.971 [main] INFO liquibase.util - Update summary generated
edregistry | 19:20:58.973 [main] INFO liquibase.command - Update command completed successfully.
edregistry | 19:20:58.973 [main] INFO liquibase.ui - Liquibase: Update has been successful. Rows affected: 14
edregistry | 19:20:58.977 [main] INFO liquibase.lockservice - Successfully released change log lock
edregistry | 19:20:58.978 [main] INFO liquibase.command - Command execution complete
edregistry | 19:20:59.523 [main] INFO o.h.jpa.internal.util.LogHelper - HHH000204: Processing PersistenceUnitInfo [name: default]
edregistry | 19:20:59.573 [main] INFO org.hibernate.Version - HHH000412: Hibernate ORM core version 6.6.11.Final
edregistry | 19:20:59.607 [main] INFO o.h.c.i.RegionFactoryInitiator - HHH000026: Second-level cache disabled
edregistry | 19:20:59.846 [main] INFO o.s.o.j.p.SpringPersistenceUnitInfo - No LoadTimeWeaver setup: ignoring JPA class transformer
edregistry | 19:20:59.904 [main] INFO o.hibernate.orm.connections.pooling - HHH10001005: Database info:
edregistry | Database JDBC URL [Connecting through datasource 'HikariDataSource (HikariPool-1)']
edregistry | Database driver: undefined/unknown
edregistry | Database version: 13.20
edregistry | Autocommit mode: undefined/unknown
edregistry | Isolation level: undefined/unknown
edregistry | Minimum pool size: undefined/unknown
edregistry | Maximum pool size: undefined/unknown
edregistry | 19:21:00.642 [main] INFO o.h.e.t.j.p.i.JtaPlatformInitiator - HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)
edregistry | 19:21:00.667 [main] INFO o.s.o.j.LocalContainerEntityManagerFactoryBean - Initialized JPA EntityManagerFactory for persistence unit 'default'
edregistry | 19:21:00.909 [main] INFO o.s.d.j.r.query.QueryEnhancerFactory - Hibernate is in classpath; If applicable, HQL parser will be used.
edregistry | 19:21:01.640 [main] WARN o.s.b.a.o.j.JpaBaseConfiguration$JpaWebConfiguration - spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly
figure spring.jpa.open-in-view to disable this warning
edregistry | 19:21:01.678 [main] INFO o.s.s.c.a.a.c.InitializeUserDetailsBeanManagerConfigurer$InitializeUserDetailsManagerConfigurer - Global AuthenticationManager configured with UserDetailsServiceImpl
ailsServiceImpl
edregistry | 19:21:02.239 [main] INFO o.s.b.a.e.web.EndpointLinksResolver - Exposing 15 endpoints beneath base path '/actuator'
edregistry | 19:21:02.792 [main] INFO o.a.coyote.http11.Http11NioProtocol - Starting ProtocolHandler ["http-nio-8080"]
edregistry | 19:21:02.808 [main] INFO o.s.b.w.e.tomcat.TomcatWebServer - Tomcat started on port 8080 (http) with context path '/'
edregistry | 19:21:02.826 [main] INFO r.n.m.MedregistryApplication - Started MedregistryApplication in 7.038 seconds (process running for 7.569)
```

Проверка работы контейнеров и наличие образов:



The screenshot shows an IDE with the following components:

- Project Explorer:** Displays the project structure for 'Medregistry' at 'F:\Innoprosjects\Attestation_4\Attestation_11\Medreg'. The 'src/main/java/ru.natali.medregistry/config' directory is expanded, showing configuration classes like 'AppConfig', 'CacheConfig', 'CacheMetricsConfig', 'Hash', 'SwaggerConfig', and 'WebSecurityConfig'.
- Application Properties:** The 'application.properties' file is open, showing the following configuration:

```
1 spring.application.name=Medregistry
2
3 server.port=8080
4
5 #spring.datasource.url=jdbc:postgresql://localhost:5433/hospitaldb
6 spring.datasource.url=jdbc:postgresql://postgres:5432/hospitaldb
7 spring.datasource.username=${DB_USERNAME:postgres}
8 spring.datasource.password=${DB_PASSWORD:Lzmf2000}
9 spring.datasource.driver-class-name=org.postgresql.Driver
10
11 # JPA
12 spring.jpa.hibernate.ddl-auto=validate
13 #spring.jpa.hibernate.ddl-auto=update
14 spring.jpa.show-sql=true
15 spring.jpa.properties.hibernate.format_sql=true
16
17 # Liquibase
18 spring.liquibase.change-log=classpath:/db/changelog/db.changelog-master.yaml
19 spring.liquibase.liquibase-schema=public
20 spring.liquibase.default-schema=public
21
22 # Thymeleaf
23 spring.thymeleaf.cache=false
24 spring.thymeleaf.prefix=classpath:/templates/
```
- Terminal:** Shows the execution of Docker commands in a PowerShell window.

```
PS F:\Innoprosjects\Attestation_4\Attestation_11\Medregistry> docker ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
65723421d1fa	medregistry-medregistry	"java -jar medregist..."	About a minute ago	Up About a minute	0.0.0.0:8080->8080/tcp	medregistry
c56239cffde9	postgres:13	"docker-entrypoint.s..."	About a minute ago	Up About a minute (healthy)	0.0.0.0:5433->5432/tcp	postgres

```
PS F:\Innoprosjects\Attestation_4\Attestation_11\Medregistry> docker images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
medregistry-medregistry	latest	a8d6579706cd	About a minute ago	772MB
postgres	13	7dad29364728	2 months ago	600MB

```
PS F:\Innoprosjects\Attestation_4\Attestation_11\Medregistry>
```