Manually Tested via Postman


• URL: http://localhost:8080/api/users


Method: POST

"id": 1,

}


"firstName": "John",
"lastName": "Doe",
"budget": 500.0





URL: http://localhost:8080/api/users

Method: GET




URL address: http://localhost:8080/api/pets

Method: POST

```
Body:
```

```
"id": 1,
       "name": "Mache",
      "type": "CAT",
       "price": 12.0,
       "owner": null
}
POST http://localhost:8080/ap + •••
 http://localhost:8080/api/pets
                                                                                                                                              Save
                                                                                                                                                        </>
  POST
          http://localhost:8080/api/pets
                                                                                                                                            Send
 Params Authorization Headers (8) Body • Pre-request Script Tests Settings
                                                                                                                                                Cookies
  ■ none ■ form-data ■ x-www-form-urlencoded ● raw ■ binary JSON ∨
                                                                                                                                               Beautify
          · "id": 1,
· · "name": "Mache",
· · "type": · "CAT",
           price": 12.0,
          ··"owner": ·null
    8
Body Cookies Headers (5) Test Results
                                                                                                 ⊕ Status: 200 OK Time: 174 ms Size: 264 B Save Response ∨
 Pretty Raw Preview Visualize JSON V
                                                                                                                                                 ■ Q
    1
                                                                                                                                                      Т
           "id": 4,
"owner": null,
           "name": "Mache",
"type": "CAT",
"description": null,
"dateOfBirth": null,
            "price": 12.0
```

Test Case 2:




URL address: http://localhost:8080/api/pets

Method: POST

```
"id": 2,
    "name": "Kuche",
    "type": "Dog",
    "price": 10.0,
    "owner": null
}
```

URL address: http://localhost:8080/api/pets

Method: GET



Solved by: Natasha Netkovska