

Positive Cases

Execution Environment

Host name	ACER - LAPTOP-5GQHVTHK
Local OS	Windows 11 64bit
Katalon version	9.7.4.223
Browser	Chrome 132.0.0.0
Device name	

Summary

ID	Test Suites/Positive Cases		
Description			
Total	3		
Passed	1	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	04-02-2025 20:20:02	End	04-02-2025 20:20:30
Elapsed	27,755s		

#	ID	Description	Status
1	Test Cases/Positive Cases - Add to Cart - Is Equal to 3 Items		FAILED
2	Test Cases/Positive Cases - Add to Cart		FAILED
3	Test Cases/Positive Cases - Login SwagLabs		PASSED

Positive Cases - Add to Cart - Is Equal to 3 Items

Information

ID	Test Cases/Positive Cases - Add to Cart - Is Equal to 3 Items		
Description			
Tag			
Start	04-02-2025 20:20:15	End	04-02-2025 20:20:17
Elapsed	2,128s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1,481s	PASSED
2	navigateToUrl("https://www.saucedemo.com/") Navigate to 'https://www.saucedemo.com/' successfully	0,485s	PASSED

Positive Cases - Add to Cart - Is Equal to 3 Items

#	Description	Elapsed	Status
3	setText(findTestObject("Page_Swag Labs/input_Swag Labs_user-name"), Username1) Unable to set text 'null' of object 'Object Repository/Page_Swag Labs/input_Swag Labs_user-name' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/Page_Swag Labs/input_Swag Labs_user-name') at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Positive Cases - Add to Cart - Is Equal to 3 Items.run (Positive Cases - Add to Cart - Is Equal to 3 Items:24) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1738675195040.run (TempTestSuite1738675195040.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: java.lang.IllegalArgumentException: Text is null at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall (SetTextKeyword.groovy:50) at com.kms.katalon.core.webui.keyword.builtin.	0,135s	FAILED

Positive Cases - Add to Cart - Is Equal to 3 Items

#	Description	Elapsed	Status
	SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Script1737430890614.run(Script1737430890614.groovy:24) ... 18 more) Swag Labs Username Password Login Accepted usernames are: standard_user Accepted passwords are: secret_sauce		

Positive Cases - Add to Cart

Information

ID	Test Cases/Positive Cases - Add to Cart		
Description			
Tag			
Start	04-02-2025 20:20:23	End	04-02-2025 20:20:25
Elapsed	1,672s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1,039s	PASSED
2	navigateToUrl("https://www.saucedemo.com/") Navigate to 'https://www.saucedemo.com/' successfully	0,478s	PASSED

Positive Cases - Add to Cart

#	Description	Elapsed	Status
3	setText(findTestObject("Page_Swag Labs/input_Swag Labs_user-name"), Username1) Unable to set text 'null' of object 'Object Repository/Page_Swag Labs/input_Swag Labs_user-name' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'null' of object 'Object Repository/Page_Swag Labs/input_Swag Labs_user-name' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:117) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:43) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform (KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Positive Cases - Add to Cart.run (Positive Cases - Add to Cart:24) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:180) at TempTestSuite1738675195040.run (TempTestSuite1738675195040.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: java.lang.IllegalArgumentException: Text is null at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.doCall (SetTextKeyword.groovy:50) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword\$_setText_closure1.call (SetTextKeyword.groovy)	0,130s	FAILED

Positive Cases - Add to Cart

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Script1737430890544.run(Script1737430890544.groovy:24) ... 18 more)</pre> 		

Positive Cases - Login SwagLabs

Information

ID	Test Cases/Positive Cases - Login SwagLabs		
Description			
Tag			
Start	04-02-2025 20:20:25	End	04-02-2025 20:20:30
Elapsed	5,316s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1,077s	PASSED
2	navigateToUrl("https://www.saucedemo.com/") Navigate to 'https://www.saucedemo.com/' successfully	0,550s	PASSED
3	setText(findTestObject("Object Repository/Page_Swag Labs/input_Swag Labs_user-name"), "standard_user") Text 'standard_user' is set on object 'Object Repository/Page_Swag Labs/input_Swag Labs_user-name'	2,202s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Swag Labs/input_Swag Labs_password"), "qcu24s4901FyWDTwXGr6XA==") Text ***** has been set on object 'Object Repository/Page_Swag Labs/input_Swag Labs_password'	0,351s	PASSED
5	click(findTestObject("Object Repository/Page_Swag Labs/input_Swag Labs_login-button")) Object: 'Object Repository/Page_Swag Labs/input_Swag Labs_login-button' is clicked on	0,378s	PASSED
6	verifyTextPresent("Products", false) Text 'Products' is present on page	0,505s	PASSED

Positive Cases - Login SwagLabs

#	Description	Elapsed	Status
7	closeBrowser() Browser is closed	0,169s	PASSED