

Oracle

```
CREATE TABLE EventPlan
(PlanNo VARCHAR2(8) CONSTRAINT EPPlanNoNotNull NOT NULL,
  EventNo VARCHAR2(8) CONSTRAINT EPEventNoNotNull NOT NULL,
  WorkDate Date CONSTRAINT EPWorkDateNotNull NOT NULL,
  Notes VARCHAR(64),
  Activity VARCHAR(64) CONSTRAINT EPActivityNotNull NOT NULL,
  EmpNo VARCHAR2(8),
  CONSTRAINT PK_PlanNo PRIMARY KEY (PlanNo),
  CONSTRAINT FK_EventNo FOREIGN KEY (EventNo)
    REFERENCES EventRequest (EventNo),
  CONSTRAINT FK_EmpNo FOREIGN KEY (EmpNo)
    REFERENCES Employee (EmpNo));
```

SQL> SELECT * FROM EventPlan;

PLANNO	EVENTNO	WORKDATE	NOTES	ACTIVITY	EMPNO
P100	E100	25-OCT-13	Standard operation	Operation	E102
P101	E104	03-DEC-13	Watch for gate crashers	Operation	E100
P102	E105	05-DEC-13	Standard operation	Operation	E102
P103	E106	12-DEC-13	Watch for seat switching	Operation	
P104	E101	26-OCT-13	Standard cleanup	Cleanup	E101
P105	E100	25-OCT-13	Light cleanup	Cleanup	E101
P199	E102	10-DEC-13	ABC	Operation	E101
P299	E101	26-OCT-13		Operation	E101
P349	E106	12-DEC-13		Setup	E101
P85	E100	25-OCT-13	Standard operation	Cleanup	E102
P95	E101	26-OCT-13	Extra security	Cleanup	E102

11 rows selected.