



Multi-scale Ecosystem Service Assessment for policy decisions in the Upper Yangtze River Basin

Wang Yukuan

Professor and Senior Research Fellow

Institute of Mountain Hazards and Environment, CAS

July 12, 2009



Outline

- ❖ Chinese situation
- ❖ Project Area Background
- ❖ Methods
- ❖ Results and Analyses:
- ❖ Scale comparisons & Application to policy
- ❖ Conclusion



Chinese Situation

- ❖ Balancing conservation and development
- ❖ Many strategies deployed – EFCA





Ecological Function Conservation Areas






Background:


Upper Yangtze River Basin and Baoxing County

- ❖ UYRB - Area = 1 mi sq km, population > 100 million, 32% of china's agricultural production
- ❖ Baoxing – Area = 3,114 sq km, population 56,000





Methods



Ecological Function Maps

- Water Retention
- Soil Retention
- Carbon Storage

InVEST

Biodiversity

Species database maps (CAS, 2007)

Demand Information

-Hydropower/irrigation/flood mitigation/etc

- Land production/sediment reduction
- Carbon sequestration

Estimate relative demand. Circle high contributing

Draft EFCA map


Overlay




EFCA Development

Upper Yangtze River Basin


**Water
Retention**






**Soil
Retention**




**Carbon
Storage**



Biodiversity



Important integrated EFCA Zoning Map






EFCA Development

Baoxing County


Water Retention




Soil Retention



Carbon Storage





Biodiversity





Multi-Scale EFCA Design



- ❖ More funding for conservation
- ❖ Greater protection zone allocation



Conclusions

- ❖ Multi-scale mapping enables practical implementation of national-level EFCA
- ❖ Local Scale ecosystem service mapping is critical now for development planning in China



Thanks!

*Ganyang valley
In Baoxing*