

# H.P. MODELING STUDY RESULTS



23 May, 2014

Adrian Vogl  
avogl@stanford.edu


# ACTIVITY SCORE MAPS (RIOS)

# RIOS SCORE MAPS


## NATHPA JHAKRI – PRIORITIZATION




Energy plantation



Protection



Contour trenching





Fodder development

# ACTIVITY PORTFOLIOS (RIOS)



# RIOS ACTIVITY PORTFOLIO

## NATHPA JHAKRI, 15% BUDGET




# **PORTFOLIOS → SCENARIOS (GIS)**

# PORTFOLIO LULC MAP

## LULC Classes

-  Degraded Forest/Scrub Land
-  Degraded Forest/Scrub Land->contour\_trenching
-  Degraded Forest/Scrub Land->energy\_plantation
-  Degraded Forest/Scrub Land->enrichment
-  Evergreen/Semigreen Forest
-  Evergreen/Semigreen Forest->protection
-  Grass Land/Grazing Land
-  Grass Land/Grazing Land->fodder\_development
-  Kharif
-  Land with or without Scrub
-  Land with or without Scrub->contour\_trenching
-  Land with or without Scrub->energy\_plantation
-  Land with or without Scrub->fodder\_development
-  Plantation
-  Snow Covered/ Glacial Area




# **ESTIMATING BENEFITS OF ACTIVITIES (INVEST)**




# BENEFIT OF ACTIVITIES

## NATHPA JHAKRI



# ADDITIONAL RESULTS

Sediment retention landscape patterns



Sediment retention by microwatershed



# WHAT RIOS/INVEST CAN TELL YOU

- Targeting investments in watersheds to improve ecosystem service delivery
- Relative change in services:
  - Help to design PES scheme: Where do opportunities exist?
  - Help to set budgets: How much should we spend to get X% improvement?
- Relative value of different micro-catchments for watershed services