Site Builder Migrations - FE Audit Things



Follow the K8 SiteBuilder Migration Process doc @

Note any Brand "gotchas" that are necessary and add those styles.

△ Content Links *⊘*

- 1 Cookie Disclaimer Styles to add to sb-inside.scss and sb-home.scss
- 2 Cookie Consent Styles Adapted to CSS for Homepage CSS Box ONLY
- 3 Stellantis: Directions Row Styles to add to sb-inside.scss

▲ Content Updates *⊘*

f 0 Cookie Disclaimer Styles to add to sb-inside.scss and sb-home.scss m arnothing

If the dealer theme does not have any customized cookie consent styles, add these that are pulled from Common. The variables below have already been updated to pull from the SB theme.

```
    Cookie Disclaimer Styles

    2 // _Cookie Banner
    4
    5 .cookie-banner {
           z-index: 2147483650; // might need to adjust per site - depending on 3rd parties
    7
           bottom: 0; // might need to adjust per site - depending on 3rd parties
    8
           border-top: 2px solid var(--primary);
    9
           position: fixed;
   10
           right: 0;
   11
           left: 0;
   12
           padding: 16px 24px;
           color: #fff; // might need to adjust per site - depending on secondary color
   13
   14
           background-color: var(--secondary);
   15
   16
           -webkit-transition: -webkit-transform 200ms cubic-bezier(0.4, 0, 1, 1) 400ms;
   17
           -moz-transition: -moz-transform 200ms cubic-bezier(0.4, 0, 1, 1) 400ms;
   18
           -o-transition: -o-transform 200ms cubic-bezier(0.4, 0, 1, 1) 400ms;
   19
           transition: transform 200ms cubic-bezier(0.4, 0, 1, 1) 400ms;
   20
           -webkit-transform: translate(0, 100%);
   21
           -ms-transform: translate(0, 100%);
   22
           -o-transform: translate(0, 100%);
   23
           transform: translate(0, 100%);
   24
   25
           &.on {
   26
            -webkit-transform: translate(0, 0);
   27
             -ms-transform: translate(0, 0);
   28
             -o-transform: translate(0, 0);
   29
             transform: translate(0, 0);
   30
             -webkit-transition: -webkit-transform 200ms cubic-bezier(0, 0, 0.2, 1) 400ms;
```

```
31
          -moz-transition: -moz-transform 200ms cubic-bezier(0, 0, 0.2, 1) 400ms;
32
          -o-transition: -o-transform 200ms cubic-bezier(0, 0, 0.2, 1) 400ms;
33
          transition: transform 200ms cubic-bezier(0, 0, 0.2, 1) 400ms;
34
35
        .cookie-banner-container {
36
37
          margin: 0 auto;
38
          padding: 0 12px;
39
          text-align: center;
40
          max-width: 1440px;
41
          justify-content: space-between;
42
          display: flex;
43
44
          .cookie-banner-paragraph {
45
            text-align: left;
46
47
            p {
48
              margin: 0;
49
            }
50
51
          .cookie-button {
52
            width: auto;
53
            flex-shrink: 0;
54
            margin-left: 25px;
55
            padding: 0 18px;
56
            background-color: var(--primary);
57
            border-color: var(--primary);
58
            color: #ffffff;
59
60
            .fa {
61
              padding-left: 5px;
62
            }
63
          }
64
        }
65
66
        @media(max-width: 767px) {
          .cookie-banner-container {
67
68
            display: block;
69
70
            .cookie-banner-paragraph {
71
              text-align: center;
72
73
            .cookie-button {
74
              padding: 8px 18px;
75
              margin-left: 0;
76
              margin-top: 15px;
77
            }
78
          }
79
        }
80
     }
```

Cookie Consent Styles Adapted to CSS for Homepage CSS Box ONLY

bottom: 0;

1 .cookie-banner { 2 z-index: 2147483650; 3

```
border-top: 2px solid var(--primary);
 5
       position: fixed;
 6
       right: 0;
 7
       left: 0;
 8
       padding: 16px 24px;
 9
       color: #fff;
10
       background-color: var(--secondary);
11
12
       -webkit-transition: -webkit-transform 200ms cubic-bezier(0.4, 0, 1, 1) 400ms;
13
       -moz-transition: -moz-transform 200ms cubic-bezier(0.4, 0, 1, 1) 400ms;
14
       -o-transition: -o-transform 200ms cubic-bezier(0.4, 0, 1, 1) 400ms;
15
       transition: transform 200ms cubic-bezier(0.4, 0, 1, 1) 400ms;
       -webkit-transform: translate(0, 100%);
16
17
       -ms-transform: translate(0, 100%);
18
       -o-transform: translate(0, 100%);
19
       transform: translate(0, 100%);
20 }
21
22 .cookie-banner.on {
23
       -webkit-transform: translate(0, 0);
24
       -ms-transform: translate(0, 0);
25
       -o-transform: translate(0, 0);
26
       transform: translate(0, 0);
27
       -webkit-transition: -webkit-transform 200ms cubic-bezier(0, 0, 0.2, 1) 400ms;
       -moz-transition: -moz-transform 200ms cubic-bezier(0, 0, 0.2, 1) 400ms;
28
29
       -o-transition: -o-transform 200ms cubic-bezier(0, 0, 0.2, 1) 400ms;
30
       transition: transform 200ms cubic-bezier(0, 0, 0.2, 1) 400ms;
31 }
32
33 .cookie-banner .cookie-banner-container {
34
         margin: 0 auto;
35
         padding: 0 12px;
36
         text-align: center;
37
         max-width: 1440px;
38
         justify-content: space-between;
39
         display: flex;
40 }
41
42 .cookie-banner .cookie-banner-paragraph {
43
          text-align: left;
44 }
45
46 .cookie-banner .cookie-banner p {
47
           margin: 0;
48 }
49
50 .cookie-button {
51
       width: auto;
52
       flex-shrink: 0;
53
     margin-left: 25px;
54
       padding: 0 18px;
55
       background-color: var(--primary);
56
       border-color: var(--primary);
57 color: #ffffff;
58 }
59
60 .cookie-button .fa {
61
       padding-left: 5px;
```

```
62 }
63
64 @media(max-width: 767px) {
65
       .cookie-banner-container {
66
           display: block;
67
68
       .cookie-banner-paragraph {
69
           text-align: center;
70
      }
71
       .cookie-button {
72
           padding: 8px 18px;
73
           margin-left: 0;
74
           margin-top: 15px;
75
   }
76 }
```

③ Stellantis: Directions Row Styles to add to sb-inside.scss ❷

Update \$heading-font from the theme variables. If your \$heading-font is commented out in your theme variables, look to see what base theme in common is being referenced in an @import and use that one.

```
→ Map Row Styles for Integration Pages

   2
   3 #mapRow {
   4
        position: relative;
   5
        .mapwrap {
   6
           height: 600px;
   7
        }
   8 }
   9
  10 #map-canvas {
  11
        height:100%;
  12 }
  13
  15
  16
  17 #directionsBox {
  18
        padding: 50px 0;
  19
        text-align: left;
  20
        width: 400px;
        position: absolute;
  21
  22
        top:200px;
  23
        left: 50px;
  24
        background: #fff;
  25
        text-align: left;
  26
        color: #111;
  27
        font-family: $heading-font;
  28
        .getdirectionstext {
  29
           display: inline-block;
  30
            font-size: 24px;
  31
            margin: 0;
  32
        }
  33
        .locationtext {
  34
            text-transform: uppercase;
```

```
35
          font-weight: 700;
36
          margin-bottom: 20px;
37
     }
38
       .address {
39
          margin-bottom: 20px;
40
41 }
42
43 @media (max-width: 920px){
44
       #mapRow {
45
          .mapwrap {
46
             height: 250px;
47
          #directionsBox {
48
49
            width: unset;
50
            height: 100%;
            top: 0;
51
52
            left: 0;
53
             padding: 20px;
54
              max-width: 45%;
55
         }
56
      }
57 }
```