

Implementation Configuration Forms

Area Forms

Release 500
SW88-580
8/95

Copyright, Trademarks, and Notices

Printed in U.S.A. – © Copyright 1995 by Honeywell Inc.

Revision 01 – August 1, 1995

While this information is presented in good faith and believed to be accurate, Honeywell disclaims the implied warranties of merchantability and fitness for a particular purpose and makes no express warranties except as may be stated in its written agreement with and for its customer.

In no event is Honeywell liable to anyone for any indirect, special or consequential damages. The information and specifications in this document are subject to change without notice.

Table of Contents

<u>Form Name</u>	<u>Form Number</u>
Area SOE Journal Configuration Form	SW88-579
Area Real-Time Journal Assignments Configuration Display	SW88-580
Area Reference (Related, Associated And Help) Display Configuration Form	SW88-580A
Area Unit Assignment Display Configuration Form	SW88-581
Area Pathname Configuration Display	SW88-582
Area Overview Configuration Form	SW88-583
Area Group Display Configuration Form	SW88-584
Area Process Module Group Configuration	SW88-585
Area Trend Configuration Form	SW88-586
Unit Trend Configuration Form	SW88-587
Unit Summary Configuration Form	SW88-588
Area Batch Summary and System Status Configuration Form	SW88-589
Area Annunciator Configuration Form	SW88-590
Area Display Set Configuration Form	SW88-591
Area Standard Log Configuration Form	SW88-592
Area Free Format Log Configuration Form	SW88-593
Area Process Journal Configuration Form	SW88-594
Area Printed Trend Configuration Form	SW88-595
Area Report Configuration Form	SW88-596
Area System Journal Configuration Form	SW88-597
Area LCN Node Annunciation Policy Configuration Form	SW88-598
Area Process Network Device Annunciation Policy Configuration Form	SW88-599

AREA SOE JOURNAL CONFIGURATION FORM

SOE JOURNAL CONFIGURATION

1 JOURNAL NUMBER | | | | (DEFAULTS TO 1)

2 JOURNAL NAME | | | | | | | | |

3 JOURNAL TITLE |

4 PRINTER ID | | | (DEFAULTS TO 1)

5 HM NODE NUMBER | | |

AREA REAL-TIME JOURNAL ASSIGNMENTS CONFIGURATION DISPLAY

REAL-TIME JOURNAL ASSIGNMENTS DISPLAY CONFIGURATION

1 JOURNAL ASSIGNMENT

JOURNAL TYPE	INITIALLY ACTIVE?		PRINTER ID
PROCESS ALARMS	☐ YES	☐ NO	
OPERATOR PROCESS CHANGES	☐ YES	☐ NO	
OPERATOR MESSAGES	☐ YES	☐ NO	
SYSTEM STATUS CHANGES	☐ YES	☐ NO	
SYSTEM ERROR MESSAGES	☐ YES	☐ NO	
SYSTEM MAINTENANCE MESSAGES	☐ YES	☐ NO	

(DEFAULTS TO "YES") (DEFAULTS TO "1")

AREA REFERENCE (RELATED, ASSOCIATED AND HELP) DISPLAY CONFIGURATION FORM

Used with AREA Configuration Form Number: _____

RELATED, ASSOCIATED AND HELP DISPLAY CONFIGURATION

INDEX _____

1	SCREEN NUMBER	
2	DISPLAY TYPE	
3	SCHEMATIC NAME	
4	DISPLAY NUMBER	
5	BOX NUMBER	
6	GROUP NUMBER	
7	PRESELECTED SLOT	
8	POINT ID	
9	UNIT ID	

INDEX _____

1	SCREEN NUMBER	
2	DISPLAY TYPE	
3	SCHEMATIC NAME	
4	DISPLAY NUMBER	
5	BOX NUMBER	
6	GROUP NUMBER	
7	PRESELECTED SLOT	
8	POINT ID	
9	UNIT ID	

INDEX _____

1	SCREEN NUMBER	
2	DISPLAY TYPE	
3	SCHEMATIC NAME	
4	DISPLAY NUMBER	
5	BOX NUMBER	
6	GROUP NUMBER	
7	PRESELECTED SLOT	
8	POINT ID	
9	UNIT ID	

References: Area Form Instructions in the Implementation/Engineering Operations - 2 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

UNIT ASSIGNMENT DISPLAY CONFIGURATION

Second display page

[illegible]

Area No. _____
Sheet _____ of _____

HONEYWELL TDC 3000^X
AREA PATHNAME CATALOG CONFIGURATION FORM

SW88-582
Page 1 of 2
8/95

PATHNAME CATALOG CONFIGURATION

1. BUTTON CONFIGURATION FILE: VOLUME ID |_|_|_|_| FILE NAME |_|_|_|_|_|_|_|_|_|

2. SCHEM OR FFL PATHNAMES (DEV>VOL) (Searched left to right, top to bottom)

_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _
_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _
_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _
_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _
_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _	_ _ _ _ _ _ _

3. MEMORY RESIDENT SCHEMATIC OR FFL FILE NAMES (Loaded Left to right, top to bottom)

	<u>FFL</u>		<u>FFL</u>		<u>FFL</u>		<u>FFL</u>		<u>FFL</u>
_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_
_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_
_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_
_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_
_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_
_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_
_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_	_ _ _ _ _ _ _	_

Area No. _____

Sheet _____ of _____

HONEYWELL TDC 3000^X

AREA PATHNAME CATALOG CONFIGURATION FORM

SW88-582

Page 2 of 2

8/95

PATHNAME CATALOG CONFIGURATION

3. MEMORY RESIDENT SCHEMATIC OR FFL FILE NAMES - Continued (Loaded Left to right, top to bottom)

<u>FFL</u>	<u>FFL</u>	<u>FFL</u>	<u>FFL</u>	<u>FFL</u>
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐
_____ ☐	_____ ☐	_____ ☐	_____ ☐	_____ ☐

References: Area Form Instructions in the Implementation/Engineering Operations - 1 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

AREA OVERVIEW CONFIGURATION FORM

AREA OVERVIEW DISPLAY CONFIGURATION

1 GROUP NUMBERS*

01	02	03	04	05	06	07	08	09
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36

2 NUMBER OF FIELDS | | |

3 FIELD DEFINITIONS

INDEX 01	FIELD TITLE	
	TOP LEFT ELEMENT	
	WIDTH	
	HEIGHT	
	ONE RELATED DISPLAY**	
INDEX 02	FIELD TITLE	
	TOP LEFT ELEMENT	
	WIDTH	
	HEIGHT	
	ONE RELATED DISPLAY**	
INDEX 03	FIELD TITLE	
	TOP LEFT ELEMENT	
	WIDTH	
	HEIGHT	
	ONE RELATED DISPLAY**	

*One Associated and one Help display can be configured for the Overview Display.

Use Form SW88-580A to fill in your selections.

**One related display can be configured for each field on the Overview Display.

Use Form SW88-580A to make your selections.

AREA OVERVIEW DISPLAY CONFIGURATION

**One related display can be configured for each field on the Overview Display.
Use Form SW88-580A to make your selections.

AREA GROUP DISPLAY CONFIGURATION FORM

GROUP DISPLAY CONFIGURATION

1	GROUP NUMBER				
2	GROUP TITLE				
3	ID OF POINTS IN THE GROUP				
	POINT IDS		IN THE TREND SET?	DEFAULTS TO	
		☐ YES	☐ NO	"NO"	
		☐ YES	☐ NO	"NO"	
		☐ YES	☐ NO	"NO"	
		☐ YES	☐ NO	"NO"	
		☐ YES	☐ NO	"NO"	
		☐ YES	☐ NO	"NO"	
		☐ YES	☐ NO	"NO"	
		☐ YES	☐ NO	"NO"	
4	DEFAULT TREND TIMEBASE:	☐ 20 MINUTES	☐ 1 HOUR	☐ 2 HOURS	☐ 8 HOURS
(DEFAULTS TO "20 MINUTES")					

NOTE: One Associated and one Help display are permitted. Use Form SW88-580A to list selections.

AREA PROCESS MODULE GROUP CONFIGURATION

MODULE GROUP DISPLAY CONFIGURATION

1 GROUP NUMBER | | |

2 GROUP TITLE |

3 PROCESS MODULE ID

INDEX

01 | | | | | | | | |

03 | | | | | | | | |

05 | | | | | | | | |

INDEX

02 | | | | | | | | |

04 | | | | | | | | |

06 | | | | | | | | |

NOTE: One related display can be configured for each process module in the group. In addition, one Associated display and one Help display can be configured for each Module Group Display.

References: Area Form Instructions in the Implementation/Engineering Operations - 2 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

AREA TREND OVERVIEW DISPLAY CONFIGURATION

2 HOURS

8 HOURS

(DEFAULTS TO "2 HOURS")

POINT IDS (2 POINTS PER TREND AXIS)

CYAN 01 | | | | | | | | | | | | | | | | 03 | | | | | | | | | | | | | | | | 05 | | | | | | | | | | | | | | | |

YELLOW 02 | | | | | | | | | | | | | | | | 04 | | | | | | | | | | | | | | | | 06 | | | | | | | | | | | | | | | |

CYAN 07| | | | | | | | | | | | | | | 09| | | | | | | | | | | | | | | 11| | | | | | | | | | | | | | |

YELLOW 08| | | | | | | | | | | | | | | | 10| | | | | | | | | | | | | | | | 12| | | | | | | | | | | | | | | |

13 | | | | | | | | | | | | | | | 15 | | | | | | | | | | | | | | | 17 | | | | | | | | | | | | | | |

16 18

References: Area Form Instructions in the Implementation/Engineering Operations - 2 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

UNIT TREND CONFIGURATION FORM

UNIT TREND DISPLAY CONFIGURATION

1 TREND DISPLAY NUMBER | | |

2 TREND TITLE

| |

3 TREND TIMEBASE | 2 HOURS | 8 HOURS | (DEFAULTS TO "2 HOURS")

4 AXIS SET DEFINITION

POINT IDS (2 POINTS PER TREND AXIS)

CYAN 01 | 03 | | | | | | | | | | | | | | | | | | 05 | | | | | | | | | | | | | | | | | |

YELLOW 02 | 04 | | | | | | | | | | | | | | | | | | 06 | | | | | | | | | | | | | | | | | |

CYAN 07 | 09 | | | | | | | | | | | | | | | | | | 11 | | | | | | | | | | | | | | | | | |

YELLOW 08 | 10 | | | | | | | | | | | | | | | | | | 12 | | | | | | | | | | | | | | | | | |

13 | 15 | | | | | | | | | | | | | | | | | | 17 | | | | | | | | | | | | | | | | | |

| 16 | | | | | | | | | | | | | | | | | | 18 | | | | | | | | | | | | | | | | | |

Twenty-four Related displays are permitted, one for each of the 24 points of the Unit Trend display, as well as one Associated and one Help display. Use separate Form SW88-580A to fill in your selections.

AREA BATCH SUMMARY AND SYSTEM STATUS CONFIGURATION FORM

CONFIGURATION DISPLAYS

The Batch Summary and System Status displays are standard displays; however, you can use copies of Form SW88-580A to configure an Associated display and a Help display for each of these displays.

ANNUNCIATOR DISPLAY CONFIGURATION

NUMBER OF POINTS			
------------------	--	--	--

[illegible]

SCREEN NUMBER | |

SCHEMATIC NAME	1	2	3	4	5	6	7	8
1								
2								
3								
4								
5								
6								
7								
8								

References: Area Form Instructions in the Implementation/Engineering Operations - 2 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

AREA DISPLAY SET CONFIGURATION FORM

DISPLAY SET CONFIGURATION

1 DISPLAY SET DEFINITION

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

DISPLAY SET NUMBER | _ | _ | _ | DEFAULTS TO: BLANK (NULL)
RELATED DISPLAYS*

*Up to three related displays constitute a display set. Use Form SW88-580A to make selections.

References: Area Form Instructions in the Implementation/Engineering Operations - 2 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

AREA STANDARD LOG CONFIGURATION FORM

STANDARD LOG CONFIGURATION

1 LOG NUMBER | | | |
2 LOG NAME | | | | | | | | | |
3 LOG DESCRIPTION |
| | | | |

4 INVOCATION TYPE (DEFAULTS TO "DEMAND")

5 INITIALLY ACTIVE? (DEFAULTS TO "NO")

6 SCHEDULE INFORMATION

DAYS OF WEEK:

(DEFAULTS TO ALL DAYS)

START TIME: | | | : | | | PERIOD: | | | : | | |

7 PRINTER ID | | |

8 HEADER SUPPRESSION (DEFAULTS TO "NO")

9 FORMAT (DEFAULTS TO "VERTICAL")

10 DATA TYPE (DEFAULTS TO "CURRENT")

11 NUMBER OF VALUES PER POINT | | | |

12 NUMBER OF POINTS | | | |

13 POINTS IN THE LOG

INDEX 001		INDEX 002	
INDEX 003		INDEX 004	
INDEX 005		INDEX 006	
INDEX 007		INDEX 008	

AREA STANDARD LOG CONFIGURATION FORM

(Continued)

STANDARD LOG CONFIGURATION

[illegible]

FREE FORMAT LOG CONFIGURATION

References: Area Form Instructions in the Implementation/Engineering Operations - 2 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

AREA PROCESS JOURNAL CONFIGURATION FORM

PROCESS JOURNAL CONFIGURATION																			
1	JOURNAL NUMBER	_ _ _																	
2	JOURNAL NAME	_ _ _ _ _ _ _																	
3	JOURNAL TITLE	_ _																	
4	JOURNAL TYPE*	ALARM OPERMMSG OPERCHG (DEFAULTS TO "ALARM")																	
5	INVOCATIVE TYPE?	DEMAND PERIODIC (DEFAULTS TO "DEMAND")																	
6	INITIALLY ACTIVE?	YES NO (DEFAULTS TO "NO")																	
7	SCHEDULE INFORMATION	DAYS OF WEEK: SUN MON TUE WED THU FRI SAT START TIME: _ _ : _ _ PERIOD: _ _ : _ _ (DEFAULTS TO ALL DAYS)																	
8	PRINTER ID	_ _ (DEFAULTS TO "1")																	
9	TIME SPAN	_ _ _ (DEFAULTS TO "0")																	
10	NUMBER OF UNITS	_ _																	
		1	_ _	13	_ _	25	_ _												
		2	_ _	14	_ _	26	_ _												
		3	_ _	15	_ _	27	_ _												
		4	_ _	16	_ _	28	_ _												
		5	_ _	17	_ _	29	_ _												
		6	_ _	18	_ _	30	_ _												
		7	_ _	19	_ _	31	_ _												
		8	_ _	20	_ _	32	_ _												
		9	_ _	21	_ _	33	_ _												
		10	_ _	22	_ _	34	_ _												
		11	_ _	23	_ _	35	_ _												
		12	_ _	24	_ _	36	_ _												

References: Area Form Instructions in the Implementation/Engineering Operations - 2 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

PRINTED TREND DISPLAY CONFIGURATION

References: Area Form Instructions in the Implementation/Engineering Operations - 2 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

REPORT DISPLAY CONFIGURATION

References: Area Form Instructions in the Implementation/Engineering Operations - 2 binder.
Data Entity Builder Manual in the Implementation/Engineering Operations - 1 binder.

SYSTEM JOURNAL CONFIGURATION

```

1  JOURNAL NUMBER  |  |  |  |
2  JOURNAL NAME    |  |  |  |  |  |  |  |  |
3  JOURNAL TITLE   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
4  JOURNAL TYPE     SYSSTAT  SYSERR  SYSMAINT  (DEFAULTS TO "SYSSTAT")
5  INVOCATION TYPE? DEMAND    PERIODIC  (DEFAULTS TO "DEMAND")
6  INITIALLY ACTIVE? YES      NO        (DEFAULTS TO "NO")
7  SCHEDULE INFORMATION  (DEFAULTS TO ALL)
    DAYS OF WEEK:    SUN      MON      TUE      WED      THU      FRI      SAT
    START TIME:      |  |  |  |  |  | PERIOD:  |  |  |  |  |  |
8  PRINTER ID       |  |  |  | (DEFAULTS TO "1")
9  TIME SPAN        |  |  |  | (DEFAULTS TO "0")

```


AREA LCN NODE ANNUNCIATION POLICY CONFIGURATION FORM

LCN NODE ANNUNCIATION POLICY DISPLAY CONFIGURATION

1 ANNUNCIATION POLICY ALL DEFAULTS = "YES"

ADDRESS ANNUNCIATED?

ADDRESS ANNUNCIATED?

ADDRESS ANNUNCIATED?

01 ☐ YES ☐ NO

02 ☐ YES ☐ NO

03 ☐ YES ☐ NO

04 ☐ YES ☐ NO

05 ☐ YES ☐ NO

06 ☐ YES ☐ NO

07 ☐ YES ☐ NO

08 ☐ YES ☐ NO

09 ☐ YES ☐ NO

10 ☐ YES ☐ NO

11 ☐ YES ☐ NO

12 ☐ YES ☐ NO

13 ☐ YES ☐ NO

14 ☐ YES ☐ NO

15 ☐ YES ☐ NO

16 ☐ YES ☐ NO

17 ☐ YES ☐ NO

18 ☐ YES ☐ NO

19 ☐ YES ☐ NO

20 ☐ YES ☐ NO

21 ☐ YES ☐ NO

22 ☐ YES ☐ NO

23 ☐ YES ☐ NO

24 ☐ YES ☐ NO

25 ☐ YES ☐ NO

26 ☐ YES ☐ NO

27 ☐ YES ☐ NO

28 ☐ YES ☐ NO

29 ☐ YES ☐ NO

30 ☐ YES ☐ NO

31 ☐ YES ☐ NO

32 ☐ YES ☐ NO

33 ☐ YES ☐ NO

34 ☐ YES ☐ NO

35 ☐ YES ☐ NO

36 ☐ YES ☐ NO

37 ☐ YES ☐ NO

38 ☐ YES ☐ NO

39 ☐ YES ☐ NO

40 ☐ YES ☐ NO

41 ☐ YES ☐ NO

42 ☐ YES ☐ NO

43 ☐ YES ☐ NO

44 ☐ YES ☐ NO

45 ☐ YES ☐ NO

46 ☐ YES ☐ NO

47 ☐ YES ☐ NO

48 ☐ YES ☐ NO

49 ☐ YES ☐ NO

50 ☐ YES ☐ NO

51 ☐ YES ☐ NO

52 ☐ YES ☐ NO

53 ☐ YES ☐ NO

54 ☐ YES ☐ NO

55 ☐ YES ☐ NO

56 ☐ YES ☐ NO

57 ☐ YES ☐ NO

58 ☐ YES ☐ NO

59 ☐ YES ☐ NO

60 ☐ YES ☐ NO

61 ☐ YES ☐ NO

62 ☐ YES ☐ NO

63 ☐ YES ☐ NO

64 ☐ YES ☐ NO

AREA PROCESS NETWORK DEVICE ANNUNCIATION POLICY CONFIGURATION FORM

PROCESS NETWORK DEVICE ANNUNCIATION POLICY DISPLAY CONFIGURATION

1 PROCESS NETWORK NUMBER | | |

2 ANNUNCIATION POLICY ALL DEFAULTS = "YES"

ADDRESS ANNUNCIATED?

ADDRESS ANNUNCIATED?

ADDRESS ANNUNCIATED?

01 ☐ YES ☐ NO

02 ☐ YES ☐ NO

03 ☐ YES ☐ NO

04 ☐ YES ☐ NO

05 ☐ YES ☐ NO

06 ☐ YES ☐ NO

07 ☐ YES ☐ NO

08 ☐ YES ☐ NO

09 ☐ YES ☐ NO

10 ☐ YES ☐ NO

11 ☐ YES ☐ NO

12 ☐ YES ☐ NO

13 ☐ YES ☐ NO

14 ☐ YES ☐ NO

15 ☐ YES ☐ NO

16 ☐ YES ☐ NO

17 ☐ YES ☐ NO

18 ☐ YES ☐ NO

19 ☐ YES ☐ NO

20 ☐ YES ☐ NO

21 ☐ YES ☐ NO

22 ☐ YES ☐ NO

23 ☐ YES ☐ NO

24 ☐ YES ☐ NO

25 ☐ YES ☐ NO

26 ☐ YES ☐ NO

27 ☐ YES ☐ NO

28 ☐ YES ☐ NO

29 ☐ YES ☐ NO

30 ☐ YES ☐ NO

31 ☐ YES ☐ NO

32 ☐ YES ☐ NO

33 ☐ YES ☐ NO

34 ☐ YES ☐ NO

35 ☐ YES ☐ NO

36 ☐ YES ☐ NO

37 ☐ YES ☐ NO

38 ☐ YES ☐ NO

39 ☐ YES ☐ NO

40 ☐ YES ☐ NO

41 ☐ YES ☐ NO

42 ☐ YES ☐ NO

43 ☐ YES ☐ NO

44 ☐ YES ☐ NO

45 ☐ YES ☐ NO

46 ☐ YES ☐ NO

47 ☐ YES ☐ NO

48 ☐ YES ☐ NO

49 ☐ YES ☐ NO

50 ☐ YES ☐ NO

51 ☐ YES ☐ NO

52 ☐ YES ☐ NO

53 ☐ YES ☐ NO

54 ☐ YES ☐ NO

55 ☐ YES ☐ NO

56 ☐ YES ☐ NO

57 ☐ YES ☐ NO

58 ☐ YES ☐ NO

59 ☐ YES ☐ NO

60 ☐ YES ☐ NO

61 ☐ YES ☐ NO

62 ☐ YES ☐ NO

63 ☐ YES ☐ NO

64 ☐ YES ☐ NO

READER COMMENTS

Honeywell IAC Automation College welcomes your comments and suggestions to improve future editions of this and other publications.

You can communicate your thoughts to us by fax, mail, or toll-free telephone call. We would like to acknowledge your comments; please include your complete name and address

BY FAX: Use this form; and fax to us at (602) 313-4108

BY TELEPHONE: In the U.S.A. use our toll-free number 1*800-822-7673 (available in the 48 contiguous states except Arizona; in Arizona dial 1-602-313-5558).

BY MAIL: Use this form; detach, fold, tape closed, and mail to us.

Title of Publication: **Area Forms** Issue Date: **8/95**

Publication Number: **SW88-500**

Writer: **Bill Damours**

COMMENTS: _____

RECOMMENDATIONS: _____

NAME _____ DATE _____

TITLE _____

COMPANY _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

TELEPHONE _____ FAX _____

(If returning by mail, please tape closed; Postal regulations prohibit use of staples.)


Communications concerning technical publications should be directed to:

Automation College
Industrial Automation and Control
Honeywell Inc.
2820 West Kelton Lane
Phoenix, Arizona 85023-3028

FOLD

FOLD

From: _____




NO POSTAGE
NECESSARY
IF MAILED
IN THE USA

BUSINESS REPLY MAIL

FIRST CLASS PERMIT NO. 4332 PHOENIX, ARIZONA

POSTAGE WILL BE PAID BY

Honeywell
Industrial Automation and Control
2820 West Kelton Lane
Phoenix, Arizona 85023-3028



Cut Along Line

Attention: Manager, Quality

FOLD

FOLD

Additional Comments: