
Retrofit Planner

Retrofit cost, saving and payback for one specific house, from four fields a mortgage lender already holds.

Lloyds Launch 2026 | Homes | RetrofitPlanner.co.uk

One person, sole trader, incorporating Q4 2026

The incentive is funded. The decision is not.

- **39% band D, 17% band E to G**

Of LBG residential mortgages with a known EPC. The majority of the book sits below the standard rented homes must reach by 2030.

- **Just over 3,000 Eco Home Reward claims in 2025**

Against a book of millions. Up to £2,000 is available and almost nobody takes it.

- **EPCs do not measure what a house actually uses**

LBG 2025 sustainability report: EPCs capture neither actual energy use nor recent retrofit work, and a 2.0% gap to the financed emissions pathway is attributed to EPC data limits.

A household will not act on a cost and a saving. They act on how many years the money takes to come back, and which measure to do first. That is the number nobody is giving them.

Built from government microdata, published openly

DESNZ National Energy Efficiency Data-Framework 2026. 39,502 gas heated records with 2024 consumption, England and Wales. Median gas per property type and floor area band, calibrated to reproduce NEED published medians within 0.3%.

Four inputs. No smart meter, no survey, no account, no address.

property type | floor area or bedrooms | fabric condition | heating fuel

39,502

gas heated NEED records behind the table

18 + 148

guides and table cells checked against the model
automatically

0

cookies set, and no customer data leaves the browser

Method at </methodology/>. The model table itself is readable at </js/heat-model.js>.

Everything about it is checkable

- **The method is published, and enforced**

Comparable tools return a score or an estimate without saying how it was produced. This one publishes the model table and the method behind it, and two automated checks compare every figure on the site back against that table before anything goes live.

- **No AI, deliberately**

Deterministic arithmetic, reproducible by hand, auditable by a model risk team. It also keeps the interface four dropdowns rather than a chat box. The worst rated stock is the oldest: 18% of NEED earliest age band is EPC E or below against 0.5% of the newest.

- **It withholds the sale**

The boiler tool hides both the quote prompt and the lead capture form when the existing boiler is cheaper: at a £900 gas bill, 42 of its 120 input combinations. The solar tool tells 282 of 6,048 modelled cases the system never pays for itself.

Small, growing, and not yet validated

413

clicks from 52,068 impressions, 28 days to 20 Sep 2026

39 to 331

monthly clicks, March to August 2026

2.14%

EPC calculator click through from position 10.6, against 0.79% sitewide

What I do not have, stated plainly

The site stores nothing on the device, so there is no completion rate, no repeat use and no user feedback. And no model output has yet been checked against a real house quote or its metered consumption. Establishing that accuracy is the first thing a pilot should do.

12 weeks, one cohort, a falsifiable result

● Who

Mortgage customers at EPC band D or E, where the model is calibrated, against a matched holdout. Base rate near 0.1% means roughly 30,000 per arm.

● What they see

A payback figure and a ranked list of measures for their own home, inside a page LBG already runs.

● Measured by

Green additional borrowing drawn, and model accuracy against the customer's own annual kWh. No difference at 6 months means it did not work.

Commercially

LBG licences the model, IP stays with me. A four figure pilot fee, then a five figure annual licence. No revenue share and no referral links on an LBG page. It is a lookup table plus arithmetic, so no customer data needs to move.