

Splenius Cervicis

Nathaniel Yomogida, SPT

Chloë Kerstein, SPT

Table of contents

| | |
|------------------------------|----------|
| 1 OIAN | 1 |
| 1.1 Origin | 1 |
| 1.2 Insertion | 4 |
| 1.3 Innervation | 4 |
| 1.4 Action | 4 |
| 2 Muscle groups | 4 |
| 3 Palpation | 4 |
| Clinical significance | 4 |

1 OIAN

Table 1: Splenius Cervicis OIAN

| Muscle | Origin | Insertion | Nerve | Action |
|-----------------------------------|---------------|--------------|---|--|
| Splenius Cervicis | T3-T6/T7 (SP) | C1-C3/4 (TP) | Spinal nn. C1-C6 (Post rami, lateral branches) | BIL: Extends C/S and head; UNIL: I/L head SB and Rotation |

1.1 Origin

T3-T6/T7 (SP)¹




Figure 1: Superficial intrinsic back muscles Right side posterior view¹



A Superficial back muscles:
Splenius and serratus posterior muscles.

Figure 2: Superficial intrinsic back muscles posterior view¹

1.2 Insertion

C1–C3/4 (TP)¹

1.3 Innervation

Spinal nn. C1–C6 (Post rami, lateral branches)¹

1.4 Action

- **BIL:** Extends C/S and head¹
- **UNIL:** I/L head SB and Rotation¹

2 Muscle groups

Splenius cervicis is part of the Superficial intrinsic back muscle group

3 Palpation

Clinical significance

1. Gilroy AM, MacPherson BR, Wikenheiser JC, Voll MM, Wesker K, Schünke M, eds. *Atlas of Anatomy*. 4th ed. Thieme; 2020.