# **Buccinator muscle**

## **Table of contents**

| 1   | OIAN                  | 1 |  |
|-----|-----------------------|---|--|
| 2   | Origin                | 2 |  |
| 3   | Insertion             | 2 |  |
| 4   | Innervation           | 2 |  |
| 5   | Action                | 2 |  |
| Cli | Clinical Significance |   |  |

#### 1 OIAN

| Muscle     | Origin  | Insertion                        | Nerve               | Action   |
|------------|---|----------------------------------|---------------------|--|
| Buccinator | Mandible, Alveolar process of maxilla and mandible, Ptery- gomandibular raphe | Angle of mouth, Orbicularis Oris | Facial Nerve CN VII | BIL: Presses cheek against molar teeth, working with tongue to keep food between occlusal surfaces and out of oral vestibule; expels air from oral cavity/resists distension when blowing; UNIL: Draws mouth to one side |

## 2 Origin

Mandible, Alveolar process of maxilla and mandible, Pterygomandibular raphe<sup>1</sup>

#### 3 Insertion

Angle of mouth, Orbicularis Oris<sup>1</sup>

#### 4 Innervation

Facial Nerve CN  ${\rm VII^1}$ 

#### 5 Action

**BIL**: Presses cheek against molar teeth, working with tongue to keep food between occlusal surfaces and out of oral vestibule; expels air from oral cavity/resists distension when blowing; **UNIL**: Draws mouth to one side<sup>1</sup>

# **Clinical Significance**

1. Gilroy AM, MacPherson BR, Wikenheiser JC, Voll MM, Wesker K, Schünke M, eds. *Atlas of Anatomy*. 4th ed. Thieme; 2020.