string string number number

			string			number
nums [2,6,5]	Zeile	i	_result	_start	_length	k
	3	0				
	4					
	8			"m"	2	
	9					2
	10					
	12			"mu"		
	9					1
	10					
	11			"muh"		
	12			"muhu"		
	9					0
	14			"muhu"		
	4			"muhum"		
	5					
	3	1				
	4					
	8			"muhum"	6	
	9					6
	10					
	12			"muhumu"		
	9					5
	10			"muhumuu"		
	12					4
	9					
	10			"muhumuuu"		
	12					3
	9					
	10					
	11			"muhumuuuh"		
	12			"muhumuuuhu"		
	9					2
	10					
	12			"muhumuuuhuu"		
	9					1
	10					_
	11			"muhumuuuhuuh"		
	12			"muhumuuuhuuhu"		
	9			,		0
	14			"muhumuuuhuuhu"		
	4			"muhumuuuhuuhum"		
	5					
	3	2				
	4					
	8			"muhumuuuhuuhum"	5	
	9					5
	10					3
	12			"muhumuuuhuuhumu"		
	9					4
	اعا					4

10		
12	"muhumuuuhuuhumuu"	
9		3
10		
12	"muhumuuuhuuhumuuu"	
9		2
10		
12	"muhumuuuhuuhumuuuu"	
9		1
10		
11	"muhumuuuhuuhumuuuuh"	
12	"muhumuuuhuuhumuuuhu"	
9		0
14	"muhumuuuhuuhumuuuuhu"	
3		

F	R	G	F	R	N	IS:
	П	L٦	Е.	D	ıv	1.7.

muhu

muuuhuuhu muuuuhu

Kommentare
0<3 -> true
createCall ("m",2)
2>0
2≠1    2≠1
1>0
1=1    1=1
0>0
"muhu" für start festgelegt

consolo log/"muhum"\
console.log("muhum")
1<3 -> true
createCall ("muhum",6)
6>0
6≠1    6≠3
5>0
5≠1    5≠3
4>0
4≠1    4≠3
3>0
3=3 -> true
2>0
2≠1    2≠3

1>0
1=1 -> true
0>0 -> false
return -> muhumuuuhuuhu für _start
console.log("muhumuuuhuuhum")
1<3 -> true
createCall ("muhumuuuhuuhum",5)
5>0
5≠1    5≠2.5
4>0

4≠1    4≠2.5
3>0
3≠1    3≠2.5
2>0
2≠1    2≠2.5
1>0
1=1 -> true
0>0 -> false
"muhumuuuhuuhumuuuhu" als _start
3<3 -> false